



Full wwPDB EM Validation Report ⓘ

Apr 14, 2025 – 02:16 pm BST

PDB ID : 9EYS / pdb_00009eys
EMDB ID : EMD-50063
Title : Structure of Far-Red Photosystem I from *C. thermalis* PCC 7203
Authors : Consoli, G.; Tufail, F.; Murray, J.W.; Fantuzzi, A.; Rutherford, A.W.
Deposited on : 2024-04-09
Resolution : 2.01 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY










The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	782	 96% .
1	N	782	 96% .
1	a	782	 96% .
2	B	740	 100%
2	O	740	 100%
2	b	740	 100%
3	C	81	 99% .
3	P	81	 99% .
3	c	81	 99% .



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	142	 98%
4	Q	142	 98%
4	d	142	 98%
5	E	66	 98%
5	R	66	 98%
5	e	66	 98%
6	F	161	 85% 15%
6	S	161	 85% 15%
6	f	161	 85% 15%
7	I	51	 82% 18%
7	T	51	 82% 18%
7	g	51	 82% 18%
8	J	46	 100%
8	U	46	 100%
8	h	46	 100%
9	K	80	 94% 6%
9	V	80	 94% 6%
9	i	80	 94% 6%
10	L	183	 94% 6%
10	W	183	 94% 6%
10	j	183	 94% 6%
11	M	32	 97%
11	Y	32	 97%
11	k	32	 97%
12	X	29	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
12	Z	29	 100%
12	1	29	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	CL0	A	801	X	-	-	-
13	CL0	N	801	X	-	-	-
13	CL0	a	801	X	-	-	-
15	CLA	A	803	X	-	-	-
15	CLA	A	804	X	-	-	-
15	CLA	A	805	X	-	-	-
15	CLA	A	806	X	-	-	-
15	CLA	A	807	X	-	-	-
15	CLA	A	808	X	-	-	-
15	CLA	A	809	X	-	-	-
15	CLA	A	810	X	-	-	-
15	CLA	A	811	X	-	-	-
15	CLA	A	812	X	-	-	-
15	CLA	A	813	X	-	-	-
15	CLA	A	814	X	-	-	-
15	CLA	A	815	X	-	-	-
15	CLA	A	816	X	-	-	-
15	CLA	A	817	X	-	-	-
15	CLA	A	818	X	-	-	-
15	CLA	A	819	X	-	-	-
15	CLA	A	820	X	-	-	-
15	CLA	A	821	X	-	-	-
15	CLA	A	822	X	-	-	-
15	CLA	A	823	X	-	-	-
15	CLA	A	825	X	-	-	-
15	CLA	A	827	X	-	-	-
15	CLA	A	828	X	-	-	-
15	CLA	A	829	X	-	-	-
15	CLA	A	830	X	-	-	-
15	CLA	A	831	X	-	-	-
15	CLA	A	832	X	-	-	-
15	CLA	A	833	X	-	-	-
15	CLA	A	834	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	CLA	A	835	X	-	-	-
15	CLA	A	836	X	-	-	-
15	CLA	A	837	X	-	-	-
15	CLA	A	838	X	-	-	-
15	CLA	A	839	X	-	-	-
15	CLA	A	840	X	-	-	-
15	CLA	A	841	X	-	-	-
15	CLA	A	842	X	-	-	-
15	CLA	A	856	X	-	-	-
15	CLA	B	801	X	-	-	-
15	CLA	B	802	X	-	-	-
15	CLA	B	803	X	-	-	-
15	CLA	B	804	X	-	-	-
15	CLA	B	805	X	-	-	-
15	CLA	B	806	X	-	-	-
15	CLA	B	807	X	-	-	-
15	CLA	B	808	X	-	-	-
15	CLA	B	809	X	-	-	-
15	CLA	B	810	X	-	-	-
15	CLA	B	812	X	-	-	-
15	CLA	B	813	X	-	-	-
15	CLA	B	814	X	-	-	-
15	CLA	B	815	X	-	-	-
15	CLA	B	816	X	-	-	-
15	CLA	B	817	X	-	-	-
15	CLA	B	818	X	-	-	-
15	CLA	B	819	X	-	-	-
15	CLA	B	820	X	-	-	-
15	CLA	B	821	X	-	-	-
15	CLA	B	822	X	-	-	-
15	CLA	B	823	X	-	-	-
15	CLA	B	824	X	-	-	-
15	CLA	B	825	X	-	-	-
15	CLA	B	826	X	-	-	-
15	CLA	B	827	X	-	-	-
15	CLA	B	828	X	-	-	-
15	CLA	B	829	X	-	-	-
15	CLA	B	830	X	-	-	-
15	CLA	B	832	X	-	-	-
15	CLA	B	833	X	-	-	-
15	CLA	B	834	X	-	-	-
15	CLA	B	835	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	CLA	B	836	X	-	-	-
15	CLA	B	837	X	-	-	-
15	CLA	B	839	X	-	-	-
15	CLA	F	201	X	-	-	-
15	CLA	K	102	X	-	-	-
15	CLA	K	103	X	-	-	-
15	CLA	L	202	X	-	-	-
15	CLA	L	203	X	-	-	-
15	CLA	N	803	X	-	-	-
15	CLA	N	804	X	-	-	-
15	CLA	N	805	X	-	-	-
15	CLA	N	806	X	-	-	-
15	CLA	N	807	X	-	-	-
15	CLA	N	808	X	-	-	-
15	CLA	N	809	X	-	-	-
15	CLA	N	810	X	-	-	-
15	CLA	N	811	X	-	-	-
15	CLA	N	812	X	-	-	-
15	CLA	N	813	X	-	-	-
15	CLA	N	814	X	-	-	-
15	CLA	N	815	X	-	-	-
15	CLA	N	816	X	-	-	-
15	CLA	N	817	X	-	-	-
15	CLA	N	818	X	-	-	-
15	CLA	N	819	X	-	-	-
15	CLA	N	820	X	-	-	-
15	CLA	N	821	X	-	-	-
15	CLA	N	822	X	-	-	-
15	CLA	N	823	X	-	-	-
15	CLA	N	825	X	-	-	-
15	CLA	N	827	X	-	-	-
15	CLA	N	828	X	-	-	-
15	CLA	N	829	X	-	-	-
15	CLA	N	830	X	-	-	-
15	CLA	N	831	X	-	-	-
15	CLA	N	832	X	-	-	-
15	CLA	N	833	X	-	-	-
15	CLA	N	834	X	-	-	-
15	CLA	N	835	X	-	-	-
15	CLA	N	836	X	-	-	-
15	CLA	N	837	X	-	-	-
15	CLA	N	838	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	CLA	N	839	X	-	-	-
15	CLA	N	840	X	-	-	-
15	CLA	N	841	X	-	-	-
15	CLA	N	842	X	-	-	-
15	CLA	O	801	X	-	-	-
15	CLA	O	802	X	-	-	-
15	CLA	O	803	X	-	-	-
15	CLA	O	804	X	-	-	-
15	CLA	O	805	X	-	-	-
15	CLA	O	806	X	-	-	-
15	CLA	O	807	X	-	-	-
15	CLA	O	808	X	-	-	-
15	CLA	O	809	X	-	-	-
15	CLA	O	811	X	-	-	-
15	CLA	O	812	X	-	-	-
15	CLA	O	814	X	-	-	-
15	CLA	O	815	X	-	-	-
15	CLA	O	816	X	-	-	-
15	CLA	O	817	X	-	-	-
15	CLA	O	818	X	-	-	-
15	CLA	O	819	X	-	-	-
15	CLA	O	820	X	-	-	-
15	CLA	O	821	X	-	-	-
15	CLA	O	822	X	-	-	-
15	CLA	O	823	X	-	-	-
15	CLA	O	824	X	-	-	-
15	CLA	O	825	X	-	-	-
15	CLA	O	826	X	-	-	-
15	CLA	O	827	X	-	-	-
15	CLA	O	828	X	-	-	-
15	CLA	O	829	X	-	-	-
15	CLA	O	830	X	-	-	-
15	CLA	O	831	X	-	-	-
15	CLA	O	832	X	-	-	-
15	CLA	O	834	X	-	-	-
15	CLA	O	835	X	-	-	-
15	CLA	O	836	X	-	-	-
15	CLA	O	837	X	-	-	-
15	CLA	O	838	X	-	-	-
15	CLA	O	839	X	-	-	-
15	CLA	O	841	X	-	-	-
15	CLA	S	201	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	CLA	V	102	X	-	-	-
15	CLA	V	103	X	-	-	-
15	CLA	W	1501	X	-	-	-
15	CLA	W	1502	X	-	-	-
15	CLA	X	103	X	-	-	-
15	CLA	Z	103	X	-	-	-
15	CLA	a	803	X	-	-	-
15	CLA	a	804	X	-	-	-
15	CLA	a	805	X	-	-	-
15	CLA	a	806	X	-	-	-
15	CLA	a	807	X	-	-	-
15	CLA	a	808	X	-	-	-
15	CLA	a	809	X	-	-	-
15	CLA	a	810	X	-	-	-
15	CLA	a	811	X	-	-	-
15	CLA	a	812	X	-	-	-
15	CLA	a	813	X	-	-	-
15	CLA	a	814	X	-	-	-
15	CLA	a	815	X	-	-	-
15	CLA	a	816	X	-	-	-
15	CLA	a	817	X	-	-	-
15	CLA	a	818	X	-	-	-
15	CLA	a	819	X	-	-	-
15	CLA	a	820	X	-	-	-
15	CLA	a	821	X	-	-	-
15	CLA	a	822	X	-	-	-
15	CLA	a	823	X	-	-	-
15	CLA	a	825	X	-	-	-
15	CLA	a	827	X	-	-	-
15	CLA	a	828	X	-	-	-
15	CLA	a	829	X	-	-	-
15	CLA	a	830	X	-	-	-
15	CLA	a	831	X	-	-	-
15	CLA	a	832	X	-	-	-
15	CLA	a	833	X	-	-	-
15	CLA	a	834	X	-	-	-
15	CLA	a	835	X	-	-	-
15	CLA	a	836	X	-	-	-
15	CLA	a	837	X	-	-	-
15	CLA	a	838	X	-	-	-
15	CLA	a	839	X	-	-	-
15	CLA	a	840	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	CLA	a	841	X	-	-	-
15	CLA	a	842	X	-	-	-
15	CLA	b	801	X	-	-	-
15	CLA	b	802	X	-	-	-
15	CLA	b	803	X	-	-	-
15	CLA	b	804	X	-	-	-
15	CLA	b	805	X	-	-	-
15	CLA	b	806	X	-	-	-
15	CLA	b	807	X	-	-	-
15	CLA	b	808	X	-	-	-
15	CLA	b	809	X	-	-	-
15	CLA	b	811	X	-	-	-
15	CLA	b	812	X	-	-	-
15	CLA	b	814	X	-	-	-
15	CLA	b	815	X	-	-	-
15	CLA	b	816	X	-	-	-
15	CLA	b	817	X	-	-	-
15	CLA	b	818	X	-	-	-
15	CLA	b	819	X	-	-	-
15	CLA	b	820	X	-	-	-
15	CLA	b	821	X	-	-	-
15	CLA	b	822	X	-	-	-
15	CLA	b	823	X	-	-	-
15	CLA	b	824	X	-	-	-
15	CLA	b	825	X	-	-	-
15	CLA	b	826	X	-	-	-
15	CLA	b	827	X	-	-	-
15	CLA	b	828	X	-	-	-
15	CLA	b	829	X	-	-	-
15	CLA	b	830	X	-	-	-
15	CLA	b	831	X	-	-	-
15	CLA	b	832	X	-	-	-
15	CLA	b	834	X	-	-	-
15	CLA	b	835	X	-	-	-
15	CLA	b	836	X	-	-	-
15	CLA	b	837	X	-	-	-
15	CLA	b	838	X	-	-	-
15	CLA	b	839	X	-	-	-
15	CLA	b	841	X	-	-	-
15	CLA	f	201	X	-	-	-
15	CLA	i	102	X	-	-	-
15	CLA	i	103	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	CLA	j	202	X	-	-	-
15	CLA	j	203	X	-	-	-
15	CLA	l	103	X	-	-	-

2 Entry composition [i](#)

There are 24 unique types of molecules in this entry. The entry contains 75954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem I P700 chlorophyll a apoprotein A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	753	Total	C	N	O	S	0	0
			5900	3869	1012	988	31		
1	N	753	Total	C	N	O	S	0	0
			5900	3869	1012	988	31		
1	a	753	Total	C	N	O	S	0	0
			5900	3869	1012	988	31		

- Molecule 2 is a protein called Photosystem I P700 chlorophyll a apoprotein A2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	739	Total	C	N	O	S	0	0
			5913	3897	994	1004	18		
2	O	739	Total	C	N	O	S	0	0
			5913	3897	994	1004	18		
2	b	739	Total	C	N	O	S	0	0
			5913	3897	994	1004	18		

- Molecule 3 is a protein called Photosystem I iron-sulfur center.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	80	Total	C	N	O	S	0	0
			600	368	103	118	11		
3	P	80	Total	C	N	O	S	0	0
			600	368	103	118	11		
3	c	80	Total	C	N	O	S	0	0
			600	368	103	118	11		

- Molecule 4 is a protein called Photosystem I reaction center subunit II.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	139	Total	C	N	O	S	0	0
			1090	692	193	202	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	Q	139	Total	C	N	O	S	0	0
			1090	692	193	202	3		
4	d	139	Total	C	N	O	S	0	0
			1090	692	193	202	3		

- Molecule 5 is a protein called Photosystem I reaction center subunit IV.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	65	Total	C	N	O		0	0
			530	341	92	97			
5	R	65	Total	C	N	O		0	0
			530	341	92	97			
5	e	65	Total	C	N	O		0	0
			530	341	92	97			

- Molecule 6 is a protein called Photosystem I reaction center subunit III.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	137	Total	C	N	O	S	0	0
			1075	698	176	197	4		
6	S	137	Total	C	N	O	S	0	0
			1075	698	176	197	4		
6	f	137	Total	C	N	O	S	0	0
			1075	698	176	197	4		

- Molecule 7 is a protein called Photosystem I reaction center subunit VIII.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	I	42	Total	C	N	O	S	0	0
			351	247	47	55	2		
7	T	42	Total	C	N	O	S	0	0
			351	247	47	55	2		
7	g	42	Total	C	N	O	S	0	0
			351	247	47	55	2		

- Molecule 8 is a protein called Photosystem I reaction center subunit IX.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	J	46	Total	C	N	O	S	0	0
			373	256	54	59	4		
8	U	46	Total	C	N	O	S	0	0
			373	256	54	59	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
8	h	46	Total	C	N	O	S	0	0
			373	256	54	59	4		

- Molecule 9 is a protein called Photosystem I reaction center subunit PsaK.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	K	75	Total	C	N	O	S	0	0
			539	356	88	94	1		
9	V	75	Total	C	N	O	S	0	0
			539	356	88	94	1		
9	i	75	Total	C	N	O	S	0	0
			539	356	88	94	1		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	12	MET	-	initiating methionine	UNP K9TX25
V	12	MET	-	initiating methionine	UNP K9TX25
i	12	MET	-	initiating methionine	UNP K9TX25

- Molecule 10 is a protein called Photosystem I reaction center subunit XI.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	L	172	Total	C	N	O	S	0	0
			1309	839	224	242	4		
10	W	172	Total	C	N	O	S	0	0
			1309	839	224	242	4		
10	j	172	Total	C	N	O	S	0	0
			1309	839	224	242	4		

- Molecule 11 is a protein called Photosystem I reaction center subunit XII.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	M	31	Total	C	N	O	S	0	0
			240	160	37	42	1		
11	Y	31	Total	C	N	O	S	0	0
			240	160	37	42	1		
11	k	31	Total	C	N	O	S	0	0
			240	160	37	42	1		


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	0	MET	-	initiating methionine	UNP K9TSY6
Y	0	MET	-	initiating methionine	UNP K9TSY6
k	0	MET	-	initiating methionine	UNP K9TSY6

- Molecule 12 is a protein called Photosystem one Psax.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	X	29	Total	C	N	O	0	0
			227	157	36	34		
12	Z	29	Total	C	N	O	0	0
			227	157	36	34		
12	l	29	Total	C	N	O	0	0
			227	157	36	34		

- Molecule 13 is CHLOROPHYLL A ISOMER (CCD ID: CL0) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
13	A	1	Total	C	Mg	N	O
			65	55	1	4	5
13	N	1	Total	C	Mg	N	O
			65	55	1	4	5
13	a	1	Total	C	Mg	N	O
			65	55	1	4	5

- Molecule 14 is Chlorophyll F (CCD ID: F6C) (formula: $C_{55}H_{68}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).




Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
14	O	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	W	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	a	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	a	1	Total	C	Mg	N	O	0
			52	41	1	4	6	
14	a	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	a	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	b	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	b	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	b	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
14	j	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

- Molecule 15 is CHLOROPHYLL A (CCD ID: CLA) (formula: C₅₅H₇₂MgN₄O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			57	47	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			57	47	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			54	44	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			56	46	1	4	5	
15	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	A	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	A	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 54	C 44	Mg 1	N 4	O 5	0
15	A	1	Total 51	C 41	Mg 1	N 4	O 5	0
15	A	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			56	46	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			57	47	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			53	43	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	B	1	Total	C	Mg	N	O	0
			62	52	1	4	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	B	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	B	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	F	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	K	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	K	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	L	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	L	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	X	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 60	C 50	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	N	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	N	1	Total 57	C 47	Mg 1	N 4	O 5	0
15	N	1	Total 57	C 47	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 54	C 44	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	N	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	N	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 56	C 46	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	N	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	N	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 54	C 44	Mg 1	N 4	O 5	0
15	N	1	Total 51	C 41	Mg 1	N 4	O 5	0
15	N	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	N	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	O	1	Total 56	C 46	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	O	1	Total 57	C 47	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	O	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	O	1	Total 53	C 43	Mg 1	N 4	O 5	0
15	O	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 62	C 52	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	O	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	O	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	O	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	S	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	V	1	Total 45	C 35	Mg 1	N 4	O 5	0
15	V	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	W	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	W	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	Z	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 60	C 50	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	a	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			57	47	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			57	47	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			54	44	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			56	46	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	a	1	Total	C	Mg	N	O	0
			65	55	1	4	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	a	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 54	C 44	Mg 1	N 4	O 5	0
15	a	1	Total 51	C 41	Mg 1	N 4	O 5	0
15	a	1	Total 55	C 45	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 50	C 40	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	a	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0
15	b	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			56	46	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			57	47	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			53	43	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			62	52	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	b	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	f	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	i	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
15	i	1	Total	C	Mg	N	O	0
			50	40	1	4	5	
15	j	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
15	j	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
15	l	1	Total	C	Mg	N	O	0
			55	45	1	4	5	

- Molecule 16 is PHYLLOQUINONE (CCD ID: PQN) (formula: C₃₁H₄₆O₂).




Mol	Chain	Residues	Atoms			AltConf
16	A	1	Total	C	O	0
			33	31	2	
16	B	1	Total	C	O	0
			33	31	2	
16	N	1	Total	C	O	0
			33	31	2	
16	O	1	Total	C	O	0
			33	31	2	
16	a	1	Total	C	O	0
			33	31	2	
16	b	1	Total	C	O	0
			33	31	2	

- Molecule 17 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			AltConf
17	A	1	Total	Fe	S	0
			8	4	4	
17	C	1	Total	Fe	S	0
			8	4	4	
17	C	1	Total	Fe	S	0
			8	4	4	
17	N	1	Total	Fe	S	0
			8	4	4	
17	P	1	Total	Fe	S	0
			8	4	4	
17	P	1	Total	Fe	S	0
			8	4	4	
17	a	1	Total	Fe	S	0
			8	4	4	
17	c	1	Total	Fe	S	0
			8	4	4	
17	c	1	Total	Fe	S	0
			8	4	4	

- Molecule 18 is BETA-CAROTENE (CCD ID: BCR) (formula: $C_{40}H_{56}$).



Mol	Chain	Residues	Atoms		AltConf
18	A	1	Total	C	0
			40	40	
18	A	1	Total	C	0
			40	40	
18	A	1	Total	C	0
			40	40	
18	A	1	Total	C	0
			40	40	
18	A	1	Total	C	0
			40	40	
18	A	1	Total	C	0
			40	40	
18	B	1	Total	C	0
			40	40	
18	B	1	Total	C	0
			40	40	
18	B	1	Total	C	0
			40	40	
18	B	1	Total	C	0
			40	40	
18	B	1	Total	C	0
			40	40	
18	F	1	Total	C	0
			40	40	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
18	F	1	Total C 40 40	0
18	I	1	Total C 40 40	0
18	I	1	Total C 40 40	0
18	J	1	Total C 40 40	0
18	K	1	Total C 25 25	0
18	L	1	Total C 40 40	0
18	L	1	Total C 40 40	0
18	M	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	N	1	Total C 40 40	0
18	O	1	Total C 40 40	0
18	O	1	Total C 40 40	0
18	O	1	Total C 40 40	0
18	O	1	Total C 40 40	0
18	O	1	Total C 40 40	0
18	O	1	Total C 40 40	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
18	O	1	Total C 40 40	0
18	S	1	Total C 40 40	0
18	T	1	Total C 40 40	0
18	T	1	Total C 40 40	0
18	U	1	Total C 40 40	0
18	V	1	Total C 25 25	0
18	W	1	Total C 40 40	0
18	W	1	Total C 40 40	0
18	Y	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	a	1	Total C 40 40	0
18	b	1	Total C 40 40	0
18	b	1	Total C 40 40	0
18	b	1	Total C 40 40	0
18	b	1	Total C 40 40	0
18	b	1	Total C 40 40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
18	b	1	Total	C	0
			40	40	
18	f	1	Total	C	0
			40	40	
18	f	1	Total	C	0
			40	40	
18	g	1	Total	C	0
			40	40	
18	g	1	Total	C	0
			40	40	
18	h	1	Total	C	0
			40	40	
18	i	1	Total	C	0
			25	25	
18	j	1	Total	C	0
			40	40	
18	j	1	Total	C	0
			40	40	
18	k	1	Total	C	0
			40	40	

- Molecule 19 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: C₃₈H₇₅O₁₀P).




Mol	Chain	Residues	Atoms				AltConf
19	A	1	Total	C	O	P	0
			42	31	10	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
19	L	1	Total	C	O	P	0
			49	38	10	1	
19	M	1	Total	C	O	P	0
			49	38	10	1	
19	X	1	Total	C	O	P	0
			44	33	10	1	
19	X	1	Total	C	O	P	0
			49	38	10	1	
19	N	1	Total	C	O	P	0
			42	31	10	1	
19	W	1	Total	C	O	P	0
			49	38	10	1	
19	Y	1	Total	C	O	P	0
			49	38	10	1	
19	Z	1	Total	C	O	P	0
			44	33	10	1	
19	Z	1	Total	C	O	P	0
			49	38	10	1	
19	a	1	Total	C	O	P	0
			42	31	10	1	
19	j	1	Total	C	O	P	0
			49	38	10	1	
19	k	1	Total	C	O	P	0
			49	38	10	1	
19	l	1	Total	C	O	P	0
			44	33	10	1	
19	l	1	Total	C	O	P	0
			49	38	10	1	

- Molecule 20 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms			AltConf
20	A	1	Total	C	O	0
			31	20	11	
20	A	1	Total	C	O	0
			28	17	11	
20	A	1	Total	C	O	0
			35	24	11	
20	N	1	Total	C	O	0
			31	20	11	
20	N	1	Total	C	O	0
			28	17	11	
20	N	1	Total	C	O	0
			35	24	11	
20	a	1	Total	C	O	0
			31	20	11	
20	a	1	Total	C	O	0
			28	17	11	
20	a	1	Total	C	O	0
			35	24	11	

- Molecule 21 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (CCD ID: LMG) (formula: C₄₅H₈₆O₁₀).




Mol	Chain	Residues	Atoms			AltConf
21	A	1	Total	C	O	0
			44	34	10	
21	B	1	Total	C	O	0
			55	45	10	
21	I	1	Total	C	O	0
			37	27	10	
21	J	1	Total	C	O	0
			55	45	10	
21	L	1	Total	C	O	0
			50	40	10	
21	N	1	Total	C	O	0
			44	34	10	
21	O	1	Total	C	O	0
			55	45	10	
21	T	1	Total	C	O	0
			37	27	10	
21	U	1	Total	C	O	0
			55	45	10	
21	W	1	Total	C	O	0
			50	40	10	
21	a	1	Total	C	O	0
			44	34	10	
21	b	1	Total	C	O	0
			55	45	10	
21	g	1	Total	C	O	0
			37	27	10	
21	h	1	Total	C	O	0
			55	45	10	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
21	j	1	Total	C	O	0
			50	40	10	

- Molecule 22 is EICOSANE (CCD ID: LFA) (formula: $C_{20}H_{42}$).



Mol	Chain	Residues	Atoms		AltConf
22	B	1	Total	C	0
			16	16	
22	L	1	Total	C	0
			15	15	
22	O	1	Total	C	0
			16	16	
22	W	1	Total	C	0
			15	15	
22	f	1	Total	C	0
			16	16	
22	j	1	Total	C	0
			15	15	

- Molecule 23 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
23	L	1	Total	Ca	0
			1	1	
23	W	1	Total	Ca	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
23	j	1	Total 1	Ca 1	0

- Molecule 24 is water.

Mol	Chain	Residues	Atoms		AltConf
24	A	50	Total 50	O 50	0
24	B	55	Total 55	O 55	0
24	C	3	Total 3	O 3	0
24	D	11	Total 11	O 11	0
24	E	2	Total 2	O 2	0
24	F	2	Total 2	O 2	0
24	I	2	Total 2	O 2	0
24	K	1	Total 1	O 1	0
24	L	8	Total 8	O 8	0
24	N	51	Total 51	O 51	0
24	O	55	Total 55	O 55	0
24	P	2	Total 2	O 2	0
24	Q	11	Total 11	O 11	0
24	R	2	Total 2	O 2	0
24	S	2	Total 2	O 2	0
24	T	2	Total 2	O 2	0
24	V	1	Total 1	O 1	0
24	W	9	Total 9	O 9	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
24	a	52	Total 52	O 52	0
24	b	55	Total 55	O 55	0
24	c	3	Total 3	O 3	0
24	d	10	Total 10	O 10	0
24	e	2	Total 2	O 2	0
24	f	2	Total 2	O 2	0
24	g	3	Total 3	O 3	0
24	i	1	Total 1	O 1	0
24	j	8	Total 8	O 8	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1

Chain A:  96%




- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1

Chain N:  96%



- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1

Chain a:  96%



- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2

Chain B:  100%



- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2

Chain O:  100%



- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2

Chain b:  100%



- Molecule 3: Photosystem I iron-sulfur center

Chain C:  99%



- Molecule 3: Photosystem I iron-sulfur center

Chain P:  99%




- Molecule 3: Photosystem I iron-sulfur center

Chain c:  99%




- Molecule 4: Photosystem I reaction center subunit II

Chain D:  98%




- Molecule 4: Photosystem I reaction center subunit II

Chain Q:  98%




- Molecule 4: Photosystem I reaction center subunit II

Chain d:  98%




- Molecule 5: Photosystem I reaction center subunit IV

Chain E:  98%




- Molecule 5: Photosystem I reaction center subunit IV

Chain R:  98%





- Molecule 5: Photosystem I reaction center subunit IV

Chain e:  98%





- Molecule 6: Photosystem I reaction center subunit III

Chain F:  85% 15%





- Molecule 6: Photosystem I reaction center subunit III

Chain S:  85% 15%





- Molecule 6: Photosystem I reaction center subunit III

Chain f:  85% 15%




- Molecule 7: Photosystem I reaction center subunit VIII

Chain I:  82% 18%




- Molecule 7: Photosystem I reaction center subunit VIII

Chain T: 82% 18%



- Molecule 7: Photosystem I reaction center subunit VIII

Chain g: 82% 18%



- Molecule 8: Photosystem I reaction center subunit IX

Chain J: 100%

There are no outlier residues recorded for this chain.

- Molecule 8: Photosystem I reaction center subunit IX

Chain U: 100%

There are no outlier residues recorded for this chain.


- Molecule 8: Photosystem I reaction center subunit IX

Chain h: 100%

There are no outlier residues recorded for this chain.


- Molecule 9: Photosystem I reaction center subunit PsaK

Chain K: 94% 6%





- Molecule 9: Photosystem I reaction center subunit PsaK

Chain V: 94% 6%




- Molecule 9: Photosystem I reaction center subunit PsaK

Chain i:  94% 6%




- Molecule 10: Photosystem I reaction center subunit XI

Chain L:  94% 6%




- Molecule 10: Photosystem I reaction center subunit XI

Chain W:  94% 6%



- Molecule 10: Photosystem I reaction center subunit XI

Chain j:  94% 6%



- Molecule 11: Photosystem I reaction center subunit XII

Chain M:  97% .



- Molecule 11: Photosystem I reaction center subunit XII

Chain Y:  97% .



- Molecule 11: Photosystem I reaction center subunit XII

Chain k:  97% .



- Molecule 12: Photosystem one PsaX

Chain X:  100%

There are no outlier residues recorded for this chain.

- Molecule 12: Photosystem one PsaX

Chain Z:  100%



- Molecule 12: Photosystem one PsaX

Chain I:  100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	83138	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.504	Depositor
Minimum map value	-0.162	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.054	Depositor
Map size (Å)	552.6, 552.6, 552.6	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.92099994, 0.92099994, 0.92099994	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PQN, BCR, CL0, CLA, SF4, LHG, F6C, LFA, CA, LMG, LMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/6106	0.44	0/8323
1	N	0.25	0/6106	0.43	0/8323
1	a	0.25	0/6106	0.43	0/8323
2	B	0.26	0/6139	0.44	0/8394
2	O	0.25	0/6139	0.42	0/8394
2	b	0.25	0/6139	0.42	0/8394
3	C	0.26	0/610	0.52	0/827
3	P	0.25	0/610	0.51	0/827
3	c	0.26	0/610	0.52	0/827
4	D	0.26	0/1115	0.50	0/1501
4	Q	0.26	0/1115	0.49	0/1501
4	d	0.26	0/1115	0.49	0/1501
5	E	0.26	0/540	0.49	0/728
5	R	0.26	0/540	0.48	0/728
5	e	0.26	0/540	0.48	0/728
6	F	0.26	0/1104	0.49	0/1501
6	S	0.25	0/1104	0.48	0/1501
6	f	0.25	0/1104	0.48	0/1501
7	I	0.27	0/366	0.46	0/503
7	T	0.26	0/366	0.45	0/503
7	g	0.26	0/366	0.44	0/503
8	J	0.26	0/386	0.37	0/526
8	U	0.25	0/386	0.38	0/526
8	h	0.25	0/386	0.36	0/526
9	K	0.24	0/550	0.46	0/751
9	V	0.23	0/550	0.45	0/751
9	i	0.23	0/550	0.44	0/751
10	L	0.26	0/1340	0.48	0/1821
10	W	0.25	0/1340	0.47	0/1821
10	j	0.26	0/1340	0.47	0/1821
11	M	0.24	0/243	0.42	0/329
11	Y	0.24	0/243	0.40	0/329

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
11	k	0.24	0/243	0.40	0/329
12	X	0.25	0/233	0.40	0/319
12	Z	0.24	0/233	0.39	0/319
12	l	0.24	0/233	0.39	0/319
All	All	0.25	0/56196	0.44	0/76569

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	749/782 (96%)	730 (98%)	19 (2%)	0	100	100
1	N	749/782 (96%)	736 (98%)	13 (2%)	0	100	100
1	a	749/782 (96%)	735 (98%)	14 (2%)	0	100	100
2	B	737/740 (100%)	723 (98%)	14 (2%)	0	100	100
2	O	737/740 (100%)	723 (98%)	14 (2%)	0	100	100
2	b	737/740 (100%)	723 (98%)	14 (2%)	0	100	100
3	C	78/81 (96%)	76 (97%)	2 (3%)	0	100	100
3	P	78/81 (96%)	77 (99%)	1 (1%)	0	100	100
3	c	78/81 (96%)	76 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	137/142 (96%)	135 (98%)	2 (2%)	0	100	100
4	Q	137/142 (96%)	134 (98%)	3 (2%)	0	100	100
4	d	137/142 (96%)	136 (99%)	1 (1%)	0	100	100
5	E	63/66 (96%)	63 (100%)	0	0	100	100
5	R	63/66 (96%)	63 (100%)	0	0	100	100
5	e	63/66 (96%)	63 (100%)	0	0	100	100
6	F	135/161 (84%)	132 (98%)	3 (2%)	0	100	100
6	S	135/161 (84%)	131 (97%)	4 (3%)	0	100	100
6	f	135/161 (84%)	131 (97%)	4 (3%)	0	100	100
7	I	40/51 (78%)	38 (95%)	2 (5%)	0	100	100
7	T	40/51 (78%)	38 (95%)	2 (5%)	0	100	100
7	g	40/51 (78%)	38 (95%)	2 (5%)	0	100	100
8	J	44/46 (96%)	44 (100%)	0	0	100	100
8	U	44/46 (96%)	44 (100%)	0	0	100	100
8	h	44/46 (96%)	44 (100%)	0	0	100	100
9	K	71/80 (89%)	70 (99%)	1 (1%)	0	100	100
9	V	71/80 (89%)	70 (99%)	1 (1%)	0	100	100
9	i	71/80 (89%)	70 (99%)	1 (1%)	0	100	100
10	L	170/183 (93%)	170 (100%)	0	0	100	100
10	W	170/183 (93%)	170 (100%)	0	0	100	100
10	j	170/183 (93%)	170 (100%)	0	0	100	100
11	M	29/32 (91%)	29 (100%)	0	0	100	100
11	Y	29/32 (91%)	29 (100%)	0	0	100	100
11	k	29/32 (91%)	29 (100%)	0	0	100	100
12	X	27/29 (93%)	25 (93%)	2 (7%)	0	100	100
12	Z	27/29 (93%)	25 (93%)	2 (7%)	0	100	100
12	l	27/29 (93%)	25 (93%)	2 (7%)	0	100	100
All	All	6840/7179 (95%)	6715 (98%)	125 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	600/623 (96%)	600 (100%)	0	100	100
1	N	600/623 (96%)	600 (100%)	0	100	100
1	a	600/623 (96%)	600 (100%)	0	100	100
2	B	594/595 (100%)	594 (100%)	0	100	100
2	O	594/595 (100%)	594 (100%)	0	100	100
2	b	594/595 (100%)	594 (100%)	0	100	100
3	C	68/69 (99%)	68 (100%)	0	100	100
3	P	68/69 (99%)	68 (100%)	0	100	100
3	c	68/69 (99%)	68 (100%)	0	100	100
4	D	114/116 (98%)	114 (100%)	0	100	100
4	Q	114/116 (98%)	114 (100%)	0	100	100
4	d	114/116 (98%)	114 (100%)	0	100	100
5	E	57/58 (98%)	57 (100%)	0	100	100
5	R	57/58 (98%)	57 (100%)	0	100	100
5	e	57/58 (98%)	57 (100%)	0	100	100
6	F	116/135 (86%)	116 (100%)	0	100	100
6	S	116/135 (86%)	116 (100%)	0	100	100
6	f	116/135 (86%)	116 (100%)	0	100	100
7	I	37/44 (84%)	37 (100%)	0	100	100
7	T	37/44 (84%)	37 (100%)	0	100	100
7	g	37/44 (84%)	37 (100%)	0	100	100
8	J	41/41 (100%)	41 (100%)	0	100	100
8	U	41/41 (100%)	41 (100%)	0	100	100
8	h	41/41 (100%)	41 (100%)	0	100	100
9	K	60/65 (92%)	60 (100%)	0	100	100
9	V	60/65 (92%)	60 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	i	60/65 (92%)	60 (100%)	0	100	100
10	L	135/146 (92%)	135 (100%)	0	100	100
10	W	135/146 (92%)	135 (100%)	0	100	100
10	j	135/146 (92%)	135 (100%)	0	100	100
11	M	26/27 (96%)	26 (100%)	0	100	100
11	Y	26/27 (96%)	26 (100%)	0	100	100
11	k	26/27 (96%)	26 (100%)	0	100	100
12	X	24/24 (100%)	24 (100%)	0	100	100
12	Z	24/24 (100%)	24 (100%)	0	100	100
12	l	24/24 (100%)	24 (100%)	0	100	100
All	All	5616/5829 (96%)	5616 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	665	ASN
2	B	111	ASN
2	B	193	HIS
2	B	196	HIS
2	B	248	GLN
2	B	443	HIS
8	J	37	GLN
1	N	269	GLN
2	O	156	HIS
2	O	193	HIS
2	O	196	HIS
2	O	266	GLN
2	O	443	HIS
4	Q	95	GLN
6	S	52	ASN
6	S	142	GLN
12	Z	37	ASN
1	a	153	ASN
1	a	269	GLN
1	a	665	ASN
2	b	111	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	b	193	HIS
2	b	196	HIS
2	b	443	HIS
4	d	53	GLN
4	d	81	ASN
4	d	95	GLN
5	e	19	GLN
6	f	44	ASN
6	f	52	ASN
12	l	37	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 402 ligands modelled in this entry, 3 are monoatomic - leaving 399 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
15	CLA	a	822	24	65,73,73	1.49	6 (9%)	76,113,113	1.36	7 (9%)
18	BCR	O	844	-	41,41,41	0.31	0	56,56,56	0.67	0
20	LMT	N	852	-	32,32,36	0.57	0	43,43,47	0.67	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	BCR	F	202	-	41,41,41	0.32	0	56,56,56	1.00	4 (7%)
15	CLA	O	826	2	65,73,73	1.47	6 (9%)	76,113,113	1.42	7 (9%)
15	CLA	O	814	2	65,73,73	1.49	6 (9%)	76,113,113	1.37	8 (10%)
22	LFA	B	848	-	15,15,19	0.23	0	14,14,18	0.20	0
15	CLA	N	828	1	65,73,73	1.47	7 (10%)	76,113,113	1.38	6 (7%)
15	CLA	b	817	2	65,73,73	1.52	6 (9%)	76,113,113	1.35	8 (10%)
15	CLA	a	825	1	65,73,73	1.48	6 (9%)	76,113,113	1.34	8 (10%)
15	CLA	a	817	24	45,53,73	1.81	5 (11%)	52,89,113	1.58	6 (11%)
15	CLA	b	816	2	57,65,73	1.56	5 (8%)	66,103,113	1.47	7 (10%)
15	CLA	A	806	1	65,73,73	1.45	6 (9%)	76,113,113	1.40	7 (9%)
15	CLA	O	835	24	45,53,73	1.77	6 (13%)	52,89,113	1.62	6 (11%)
15	CLA	a	809	1	60,68,73	1.53	5 (8%)	70,107,113	1.40	8 (11%)
15	CLA	b	839	2	65,73,73	1.47	6 (9%)	76,113,113	1.42	7 (9%)
15	CLA	b	805	2	65,73,73	1.46	6 (9%)	76,113,113	1.43	7 (9%)
20	LMT	A	854	-	36,36,36	0.55	0	47,47,47	0.62	0
15	CLA	N	841	1	65,73,73	1.47	6 (9%)	76,113,113	1.38	7 (9%)
21	LMG	b	849	-	55,55,55	0.49	0	63,63,63	0.60	0
15	CLA	K	102	9	45,53,73	1.78	6 (13%)	52,89,113	1.57	6 (11%)
18	BCR	M	101	-	41,41,41	0.32	0	56,56,56	0.67	1 (1%)
15	CLA	O	815	2	45,53,73	1.77	5 (11%)	52,89,113	1.65	8 (15%)
15	CLA	W	1502	10	60,68,73	1.54	5 (8%)	70,107,113	1.41	10 (14%)
15	CLA	b	823	2	55,63,73	1.63	7 (12%)	64,101,113	1.37	8 (12%)
15	CLA	O	830	2	65,73,73	1.48	6 (9%)	76,113,113	1.36	7 (9%)
15	CLA	a	840	1	50,58,73	1.68	5 (10%)	58,95,113	1.56	8 (13%)
15	CLA	b	827	2	62,70,73	1.51	7 (11%)	72,109,113	1.39	7 (9%)
18	BCR	A	849	-	41,41,41	0.32	0	56,56,56	0.61	0
21	LMG	I	103	-	37,37,55	0.56	0	45,45,63	0.66	0
15	CLA	A	832	1	50,58,73	1.67	6 (12%)	58,95,113	1.54	7 (12%)
15	CLA	N	821	1	60,68,73	1.54	6 (10%)	70,107,113	1.40	7 (10%)
18	BCR	T	102	-	41,41,41	0.29	0	56,56,56	0.48	0
15	CLA	A	835	1	65,73,73	1.47	6 (9%)	76,113,113	1.38	8 (10%)
15	CLA	V	103	24	50,58,73	1.71	5 (10%)	58,95,113	1.54	9 (15%)
18	BCR	I	102	-	41,41,41	0.29	0	56,56,56	0.47	0
18	BCR	A	850	-	41,41,41	0.33	0	56,56,56	0.86	0
15	CLA	a	810	1	57,65,73	1.56	6 (10%)	66,103,113	1.52	7 (10%)
15	CLA	b	808	2	65,73,73	1.45	6 (9%)	76,113,113	1.43	9 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	BCR	b	848	-	41,41,41	0.30	0	56,56,56	0.63	0
15	CLA	N	823	1	56,64,73	1.59	5 (8%)	65,102,113	1.48	7 (10%)
18	BCR	a	845	-	41,41,41	0.36	0	56,56,56	0.93	0
15	CLA	O	811	2	65,73,73	1.48	5 (7%)	76,113,113	1.36	8 (10%)
18	BCR	A	847	-	41,41,41	0.31	0	56,56,56	0.61	1 (1%)
15	CLA	a	804	1	65,73,73	1.51	6 (9%)	76,113,113	1.37	8 (10%)
15	CLA	B	810	2	45,53,73	1.79	5 (11%)	52,89,113	1.56	7 (13%)
15	CLA	b	813	2	56,64,73	1.59	6 (10%)	65,102,113	1.49	8 (12%)
18	BCR	b	847	-	41,41,41	0.32	0	56,56,56	0.87	2 (3%)
14	F6C	N	824	24	55,60,74	2.01	13 (23%)	53,97,114	2.45	15 (28%)
15	CLA	N	817	24	45,53,73	1.81	5 (11%)	52,89,113	1.59	6 (11%)
15	CLA	b	831	2	65,73,73	1.47	6 (9%)	76,113,113	1.37	9 (11%)
15	CLA	O	809	2	65,73,73	1.48	6 (9%)	76,113,113	1.37	8 (10%)
15	CLA	O	818	2	60,68,73	1.54	5 (8%)	70,107,113	1.38	7 (10%)
15	CLA	O	834	2	55,63,73	1.60	6 (10%)	64,101,113	1.47	7 (10%)
15	CLA	N	814	1	65,73,73	1.46	6 (9%)	76,113,113	1.39	7 (9%)
15	CLA	a	827	24	55,63,73	1.60	5 (9%)	64,101,113	1.52	9 (14%)
16	PQN	O	842	-	34,34,34	0.35	0	42,45,45	0.59	1 (2%)
21	LMG	A	855	-	44,44,55	0.53	0	52,52,63	0.63	0
15	CLA	a	820	1	65,73,73	1.45	5 (7%)	76,113,113	1.51	10 (13%)
15	CLA	A	823	1	56,64,73	1.59	5 (8%)	65,102,113	1.48	7 (10%)
18	BCR	N	848	-	41,41,41	0.31	0	56,56,56	0.55	0
18	BCR	B	845	-	41,41,41	0.32	0	56,56,56	0.87	2 (3%)
15	CLA	B	821	2	55,63,73	1.63	7 (12%)	64,101,113	1.36	8 (12%)
15	CLA	N	838	1	55,63,73	1.58	6 (10%)	64,101,113	1.47	7 (10%)
15	CLA	B	804	2	65,73,73	1.46	6 (9%)	76,113,113	1.42	7 (9%)
18	BCR	F	203	-	41,41,41	0.30	0	56,56,56	0.50	0
17	SF4	A	844	1,2	0,12,12	-	-	-	-	-
15	CLA	i	102	9	45,53,73	1.78	6 (13%)	52,89,113	1.57	6 (11%)
16	PQN	b	842	-	34,34,34	0.35	0	42,45,45	0.59	1 (2%)
15	CLA	N	813	1	54,62,73	1.61	5 (9%)	62,99,113	1.51	8 (12%)
15	CLA	B	808	2	65,73,73	1.47	6 (9%)	76,113,113	1.36	8 (10%)
15	CLA	B	805	2	65,73,73	1.45	6 (9%)	76,113,113	1.42	7 (9%)
15	CLA	O	805	2	65,73,73	1.46	6 (9%)	76,113,113	1.42	7 (9%)
22	LFA	W	1507	-	14,14,19	0.24	0	13,13,18	0.23	0
15	CLA	A	808	1	45,53,73	1.75	6 (13%)	52,89,113	1.64	8 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	CLA	B	827	2	65,73,73	1.47	5 (7%)	76,113,113	1.43	8 (10%)
18	BCR	N	857	-	41,41,41	0.42	0	56,56,56	1.31	8 (14%)
15	CLA	A	811	1	57,65,73	1.56	6 (10%)	66,103,113	1.45	7 (10%)
14	F6C	N	826	24	69,74,74	1.81	12 (17%)	70,114,114	2.23	19 (27%)
15	CLA	A	813	1	54,62,73	1.61	5 (9%)	62,99,113	1.52	9 (14%)
15	CLA	a	832	1	50,58,73	1.67	6 (12%)	58,95,113	1.54	8 (13%)
19	LHG	Z	101	-	43,43,48	0.54	0	46,49,54	0.51	0
18	BCR	L	205	-	41,41,41	0.35	0	56,56,56	0.66	0
18	BCR	f	202	-	41,41,41	0.32	0	56,56,56	0.99	3 (5%)
15	CLA	a	837	1	51,59,73	1.67	5 (9%)	59,96,113	1.52	9 (15%)
15	CLA	B	801	2	65,73,73	1.47	6 (9%)	76,113,113	1.32	8 (10%)
18	BCR	A	845	-	41,41,41	0.35	0	56,56,56	0.95	1 (1%)
15	CLA	O	801	2	65,73,73	1.47	7 (10%)	76,113,113	1.31	8 (10%)
18	BCR	b	844	-	41,41,41	0.31	0	56,56,56	0.63	0
15	CLA	O	839	2	65,73,73	1.47	6 (9%)	76,113,113	1.41	8 (10%)
15	CLA	N	842	1	65,73,73	1.51	6 (9%)	76,113,113	1.34	8 (10%)
15	CLA	a	815	1	55,63,73	1.61	6 (10%)	64,101,113	1.49	8 (12%)
15	CLA	A	816	1	45,53,73	1.80	5 (11%)	52,89,113	1.57	7 (13%)
15	CLA	A	834	1	65,73,73	1.49	6 (9%)	76,113,113	1.33	7 (9%)
15	CLA	B	817	24	65,73,73	1.50	5 (7%)	76,113,113	1.35	8 (10%)
15	CLA	B	828	2	65,73,73	1.48	6 (9%)	76,113,113	1.34	6 (7%)
15	CLA	b	802	24	65,73,73	1.48	5 (7%)	76,113,113	1.38	7 (9%)
15	CLA	b	822	24	53,61,73	1.63	6 (11%)	61,98,113	1.55	7 (11%)
15	CLA	B	833	24	45,53,73	1.77	6 (13%)	52,89,113	1.62	6 (11%)
20	LMT	A	853	-	29,29,36	0.57	0	40,40,47	1.42	5 (12%)
15	CLA	a	828	1	65,73,73	1.47	7 (10%)	76,113,113	1.39	6 (7%)
18	BCR	a	846	-	41,41,41	0.32	0	56,56,56	0.67	1 (1%)
14	F6C	a	826	24	69,74,74	1.79	12 (17%)	70,114,114	2.24	18 (25%)
17	SF4	P	102	3	0,12,12	-	-	-	-	-
17	SF4	C	102	3	0,12,12	-	-	-	-	-
15	CLA	V	102	9	45,53,73	1.78	6 (13%)	52,89,113	1.57	6 (11%)
15	CLA	b	829	2	65,73,73	1.47	5 (7%)	76,113,113	1.44	8 (10%)
15	CLA	N	819	1	65,73,73	1.50	7 (10%)	76,113,113	1.34	9 (11%)
15	CLA	a	838	1	55,63,73	1.58	6 (10%)	64,101,113	1.47	7 (10%)
15	CLA	A	829	1	60,68,73	1.53	6 (10%)	70,107,113	1.42	7 (10%)
14	F6C	B	831	2	69,74,74	1.78	13 (18%)	70,114,114	2.24	16 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	CLA	b	821	2	45,53,73	1.77	5 (11%)	52,89,113	1.62	7 (13%)
21	LMG	J	102	-	55,55,55	0.49	0	63,63,63	0.61	0
15	CLA	B	815	2	65,73,73	1.50	5 (7%)	76,113,113	1.38	8 (10%)
18	BCR	L	209	-	41,41,41	0.30	0	56,56,56	0.66	0
15	CLA	B	824	2	65,73,73	1.47	6 (9%)	76,113,113	1.40	7 (9%)
19	LHG	l	102	-	48,48,48	0.51	0	51,54,54	0.48	0
15	CLA	L	202	10	65,73,73	1.46	6 (9%)	76,113,113	1.40	7 (9%)
15	CLA	A	819	1	65,73,73	1.50	7 (10%)	76,113,113	1.34	8 (10%)
15	CLA	i	103	24	50,58,73	1.71	5 (10%)	58,95,113	1.52	9 (15%)
15	CLA	a	819	1	65,73,73	1.50	7 (10%)	76,113,113	1.34	8 (10%)
15	CLA	a	812	1,15	65,73,73	1.49	5 (7%)	76,113,113	1.34	8 (10%)
14	F6C	a	824	24	55,60,74	2.01	13 (23%)	53,97,114	2.48	15 (28%)
15	CLA	A	814	1	65,73,73	1.46	6 (9%)	76,113,113	1.39	7 (9%)
15	CLA	O	813	2	56,64,73	1.59	7 (12%)	65,102,113	1.49	7 (10%)
15	CLA	B	836	2	65,73,73	1.46	6 (9%)	76,113,113	1.41	9 (11%)
15	CLA	A	805	1,15	60,68,73	1.54	5 (8%)	70,107,113	1.42	7 (10%)
15	CLA	N	835	1	65,73,73	1.49	5 (7%)	76,113,113	1.34	9 (11%)
18	BCR	b	843	-	41,41,41	0.31	0	56,56,56	0.60	0
15	CLA	B	820	24	53,61,73	1.62	6 (11%)	61,98,113	1.56	7 (11%)
15	CLA	N	830	1	65,73,73	1.47	6 (9%)	76,113,113	1.38	6 (7%)
15	CLA	a	814	1	65,73,73	1.46	6 (9%)	76,113,113	1.39	7 (9%)
14	F6C	B	838	24	69,74,74	1.76	13 (18%)	70,114,114	2.28	16 (22%)
15	CLA	b	841	2	65,73,73	1.48	5 (7%)	76,113,113	1.36	8 (10%)
15	CLA	A	827	24	55,63,73	1.59	5 (9%)	64,101,113	1.53	10 (15%)
14	F6C	b	833	2	69,74,74	1.78	13 (18%)	70,114,114	2.23	17 (24%)
21	LMG	g	103	-	37,37,55	0.56	0	45,45,63	0.66	0
15	CLA	a	811	1	57,65,73	1.56	6 (10%)	66,103,113	1.46	6 (9%)
18	BCR	V	101	-	25,25,41	0.51	1 (4%)	33,33,56	0.52	0
15	CLA	b	812	2	45,53,73	1.79	5 (11%)	52,89,113	1.57	7 (13%)
13	CL0	N	801	1	65,73,73	1.45	6 (9%)	76,113,113	1.38	7 (9%)
15	CLA	N	825	1	65,73,73	1.48	6 (9%)	76,113,113	1.34	8 (10%)
15	CLA	a	830	1	65,73,73	1.46	6 (9%)	76,113,113	1.40	7 (9%)
15	CLA	b	836	24	45,53,73	1.81	5 (11%)	52,89,113	1.54	6 (11%)
15	CLA	B	809	2	65,73,73	1.48	5 (7%)	76,113,113	1.35	8 (10%)
15	CLA	O	838	2	65,73,73	1.46	6 (9%)	76,113,113	1.41	9 (11%)
20	LMT	N	854	-	36,36,36	0.56	0	47,47,47	0.62	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	CLA	j	202	10	65,73,73	1.45	6 (9%)	76,113,113	1.39	6 (7%)
17	SF4	c	101	3	0,12,12	-	-	-		
15	CLA	B	814	2	57,65,73	1.56	6 (10%)	66,103,113	1.49	7 (10%)
15	CLA	N	806	1	65,73,73	1.46	5 (7%)	76,113,113	1.42	8 (10%)
15	CLA	N	803	-	65,73,73	1.45	7 (10%)	76,113,113	1.42	8 (10%)
15	CLA	O	820	2	55,63,73	1.62	6 (10%)	64,101,113	1.43	7 (10%)
15	CLA	A	828	1	65,73,73	1.47	6 (9%)	76,113,113	1.37	7 (9%)
15	CLA	N	832	1	50,58,73	1.68	6 (12%)	58,95,113	1.53	8 (13%)
15	CLA	A	812	1,15	65,73,73	1.49	6 (9%)	76,113,113	1.34	8 (10%)
15	CLA	O	837	2	65,73,73	1.46	6 (9%)	76,113,113	1.41	8 (10%)
14	F6C	A	802	24	69,74,74	1.78	13 (18%)	70,114,114	2.17	16 (22%)
18	BCR	J	101	-	41,41,41	0.31	0	56,56,56	0.54	0
14	F6C	L	201	2	69,74,74	1.78	12 (17%)	70,114,114	2.17	16 (22%)
15	CLA	N	831	1	65,73,73	1.47	6 (9%)	76,113,113	1.42	7 (9%)
15	CLA	A	841	1	65,73,73	1.48	6 (9%)	76,113,113	1.37	8 (10%)
22	LFA	f	204	-	15,15,19	0.24	0	14,14,18	0.19	0
15	CLA	N	834	1	65,73,73	1.49	6 (9%)	76,113,113	1.33	8 (10%)
15	CLA	O	816	2	57,65,73	1.56	5 (8%)	66,103,113	1.49	8 (12%)
21	LMG	U	102	-	55,55,55	0.49	0	63,63,63	0.61	0
16	PQN	A	843	-	34,34,34	0.35	0	42,45,45	0.56	0
18	BCR	a	857	-	41,41,41	0.41	0	56,56,56	1.28	8 (14%)
19	LHG	Y	101	-	48,48,48	0.51	0	51,54,54	0.49	0
22	LFA	L	208	-	14,14,19	0.24	0	13,13,18	0.23	0
15	CLA	N	811	1	57,65,73	1.56	7 (12%)	66,103,113	1.47	8 (12%)
15	CLA	A	839	1	65,73,73	1.48	5 (7%)	76,113,113	1.40	9 (11%)
15	CLA	b	828	2	65,73,73	1.46	6 (9%)	76,113,113	1.36	8 (10%)
15	CLA	N	815	1	55,63,73	1.61	6 (10%)	64,101,113	1.49	8 (12%)
16	PQN	B	840	-	34,34,34	0.35	0	42,45,45	0.59	1 (2%)
21	LMG	N	855	-	44,44,55	0.53	0	52,52,63	0.65	0
15	CLA	j	203	10	60,68,73	1.54	5 (8%)	70,107,113	1.43	10 (14%)
18	BCR	O	847	-	41,41,41	0.32	0	56,56,56	0.84	3 (5%)
20	LMT	a	854	-	36,36,36	0.56	0	47,47,47	0.63	0
18	BCR	A	858	-	41,41,41	0.42	0	56,56,56	1.30	8 (14%)
18	BCR	W	1508	-	41,41,41	0.30	0	56,56,56	0.66	0
15	CLA	a	806	1	65,73,73	1.46	6 (9%)	76,113,113	1.40	7 (9%)
15	CLA	A	856	24	65,73,73	1.48	6 (9%)	76,113,113	1.38	7 (9%)
15	CLA	b	815	2	45,53,73	1.78	5 (11%)	52,89,113	1.65	8 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	BCR	N	845	-	41,41,41	0.35	0	56,56,56	0.92	0
15	CLA	A	836	1	54,62,73	1.61	6 (11%)	62,99,113	1.51	8 (12%)
18	BCR	B	842	-	41,41,41	0.31	0	56,56,56	0.64	0
15	CLA	O	836	24	45,53,73	1.80	5 (11%)	52,89,113	1.55	6 (11%)
14	F6C	A	857	24	69,74,74	1.75	13 (18%)	70,114,114	2.29	16 (22%)
15	CLA	N	816	1	45,53,73	1.80	5 (11%)	52,89,113	1.57	7 (13%)
17	SF4	P	101	3	0,12,12	-	-	-		
17	SF4	C	101	3	0,12,12	-	-	-		
15	CLA	N	839	1	65,73,73	1.48	5 (7%)	76,113,113	1.39	9 (11%)
15	CLA	B	825	2	62,70,73	1.51	6 (9%)	72,109,113	1.38	7 (9%)
18	BCR	b	845	-	41,41,41	0.30	0	56,56,56	0.47	0
22	LFA	O	851	-	15,15,19	0.23	0	14,14,18	0.19	0
15	CLA	b	804	2	65,73,73	1.48	6 (9%)	76,113,113	1.37	8 (10%)
21	LMG	j	206	-	50,50,55	0.50	0	58,58,63	0.60	0
15	CLA	A	817	24	45,53,73	1.81	5 (11%)	52,89,113	1.59	6 (11%)
13	CL0	a	801	1	65,73,73	1.45	6 (9%)	76,113,113	1.38	7 (9%)
15	CLA	S	201	24	65,73,73	1.49	6 (9%)	76,113,113	1.33	8 (10%)
15	CLA	b	830	2	65,73,73	1.47	6 (9%)	76,113,113	1.35	6 (7%)
14	F6C	O	840	24	69,74,74	1.76	13 (18%)	70,114,114	2.27	16 (22%)
18	BCR	T	101	-	41,41,41	0.33	0	56,56,56	0.73	0
19	LHG	M	102	-	48,48,48	0.51	0	51,54,54	0.50	0
15	CLA	N	840	1	50,58,73	1.68	5 (10%)	58,95,113	1.55	8 (13%)
15	CLA	B	813	2	45,53,73	1.75	6 (13%)	52,89,113	1.65	7 (13%)
14	F6C	b	810	2	69,74,74	1.79	11 (15%)	70,114,114	2.16	15 (21%)
21	LMG	B	847	-	55,55,55	0.50	0	63,63,63	0.60	0
15	CLA	a	807	1	65,73,73	1.48	6 (9%)	76,113,113	1.38	7 (9%)
14	F6C	O	810	2	69,74,74	1.78	11 (15%)	70,114,114	2.17	14 (20%)
15	CLA	B	822	24	65,73,73	1.47	6 (9%)	76,113,113	1.44	9 (11%)
15	CLA	A	821	1	60,68,73	1.54	6 (10%)	70,107,113	1.41	7 (10%)
17	SF4	N	844	1,2	0,12,12	-	-	-		
14	F6C	b	840	24	69,74,74	1.76	13 (18%)	70,114,114	2.28	16 (22%)
15	CLA	O	825	24	65,73,73	1.47	5 (7%)	76,113,113	1.43	8 (10%)
18	BCR	U	101	-	41,41,41	0.32	0	56,56,56	0.54	0
15	CLA	A	831	1	65,73,73	1.47	6 (9%)	76,113,113	1.38	7 (9%)
15	CLA	N	809	1	60,68,73	1.53	5 (8%)	70,107,113	1.40	8 (11%)
15	CLA	X	103	12	55,63,73	1.61	6 (10%)	64,101,113	1.46	7 (10%)
15	CLA	B	830	2	65,73,73	1.48	5 (7%)	76,113,113	1.40	8 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	CLA	O	817	2	65,73,73	1.50	5 (7%)	76,113,113	1.37	8 (10%)
15	CLA	N	807	1	65,73,73	1.48	6 (9%)	76,113,113	1.37	7 (9%)
15	CLA	a	835	1	65,73,73	1.48	5 (7%)	76,113,113	1.35	9 (11%)
18	BCR	a	850	-	41,41,41	0.33	0	56,56,56	0.87	0
15	CLA	O	802	24	65,73,73	1.47	5 (7%)	76,113,113	1.37	7 (9%)
15	CLA	O	822	24	53,61,73	1.62	5 (9%)	61,98,113	1.57	7 (11%)
18	BCR	B	844	-	41,41,41	0.31	0	56,56,56	0.61	0
18	BCR	O	849	-	41,41,41	0.30	0	56,56,56	0.60	0
19	LHG	A	851	-	41,41,48	0.55	0	44,47,54	0.51	0
15	CLA	A	818	1	65,73,73	1.45	7 (10%)	76,113,113	1.45	9 (11%)
21	LMG	T	103	-	37,37,55	0.55	0	45,45,63	0.66	0
15	CLA	B	807	2	65,73,73	1.45	7 (10%)	76,113,113	1.44	9 (11%)
15	CLA	O	808	2	65,73,73	1.45	6 (9%)	76,113,113	1.45	9 (11%)
15	CLA	O	831	2	65,73,73	1.47	6 (9%)	76,113,113	1.39	9 (11%)
15	CLA	a	818	1	65,73,73	1.46	7 (10%)	76,113,113	1.42	9 (11%)
15	CLA	a	834	1	65,73,73	1.49	6 (9%)	76,113,113	1.33	7 (9%)
19	LHG	X	102	-	48,48,48	0.51	0	51,54,54	0.48	0
15	CLA	B	802	-	65,73,73	1.46	7 (10%)	76,113,113	1.42	7 (9%)
15	CLA	b	832	2	65,73,73	1.47	5 (7%)	76,113,113	1.40	8 (10%)
18	BCR	g	102	-	41,41,41	0.29	0	56,56,56	0.49	0
15	CLA	B	835	2	65,73,73	1.46	6 (9%)	76,113,113	1.41	8 (10%)
15	CLA	A	822	24	65,73,73	1.49	6 (9%)	76,113,113	1.36	7 (9%)
15	CLA	b	838	2	65,73,73	1.45	6 (9%)	76,113,113	1.41	9 (11%)
15	CLA	b	837	2	65,73,73	1.46	6 (9%)	76,113,113	1.41	7 (9%)
19	LHG	L	207	-	48,48,48	0.51	0	51,54,54	0.48	0
15	CLA	A	810	1	57,65,73	1.56	6 (10%)	66,103,113	1.52	8 (12%)
15	CLA	N	818	1	65,73,73	1.46	7 (10%)	76,113,113	1.44	9 (11%)
15	CLA	A	833	1	55,63,73	1.59	6 (10%)	64,101,113	1.52	7 (10%)
15	CLA	a	803	-	65,73,73	1.45	7 (10%)	76,113,113	1.41	7 (9%)
20	LMT	a	853	-	29,29,36	0.57	0	40,40,47	1.42	5 (12%)
18	BCR	k	102	-	41,41,41	0.32	0	56,56,56	0.68	1 (1%)
18	BCR	A	848	-	41,41,41	0.31	0	56,56,56	0.52	0
15	CLA	b	825	24	65,73,73	1.47	5 (7%)	76,113,113	1.44	9 (11%)
18	BCR	S	202	-	41,41,41	0.30	0	56,56,56	0.51	0
15	CLA	b	824	24	65,73,73	1.47	6 (9%)	76,113,113	1.43	9 (11%)
13	CL0	A	801	1	65,73,73	1.45	6 (9%)	76,113,113	1.38	7 (9%)
15	CLA	a	842	1	65,73,73	1.50	5 (7%)	76,113,113	1.34	8 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	BCR	I	101	-	41,41,41	0.34	0	56,56,56	0.74	0
15	CLA	b	806	2	65,73,73	1.45	6 (9%)	76,113,113	1.43	6 (7%)
15	CLA	A	838	1	55,63,73	1.58	6 (10%)	64,101,113	1.47	7 (10%)
15	CLA	A	807	1	65,73,73	1.47	6 (9%)	76,113,113	1.38	6 (7%)
19	LHG	k	101	-	48,48,48	0.50	0	51,54,54	0.50	0
15	CLA	B	811	2	56,64,73	1.59	7 (12%)	65,102,113	1.49	7 (10%)
15	CLA	B	829	2	65,73,73	1.47	6 (9%)	76,113,113	1.38	9 (11%)
15	CLA	N	833	1	55,63,73	1.59	6 (10%)	64,101,113	1.52	7 (10%)
17	SF4	a	844	1,2	0,12,12	-	-	-	-	-
15	CLA	O	841	2	65,73,73	1.49	5 (7%)	76,113,113	1.36	8 (10%)
15	CLA	A	820	1	65,73,73	1.47	5 (7%)	76,113,113	1.49	10 (13%)
15	CLA	B	839	2	65,73,73	1.48	6 (9%)	76,113,113	1.37	8 (10%)
14	F6C	O	833	2	69,74,74	1.79	13 (18%)	70,114,114	2.22	16 (22%)
15	CLA	B	826	2	65,73,73	1.46	6 (9%)	76,113,113	1.36	8 (10%)
14	F6C	N	856	24	69,74,74	1.75	13 (18%)	70,114,114	2.27	16 (22%)
19	LHG	l	101	-	43,43,48	0.54	0	46,49,54	0.50	0
15	CLA	a	839	1	65,73,73	1.48	5 (7%)	76,113,113	1.39	8 (10%)
15	CLA	O	821	2	45,53,73	1.77	5 (11%)	52,89,113	1.62	7 (13%)
15	CLA	B	823	24	65,73,73	1.47	5 (7%)	76,113,113	1.44	8 (10%)
20	LMT	A	852	-	32,32,36	0.57	0	43,43,47	0.67	0
21	LMG	a	855	-	44,44,55	0.52	0	52,52,63	0.62	0
15	CLA	O	807	2	65,73,73	1.47	6 (9%)	76,113,113	1.37	8 (10%)
14	F6C	L	204	24	69,74,74	1.78	14 (20%)	70,114,114	2.25	18 (25%)
15	CLA	a	823	1	56,64,73	1.59	5 (8%)	65,102,113	1.48	6 (9%)
15	CLA	O	804	2	65,73,73	1.48	6 (9%)	76,113,113	1.37	8 (10%)
15	CLA	N	820	1	65,73,73	1.46	5 (7%)	76,113,113	1.51	10 (13%)
18	BCR	i	101	-	25,25,41	0.51	1 (4%)	33,33,56	0.51	0
15	CLA	a	829	1	60,68,73	1.53	6 (10%)	70,107,113	1.42	7 (10%)
14	F6C	a	856	24	69,74,74	1.75	13 (18%)	70,114,114	2.27	16 (22%)
15	CLA	b	809	2	65,73,73	1.48	6 (9%)	76,113,113	1.36	8 (10%)
21	LMG	h	102	-	55,55,55	0.49	0	63,63,63	0.62	0
15	CLA	b	826	2	65,73,73	1.47	6 (9%)	76,113,113	1.41	7 (9%)
15	CLA	b	807	2	65,73,73	1.48	6 (9%)	76,113,113	1.37	9 (11%)
15	CLA	B	816	2	60,68,73	1.55	5 (8%)	70,107,113	1.39	7 (10%)
15	CLA	b	814	2	65,73,73	1.48	6 (9%)	76,113,113	1.36	8 (10%)
18	BCR	f	203	-	41,41,41	0.31	0	56,56,56	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	CLA	b	820	2	55,63,73	1.62	6 (10%)	64,101,113	1.43	7 (10%)
15	CLA	a	816	1	45,53,73	1.80	5 (11%)	52,89,113	1.57	7 (13%)
15	CLA	N	829	1	60,68,73	1.53	6 (10%)	70,107,113	1.42	8 (11%)
15	CLA	B	803	2	65,73,73	1.48	6 (9%)	76,113,113	1.37	8 (10%)
14	F6C	N	802	24	69,74,74	1.77	13 (18%)	70,114,114	2.17	15 (21%)
15	CLA	Z	103	12	55,63,73	1.61	6 (10%)	64,101,113	1.46	7 (10%)
18	BCR	h	101	-	41,41,41	0.31	0	56,56,56	0.54	0
20	LMT	N	853	-	29,29,36	0.57	0	40,40,47	1.41	5 (12%)
15	CLA	B	832	2	55,63,73	1.60	6 (10%)	64,101,113	1.47	7 (10%)
15	CLA	b	811	2	65,73,73	1.47	5 (7%)	76,113,113	1.37	8 (10%)
15	CLA	O	823	2	55,63,73	1.60	7 (12%)	64,101,113	1.51	9 (14%)
18	BCR	a	848	-	41,41,41	0.32	0	56,56,56	0.51	0
15	CLA	A	837	1	51,59,73	1.67	5 (9%)	59,96,113	1.51	8 (13%)
15	CLA	L	203	10	60,68,73	1.54	5 (8%)	70,107,113	1.43	10 (14%)
15	CLA	B	837	2	65,73,73	1.47	6 (9%)	76,113,113	1.42	8 (10%)
15	CLA	b	819	24	65,73,73	1.51	6 (9%)	76,113,113	1.35	8 (10%)
15	CLA	A	840	1	50,58,73	1.68	5 (10%)	58,95,113	1.56	8 (13%)
15	CLA	O	812	2	45,53,73	1.78	5 (11%)	52,89,113	1.57	7 (13%)
18	BCR	N	850	-	41,41,41	0.32	0	56,56,56	0.86	0
15	CLA	a	813	1	54,62,73	1.61	5 (9%)	62,99,113	1.52	9 (14%)
18	BCR	a	847	-	41,41,41	0.31	0	56,56,56	0.61	1 (1%)
14	F6C	a	802	24	69,74,74	1.77	13 (18%)	70,114,114	2.17	14 (20%)
15	CLA	N	836	1	54,62,73	1.61	6 (11%)	62,99,113	1.51	8 (12%)
21	LMG	O	850	-	55,55,55	0.49	0	63,63,63	0.60	0
15	CLA	O	828	2	65,73,73	1.45	6 (9%)	76,113,113	1.38	8 (10%)
15	CLA	B	819	2	45,53,73	1.77	5 (11%)	52,89,113	1.61	7 (13%)
18	BCR	B	846	-	41,41,41	0.30	0	56,56,56	0.61	0
15	CLA	a	841	1	65,73,73	1.48	7 (10%)	76,113,113	1.37	8 (10%)
18	BCR	N	847	-	41,41,41	0.31	0	56,56,56	0.60	1 (1%)
15	CLA	f	201	24	65,73,73	1.49	6 (9%)	76,113,113	1.33	8 (10%)
18	BCR	K	101	-	25,25,41	0.51	1 (4%)	33,33,56	0.51	0
15	CLA	B	818	2	55,63,73	1.62	6 (10%)	64,101,113	1.43	7 (10%)
15	CLA	A	842	1	65,73,73	1.50	6 (9%)	76,113,113	1.33	8 (10%)
15	CLA	B	834	24	45,53,73	1.80	5 (11%)	52,89,113	1.55	6 (11%)
15	CLA	F	201	24	65,73,73	1.49	6 (9%)	76,113,113	1.33	8 (10%)
16	PQN	N	843	-	34,34,34	0.34	0	42,45,45	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
21	LMG	W	1505	-	50,50,55	0.50	0	58,58,63	0.60	0
15	CLA	O	824	24	65,73,73	1.48	6 (9%)	76,113,113	1.43	9 (11%)
21	LMG	L	206	-	50,50,55	0.50	0	58,58,63	0.60	0
18	BCR	B	843	-	41,41,41	0.30	0	56,56,56	0.48	0
18	BCR	b	846	-	41,41,41	0.31	0	56,56,56	0.58	0
19	LHG	N	851	-	41,41,48	0.55	0	44,47,54	0.50	0
18	BCR	O	846	-	41,41,41	0.31	0	56,56,56	0.60	0
15	CLA	a	805	1,15	60,68,73	1.54	5 (8%)	70,107,113	1.42	8 (11%)
15	CLA	b	818	2	60,68,73	1.55	5 (8%)	70,107,113	1.38	7 (10%)
14	F6C	A	824	24	55,60,74	2.01	14 (25%)	53,97,114	2.48	15 (28%)
15	CLA	b	801	2	65,73,73	1.47	7 (10%)	76,113,113	1.32	8 (10%)
18	BCR	B	841	-	41,41,41	0.31	0	56,56,56	0.60	0
20	LMT	a	852	-	32,32,36	0.57	0	43,43,47	0.68	0
15	CLA	W	1501	10	65,73,73	1.47	6 (9%)	76,113,113	1.38	6 (7%)
14	F6C	A	826	24	69,74,74	1.79	12 (17%)	70,114,114	2.28	18 (25%)
15	CLA	a	836	1	54,62,73	1.61	6 (11%)	62,99,113	1.51	8 (12%)
19	LHG	W	1506	-	48,48,48	0.51	0	51,54,54	0.47	0
18	BCR	a	849	-	41,41,41	0.32	0	56,56,56	0.59	0
15	CLA	N	812	1,15	65,73,73	1.49	5 (7%)	76,113,113	1.34	8 (10%)
15	CLA	O	819	24	65,73,73	1.51	5 (7%)	76,113,113	1.34	8 (10%)
14	F6C	W	1503	24	69,74,74	1.77	12 (17%)	70,114,114	2.26	17 (24%)
15	CLA	K	103	24	50,58,73	1.71	5 (10%)	58,95,113	1.55	9 (15%)
18	BCR	N	846	-	41,41,41	0.33	0	56,56,56	0.68	1 (1%)
15	CLA	a	808	1	45,53,73	1.76	5 (11%)	52,89,113	1.64	8 (15%)
22	LFA	j	208	-	14,14,19	0.24	0	13,13,18	0.23	0
15	CLA	a	831	1	65,73,73	1.48	5 (7%)	76,113,113	1.38	7 (9%)
15	CLA	a	833	1	55,63,73	1.58	6 (10%)	64,101,113	1.51	7 (10%)
15	CLA	A	809	1	60,68,73	1.53	5 (8%)	70,107,113	1.41	8 (11%)
18	BCR	O	848	-	41,41,41	0.32	0	56,56,56	0.99	4 (7%)
15	CLA	a	821	1	60,68,73	1.54	6 (10%)	70,107,113	1.41	7 (10%)
15	CLA	A	804	1	65,73,73	1.50	6 (9%)	76,113,113	1.37	7 (9%)
18	BCR	g	101	-	41,41,41	0.33	0	56,56,56	0.70	0
18	BCR	A	846	-	41,41,41	0.33	0	56,56,56	0.66	1 (1%)
15	CLA	O	803	-	65,73,73	1.46	7 (10%)	76,113,113	1.40	7 (9%)
15	CLA	l	103	12	55,63,73	1.60	6 (10%)	64,101,113	1.46	7 (10%)
15	CLA	N	810	1	57,65,73	1.56	6 (10%)	66,103,113	1.52	7 (10%)
17	SF4	c	102	3	0,12,12	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	CLA	O	832	2	65,73,73	1.48	5 (7%)	76,113,113	1.41	8 (10%)
16	PQN	a	843	-	34,34,34	0.34	0	42,45,45	0.56	1 (2%)
18	BCR	j	205	-	41,41,41	0.33	0	56,56,56	0.67	0
19	LHG	a	851	-	41,41,48	0.55	0	44,47,54	0.52	0
18	BCR	W	1504	-	41,41,41	0.33	0	56,56,56	0.57	0
15	CLA	O	827	2	62,70,73	1.52	6 (9%)	72,109,113	1.39	7 (9%)
15	CLA	b	835	24	45,53,73	1.77	6 (13%)	52,89,113	1.62	6 (11%)
15	CLA	B	812	2	65,73,73	1.48	6 (9%)	76,113,113	1.37	8 (10%)
18	BCR	O	845	-	41,41,41	0.30	0	56,56,56	0.47	0
15	CLA	N	804	1	65,73,73	1.50	6 (9%)	76,113,113	1.37	7 (9%)
15	CLA	O	806	2	65,73,73	1.46	6 (9%)	76,113,113	1.44	7 (9%)
18	BCR	j	201	-	41,41,41	0.30	0	56,56,56	0.67	0
19	LHG	X	101	-	43,43,48	0.54	0	46,49,54	0.51	0
15	CLA	N	822	24	65,73,73	1.50	6 (9%)	76,113,113	1.34	7 (9%)
15	CLA	b	834	2	55,63,73	1.60	6 (10%)	64,101,113	1.47	7 (10%)
18	BCR	N	849	-	41,41,41	0.32	0	56,56,56	0.59	0
18	BCR	O	843	-	41,41,41	0.31	0	56,56,56	0.60	0
15	CLA	A	825	1	65,73,73	1.49	6 (9%)	76,113,113	1.34	8 (10%)
15	CLA	N	837	1	51,59,73	1.67	5 (9%)	59,96,113	1.52	9 (15%)
19	LHG	Z	102	-	48,48,48	0.51	0	51,54,54	0.48	0
15	CLA	B	806	2	65,73,73	1.46	6 (9%)	76,113,113	1.39	9 (11%)
18	BCR	Y	102	-	41,41,41	0.32	0	56,56,56	0.65	1 (1%)
15	CLA	N	827	24	55,63,73	1.60	5 (9%)	64,101,113	1.51	9 (14%)
15	CLA	N	808	1	45,53,73	1.76	6 (13%)	52,89,113	1.66	8 (15%)
15	CLA	N	805	1,15	60,68,73	1.54	5 (8%)	70,107,113	1.42	7 (10%)
15	CLA	O	829	2	65,73,73	1.47	5 (7%)	76,113,113	1.43	8 (10%)
19	LHG	j	207	-	48,48,48	0.51	0	51,54,54	0.48	0
15	CLA	b	803	-	65,73,73	1.46	7 (10%)	76,113,113	1.43	7 (9%)
15	CLA	A	803	-	65,73,73	1.45	7 (10%)	76,113,113	1.41	8 (10%)
14	F6C	j	204	24	69,74,74	1.77	13 (18%)	70,114,114	2.27	18 (25%)
15	CLA	A	830	1	65,73,73	1.46	6 (9%)	76,113,113	1.39	6 (7%)
15	CLA	A	815	1	55,63,73	1.61	6 (10%)	64,101,113	1.49	8 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	a	822	24	1/1/15/20	16/37/115/115	-
18	BCR	O	844	-	-	5/29/63/63	0/2/2/2
20	LMT	N	852	-	-	3/17/57/61	0/2/2/2
18	BCR	F	202	-	-	7/29/63/63	0/2/2/2
15	CLA	O	826	2	1/1/15/20	4/37/115/115	-
15	CLA	O	814	2	1/1/15/20	15/37/115/115	-
22	LFA	B	848	-	-	6/13/13/17	-
15	CLA	N	828	1	1/1/15/20	5/37/115/115	-
15	CLA	b	817	2	1/1/15/20	9/37/115/115	-
15	CLA	a	825	1	1/1/15/20	9/37/115/115	-
15	CLA	a	817	24	1/1/11/20	5/13/91/115	-
15	CLA	b	816	2	1/1/13/20	7/28/106/115	-
15	CLA	A	806	1	1/1/15/20	19/37/115/115	-
15	CLA	O	835	24	1/1/11/20	2/13/91/115	-
15	CLA	a	809	1	1/1/14/20	10/31/109/115	-
15	CLA	b	839	2	1/1/15/20	11/37/115/115	-
15	CLA	b	805	2	1/1/15/20	13/37/115/115	-
20	LMT	A	854	-	-	5/21/61/61	0/2/2/2
15	CLA	N	841	1	1/1/15/20	17/37/115/115	-
21	LMG	b	849	-	-	7/50/70/70	0/1/1/1
15	CLA	K	102	9	1/1/11/20	6/13/91/115	-
18	BCR	M	101	-	-	7/29/63/63	0/2/2/2
15	CLA	O	815	2	1/1/11/20	7/13/91/115	-
15	CLA	W	1502	10	1/1/14/20	12/31/109/115	-
15	CLA	b	823	2	1/1/13/20	8/25/103/115	-
15	CLA	O	830	2	1/1/15/20	16/37/115/115	-
15	CLA	a	840	1	1/1/12/20	2/19/97/115	-
15	CLA	b	827	2	1/1/14/20	17/34/112/115	-
18	BCR	A	849	-	-	3/29/63/63	0/2/2/2
21	LMG	I	103	-	-	11/32/52/70	0/1/1/1
15	CLA	A	832	1	1/1/12/20	5/19/97/115	-
15	CLA	N	821	1	1/1/14/20	8/31/109/115	-
18	BCR	T	102	-	-	4/29/63/63	0/2/2/2
15	CLA	A	835	1	1/1/15/20	10/37/115/115	-
15	CLA	V	103	24	1/1/12/20	2/19/97/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	BCR	I	102	-	-	4/29/63/63	0/2/2/2
18	BCR	A	850	-	-	14/29/63/63	0/2/2/2
15	CLA	a	810	1	1/1/13/20	9/28/106/115	-
15	CLA	b	808	2	1/1/15/20	11/37/115/115	-
18	BCR	b	848	-	-	3/29/63/63	0/2/2/2
15	CLA	N	823	1	1/1/13/20	6/27/105/115	-
18	BCR	a	845	-	-	3/29/63/63	0/2/2/2
15	CLA	O	811	2	1/1/15/20	11/37/115/115	-
18	BCR	A	847	-	-	6/29/63/63	0/2/2/2
15	CLA	a	804	1	1/1/15/20	6/37/115/115	-
15	CLA	B	810	2	1/1/11/20	4/13/91/115	-
15	CLA	b	813	2	-	11/27/105/115	-
18	BCR	b	847	-	-	1/29/63/63	0/2/2/2
14	F6C	N	824	24	-	11/25/81/97	-
15	CLA	N	817	24	1/1/11/20	5/13/91/115	-
15	CLA	b	831	2	1/1/15/20	11/37/115/115	-
15	CLA	O	809	2	1/1/15/20	15/37/115/115	-
15	CLA	O	818	2	1/1/14/20	13/31/109/115	-
15	CLA	O	834	2	1/1/13/20	8/25/103/115	-
15	CLA	N	814	1	1/1/15/20	10/37/115/115	-
15	CLA	a	827	24	1/1/13/20	2/25/103/115	-
16	PQN	O	842	-	-	0/23/43/43	0/2/2/2
21	LMG	A	855	-	-	9/39/59/70	0/1/1/1
15	CLA	a	820	1	1/1/15/20	20/37/115/115	-
15	CLA	A	823	1	1/1/13/20	6/27/105/115	-
18	BCR	N	848	-	-	8/29/63/63	0/2/2/2
18	BCR	B	845	-	-	2/29/63/63	0/2/2/2
15	CLA	B	821	2	1/1/13/20	12/25/103/115	-
15	CLA	N	838	1	1/1/13/20	12/25/103/115	-
15	CLA	B	804	2	1/1/15/20	15/37/115/115	-
18	BCR	F	203	-	-	2/29/63/63	0/2/2/2
17	SF4	A	844	1,2	-	-	0/6/5/5
15	CLA	i	102	9	1/1/11/20	6/13/91/115	-
16	PQN	b	842	-	-	0/23/43/43	0/2/2/2
15	CLA	N	813	1	1/1/12/20	9/24/102/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	B	808	2	1/1/15/20	13/37/115/115	-
15	CLA	B	805	2	1/1/15/20	16/37/115/115	-
15	CLA	O	805	2	1/1/15/20	11/37/115/115	-
22	LFA	W	1507	-	-	0/12/12/17	-
15	CLA	A	808	1	1/1/11/20	1/13/91/115	-
15	CLA	B	827	2	1/1/15/20	12/37/115/115	-
18	BCR	N	857	-	-	9/29/63/63	0/2/2/2
15	CLA	A	811	1	1/1/13/20	12/28/106/115	-
15	CLA	A	813	1	1/1/12/20	8/24/102/115	-
14	F6C	N	826	24	-	16/41/97/97	-
15	CLA	a	832	1	1/1/12/20	5/19/97/115	-
19	LHG	Z	101	-	-	22/48/48/53	-
18	BCR	L	205	-	-	4/29/63/63	0/2/2/2
18	BCR	f	202	-	-	7/29/63/63	0/2/2/2
15	CLA	a	837	1	1/1/12/20	9/21/99/115	-
15	CLA	B	801	2	1/1/15/20	12/37/115/115	-
18	BCR	A	845	-	-	3/29/63/63	0/2/2/2
15	CLA	O	801	2	1/1/15/20	12/37/115/115	-
18	BCR	b	844	-	-	5/29/63/63	0/2/2/2
15	CLA	O	839	2	1/1/15/20	13/37/115/115	-
15	CLA	N	842	1	1/1/15/20	10/37/115/115	-
15	CLA	a	815	1	1/1/13/20	5/25/103/115	-
15	CLA	A	816	1	1/1/11/20	8/13/91/115	-
15	CLA	A	834	1	1/1/15/20	5/37/115/115	-
15	CLA	B	817	24	1/1/15/20	8/37/115/115	-
15	CLA	B	828	2	1/1/15/20	19/37/115/115	-
15	CLA	b	802	24	1/1/15/20	14/37/115/115	-
15	CLA	b	822	24	1/1/12/20	9/23/101/115	-
15	CLA	B	833	24	1/1/11/20	2/13/91/115	-
20	LMT	A	853	-	-	10/14/54/61	0/2/2/2
15	CLA	a	828	1	1/1/15/20	9/37/115/115	-
18	BCR	a	846	-	-	8/29/63/63	0/2/2/2
14	F6C	a	826	24	-	14/41/97/97	-
17	SF4	P	102	3	-	-	0/6/5/5
17	SF4	C	102	3	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	V	102	9	1/1/11/20	6/13/91/115	-
15	CLA	b	829	2	1/1/15/20	11/37/115/115	-
15	CLA	N	819	1	1/1/15/20	10/37/115/115	-
15	CLA	a	838	1	1/1/13/20	12/25/103/115	-
15	CLA	A	829	1	1/1/14/20	15/31/109/115	-
15	CLA	b	821	2	1/1/11/20	7/13/91/115	-
14	F6C	B	831	2	-	7/41/97/97	-
21	LMG	J	102	-	-	19/50/70/70	0/1/1/1
15	CLA	B	815	2	1/1/15/20	11/37/115/115	-
18	BCR	L	209	-	-	2/29/63/63	0/2/2/2
15	CLA	B	824	2	1/1/15/20	5/37/115/115	-
19	LHG	l	102	-	-	21/53/53/53	-
15	CLA	L	202	10	1/1/15/20	7/37/115/115	-
15	CLA	A	819	1	1/1/15/20	9/37/115/115	-
15	CLA	i	103	24	1/1/12/20	2/19/97/115	-
15	CLA	a	819	1	1/1/15/20	14/37/115/115	-
15	CLA	a	812	1,15	1/1/15/20	19/37/115/115	-
14	F6C	a	824	24	-	9/25/81/97	-
15	CLA	A	814	1	1/1/15/20	12/37/115/115	-
15	CLA	O	813	2	-	10/27/105/115	-
15	CLA	B	836	2	1/1/15/20	12/37/115/115	-
15	CLA	A	805	1,15	1/1/14/20	10/31/109/115	-
15	CLA	N	835	1	1/1/15/20	12/37/115/115	-
18	BCR	b	843	-	-	3/29/63/63	0/2/2/2
15	CLA	B	820	24	1/1/12/20	10/23/101/115	-
15	CLA	N	830	1	1/1/15/20	7/37/115/115	-
15	CLA	a	814	1	1/1/15/20	9/37/115/115	-
14	F6C	B	838	24	-	14/41/97/97	-
15	CLA	b	841	2	1/1/15/20	13/37/115/115	-
15	CLA	A	827	24	1/1/13/20	1/25/103/115	-
14	F6C	b	833	2	-	5/41/97/97	-
21	LMG	g	103	-	-	15/32/52/70	0/1/1/1
15	CLA	a	811	1	1/1/13/20	13/28/106/115	-
18	BCR	V	101	-	-	0/18/35/63	0/1/1/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	b	812	2	1/1/11/20	4/13/91/115	-
13	CL0	N	801	1	3/3/20/25	9/37/135/135	-
15	CLA	N	825	1	1/1/15/20	9/37/115/115	-
15	CLA	a	830	1	1/1/15/20	6/37/115/115	-
15	CLA	b	836	24	1/1/11/20	10/13/91/115	-
15	CLA	B	809	2	1/1/15/20	11/37/115/115	-
15	CLA	O	838	2	1/1/15/20	10/37/115/115	-
20	LMT	N	854	-	-	4/21/61/61	0/2/2/2
15	CLA	j	202	10	1/1/15/20	6/37/115/115	-
17	SF4	c	101	3	-	-	0/6/5/5
15	CLA	B	814	2	1/1/13/20	5/28/106/115	-
15	CLA	N	806	1	1/1/15/20	19/37/115/115	-
15	CLA	N	803	-	1/1/15/20	12/37/115/115	-
15	CLA	O	820	2	1/1/13/20	11/25/103/115	-
15	CLA	A	828	1	1/1/15/20	8/37/115/115	-
15	CLA	N	832	1	1/1/12/20	3/19/97/115	-
15	CLA	A	812	1,15	1/1/15/20	20/37/115/115	-
15	CLA	O	837	2	1/1/15/20	10/37/115/115	-
14	F6C	A	802	24	-	9/41/97/97	-
18	BCR	J	101	-	-	7/29/63/63	0/2/2/2
14	F6C	L	201	2	-	9/41/97/97	-
15	CLA	N	831	1	1/1/15/20	13/37/115/115	-
15	CLA	A	841	1	1/1/15/20	14/37/115/115	-
22	LFA	f	204	-	-	6/13/13/17	-
15	CLA	N	834	1	1/1/15/20	7/37/115/115	-
15	CLA	O	816	2	1/1/13/20	5/28/106/115	-
21	LMG	U	102	-	-	19/50/70/70	0/1/1/1
16	PQN	A	843	-	-	0/23/43/43	0/2/2/2
18	BCR	a	857	-	-	10/29/63/63	0/2/2/2
19	LHG	Y	101	-	-	18/53/53/53	-
22	LFA	L	208	-	-	0/12/12/17	-
15	CLA	N	811	1	1/1/13/20	13/28/106/115	-
15	CLA	A	839	1	1/1/15/20	14/37/115/115	-
15	CLA	b	828	2	1/1/15/20	13/37/115/115	-
15	CLA	N	815	1	1/1/13/20	3/25/103/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	PQN	B	840	-	-	0/23/43/43	0/2/2/2
21	LMG	N	855	-	-	5/39/59/70	0/1/1/1
15	CLA	j	203	10	1/1/14/20	12/31/109/115	-
18	BCR	O	847	-	-	1/29/63/63	0/2/2/2
20	LMT	a	854	-	-	4/21/61/61	0/2/2/2
18	BCR	A	858	-	-	10/29/63/63	0/2/2/2
18	BCR	W	1508	-	-	2/29/63/63	0/2/2/2
15	CLA	a	806	1	1/1/15/20	18/37/115/115	-
15	CLA	A	856	24	1/1/15/20	15/37/115/115	-
15	CLA	b	815	2	1/1/11/20	6/13/91/115	-
18	BCR	N	845	-	-	3/29/63/63	0/2/2/2
15	CLA	A	836	1	1/1/12/20	8/24/102/115	-
18	BCR	B	842	-	-	5/29/63/63	0/2/2/2
15	CLA	O	836	24	1/1/11/20	10/13/91/115	-
14	F6C	A	857	24	-	19/41/97/97	-
15	CLA	N	816	1	1/1/11/20	9/13/91/115	-
17	SF4	P	101	3	-	-	0/6/5/5
17	SF4	C	101	3	-	-	0/6/5/5
15	CLA	N	839	1	1/1/15/20	18/37/115/115	-
15	CLA	B	825	2	1/1/14/20	16/34/112/115	-
18	BCR	b	845	-	-	4/29/63/63	0/2/2/2
22	LFA	O	851	-	-	6/13/13/17	-
15	CLA	b	804	2	1/1/15/20	8/37/115/115	-
21	LMG	j	206	-	-	10/45/65/70	0/1/1/1
15	CLA	A	817	24	1/1/11/20	5/13/91/115	-
13	CL0	a	801	1	3/3/20/25	8/37/135/135	-
15	CLA	S	201	24	1/1/15/20	8/37/115/115	-
15	CLA	b	830	2	1/1/15/20	16/37/115/115	-
14	F6C	O	840	24	-	14/41/97/97	-
18	BCR	T	101	-	-	9/29/63/63	0/2/2/2
19	LHG	M	102	-	-	18/53/53/53	-
15	CLA	N	840	1	1/1/12/20	2/19/97/115	-
15	CLA	B	813	2	1/1/11/20	7/13/91/115	-
14	F6C	b	810	2	-	8/41/97/97	-
21	LMG	B	847	-	-	7/50/70/70	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	a	807	1	1/1/15/20	15/37/115/115	-
14	F6C	O	810	2	-	8/41/97/97	-
15	CLA	B	822	24	1/1/15/20	9/37/115/115	-
15	CLA	A	821	1	1/1/14/20	8/31/109/115	-
17	SF4	N	844	1,2	-	-	0/6/5/5
14	F6C	b	840	24	-	14/41/97/97	-
15	CLA	O	825	24	1/1/15/20	14/37/115/115	-
18	BCR	U	101	-	-	7/29/63/63	0/2/2/2
15	CLA	A	831	1	1/1/15/20	12/37/115/115	-
15	CLA	N	809	1	1/1/14/20	14/31/109/115	-
15	CLA	X	103	12	1/1/13/20	3/25/103/115	-
15	CLA	B	830	2	1/1/15/20	12/37/115/115	-
15	CLA	O	817	2	1/1/15/20	9/37/115/115	-
15	CLA	N	807	1	1/1/15/20	18/37/115/115	-
15	CLA	a	835	1	1/1/15/20	9/37/115/115	-
18	BCR	a	850	-	-	13/29/63/63	0/2/2/2
15	CLA	O	802	24	1/1/15/20	14/37/115/115	-
15	CLA	O	822	24	1/1/12/20	9/23/101/115	-
18	BCR	B	844	-	-	8/29/63/63	0/2/2/2
18	BCR	O	849	-	-	5/29/63/63	0/2/2/2
19	LHG	A	851	-	-	13/46/46/53	-
15	CLA	A	818	1	1/1/15/20	20/37/115/115	-
21	LMG	T	103	-	-	13/32/52/70	0/1/1/1
15	CLA	B	807	2	1/1/15/20	11/37/115/115	-
15	CLA	O	808	2	1/1/15/20	7/37/115/115	-
15	CLA	O	831	2	1/1/15/20	15/37/115/115	-
15	CLA	a	818	1	1/1/15/20	20/37/115/115	-
15	CLA	a	834	1	1/1/15/20	6/37/115/115	-
19	LHG	X	102	-	-	21/53/53/53	-
15	CLA	B	802	-	1/1/15/20	9/37/115/115	-
15	CLA	b	832	2	1/1/15/20	10/37/115/115	-
18	BCR	g	102	-	-	5/29/63/63	0/2/2/2
15	CLA	B	835	2	1/1/15/20	10/37/115/115	-
15	CLA	A	822	24	1/1/15/20	15/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	b	838	2	1/1/15/20	13/37/115/115	-
15	CLA	b	837	2	1/1/15/20	10/37/115/115	-
19	LHG	L	207	-	-	16/53/53/53	-
15	CLA	A	810	1	1/1/13/20	10/28/106/115	-
15	CLA	N	818	1	1/1/15/20	20/37/115/115	-
15	CLA	A	833	1	1/1/13/20	4/25/103/115	-
15	CLA	a	803	-	1/1/15/20	12/37/115/115	-
20	LMT	a	853	-	-	10/14/54/61	0/2/2/2
18	BCR	k	102	-	-	7/29/63/63	0/2/2/2
18	BCR	A	848	-	-	6/29/63/63	0/2/2/2
15	CLA	b	825	24	1/1/15/20	14/37/115/115	-
18	BCR	S	202	-	-	2/29/63/63	0/2/2/2
15	CLA	b	824	24	1/1/15/20	9/37/115/115	-
13	CL0	A	801	1	3/3/20/25	7/37/135/135	-
15	CLA	a	842	1	1/1/15/20	10/37/115/115	-
18	BCR	I	101	-	-	10/29/63/63	0/2/2/2
15	CLA	b	806	2	1/1/15/20	16/37/115/115	-
15	CLA	A	838	1	1/1/13/20	11/25/103/115	-
15	CLA	A	807	1	1/1/15/20	18/37/115/115	-
19	LHG	k	101	-	-	17/53/53/53	-
15	CLA	B	829	2	1/1/15/20	14/37/115/115	-
15	CLA	N	833	1	1/1/13/20	3/25/103/115	-
15	CLA	B	811	2	-	10/27/105/115	-
17	SF4	a	844	1,2	-	-	0/6/5/5
15	CLA	O	841	2	1/1/15/20	13/37/115/115	-
15	CLA	A	820	1	1/1/15/20	20/37/115/115	-
15	CLA	B	839	2	1/1/15/20	13/37/115/115	-
14	F6C	O	833	2	-	5/41/97/97	-
15	CLA	B	826	2	1/1/15/20	8/37/115/115	-
14	F6C	N	856	24	-	17/41/97/97	-
19	LHG	l	101	-	-	24/48/48/53	-
15	CLA	a	839	1	1/1/15/20	14/37/115/115	-
15	CLA	O	821	2	1/1/11/20	5/13/91/115	-
15	CLA	B	823	24	1/1/15/20	15/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	LMT	A	852	-	-	2/17/57/61	0/2/2/2
21	LMG	a	855	-	-	8/39/59/70	0/1/1/1
15	CLA	O	807	2	1/1/15/20	5/37/115/115	-
14	F6C	L	204	24	-	12/41/97/97	-
15	CLA	a	823	1	1/1/13/20	8/27/105/115	-
15	CLA	O	804	2	1/1/15/20	8/37/115/115	-
15	CLA	N	820	1	1/1/15/20	20/37/115/115	-
18	BCR	i	101	-	-	0/18/35/63	0/1/1/2
15	CLA	a	829	1	1/1/14/20	17/31/109/115	-
14	F6C	a	856	24	-	18/41/97/97	-
15	CLA	b	809	2	1/1/15/20	15/37/115/115	-
21	LMG	h	102	-	-	16/50/70/70	0/1/1/1
15	CLA	b	826	2	1/1/15/20	5/37/115/115	-
15	CLA	b	807	2	1/1/15/20	3/37/115/115	-
15	CLA	B	816	2	1/1/14/20	14/31/109/115	-
15	CLA	b	814	2	1/1/15/20	15/37/115/115	-
18	BCR	f	203	-	-	2/29/63/63	0/2/2/2
15	CLA	b	820	2	1/1/13/20	11/25/103/115	-
15	CLA	a	816	1	1/1/11/20	8/13/91/115	-
15	CLA	N	829	1	1/1/14/20	17/31/109/115	-
15	CLA	B	803	2	1/1/15/20	8/37/115/115	-
14	F6C	N	802	24	-	7/41/97/97	-
15	CLA	Z	103	12	1/1/13/20	5/25/103/115	-
18	BCR	h	101	-	-	7/29/63/63	0/2/2/2
20	LMT	N	853	-	-	9/14/54/61	0/2/2/2
15	CLA	B	832	2	1/1/13/20	8/25/103/115	-
15	CLA	b	811	2	1/1/15/20	11/37/115/115	-
15	CLA	O	823	2	1/1/13/20	11/25/103/115	-
18	BCR	a	848	-	-	7/29/63/63	0/2/2/2
15	CLA	A	837	1	1/1/12/20	10/21/99/115	-
15	CLA	L	203	10	1/1/14/20	12/31/109/115	-
15	CLA	B	837	2	1/1/15/20	12/37/115/115	-
15	CLA	b	819	24	1/1/15/20	9/37/115/115	-
15	CLA	A	840	1	1/1/12/20	2/19/97/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	O	812	2	1/1/11/20	3/13/91/115	-
18	BCR	N	850	-	-	13/29/63/63	0/2/2/2
15	CLA	a	813	1	1/1/12/20	6/24/102/115	-
18	BCR	a	847	-	-	6/29/63/63	0/2/2/2
14	F6C	a	802	24	-	7/41/97/97	-
15	CLA	N	836	1	1/1/12/20	9/24/102/115	-
21	LMG	O	850	-	-	7/50/70/70	0/1/1/1
15	CLA	O	828	2	1/1/15/20	7/37/115/115	-
15	CLA	B	819	2	1/1/11/20	5/13/91/115	-
18	BCR	B	846	-	-	4/29/63/63	0/2/2/2
15	CLA	a	841	1	1/1/15/20	14/37/115/115	-
18	BCR	N	847	-	-	6/29/63/63	0/2/2/2
15	CLA	f	201	24	1/1/15/20	8/37/115/115	-
18	BCR	K	101	-	-	0/18/35/63	0/1/1/2
15	CLA	B	818	2	1/1/13/20	9/25/103/115	-
15	CLA	A	842	1	1/1/15/20	9/37/115/115	-
15	CLA	B	834	24	1/1/11/20	10/13/91/115	-
15	CLA	F	201	24	1/1/15/20	8/37/115/115	-
16	PQN	N	843	-	-	1/23/43/43	0/2/2/2
21	LMG	W	1505	-	-	11/45/65/70	0/1/1/1
15	CLA	O	824	24	1/1/15/20	11/37/115/115	-
21	LMG	L	206	-	-	12/45/65/70	0/1/1/1
18	BCR	B	843	-	-	4/29/63/63	0/2/2/2
18	BCR	b	846	-	-	7/29/63/63	0/2/2/2
19	LHG	N	851	-	-	13/46/46/53	-
18	BCR	O	846	-	-	8/29/63/63	0/2/2/2
15	CLA	a	805	1,15	1/1/14/20	9/31/109/115	-
15	CLA	b	818	2	1/1/14/20	12/31/109/115	-
15	CLA	b	801	2	1/1/15/20	11/37/115/115	-
14	F6C	A	824	24	-	9/25/81/97	-
18	BCR	B	841	-	-	3/29/63/63	0/2/2/2
20	LMT	a	852	-	-	1/17/57/61	0/2/2/2
15	CLA	W	1501	10	1/1/15/20	8/37/115/115	-
14	F6C	A	826	24	-	15/41/97/97	-
15	CLA	a	836	1	1/1/12/20	7/24/102/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	LHG	W	1506	-	-	16/53/53/53	-
18	BCR	a	849	-	-	3/29/63/63	0/2/2/2
15	CLA	N	812	1,15	1/1/15/20	19/37/115/115	-
15	CLA	O	819	24	1/1/15/20	8/37/115/115	-
14	F6C	W	1503	24	-	14/41/97/97	-
15	CLA	K	103	24	1/1/12/20	3/19/97/115	-
18	BCR	N	846	-	-	8/29/63/63	0/2/2/2
15	CLA	a	808	1	1/1/11/20	1/13/91/115	-
22	LFA	j	208	-	-	0/12/12/17	-
15	CLA	a	831	1	1/1/15/20	11/37/115/115	-
15	CLA	a	833	1	1/1/13/20	3/25/103/115	-
15	CLA	A	809	1	1/1/14/20	11/31/109/115	-
18	BCR	O	848	-	-	6/29/63/63	0/2/2/2
15	CLA	a	821	1	1/1/14/20	8/31/109/115	-
15	CLA	A	804	1	1/1/15/20	6/37/115/115	-
18	BCR	g	101	-	-	7/29/63/63	0/2/2/2
18	BCR	A	846	-	-	8/29/63/63	0/2/2/2
15	CLA	O	803	-	1/1/15/20	8/37/115/115	-
15	CLA	l	103	12	1/1/13/20	2/25/103/115	-
15	CLA	N	810	1	1/1/13/20	9/28/106/115	-
17	SF4	c	102	3	-	-	0/6/5/5
15	CLA	O	832	2	1/1/15/20	11/37/115/115	-
16	PQN	a	843	-	-	0/23/43/43	0/2/2/2
18	BCR	j	205	-	-	4/29/63/63	0/2/2/2
19	LHG	a	851	-	-	13/46/46/53	-
18	BCR	W	1504	-	-	4/29/63/63	0/2/2/2
15	CLA	O	827	2	1/1/14/20	15/34/112/115	-
15	CLA	b	835	24	1/1/11/20	4/13/91/115	-
15	CLA	B	812	2	1/1/15/20	15/37/115/115	-
18	BCR	O	845	-	-	4/29/63/63	0/2/2/2
15	CLA	N	804	1	1/1/15/20	6/37/115/115	-
15	CLA	O	806	2	1/1/15/20	16/37/115/115	-
18	BCR	j	201	-	-	5/29/63/63	0/2/2/2
19	LHG	X	101	-	-	22/48/48/53	-
15	CLA	N	822	24	1/1/15/20	17/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CLA	b	834	2	1/1/13/20	8/25/103/115	-
18	BCR	N	849	-	-	3/29/63/63	0/2/2/2
18	BCR	O	843	-	-	3/29/63/63	0/2/2/2
15	CLA	A	825	1	1/1/15/20	6/37/115/115	-
15	CLA	N	837	1	1/1/12/20	10/21/99/115	-
19	LHG	Z	102	-	-	22/53/53/53	-
15	CLA	B	806	2	1/1/15/20	5/37/115/115	-
18	BCR	Y	102	-	-	7/29/63/63	0/2/2/2
15	CLA	N	827	24	1/1/13/20	2/25/103/115	-
15	CLA	N	808	1	1/1/11/20	3/13/91/115	-
15	CLA	N	805	1,15	1/1/14/20	9/31/109/115	-
15	CLA	O	829	2	1/1/15/20	11/37/115/115	-
19	LHG	j	207	-	-	16/53/53/53	-
15	CLA	b	803	-	1/1/15/20	9/37/115/115	-
15	CLA	A	803	-	1/1/15/20	12/37/115/115	-
15	CLA	A	830	1	1/1/15/20	9/37/115/115	-
14	F6C	j	204	24	-	13/41/97/97	-
15	CLA	A	815	1	1/1/13/20	5/25/103/115	-

All (1743) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	N	826	F6C	C2A-C3A	8.76	1.55	1.36
14	L	201	F6C	C2A-C3A	8.73	1.55	1.36
14	A	826	F6C	C2A-C3A	8.71	1.55	1.36
14	O	810	F6C	C2A-C3A	8.70	1.55	1.36
14	a	826	F6C	C2A-C3A	8.70	1.55	1.36
14	b	810	F6C	C2A-C3A	8.69	1.55	1.36
14	A	802	F6C	C2A-C3A	8.68	1.55	1.36
14	N	824	F6C	C2A-C3A	8.68	1.55	1.36
14	A	824	F6C	C2A-C3A	8.67	1.55	1.36
14	a	824	F6C	C2A-C3A	8.67	1.55	1.36
14	a	802	F6C	C2A-C3A	8.66	1.55	1.36
14	N	802	F6C	C2A-C3A	8.65	1.55	1.36
14	O	833	F6C	C2A-C3A	8.60	1.55	1.36
14	b	833	F6C	C2A-C3A	8.60	1.55	1.36
14	B	831	F6C	C2A-C3A	8.56	1.54	1.36
14	B	838	F6C	C2A-C3A	8.53	1.54	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	W	1503	F6C	C2A-C3A	8.53	1.54	1.36
14	b	840	F6C	C2A-C3A	8.52	1.54	1.36
14	O	840	F6C	C2A-C3A	8.52	1.54	1.36
14	j	204	F6C	C2A-C3A	8.49	1.54	1.36
14	L	204	F6C	C2A-C3A	8.48	1.54	1.36
14	a	856	F6C	C2A-C3A	8.36	1.54	1.36
14	N	856	F6C	C2A-C3A	8.35	1.54	1.36
14	A	857	F6C	C2A-C3A	8.33	1.54	1.36
15	a	804	CLA	C4B-NB	7.71	1.42	1.35
15	A	804	CLA	C4B-NB	7.67	1.42	1.35
15	N	804	CLA	C4B-NB	7.65	1.42	1.35
15	O	836	CLA	C4B-NB	7.64	1.42	1.35
15	a	842	CLA	C4B-NB	7.64	1.42	1.35
15	A	816	CLA	C4B-NB	7.63	1.42	1.35
15	b	836	CLA	C4B-NB	7.62	1.42	1.35
15	A	817	CLA	C4B-NB	7.62	1.42	1.35
15	a	817	CLA	C4B-NB	7.62	1.42	1.35
15	N	816	CLA	C4B-NB	7.61	1.42	1.35
15	N	842	CLA	C4B-NB	7.61	1.42	1.35
15	B	834	CLA	C4B-NB	7.61	1.42	1.35
15	a	816	CLA	C4B-NB	7.60	1.42	1.35
15	A	842	CLA	C4B-NB	7.60	1.42	1.35
15	N	817	CLA	C4B-NB	7.60	1.42	1.35
15	K	103	CLA	C4B-NB	7.57	1.42	1.35
15	V	103	CLA	C4B-NB	7.57	1.42	1.35
15	i	103	CLA	C4B-NB	7.54	1.41	1.35
15	O	820	CLA	C4B-NB	7.54	1.41	1.35
15	B	818	CLA	C4B-NB	7.53	1.41	1.35
15	F	201	CLA	C4B-NB	7.53	1.41	1.35
15	b	820	CLA	C4B-NB	7.52	1.41	1.35
15	S	201	CLA	C4B-NB	7.52	1.41	1.35
15	f	201	CLA	C4B-NB	7.51	1.41	1.35
15	N	822	CLA	C4B-NB	7.50	1.41	1.35
15	b	819	CLA	C4B-NB	7.50	1.41	1.35
15	b	817	CLA	C4B-NB	7.48	1.41	1.35
15	O	819	CLA	C4B-NB	7.47	1.41	1.35
15	a	819	CLA	C4B-NB	7.47	1.41	1.35
15	B	817	CLA	C4B-NB	7.46	1.41	1.35
15	A	812	CLA	C4B-NB	7.44	1.41	1.35
15	B	810	CLA	C4B-NB	7.43	1.41	1.35
15	a	812	CLA	C4B-NB	7.43	1.41	1.35
15	N	819	CLA	C4B-NB	7.43	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	b	812	CLA	C4B-NB	7.43	1.41	1.35
15	N	812	CLA	C4B-NB	7.43	1.41	1.35
15	N	834	CLA	C4B-NB	7.42	1.41	1.35
15	a	805	CLA	C4B-NB	7.42	1.41	1.35
15	B	812	CLA	C4B-NB	7.42	1.41	1.35
15	A	805	CLA	C4B-NB	7.41	1.41	1.35
15	B	803	CLA	C4B-NB	7.41	1.41	1.35
15	B	815	CLA	C4B-NB	7.40	1.41	1.35
15	B	830	CLA	C4B-NB	7.40	1.41	1.35
15	b	815	CLA	C4B-NB	7.40	1.41	1.35
15	O	814	CLA	C4B-NB	7.40	1.41	1.35
15	a	822	CLA	C4B-NB	7.40	1.41	1.35
15	A	822	CLA	C4B-NB	7.39	1.41	1.35
15	b	818	CLA	C4B-NB	7.39	1.41	1.35
15	A	834	CLA	C4B-NB	7.39	1.41	1.35
15	A	819	CLA	C4B-NB	7.38	1.41	1.35
15	A	841	CLA	C4B-NB	7.38	1.41	1.35
15	O	812	CLA	C4B-NB	7.38	1.41	1.35
15	O	804	CLA	C4B-NB	7.38	1.41	1.35
15	O	841	CLA	C4B-NB	7.38	1.41	1.35
15	A	856	CLA	C4B-NB	7.37	1.41	1.35
15	a	818	CLA	C4B-NB	7.37	1.41	1.35
15	O	815	CLA	C4B-NB	7.37	1.41	1.35
15	b	802	CLA	C4B-NB	7.37	1.41	1.35
15	N	815	CLA	C4B-NB	7.37	1.41	1.35
15	K	102	CLA	C4B-NB	7.37	1.41	1.35
15	N	825	CLA	C4B-NB	7.37	1.41	1.35
15	X	103	CLA	C4B-NB	7.36	1.41	1.35
15	N	805	CLA	C4B-NB	7.36	1.41	1.35
15	N	818	CLA	C4B-NB	7.36	1.41	1.35
15	b	804	CLA	C4B-NB	7.36	1.41	1.35
15	N	823	CLA	C4B-NB	7.36	1.41	1.35
15	Z	103	CLA	C4B-NB	7.36	1.41	1.35
15	a	815	CLA	C4B-NB	7.36	1.41	1.35
15	O	817	CLA	C4B-NB	7.36	1.41	1.35
15	O	832	CLA	C4B-NB	7.36	1.41	1.35
15	a	834	CLA	C4B-NB	7.35	1.41	1.35
15	i	102	CLA	C4B-NB	7.35	1.41	1.35
15	l	103	CLA	C4B-NB	7.35	1.41	1.35
15	B	816	CLA	C4B-NB	7.35	1.41	1.35
15	b	814	CLA	C4B-NB	7.35	1.41	1.35
15	b	841	CLA	C4B-NB	7.35	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	818	CLA	C4B-NB	7.35	1.41	1.35
15	A	839	CLA	C4B-NB	7.35	1.41	1.35
15	A	815	CLA	C4B-NB	7.35	1.41	1.35
15	a	825	CLA	C4B-NB	7.35	1.41	1.35
15	V	102	CLA	C4B-NB	7.35	1.41	1.35
15	A	825	CLA	C4B-NB	7.34	1.41	1.35
15	A	835	CLA	C4B-NB	7.34	1.41	1.35
15	B	819	CLA	C4B-NB	7.34	1.41	1.35
15	O	827	CLA	C4B-NB	7.34	1.41	1.35
15	A	821	CLA	C4B-NB	7.34	1.41	1.35
15	N	829	CLA	C4B-NB	7.34	1.41	1.35
15	N	807	CLA	C4B-NB	7.34	1.41	1.35
15	N	821	CLA	C4B-NB	7.34	1.41	1.35
15	N	835	CLA	C4B-NB	7.34	1.41	1.35
15	a	841	CLA	C4B-NB	7.34	1.41	1.35
15	b	807	CLA	C4B-NB	7.33	1.41	1.35
15	A	823	CLA	C4B-NB	7.33	1.41	1.35
15	a	831	CLA	C4B-NB	7.33	1.41	1.35
15	A	837	CLA	C4B-NB	7.33	1.41	1.35
15	O	821	CLA	C4B-NB	7.33	1.41	1.35
15	b	827	CLA	C4B-NB	7.33	1.41	1.35
15	a	837	CLA	C4B-NB	7.32	1.41	1.35
15	a	839	CLA	C4B-NB	7.32	1.41	1.35
15	O	829	CLA	C4B-NB	7.32	1.41	1.35
15	A	818	CLA	C4B-NB	7.32	1.41	1.35
15	N	841	CLA	C4B-NB	7.32	1.41	1.35
15	O	811	CLA	C4B-NB	7.32	1.41	1.35
15	B	827	CLA	C4B-NB	7.32	1.41	1.35
15	b	832	CLA	C4B-NB	7.32	1.41	1.35
15	a	835	CLA	C4B-NB	7.32	1.41	1.35
15	b	821	CLA	C4B-NB	7.32	1.41	1.35
15	a	823	CLA	C4B-NB	7.32	1.41	1.35
15	N	839	CLA	C4B-NB	7.32	1.41	1.35
15	a	821	CLA	C4B-NB	7.32	1.41	1.35
15	N	811	CLA	C4B-NB	7.32	1.41	1.35
15	A	831	CLA	C4B-NB	7.31	1.41	1.35
15	B	839	CLA	C4B-NB	7.31	1.41	1.35
15	O	835	CLA	C4B-NB	7.31	1.41	1.35
15	b	829	CLA	C4B-NB	7.31	1.41	1.35
15	B	821	CLA	C4B-NB	7.31	1.41	1.35
15	B	809	CLA	C4B-NB	7.30	1.41	1.35
15	B	825	CLA	C4B-NB	7.30	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	N	837	CLA	C4B-NB	7.30	1.41	1.35
15	O	807	CLA	C4B-NB	7.30	1.41	1.35
15	b	823	CLA	C4B-NB	7.30	1.41	1.35
15	a	829	CLA	C4B-NB	7.30	1.41	1.35
15	O	831	CLA	C4B-NB	7.30	1.41	1.35
15	b	831	CLA	C4B-NB	7.30	1.41	1.35
15	A	829	CLA	C4B-NB	7.29	1.41	1.35
15	O	813	CLA	C4B-NB	7.29	1.41	1.35
15	b	839	CLA	C4B-NB	7.29	1.41	1.35
15	B	811	CLA	C4B-NB	7.29	1.41	1.35
15	N	831	CLA	C4B-NB	7.29	1.41	1.35
15	A	836	CLA	C4B-NB	7.29	1.41	1.35
15	L	203	CLA	C4B-NB	7.29	1.41	1.35
15	W	1501	CLA	C4B-NB	7.29	1.41	1.35
15	W	1502	CLA	C4B-NB	7.29	1.41	1.35
15	b	811	CLA	C4B-NB	7.29	1.41	1.35
15	B	832	CLA	C4B-NB	7.29	1.41	1.35
15	a	813	CLA	C4B-NB	7.29	1.41	1.35
15	A	813	CLA	C4B-NB	7.28	1.41	1.35
15	j	203	CLA	C4B-NB	7.28	1.41	1.35
15	B	833	CLA	C4B-NB	7.28	1.41	1.35
15	N	827	CLA	C4B-NB	7.28	1.41	1.35
15	B	829	CLA	C4B-NB	7.28	1.41	1.35
15	a	808	CLA	C4B-NB	7.28	1.41	1.35
15	b	834	CLA	C4B-NB	7.28	1.41	1.35
15	a	827	CLA	C4B-NB	7.28	1.41	1.35
15	O	830	CLA	C4B-NB	7.28	1.41	1.35
15	N	813	CLA	C4B-NB	7.27	1.41	1.35
15	O	823	CLA	C4B-NB	7.27	1.41	1.35
15	O	834	CLA	C4B-NB	7.27	1.41	1.35
15	O	825	CLA	C4B-NB	7.27	1.41	1.35
15	N	832	CLA	C4B-NB	7.27	1.41	1.35
15	b	835	CLA	C4B-NB	7.27	1.41	1.35
15	N	840	CLA	C4B-NB	7.27	1.41	1.35
15	a	807	CLA	C4B-NB	7.27	1.41	1.35
15	a	832	CLA	C4B-NB	7.27	1.41	1.35
15	B	837	CLA	C4B-NB	7.27	1.41	1.35
15	A	811	CLA	C4B-NB	7.27	1.41	1.35
15	a	809	CLA	C4B-NB	7.27	1.41	1.35
15	B	823	CLA	C4B-NB	7.26	1.41	1.35
15	a	836	CLA	C4B-NB	7.26	1.41	1.35
15	b	822	CLA	C4B-NB	7.26	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	A	832	CLA	C4B-NB	7.26	1.41	1.35
15	a	840	CLA	C4B-NB	7.26	1.41	1.35
15	b	813	CLA	C4B-NB	7.26	1.41	1.35
15	b	825	CLA	C4B-NB	7.26	1.41	1.35
15	A	807	CLA	C4B-NB	7.25	1.41	1.35
15	N	836	CLA	C4B-NB	7.25	1.41	1.35
15	A	820	CLA	C4B-NB	7.25	1.41	1.35
15	O	839	CLA	C4B-NB	7.25	1.41	1.35
15	a	811	CLA	C4B-NB	7.25	1.41	1.35
15	b	830	CLA	C4B-NB	7.25	1.41	1.35
15	b	805	CLA	C4B-NB	7.25	1.41	1.35
15	N	809	CLA	C4B-NB	7.25	1.41	1.35
15	b	816	CLA	C4B-NB	7.25	1.41	1.35
15	b	824	CLA	C4B-NB	7.25	1.41	1.35
15	O	824	CLA	C4B-NB	7.25	1.41	1.35
15	N	808	CLA	C4B-NB	7.24	1.41	1.35
15	A	840	CLA	C4B-NB	7.24	1.41	1.35
15	O	822	CLA	C4B-NB	7.24	1.41	1.35
15	B	814	CLA	C4B-NB	7.24	1.41	1.35
15	B	828	CLA	C4B-NB	7.24	1.41	1.35
15	B	822	CLA	C4B-NB	7.24	1.41	1.35
15	A	809	CLA	C4B-NB	7.23	1.41	1.35
15	O	816	CLA	C4B-NB	7.23	1.41	1.35
15	O	809	CLA	C4B-NB	7.23	1.41	1.35
15	B	836	CLA	C4B-NB	7.23	1.41	1.35
15	O	802	CLA	C4B-NB	7.23	1.41	1.35
15	B	804	CLA	C4B-NB	7.22	1.41	1.35
15	O	805	CLA	C4B-NB	7.22	1.41	1.35
15	O	808	CLA	C4B-NB	7.22	1.41	1.35
15	b	801	CLA	C4B-NB	7.22	1.41	1.35
15	B	806	CLA	C4B-NB	7.22	1.41	1.35
15	O	801	CLA	C4B-NB	7.22	1.41	1.35
15	B	826	CLA	C4B-NB	7.22	1.41	1.35
15	L	202	CLA	C4B-NB	7.21	1.41	1.35
15	B	801	CLA	C4B-NB	7.21	1.41	1.35
15	a	810	CLA	C4B-NB	7.21	1.41	1.35
15	B	813	CLA	C4B-NB	7.21	1.41	1.35
15	N	828	CLA	C4B-NB	7.21	1.41	1.35
15	b	828	CLA	C4B-NB	7.21	1.41	1.35
15	B	824	CLA	C4B-NB	7.21	1.41	1.35
15	A	810	CLA	C4B-NB	7.21	1.41	1.35
15	a	828	CLA	C4B-NB	7.21	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	N	830	CLA	C4B-NB	7.20	1.41	1.35
15	b	838	CLA	C4B-NB	7.20	1.41	1.35
15	O	838	CLA	C4B-NB	7.20	1.41	1.35
15	N	820	CLA	C4B-NB	7.20	1.41	1.35
15	a	806	CLA	C4B-NB	7.20	1.41	1.35
15	A	830	CLA	C4B-NB	7.20	1.41	1.35
15	B	820	CLA	C4B-NB	7.20	1.41	1.35
15	N	810	CLA	C4B-NB	7.20	1.41	1.35
15	A	827	CLA	C4B-NB	7.19	1.41	1.35
15	B	835	CLA	C4B-NB	7.19	1.41	1.35
15	A	808	CLA	C4B-NB	7.19	1.41	1.35
15	N	833	CLA	C4B-NB	7.19	1.41	1.35
15	O	828	CLA	C4B-NB	7.18	1.41	1.35
15	b	808	CLA	C4B-NB	7.18	1.41	1.35
15	a	830	CLA	C4B-NB	7.18	1.41	1.35
15	A	833	CLA	C4B-NB	7.18	1.41	1.35
15	b	826	CLA	C4B-NB	7.17	1.41	1.35
15	A	803	CLA	C4B-NB	7.17	1.41	1.35
15	a	833	CLA	C4B-NB	7.17	1.41	1.35
15	b	809	CLA	C4B-NB	7.17	1.41	1.35
15	O	826	CLA	C4B-NB	7.17	1.41	1.35
15	a	803	CLA	C4B-NB	7.16	1.41	1.35
15	A	828	CLA	C4B-NB	7.16	1.41	1.35
15	j	202	CLA	C4B-NB	7.15	1.41	1.35
15	O	806	CLA	C4B-NB	7.15	1.41	1.35
15	B	807	CLA	C4B-NB	7.14	1.41	1.35
15	N	803	CLA	C4B-NB	7.14	1.41	1.35
15	a	820	CLA	C4B-NB	7.13	1.41	1.35
15	B	808	CLA	C4B-NB	7.13	1.41	1.35
15	O	837	CLA	C4B-NB	7.13	1.41	1.35
15	b	806	CLA	C4B-NB	7.13	1.41	1.35
15	b	837	CLA	C4B-NB	7.13	1.41	1.35
15	a	838	CLA	C4B-NB	7.12	1.41	1.35
15	A	806	CLA	C4B-NB	7.12	1.41	1.35
15	B	805	CLA	C4B-NB	7.12	1.41	1.35
15	B	802	CLA	C4B-NB	7.11	1.41	1.35
15	A	838	CLA	C4B-NB	7.11	1.41	1.35
15	N	814	CLA	C4B-NB	7.09	1.41	1.35
15	N	838	CLA	C4B-NB	7.09	1.41	1.35
15	a	814	CLA	C4B-NB	7.09	1.41	1.35
15	A	814	CLA	C4B-NB	7.08	1.41	1.35
15	b	803	CLA	C4B-NB	7.08	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	A	801	CL0	C4B-NB	7.08	1.41	1.35
13	a	801	CL0	C4B-NB	7.07	1.41	1.35
15	N	806	CLA	C4B-NB	7.06	1.41	1.35
15	O	803	CLA	C4B-NB	7.05	1.41	1.35
13	N	801	CL0	C4B-NB	7.02	1.41	1.35
14	L	204	F6C	C4C-NC	5.45	1.40	1.35
14	O	833	F6C	C4C-NC	5.45	1.40	1.35
14	j	204	F6C	C4C-NC	5.44	1.40	1.35
14	B	831	F6C	C4C-NC	5.42	1.40	1.35
14	a	824	F6C	C4C-NC	5.41	1.40	1.35
14	b	833	F6C	C4C-NC	5.41	1.40	1.35
14	W	1503	F6C	C4C-NC	5.41	1.40	1.35
14	A	824	F6C	C4C-NC	5.41	1.40	1.35
14	N	824	F6C	C4C-NC	5.40	1.40	1.35
14	a	802	F6C	C4C-NC	5.37	1.40	1.35
14	A	802	F6C	C4C-NC	5.36	1.40	1.35
14	N	802	F6C	C4C-NC	5.33	1.40	1.35
14	N	856	F6C	C4C-NC	5.31	1.39	1.35
14	B	838	F6C	C4C-NC	5.30	1.39	1.35
14	b	840	F6C	C4C-NC	5.30	1.39	1.35
14	O	840	F6C	C4C-NC	5.28	1.39	1.35
14	A	857	F6C	C4C-NC	5.25	1.39	1.35
14	N	826	F6C	C4C-NC	5.24	1.39	1.35
14	b	810	F6C	C4C-NC	5.24	1.39	1.35
14	a	856	F6C	C4C-NC	5.23	1.39	1.35
14	O	810	F6C	C4C-NC	5.21	1.39	1.35
14	L	201	F6C	C4C-NC	5.20	1.39	1.35
14	a	826	F6C	C4C-NC	5.20	1.39	1.35
14	A	826	F6C	C4C-NC	5.17	1.39	1.35
14	L	204	F6C	C4A-C3A	4.19	1.53	1.45
14	N	826	F6C	C4A-C3A	4.16	1.53	1.45
14	O	840	F6C	C4A-C3A	4.11	1.53	1.45
14	j	204	F6C	C4A-C3A	4.11	1.53	1.45
14	A	824	F6C	C4A-C3A	4.10	1.53	1.45
14	B	838	F6C	C4A-C3A	4.09	1.53	1.45
14	N	824	F6C	C4A-C3A	4.09	1.53	1.45
14	b	840	F6C	C4A-C3A	4.09	1.53	1.45
14	W	1503	F6C	C4A-C3A	4.08	1.53	1.45
14	a	824	F6C	C4A-C3A	4.06	1.53	1.45
14	A	802	F6C	C4A-C3A	4.05	1.53	1.45
14	N	802	F6C	C4A-C3A	4.05	1.53	1.45
14	a	802	F6C	C4A-C3A	4.04	1.53	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	826	F6C	C4A-C3A	4.03	1.53	1.45
14	O	833	F6C	C4A-C3A	4.02	1.53	1.45
14	b	833	F6C	C4A-C3A	4.01	1.53	1.45
14	L	201	F6C	C1A-C2A	4.00	1.54	1.45
14	A	826	F6C	C4A-C3A	3.99	1.53	1.45
14	B	831	F6C	C4A-C3A	3.99	1.53	1.45
14	b	810	F6C	C1A-C2A	3.98	1.54	1.45
15	O	815	CLA	C1D-ND	3.98	1.42	1.37
15	b	815	CLA	C1D-ND	3.98	1.42	1.37
14	N	856	F6C	C4A-C3A	3.95	1.53	1.45
15	b	813	CLA	C1D-ND	3.95	1.42	1.37
14	a	856	F6C	C4A-C3A	3.94	1.53	1.45
15	O	813	CLA	C1D-ND	3.94	1.42	1.37
14	O	810	F6C	C1A-C2A	3.94	1.54	1.45
15	B	811	CLA	C1D-ND	3.94	1.42	1.37
14	A	857	F6C	C4A-C3A	3.92	1.53	1.45
15	N	806	CLA	C1D-ND	3.92	1.42	1.37
14	N	826	F6C	C1A-C2A	3.90	1.53	1.45
14	a	826	F6C	C1A-C2A	3.90	1.53	1.45
14	A	826	F6C	C1A-C2A	3.88	1.53	1.45
15	N	815	CLA	C1D-ND	3.88	1.42	1.37
15	A	828	CLA	C1D-ND	3.87	1.42	1.37
15	A	817	CLA	C1D-ND	3.87	1.42	1.37
15	N	817	CLA	C1D-ND	3.86	1.42	1.37
15	a	811	CLA	C1D-ND	3.86	1.42	1.37
15	A	815	CLA	C1D-ND	3.86	1.42	1.37
15	N	811	CLA	C1D-ND	3.86	1.42	1.37
15	a	817	CLA	C1D-ND	3.86	1.42	1.37
15	N	804	CLA	C1D-ND	3.85	1.42	1.37
15	A	811	CLA	C1D-ND	3.85	1.42	1.37
15	a	814	CLA	C1D-ND	3.85	1.42	1.37
15	N	814	CLA	C1D-ND	3.85	1.42	1.37
14	O	810	F6C	C4A-C3A	3.85	1.52	1.45
15	A	804	CLA	C1D-ND	3.85	1.42	1.37
15	a	815	CLA	C1D-ND	3.85	1.42	1.37
15	O	824	CLA	C1D-ND	3.85	1.42	1.37
15	A	814	CLA	C1D-ND	3.85	1.42	1.37
15	O	826	CLA	C1D-ND	3.84	1.42	1.37
15	B	834	CLA	C1D-ND	3.84	1.42	1.37
14	b	810	F6C	C4A-C3A	3.84	1.52	1.45
15	A	832	CLA	C1D-ND	3.84	1.42	1.37
15	N	822	CLA	C1D-ND	3.84	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	832	CLA	C1D-ND	3.84	1.42	1.37
15	N	832	CLA	C1D-ND	3.84	1.42	1.37
15	N	840	CLA	C1D-ND	3.84	1.42	1.37
15	V	102	CLA	C1D-ND	3.84	1.42	1.37
15	a	820	CLA	C1D-ND	3.83	1.42	1.37
15	a	840	CLA	C1D-ND	3.83	1.42	1.37
15	N	820	CLA	C1D-ND	3.83	1.42	1.37
15	a	837	CLA	C1D-ND	3.83	1.42	1.37
15	b	824	CLA	C1D-ND	3.83	1.42	1.37
15	A	822	CLA	C1D-ND	3.83	1.42	1.37
15	N	837	CLA	C1D-ND	3.83	1.42	1.37
15	b	839	CLA	C1D-ND	3.83	1.42	1.37
15	i	102	CLA	C1D-ND	3.83	1.42	1.37
15	K	102	CLA	C1D-ND	3.83	1.42	1.37
15	b	836	CLA	C1D-ND	3.83	1.42	1.37
15	a	822	CLA	C1D-ND	3.83	1.42	1.37
15	b	832	CLA	C1D-ND	3.83	1.42	1.37
15	a	804	CLA	C1D-ND	3.82	1.42	1.37
15	A	808	CLA	C1D-ND	3.82	1.42	1.37
15	O	812	CLA	C1D-ND	3.82	1.42	1.37
15	B	810	CLA	C1D-ND	3.82	1.42	1.37
15	A	819	CLA	C1D-ND	3.82	1.42	1.37
15	A	837	CLA	C1D-ND	3.82	1.42	1.37
15	b	817	CLA	C1D-ND	3.82	1.42	1.37
15	i	103	CLA	C1D-ND	3.82	1.42	1.37
15	N	807	CLA	C1D-ND	3.82	1.42	1.37
15	a	828	CLA	C1D-ND	3.82	1.42	1.37
15	a	809	CLA	C1D-ND	3.81	1.42	1.37
15	b	822	CLA	C1D-ND	3.81	1.42	1.37
15	B	814	CLA	C1D-ND	3.81	1.42	1.37
15	N	808	CLA	C1D-ND	3.81	1.42	1.37
15	b	812	CLA	C1D-ND	3.81	1.42	1.37
15	b	814	CLA	C1D-ND	3.81	1.42	1.37
15	A	820	CLA	C1D-ND	3.81	1.42	1.37
15	O	836	CLA	C1D-ND	3.81	1.42	1.37
15	B	822	CLA	C1D-ND	3.81	1.42	1.37
15	N	828	CLA	C1D-ND	3.81	1.42	1.37
15	O	825	CLA	C1D-ND	3.81	1.42	1.37
15	a	831	CLA	C1D-ND	3.81	1.42	1.37
15	N	823	CLA	C1D-ND	3.81	1.42	1.37
15	A	840	CLA	C1D-ND	3.81	1.42	1.37
15	B	837	CLA	C1D-ND	3.81	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	A	809	CLA	C1D-ND	3.81	1.42	1.37
15	b	826	CLA	C1D-ND	3.81	1.42	1.37
15	N	816	CLA	C1D-ND	3.81	1.42	1.37
15	O	806	CLA	C1D-ND	3.81	1.42	1.37
15	A	816	CLA	C1D-ND	3.81	1.42	1.37
15	B	824	CLA	C1D-ND	3.81	1.42	1.37
15	B	830	CLA	C1D-ND	3.81	1.42	1.37
15	b	834	CLA	C1D-ND	3.81	1.42	1.37
15	O	816	CLA	C1D-ND	3.81	1.42	1.37
15	O	814	CLA	C1D-ND	3.80	1.42	1.37
14	L	201	F6C	C4A-C3A	3.80	1.52	1.45
15	O	839	CLA	C1D-ND	3.80	1.42	1.37
15	B	815	CLA	C1D-ND	3.80	1.42	1.37
15	a	808	CLA	C1D-ND	3.80	1.42	1.37
15	b	816	CLA	C1D-ND	3.80	1.42	1.37
15	X	103	CLA	C1D-ND	3.80	1.42	1.37
15	N	842	CLA	C1D-ND	3.80	1.42	1.37
15	b	819	CLA	C1D-ND	3.80	1.42	1.37
15	B	813	CLA	C1D-ND	3.80	1.42	1.37
15	B	819	CLA	C1D-ND	3.80	1.42	1.37
15	B	825	CLA	C1D-ND	3.80	1.42	1.37
15	O	817	CLA	C1D-ND	3.80	1.42	1.37
15	a	816	CLA	C1D-ND	3.80	1.42	1.37
15	B	817	CLA	C1D-ND	3.80	1.42	1.37
15	Z	103	CLA	C1D-ND	3.80	1.42	1.37
15	a	807	CLA	C1D-ND	3.80	1.42	1.37
15	K	103	CLA	C1D-ND	3.79	1.42	1.37
15	O	819	CLA	C1D-ND	3.79	1.42	1.37
15	N	809	CLA	C1D-ND	3.79	1.42	1.37
15	b	829	CLA	C1D-ND	3.79	1.42	1.37
15	a	832	CLA	C1D-ND	3.79	1.42	1.37
15	B	823	CLA	C1D-ND	3.79	1.42	1.37
15	O	822	CLA	C1D-ND	3.79	1.42	1.37
15	b	804	CLA	C1D-ND	3.79	1.42	1.37
15	O	821	CLA	C1D-ND	3.79	1.42	1.37
15	b	821	CLA	C1D-ND	3.79	1.42	1.37
15	A	807	CLA	C1D-ND	3.79	1.42	1.37
15	A	823	CLA	C1D-ND	3.79	1.42	1.37
15	b	835	CLA	C1D-ND	3.79	1.42	1.37
15	B	818	CLA	C1D-ND	3.79	1.42	1.37
15	N	825	CLA	C1D-ND	3.79	1.42	1.37
15	l	103	CLA	C1D-ND	3.79	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	V	103	CLA	C1D-ND	3.78	1.42	1.37
15	b	825	CLA	C1D-ND	3.78	1.42	1.37
15	B	820	CLA	C1D-ND	3.78	1.42	1.37
15	B	832	CLA	C1D-ND	3.78	1.42	1.37
15	b	820	CLA	C1D-ND	3.78	1.42	1.37
15	A	806	CLA	C1D-ND	3.78	1.42	1.37
15	O	841	CLA	C1D-ND	3.78	1.42	1.37
15	a	821	CLA	C1D-ND	3.78	1.42	1.37
15	N	819	CLA	C1D-ND	3.78	1.42	1.37
15	a	823	CLA	C1D-ND	3.78	1.42	1.37
15	a	806	CLA	C1D-ND	3.78	1.42	1.37
15	a	835	CLA	C1D-ND	3.78	1.42	1.37
15	O	820	CLA	C1D-ND	3.78	1.42	1.37
15	O	834	CLA	C1D-ND	3.78	1.42	1.37
15	B	806	CLA	C1D-ND	3.78	1.42	1.37
15	a	819	CLA	C1D-ND	3.77	1.42	1.37
15	N	833	CLA	C1D-ND	3.77	1.42	1.37
15	O	831	CLA	C1D-ND	3.77	1.42	1.37
15	A	813	CLA	C1D-ND	3.77	1.42	1.37
15	a	813	CLA	C1D-ND	3.77	1.42	1.37
15	A	842	CLA	C1D-ND	3.77	1.42	1.37
15	b	806	CLA	C1D-ND	3.77	1.42	1.37
15	B	805	CLA	C1D-ND	3.77	1.42	1.37
15	B	812	CLA	C1D-ND	3.77	1.42	1.37
15	b	818	CLA	C1D-ND	3.77	1.42	1.37
15	O	804	CLA	C1D-ND	3.77	1.42	1.37
15	N	821	CLA	C1D-ND	3.76	1.42	1.37
15	N	813	CLA	C1D-ND	3.76	1.42	1.37
15	O	829	CLA	C1D-ND	3.76	1.42	1.37
15	j	203	CLA	C1D-ND	3.76	1.42	1.37
15	b	811	CLA	C1D-ND	3.76	1.42	1.37
15	A	838	CLA	C1D-ND	3.76	1.42	1.37
15	O	807	CLA	C1D-ND	3.76	1.42	1.37
15	b	827	CLA	C1D-ND	3.76	1.42	1.37
15	b	801	CLA	C1D-ND	3.76	1.42	1.37
15	O	801	CLA	C1D-ND	3.76	1.42	1.37
15	A	812	CLA	C1D-ND	3.76	1.42	1.37
15	A	825	CLA	C1D-ND	3.76	1.42	1.37
15	B	827	CLA	C1D-ND	3.76	1.42	1.37
15	N	835	CLA	C1D-ND	3.76	1.42	1.37
15	a	838	CLA	C1D-ND	3.76	1.42	1.37
15	O	818	CLA	C1D-ND	3.76	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	N	838	CLA	C1D-ND	3.76	1.42	1.37
15	O	811	CLA	C1D-ND	3.76	1.42	1.37
15	b	831	CLA	C1D-ND	3.76	1.42	1.37
15	N	812	CLA	C1D-ND	3.75	1.42	1.37
15	B	829	CLA	C1D-ND	3.75	1.42	1.37
15	A	821	CLA	C1D-ND	3.75	1.42	1.37
15	O	827	CLA	C1D-ND	3.75	1.42	1.37
15	a	839	CLA	C1D-ND	3.75	1.42	1.37
15	O	830	CLA	C1D-ND	3.75	1.42	1.37
15	B	839	CLA	C1D-ND	3.75	1.42	1.37
15	O	823	CLA	C1D-ND	3.75	1.42	1.37
15	B	804	CLA	C1D-ND	3.75	1.42	1.37
15	B	816	CLA	C1D-ND	3.75	1.42	1.37
15	a	842	CLA	C1D-ND	3.75	1.42	1.37
15	N	805	CLA	C1D-ND	3.74	1.42	1.37
15	O	837	CLA	C1D-ND	3.74	1.42	1.37
15	a	825	CLA	C1D-ND	3.74	1.42	1.37
15	A	831	CLA	C1D-ND	3.74	1.42	1.37
15	b	805	CLA	C1D-ND	3.74	1.42	1.37
15	A	827	CLA	C1D-ND	3.74	1.42	1.37
15	B	801	CLA	C1D-ND	3.74	1.42	1.37
15	a	805	CLA	C1D-ND	3.74	1.42	1.37
15	b	807	CLA	C1D-ND	3.74	1.42	1.37
15	b	841	CLA	C1D-ND	3.74	1.42	1.37
15	B	803	CLA	C1D-ND	3.73	1.42	1.37
15	N	839	CLA	C1D-ND	3.73	1.42	1.37
15	a	812	CLA	C1D-ND	3.73	1.42	1.37
15	B	833	CLA	C1D-ND	3.73	1.42	1.37
15	A	829	CLA	C1D-ND	3.73	1.42	1.37
15	a	829	CLA	C1D-ND	3.73	1.42	1.37
15	S	201	CLA	C1D-ND	3.73	1.42	1.37
15	O	805	CLA	C1D-ND	3.73	1.42	1.37
15	B	809	CLA	C1D-ND	3.72	1.42	1.37
15	O	835	CLA	C1D-ND	3.72	1.42	1.37
15	N	834	CLA	C1D-ND	3.72	1.42	1.37
15	A	805	CLA	C1D-ND	3.72	1.42	1.37
15	a	830	CLA	C1D-ND	3.72	1.42	1.37
15	a	841	CLA	C1D-ND	3.72	1.42	1.37
15	A	835	CLA	C1D-ND	3.72	1.42	1.37
15	A	836	CLA	C1D-ND	3.72	1.42	1.37
15	b	830	CLA	C1D-ND	3.72	1.42	1.37
15	a	834	CLA	C1D-ND	3.72	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	N	831	CLA	C1D-ND	3.72	1.42	1.37
15	A	834	CLA	C1D-ND	3.72	1.42	1.37
15	b	838	CLA	C1D-ND	3.72	1.42	1.37
15	N	829	CLA	C1D-ND	3.72	1.42	1.37
15	O	838	CLA	C1D-ND	3.71	1.42	1.37
15	a	836	CLA	C1D-ND	3.71	1.42	1.37
15	A	841	CLA	C1D-ND	3.71	1.42	1.37
15	F	201	CLA	C1D-ND	3.71	1.42	1.37
15	N	830	CLA	C1D-ND	3.71	1.42	1.37
15	B	835	CLA	C1D-ND	3.71	1.42	1.37
15	N	841	CLA	C1D-ND	3.71	1.42	1.37
15	W	1502	CLA	C1D-ND	3.71	1.42	1.37
15	a	833	CLA	C1D-ND	3.71	1.42	1.37
13	A	801	CL0	C1D-ND	3.70	1.42	1.37
15	A	839	CLA	C1D-ND	3.70	1.42	1.37
15	b	802	CLA	C1D-ND	3.70	1.42	1.37
15	f	201	CLA	C1D-ND	3.70	1.42	1.37
15	N	827	CLA	C1D-ND	3.70	1.42	1.37
15	b	837	CLA	C1D-ND	3.70	1.42	1.37
15	A	830	CLA	C1D-ND	3.70	1.42	1.37
15	N	810	CLA	C1D-ND	3.70	1.42	1.37
15	a	827	CLA	C1D-ND	3.70	1.42	1.37
15	L	203	CLA	C1D-ND	3.69	1.42	1.37
15	B	807	CLA	C1D-ND	3.69	1.42	1.37
15	b	809	CLA	C1D-ND	3.69	1.42	1.37
15	O	802	CLA	C1D-ND	3.69	1.42	1.37
15	B	828	CLA	C1D-ND	3.69	1.42	1.37
15	A	810	CLA	C1D-ND	3.69	1.42	1.37
15	A	833	CLA	C1D-ND	3.69	1.42	1.37
15	B	836	CLA	C1D-ND	3.69	1.42	1.37
15	a	810	CLA	C1D-ND	3.68	1.42	1.37
15	N	836	CLA	C1D-ND	3.68	1.42	1.37
13	N	801	CL0	C1D-ND	3.67	1.42	1.37
15	b	808	CLA	C1D-ND	3.67	1.42	1.37
15	O	808	CLA	C1D-ND	3.67	1.42	1.37
15	b	828	CLA	C1D-ND	3.66	1.42	1.37
15	B	826	CLA	C1D-ND	3.65	1.42	1.37
15	O	828	CLA	C1D-ND	3.65	1.42	1.37
15	A	856	CLA	C1D-ND	3.65	1.42	1.37
15	b	823	CLA	C1D-ND	3.63	1.42	1.37
15	a	803	CLA	C1D-ND	3.63	1.42	1.37
15	A	803	CLA	C1D-ND	3.63	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	a	801	CL0	C1D-ND	3.62	1.42	1.37
15	b	803	CLA	C1D-ND	3.62	1.42	1.37
15	B	821	CLA	C1D-ND	3.62	1.42	1.37
15	N	803	CLA	C1D-ND	3.62	1.42	1.37
15	B	802	CLA	C1D-ND	3.60	1.42	1.37
14	N	824	F6C	C1A-C2A	3.60	1.53	1.45
15	O	803	CLA	C1D-ND	3.60	1.42	1.37
14	A	824	F6C	C1A-C2A	3.60	1.53	1.45
15	L	202	CLA	C1D-ND	3.59	1.42	1.37
14	a	824	F6C	C1A-C2A	3.59	1.53	1.45
15	O	809	CLA	C1D-ND	3.58	1.42	1.37
15	B	808	CLA	C1D-ND	3.57	1.42	1.37
15	W	1501	CLA	C1D-ND	3.55	1.42	1.37
14	a	802	F6C	C1A-C2A	3.54	1.53	1.45
14	O	833	F6C	C1A-C2A	3.54	1.53	1.45
14	b	833	F6C	C1A-C2A	3.53	1.53	1.45
15	j	202	CLA	C1D-ND	3.53	1.42	1.37
14	A	802	F6C	C1A-C2A	3.53	1.53	1.45
14	B	831	F6C	C1A-C2A	3.51	1.53	1.45
14	N	802	F6C	C1A-C2A	3.50	1.53	1.45
14	W	1503	F6C	C1A-C2A	3.49	1.53	1.45
14	L	204	F6C	C1A-C2A	3.46	1.53	1.45
14	j	204	F6C	C1A-C2A	3.45	1.53	1.45
15	N	818	CLA	C1D-ND	3.42	1.42	1.37
15	a	818	CLA	C1D-ND	3.40	1.42	1.37
15	A	818	CLA	C1D-ND	3.38	1.41	1.37
14	B	838	F6C	C1A-C2A	3.37	1.52	1.45
14	N	856	F6C	C1A-C2A	3.37	1.52	1.45
14	O	840	F6C	C1A-C2A	3.37	1.52	1.45
14	a	856	F6C	C1A-C2A	3.36	1.52	1.45
14	b	840	F6C	C1A-C2A	3.36	1.52	1.45
14	A	857	F6C	C1A-C2A	3.33	1.52	1.45
15	B	821	CLA	CHC-C1C	3.32	1.43	1.35
15	b	823	CLA	CHC-C1C	3.32	1.43	1.35
15	B	803	CLA	CHC-C1C	3.26	1.43	1.35
15	A	819	CLA	CHC-C1C	3.25	1.43	1.35
15	a	805	CLA	CHC-C1C	3.24	1.43	1.35
15	A	803	CLA	CHC-C1C	3.24	1.43	1.35
15	O	804	CLA	CHC-C1C	3.24	1.43	1.35
15	N	819	CLA	CHC-C1C	3.24	1.43	1.35
15	A	805	CLA	CHC-C1C	3.24	1.43	1.35
15	b	815	CLA	CHC-C1C	3.23	1.43	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	a	819	CLA	CHC-C1C	3.23	1.43	1.35
15	N	805	CLA	CHC-C1C	3.23	1.43	1.35
15	b	804	CLA	CHC-C1C	3.22	1.43	1.35
15	a	803	CLA	CHC-C1C	3.22	1.43	1.35
15	A	816	CLA	CHC-C1C	3.21	1.43	1.35
15	O	815	CLA	CHC-C1C	3.21	1.43	1.35
15	a	816	CLA	CHC-C1C	3.21	1.43	1.35
15	N	816	CLA	CHC-C1C	3.20	1.43	1.35
15	O	817	CLA	CHC-C1C	3.20	1.43	1.35
15	N	827	CLA	CHC-C1C	3.20	1.43	1.35
15	b	819	CLA	CHC-C1C	3.19	1.43	1.35
15	N	803	CLA	CHC-C1C	3.19	1.43	1.35
15	O	819	CLA	CHC-C1C	3.19	1.43	1.35
15	O	835	CLA	CHC-C1C	3.18	1.43	1.35
15	b	835	CLA	CHC-C1C	3.18	1.43	1.35
15	b	825	CLA	CHC-C1C	3.18	1.43	1.35
15	B	815	CLA	CHC-C1C	3.18	1.43	1.35
15	B	812	CLA	CHC-C1C	3.18	1.43	1.35
15	b	834	CLA	CHC-C1C	3.17	1.43	1.35
15	a	827	CLA	CHC-C1C	3.17	1.43	1.35
15	B	833	CLA	CHC-C1C	3.17	1.43	1.35
15	a	829	CLA	CHC-C1C	3.17	1.43	1.35
15	B	823	CLA	CHC-C1C	3.17	1.43	1.35
15	N	829	CLA	CHC-C1C	3.17	1.43	1.35
15	N	835	CLA	CHC-C1C	3.17	1.43	1.35
15	O	814	CLA	CHC-C1C	3.17	1.43	1.35
15	A	827	CLA	CHC-C1C	3.17	1.43	1.35
15	B	832	CLA	CHC-C1C	3.17	1.43	1.35
15	O	825	CLA	CHC-C1C	3.17	1.43	1.35
15	O	831	CLA	CHC-C1C	3.17	1.43	1.35
15	N	828	CLA	C4D-ND	-3.17	1.33	1.37
15	a	830	CLA	CHC-C1C	3.17	1.43	1.35
15	B	817	CLA	CHC-C1C	3.16	1.43	1.35
15	b	802	CLA	CHC-C1C	3.16	1.43	1.35
15	W	1502	CLA	CHC-C1C	3.16	1.43	1.35
15	B	804	CLA	CHC-C1C	3.16	1.43	1.35
15	A	856	CLA	CHC-C1C	3.16	1.43	1.35
15	O	836	CLA	CHC-C1C	3.16	1.43	1.35
15	N	811	CLA	CHC-C1C	3.16	1.43	1.35
15	N	809	CLA	CHC-C1C	3.16	1.43	1.35
15	b	831	CLA	CHC-C1C	3.16	1.43	1.35
15	A	837	CLA	CHC-C1C	3.16	1.43	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	823	CLA	CHC-C1C	3.16	1.43	1.35
15	A	825	CLA	CHC-C1C	3.16	1.43	1.35
15	Z	103	CLA	CHC-C1C	3.16	1.43	1.35
15	A	829	CLA	CHC-C1C	3.16	1.43	1.35
15	O	834	CLA	CHC-C1C	3.16	1.43	1.35
15	X	103	CLA	CHC-C1C	3.15	1.43	1.35
15	O	820	CLA	CHC-C1C	3.15	1.43	1.35
15	b	836	CLA	CHC-C1C	3.15	1.43	1.35
15	A	828	CLA	C4D-ND	-3.15	1.33	1.37
15	A	830	CLA	CHC-C1C	3.15	1.43	1.35
15	b	817	CLA	CHC-C1C	3.15	1.43	1.35
15	l	103	CLA	CHC-C1C	3.15	1.43	1.35
15	b	814	CLA	CHC-C1C	3.15	1.43	1.35
14	N	824	F6C	C1D-ND	3.15	1.42	1.37
15	B	830	CLA	CHC-C1C	3.15	1.43	1.35
15	B	810	CLA	CHC-C1C	3.15	1.43	1.35
15	b	837	CLA	CHC-C1C	3.15	1.43	1.35
15	B	835	CLA	CHC-C1C	3.15	1.43	1.35
15	O	805	CLA	CHC-C1C	3.15	1.43	1.35
15	a	828	CLA	C4D-ND	-3.15	1.33	1.37
15	B	834	CLA	CHC-C1C	3.15	1.43	1.35
15	a	809	CLA	CHC-C1C	3.15	1.43	1.35
15	B	829	CLA	CHC-C1C	3.15	1.43	1.35
15	L	203	CLA	CHC-C1C	3.15	1.43	1.35
15	a	808	CLA	CHC-C1C	3.15	1.43	1.35
15	a	837	CLA	CHC-C1C	3.15	1.43	1.35
15	b	803	CLA	CHC-C1C	3.15	1.43	1.35
15	N	825	CLA	CHC-C1C	3.15	1.43	1.35
15	a	835	CLA	CHC-C1C	3.15	1.43	1.35
15	N	830	CLA	CHC-C1C	3.15	1.43	1.35
15	a	815	CLA	CHC-C1C	3.15	1.43	1.35
15	b	805	CLA	CHC-C1C	3.14	1.43	1.35
15	N	837	CLA	CHC-C1C	3.14	1.43	1.35
15	B	802	CLA	CHC-C1C	3.14	1.43	1.35
15	A	811	CLA	CHC-C1C	3.14	1.43	1.35
15	N	839	CLA	CHC-C1C	3.14	1.43	1.35
15	A	808	CLA	CHC-C1C	3.14	1.43	1.35
15	A	833	CLA	CHC-C1C	3.14	1.43	1.35
15	B	826	CLA	CHC-C1C	3.14	1.43	1.35
15	A	809	CLA	CHC-C1C	3.14	1.43	1.35
15	a	813	CLA	CHC-C1C	3.14	1.43	1.35
15	a	825	CLA	CHC-C1C	3.14	1.43	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	i	103	CLA	CHC-C1C	3.14	1.43	1.35
15	N	812	CLA	CHC-C1C	3.14	1.43	1.35
15	A	813	CLA	CHC-C1C	3.14	1.43	1.35
15	a	839	CLA	CHC-C1C	3.14	1.43	1.35
14	a	824	F6C	C1D-ND	3.14	1.42	1.37
15	A	812	CLA	CHC-C1C	3.14	1.43	1.35
15	a	811	CLA	CHC-C1C	3.14	1.43	1.35
15	b	820	CLA	CHC-C1C	3.14	1.43	1.35
15	A	835	CLA	CHC-C1C	3.14	1.43	1.35
15	a	810	CLA	CHC-C1C	3.14	1.43	1.35
15	a	812	CLA	CHC-C1C	3.14	1.43	1.35
15	B	818	CLA	CHC-C1C	3.14	1.43	1.35
15	b	812	CLA	CHC-C1C	3.14	1.43	1.35
15	B	836	CLA	CHC-C1C	3.14	1.43	1.35
15	N	815	CLA	CHC-C1C	3.14	1.43	1.35
15	O	829	CLA	CHC-C1C	3.14	1.43	1.35
15	O	832	CLA	CHC-C1C	3.14	1.43	1.35
15	O	837	CLA	CHC-C1C	3.14	1.43	1.35
15	N	806	CLA	CHC-C1C	3.14	1.43	1.35
14	b	833	F6C	C1D-ND	3.13	1.42	1.37
15	K	103	CLA	CHC-C1C	3.13	1.43	1.35
15	N	808	CLA	CHC-C1C	3.13	1.43	1.35
15	A	834	CLA	CHC-C1C	3.13	1.43	1.35
15	S	201	CLA	CHC-C1C	3.13	1.43	1.35
15	A	815	CLA	CHC-C1C	3.13	1.43	1.35
15	O	816	CLA	CHC-C1C	3.13	1.43	1.35
15	V	103	CLA	CHC-C1C	3.13	1.43	1.35
15	a	804	CLA	CHC-C1C	3.13	1.43	1.35
15	A	804	CLA	CHC-C1C	3.13	1.43	1.35
14	O	833	F6C	C1D-ND	3.13	1.42	1.37
15	b	828	CLA	CHC-C1C	3.13	1.43	1.35
15	N	810	CLA	CHC-C1C	3.13	1.43	1.35
15	O	802	CLA	CHC-C1C	3.13	1.43	1.35
15	F	201	CLA	CHC-C1C	3.13	1.43	1.35
15	N	813	CLA	CHC-C1C	3.13	1.43	1.35
15	f	201	CLA	CHC-C1C	3.13	1.43	1.35
15	O	822	CLA	CHC-C1C	3.13	1.43	1.35
15	A	810	CLA	CHC-C1C	3.13	1.43	1.35
15	O	838	CLA	CHC-C1C	3.13	1.43	1.35
15	B	827	CLA	CHC-C1C	3.13	1.43	1.35
15	N	833	CLA	CHC-C1C	3.13	1.43	1.35
15	b	816	CLA	CHC-C1C	3.13	1.43	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	812	CLA	CHC-C1C	3.13	1.43	1.35
15	N	834	CLA	CHC-C1C	3.13	1.43	1.35
15	B	814	CLA	CHC-C1C	3.12	1.43	1.35
15	N	804	CLA	CHC-C1C	3.12	1.43	1.35
15	O	821	CLA	CHC-C1C	3.12	1.43	1.35
15	A	832	CLA	CHC-C1C	3.12	1.43	1.35
15	A	821	CLA	CHC-C1C	3.12	1.43	1.35
15	B	819	CLA	CHC-C1C	3.12	1.43	1.35
15	b	832	CLA	CHC-C1C	3.12	1.43	1.35
15	b	838	CLA	CHC-C1C	3.12	1.43	1.35
15	A	839	CLA	CHC-C1C	3.12	1.43	1.35
15	A	842	CLA	CHC-C1C	3.12	1.43	1.35
15	B	805	CLA	CHC-C1C	3.12	1.43	1.35
14	b	810	F6C	C1D-ND	3.12	1.42	1.37
15	a	833	CLA	CHC-C1C	3.12	1.43	1.35
14	A	826	F6C	C1D-ND	3.12	1.42	1.37
15	A	837	CLA	C4D-ND	-3.12	1.33	1.37
15	O	832	CLA	C4D-ND	-3.12	1.33	1.37
15	N	807	CLA	CHC-C1C	3.12	1.43	1.35
15	O	811	CLA	CHC-C1C	3.12	1.43	1.35
15	B	813	CLA	CHC-C1C	3.12	1.43	1.35
15	N	837	CLA	C4D-ND	-3.12	1.33	1.37
15	a	837	CLA	C4D-ND	-3.12	1.33	1.37
15	B	807	CLA	CHC-C1C	3.11	1.43	1.35
15	B	809	CLA	CHC-C1C	3.11	1.43	1.35
15	N	828	CLA	CHC-C1C	3.11	1.43	1.35
14	B	831	F6C	C1D-ND	3.11	1.42	1.37
15	a	834	CLA	CHC-C1C	3.11	1.42	1.35
15	O	806	CLA	CHC-C1C	3.11	1.42	1.35
15	O	830	CLA	CHC-C1C	3.11	1.42	1.35
15	W	1501	CLA	CHC-C1C	3.11	1.42	1.35
15	A	828	CLA	CHC-C1C	3.11	1.42	1.35
15	a	842	CLA	CHC-C1C	3.11	1.42	1.35
15	a	821	CLA	CHC-C1C	3.11	1.42	1.35
14	N	826	F6C	C1D-ND	3.11	1.42	1.37
15	B	824	CLA	CHC-C1C	3.11	1.42	1.35
15	a	828	CLA	CHC-C1C	3.11	1.42	1.35
15	B	816	CLA	C4D-ND	-3.11	1.33	1.37
15	L	203	CLA	C4D-ND	-3.11	1.33	1.37
15	O	808	CLA	CHC-C1C	3.11	1.42	1.35
15	b	821	CLA	CHC-C1C	3.11	1.42	1.35
15	b	822	CLA	CHC-C1C	3.11	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	828	CLA	CHC-C1C	3.11	1.42	1.35
15	A	823	CLA	CHC-C1C	3.11	1.42	1.35
15	j	203	CLA	CHC-C1C	3.11	1.42	1.35
15	B	811	CLA	CHC-C1C	3.11	1.42	1.35
15	N	821	CLA	CHC-C1C	3.11	1.42	1.35
15	b	830	CLA	CHC-C1C	3.11	1.42	1.35
15	B	828	CLA	CHC-C1C	3.11	1.42	1.35
15	A	806	CLA	CHC-C1C	3.11	1.42	1.35
15	A	836	CLA	CHC-C1C	3.11	1.42	1.35
15	b	818	CLA	C4D-ND	-3.11	1.33	1.37
15	K	102	CLA	CHC-C1C	3.11	1.42	1.35
15	O	801	CLA	CHC-C1C	3.11	1.42	1.35
15	b	829	CLA	CHC-C1C	3.11	1.42	1.35
15	O	818	CLA	CHC-C1C	3.10	1.42	1.35
15	b	811	CLA	CHC-C1C	3.10	1.42	1.35
14	L	204	F6C	C1D-ND	3.10	1.42	1.37
14	j	204	F6C	C1D-ND	3.10	1.42	1.37
15	a	836	CLA	CHC-C1C	3.10	1.42	1.35
15	B	816	CLA	CHC-C1C	3.10	1.42	1.35
15	V	102	CLA	CHC-C1C	3.10	1.42	1.35
15	b	806	CLA	CHC-C1C	3.10	1.42	1.35
14	a	826	F6C	C1D-ND	3.10	1.42	1.37
15	N	823	CLA	CHC-C1C	3.10	1.42	1.35
15	a	806	CLA	CHC-C1C	3.10	1.42	1.35
15	N	842	CLA	CHC-C1C	3.10	1.42	1.35
15	a	832	CLA	CHC-C1C	3.10	1.42	1.35
15	A	841	CLA	CHC-C1C	3.10	1.42	1.35
15	N	832	CLA	CHC-C1C	3.10	1.42	1.35
15	b	826	CLA	C4D-ND	-3.10	1.33	1.37
15	b	813	CLA	CHC-C1C	3.10	1.42	1.35
15	i	102	CLA	CHC-C1C	3.10	1.42	1.35
15	L	202	CLA	CHC-C1C	3.10	1.42	1.35
14	A	824	F6C	C1D-ND	3.10	1.42	1.37
15	B	820	CLA	CHC-C1C	3.10	1.42	1.35
15	O	813	CLA	CHC-C1C	3.09	1.42	1.35
15	W	1502	CLA	C4D-ND	-3.09	1.33	1.37
15	B	825	CLA	CHC-C1C	3.09	1.42	1.35
15	O	827	CLA	CHC-C1C	3.09	1.42	1.35
15	a	823	CLA	CHC-C1C	3.09	1.42	1.35
15	j	202	CLA	CHC-C1C	3.09	1.42	1.35
15	N	841	CLA	CHC-C1C	3.09	1.42	1.35
15	b	818	CLA	CHC-C1C	3.09	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	826	CLA	C4D-ND	-3.09	1.33	1.37
15	A	818	CLA	CHC-C1C	3.09	1.42	1.35
15	B	830	CLA	C4D-ND	-3.09	1.33	1.37
15	N	840	CLA	C4D-ND	-3.09	1.33	1.37
15	A	817	CLA	CHC-C1C	3.09	1.42	1.35
15	a	818	CLA	CHC-C1C	3.09	1.42	1.35
15	O	818	CLA	C4D-ND	-3.09	1.33	1.37
15	A	822	CLA	CHC-C1C	3.09	1.42	1.35
15	B	806	CLA	C4D-ND	-3.09	1.33	1.37
15	B	824	CLA	C4D-ND	-3.09	1.33	1.37
15	a	807	CLA	CHC-C1C	3.09	1.42	1.35
15	b	801	CLA	CHC-C1C	3.09	1.42	1.35
15	B	808	CLA	C4D-ND	-3.09	1.33	1.37
15	O	803	CLA	CHC-C1C	3.09	1.42	1.35
15	b	808	CLA	CHC-C1C	3.08	1.42	1.35
15	j	203	CLA	C4D-ND	-3.08	1.33	1.37
14	L	201	F6C	C1D-ND	3.08	1.42	1.37
15	A	814	CLA	CHC-C1C	3.08	1.42	1.35
15	O	826	CLA	CHC-C1C	3.08	1.42	1.35
15	b	826	CLA	CHC-C1C	3.08	1.42	1.35
14	O	810	F6C	C1D-ND	3.08	1.42	1.37
15	B	821	CLA	C4D-ND	-3.08	1.33	1.37
15	a	841	CLA	CHC-C1C	3.08	1.42	1.35
15	N	817	CLA	CHC-C1C	3.08	1.42	1.35
15	N	836	CLA	CHC-C1C	3.08	1.42	1.35
15	A	820	CLA	CHC-C1C	3.08	1.42	1.35
15	N	818	CLA	CHC-C1C	3.08	1.42	1.35
14	N	802	F6C	C1D-ND	3.08	1.42	1.37
15	B	837	CLA	CHC-C1C	3.08	1.42	1.35
15	a	817	CLA	CHC-C1C	3.08	1.42	1.35
15	a	822	CLA	CHC-C1C	3.08	1.42	1.35
15	O	803	CLA	C4D-ND	-3.08	1.33	1.37
15	O	809	CLA	C4D-ND	-3.08	1.33	1.37
15	b	832	CLA	C4D-ND	-3.08	1.33	1.37
15	A	840	CLA	C4D-ND	-3.08	1.33	1.37
15	b	841	CLA	CHC-C1C	3.08	1.42	1.35
14	W	1503	F6C	C1D-ND	3.08	1.42	1.37
14	a	802	F6C	C1D-ND	3.07	1.42	1.37
13	a	801	CL0	CHC-C1C	3.07	1.42	1.35
15	A	819	CLA	C4D-ND	-3.07	1.33	1.37
15	b	803	CLA	C4D-ND	-3.07	1.33	1.37
15	B	801	CLA	CHC-C1C	3.07	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	b	827	CLA	CHC-C1C	3.07	1.42	1.35
15	b	839	CLA	CHC-C1C	3.07	1.42	1.35
15	a	840	CLA	C4D-ND	-3.07	1.33	1.37
15	O	841	CLA	CHC-C1C	3.07	1.42	1.35
15	b	823	CLA	C4D-ND	-3.07	1.33	1.37
13	A	801	CL0	CHC-C1C	3.07	1.42	1.35
15	O	839	CLA	CHC-C1C	3.07	1.42	1.35
15	N	814	CLA	CHC-C1C	3.06	1.42	1.35
15	b	807	CLA	CHC-C1C	3.06	1.42	1.35
15	a	838	CLA	CHC-C1C	3.06	1.42	1.35
14	A	802	F6C	C1D-ND	3.06	1.42	1.37
15	N	822	CLA	CHC-C1C	3.06	1.42	1.35
13	N	801	CL0	CHC-C1C	3.06	1.42	1.35
15	b	824	CLA	CHC-C1C	3.06	1.42	1.35
15	B	802	CLA	C4D-ND	-3.06	1.33	1.37
15	a	827	CLA	C4D-ND	-3.06	1.33	1.37
15	B	839	CLA	CHC-C1C	3.06	1.42	1.35
15	O	837	CLA	C4D-ND	-3.05	1.33	1.37
15	a	814	CLA	CHC-C1C	3.05	1.42	1.35
15	A	827	CLA	C4D-ND	-3.05	1.33	1.37
15	A	807	CLA	CHC-C1C	3.05	1.42	1.35
15	a	832	CLA	C4D-ND	-3.05	1.33	1.37
15	b	837	CLA	C4D-ND	-3.05	1.33	1.37
15	O	817	CLA	C4D-ND	-3.05	1.33	1.37
15	O	824	CLA	CHC-C1C	3.05	1.42	1.35
15	N	820	CLA	CHC-C1C	3.04	1.42	1.35
15	N	839	CLA	C4D-ND	-3.04	1.33	1.37
15	O	809	CLA	CHC-C1C	3.04	1.42	1.35
15	B	822	CLA	CHC-C1C	3.04	1.42	1.35
15	b	809	CLA	CHC-C1C	3.04	1.42	1.35
15	N	835	CLA	C4D-ND	-3.04	1.33	1.37
15	O	807	CLA	C4D-ND	-3.04	1.33	1.37
15	N	838	CLA	CHC-C1C	3.04	1.42	1.35
15	A	838	CLA	C4D-ND	-3.04	1.33	1.37
15	O	807	CLA	CHC-C1C	3.04	1.42	1.35
15	a	820	CLA	CHC-C1C	3.04	1.42	1.35
15	B	815	CLA	C4D-ND	-3.04	1.33	1.37
15	a	810	CLA	C4D-ND	-3.04	1.33	1.37
15	N	819	CLA	C4D-ND	-3.04	1.33	1.37
15	a	838	CLA	C4D-ND	-3.04	1.33	1.37
15	N	810	CLA	C4D-ND	-3.04	1.33	1.37
15	N	838	CLA	C4D-ND	-3.03	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	a	819	CLA	C4D-ND	-3.03	1.33	1.37
15	a	803	CLA	C4D-ND	-3.03	1.33	1.37
15	b	809	CLA	C4D-ND	-3.03	1.33	1.37
15	A	832	CLA	C4D-ND	-3.03	1.33	1.37
15	A	839	CLA	C4D-ND	-3.03	1.33	1.37
15	N	832	CLA	C4D-ND	-3.03	1.33	1.37
15	N	827	CLA	C4D-ND	-3.03	1.33	1.37
15	b	817	CLA	C4D-ND	-3.03	1.33	1.37
15	j	202	CLA	C4D-ND	-3.03	1.33	1.37
15	A	840	CLA	CHC-C1C	3.03	1.42	1.35
15	A	810	CLA	C4D-ND	-3.03	1.33	1.37
15	A	814	CLA	C4D-ND	-3.03	1.33	1.37
15	B	805	CLA	C4D-ND	-3.03	1.33	1.37
15	B	835	CLA	C4D-ND	-3.03	1.33	1.37
15	B	806	CLA	CHC-C1C	3.02	1.42	1.35
15	a	840	CLA	CHC-C1C	3.02	1.42	1.35
15	N	803	CLA	C4D-ND	-3.02	1.33	1.37
15	A	825	CLA	C4D-ND	-3.02	1.33	1.37
15	A	838	CLA	CHC-C1C	3.02	1.42	1.35
15	a	839	CLA	C4D-ND	-3.02	1.33	1.37
15	B	837	CLA	C4D-ND	-3.02	1.33	1.37
15	A	856	CLA	C4D-ND	-3.02	1.33	1.37
15	O	839	CLA	C4D-ND	-3.02	1.33	1.37
15	b	827	CLA	C4D-ND	-3.02	1.33	1.37
14	N	856	F6C	C1D-ND	3.02	1.42	1.37
15	b	807	CLA	C4D-ND	-3.01	1.33	1.37
15	N	814	CLA	C4D-ND	-3.01	1.33	1.37
15	O	823	CLA	C4D-ND	-3.01	1.33	1.37
15	b	839	CLA	C4D-ND	-3.01	1.33	1.37
15	a	814	CLA	C4D-ND	-3.01	1.33	1.37
15	b	806	CLA	C4D-ND	-3.01	1.33	1.37
15	O	827	CLA	C4D-ND	-3.01	1.33	1.37
15	b	830	CLA	C4D-ND	-3.01	1.33	1.37
15	N	840	CLA	CHC-C1C	3.01	1.42	1.35
15	b	805	CLA	C4D-ND	-3.01	1.33	1.37
15	a	833	CLA	C4D-ND	-3.01	1.33	1.37
15	N	842	CLA	C4D-ND	-3.00	1.33	1.37
15	O	806	CLA	C4D-ND	-3.00	1.33	1.37
15	b	835	CLA	C4D-ND	-3.00	1.33	1.37
15	N	834	CLA	C4D-ND	-3.00	1.33	1.37
15	B	808	CLA	CHC-C1C	3.00	1.42	1.35
15	a	825	CLA	C4D-ND	-3.00	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	838	CLA	C4D-ND	-3.00	1.33	1.37
14	A	857	F6C	C1D-ND	3.00	1.42	1.37
15	b	838	CLA	C4D-ND	-3.00	1.33	1.37
15	B	839	CLA	C4D-ND	-3.00	1.33	1.37
15	a	836	CLA	C4D-ND	-3.00	1.33	1.37
15	N	830	CLA	C4D-ND	-3.00	1.33	1.37
15	O	828	CLA	C4D-ND	-3.00	1.33	1.37
15	N	836	CLA	C4D-ND	-3.00	1.33	1.37
15	a	834	CLA	C4D-ND	-3.00	1.33	1.37
15	N	825	CLA	C4D-ND	-3.00	1.33	1.37
15	A	803	CLA	C4D-ND	-2.99	1.33	1.37
14	a	856	F6C	C1D-ND	2.99	1.42	1.37
15	O	805	CLA	C4D-ND	-2.99	1.33	1.37
15	A	836	CLA	C4D-ND	-2.99	1.33	1.37
15	A	842	CLA	C4D-ND	-2.99	1.33	1.37
15	b	802	CLA	C4D-ND	-2.99	1.33	1.37
15	a	812	CLA	C4D-ND	-2.99	1.33	1.37
15	O	802	CLA	C4D-ND	-2.99	1.33	1.37
15	B	828	CLA	C4D-ND	-2.99	1.33	1.37
15	a	830	CLA	C4D-ND	-2.98	1.33	1.37
15	A	833	CLA	C4D-ND	-2.98	1.33	1.37
15	a	841	CLA	C4D-ND	-2.98	1.33	1.37
15	B	836	CLA	C4D-ND	-2.98	1.33	1.37
15	N	813	CLA	C4D-ND	-2.98	1.33	1.37
15	A	831	CLA	CHC-C1C	2.98	1.42	1.35
15	A	834	CLA	C4D-ND	-2.98	1.33	1.37
15	B	826	CLA	C4D-ND	-2.98	1.33	1.37
15	O	819	CLA	C4D-ND	-2.98	1.33	1.37
15	B	829	CLA	C4D-ND	-2.98	1.33	1.37
15	a	831	CLA	CHC-C1C	2.98	1.42	1.35
15	A	813	CLA	C4D-ND	-2.98	1.33	1.37
15	B	817	CLA	C4D-ND	-2.98	1.33	1.37
15	B	825	CLA	C4D-ND	-2.98	1.33	1.37
15	O	830	CLA	C4D-ND	-2.98	1.33	1.37
15	b	819	CLA	C4D-ND	-2.97	1.33	1.37
15	O	831	CLA	C4D-ND	-2.97	1.33	1.37
15	B	833	CLA	C4D-ND	-2.97	1.33	1.37
15	N	841	CLA	C4D-ND	-2.97	1.33	1.37
15	W	1501	CLA	C4D-ND	-2.97	1.33	1.37
15	O	835	CLA	C4D-ND	-2.97	1.33	1.37
15	a	835	CLA	C4D-ND	-2.97	1.33	1.37
15	N	823	CLA	C4D-ND	-2.97	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	a	806	CLA	C4D-ND	-2.97	1.33	1.37
15	L	202	CLA	C4D-ND	-2.97	1.33	1.37
15	a	813	CLA	C4D-ND	-2.97	1.33	1.37
15	B	827	CLA	C4D-ND	-2.97	1.33	1.37
15	b	829	CLA	C4D-ND	-2.97	1.33	1.37
15	O	841	CLA	C4D-ND	-2.97	1.33	1.37
15	a	842	CLA	C4D-ND	-2.97	1.33	1.37
15	a	807	CLA	C4D-ND	-2.97	1.33	1.37
15	b	831	CLA	C4D-ND	-2.97	1.33	1.37
15	A	830	CLA	C4D-ND	-2.96	1.33	1.37
15	N	804	CLA	C4D-ND	-2.96	1.33	1.37
15	a	804	CLA	C4D-ND	-2.96	1.33	1.37
15	b	828	CLA	C4D-ND	-2.96	1.33	1.37
15	A	806	CLA	C4D-ND	-2.96	1.33	1.37
15	A	812	CLA	C4D-ND	-2.96	1.33	1.37
15	B	804	CLA	C4D-ND	-2.96	1.33	1.37
15	A	818	CLA	C4D-ND	-2.96	1.33	1.37
15	N	833	CLA	C4D-ND	-2.96	1.33	1.37
15	O	814	CLA	C4D-ND	-2.96	1.33	1.37
15	a	823	CLA	C4D-ND	-2.96	1.33	1.37
15	A	823	CLA	C4D-ND	-2.96	1.33	1.37
15	A	808	CLA	C4D-ND	-2.96	1.33	1.37
15	N	806	CLA	C4D-ND	-2.96	1.33	1.37
15	b	814	CLA	C4D-ND	-2.96	1.33	1.37
15	a	808	CLA	C4D-ND	-2.95	1.33	1.37
15	b	811	CLA	C4D-ND	-2.95	1.33	1.37
15	N	812	CLA	C4D-ND	-2.95	1.33	1.37
15	N	831	CLA	CHC-C1C	2.95	1.42	1.35
15	O	804	CLA	C4D-ND	-2.95	1.33	1.37
15	N	808	CLA	C4D-ND	-2.95	1.33	1.37
15	a	822	CLA	C4D-ND	-2.95	1.33	1.37
15	b	841	CLA	C4D-ND	-2.95	1.33	1.37
15	A	821	CLA	C4D-ND	-2.95	1.33	1.37
15	B	809	CLA	C4D-ND	-2.95	1.33	1.37
15	B	812	CLA	C4D-ND	-2.95	1.33	1.37
15	O	829	CLA	C4D-ND	-2.95	1.33	1.37
15	A	841	CLA	C4D-ND	-2.95	1.33	1.37
15	N	809	CLA	C4D-ND	-2.95	1.33	1.37
15	a	809	CLA	C4D-ND	-2.95	1.33	1.37
15	b	816	CLA	C4D-ND	-2.95	1.33	1.37
15	A	807	CLA	C4D-ND	-2.94	1.33	1.37
15	N	821	CLA	C4D-ND	-2.94	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	A	822	CLA	C4D-ND	-2.94	1.33	1.37
15	B	813	CLA	C4D-ND	-2.94	1.33	1.37
15	a	805	CLA	C4D-ND	-2.94	1.33	1.37
15	a	818	CLA	C4D-ND	-2.94	1.33	1.37
15	O	812	CLA	C4D-ND	-2.94	1.33	1.37
15	A	805	CLA	C4D-ND	-2.94	1.33	1.37
15	B	810	CLA	C4D-ND	-2.94	1.33	1.37
15	N	818	CLA	C4D-ND	-2.94	1.33	1.37
15	O	811	CLA	C4D-ND	-2.94	1.33	1.37
15	B	807	CLA	C4D-ND	-2.94	1.33	1.37
15	B	832	CLA	C4D-ND	-2.94	1.33	1.37
15	A	809	CLA	C4D-ND	-2.93	1.33	1.37
15	a	821	CLA	C4D-ND	-2.93	1.33	1.37
15	b	804	CLA	C4D-ND	-2.93	1.33	1.37
15	N	807	CLA	C4D-ND	-2.93	1.33	1.37
15	N	805	CLA	C4D-ND	-2.93	1.33	1.37
15	O	816	CLA	C4D-ND	-2.93	1.33	1.37
15	B	803	CLA	C4D-ND	-2.93	1.33	1.37
15	B	820	CLA	C4D-ND	-2.92	1.33	1.37
15	A	815	CLA	C4D-ND	-2.92	1.33	1.37
15	a	831	CLA	C4D-ND	-2.92	1.33	1.37
15	A	804	CLA	C4D-ND	-2.92	1.33	1.37
15	O	834	CLA	C4D-ND	-2.92	1.33	1.37
15	X	103	CLA	C4D-ND	-2.92	1.33	1.37
15	A	829	CLA	C4D-ND	-2.92	1.33	1.37
15	B	819	CLA	C4D-ND	-2.92	1.33	1.37
15	b	812	CLA	C4D-ND	-2.92	1.33	1.37
15	B	818	CLA	C4D-ND	-2.92	1.33	1.37
14	O	840	F6C	C1D-ND	2.92	1.42	1.37
15	a	829	CLA	C4D-ND	-2.92	1.33	1.37
15	N	816	CLA	C4D-ND	-2.92	1.33	1.37
15	O	820	CLA	C4D-ND	-2.92	1.33	1.37
15	O	825	CLA	C4D-ND	-2.92	1.33	1.37
15	N	815	CLA	C4D-ND	-2.92	1.33	1.37
15	O	821	CLA	C4D-ND	-2.92	1.33	1.37
15	b	820	CLA	C4D-ND	-2.92	1.33	1.37
15	B	823	CLA	C4D-ND	-2.91	1.33	1.37
15	N	829	CLA	C4D-ND	-2.91	1.33	1.37
15	O	822	CLA	C4D-ND	-2.91	1.33	1.37
15	A	831	CLA	C4D-ND	-2.91	1.33	1.37
15	N	822	CLA	C4D-ND	-2.91	1.33	1.37
15	V	103	CLA	C4D-ND	-2.91	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	F	201	CLA	C4D-ND	-2.91	1.33	1.37
15	K	103	CLA	C4D-ND	-2.91	1.33	1.37
15	B	811	CLA	C4D-ND	-2.91	1.33	1.37
15	b	808	CLA	C4D-ND	-2.91	1.33	1.37
15	O	808	CLA	C4D-ND	-2.91	1.33	1.37
15	b	813	CLA	C4D-ND	-2.91	1.33	1.37
15	b	834	CLA	C4D-ND	-2.91	1.33	1.37
15	i	103	CLA	C4D-ND	-2.91	1.33	1.37
15	N	831	CLA	C4D-ND	-2.91	1.33	1.37
15	B	814	CLA	C4D-ND	-2.90	1.33	1.37
15	l	103	CLA	C4D-ND	-2.90	1.33	1.37
15	A	816	CLA	C4D-ND	-2.90	1.33	1.37
15	A	835	CLA	C4D-ND	-2.90	1.33	1.37
15	O	813	CLA	C4D-ND	-2.90	1.33	1.37
15	a	816	CLA	C4D-ND	-2.90	1.33	1.37
15	b	821	CLA	C4D-ND	-2.90	1.33	1.37
15	f	201	CLA	C4D-ND	-2.90	1.33	1.37
15	b	822	CLA	C4D-ND	-2.90	1.33	1.37
15	a	815	CLA	C4D-ND	-2.90	1.33	1.37
15	Z	103	CLA	C4D-ND	-2.90	1.33	1.37
15	b	815	CLA	C4D-ND	-2.90	1.33	1.37
15	O	824	CLA	C4D-ND	-2.89	1.33	1.37
14	B	838	F6C	C1D-ND	2.89	1.42	1.37
15	O	815	CLA	C4D-ND	-2.89	1.33	1.37
15	S	201	CLA	C4D-ND	-2.89	1.33	1.37
15	b	825	CLA	C4D-ND	-2.89	1.33	1.37
14	b	840	F6C	C1D-ND	2.89	1.42	1.37
15	b	836	CLA	C4D-ND	-2.88	1.33	1.37
15	b	824	CLA	C4D-ND	-2.88	1.33	1.37
15	N	820	CLA	C4D-ND	-2.88	1.33	1.37
15	a	820	CLA	C4D-ND	-2.88	1.33	1.37
15	K	102	CLA	C4D-ND	-2.88	1.33	1.37
13	A	801	CL0	C4D-ND	-2.87	1.33	1.37
15	A	820	CLA	C4D-ND	-2.87	1.33	1.37
13	a	801	CL0	C4D-ND	-2.87	1.33	1.37
15	V	102	CLA	C4D-ND	-2.87	1.33	1.37
15	B	834	CLA	C4D-ND	-2.86	1.33	1.37
15	B	822	CLA	C4D-ND	-2.86	1.33	1.37
15	O	836	CLA	C4D-ND	-2.86	1.33	1.37
14	A	857	F6C	C4B-NB	2.86	1.42	1.37
15	N	817	CLA	C4D-ND	-2.86	1.33	1.37
15	i	102	CLA	C4D-ND	-2.86	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	B	801	CLA	C4D-ND	-2.85	1.33	1.37
15	A	817	CLA	C4D-ND	-2.85	1.33	1.37
15	a	817	CLA	C4D-ND	-2.85	1.33	1.37
14	A	857	F6C	C3B-C4B	2.84	1.50	1.44
14	N	856	F6C	C4B-NB	2.84	1.42	1.37
14	a	856	F6C	C4B-NB	2.84	1.42	1.37
14	N	856	F6C	C3B-C4B	2.84	1.50	1.44
13	N	801	CL0	C4D-ND	-2.84	1.33	1.37
15	O	801	CLA	C4D-ND	-2.83	1.33	1.37
15	a	811	CLA	C4D-ND	-2.82	1.33	1.37
14	a	856	F6C	C3B-C4B	2.82	1.50	1.44
15	A	811	CLA	C4D-ND	-2.82	1.33	1.37
15	b	801	CLA	C4D-ND	-2.82	1.33	1.37
15	b	817	CLA	CMB-C2B	-2.81	1.45	1.51
15	N	811	CLA	C4D-ND	-2.81	1.33	1.37
15	B	808	CLA	CMB-C2B	-2.79	1.45	1.51
15	O	809	CLA	CMB-C2B	-2.77	1.45	1.51
14	N	826	F6C	C4B-NB	2.73	1.41	1.37
14	N	824	F6C	C4B-NB	2.73	1.41	1.37
14	N	802	F6C	C4B-NB	2.72	1.41	1.37
15	b	809	CLA	CMB-C2B	-2.72	1.46	1.51
15	A	831	CLA	CMB-C2B	-2.72	1.46	1.51
15	B	815	CLA	CMB-C2B	-2.71	1.46	1.51
14	a	824	F6C	C4B-NB	2.70	1.41	1.37
15	a	831	CLA	CMB-C2B	-2.70	1.46	1.51
14	A	824	F6C	C4B-NB	2.69	1.41	1.37
14	a	802	F6C	C4B-NB	2.69	1.41	1.37
14	A	802	F6C	C4B-NB	2.69	1.41	1.37
15	N	831	CLA	CMB-C2B	-2.68	1.46	1.51
15	K	103	CLA	CMB-C2B	-2.67	1.46	1.51
14	L	204	F6C	C4B-NB	2.66	1.41	1.37
14	j	204	F6C	C4B-NB	2.65	1.41	1.37
15	O	817	CLA	CMB-C2B	-2.65	1.46	1.51
15	V	103	CLA	CMB-C2B	-2.65	1.46	1.51
14	W	1503	F6C	C4B-NB	2.63	1.41	1.37
15	a	817	CLA	CMB-C2B	-2.63	1.46	1.51
14	O	810	F6C	C4B-NB	2.62	1.41	1.37
14	O	833	F6C	C4B-NB	2.62	1.41	1.37
15	N	822	CLA	CMB-C2B	-2.61	1.46	1.51
14	L	201	F6C	C4B-NB	2.61	1.41	1.37
14	a	826	F6C	C4B-NB	2.60	1.41	1.37
14	B	831	F6C	C4B-NB	2.60	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	O	840	F6C	C4B-NB	2.60	1.41	1.37
15	b	819	CLA	CMB-C2B	-2.60	1.46	1.51
14	b	810	F6C	C4B-NB	2.60	1.41	1.37
15	N	817	CLA	CMB-C2B	-2.60	1.46	1.51
14	b	833	F6C	C4B-NB	2.60	1.41	1.37
14	b	840	F6C	C4B-NB	2.59	1.41	1.37
14	A	826	F6C	C4B-NB	2.59	1.41	1.37
15	O	819	CLA	CMB-C2B	-2.59	1.46	1.51
15	A	817	CLA	CMB-C2B	-2.58	1.46	1.51
15	B	817	CLA	CMB-C2B	-2.58	1.46	1.51
14	N	826	F6C	C1A-NA	2.58	1.41	1.37
15	a	822	CLA	CMB-C2B	-2.58	1.46	1.51
15	A	822	CLA	CMB-C2B	-2.57	1.46	1.51
14	B	838	F6C	C4B-NB	2.56	1.41	1.37
15	b	829	CLA	CMB-C2B	-2.54	1.46	1.51
15	A	833	CLA	CMB-C2B	-2.53	1.46	1.51
14	B	831	F6C	CMC-C2C	-2.53	1.46	1.51
14	O	833	F6C	CMC-C2C	-2.53	1.46	1.51
15	N	820	CLA	CMB-C2B	-2.52	1.46	1.51
15	O	829	CLA	CMB-C2B	-2.52	1.46	1.51
14	b	833	F6C	CMC-C2C	-2.51	1.46	1.51
15	L	202	CLA	CMB-C2B	-2.51	1.46	1.51
15	N	834	CLA	CMB-C2B	-2.51	1.46	1.51
15	B	827	CLA	CMB-C2B	-2.51	1.46	1.51
15	O	835	CLA	CMB-C2B	-2.51	1.46	1.51
15	A	820	CLA	CMB-C2B	-2.51	1.46	1.51
15	B	816	CLA	CMB-C2B	-2.51	1.46	1.51
15	W	1501	CLA	CMB-C2B	-2.51	1.46	1.51
15	a	834	CLA	CMB-C2B	-2.51	1.46	1.51
15	N	836	CLA	CMB-C2B	-2.51	1.46	1.51
15	B	833	CLA	CMB-C2B	-2.51	1.46	1.51
15	b	818	CLA	CMB-C2B	-2.50	1.46	1.51
15	j	202	CLA	CMB-C2B	-2.50	1.46	1.51
15	a	833	CLA	CMB-C2B	-2.50	1.46	1.51
15	b	841	CLA	CMB-C2B	-2.50	1.46	1.51
15	B	839	CLA	CMB-C2B	-2.49	1.46	1.51
15	N	833	CLA	CMB-C2B	-2.49	1.46	1.51
15	A	836	CLA	CMB-C2B	-2.49	1.46	1.51
15	b	835	CLA	CMB-C2B	-2.49	1.46	1.51
15	O	841	CLA	CMB-C2B	-2.49	1.46	1.51
15	B	828	CLA	CMB-C2B	-2.49	1.46	1.51
15	A	834	CLA	CMB-C2B	-2.48	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	A	842	CLA	CMB-C2B	-2.48	1.46	1.51
15	a	836	CLA	CMB-C2B	-2.48	1.46	1.51
15	j	203	CLA	CMB-C2B	-2.48	1.46	1.51
15	a	820	CLA	CMB-C2B	-2.48	1.46	1.51
15	i	103	CLA	CMB-C2B	-2.48	1.46	1.51
15	A	828	CLA	CMB-C2B	-2.47	1.46	1.51
15	A	841	CLA	CMB-C2B	-2.47	1.46	1.51
15	a	841	CLA	CMB-C2B	-2.47	1.46	1.51
15	N	841	CLA	CMB-C2B	-2.47	1.46	1.51
15	W	1502	CLA	CMB-C2B	-2.47	1.46	1.51
15	N	839	CLA	CMB-C2B	-2.47	1.46	1.51
15	F	201	CLA	CMB-C2B	-2.47	1.46	1.51
15	a	839	CLA	CMB-C2B	-2.47	1.46	1.51
15	O	808	CLA	CMB-C2B	-2.46	1.46	1.51
15	L	203	CLA	CMB-C2B	-2.46	1.46	1.51
15	O	818	CLA	CMB-C2B	-2.46	1.46	1.51
15	A	839	CLA	CMB-C2B	-2.46	1.46	1.51
14	N	826	F6C	C2B-C1B	2.46	1.49	1.44
15	a	842	CLA	CMB-C2B	-2.46	1.46	1.51
15	O	824	CLA	CMB-C2B	-2.46	1.46	1.51
15	b	808	CLA	CMB-C2B	-2.46	1.46	1.51
15	N	812	CLA	CMB-C2B	-2.45	1.46	1.51
15	N	832	CLA	CMB-C2B	-2.45	1.46	1.51
15	N	842	CLA	CMB-C2B	-2.45	1.46	1.51
15	b	824	CLA	CMB-C2B	-2.45	1.46	1.51
15	A	804	CLA	CMB-C2B	-2.45	1.46	1.51
15	N	816	CLA	CMB-C2B	-2.45	1.46	1.51
15	f	201	CLA	CMB-C2B	-2.45	1.46	1.51
15	N	819	CLA	CMB-C2B	-2.45	1.46	1.51
15	a	804	CLA	CMB-C2B	-2.45	1.46	1.51
15	N	804	CLA	CMB-C2B	-2.45	1.46	1.51
15	B	810	CLA	CMB-C2B	-2.45	1.46	1.51
15	a	812	CLA	CMB-C2B	-2.45	1.46	1.51
15	B	824	CLA	CMB-C2B	-2.45	1.46	1.51
15	N	807	CLA	CMB-C2B	-2.45	1.46	1.51
15	B	822	CLA	CMB-C2B	-2.45	1.46	1.51
15	A	832	CLA	CMB-C2B	-2.45	1.46	1.51
15	A	819	CLA	CMB-C2B	-2.45	1.46	1.51
14	O	833	F6C	C2B-C1B	2.45	1.49	1.44
15	O	812	CLA	CMB-C2B	-2.45	1.46	1.51
15	a	816	CLA	CMB-C2B	-2.45	1.46	1.51
15	N	835	CLA	CMB-C2B	-2.45	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	B	807	CLA	CMB-C2B	-2.45	1.46	1.51
15	S	201	CLA	CMB-C2B	-2.45	1.46	1.51
15	B	834	CLA	CMB-C2B	-2.45	1.46	1.51
15	a	807	CLA	CMB-C2B	-2.45	1.46	1.51
15	A	816	CLA	CMB-C2B	-2.44	1.46	1.51
15	b	836	CLA	CMB-C2B	-2.44	1.46	1.51
15	b	826	CLA	CMB-C2B	-2.44	1.46	1.51
15	a	819	CLA	CMB-C2B	-2.44	1.46	1.51
15	A	835	CLA	CMB-C2B	-2.44	1.46	1.51
15	O	836	CLA	CMB-C2B	-2.44	1.46	1.51
15	A	812	CLA	CMB-C2B	-2.44	1.46	1.51
15	O	803	CLA	CMB-C2B	-2.44	1.46	1.51
15	O	827	CLA	CMB-C2B	-2.44	1.46	1.51
15	b	812	CLA	CMB-C2B	-2.44	1.46	1.51
15	N	806	CLA	CMB-C2B	-2.44	1.46	1.51
15	O	826	CLA	CMB-C2B	-2.44	1.46	1.51
14	A	826	F6C	C1A-NA	2.44	1.41	1.37
15	a	818	CLA	CMB-C2B	-2.44	1.46	1.51
14	b	833	F6C	C2B-C1B	2.44	1.49	1.44
15	B	809	CLA	CMB-C2B	-2.43	1.46	1.51
15	N	821	CLA	CMB-C2B	-2.43	1.46	1.51
15	B	825	CLA	CMB-C2B	-2.43	1.46	1.51
15	b	827	CLA	CMB-C2B	-2.43	1.46	1.51
15	B	802	CLA	CMB-C2B	-2.43	1.46	1.51
15	N	825	CLA	CMB-C2B	-2.43	1.46	1.51
15	b	830	CLA	CMB-C2B	-2.43	1.46	1.51
15	a	832	CLA	CMB-C2B	-2.43	1.46	1.51
15	O	830	CLA	CMB-C2B	-2.43	1.46	1.51
15	A	807	CLA	CMB-C2B	-2.43	1.46	1.51
15	a	835	CLA	CMB-C2B	-2.43	1.46	1.51
15	A	825	CLA	CMB-C2B	-2.43	1.46	1.51
15	a	825	CLA	CMB-C2B	-2.43	1.46	1.51
15	a	828	CLA	CMB-C2B	-2.42	1.46	1.51
15	N	828	CLA	CMB-C2B	-2.42	1.46	1.51
14	a	826	F6C	C1A-NA	2.42	1.41	1.37
15	A	821	CLA	CMB-C2B	-2.42	1.46	1.51
15	N	840	CLA	CMB-C2B	-2.42	1.46	1.51
15	a	809	CLA	CMB-C2B	-2.42	1.46	1.51
15	b	801	CLA	CMB-C2B	-2.42	1.46	1.51
15	O	813	CLA	CMB-C2B	-2.42	1.46	1.51
15	O	837	CLA	CMB-C2B	-2.42	1.46	1.51
15	B	818	CLA	CMB-C2B	-2.42	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	N	818	CLA	CMB-C2B	-2.42	1.46	1.51
15	O	820	CLA	CMB-C2B	-2.42	1.46	1.51
15	B	835	CLA	CMB-C2B	-2.41	1.46	1.51
15	N	809	CLA	CMB-C2B	-2.41	1.46	1.51
15	N	838	CLA	CMB-C2B	-2.41	1.46	1.51
15	b	820	CLA	CMB-C2B	-2.41	1.46	1.51
15	a	821	CLA	CMB-C2B	-2.41	1.46	1.51
15	b	813	CLA	CMB-C2B	-2.41	1.46	1.51
15	A	809	CLA	CMB-C2B	-2.41	1.46	1.51
15	b	807	CLA	CMB-C2B	-2.41	1.46	1.51
15	a	840	CLA	CMB-C2B	-2.41	1.46	1.51
15	b	828	CLA	CMB-C2B	-2.41	1.46	1.51
15	B	801	CLA	CMB-C2B	-2.41	1.46	1.51
15	O	801	CLA	CMB-C2B	-2.41	1.46	1.51
15	O	811	CLA	CMB-C2B	-2.41	1.46	1.51
15	b	803	CLA	CMB-C2B	-2.41	1.46	1.51
15	A	840	CLA	CMB-C2B	-2.41	1.46	1.51
15	A	838	CLA	CMB-C2B	-2.41	1.46	1.51
15	B	811	CLA	CMB-C2B	-2.41	1.46	1.51
15	O	807	CLA	CMB-C2B	-2.41	1.46	1.51
15	A	823	CLA	CMB-C2B	-2.40	1.46	1.51
15	N	827	CLA	CMB-C2B	-2.40	1.46	1.51
15	a	806	CLA	CMB-C2B	-2.40	1.46	1.51
15	a	838	CLA	CMB-C2B	-2.40	1.46	1.51
15	b	837	CLA	CMB-C2B	-2.40	1.46	1.51
14	b	840	F6C	CMC-C2C	-2.40	1.46	1.51
15	N	814	CLA	CMB-C2B	-2.40	1.46	1.51
15	a	808	CLA	CMB-C2B	-2.40	1.46	1.51
15	B	806	CLA	CMB-C2B	-2.40	1.46	1.51
15	O	828	CLA	CMB-C2B	-2.40	1.46	1.51
15	a	814	CLA	CMB-C2B	-2.40	1.46	1.51
13	N	801	CL0	CMB-C2B	-2.40	1.46	1.51
15	b	811	CLA	CMB-C2B	-2.40	1.46	1.51
15	a	827	CLA	CMB-C2B	-2.40	1.46	1.51
15	b	814	CLA	CMB-C2B	-2.40	1.46	1.51
15	O	825	CLA	CMB-C2B	-2.40	1.46	1.51
15	A	806	CLA	CMB-C2B	-2.40	1.46	1.51
15	A	814	CLA	CMB-C2B	-2.40	1.46	1.51
15	N	823	CLA	CMB-C2B	-2.40	1.46	1.51
15	O	814	CLA	CMB-C2B	-2.40	1.46	1.51
13	a	801	CL0	CMB-C2B	-2.40	1.46	1.51
15	N	837	CLA	CMB-C2B	-2.40	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	831	F6C	C2B-C1B	2.39	1.49	1.44
15	B	812	CLA	CMB-C2B	-2.39	1.46	1.51
14	N	856	F6C	CMC-C2C	-2.39	1.46	1.51
15	K	102	CLA	CMB-C2B	-2.39	1.46	1.51
15	N	803	CLA	CMB-C2B	-2.39	1.46	1.51
15	i	102	CLA	CMB-C2B	-2.39	1.46	1.51
13	A	801	CL0	CMB-C2B	-2.39	1.46	1.51
15	A	856	CLA	CMB-C2B	-2.39	1.46	1.51
15	N	813	CLA	CMB-C2B	-2.39	1.46	1.51
15	O	821	CLA	CMB-C2B	-2.39	1.46	1.51
15	O	823	CLA	CMB-C2B	-2.39	1.46	1.51
15	V	102	CLA	CMB-C2B	-2.39	1.46	1.51
15	a	803	CLA	CMB-C2B	-2.39	1.46	1.51
15	a	823	CLA	CMB-C2B	-2.39	1.46	1.51
15	A	808	CLA	CMB-C2B	-2.39	1.46	1.51
15	A	818	CLA	CMB-C2B	-2.39	1.46	1.51
15	A	837	CLA	CMB-C2B	-2.39	1.46	1.51
15	N	808	CLA	CMB-C2B	-2.39	1.46	1.51
15	B	805	CLA	CMB-C2B	-2.39	1.46	1.51
15	O	806	CLA	CMB-C2B	-2.39	1.46	1.51
15	A	803	CLA	CMB-C2B	-2.39	1.46	1.51
15	A	830	CLA	CMB-C2B	-2.39	1.46	1.51
15	a	813	CLA	CMB-C2B	-2.39	1.46	1.51
15	B	829	CLA	CMB-C2B	-2.39	1.46	1.51
15	b	802	CLA	CMB-C2B	-2.39	1.46	1.51
15	A	813	CLA	CMB-C2B	-2.39	1.46	1.51
14	O	810	F6C	CMC-C2C	-2.38	1.46	1.51
15	b	834	CLA	CMB-C2B	-2.38	1.46	1.51
15	N	830	CLA	CMB-C2B	-2.38	1.46	1.51
14	L	201	F6C	C1A-NA	2.38	1.40	1.37
15	B	819	CLA	CMB-C2B	-2.38	1.46	1.51
15	O	804	CLA	CMB-C2B	-2.38	1.46	1.51
15	B	803	CLA	CMB-C2B	-2.38	1.46	1.51
15	b	821	CLA	CMB-C2B	-2.38	1.46	1.51
15	a	837	CLA	CMB-C2B	-2.38	1.46	1.51
15	B	832	CLA	CMB-C2B	-2.38	1.46	1.51
15	b	831	CLA	CMB-C2B	-2.38	1.46	1.51
15	B	823	CLA	CMB-C2B	-2.38	1.46	1.51
15	X	103	CLA	CMB-C2B	-2.38	1.46	1.51
15	N	811	CLA	CMB-C2B	-2.38	1.46	1.51
15	A	805	CLA	CMB-C2B	-2.38	1.46	1.51
15	b	806	CLA	CMB-C2B	-2.38	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	834	CLA	CMB-C2B	-2.38	1.46	1.51
14	O	810	F6C	C3B-C4B	2.38	1.49	1.44
14	L	201	F6C	CMC-C2C	-2.38	1.46	1.51
15	B	826	CLA	CMB-C2B	-2.38	1.46	1.51
15	b	825	CLA	CMB-C2B	-2.38	1.46	1.51
15	B	830	CLA	CMB-C2B	-2.38	1.46	1.51
15	N	810	CLA	CMB-C2B	-2.38	1.46	1.51
15	l	103	CLA	CMB-C2B	-2.38	1.46	1.51
15	A	827	CLA	CMB-C2B	-2.38	1.46	1.51
14	b	810	F6C	CMC-C2C	-2.38	1.46	1.51
14	A	857	F6C	CMC-C2C	-2.38	1.46	1.51
15	N	805	CLA	CMB-C2B	-2.38	1.46	1.51
15	b	832	CLA	CMB-C2B	-2.38	1.46	1.51
15	a	810	CLA	CMB-C2B	-2.38	1.46	1.51
15	O	802	CLA	CMB-C2B	-2.38	1.46	1.51
15	Z	103	CLA	CMB-C2B	-2.38	1.46	1.51
15	A	810	CLA	CMB-C2B	-2.37	1.46	1.51
15	O	832	CLA	CMB-C2B	-2.37	1.46	1.51
15	O	839	CLA	CMB-C2B	-2.37	1.46	1.51
15	b	804	CLA	CMB-C2B	-2.37	1.46	1.51
14	B	838	F6C	CMC-C2C	-2.37	1.46	1.51
15	a	830	CLA	CMB-C2B	-2.37	1.46	1.51
14	b	810	F6C	C3B-C4B	2.37	1.49	1.44
14	A	802	F6C	CMC-C2C	-2.37	1.46	1.51
14	a	856	F6C	CMC-C2C	-2.37	1.46	1.51
15	O	838	CLA	CMB-C2B	-2.37	1.46	1.51
15	a	805	CLA	CMB-C2B	-2.37	1.46	1.51
15	B	837	CLA	CMB-C2B	-2.37	1.46	1.51
14	L	204	F6C	CMC-C2C	-2.37	1.46	1.51
14	W	1503	F6C	CMC-C2C	-2.37	1.46	1.51
15	N	815	CLA	CMB-C2B	-2.37	1.46	1.51
15	b	839	CLA	CMB-C2B	-2.37	1.46	1.51
14	a	824	F6C	C1C-NC	2.37	1.37	1.35
15	N	829	CLA	CMB-C2B	-2.36	1.46	1.51
14	j	204	F6C	CMC-C2C	-2.36	1.46	1.51
15	A	815	CLA	CMB-C2B	-2.36	1.46	1.51
15	a	829	CLA	CMB-C2B	-2.36	1.46	1.51
15	b	816	CLA	CMB-C2B	-2.36	1.46	1.51
15	b	838	CLA	CMB-C2B	-2.36	1.46	1.51
15	A	811	CLA	CMB-C2B	-2.36	1.46	1.51
15	a	811	CLA	CMB-C2B	-2.36	1.46	1.51
14	O	840	F6C	CMC-C2C	-2.36	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	831	CLA	CMB-C2B	-2.36	1.46	1.51
15	B	804	CLA	CMB-C2B	-2.36	1.46	1.51
14	N	824	F6C	C1C-NC	2.36	1.37	1.35
14	N	802	F6C	CMC-C2C	-2.36	1.46	1.51
15	O	822	CLA	CMB-C2B	-2.36	1.46	1.51
14	a	802	F6C	CMC-C2C	-2.36	1.46	1.51
15	b	822	CLA	CMB-C2B	-2.36	1.46	1.51
15	O	805	CLA	CMB-C2B	-2.36	1.46	1.51
15	b	805	CLA	CMB-C2B	-2.35	1.46	1.51
15	A	829	CLA	CMB-C2B	-2.35	1.46	1.51
15	O	816	CLA	CMB-C2B	-2.35	1.46	1.51
15	a	815	CLA	CMB-C2B	-2.35	1.46	1.51
15	B	836	CLA	CMB-C2B	-2.35	1.46	1.51
14	O	810	F6C	C1A-NA	2.35	1.40	1.37
15	B	814	CLA	CMB-C2B	-2.35	1.46	1.51
15	B	820	CLA	CMB-C2B	-2.35	1.46	1.51
15	B	813	CLA	CMB-C2B	-2.35	1.46	1.51
15	b	823	CLA	CMB-C2B	-2.35	1.46	1.51
14	A	824	F6C	C2B-C1B	2.34	1.49	1.44
14	A	824	F6C	CMC-C2C	-2.34	1.46	1.51
14	a	824	F6C	C2B-C1B	2.34	1.49	1.44
15	B	821	CLA	CMB-C2B	-2.34	1.46	1.51
14	a	826	F6C	C2B-C1B	2.34	1.49	1.44
14	b	810	F6C	C1A-NA	2.34	1.40	1.37
14	a	824	F6C	CMC-C2C	-2.33	1.46	1.51
14	N	824	F6C	CMC-C2C	-2.33	1.46	1.51
14	L	201	F6C	C3B-C4B	2.33	1.49	1.44
14	A	826	F6C	C2B-C1B	2.33	1.49	1.44
14	W	1503	F6C	C1C-NC	2.32	1.37	1.35
14	a	824	F6C	C3B-C4B	2.32	1.49	1.44
14	j	204	F6C	C1C-NC	2.32	1.37	1.35
14	B	838	F6C	CMD-C2D	-2.31	1.45	1.50
14	N	824	F6C	C3B-C4B	2.31	1.49	1.44
15	B	802	CLA	CMC-C2C	-2.31	1.45	1.50
14	N	824	F6C	C2B-C1B	2.31	1.49	1.44
14	W	1503	F6C	C3B-C4B	2.30	1.49	1.44
15	O	803	CLA	CMC-C2C	-2.30	1.45	1.50
14	L	204	F6C	C1C-NC	2.29	1.37	1.35
14	j	204	F6C	C3B-C4B	2.29	1.49	1.44
14	A	824	F6C	C1C-NC	2.29	1.37	1.35
15	O	815	CLA	CMB-C2B	-2.29	1.46	1.51
15	b	803	CLA	CMC-C2C	-2.28	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	824	F6C	C3B-C4B	2.28	1.49	1.44
15	b	815	CLA	CMB-C2B	-2.27	1.46	1.51
14	L	204	F6C	C3B-C4B	2.26	1.49	1.44
14	L	204	F6C	C2B-C1B	2.26	1.49	1.44
15	a	828	CLA	CMC-C2C	-2.26	1.46	1.50
14	O	840	F6C	CMD-C2D	-2.25	1.46	1.50
14	b	840	F6C	CMD-C2D	-2.25	1.46	1.50
14	a	826	F6C	C3B-C4B	2.24	1.49	1.44
15	N	828	CLA	CMC-C2C	-2.24	1.46	1.50
15	A	828	CLA	CMC-C2C	-2.23	1.46	1.50
14	a	802	F6C	C4D-ND	-2.23	1.33	1.37
14	O	810	F6C	C2B-C1B	2.22	1.49	1.44
14	j	204	F6C	C2B-C1B	2.22	1.49	1.44
14	W	1503	F6C	C2B-C1B	2.22	1.49	1.44
14	A	826	F6C	C3B-C4B	2.22	1.49	1.44
14	A	802	F6C	C4D-ND	-2.22	1.33	1.37
14	A	824	F6C	C1A-NA	2.22	1.40	1.37
14	a	826	F6C	CMC-C2C	-2.22	1.47	1.51
14	a	824	F6C	C1A-NA	2.22	1.40	1.37
15	b	823	CLA	CMD-C2D	-2.21	1.46	1.50
14	N	802	F6C	C4D-ND	-2.21	1.33	1.37
14	A	857	F6C	C1C-NC	2.21	1.37	1.35
14	b	840	F6C	C2B-C1B	2.20	1.49	1.44
14	N	824	F6C	C1A-NA	2.20	1.40	1.37
15	B	821	CLA	CMD-C2D	-2.20	1.46	1.50
14	N	826	F6C	C3B-C4B	2.20	1.49	1.44
14	A	826	F6C	CMC-C2C	-2.20	1.47	1.51
14	b	810	F6C	C2B-C1B	2.20	1.49	1.44
14	N	802	F6C	C3B-C4B	2.20	1.49	1.44
14	O	833	F6C	C3B-C4B	2.20	1.49	1.44
14	O	840	F6C	C1C-NC	2.20	1.37	1.35
14	B	838	F6C	C1C-NC	2.19	1.37	1.35
14	B	831	F6C	C3B-C4B	2.19	1.49	1.44
14	A	802	F6C	C3B-C4B	2.19	1.49	1.44
14	N	826	F6C	CMC-C2C	-2.18	1.47	1.51
14	L	201	F6C	C2B-C1B	2.18	1.49	1.44
14	O	840	F6C	C3B-C4B	2.18	1.49	1.44
14	O	833	F6C	C1A-NA	2.18	1.40	1.37
15	b	823	CLA	CMC-C2C	-2.17	1.46	1.50
14	B	838	F6C	C2B-C1B	2.17	1.49	1.44
15	b	817	CLA	C3B-C2B	-2.17	1.37	1.40
14	L	204	F6C	C4D-ND	-2.17	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	B	828	CLA	CMD-C2D	-2.17	1.46	1.50
14	b	833	F6C	C3B-C4B	2.17	1.49	1.44
14	O	840	F6C	C2B-C1B	2.17	1.49	1.44
14	a	856	F6C	C1C-NC	2.16	1.37	1.35
14	b	833	F6C	C1A-NA	2.16	1.40	1.37
15	a	810	CLA	CMD-C2D	-2.16	1.46	1.50
15	N	810	CLA	CMD-C2D	-2.16	1.46	1.50
15	A	810	CLA	CMD-C2D	-2.16	1.46	1.50
14	B	838	F6C	C3B-C4B	2.16	1.49	1.44
13	a	801	CL0	CMD-C2D	-2.16	1.46	1.50
14	b	840	F6C	C1C-NC	2.16	1.37	1.35
14	b	840	F6C	C3B-C4B	2.16	1.49	1.44
14	a	802	F6C	C3B-C4B	2.15	1.49	1.44
13	N	801	CL0	CMD-C2D	-2.14	1.46	1.50
15	f	201	CLA	CMD-C2D	-2.14	1.46	1.50
14	b	840	F6C	C4D-ND	-2.14	1.33	1.37
15	B	807	CLA	CMD-C2D	-2.14	1.46	1.50
14	B	831	F6C	C1A-NA	2.14	1.40	1.37
14	b	840	F6C	C1A-NA	2.14	1.40	1.37
15	b	828	CLA	CMD-C2D	-2.14	1.46	1.50
14	W	1503	F6C	C4D-ND	-2.13	1.33	1.37
15	b	808	CLA	CMD-C2D	-2.13	1.46	1.50
15	B	821	CLA	CMC-C2C	-2.13	1.46	1.50
15	a	803	CLA	CMC-C2C	-2.13	1.46	1.50
15	a	818	CLA	CMD-C2D	-2.13	1.46	1.50
14	B	838	F6C	C1A-NA	2.13	1.40	1.37
15	A	818	CLA	CMD-C2D	-2.13	1.46	1.50
15	A	830	CLA	CMD-C2D	-2.12	1.46	1.50
15	B	801	CLA	CMD-C2D	-2.12	1.46	1.50
15	O	808	CLA	CMD-C2D	-2.12	1.46	1.50
15	O	823	CLA	CMC-C2C	-2.12	1.46	1.50
14	N	856	F6C	C4D-ND	-2.12	1.33	1.37
15	N	830	CLA	CMD-C2D	-2.12	1.46	1.50
15	N	818	CLA	CMD-C2D	-2.12	1.46	1.50
14	B	831	F6C	C4D-ND	-2.12	1.33	1.37
15	O	828	CLA	CMD-C2D	-2.12	1.46	1.50
15	S	201	CLA	CMD-C2D	-2.12	1.46	1.50
14	L	201	F6C	C4D-ND	-2.11	1.33	1.37
15	N	819	CLA	CMC-C2C	-2.11	1.46	1.50
14	O	840	F6C	C4D-ND	-2.11	1.33	1.37
14	j	204	F6C	C4D-ND	-2.11	1.33	1.37
15	a	830	CLA	CMD-C2D	-2.11	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	b	826	CLA	CMC-C2C	-2.11	1.46	1.50
15	B	826	CLA	CMD-C2D	-2.11	1.46	1.50
15	i	102	CLA	CMD-C2D	-2.11	1.46	1.50
15	K	102	CLA	CMD-C2D	-2.10	1.46	1.50
15	O	830	CLA	CMD-C2D	-2.10	1.46	1.50
15	B	824	CLA	CMC-C2C	-2.10	1.46	1.50
14	b	833	F6C	C4D-ND	-2.10	1.33	1.37
15	A	819	CLA	CMC-C2C	-2.10	1.46	1.50
15	O	801	CLA	CMD-C2D	-2.10	1.46	1.50
14	N	826	F6C	C1C-NC	2.10	1.37	1.35
14	O	833	F6C	C4D-ND	-2.10	1.33	1.37
15	O	826	CLA	CMC-C2C	-2.10	1.46	1.50
15	a	819	CLA	CMC-C2C	-2.10	1.46	1.50
14	B	838	F6C	C4D-ND	-2.09	1.33	1.37
15	F	201	CLA	CMD-C2D	-2.09	1.46	1.50
15	b	830	CLA	CMD-C2D	-2.09	1.46	1.50
14	O	810	F6C	C4D-ND	-2.09	1.33	1.37
14	a	856	F6C	C4D-ND	-2.09	1.33	1.37
15	B	822	CLA	CMD-C2D	-2.09	1.46	1.50
15	A	829	CLA	CMD-C2D	-2.09	1.46	1.50
14	N	856	F6C	C1C-NC	2.08	1.37	1.35
14	O	840	F6C	C1A-NA	2.08	1.40	1.37
14	N	856	F6C	C2B-C1B	2.08	1.49	1.44
15	b	801	CLA	CMD-C2D	-2.08	1.46	1.50
14	A	857	F6C	C2B-C1B	2.08	1.49	1.44
15	N	803	CLA	CMC-C2C	-2.08	1.46	1.50
15	a	829	CLA	CMD-C2D	-2.08	1.46	1.50
14	a	802	F6C	C2B-C1B	2.08	1.49	1.44
15	O	824	CLA	CMD-C2D	-2.08	1.46	1.50
15	V	102	CLA	CMD-C2D	-2.08	1.46	1.50
14	A	857	F6C	C4D-ND	-2.08	1.33	1.37
14	A	802	F6C	C1D-C2D	2.08	1.48	1.44
14	N	826	F6C	CMD-C2D	-2.07	1.46	1.50
15	O	835	CLA	CMD-C2D	-2.07	1.46	1.50
15	A	818	CLA	CMC-C2C	-2.07	1.46	1.50
15	B	812	CLA	CMD-C2D	-2.07	1.46	1.50
14	b	810	F6C	C4D-ND	-2.07	1.33	1.37
14	a	826	F6C	C1C-NC	2.07	1.37	1.35
15	B	808	CLA	CMD-C2D	-2.07	1.46	1.50
15	N	829	CLA	CMD-C2D	-2.07	1.46	1.50
14	a	856	F6C	C2B-C1B	2.07	1.49	1.44
15	A	834	CLA	CMD-C2D	-2.07	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	809	CLA	CMD-C2D	-2.07	1.46	1.50
13	A	801	CL0	CMD-C2D	-2.07	1.46	1.50
15	b	809	CLA	CMD-C2D	-2.06	1.46	1.50
15	O	814	CLA	CMD-C2D	-2.06	1.46	1.50
15	L	202	CLA	CMD-C2D	-2.06	1.46	1.50
15	b	814	CLA	CMD-C2D	-2.06	1.46	1.50
15	b	835	CLA	CMD-C2D	-2.06	1.46	1.50
14	B	831	F6C	C1C-NC	2.06	1.37	1.35
15	B	833	CLA	CMD-C2D	-2.06	1.46	1.50
15	B	805	CLA	CMD-C2D	-2.06	1.46	1.50
14	N	802	F6C	C1D-C2D	2.06	1.48	1.44
15	l	103	CLA	CMD-C2D	-2.06	1.46	1.50
15	N	834	CLA	CMD-C2D	-2.06	1.46	1.50
15	A	835	CLA	CMD-C2D	-2.06	1.46	1.50
15	a	818	CLA	CMC-C2C	-2.06	1.46	1.50
15	W	1501	CLA	CMD-C2D	-2.05	1.46	1.50
15	b	824	CLA	CMD-C2D	-2.05	1.46	1.50
14	a	824	F6C	C1D-C2D	2.05	1.48	1.44
15	O	823	CLA	CMD-C2D	-2.05	1.46	1.50
15	a	838	CLA	CMD-C2D	-2.05	1.46	1.50
15	B	836	CLA	CMD-C2D	-2.05	1.46	1.50
15	O	806	CLA	CMD-C2D	-2.05	1.46	1.50
15	a	834	CLA	CMD-C2D	-2.05	1.46	1.50
15	b	801	CLA	CMC-C2C	-2.05	1.46	1.50
15	A	833	CLA	CMD-C2D	-2.05	1.46	1.50
15	b	834	CLA	CMD-C2D	-2.05	1.46	1.50
15	j	202	CLA	CMD-C2D	-2.05	1.46	1.50
15	N	838	CLA	CMD-C2D	-2.05	1.46	1.50
15	b	806	CLA	CMD-C2D	-2.05	1.46	1.50
15	A	838	CLA	CMD-C2D	-2.05	1.46	1.50
14	a	802	F6C	C1D-C2D	2.05	1.48	1.44
15	b	807	CLA	CMD-C2D	-2.05	1.46	1.50
14	A	802	F6C	C2B-C1B	2.05	1.49	1.44
15	A	821	CLA	CMD-C2D	-2.04	1.46	1.50
14	N	802	F6C	C1C-NC	2.04	1.37	1.35
15	N	803	CLA	CMD-C2D	-2.04	1.46	1.50
15	b	838	CLA	CMD-C2D	-2.04	1.46	1.50
15	b	827	CLA	CMD-C2D	-2.04	1.46	1.50
15	A	825	CLA	CMD-C2D	-2.04	1.46	1.50
15	a	821	CLA	CMD-C2D	-2.04	1.46	1.50
14	O	833	F6C	CMD-C2D	-2.04	1.46	1.50
15	a	833	CLA	CMD-C2D	-2.04	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	857	F6C	C1D-C2D	2.04	1.48	1.44
15	N	833	CLA	CMD-C2D	-2.04	1.46	1.50
15	N	821	CLA	CMD-C2D	-2.04	1.46	1.50
15	Z	103	CLA	CMD-C2D	-2.04	1.46	1.50
14	b	833	F6C	CMD-C2D	-2.04	1.46	1.50
14	W	1503	F6C	C1A-NA	2.04	1.40	1.37
15	O	807	CLA	CMD-C2D	-2.04	1.46	1.50
14	A	824	F6C	C4D-ND	-2.04	1.33	1.37
14	N	856	F6C	CMD-C2D	-2.04	1.46	1.50
15	O	801	CLA	CMC-C2C	-2.04	1.46	1.50
15	O	838	CLA	CMD-C2D	-2.04	1.46	1.50
15	N	818	CLA	CMC-C2C	-2.03	1.46	1.50
15	B	804	CLA	CMD-C2D	-2.03	1.46	1.50
15	a	825	CLA	CMD-C2D	-2.03	1.46	1.50
15	O	827	CLA	CMD-C2D	-2.03	1.46	1.50
18	V	101	BCR	C19-C18	-2.03	1.44	1.50
18	i	101	BCR	C19-C18	-2.03	1.44	1.50
15	N	825	CLA	CMD-C2D	-2.03	1.46	1.50
18	K	101	BCR	C19-C18	-2.03	1.44	1.50
15	B	813	CLA	CMD-C2D	-2.03	1.46	1.50
15	b	837	CLA	CMD-C2D	-2.03	1.46	1.50
15	A	812	CLA	CMD-C2D	-2.03	1.46	1.50
15	N	831	CLA	CMD-C2D	-2.03	1.46	1.50
15	a	804	CLA	CMC-C2C	-2.03	1.46	1.50
15	X	103	CLA	CMD-C2D	-2.03	1.46	1.50
14	a	856	F6C	CMD-C2D	-2.03	1.46	1.50
15	a	803	CLA	CMD-C2D	-2.03	1.46	1.50
14	A	802	F6C	C1C-NC	2.03	1.37	1.35
14	A	826	F6C	CMD-C2D	-2.03	1.46	1.50
14	B	831	F6C	CMD-C2D	-2.03	1.46	1.50
15	O	837	CLA	CMD-C2D	-2.03	1.46	1.50
15	A	803	CLA	CMC-C2C	-2.03	1.46	1.50
15	N	832	CLA	CMD-C2D	-2.03	1.46	1.50
14	a	826	F6C	CMD-C2D	-2.03	1.46	1.50
15	N	836	CLA	CMD-C2D	-2.03	1.46	1.50
15	a	815	CLA	CMD-C2D	-2.03	1.46	1.50
15	N	807	CLA	CMD-C2D	-2.03	1.46	1.50
14	A	826	F6C	C1C-NC	2.03	1.37	1.35
15	A	806	CLA	CMD-C2D	-2.03	1.46	1.50
14	N	802	F6C	CMD-C2D	-2.02	1.46	1.50
15	A	803	CLA	CMD-C2D	-2.02	1.46	1.50
15	a	832	CLA	CMD-C2D	-2.02	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	a	841	CLA	CMC-C2C	-2.02	1.46	1.50
15	N	841	CLA	CMC-C2C	-2.02	1.46	1.50
14	O	833	F6C	C1C-NC	2.02	1.37	1.35
15	B	825	CLA	CMD-C2D	-2.02	1.46	1.50
15	b	804	CLA	CMC-C2C	-2.02	1.46	1.50
15	A	804	CLA	CMC-C2C	-2.02	1.46	1.50
15	A	832	CLA	CMD-C2D	-2.02	1.46	1.50
15	b	803	CLA	CMD-C2D	-2.02	1.46	1.50
14	N	824	F6C	C1D-C2D	2.02	1.48	1.44
15	b	820	CLA	CMD-C2D	-2.02	1.46	1.50
14	A	802	F6C	CMD-C2D	-2.02	1.46	1.50
15	B	806	CLA	CMD-C2D	-2.02	1.46	1.50
15	a	806	CLA	CMD-C2D	-2.02	1.46	1.50
15	A	836	CLA	CMD-C2D	-2.02	1.46	1.50
15	b	831	CLA	CMD-C2D	-2.02	1.46	1.50
15	b	839	CLA	CMD-C2D	-2.02	1.46	1.50
14	A	857	F6C	CMD-C2D	-2.02	1.46	1.50
15	B	835	CLA	CMD-C2D	-2.02	1.46	1.50
15	O	813	CLA	CMC-C2C	-2.02	1.46	1.50
15	O	834	CLA	CMD-C2D	-2.02	1.46	1.50
15	A	819	CLA	CMD-C2D	-2.02	1.46	1.50
14	N	802	F6C	C2B-C1B	2.01	1.48	1.44
14	j	204	F6C	C1D-C2D	2.01	1.48	1.44
15	B	818	CLA	CMD-C2D	-2.01	1.46	1.50
15	B	829	CLA	CMD-C2D	-2.01	1.46	1.50
15	N	815	CLA	CMD-C2D	-2.01	1.46	1.50
15	O	831	CLA	CMD-C2D	-2.01	1.46	1.50
14	N	824	F6C	C4D-ND	-2.01	1.33	1.37
14	a	802	F6C	CMD-C2D	-2.01	1.46	1.50
15	A	831	CLA	CMD-C2D	-2.01	1.46	1.50
15	a	807	CLA	CMD-C2D	-2.01	1.46	1.50
15	a	811	CLA	CMD-C2D	-2.01	1.46	1.50
14	j	204	F6C	C1A-NA	2.01	1.40	1.37
15	O	839	CLA	CMD-C2D	-2.01	1.46	1.50
15	a	836	CLA	CMD-C2D	-2.01	1.46	1.50
14	a	824	F6C	C4D-ND	-2.01	1.33	1.37
15	B	803	CLA	CMC-C2C	-2.01	1.46	1.50
15	A	807	CLA	CMD-C2D	-2.01	1.46	1.50
15	A	822	CLA	CMD-C2D	-2.01	1.46	1.50
15	B	820	CLA	CMD-C2D	-2.01	1.46	1.50
15	b	827	CLA	CMC-C2C	-2.01	1.46	1.50
15	O	805	CLA	CMD-C2D	-2.01	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	802	F6C	C1C-NC	2.01	1.37	1.35
14	L	201	F6C	CMD-C2D	-2.01	1.46	1.50
14	A	824	F6C	CMD-C2D	-2.01	1.46	1.50
15	B	811	CLA	CMD-C2D	-2.01	1.46	1.50
15	A	841	CLA	CMC-C2C	-2.01	1.46	1.50
15	N	804	CLA	CMC-C2C	-2.01	1.46	1.50
15	a	814	CLA	CMD-C2D	-2.01	1.46	1.50
14	b	833	F6C	C1C-NC	2.01	1.37	1.35
15	N	819	CLA	CMD-C2D	-2.01	1.46	1.50
15	N	842	CLA	CMD-C2D	-2.01	1.46	1.50
14	L	204	F6C	C1A-NA	2.01	1.40	1.37
15	O	820	CLA	CMD-C2D	-2.01	1.46	1.50
15	B	832	CLA	CMD-C2D	-2.01	1.46	1.50
15	N	828	CLA	CMD-C2D	-2.01	1.46	1.50
15	O	804	CLA	CMC-C2C	-2.01	1.46	1.50
15	A	811	CLA	CMD-C2D	-2.01	1.46	1.50
15	b	819	CLA	CMD-C2D	-2.01	1.46	1.50
15	N	822	CLA	CMD-C2D	-2.01	1.46	1.50
15	a	841	CLA	CMD-C2D	-2.01	1.46	1.50
15	B	839	CLA	CMD-C2D	-2.01	1.46	1.50
14	N	856	F6C	C1D-C2D	2.01	1.48	1.44
15	A	808	CLA	CMD-C2D	-2.00	1.46	1.50
15	A	814	CLA	CMD-C2D	-2.00	1.46	1.50
15	b	805	CLA	CMD-C2D	-2.00	1.46	1.50
15	A	815	CLA	CMD-C2D	-2.00	1.46	1.50
15	N	811	CLA	CMD-C2D	-2.00	1.46	1.50
14	L	204	F6C	CMD-C2D	-2.00	1.46	1.50
15	B	837	CLA	CMD-C2D	-2.00	1.46	1.50
15	N	808	CLA	CMD-C2D	-2.00	1.46	1.50
15	O	803	CLA	CMD-C2D	-2.00	1.46	1.50
15	a	819	CLA	CMD-C2D	-2.00	1.46	1.50
15	a	822	CLA	CMD-C2D	-2.00	1.46	1.50
15	a	828	CLA	CMD-C2D	-2.00	1.46	1.50
15	b	822	CLA	CMD-C2D	-2.00	1.46	1.50
14	L	204	F6C	C1D-C2D	2.00	1.48	1.44
15	B	807	CLA	CMC-C2C	-2.00	1.46	1.50
14	a	856	F6C	C1D-C2D	2.00	1.48	1.44
15	A	842	CLA	CMD-C2D	-2.00	1.46	1.50
15	B	802	CLA	CMD-C2D	-2.00	1.46	1.50
15	b	813	CLA	CMD-C2D	-2.00	1.46	1.50
15	N	814	CLA	CMD-C2D	-2.00	1.46	1.50
15	N	811	CLA	CMC-C2C	-2.00	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	O	813	CLA	CMD-C2D	-2.00	1.46	1.50
14	A	824	F6C	C1D-C2D	2.00	1.48	1.44
15	A	856	CLA	CMD-C2D	-2.00	1.46	1.50
15	B	811	CLA	CMC-C2C	-2.00	1.46	1.50
15	B	814	CLA	CMD-C2D	-2.00	1.46	1.50

All (2357) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	O	840	F6C	CAA-C2A-C3A	-10.08	109.11	127.88
14	B	838	F6C	CAA-C2A-C3A	-10.06	109.14	127.88
14	b	840	F6C	CAA-C2A-C3A	-10.02	109.21	127.88
14	L	204	F6C	CAA-C2A-C3A	-10.00	109.25	127.88
14	j	204	F6C	CAA-C2A-C3A	-9.96	109.33	127.88
14	W	1503	F6C	CAA-C2A-C3A	-9.87	109.50	127.88
14	A	826	F6C	CAA-C2A-C3A	-9.74	109.73	127.88
14	a	826	F6C	CAA-C2A-C3A	-9.61	109.98	127.88
14	N	826	F6C	CAA-C2A-C3A	-9.59	110.02	127.88
14	N	856	F6C	CAA-C2A-C3A	-9.44	110.30	127.88
14	A	857	F6C	CAA-C2A-C3A	-9.41	110.35	127.88
14	a	856	F6C	CAA-C2A-C3A	-9.37	110.43	127.88
14	A	824	F6C	CAA-C2A-C3A	-9.24	110.67	127.88
14	a	824	F6C	CAA-C2A-C3A	-9.18	110.77	127.88
14	N	824	F6C	CAA-C2A-C3A	-8.97	111.17	127.88
14	O	810	F6C	CAA-C2A-C3A	-8.87	111.35	127.88
14	a	802	F6C	CAA-C2A-C3A	-8.82	111.45	127.88
14	N	802	F6C	CAA-C2A-C3A	-8.77	111.55	127.88
14	L	201	F6C	CAA-C2A-C3A	-8.75	111.59	127.88
14	b	810	F6C	CAA-C2A-C3A	-8.74	111.60	127.88
14	B	831	F6C	CAA-C2A-C3A	-8.65	111.78	127.88
14	A	802	F6C	CAA-C2A-C3A	-8.63	111.81	127.88
14	b	833	F6C	CAA-C2A-C3A	-8.46	112.13	127.88
14	O	833	F6C	CAA-C2A-C3A	-8.40	112.24	127.88
14	A	857	F6C	CMA-C3A-C4A	-8.13	110.38	124.71
14	a	856	F6C	CMA-C3A-C4A	-7.97	110.66	124.71
14	N	856	F6C	CMA-C3A-C4A	-7.89	110.81	124.71
14	b	833	F6C	CMA-C3A-C4A	-7.75	111.05	124.71
14	B	831	F6C	CMA-C3A-C4A	-7.74	111.08	124.71
14	O	833	F6C	CMA-C3A-C4A	-7.72	111.10	124.71
14	L	201	F6C	CMA-C3A-C4A	-7.69	111.17	124.71
14	b	810	F6C	CMA-C3A-C4A	-7.53	111.45	124.71
14	O	810	F6C	CMA-C3A-C4A	-7.47	111.54	124.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	824	F6C	CMA-C3A-C4A	-7.20	112.02	124.71
14	N	824	F6C	CMA-C3A-C4A	-7.16	112.09	124.71
14	A	802	F6C	CMA-C3A-C4A	-7.16	112.10	124.71
14	b	840	F6C	CMA-C3A-C4A	-7.13	112.15	124.71
14	a	802	F6C	CMA-C3A-C4A	-7.12	112.17	124.71
14	A	824	F6C	CMA-C3A-C4A	-7.11	112.18	124.71
14	b	840	F6C	CAA-C2A-C1A	-7.10	108.56	128.11
14	O	840	F6C	CAA-C2A-C1A	-7.08	108.61	128.11
14	B	838	F6C	CAA-C2A-C1A	-7.08	108.61	128.11
14	B	838	F6C	CMA-C3A-C4A	-7.07	112.26	124.71
14	N	802	F6C	CMA-C3A-C4A	-7.03	112.33	124.71
14	O	840	F6C	CMA-C3A-C4A	-6.98	112.40	124.71
15	a	828	CLA	C4A-NA-C1A	6.96	109.83	106.71
15	A	818	CLA	C4A-NA-C1A	6.96	109.83	106.71
15	b	803	CLA	C4A-NA-C1A	6.94	109.82	106.71
15	a	818	CLA	C4A-NA-C1A	6.91	109.81	106.71
15	N	818	CLA	C4A-NA-C1A	6.89	109.81	106.71
15	B	802	CLA	C4A-NA-C1A	6.86	109.79	106.71
15	N	831	CLA	C4A-NA-C1A	6.86	109.79	106.71
15	O	803	CLA	C4A-NA-C1A	6.85	109.78	106.71
15	A	828	CLA	C4A-NA-C1A	6.84	109.78	106.71
15	O	826	CLA	C4A-NA-C1A	6.80	109.76	106.71
14	W	1503	F6C	CMA-C3A-C4A	-6.79	112.75	124.71
15	a	823	CLA	C4A-NA-C1A	6.79	109.76	106.71
15	B	813	CLA	C4A-NA-C1A	6.77	109.75	106.71
14	A	826	F6C	CMA-C3A-C4A	-6.76	112.80	124.71
15	b	826	CLA	C4A-NA-C1A	6.75	109.74	106.71
14	a	826	F6C	CMA-C3A-C4A	-6.75	112.82	124.71
15	b	801	CLA	C4A-NA-C1A	6.74	109.74	106.71
15	N	820	CLA	C4A-NA-C1A	6.73	109.73	106.71
15	N	828	CLA	C4A-NA-C1A	6.73	109.73	106.71
15	b	805	CLA	C4A-NA-C1A	6.73	109.73	106.71
15	N	841	CLA	C4A-NA-C1A	6.73	109.73	106.71
13	A	801	CL0	C4A-NA-C1A	6.72	109.73	106.71
15	A	807	CLA	C4A-NA-C1A	6.72	109.73	106.71
15	N	823	CLA	C4A-NA-C1A	6.72	109.73	106.71
15	N	838	CLA	C4A-NA-C1A	6.72	109.73	106.71
15	A	823	CLA	C4A-NA-C1A	6.71	109.72	106.71
15	b	824	CLA	C4A-NA-C1A	6.71	109.72	106.71
15	B	801	CLA	C4A-NA-C1A	6.70	109.72	106.71
15	O	805	CLA	C4A-NA-C1A	6.70	109.72	106.71
13	a	801	CL0	C4A-NA-C1A	6.70	109.72	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	A	838	CLA	C4A-NA-C1A	6.70	109.72	106.71
15	b	827	CLA	C4A-NA-C1A	6.69	109.72	106.71
14	B	831	F6C	CAA-C2A-C1A	-6.69	109.68	128.11
14	j	204	F6C	CMA-C3A-C4A	-6.69	112.92	124.71
15	A	839	CLA	C4A-NA-C1A	6.68	109.71	106.71
15	B	822	CLA	C4A-NA-C1A	6.68	109.71	106.71
15	b	806	CLA	C4A-NA-C1A	6.67	109.71	106.71
15	O	827	CLA	C4A-NA-C1A	6.65	109.70	106.71
15	a	839	CLA	C4A-NA-C1A	6.65	109.70	106.71
15	N	815	CLA	C4A-NA-C1A	6.65	109.69	106.71
15	O	809	CLA	C4A-NA-C1A	6.65	109.69	106.71
15	O	841	CLA	C4A-NA-C1A	6.65	109.69	106.71
15	N	839	CLA	C4A-NA-C1A	6.65	109.69	106.71
15	O	821	CLA	C4A-NA-C1A	6.64	109.69	106.71
15	a	820	CLA	C4A-NA-C1A	6.64	109.69	106.71
15	B	839	CLA	C4A-NA-C1A	6.63	109.69	106.71
15	b	821	CLA	C4A-NA-C1A	6.63	109.69	106.71
15	A	841	CLA	C4A-NA-C1A	6.63	109.69	106.71
15	L	202	CLA	C4A-NA-C1A	6.63	109.69	106.71
14	b	833	F6C	CAA-C2A-C1A	-6.63	109.86	128.11
15	B	824	CLA	C4A-NA-C1A	6.63	109.69	106.71
15	X	103	CLA	C4A-NA-C1A	6.63	109.69	106.71
15	O	824	CLA	C4A-NA-C1A	6.62	109.68	106.71
15	B	804	CLA	C4A-NA-C1A	6.62	109.68	106.71
15	O	815	CLA	C4A-NA-C1A	6.62	109.68	106.71
15	a	807	CLA	C4A-NA-C1A	6.62	109.68	106.71
15	B	819	CLA	C4A-NA-C1A	6.61	109.68	106.71
15	b	839	CLA	C4A-NA-C1A	6.61	109.68	106.71
15	A	815	CLA	C4A-NA-C1A	6.61	109.68	106.71
15	N	807	CLA	C4A-NA-C1A	6.61	109.68	106.71
13	N	801	CL0	C4A-NA-C1A	6.61	109.68	106.71
15	a	815	CLA	C4A-NA-C1A	6.61	109.68	106.71
15	b	841	CLA	C4A-NA-C1A	6.61	109.68	106.71
14	O	833	F6C	CAA-C2A-C1A	-6.60	109.92	128.11
15	O	839	CLA	C4A-NA-C1A	6.60	109.67	106.71
15	O	838	CLA	C4A-NA-C1A	6.60	109.67	106.71
15	A	831	CLA	C4A-NA-C1A	6.60	109.67	106.71
15	O	816	CLA	C4A-NA-C1A	6.60	109.67	106.71
15	O	801	CLA	C4A-NA-C1A	6.60	109.67	106.71
15	a	838	CLA	C4A-NA-C1A	6.60	109.67	106.71
15	B	837	CLA	C4A-NA-C1A	6.59	109.67	106.71
15	B	836	CLA	C4A-NA-C1A	6.59	109.67	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	Z	103	CLA	C4A-NA-C1A	6.58	109.67	106.71
15	a	841	CLA	C4A-NA-C1A	6.58	109.67	106.71
15	j	203	CLA	C4A-NA-C1A	6.58	109.67	106.71
15	O	806	CLA	C4A-NA-C1A	6.58	109.66	106.71
15	A	820	CLA	C4A-NA-C1A	6.58	109.66	106.71
15	L	203	CLA	C4A-NA-C1A	6.58	109.66	106.71
14	j	204	F6C	CAA-C2A-C1A	-6.57	110.02	128.11
15	b	816	CLA	C4A-NA-C1A	6.57	109.66	106.71
15	A	809	CLA	C4A-NA-C1A	6.56	109.66	106.71
14	N	826	F6C	CMA-C3A-C4A	-6.56	113.15	124.71
15	B	814	CLA	C4A-NA-C1A	6.56	109.65	106.71
15	b	815	CLA	C4A-NA-C1A	6.56	109.65	106.71
15	a	809	CLA	C4A-NA-C1A	6.56	109.65	106.71
15	N	809	CLA	C4A-NA-C1A	6.55	109.65	106.71
15	N	840	CLA	C4A-NA-C1A	6.55	109.65	106.71
15	j	202	CLA	C4A-NA-C1A	6.55	109.65	106.71
15	B	825	CLA	C4A-NA-C1A	6.55	109.65	106.71
15	l	103	CLA	C4A-NA-C1A	6.55	109.65	106.71
15	A	840	CLA	C4A-NA-C1A	6.55	109.65	106.71
15	a	803	CLA	C4A-NA-C1A	6.55	109.65	106.71
15	O	830	CLA	C4A-NA-C1A	6.54	109.65	106.71
15	a	831	CLA	C4A-NA-C1A	6.54	109.65	106.71
15	N	808	CLA	C4A-NA-C1A	6.54	109.65	106.71
14	A	857	F6C	CAA-C2A-C1A	-6.54	110.10	128.11
15	A	829	CLA	C4A-NA-C1A	6.54	109.65	106.71
15	b	838	CLA	C4A-NA-C1A	6.53	109.64	106.71
14	a	856	F6C	CAA-C2A-C1A	-6.53	110.12	128.11
14	N	802	F6C	CAA-C2A-C1A	-6.53	110.12	128.11
15	W	1501	CLA	C4A-NA-C1A	6.52	109.64	106.71
15	N	803	CLA	C4A-NA-C1A	6.52	109.64	106.71
15	N	811	CLA	C4A-NA-C1A	6.52	109.64	106.71
15	A	813	CLA	C4A-NA-C1A	6.52	109.64	106.71
15	b	820	CLA	C4A-NA-C1A	6.52	109.64	106.71
15	N	817	CLA	C4A-NA-C1A	6.51	109.64	106.71
15	A	822	CLA	C4A-NA-C1A	6.51	109.63	106.71
15	N	821	CLA	C4A-NA-C1A	6.51	109.63	106.71
15	O	808	CLA	C4A-NA-C1A	6.51	109.63	106.71
15	a	814	CLA	C4A-NA-C1A	6.51	109.63	106.71
15	b	830	CLA	C4A-NA-C1A	6.51	109.63	106.71
15	B	818	CLA	C4A-NA-C1A	6.50	109.63	106.71
15	N	829	CLA	C4A-NA-C1A	6.50	109.63	106.71
15	O	820	CLA	C4A-NA-C1A	6.50	109.63	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	a	822	CLA	C4A-NA-C1A	6.50	109.63	106.71
14	N	856	F6C	CAA-C2A-C1A	-6.50	110.22	128.11
15	A	808	CLA	C4A-NA-C1A	6.50	109.63	106.71
15	f	201	CLA	C4A-NA-C1A	6.50	109.63	106.71
15	B	808	CLA	C4A-NA-C1A	6.49	109.62	106.71
15	F	201	CLA	C4A-NA-C1A	6.49	109.62	106.71
15	a	813	CLA	C4A-NA-C1A	6.49	109.62	106.71
15	a	811	CLA	C4A-NA-C1A	6.49	109.62	106.71
15	a	817	CLA	C4A-NA-C1A	6.48	109.62	106.71
15	A	821	CLA	C4A-NA-C1A	6.48	109.62	106.71
15	B	823	CLA	C4A-NA-C1A	6.48	109.62	106.71
15	a	821	CLA	C4A-NA-C1A	6.48	109.62	106.71
14	A	802	F6C	CAA-C2A-C1A	-6.47	110.28	128.11
15	b	829	CLA	C4A-NA-C1A	6.47	109.62	106.71
15	a	840	CLA	C4A-NA-C1A	6.47	109.61	106.71
15	b	808	CLA	C4A-NA-C1A	6.47	109.61	106.71
15	b	807	CLA	C4A-NA-C1A	6.47	109.61	106.71
15	N	813	CLA	C4A-NA-C1A	6.47	109.61	106.71
15	O	811	CLA	C4A-NA-C1A	6.47	109.61	106.71
15	O	807	CLA	C4A-NA-C1A	6.46	109.61	106.71
15	V	102	CLA	C4A-NA-C1A	6.46	109.61	106.71
14	W	1503	F6C	CAA-C2A-C1A	-6.46	110.32	128.11
15	a	808	CLA	C4A-NA-C1A	6.46	109.61	106.71
15	B	811	CLA	C4A-NA-C1A	6.45	109.61	106.71
15	N	842	CLA	C4A-NA-C1A	6.45	109.61	106.71
15	K	102	CLA	C4A-NA-C1A	6.45	109.61	106.71
15	i	102	CLA	C4A-NA-C1A	6.45	109.61	106.71
15	N	814	CLA	C4A-NA-C1A	6.45	109.61	106.71
15	A	814	CLA	C4A-NA-C1A	6.45	109.60	106.71
15	O	825	CLA	C4A-NA-C1A	6.45	109.60	106.71
15	O	813	CLA	C4A-NA-C1A	6.44	109.60	106.71
15	a	842	CLA	C4A-NA-C1A	6.44	109.60	106.71
15	N	805	CLA	C4A-NA-C1A	6.44	109.60	106.71
15	O	834	CLA	C4A-NA-C1A	6.44	109.60	106.71
15	A	817	CLA	C4A-NA-C1A	6.43	109.60	106.71
15	a	806	CLA	C4A-NA-C1A	6.43	109.60	106.71
15	B	803	CLA	C4A-NA-C1A	6.43	109.60	106.71
15	B	806	CLA	C4A-NA-C1A	6.43	109.60	106.71
15	a	829	CLA	C4A-NA-C1A	6.43	109.59	106.71
15	B	807	CLA	C4A-NA-C1A	6.42	109.59	106.71
15	A	811	CLA	C4A-NA-C1A	6.42	109.59	106.71
15	b	812	CLA	C4A-NA-C1A	6.42	109.59	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	A	806	CLA	C4A-NA-C1A	6.42	109.59	106.71
15	O	814	CLA	C4A-NA-C1A	6.41	109.59	106.71
15	a	805	CLA	C4A-NA-C1A	6.41	109.59	106.71
15	b	811	CLA	C4A-NA-C1A	6.41	109.59	106.71
15	A	832	CLA	C4A-NA-C1A	6.41	109.59	106.71
15	B	832	CLA	C4A-NA-C1A	6.41	109.59	106.71
15	N	836	CLA	C4A-NA-C1A	6.41	109.59	106.71
15	N	832	CLA	C4A-NA-C1A	6.41	109.59	106.71
15	B	805	CLA	C4A-NA-C1A	6.40	109.58	106.71
15	b	809	CLA	C4A-NA-C1A	6.40	109.58	106.71
15	b	835	CLA	C4A-NA-C1A	6.40	109.58	106.71
15	b	804	CLA	C4A-NA-C1A	6.39	109.58	106.71
14	a	802	F6C	CAA-C2A-C1A	-6.39	110.51	128.11
15	O	804	CLA	C4A-NA-C1A	6.39	109.58	106.71
15	O	812	CLA	C4A-NA-C1A	6.38	109.58	106.71
15	B	812	CLA	C4A-NA-C1A	6.38	109.58	106.71
15	N	806	CLA	C4A-NA-C1A	6.38	109.58	106.71
15	O	835	CLA	C4A-NA-C1A	6.38	109.58	106.71
15	b	813	CLA	C4A-NA-C1A	6.38	109.58	106.71
15	A	804	CLA	C4A-NA-C1A	6.38	109.57	106.71
15	b	814	CLA	C4A-NA-C1A	6.37	109.57	106.71
15	O	823	CLA	C4A-NA-C1A	6.37	109.57	106.71
15	W	1502	CLA	C4A-NA-C1A	6.37	109.57	106.71
15	A	842	CLA	C4A-NA-C1A	6.37	109.57	106.71
15	B	810	CLA	C4A-NA-C1A	6.37	109.57	106.71
15	B	833	CLA	C4A-NA-C1A	6.37	109.57	106.71
15	a	836	CLA	C4A-NA-C1A	6.36	109.57	106.71
15	A	805	CLA	C4A-NA-C1A	6.36	109.57	106.71
15	B	809	CLA	C4A-NA-C1A	6.36	109.57	106.71
15	b	825	CLA	C4A-NA-C1A	6.36	109.57	106.71
15	B	827	CLA	C4A-NA-C1A	6.36	109.56	106.71
15	a	827	CLA	C4A-NA-C1A	6.36	109.56	106.71
15	A	812	CLA	C4A-NA-C1A	6.35	109.56	106.71
15	A	803	CLA	C4A-NA-C1A	6.35	109.56	106.71
15	a	819	CLA	C4A-NA-C1A	6.35	109.56	106.71
15	b	834	CLA	C4A-NA-C1A	6.35	109.56	106.71
15	i	103	CLA	C4A-NA-C1A	6.35	109.56	106.71
15	S	201	CLA	C4A-NA-C1A	6.35	109.56	106.71
15	O	832	CLA	C4A-NA-C1A	6.34	109.56	106.71
15	N	810	CLA	C4A-NA-C1A	6.34	109.56	106.71
15	a	810	CLA	C4A-NA-C1A	6.34	109.56	106.71
15	N	812	CLA	C4A-NA-C1A	6.34	109.56	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	A	827	CLA	C4A-NA-C1A	6.33	109.55	106.71
15	A	836	CLA	C4A-NA-C1A	6.33	109.55	106.71
15	O	829	CLA	C4A-NA-C1A	6.33	109.55	106.71
15	a	812	CLA	C4A-NA-C1A	6.33	109.55	106.71
15	a	832	CLA	C4A-NA-C1A	6.33	109.55	106.71
15	A	834	CLA	C4A-NA-C1A	6.32	109.55	106.71
14	L	204	F6C	CAA-C2A-C1A	-6.32	110.70	128.11
15	a	834	CLA	C4A-NA-C1A	6.32	109.55	106.71
15	B	828	CLA	C4A-NA-C1A	6.31	109.54	106.71
15	A	810	CLA	C4A-NA-C1A	6.30	109.54	106.71
15	N	804	CLA	C4A-NA-C1A	6.30	109.54	106.71
15	N	822	CLA	C4A-NA-C1A	6.29	109.53	106.71
15	N	816	CLA	C4A-NA-C1A	6.29	109.53	106.71
15	A	816	CLA	C4A-NA-C1A	6.28	109.53	106.71
15	a	816	CLA	C4A-NA-C1A	6.28	109.53	106.71
15	N	833	CLA	C4A-NA-C1A	6.28	109.53	106.71
15	b	832	CLA	C4A-NA-C1A	6.28	109.53	106.71
15	a	804	CLA	C4A-NA-C1A	6.27	109.53	106.71
15	a	825	CLA	C4A-NA-C1A	6.25	109.52	106.71
14	L	204	F6C	CMA-C3A-C4A	-6.25	113.69	124.71
15	N	834	CLA	C4A-NA-C1A	6.24	109.51	106.71
15	b	836	CLA	C4A-NA-C1A	6.24	109.51	106.71
15	O	836	CLA	C4A-NA-C1A	6.24	109.51	106.71
15	b	822	CLA	C4A-NA-C1A	6.24	109.51	106.71
15	B	834	CLA	C4A-NA-C1A	6.23	109.51	106.71
15	A	825	CLA	C4A-NA-C1A	6.23	109.50	106.71
15	N	830	CLA	C4A-NA-C1A	6.23	109.50	106.71
15	a	830	CLA	C4A-NA-C1A	6.22	109.50	106.71
15	O	822	CLA	C4A-NA-C1A	6.21	109.50	106.71
15	b	831	CLA	C4A-NA-C1A	6.20	109.49	106.71
15	B	830	CLA	C4A-NA-C1A	6.19	109.49	106.71
15	N	825	CLA	C4A-NA-C1A	6.19	109.49	106.71
15	N	827	CLA	C4A-NA-C1A	6.19	109.49	106.71
15	B	820	CLA	C4A-NA-C1A	6.18	109.49	106.71
15	a	837	CLA	C4A-NA-C1A	6.18	109.49	106.71
15	N	819	CLA	C4A-NA-C1A	6.18	109.48	106.71
15	A	835	CLA	C4A-NA-C1A	6.18	109.48	106.71
15	B	817	CLA	C4A-NA-C1A	6.17	109.48	106.71
15	A	833	CLA	C4A-NA-C1A	6.17	109.48	106.71
15	A	837	CLA	C4A-NA-C1A	6.17	109.48	106.71
15	B	829	CLA	C4A-NA-C1A	6.17	109.48	106.71
15	A	830	CLA	C4A-NA-C1A	6.16	109.48	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	O	828	CLA	C4A-NA-C1A	6.16	109.47	106.71
15	O	831	CLA	C4A-NA-C1A	6.16	109.47	106.71
15	b	818	CLA	C4A-NA-C1A	6.16	109.47	106.71
15	B	835	CLA	C4A-NA-C1A	6.16	109.47	106.71
15	N	837	CLA	C4A-NA-C1A	6.14	109.47	106.71
15	b	837	CLA	C4A-NA-C1A	6.14	109.47	106.71
15	A	819	CLA	C4A-NA-C1A	6.13	109.46	106.71
15	O	818	CLA	C4A-NA-C1A	6.12	109.46	106.71
15	a	833	CLA	C4A-NA-C1A	6.11	109.45	106.71
15	b	819	CLA	C4A-NA-C1A	6.11	109.45	106.71
15	O	837	CLA	C4A-NA-C1A	6.10	109.45	106.71
15	b	828	CLA	C4A-NA-C1A	6.10	109.45	106.71
15	O	819	CLA	C4A-NA-C1A	6.09	109.44	106.71
14	A	824	F6C	CAA-C2A-C1A	-6.08	111.38	128.11
15	V	103	CLA	C4A-NA-C1A	6.07	109.43	106.71
14	a	824	F6C	CAA-C2A-C1A	-6.06	111.42	128.11
14	A	857	F6C	CMA-C3A-C2A	-6.05	109.70	126.12
15	B	816	CLA	C4A-NA-C1A	6.04	109.42	106.71
15	N	835	CLA	C4A-NA-C1A	6.03	109.42	106.71
15	a	835	CLA	C4A-NA-C1A	6.03	109.42	106.71
15	B	826	CLA	C4A-NA-C1A	6.02	109.41	106.71
14	N	856	F6C	CMA-C3A-C2A	-6.01	109.80	126.12
14	N	824	F6C	CAA-C2A-C1A	-6.00	111.58	128.11
15	A	856	CLA	C4A-NA-C1A	5.98	109.39	106.71
14	a	856	F6C	CMA-C3A-C2A	-5.97	109.91	126.12
15	K	103	CLA	C4A-NA-C1A	5.97	109.39	106.71
15	O	802	CLA	C4A-NA-C1A	5.91	109.36	106.71
15	B	815	CLA	C4A-NA-C1A	5.83	109.33	106.71
15	b	802	CLA	C4A-NA-C1A	5.83	109.33	106.71
15	b	817	CLA	C4A-NA-C1A	5.73	109.28	106.71
15	O	817	CLA	C4A-NA-C1A	5.71	109.28	106.71
14	N	826	F6C	CAA-C2A-C1A	-5.68	112.46	128.11
14	B	831	F6C	CMA-C3A-C2A	-5.62	110.87	126.12
14	L	204	F6C	CMA-C3A-C2A	-5.56	111.01	126.12
14	A	826	F6C	CAA-C2A-C1A	-5.55	112.82	128.11
14	O	833	F6C	CMA-C3A-C2A	-5.55	111.05	126.12
14	b	833	F6C	CMA-C3A-C2A	-5.52	111.13	126.12
14	L	201	F6C	C4A-NA-C1A	5.42	110.18	106.33
14	a	826	F6C	CAA-C2A-C1A	-5.38	113.29	128.11
14	j	204	F6C	CMA-C3A-C2A	-5.37	111.53	126.12
14	b	840	F6C	CMA-C3A-C2A	-5.35	111.59	126.12
14	O	840	F6C	CMA-C3A-C2A	-5.34	111.62	126.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	O	810	F6C	C4A-NA-C1A	5.33	110.12	106.33
14	W	1503	F6C	CMA-C3A-C2A	-5.31	111.70	126.12
14	B	838	F6C	CMA-C3A-C2A	-5.31	111.71	126.12
14	N	824	F6C	CMA-C3A-C2A	-5.22	111.95	126.12
14	A	824	F6C	CMA-C3A-C2A	-5.18	112.04	126.12
14	b	810	F6C	C4A-NA-C1A	5.15	109.99	106.33
14	a	824	F6C	CMA-C3A-C2A	-5.15	112.15	126.12
14	N	802	F6C	CMA-C3A-C2A	-5.02	112.50	126.12
14	A	826	F6C	C4A-NA-C1A	5.02	109.90	106.33
14	A	802	F6C	CMA-C3A-C2A	-5.01	112.51	126.12
14	a	802	F6C	CMA-C3A-C2A	-4.99	112.56	126.12
14	L	201	F6C	CMA-C3A-C2A	-4.99	112.58	126.12
14	b	810	F6C	CMA-C3A-C2A	-4.97	112.62	126.12
14	O	810	F6C	CAA-C2A-C1A	-4.97	114.43	128.11
14	O	810	F6C	CMA-C3A-C2A	-4.93	112.74	126.12
14	b	833	F6C	C4A-NA-C1A	4.90	109.81	106.33
14	a	826	F6C	C4A-NA-C1A	4.89	109.81	106.33
14	O	833	F6C	C4A-NA-C1A	4.88	109.80	106.33
14	B	831	F6C	C4A-NA-C1A	4.86	109.79	106.33
14	A	824	F6C	C4A-NA-C1A	4.85	109.78	106.33
14	a	824	F6C	C4A-NA-C1A	4.83	109.77	106.33
14	b	810	F6C	CAA-C2A-C1A	-4.79	114.93	128.11
14	N	826	F6C	C4A-NA-C1A	4.78	109.73	106.33
15	A	833	CLA	CMB-C2B-C1B	-4.75	121.16	128.46
14	b	840	F6C	C4A-NA-C1A	4.75	109.71	106.33
14	L	201	F6C	CAA-C2A-C1A	-4.74	115.06	128.11
14	N	824	F6C	C4A-NA-C1A	4.74	109.70	106.33
15	N	833	CLA	CMB-C2B-C1B	-4.70	121.25	128.46
14	N	826	F6C	CMA-C3A-C2A	-4.66	113.46	126.12
14	a	826	F6C	CMA-C3A-C2A	-4.65	113.49	126.12
15	b	835	CLA	CMB-C2B-C1B	-4.64	121.34	128.46
15	a	833	CLA	CMB-C2B-C1B	-4.63	121.35	128.46
15	B	833	CLA	CMB-C2B-C1B	-4.62	121.36	128.46
14	B	838	F6C	C4A-NA-C1A	4.61	109.61	106.33
15	O	829	CLA	CMB-C2B-C1B	-4.61	121.38	128.46
15	O	835	CLA	CMB-C2B-C1B	-4.60	121.40	128.46
14	W	1503	F6C	C4A-NA-C1A	4.59	109.60	106.33
14	L	204	F6C	C4A-NA-C1A	4.59	109.60	106.33
14	O	840	F6C	C4A-NA-C1A	4.57	109.58	106.33
15	B	827	CLA	CMB-C2B-C1B	-4.56	121.46	128.46
14	A	826	F6C	CMA-C3A-C2A	-4.55	113.75	126.12
15	b	829	CLA	CMB-C2B-C1B	-4.55	121.47	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	j	204	F6C	C4A-NA-C1A	4.52	109.55	106.33
14	N	856	F6C	C4A-NA-C1A	4.45	109.50	106.33
14	A	857	F6C	C4A-NA-C1A	4.39	109.46	106.33
14	a	856	F6C	C4A-NA-C1A	4.39	109.45	106.33
15	A	803	CLA	CMB-C2B-C1B	-4.38	121.74	128.46
15	a	803	CLA	CMB-C2B-C1B	-4.36	121.76	128.46
20	a	853	LMT	C1B-O5B-C5B	4.36	122.24	113.69
15	N	803	CLA	CMB-C2B-C1B	-4.35	121.78	128.46
15	a	810	CLA	CMB-C2B-C1B	-4.33	121.81	128.46
15	b	837	CLA	CMB-C2B-C1B	-4.32	121.82	128.46
15	a	820	CLA	CMB-C2B-C1B	-4.32	121.83	128.46
20	A	853	LMT	C1B-O5B-C5B	4.31	122.15	113.69
20	N	853	LMT	C1B-O5B-C5B	4.31	122.15	113.69
15	A	810	CLA	CMB-C2B-C1B	-4.31	121.85	128.46
15	B	835	CLA	CMB-C2B-C1B	-4.30	121.85	128.46
15	O	806	CLA	CMB-C2B-C1B	-4.30	121.86	128.46
15	N	810	CLA	CMB-C2B-C1B	-4.30	121.86	128.46
15	N	820	CLA	CMB-C2B-C1B	-4.28	121.89	128.46
15	B	804	CLA	CMB-C2B-C1B	-4.26	121.92	128.46
15	b	805	CLA	CMB-C2B-C1B	-4.26	121.92	128.46
15	O	837	CLA	CMB-C2B-C1B	-4.25	121.94	128.46
15	O	816	CLA	CMB-C2B-C1B	-4.24	121.94	128.46
15	b	802	CLA	CMB-C2B-C1B	-4.22	121.98	128.46
15	B	837	CLA	CMB-C2B-C1B	-4.22	121.98	128.46
15	K	103	CLA	CMB-C2B-C1B	-4.22	121.98	128.46
15	B	805	CLA	CMB-C2B-C1B	-4.22	121.98	128.46
15	B	836	CLA	CMB-C2B-C1B	-4.21	121.99	128.46
15	a	830	CLA	CMB-C2B-C1B	-4.21	122.00	128.46
15	A	830	CLA	CMB-C2B-C1B	-4.20	122.01	128.46
15	A	856	CLA	CMB-C2B-C1B	-4.20	122.01	128.46
15	O	822	CLA	CMB-C2B-C1B	-4.20	122.01	128.46
15	B	830	CLA	CMB-C2B-C1B	-4.20	122.02	128.46
15	b	838	CLA	CMB-C2B-C1B	-4.20	122.02	128.46
15	O	805	CLA	CMB-C2B-C1B	-4.20	122.02	128.46
15	O	828	CLA	CMB-C2B-C1B	-4.19	122.02	128.46
15	N	831	CLA	CMB-C2B-C1B	-4.19	122.02	128.46
15	O	808	CLA	CMB-C2B-C1B	-4.19	122.02	128.46
15	b	832	CLA	CMB-C2B-C1B	-4.19	122.03	128.46
15	O	838	CLA	CMB-C2B-C1B	-4.18	122.03	128.46
15	b	806	CLA	CMB-C2B-C1B	-4.18	122.04	128.46
15	O	832	CLA	CMB-C2B-C1B	-4.17	122.05	128.46
15	B	814	CLA	CMB-C2B-C1B	-4.16	122.07	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	b	839	CLA	CMB-C2B-C1B	-4.16	122.07	128.46
15	N	808	CLA	CMB-C2B-C1B	-4.16	122.07	128.46
14	a	802	F6C	C4A-NA-C1A	4.16	109.29	106.33
15	B	813	CLA	CMB-C2B-C1B	-4.14	122.09	128.46
15	j	202	CLA	CMB-C2B-C1B	-4.11	122.14	128.46
15	B	807	CLA	CMB-C2B-C1B	-4.11	122.15	128.46
14	L	201	F6C	CHB-C4A-NA	4.11	128.23	124.45
14	O	810	F6C	CHB-C4A-NA	4.10	128.22	124.45
15	V	103	CLA	CMB-C2B-C1B	-4.10	122.17	128.46
15	A	806	CLA	CMB-C2B-C1B	-4.10	122.17	128.46
15	A	808	CLA	CMB-C2B-C1B	-4.09	122.18	128.46
15	N	836	CLA	CMB-C2B-C1B	-4.08	122.19	128.46
15	a	836	CLA	CMB-C2B-C1B	-4.08	122.19	128.46
15	N	806	CLA	CMB-C2B-C1B	-4.08	122.19	128.46
14	A	802	F6C	C4A-NA-C1A	4.08	109.23	106.33
15	O	839	CLA	CMB-C2B-C1B	-4.08	122.19	128.46
15	a	838	CLA	CMB-C2B-C1B	-4.08	122.19	128.46
15	B	820	CLA	CMB-C2B-C1B	-4.08	122.20	128.46
15	A	820	CLA	CMB-C2B-C1B	-4.07	122.21	128.46
15	A	836	CLA	CMB-C2B-C1B	-4.07	122.21	128.46
15	a	813	CLA	CMB-C2B-C1B	-4.06	122.22	128.46
15	A	813	CLA	CMB-C2B-C1B	-4.06	122.22	128.46
15	O	802	CLA	CMB-C2B-C1B	-4.06	122.23	128.46
15	b	822	CLA	CMB-C2B-C1B	-4.06	122.23	128.46
14	b	810	F6C	CHB-C4A-NA	4.05	128.18	124.45
14	A	826	F6C	CHB-C4A-NA	4.05	128.18	124.45
15	B	821	CLA	C4A-NA-C1A	4.05	108.53	106.71
15	a	831	CLA	CMB-C2B-C1B	-4.05	122.25	128.46
15	N	813	CLA	CMB-C2B-C1B	-4.05	122.25	128.46
15	b	808	CLA	CMB-C2B-C1B	-4.04	122.25	128.46
15	O	817	CLA	CMB-C2B-C1B	-4.04	122.25	128.46
15	N	827	CLA	CMB-C2B-C1B	-4.04	122.25	128.46
14	N	802	F6C	C4A-NA-C1A	4.04	109.20	106.33
15	b	825	CLA	CMB-C2B-C1B	-4.04	122.26	128.46
15	A	838	CLA	CMB-C2B-C1B	-4.03	122.27	128.46
15	a	808	CLA	CMB-C2B-C1B	-4.02	122.28	128.46
15	a	806	CLA	CMB-C2B-C1B	-4.02	122.29	128.46
15	O	831	CLA	CMB-C2B-C1B	-4.01	122.30	128.46
15	N	829	CLA	CMB-C2B-C1B	-4.01	122.30	128.46
14	A	826	F6C	CMC-C2C-C1C	-4.01	122.31	128.46
15	B	826	CLA	CMB-C2B-C1B	-4.00	122.32	128.46
15	a	815	CLA	CMB-C2B-C1B	-4.00	122.32	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	A	831	CLA	CMB-C2B-C1B	-3.99	122.33	128.46
15	b	816	CLA	CMB-C2B-C1B	-3.99	122.33	128.46
15	b	815	CLA	CMB-C2B-C1B	-3.99	122.33	128.46
15	B	822	CLA	CMB-C2B-C1B	-3.99	122.34	128.46
15	N	838	CLA	CMB-C2B-C1B	-3.99	122.34	128.46
15	a	829	CLA	CMB-C2B-C1B	-3.98	122.35	128.46
15	O	826	CLA	CMB-C2B-C1B	-3.98	122.35	128.46
15	L	202	CLA	CMB-C2B-C1B	-3.97	122.36	128.46
15	B	815	CLA	CMB-C2B-C1B	-3.97	122.37	128.46
15	N	837	CLA	CMB-C2B-C1B	-3.97	122.37	128.46
15	B	824	CLA	CMB-C2B-C1B	-3.96	122.37	128.46
15	A	837	CLA	CMB-C2B-C1B	-3.96	122.37	128.46
14	a	826	F6C	CHB-C4A-NA	3.96	128.09	124.45
15	A	827	CLA	CMB-C2B-C1B	-3.96	122.38	128.46
15	N	830	CLA	CMB-C2B-C1B	-3.95	122.39	128.46
15	W	1501	CLA	CMB-C2B-C1B	-3.95	122.39	128.46
15	O	815	CLA	CMB-C2B-C1B	-3.95	122.40	128.46
15	O	823	CLA	CMB-C2B-C1B	-3.94	122.41	128.46
15	a	827	CLA	CMB-C2B-C1B	-3.93	122.42	128.46
15	b	831	CLA	CMB-C2B-C1B	-3.93	122.42	128.46
15	a	837	CLA	CMB-C2B-C1B	-3.93	122.43	128.46
15	b	826	CLA	CMB-C2B-C1B	-3.93	122.43	128.46
15	O	821	CLA	CMB-C2B-C1B	-3.92	122.43	128.46
15	N	811	CLA	CMB-C2B-C1B	-3.91	122.46	128.46
15	b	821	CLA	CMB-C2B-C1B	-3.90	122.47	128.46
15	a	805	CLA	CMB-C2B-C1B	-3.90	122.47	128.46
15	B	823	CLA	CMB-C2B-C1B	-3.90	122.48	128.46
15	A	829	CLA	CMB-C2B-C1B	-3.89	122.48	128.46
15	A	833	CLA	CMB-C2B-C3B	3.89	131.96	124.68
15	N	815	CLA	CMB-C2B-C1B	-3.89	122.49	128.46
15	b	824	CLA	CMB-C2B-C1B	-3.89	122.49	128.46
15	b	823	CLA	C4A-NA-C1A	3.89	108.45	106.71
15	O	825	CLA	CMB-C2B-C1B	-3.89	122.49	128.46
15	A	815	CLA	CMB-C2B-C1B	-3.89	122.49	128.46
15	N	828	CLA	CMB-C2B-C1B	-3.88	122.50	128.46
15	A	818	CLA	CMB-C2B-C1B	-3.88	122.50	128.46
15	A	805	CLA	CMB-C2B-C1B	-3.88	122.50	128.46
15	N	805	CLA	CMB-C2B-C1B	-3.87	122.51	128.46
15	A	814	CLA	CMB-C2B-C1B	-3.87	122.52	128.46
14	a	824	F6C	CHB-C4A-NA	3.86	128.00	124.45
15	N	833	CLA	CMB-C2B-C3B	3.86	131.90	124.68
15	a	811	CLA	CMB-C2B-C1B	-3.85	122.54	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	a	828	CLA	CMB-C2B-C1B	-3.85	122.55	128.46
15	B	829	CLA	CMB-C2B-C1B	-3.85	122.55	128.46
15	A	811	CLA	CMB-C2B-C1B	-3.85	122.55	128.46
15	N	814	CLA	CMB-C2B-C1B	-3.85	122.55	128.46
15	b	828	CLA	CMB-C2B-C1B	-3.85	122.55	128.46
15	O	818	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
15	Z	103	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
15	B	819	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
15	a	832	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
15	B	811	CLA	CMB-C2B-C1B	-3.84	122.57	128.46
15	b	813	CLA	CMB-C2B-C1B	-3.83	122.58	128.46
15	l	103	CLA	CMB-C2B-C1B	-3.83	122.58	128.46
15	B	816	CLA	CMB-C2B-C1B	-3.82	122.59	128.46
15	a	833	CLA	CMB-C2B-C3B	3.82	131.82	124.68
15	A	832	CLA	CMB-C2B-C1B	-3.80	122.62	128.46
15	O	804	CLA	CMB-C2B-C1B	-3.80	122.62	128.46
15	b	804	CLA	CMB-C2B-C1B	-3.79	122.63	128.46
15	b	835	CLA	CMB-C2B-C3B	3.79	131.77	124.68
15	a	840	CLA	CMB-C2B-C1B	-3.79	122.64	128.46
14	A	824	F6C	CHB-C4A-NA	3.79	127.93	124.45
15	B	806	CLA	CMB-C2B-C1B	-3.79	122.65	128.46
15	X	103	CLA	CMB-C2B-C1B	-3.78	122.65	128.46
15	B	833	CLA	CMB-C2B-C3B	3.78	131.75	124.68
15	B	803	CLA	CMB-C2B-C1B	-3.78	122.66	128.46
15	O	829	CLA	CMB-C2B-C3B	3.78	131.74	124.68
15	b	818	CLA	CMB-C2B-C1B	-3.77	122.67	128.46
15	B	827	CLA	CMB-C2B-C3B	3.76	131.72	124.68
14	N	826	F6C	CMC-C2C-C1C	-3.76	122.69	128.46
15	A	835	CLA	CMB-C2B-C1B	-3.75	122.69	128.46
15	O	835	CLA	CMB-C2B-C3B	3.75	131.70	124.68
15	O	824	CLA	CMB-C2B-C1B	-3.75	122.70	128.46
14	B	831	F6C	CHB-C4A-NA	3.75	127.90	124.45
15	a	823	CLA	CMB-C2B-C1B	-3.75	122.70	128.46
14	A	857	F6C	CHB-C4A-NA	3.75	127.90	124.45
14	b	833	F6C	CHB-C4A-NA	3.75	127.90	124.45
15	A	840	CLA	CMB-C2B-C1B	-3.74	122.72	128.46
14	O	833	F6C	CHB-C4A-NA	3.73	127.89	124.45
15	B	832	CLA	CMB-C2B-C1B	-3.73	122.73	128.46
15	A	803	CLA	CMB-C2B-C3B	3.73	131.65	124.68
15	N	823	CLA	CMB-C2B-C1B	-3.73	122.74	128.46
15	a	814	CLA	CMB-C2B-C1B	-3.73	122.74	128.46
15	A	823	CLA	CMB-C2B-C1B	-3.72	122.74	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	b	811	CLA	CMB-C2B-C1B	-3.72	122.74	128.46
15	O	813	CLA	CMB-C2B-C1B	-3.72	122.74	128.46
14	A	802	F6C	C1A-C2A-C3A	-3.72	103.05	106.97
15	b	803	CLA	CMB-C2B-C1B	-3.72	122.75	128.46
14	N	856	F6C	CHB-C4A-NA	3.72	127.87	124.45
15	b	834	CLA	CMB-C2B-C1B	-3.71	122.76	128.46
15	b	829	CLA	CMB-C2B-C3B	3.71	131.62	124.68
15	B	812	CLA	CMB-C2B-C1B	-3.71	122.77	128.46
15	b	802	CLA	CMB-C2B-C3B	3.71	131.61	124.68
15	N	803	CLA	CMB-C2B-C3B	3.70	131.59	124.68
15	O	814	CLA	CMB-C2B-C1B	-3.69	122.79	128.46
15	A	856	CLA	CMB-C2B-C3B	3.68	131.57	124.68
15	A	828	CLA	CMB-C2B-C1B	-3.68	122.81	128.46
14	a	826	F6C	CMC-C2C-C1C	-3.68	122.81	128.46
15	a	803	CLA	CMB-C2B-C3B	3.68	131.56	124.68
15	b	823	CLA	CMB-C2B-C1B	-3.68	122.81	128.46
14	N	824	F6C	CHB-C4A-NA	3.67	127.83	124.45
14	a	856	F6C	CHB-C4A-NA	3.67	127.83	124.45
15	N	840	CLA	CMB-C2B-C1B	-3.67	122.82	128.46
14	N	802	F6C	C1A-C2A-C3A	-3.67	103.11	106.97
15	N	818	CLA	CMB-C2B-C1B	-3.67	122.83	128.46
15	N	809	CLA	CMB-C2B-C1B	-3.66	122.84	128.46
15	b	837	CLA	CMB-C2B-C3B	3.65	131.51	124.68
15	B	802	CLA	CMB-C2B-C1B	-3.65	122.85	128.46
15	a	809	CLA	CMB-C2B-C1B	-3.65	122.85	128.46
14	N	826	F6C	CHB-C4A-NA	3.65	127.81	124.45
14	A	857	F6C	C1A-C2A-C3A	-3.65	103.13	106.97
15	B	837	CLA	CMB-C2B-C3B	3.65	131.50	124.68
15	a	816	CLA	CMB-C2B-C1B	-3.64	122.86	128.46
15	a	810	CLA	CMB-C2B-C3B	3.64	131.49	124.68
15	O	834	CLA	CMB-C2B-C1B	-3.64	122.87	128.46
15	A	821	CLA	CMB-C2B-C1B	-3.64	122.87	128.46
15	O	822	CLA	CMB-C2B-C3B	3.64	131.49	124.68
15	A	809	CLA	CMB-C2B-C1B	-3.64	122.87	128.46
15	A	817	CLA	CMB-C2B-C1B	-3.64	122.87	128.46
15	N	817	CLA	CMB-C2B-C1B	-3.64	122.88	128.46
15	A	816	CLA	CMB-C2B-C1B	-3.63	122.88	128.46
15	N	816	CLA	CMB-C2B-C1B	-3.63	122.88	128.46
15	b	805	CLA	CMB-C2B-C3B	3.63	131.47	124.68
15	b	814	CLA	CMB-C2B-C1B	-3.63	122.89	128.46
15	A	810	CLA	CMB-C2B-C3B	3.63	131.46	124.68
14	b	840	F6C	CHB-C4A-NA	3.63	127.79	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	N	810	CLA	CMB-C2B-C3B	3.63	131.46	124.68
18	N	857	BCR	C15-C14-C13	-3.63	122.14	127.31
15	O	806	CLA	CMB-C2B-C3B	3.62	131.45	124.68
15	a	830	CLA	CMB-C2B-C3B	3.62	131.44	124.68
14	B	838	F6C	CHB-C4A-NA	3.61	127.77	124.45
15	N	832	CLA	CMB-C2B-C1B	-3.61	122.91	128.46
15	b	839	CLA	CMB-C2B-C3B	3.61	131.43	124.68
15	a	817	CLA	CMB-C2B-C1B	-3.61	122.92	128.46
15	b	817	CLA	CMB-C2B-C1B	-3.61	122.92	128.46
15	A	830	CLA	CMB-C2B-C3B	3.61	131.42	124.68
15	O	802	CLA	CMB-C2B-C3B	3.60	131.42	124.68
18	A	858	BCR	C15-C14-C13	-3.60	122.17	127.31
15	B	804	CLA	CMB-C2B-C3B	3.60	131.42	124.68
15	a	821	CLA	CMB-C2B-C1B	-3.60	122.93	128.46
15	B	835	CLA	CMB-C2B-C3B	3.60	131.41	124.68
15	O	809	CLA	CMB-C2B-C1B	-3.60	122.94	128.46
15	O	816	CLA	CMB-C2B-C3B	3.60	131.41	124.68
15	b	809	CLA	CMB-C2B-C1B	-3.60	122.94	128.46
15	a	820	CLA	CMB-C2B-C3B	3.59	131.40	124.68
15	B	836	CLA	CMB-C2B-C3B	3.59	131.40	124.68
15	B	821	CLA	CMB-C2B-C1B	-3.59	122.94	128.46
14	O	840	F6C	CHB-C4A-NA	3.59	127.75	124.45
15	O	837	CLA	CMB-C2B-C3B	3.58	131.38	124.68
14	a	802	F6C	C1A-C2A-C3A	-3.58	103.20	106.97
15	B	820	CLA	CMB-C2B-C3B	3.58	131.37	124.68
15	O	803	CLA	CMB-C2B-C1B	-3.57	122.97	128.46
15	b	838	CLA	CMB-C2B-C3B	3.57	131.36	124.68
15	B	805	CLA	CMB-C2B-C3B	3.57	131.36	124.68
15	O	805	CLA	CMB-C2B-C3B	3.57	131.36	124.68
14	W	1503	F6C	CHB-C4A-NA	3.57	127.73	124.45
15	N	821	CLA	CMB-C2B-C1B	-3.56	122.99	128.46
15	O	827	CLA	CMB-C2B-C1B	-3.56	122.99	128.46
15	i	103	CLA	CMB-C2B-C1B	-3.56	122.99	128.46
15	O	838	CLA	CMB-C2B-C3B	3.56	131.34	124.68
15	b	827	CLA	CMB-C2B-C1B	-3.55	123.00	128.46
15	O	828	CLA	CMB-C2B-C3B	3.55	131.31	124.68
14	a	856	F6C	C1A-C2A-C3A	-3.55	103.23	106.97
15	O	839	CLA	CMB-C2B-C3B	3.55	131.31	124.68
15	A	835	CLA	O2D-CGD-O1D	-3.54	116.91	123.84
15	N	804	CLA	CMB-C2B-C1B	-3.54	123.02	128.46
15	b	807	CLA	CMB-C2B-C1B	-3.54	123.02	128.46
15	a	804	CLA	CMB-C2B-C1B	-3.54	123.02	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	b	806	CLA	CMB-C2B-C3B	3.54	131.30	124.68
15	b	822	CLA	CMB-C2B-C3B	3.54	131.30	124.68
15	K	102	CLA	CMB-C2B-C1B	-3.54	123.03	128.46
15	O	808	CLA	CMB-C2B-C3B	3.54	131.30	124.68
15	N	811	CLA	O2D-CGD-O1D	-3.54	116.92	123.84
15	B	830	CLA	CMB-C2B-C3B	3.53	131.29	124.68
15	B	814	CLA	CMB-C2B-C3B	3.53	131.28	124.68
15	B	825	CLA	CMB-C2B-C1B	-3.53	123.05	128.46
20	a	853	LMT	C1B-O1B-C4'	3.53	126.69	117.96
15	b	832	CLA	CMB-C2B-C3B	3.52	131.27	124.68
15	O	832	CLA	CMB-C2B-C3B	3.52	131.27	124.68
18	a	857	BCR	C15-C14-C13	-3.52	122.29	127.31
15	B	808	CLA	CMB-C2B-C1B	-3.52	123.06	128.46
15	i	102	CLA	CMB-C2B-C1B	-3.52	123.06	128.46
15	N	820	CLA	CMB-C2B-C3B	3.52	131.26	124.68
15	O	807	CLA	CMB-C2B-C1B	-3.51	123.06	128.46
14	N	856	F6C	C1A-C2A-C3A	-3.51	103.27	106.97
15	A	839	CLA	CMB-C2B-C1B	-3.51	123.07	128.46
15	V	102	CLA	CMB-C2B-C1B	-3.51	123.07	128.46
15	N	829	CLA	CMB-C2B-C3B	3.51	131.24	124.68
20	A	853	LMT	C1B-O1B-C4'	3.51	126.64	117.96
15	B	813	CLA	CMB-C2B-C3B	3.50	131.24	124.68
15	a	835	CLA	CMB-C2B-C1B	-3.50	123.08	128.46
15	B	809	CLA	CMB-C2B-C1B	-3.50	123.09	128.46
15	A	819	CLA	CMB-C2B-C1B	-3.50	123.09	128.46
15	A	804	CLA	CMB-C2B-C1B	-3.50	123.09	128.46
14	j	204	F6C	CHB-C4A-NA	3.49	127.66	124.45
15	B	811	CLA	O2D-CGD-O1D	-3.49	117.01	123.84
15	B	807	CLA	CMB-C2B-C3B	3.49	131.21	124.68
15	A	822	CLA	CMB-C2B-C1B	-3.49	123.10	128.46
15	A	841	CLA	CMB-C2B-C1B	-3.49	123.10	128.46
15	O	813	CLA	O2D-CGD-O1D	-3.49	117.02	123.84
18	a	857	BCR	C11-C10-C9	-3.49	122.33	127.31
15	B	828	CLA	CMB-C2B-C1B	-3.49	123.11	128.46
15	N	808	CLA	CMB-C2B-C3B	3.48	131.20	124.68
15	a	829	CLA	CMB-C2B-C3B	3.48	131.19	124.68
18	N	857	BCR	C11-C10-C9	-3.48	122.35	127.31
15	b	815	CLA	CMB-C2B-C3B	3.47	131.18	124.68
15	b	830	CLA	CMB-C2B-C1B	-3.47	123.13	128.46
15	f	201	CLA	CMB-C2B-C1B	-3.47	123.13	128.46
15	N	819	CLA	CMB-C2B-C1B	-3.47	123.13	128.46
15	b	813	CLA	O2D-CGD-O1D	-3.46	117.07	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	S	201	CLA	CMB-C2B-C1B	-3.46	123.14	128.46
15	O	811	CLA	CMB-C2B-C1B	-3.46	123.14	128.46
15	B	810	CLA	CMB-C2B-C1B	-3.46	123.14	128.46
15	F	201	CLA	CMB-C2B-C1B	-3.46	123.15	128.46
15	a	825	CLA	CMB-C2B-C1B	-3.46	123.15	128.46
15	O	812	CLA	CMB-C2B-C1B	-3.46	123.15	128.46
15	A	806	CLA	CMB-C2B-C3B	3.46	131.14	124.68
15	b	812	CLA	CMB-C2B-C1B	-3.45	123.15	128.46
15	b	825	CLA	CMB-C2B-C3B	3.45	131.14	124.68
15	O	836	CLA	CMB-C2B-C1B	-3.45	123.16	128.46
15	N	825	CLA	CMB-C2B-C1B	-3.45	123.16	128.46
14	N	826	F6C	C1A-C2A-C3A	-3.45	103.34	106.97
15	N	841	CLA	CMB-C2B-C1B	-3.45	123.17	128.46
15	N	820	CLA	O2D-CGD-O1D	-3.45	117.10	123.84
15	a	841	CLA	CMB-C2B-C1B	-3.45	123.17	128.46
15	a	839	CLA	CMB-C2B-C1B	-3.44	123.17	128.46
15	N	806	CLA	CMB-C2B-C3B	3.44	131.12	124.68
20	N	853	LMT	C1B-O1B-C4'	3.44	126.48	117.96
18	A	858	BCR	C11-C10-C9	-3.44	122.40	127.31
15	b	819	CLA	CMB-C2B-C1B	-3.44	123.18	128.46
15	A	820	CLA	O2D-CGD-O1D	-3.44	117.12	123.84
15	a	818	CLA	CMB-C2B-C1B	-3.44	123.18	128.46
15	O	819	CLA	CMB-C2B-C1B	-3.43	123.19	128.46
15	B	834	CLA	CMB-C2B-C1B	-3.43	123.19	128.46
15	O	815	CLA	CMB-C2B-C3B	3.43	131.10	124.68
15	B	826	CLA	CMB-C2B-C3B	3.43	131.09	124.68
15	N	839	CLA	CMB-C2B-C1B	-3.43	123.20	128.46
15	A	807	CLA	CMB-C2B-C1B	-3.43	123.20	128.46
15	A	829	CLA	CMB-C2B-C3B	3.42	131.09	124.68
15	N	806	CLA	O2D-CGD-O1D	-3.42	117.14	123.84
15	A	808	CLA	CMB-C2B-C3B	3.42	131.08	124.68
15	a	838	CLA	CMB-C2B-C3B	3.42	131.08	124.68
15	B	817	CLA	CMB-C2B-C1B	-3.42	123.21	128.46
15	O	830	CLA	CMB-C2B-C1B	-3.42	123.21	128.46
15	b	836	CLA	CMB-C2B-C1B	-3.42	123.21	128.46
15	a	813	CLA	CMB-C2B-C3B	3.42	131.07	124.68
15	a	819	CLA	CMB-C2B-C1B	-3.42	123.22	128.46
15	O	831	CLA	CMB-C2B-C3B	3.41	131.07	124.68
15	A	813	CLA	CMB-C2B-C3B	3.41	131.06	124.68
15	b	808	CLA	CMB-C2B-C3B	3.41	131.05	124.68
15	N	813	CLA	CMB-C2B-C3B	3.40	131.04	124.68
15	N	835	CLA	CMB-C2B-C1B	-3.40	123.24	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	b	820	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
15	B	822	CLA	CMB-C2B-C3B	3.40	131.03	124.68
15	j	202	CLA	CMB-C2B-C3B	3.40	131.03	124.68
15	a	820	CLA	O2D-CGD-O1D	-3.40	117.20	123.84
15	N	830	CLA	CMB-C2B-C3B	3.40	131.03	124.68
15	O	820	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
15	B	818	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
15	L	203	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
15	N	827	CLA	CMB-C2B-C3B	3.39	131.02	124.68
15	a	836	CLA	CMB-C2B-C3B	3.39	131.02	124.68
15	a	806	CLA	CMB-C2B-C3B	3.39	131.02	124.68
15	A	825	CLA	CMB-C2B-C1B	-3.38	123.27	128.46
15	A	827	CLA	CMB-C2B-C3B	3.38	131.00	124.68
15	b	816	CLA	CMB-C2B-C3B	3.38	131.00	124.68
15	a	812	CLA	CMB-C2B-C1B	-3.37	123.28	128.46
15	N	836	CLA	CMB-C2B-C3B	3.37	130.98	124.68
15	A	812	CLA	CMB-C2B-C1B	-3.37	123.29	128.46
15	N	822	CLA	CMB-C2B-C1B	-3.37	123.29	128.46
15	A	836	CLA	CMB-C2B-C3B	3.36	130.97	124.68
15	A	838	CLA	CMB-C2B-C3B	3.36	130.97	124.68
15	N	812	CLA	CMB-C2B-C1B	-3.36	123.30	128.46
14	A	826	F6C	CMC-C2C-C3C	3.36	131.28	124.94
15	a	808	CLA	CMB-C2B-C3B	3.36	130.97	124.68
15	N	838	CLA	CMB-C2B-C3B	3.36	130.96	124.68
15	A	820	CLA	CMB-C2B-C3B	3.36	130.96	124.68
15	B	823	CLA	CMB-C2B-C3B	3.36	130.96	124.68
14	L	204	F6C	CHB-C4A-NA	3.36	127.54	124.45
15	a	822	CLA	CMB-C2B-C1B	-3.36	123.31	128.46
15	b	831	CLA	CMB-C2B-C3B	3.35	130.95	124.68
15	A	842	CLA	CMB-C2B-C1B	-3.35	123.31	128.46
15	a	815	CLA	CMB-C2B-C3B	3.35	130.94	124.68
15	N	837	CLA	CMB-C2B-C3B	3.34	130.93	124.68
14	N	826	F6C	O2D-CGD-O1D	-3.34	117.31	123.84
15	W	1502	CLA	CMB-C2B-C1B	-3.34	123.33	128.46
15	A	837	CLA	CMB-C2B-C3B	3.34	130.93	124.68
15	a	827	CLA	CMB-C2B-C3B	3.34	130.92	124.68
15	b	824	CLA	CMB-C2B-C3B	3.33	130.90	124.68
15	N	807	CLA	CMB-C2B-C1B	-3.32	123.35	128.46
15	a	837	CLA	CMB-C2B-C3B	3.32	130.89	124.68
15	a	840	CLA	CMB-C2B-C3B	3.32	130.89	124.68
15	O	825	CLA	CMB-C2B-C3B	3.32	130.89	124.68
15	O	826	CLA	CMB-C2B-C3B	3.32	130.88	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	L	203	CLA	O2D-CGD-O1D	-3.32	117.35	123.84
15	A	811	CLA	O2D-CGD-O1D	-3.30	117.38	123.84
15	O	818	CLA	CMB-C2B-C3B	3.30	130.86	124.68
15	O	823	CLA	CMB-C2B-C3B	3.30	130.85	124.68
15	a	805	CLA	CMB-C2B-C3B	3.30	130.85	124.68
15	A	840	CLA	CMB-C2B-C3B	3.30	130.84	124.68
15	O	821	CLA	CMB-C2B-C3B	3.29	130.84	124.68
14	a	826	F6C	C1A-C2A-C3A	-3.29	103.50	106.97
15	A	805	CLA	CMB-C2B-C3B	3.29	130.84	124.68
15	N	811	CLA	CMB-C2B-C3B	3.29	130.83	124.68
15	N	805	CLA	CMB-C2B-C3B	3.29	130.83	124.68
15	L	202	CLA	CMB-C2B-C3B	3.29	130.83	124.68
15	B	824	CLA	CMB-C2B-C3B	3.29	130.82	124.68
15	O	817	CLA	CMB-C2B-C3B	3.28	130.82	124.68
15	j	203	CLA	CMB-C2B-C1B	-3.28	123.42	128.46
15	a	807	CLA	CMB-C2B-C1B	-3.28	123.42	128.46
15	B	829	CLA	CMB-C2B-C3B	3.28	130.81	124.68
15	N	842	CLA	CMB-C2B-C1B	-3.28	123.42	128.46
15	b	828	CLA	CMB-C2B-C3B	3.28	130.81	124.68
15	A	818	CLA	CMB-C2B-C3B	3.27	130.80	124.68
15	a	811	CLA	CMB-C2B-C3B	3.27	130.80	124.68
15	A	811	CLA	CMB-C2B-C3B	3.27	130.80	124.68
15	b	821	CLA	CMB-C2B-C3B	3.27	130.80	124.68
15	A	814	CLA	CMB-C2B-C3B	3.27	130.79	124.68
15	a	811	CLA	O2D-CGD-O1D	-3.27	117.45	123.84
15	b	826	CLA	CMB-C2B-C3B	3.26	130.77	124.68
15	a	842	CLA	CMB-C2B-C1B	-3.25	123.46	128.46
15	B	816	CLA	CMB-C2B-C3B	3.25	130.76	124.68
15	N	814	CLA	CMB-C2B-C3B	3.25	130.76	124.68
15	b	841	CLA	CMB-C2B-C1B	-3.25	123.47	128.46
15	N	828	CLA	CMB-C2B-C3B	3.25	130.76	124.68
15	a	835	CLA	O2D-CGD-O1D	-3.25	117.49	123.84
15	A	815	CLA	CMB-C2B-C3B	3.24	130.75	124.68
13	N	801	CL0	CMB-C2B-C1B	-3.24	123.49	128.46
15	N	815	CLA	CMB-C2B-C3B	3.24	130.74	124.68
15	O	804	CLA	CMB-C2B-C3B	3.24	130.73	124.68
15	W	1501	CLA	CMB-C2B-C3B	3.23	130.73	124.68
13	a	801	CL0	CMB-C2B-C1B	-3.23	123.49	128.46
15	b	804	CLA	CMB-C2B-C3B	3.23	130.72	124.68
15	B	806	CLA	CMB-C2B-C3B	3.23	130.71	124.68
15	Z	103	CLA	CMB-C2B-C3B	3.22	130.71	124.68
15	N	831	CLA	CMB-C2B-C3B	3.22	130.71	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	803	CLA	CMB-C2B-C3B	3.22	130.71	124.68
15	a	828	CLA	CMB-C2B-C3B	3.22	130.70	124.68
15	a	832	CLA	CMB-C2B-C3B	3.22	130.70	124.68
15	B	819	CLA	CMB-C2B-C3B	3.22	130.69	124.68
15	W	1502	CLA	O2D-CGD-O1D	-3.21	117.56	123.84
15	K	103	CLA	CMB-C2B-C3B	3.21	130.69	124.68
15	B	839	CLA	CMB-C2B-C1B	-3.21	123.53	128.46
15	N	840	CLA	CMB-C2B-C3B	3.21	130.68	124.68
14	A	826	F6C	C1A-C2A-C3A	-3.21	103.59	106.97
15	b	813	CLA	CMB-C2B-C3B	3.21	130.68	124.68
15	l	103	CLA	CMB-C2B-C3B	3.21	130.68	124.68
15	b	818	CLA	CMB-C2B-C3B	3.20	130.67	124.68
14	N	826	F6C	CMC-C2C-C3C	3.20	130.98	124.94
15	j	203	CLA	O2D-CGD-O1D	-3.20	117.58	123.84
15	O	824	CLA	CMB-C2B-C3B	3.20	130.67	124.68
14	N	824	F6C	C1A-C2A-C3A	-3.20	103.60	106.97
15	O	841	CLA	CMB-C2B-C1B	-3.20	123.55	128.46
15	b	808	CLA	O2D-CGD-O1D	-3.20	117.59	123.84
15	B	811	CLA	CMB-C2B-C3B	3.19	130.65	124.68
15	A	835	CLA	CMB-C2B-C3B	3.19	130.65	124.68
14	j	204	F6C	O2D-CGD-O1D	-3.18	117.62	123.84
15	B	806	CLA	O2D-CGD-O1D	-3.18	117.63	123.84
15	X	103	CLA	CMB-C2B-C3B	3.18	130.62	124.68
15	N	834	CLA	CMB-C2B-C1B	-3.18	123.58	128.46
15	N	835	CLA	O2D-CGD-O1D	-3.17	117.63	123.84
15	b	811	CLA	CMB-C2B-C3B	3.17	130.60	124.68
15	b	803	CLA	CMB-C2B-C3B	3.16	130.60	124.68
15	A	832	CLA	CMB-C2B-C3B	3.16	130.60	124.68
13	A	801	CL0	CMB-C2B-C1B	-3.16	123.60	128.46
14	L	204	F6C	O2D-CGD-O1D	-3.16	117.66	123.84
15	B	832	CLA	CMB-C2B-C3B	3.16	130.58	124.68
15	B	815	CLA	CMB-C2B-C3B	3.15	130.58	124.68
15	a	814	CLA	CMB-C2B-C3B	3.15	130.57	124.68
15	a	823	CLA	CMB-C2B-C3B	3.15	130.57	124.68
15	b	807	CLA	O2D-CGD-O1D	-3.15	117.68	123.84
14	A	826	F6C	O2D-CGD-O1D	-3.15	117.69	123.84
15	b	825	CLA	O2D-CGD-O1D	-3.14	117.69	123.84
15	b	834	CLA	CMB-C2B-C3B	3.14	130.56	124.68
15	O	808	CLA	O2D-CGD-O1D	-3.14	117.70	123.84
15	a	834	CLA	CMB-C2B-C1B	-3.13	123.65	128.46
15	b	815	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
14	a	824	F6C	C1A-C2A-C3A	-3.13	103.67	106.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	801	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
15	O	807	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
15	A	823	CLA	CMB-C2B-C3B	3.13	130.53	124.68
15	V	103	CLA	CMB-C2B-C3B	3.13	130.53	124.68
15	A	818	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
14	A	824	F6C	C1A-C2A-C3A	-3.12	103.68	106.97
15	O	827	CLA	CMB-C2B-C3B	3.12	130.52	124.68
15	N	823	CLA	CMB-C2B-C3B	3.12	130.51	124.68
15	B	807	CLA	O2D-CGD-O1D	-3.12	117.75	123.84
15	B	812	CLA	CMB-C2B-C3B	3.11	130.50	124.68
15	a	818	CLA	O2D-CGD-O1D	-3.11	117.75	123.84
15	b	801	CLA	O2D-CGD-O1D	-3.11	117.76	123.84
15	O	813	CLA	CMB-C2B-C3B	3.11	130.50	124.68
15	O	836	CLA	O2D-CGD-O1D	-3.11	117.76	123.84
15	a	831	CLA	CMB-C2B-C3B	3.11	130.49	124.68
14	B	838	F6C	C1A-C2A-C3A	-3.10	103.70	106.97
14	O	840	F6C	C1A-C2A-C3A	-3.10	103.70	106.97
15	O	814	CLA	CMB-C2B-C3B	3.10	130.48	124.68
14	a	826	F6C	O2D-CGD-O1D	-3.10	117.78	123.84
15	N	818	CLA	O2D-CGD-O1D	-3.10	117.78	123.84
15	O	815	CLA	O2D-CGD-O1D	-3.10	117.78	123.84
15	b	824	CLA	O2D-CGD-O1D	-3.10	117.79	123.84
15	O	834	CLA	CMB-C2B-C3B	3.09	130.47	124.68
14	O	833	F6C	C1A-C2A-C3A	-3.09	103.71	106.97
15	a	831	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
14	a	826	F6C	CMC-C2C-C3C	3.09	130.77	124.94
15	N	818	CLA	CMB-C2B-C3B	3.09	130.46	124.68
15	B	834	CLA	O2D-CGD-O1D	-3.09	117.80	123.84
14	L	201	F6C	CBD-CHA-C4D	-3.09	105.06	108.54
14	b	833	F6C	O2D-CGD-O1D	-3.09	117.80	123.84
15	A	827	CLA	O2D-CGD-O1D	-3.09	117.80	123.84
15	B	822	CLA	O2D-CGD-O1D	-3.09	117.80	123.84
14	W	1503	F6C	O2D-CGD-O1D	-3.09	117.81	123.84
15	N	831	CLA	O2D-CGD-O1D	-3.08	117.81	123.84
15	b	836	CLA	O2D-CGD-O1D	-3.08	117.81	123.84
15	b	827	CLA	CMB-C2B-C3B	3.08	130.45	124.68
15	B	802	CLA	CMB-C2B-C3B	3.08	130.45	124.68
15	O	824	CLA	O2D-CGD-O1D	-3.08	117.81	123.84
14	b	833	F6C	C1A-C2A-C3A	-3.08	103.72	106.97
14	N	802	F6C	C4A-C3A-C2A	-3.08	102.44	106.94
15	A	831	CLA	O2D-CGD-O1D	-3.08	117.81	123.84
15	a	809	CLA	CMB-C2B-C3B	3.08	130.44	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	812	CLA	O2D-CGD-O1D	-3.08	117.82	123.84
15	A	809	CLA	CMB-C2B-C3B	3.07	130.43	124.68
15	N	809	CLA	CMB-C2B-C3B	3.07	130.43	124.68
15	A	834	CLA	CMB-C2B-C1B	-3.07	123.74	128.46
15	O	814	CLA	O2D-CGD-O1D	-3.07	117.83	123.84
14	B	831	F6C	O2D-CGD-O1D	-3.07	117.83	123.84
15	b	823	CLA	CMB-C2B-C3B	3.07	130.42	124.68
15	B	823	CLA	O2D-CGD-O1D	-3.07	117.84	123.84
14	O	833	F6C	O2D-CGD-O1D	-3.06	117.85	123.84
15	N	822	CLA	O2D-CGD-O1D	-3.06	117.85	123.84
15	b	817	CLA	O2D-CGD-O1D	-3.06	117.86	123.84
14	B	831	F6C	C1A-C2A-C3A	-3.06	103.75	106.97
15	A	831	CLA	CMB-C2B-C3B	3.06	130.39	124.68
15	a	809	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
15	B	837	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
15	B	825	CLA	CMB-C2B-C3B	3.05	130.38	124.68
15	a	840	CLA	O2D-CGD-O1D	-3.05	117.88	123.84
15	b	807	CLA	CMB-C2B-C3B	3.05	130.38	124.68
15	O	801	CLA	O2D-CGD-O1D	-3.05	117.88	123.84
15	b	814	CLA	CMB-C2B-C3B	3.05	130.38	124.68
15	N	810	CLA	CAA-C2A-C3A	-3.05	104.43	112.78
15	N	809	CLA	O2D-CGD-O1D	-3.05	117.88	123.84
15	a	835	CLA	CMB-C2B-C3B	3.04	130.37	124.68
15	O	825	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
15	b	823	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
15	B	813	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
15	A	809	CLA	O2D-CGD-O1D	-3.03	117.91	123.84
15	a	837	CLA	O2D-CGD-O1D	-3.03	117.91	123.84
15	b	814	CLA	O2D-CGD-O1D	-3.03	117.91	123.84
14	b	840	F6C	C1A-C2A-C3A	-3.03	103.78	106.97
15	A	837	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
15	b	829	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
15	O	829	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
15	b	839	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
14	a	802	F6C	C4A-C3A-C2A	-3.03	102.52	106.94
15	A	833	CLA	O2D-CGD-O1D	-3.02	117.92	123.84
15	a	827	CLA	O2D-CGD-O1D	-3.02	117.92	123.84
15	B	821	CLA	CMB-C2B-C3B	3.02	130.34	124.68
15	N	827	CLA	O2D-CGD-O1D	-3.02	117.93	123.84
15	A	828	CLA	CMB-C2B-C3B	3.02	130.33	124.68
15	a	822	CLA	O2D-CGD-O1D	-3.02	117.93	123.84
15	A	821	CLA	CMB-C2B-C3B	3.02	130.33	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	O	803	CLA	CMB-C2B-C3B	3.02	130.33	124.68
13	a	801	CL0	O2D-CGD-O1D	-3.02	117.93	123.84
15	O	816	CLA	O2D-CGD-O1D	-3.02	117.94	123.84
15	O	807	CLA	CMB-C2B-C3B	3.02	130.32	124.68
15	B	816	CLA	O2D-CGD-O1D	-3.02	117.94	123.84
13	A	801	CL0	O2D-CGD-O1D	-3.01	117.94	123.84
15	N	808	CLA	O2D-CGD-O1D	-3.01	117.94	123.84
15	A	817	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
15	a	817	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
15	B	836	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
15	N	817	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
15	O	802	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
15	N	832	CLA	CMB-C2B-C3B	3.01	130.31	124.68
15	N	837	CLA	O2D-CGD-O1D	-3.01	117.96	123.84
15	B	815	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
15	A	840	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
15	a	808	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
15	V	103	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
15	A	839	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
15	a	804	CLA	O2D-CGD-O1D	-3.00	117.98	123.84
15	a	821	CLA	CMB-C2B-C3B	3.00	130.28	124.68
14	A	802	F6C	C4A-C3A-C2A	-3.00	102.57	106.94
15	A	856	CLA	O2D-CGD-O1D	-3.00	117.98	123.84
14	B	838	F6C	O2D-CGD-O1D	-2.99	117.98	123.84
15	O	838	CLA	O2D-CGD-O1D	-2.99	117.98	123.84
13	N	801	CL0	O2D-CGD-O1D	-2.99	117.99	123.84
15	B	821	CLA	O2D-CGD-O1D	-2.99	117.99	123.84
15	a	810	CLA	CAA-C2A-C3A	-2.99	104.59	112.78
15	N	840	CLA	O2D-CGD-O1D	-2.99	117.99	123.84
15	K	102	CLA	CMB-C2B-C3B	2.99	130.27	124.68
15	b	838	CLA	O2D-CGD-O1D	-2.99	118.00	123.84
14	L	201	F6C	C4A-C3A-C2A	-2.99	102.58	106.94
15	N	804	CLA	O2D-CGD-O1D	-2.98	118.00	123.84
15	A	808	CLA	O2D-CGD-O1D	-2.98	118.00	123.84
15	B	814	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
15	B	827	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
15	A	804	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
15	B	830	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
15	i	103	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
15	O	822	CLA	CAA-C2A-C3A	-2.98	104.63	112.78
14	L	204	F6C	C1A-C2A-C3A	-2.98	103.83	106.97
15	K	103	CLA	O2D-CGD-O1D	-2.97	118.02	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	O	839	CLA	O2D-CGD-O1D	-2.97	118.02	123.84
14	j	204	F6C	C1A-C2A-C3A	-2.97	103.84	106.97
15	b	802	CLA	O2D-CGD-O1D	-2.97	118.03	123.84
15	N	839	CLA	O2D-CGD-O1D	-2.97	118.03	123.84
15	b	826	CLA	O2D-CGD-O1D	-2.97	118.03	123.84
15	i	102	CLA	CMB-C2B-C3B	2.96	130.22	124.68
15	A	810	CLA	CAA-C2A-C3A	-2.96	104.67	112.78
15	O	817	CLA	O2D-CGD-O1D	-2.96	118.05	123.84
15	V	102	CLA	CMB-C2B-C3B	2.96	130.22	124.68
14	W	1503	F6C	C1A-C2A-C3A	-2.96	103.86	106.97
15	B	809	CLA	CMB-C2B-C3B	2.96	130.21	124.68
15	N	835	CLA	CMB-C2B-C3B	2.96	130.21	124.68
15	O	823	CLA	O2D-CGD-O1D	-2.96	118.06	123.84
15	O	831	CLA	O2D-CGD-O1D	-2.95	118.06	123.84
15	a	805	CLA	O2D-CGD-O1D	-2.95	118.06	123.84
15	b	837	CLA	O2D-CGD-O1D	-2.95	118.06	123.84
15	N	821	CLA	CMB-C2B-C3B	2.95	130.20	124.68
15	N	833	CLA	O2D-CGD-O1D	-2.95	118.06	123.84
15	O	826	CLA	O2D-CGD-O1D	-2.95	118.07	123.84
15	b	819	CLA	O2D-CGD-O1D	-2.95	118.07	123.84
15	a	816	CLA	CMB-C2B-C3B	2.95	130.20	124.68
15	O	819	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
15	N	805	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
15	B	835	CLA	O2D-CGD-O1D	-2.94	118.08	123.84
14	O	810	F6C	CBD-CHA-C4D	-2.94	105.22	108.54
15	b	811	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
15	b	830	CLA	CMB-C2B-C3B	2.94	130.18	124.68
15	O	837	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
15	A	805	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
15	B	809	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
15	O	811	CLA	CMB-C2B-C3B	2.93	130.17	124.68
15	A	823	CLA	O2D-CGD-O1D	-2.93	118.10	123.84
15	A	806	CLA	O2D-CGD-O1D	-2.93	118.10	123.84
15	O	818	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
15	b	818	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
15	A	832	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
15	B	817	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
15	O	806	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
15	a	833	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
15	O	830	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
14	b	810	F6C	O2D-CGD-O1D	-2.93	118.11	123.84
15	b	806	CLA	O2D-CGD-O1D	-2.93	118.11	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	826	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
15	A	816	CLA	CMB-C2B-C3B	2.93	130.16	124.68
15	b	841	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
15	A	813	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
15	N	823	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
15	b	830	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
14	b	810	F6C	C4A-C3A-C2A	-2.92	102.67	106.94
15	B	828	CLA	O2D-CGD-O1D	-2.92	118.13	123.84
15	N	816	CLA	CMB-C2B-C3B	2.92	130.14	124.68
15	A	814	CLA	O2D-CGD-O1D	-2.92	118.13	123.84
15	B	839	CLA	O2D-CGD-O1D	-2.92	118.13	123.84
18	k	102	BCR	C7-C8-C9	-2.92	121.83	126.23
14	O	810	F6C	O2D-CGD-O1D	-2.92	118.14	123.84
14	b	840	F6C	O2D-CGD-O1D	-2.92	118.14	123.84
15	B	828	CLA	CMB-C2B-C3B	2.92	130.13	124.68
14	O	840	F6C	O2D-CGD-O1D	-2.91	118.14	123.84
15	N	813	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
15	A	819	CLA	CMB-C2B-C3B	2.91	130.13	124.68
15	a	842	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
15	N	838	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	a	806	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	A	812	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	W	1501	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	b	805	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	a	838	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	b	812	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	a	823	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	B	805	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	O	811	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	b	802	CLA	C1B-CHB-C4A	-2.91	124.36	130.12
15	a	839	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	A	842	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
15	O	841	CLA	O2D-CGD-O1D	-2.91	118.16	123.84
15	a	807	CLA	O2D-CGD-O1D	-2.91	118.16	123.84
15	a	814	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
15	b	816	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
14	a	824	F6C	O2D-CGD-O1D	-2.90	118.16	123.84
15	a	825	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
15	b	822	CLA	CAA-C2A-C3A	-2.90	104.83	112.78
14	A	824	F6C	O2D-CGD-O1D	-2.90	118.16	123.84
15	b	834	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
15	O	809	CLA	O2D-CGD-O1D	-2.90	118.16	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	N	814	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
15	B	819	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
15	O	830	CLA	CMB-C2B-C3B	2.90	130.10	124.68
15	B	824	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
15	a	813	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
15	A	822	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
15	A	839	CLA	CMB-C2B-C3B	2.90	130.10	124.68
15	B	829	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
15	a	821	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
15	O	828	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
18	A	858	BCR	C16-C15-C14	2.89	129.40	123.47
15	B	804	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
15	b	831	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
15	N	842	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
15	a	812	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
14	N	824	F6C	O2D-CGD-O1D	-2.89	118.19	123.84
15	O	804	CLA	O2D-CGD-O1D	-2.89	118.19	123.84
15	O	821	CLA	O2D-CGD-O1D	-2.89	118.19	123.84
15	a	818	CLA	CMB-C2B-C3B	2.89	130.09	124.68
15	A	807	CLA	CMB-C2B-C3B	2.89	130.08	124.68
15	O	834	CLA	O2D-CGD-O1D	-2.89	118.20	123.84
15	N	821	CLA	O2D-CGD-O1D	-2.88	118.20	123.84
14	a	856	F6C	O2D-CGD-O1D	-2.88	118.20	123.84
15	b	828	CLA	O2D-CGD-O1D	-2.88	118.20	123.84
15	b	820	CLA	O2D-CGD-O1D	-2.88	118.20	123.84
15	L	203	CLA	CMB-C2B-C3B	2.88	130.07	124.68
15	O	805	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
15	N	807	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
15	b	804	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
15	O	820	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
15	O	827	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
15	b	821	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
15	a	832	CLA	O2D-CGD-O1D	-2.88	118.22	123.84
15	B	818	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
15	N	812	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
15	B	825	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
15	O	812	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
15	A	807	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
15	L	202	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
15	A	825	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
15	B	820	CLA	CAA-C2A-C3A	-2.87	104.91	112.78
15	O	812	CLA	CMB-C2B-C3B	2.87	130.05	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	A	821	CLA	O2D-CGD-O1D	-2.87	118.23	123.84
15	N	819	CLA	CMB-C2B-C3B	2.87	130.04	124.68
18	N	857	BCR	C16-C15-C14	2.87	129.34	123.47
15	A	834	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
15	A	838	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
14	N	802	F6C	O2D-CGD-O1D	-2.86	118.24	123.84
14	b	810	F6C	CBD-CHA-C4D	-2.86	105.31	108.54
15	a	834	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
15	A	836	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
15	b	832	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
15	N	832	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
14	A	802	F6C	O2D-CGD-O1D	-2.86	118.25	123.84
15	a	825	CLA	CMB-C2B-C3B	2.86	130.03	124.68
15	N	825	CLA	CMB-C2B-C3B	2.86	130.03	124.68
15	B	810	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
15	a	839	CLA	CMB-C2B-C3B	2.86	130.03	124.68
15	B	803	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
15	i	103	CLA	CMB-C2B-C3B	2.86	130.02	124.68
15	b	827	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
15	N	839	CLA	CMB-C2B-C3B	2.86	130.02	124.68
15	B	810	CLA	CMB-C2B-C3B	2.85	130.02	124.68
15	B	832	CLA	O2D-CGD-O1D	-2.85	118.26	123.84
15	a	819	CLA	O2D-CGD-O1D	-2.85	118.26	123.84
15	b	812	CLA	CMB-C2B-C3B	2.85	130.01	124.68
15	A	841	CLA	CMB-C2B-C3B	2.85	130.01	124.68
15	W	1502	CLA	CMB-C2B-C3B	2.85	130.01	124.68
14	L	201	F6C	O2D-CGD-O1D	-2.85	118.27	123.84
15	O	832	CLA	O2D-CGD-O1D	-2.85	118.27	123.84
15	A	819	CLA	O2D-CGD-O1D	-2.85	118.27	123.84
15	X	103	CLA	O2D-CGD-O1D	-2.85	118.27	123.84
15	A	828	CLA	O2D-CGD-O1D	-2.85	118.27	123.84
15	N	841	CLA	CMB-C2B-C3B	2.84	130.00	124.68
15	N	828	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
15	N	825	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
15	A	830	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
15	l	103	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
14	A	857	F6C	O2D-CGD-O1D	-2.84	118.29	123.84
15	N	819	CLA	O2D-CGD-O1D	-2.84	118.29	123.84
15	N	829	CLA	O2D-CGD-O1D	-2.84	118.29	123.84
15	b	801	CLA	CMB-C2B-C1B	-2.84	124.10	128.46
15	Z	103	CLA	O2D-CGD-O1D	-2.83	118.30	123.84
15	a	816	CLA	O2D-CGD-O1D	-2.83	118.30	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	O	810	F6C	C4A-C3A-C2A	-2.83	102.80	106.94
15	N	830	CLA	O2D-CGD-O1D	-2.83	118.30	123.84
15	A	820	CLA	O2D-CGD-CBD	2.83	116.30	111.27
15	a	836	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
15	A	803	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
15	N	834	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
15	N	836	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
15	a	819	CLA	CMB-C2B-C3B	2.82	129.96	124.68
14	a	802	F6C	O2D-CGD-O1D	-2.82	118.32	123.84
15	A	816	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
15	a	830	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
15	a	841	CLA	CMB-C2B-C3B	2.82	129.96	124.68
15	V	102	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
15	b	809	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
15	K	102	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
15	N	816	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
15	i	102	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
15	A	856	CLA	C1B-CHB-C4A	-2.81	124.55	130.12
15	A	825	CLA	CMB-C2B-C3B	2.81	129.94	124.68
15	a	829	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
15	B	807	CLA	O2A-CGA-O1A	-2.81	116.50	123.59
15	a	828	CLA	O2D-CGD-O1D	-2.81	118.35	123.84
15	b	817	CLA	CMB-C2B-C3B	2.80	129.93	124.68
15	A	829	CLA	O2D-CGD-O1D	-2.80	118.36	123.84
14	N	856	F6C	O2D-CGD-O1D	-2.80	118.36	123.84
13	N	801	CL0	CMB-C2B-C3B	2.80	129.92	124.68
15	B	801	CLA	CMB-C2B-C1B	-2.80	124.16	128.46
15	a	812	CLA	CMB-C2B-C3B	2.80	129.91	124.68
15	B	808	CLA	O2D-CGD-O1D	-2.80	118.37	123.84
15	N	841	CLA	O2D-CGD-O1D	-2.80	118.37	123.84
13	a	801	CL0	CMB-C2B-C3B	2.79	129.91	124.68
15	S	201	CLA	CMB-C2B-C3B	2.79	129.90	124.68
18	a	857	BCR	C16-C15-C14	2.79	129.19	123.47
15	N	820	CLA	O2D-CGD-CBD	2.79	116.22	111.27
15	A	817	CLA	CMB-C2B-C3B	2.79	129.89	124.68
15	O	819	CLA	CMB-C2B-C3B	2.79	129.89	124.68
15	A	812	CLA	CMB-C2B-C3B	2.79	129.89	124.68
15	A	822	CLA	CMB-C2B-C3B	2.79	129.89	124.68
15	B	834	CLA	CMB-C2B-C3B	2.79	129.89	124.68
15	b	809	CLA	CMB-C2B-C3B	2.78	129.88	124.68
15	b	819	CLA	CMB-C2B-C3B	2.78	129.88	124.68
15	j	202	CLA	O2D-CGD-O1D	-2.78	118.40	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	N	817	CLA	CMB-C2B-C3B	2.78	129.88	124.68
15	B	811	CLA	O2D-CGD-CBD	2.78	116.21	111.27
15	B	817	CLA	CMB-C2B-C3B	2.78	129.88	124.68
18	A	858	BCR	C7-C8-C9	-2.78	122.04	126.23
15	O	836	CLA	CMB-C2B-C3B	2.78	129.87	124.68
15	A	810	CLA	O2D-CGD-O1D	-2.77	118.41	123.84
15	f	201	CLA	CMB-C2B-C3B	2.77	129.87	124.68
14	b	810	F6C	C1A-C2A-C3A	-2.77	104.05	106.97
15	b	813	CLA	O2D-CGD-CBD	2.77	116.19	111.27
15	N	812	CLA	CMB-C2B-C3B	2.77	129.86	124.68
15	N	803	CLA	O2D-CGD-O1D	-2.77	118.43	123.84
15	O	813	CLA	O2D-CGD-CBD	2.77	116.18	111.27
15	N	807	CLA	CMB-C2B-C3B	2.77	129.85	124.68
15	b	836	CLA	CMB-C2B-C3B	2.77	129.85	124.68
15	j	203	CLA	CMB-C2B-C3B	2.76	129.85	124.68
15	O	801	CLA	CMB-C2B-C1B	-2.76	124.22	128.46
15	a	810	CLA	O2D-CGD-O1D	-2.76	118.44	123.84
15	B	818	CLA	CMB-C2B-C3B	2.76	129.84	124.68
15	a	841	CLA	O2D-CGD-O1D	-2.76	118.44	123.84
14	O	810	F6C	C1A-C2A-C3A	-2.76	104.06	106.97
15	a	807	CLA	CMB-C2B-C3B	2.76	129.84	124.68
15	b	808	CLA	O2A-CGA-O1A	-2.76	116.64	123.59
20	A	853	LMT	O5B-C1B-C2B	2.76	116.18	110.35
15	F	201	CLA	CMB-C2B-C3B	2.76	129.83	124.68
15	b	820	CLA	CMB-C2B-C3B	2.75	129.83	124.68
15	a	829	CLA	C1B-CHB-C4A	-2.75	124.67	130.12
18	a	857	BCR	C7-C8-C9	-2.75	122.08	126.23
15	O	820	CLA	CMB-C2B-C3B	2.75	129.82	124.68
15	N	810	CLA	O2D-CGD-O1D	-2.75	118.46	123.84
15	O	808	CLA	O2A-CGA-O1A	-2.75	116.65	123.59
15	O	822	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
14	W	1503	F6C	C3A-C4A-NA	2.75	112.13	110.10
14	b	810	F6C	CHB-C4A-C3A	-2.75	119.72	125.48
15	a	820	CLA	O2D-CGD-CBD	2.75	116.15	111.27
18	N	857	BCR	C7-C8-C9	-2.75	122.09	126.23
15	A	815	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
14	b	840	F6C	OMB-CMB-C2B	-2.74	119.49	125.69
15	N	829	CLA	C1B-CHB-C4A	-2.74	124.70	130.12
15	a	803	CLA	O2D-CGD-O1D	-2.74	118.49	123.84
13	A	801	CL0	CMB-C2B-C3B	2.73	129.79	124.68
15	b	822	CLA	O2D-CGD-O1D	-2.73	118.50	123.84
15	a	817	CLA	CMB-C2B-C3B	2.73	129.78	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	a	801	CL0	CHB-C4A-NA	2.73	128.28	124.51
14	B	838	F6C	OMB-CMB-C2B	-2.72	119.53	125.69
18	M	101	BCR	C7-C8-C9	-2.72	122.12	126.23
15	b	815	CLA	CHD-C1D-ND	-2.72	121.95	124.45
15	A	842	CLA	CMB-C2B-C3B	2.72	129.76	124.68
14	j	204	F6C	C3A-C4A-NA	2.71	112.10	110.10
14	O	810	F6C	CHB-C4A-C3A	-2.71	119.79	125.48
15	A	841	CLA	O2D-CGD-O1D	-2.71	118.54	123.84
14	L	201	F6C	C1A-C2A-C3A	-2.70	104.12	106.97
15	B	820	CLA	O2D-CGD-O1D	-2.70	118.55	123.84
15	O	809	CLA	CMB-C2B-C3B	2.70	129.74	124.68
15	N	815	CLA	O2D-CGD-O1D	-2.70	118.56	123.84
15	O	815	CLA	CHB-C4A-NA	2.70	128.25	124.51
14	b	810	F6C	C3A-C4A-NA	2.69	112.09	110.10
14	L	201	F6C	CHB-C4A-C3A	-2.69	119.84	125.48
13	A	801	CL0	CHB-C4A-NA	2.69	128.23	124.51
15	A	829	CLA	C1B-CHB-C4A	-2.69	124.79	130.12
14	A	802	F6C	CHB-C4A-NA	2.69	126.92	124.45
14	a	802	F6C	CHB-C4A-NA	2.68	126.92	124.45
15	a	815	CLA	O2D-CGD-O1D	-2.68	118.59	123.84
14	O	840	F6C	OMB-CMB-C2B	-2.68	119.62	125.69
20	a	853	LMT	O5B-C1B-C2B	2.68	116.03	110.35
14	L	201	F6C	OMB-CMB-C2B	-2.68	119.63	125.69
15	B	816	CLA	C1B-CHB-C4A	-2.68	124.81	130.12
15	B	808	CLA	CMB-C2B-C3B	2.68	129.69	124.68
15	a	842	CLA	CMB-C2B-C3B	2.68	129.69	124.68
15	b	818	CLA	C1B-CHB-C4A	-2.67	124.83	130.12
15	N	842	CLA	CMB-C2B-C3B	2.67	129.68	124.68
18	O	848	BCR	C20-C21-C22	-2.67	123.50	127.31
15	N	820	CLA	CHB-C4A-NA	2.67	128.20	124.51
15	b	815	CLA	CHB-C4A-NA	2.67	128.20	124.51
14	b	810	F6C	OMB-CMB-C2B	-2.67	119.66	125.69
20	N	853	LMT	O5B-C1B-C2B	2.67	115.99	110.35
15	A	820	CLA	CHB-C4A-NA	2.66	128.20	124.51
15	a	822	CLA	CMB-C2B-C3B	2.66	129.66	124.68
13	N	801	CL0	CHB-C4A-NA	2.66	128.19	124.51
15	b	841	CLA	CMB-C2B-C3B	2.66	129.66	124.68
14	A	826	F6C	CBD-CHA-C4D	-2.66	105.54	108.54
15	N	804	CLA	CMB-C2B-C3B	2.66	129.66	124.68
15	B	839	CLA	CMB-C2B-C3B	2.66	129.65	124.68
15	O	815	CLA	CHD-C1D-ND	-2.66	122.01	124.45
15	a	804	CLA	CMB-C2B-C3B	2.65	129.64	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	a	820	CLA	CHB-C4A-NA	2.65	128.18	124.51
14	N	802	F6C	OMB-CMB-C2B	-2.65	119.70	125.69
14	W	1503	F6C	OMB-CMB-C2B	-2.64	119.71	125.69
15	B	807	CLA	C1B-CHB-C4A	-2.64	124.88	130.12
15	O	802	CLA	C1B-CHB-C4A	-2.64	124.89	130.12
15	O	822	CLA	C1B-CHB-C4A	-2.64	124.89	130.12
15	A	804	CLA	CMB-C2B-C3B	2.64	129.61	124.68
15	O	841	CLA	CMB-C2B-C3B	2.63	129.61	124.68
14	j	204	F6C	OMB-CMB-C2B	-2.63	119.74	125.69
15	B	820	CLA	C1B-CHB-C4A	-2.63	124.91	130.12
15	O	818	CLA	C1B-CHB-C4A	-2.63	124.91	130.12
14	L	204	F6C	OMB-CMB-C2B	-2.62	119.75	125.69
14	A	826	F6C	OMB-CMB-C2B	-2.62	119.76	125.69
15	N	841	CLA	CHB-C4A-NA	2.62	128.13	124.51
15	N	834	CLA	CMB-C2B-C3B	2.62	129.57	124.68
15	O	822	CLA	CHB-C4A-NA	2.61	128.13	124.51
15	O	808	CLA	C1B-CHB-C4A	-2.61	124.94	130.12
15	a	834	CLA	CMB-C2B-C3B	2.61	129.56	124.68
14	a	826	F6C	C4A-C3A-C2A	-2.61	103.13	106.94
15	F	201	CLA	O2D-CGD-O1D	-2.61	118.74	123.84
15	b	822	CLA	C1B-CHB-C4A	-2.61	124.95	130.12
14	A	826	F6C	CHB-C4A-C3A	-2.61	120.01	125.48
15	b	808	CLA	C1B-CHB-C4A	-2.61	124.96	130.12
14	a	824	F6C	CHB-C4A-C3A	-2.60	120.02	125.48
14	N	824	F6C	C3A-C4A-NA	2.60	112.02	110.10
15	O	803	CLA	O2D-CGD-O1D	-2.60	118.75	123.84
18	f	202	BCR	C20-C21-C22	-2.60	123.60	127.31
14	A	826	F6C	C4A-C3A-C2A	-2.60	103.14	106.94
14	A	802	F6C	OMB-CMB-C2B	-2.60	119.81	125.69
14	a	826	F6C	CBD-CHA-C4D	-2.60	105.61	108.54
15	K	103	CLA	C1-C2-C3	-2.60	122.55	126.75
15	A	832	CLA	C1-C2-C3	-2.60	122.55	126.75
15	i	103	CLA	C1-C2-C3	-2.59	122.56	126.75
15	N	818	CLA	CHB-C4A-NA	2.59	128.09	124.51
18	F	202	BCR	C20-C21-C22	-2.59	123.61	127.31
15	N	822	CLA	CMB-C2B-C3B	2.59	129.52	124.68
14	B	831	F6C	CMC-C2C-C1C	-2.58	124.49	128.46
15	b	834	CLA	CHB-C4A-NA	2.58	128.09	124.51
14	a	802	F6C	OMB-CMB-C2B	-2.58	119.84	125.69
15	a	818	CLA	CHB-C4A-NA	2.58	128.08	124.51
14	L	204	F6C	C3A-C4A-NA	2.58	112.01	110.10
15	V	103	CLA	C1-C2-C3	-2.58	122.58	126.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	S	201	CLA	O2D-CGD-O1D	-2.57	118.80	123.84
14	a	826	F6C	CHB-C4A-C3A	-2.57	120.08	125.48
14	a	802	F6C	C3A-C4A-NA	2.57	112.00	110.10
15	A	818	CLA	CHB-C4A-NA	2.57	128.07	124.51
15	B	802	CLA	C1B-CHB-C4A	-2.57	125.02	130.12
14	A	824	F6C	CHB-C4A-C3A	-2.57	120.09	125.48
18	Y	102	BCR	C7-C8-C9	-2.57	122.35	126.23
15	b	803	CLA	C1B-CHB-C4A	-2.57	125.03	130.12
15	A	835	CLA	O2D-CGD-CBD	2.57	115.83	111.27
15	O	834	CLA	CHB-C4A-NA	2.57	128.06	124.51
15	b	806	CLA	CHB-C4A-NA	2.57	128.06	124.51
15	A	834	CLA	CMB-C2B-C3B	2.56	129.47	124.68
15	a	814	CLA	CHB-C4A-NA	2.56	128.06	124.51
14	N	802	F6C	CHB-C4A-NA	2.56	126.81	124.45
14	O	810	F6C	OMB-CMB-C2B	-2.56	119.89	125.69
14	b	833	F6C	CMC-C2C-C1C	-2.56	124.53	128.46
14	B	831	F6C	CHB-C4A-C3A	-2.56	120.11	125.48
15	O	801	CLA	C1B-CHB-C4A	-2.56	125.05	130.12
14	W	1503	F6C	CHB-C4A-C3A	-2.56	120.12	125.48
14	O	833	F6C	CMC-C2C-C1C	-2.55	124.54	128.46
15	a	807	CLA	CHB-C4A-NA	2.55	128.04	124.51
15	b	805	CLA	CHB-C4A-NA	2.55	128.04	124.51
15	b	824	CLA	CHB-C4A-NA	2.55	128.04	124.51
15	B	802	CLA	O2D-CGD-O1D	-2.55	118.85	123.84
15	O	824	CLA	CHB-C4A-NA	2.55	128.04	124.51
15	A	841	CLA	CHB-C4A-NA	2.55	128.04	124.51
14	b	833	F6C	CHB-C4A-C3A	-2.55	120.13	125.48
15	X	103	CLA	CHB-C4A-NA	2.55	128.04	124.51
15	A	807	CLA	CHB-C4A-NA	2.55	128.03	124.51
15	N	805	CLA	CHB-C4A-NA	2.55	128.03	124.51
14	O	833	F6C	CHB-C4A-C3A	-2.55	120.14	125.48
15	f	201	CLA	O2D-CGD-O1D	-2.55	118.86	123.84
15	a	816	CLA	CHB-C4A-NA	2.55	128.03	124.51
14	N	824	F6C	CHB-C4A-C3A	-2.55	120.14	125.48
15	O	825	CLA	C1B-CHB-C4A	-2.54	125.08	130.12
14	O	810	F6C	C3A-C4A-NA	2.54	111.98	110.10
14	a	824	F6C	C3A-C4A-NA	2.54	111.98	110.10
15	Z	103	CLA	CHB-C4A-NA	2.54	128.03	124.51
15	b	822	CLA	CHB-C4A-NA	2.54	128.03	124.51
15	a	820	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
15	A	816	CLA	CHB-C4A-NA	2.54	128.02	124.51
15	N	807	CLA	CHB-C4A-NA	2.54	128.02	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	a	832	CLA	C1-C2-C3	-2.54	122.65	126.75
15	B	832	CLA	CHB-C4A-NA	2.54	128.02	124.51
15	a	841	CLA	CHB-C4A-NA	2.54	128.02	124.51
15	O	805	CLA	CHB-C4A-NA	2.54	128.02	124.51
15	B	823	CLA	CHB-C4A-NA	2.53	128.02	124.51
15	b	819	CLA	C1B-CHB-C4A	-2.53	125.10	130.12
15	A	806	CLA	CHB-C4A-NA	2.53	128.02	124.51
15	O	827	CLA	C1B-CHB-C4A	-2.53	125.10	130.12
15	B	822	CLA	CHB-C4A-NA	2.53	128.01	124.51
15	A	814	CLA	CHB-C4A-NA	2.53	128.01	124.51
14	A	824	F6C	C3A-C4A-NA	2.53	111.97	110.10
14	N	802	F6C	C3A-C4A-NA	2.53	111.97	110.10
15	a	839	CLA	CHB-C4A-NA	2.53	128.01	124.51
15	N	803	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
15	A	828	CLA	CHB-C4A-NA	2.53	128.01	124.51
15	B	813	CLA	CHB-C4A-NA	2.53	128.01	124.51
15	A	840	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
14	O	840	F6C	C3A-C4A-NA	2.53	111.97	110.10
15	O	806	CLA	CHB-C4A-NA	2.53	128.01	124.51
15	O	826	CLA	CHB-C4A-NA	2.53	128.01	124.51
15	b	817	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
15	B	839	CLA	CHB-C4A-NA	2.53	128.00	124.51
15	b	816	CLA	CHB-C4A-NA	2.53	128.00	124.51
14	B	838	F6C	CMB-C2B-C1B	-2.52	121.78	128.26
15	B	817	CLA	C1B-CHB-C4A	-2.52	125.12	130.12
15	B	814	CLA	CHB-C4A-NA	2.52	128.00	124.51
15	B	820	CLA	CHB-C4A-NA	2.52	128.00	124.51
15	N	814	CLA	CHB-C4A-NA	2.52	128.00	124.51
15	A	820	CLA	C1B-CHB-C4A	-2.52	125.12	130.12
15	O	825	CLA	CHB-C4A-NA	2.52	128.00	124.51
14	N	826	F6C	CBD-CHA-C4D	-2.52	105.70	108.54
14	B	831	F6C	OMB-CMB-C2B	-2.52	119.99	125.69
15	L	202	CLA	CHB-C4A-NA	2.52	128.00	124.51
15	A	803	CLA	C1B-CHB-C4A	-2.52	125.13	130.12
15	b	812	CLA	CHB-C4A-NA	2.52	128.00	124.51
15	A	805	CLA	CHB-C4A-NA	2.52	127.99	124.51
15	a	806	CLA	CHB-C4A-NA	2.52	127.99	124.51
15	l	103	CLA	CHB-C4A-NA	2.52	127.99	124.51
15	j	203	CLA	CHB-C4A-NA	2.52	127.99	124.51
15	O	821	CLA	CHB-C4A-NA	2.52	127.99	124.51
14	j	204	F6C	C4A-C3A-C2A	-2.51	103.27	106.94
15	O	803	CLA	C1B-CHB-C4A	-2.51	125.14	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	N	856	F6C	OMB-CMB-C2B	-2.51	120.01	125.69
15	B	805	CLA	CHB-C4A-NA	2.51	127.98	124.51
14	L	204	F6C	C1-C2-C3	-2.51	121.70	126.04
15	b	821	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	B	807	CLA	C1-C2-C3	-2.51	121.70	126.04
14	B	831	F6C	C3A-C4A-NA	2.51	111.95	110.10
14	j	204	F6C	CHB-C4A-C3A	-2.51	120.22	125.48
15	N	808	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	N	809	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	a	805	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	B	804	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	b	826	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	A	821	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	b	841	CLA	CHB-C4A-NA	2.51	127.98	124.51
14	W	1503	F6C	C4A-C3A-C2A	-2.51	103.28	106.94
15	A	808	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	A	809	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	O	812	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	B	801	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
15	O	819	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
14	A	802	F6C	C3A-C4A-NA	2.51	111.95	110.10
14	O	833	F6C	C3A-C4A-NA	2.51	111.95	110.10
13	a	801	CL0	C1B-CHB-C4A	-2.51	125.15	130.12
15	N	816	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	N	820	CLA	C1B-CHB-C4A	-2.51	125.16	130.12
15	O	841	CLA	CHB-C4A-NA	2.51	127.98	124.51
15	V	102	CLA	CHB-C4A-NA	2.50	127.97	124.51
14	b	833	F6C	C3A-C4A-NA	2.50	111.95	110.10
15	L	203	CLA	CHB-C4A-NA	2.50	127.97	124.51
15	a	809	CLA	CHB-C4A-NA	2.50	127.97	124.51
15	N	832	CLA	C1-C2-C3	-2.50	122.70	126.75
14	a	856	F6C	OMB-CMB-C2B	-2.50	120.03	125.69
15	B	819	CLA	CHB-C4A-NA	2.50	127.97	124.51
15	O	816	CLA	CHB-C4A-NA	2.50	127.97	124.51
15	W	1502	CLA	CHB-C4A-NA	2.50	127.97	124.51
15	a	803	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
15	B	815	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
15	A	836	CLA	CHB-C4A-NA	2.50	127.97	124.51
15	B	823	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
14	B	838	F6C	C3A-C4A-NA	2.50	111.94	110.10
15	N	815	CLA	CHB-C4A-NA	2.50	127.97	124.51
15	B	810	CLA	CHB-C4A-NA	2.50	127.96	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	O	817	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
15	b	828	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
15	O	839	CLA	C1B-CHB-C4A	-2.49	125.18	130.12
15	a	828	CLA	CHB-C4A-NA	2.49	127.96	124.51
15	b	825	CLA	C1B-CHB-C4A	-2.49	125.18	130.12
15	a	821	CLA	CHB-C4A-NA	2.49	127.96	124.51
15	a	815	CLA	CHB-C4A-NA	2.49	127.96	124.51
15	B	826	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
14	A	824	F6C	OMB-CMB-C2B	-2.49	120.06	125.69
15	N	839	CLA	CHB-C4A-NA	2.49	127.95	124.51
15	i	102	CLA	CHB-C4A-NA	2.49	127.95	124.51
15	b	839	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
15	N	821	CLA	CHB-C4A-NA	2.49	127.95	124.51
13	N	801	CL0	C1B-CHB-C4A	-2.49	125.19	130.12
15	N	835	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
15	K	102	CLA	CHB-C4A-NA	2.49	127.95	124.51
15	A	823	CLA	CHB-C4A-NA	2.49	127.95	124.51
15	a	808	CLA	CHB-C4A-NA	2.49	127.95	124.51
15	a	811	CLA	CHB-C4A-NA	2.49	127.95	124.51
15	b	804	CLA	CHB-C4A-NA	2.48	127.94	124.51
14	B	838	F6C	CHB-C4A-C3A	-2.48	120.28	125.48
14	O	840	F6C	CHB-C4A-C3A	-2.48	120.28	125.48
15	O	830	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	a	813	CLA	CHB-C4A-NA	2.48	127.94	124.51
14	N	826	F6C	C4A-C3A-C2A	-2.48	103.32	106.94
15	B	815	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	N	817	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	O	814	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	b	820	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	B	829	CLA	C1B-CHB-C4A	-2.48	125.21	130.12
15	O	817	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	a	823	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	A	815	CLA	CHB-C4A-NA	2.48	127.94	124.51
15	O	807	CLA	C1B-CHB-C4A	-2.47	125.22	130.12
15	O	820	CLA	CHB-C4A-NA	2.47	127.93	124.51
15	b	825	CLA	CHB-C4A-NA	2.47	127.93	124.51
15	a	835	CLA	C1B-CHB-C4A	-2.47	125.22	130.12
15	b	827	CLA	C1B-CHB-C4A	-2.47	125.22	130.12
15	B	824	CLA	CHB-C4A-NA	2.47	127.93	124.51
14	L	201	F6C	C3A-C4A-NA	2.47	111.93	110.10
15	O	808	CLA	C1-C2-C3	-2.47	121.77	126.04
15	A	813	CLA	CHB-C4A-NA	2.47	127.93	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	a	810	CLA	CHB-C4A-NA	2.47	127.93	124.51
15	B	806	CLA	C1B-CHB-C4A	-2.47	125.22	130.12
15	A	811	CLA	CHB-C4A-NA	2.47	127.93	124.51
15	A	810	CLA	CHB-C4A-NA	2.47	127.93	124.51
15	B	818	CLA	CHB-C4A-NA	2.47	127.93	124.51
15	N	810	CLA	CHB-C4A-NA	2.47	127.93	124.51
15	b	830	CLA	CHB-C4A-NA	2.47	127.92	124.51
15	O	831	CLA	C1B-CHB-C4A	-2.47	125.23	130.12
15	A	817	CLA	CHB-C4A-NA	2.47	127.92	124.51
14	b	840	F6C	CHB-C4A-C3A	-2.47	120.31	125.48
13	A	801	CL0	C1B-CHB-C4A	-2.46	125.23	130.12
15	a	840	CLA	C1B-CHB-C4A	-2.46	125.24	130.12
15	N	836	CLA	CHB-C4A-NA	2.46	127.92	124.51
15	b	814	CLA	CHB-C4A-NA	2.46	127.92	124.51
15	B	837	CLA	C1B-CHB-C4A	-2.46	125.24	130.12
15	N	823	CLA	CHB-C4A-NA	2.46	127.92	124.51
14	L	204	F6C	C4A-C3A-C2A	-2.46	103.35	106.94
15	B	812	CLA	CHB-C4A-NA	2.46	127.92	124.51
15	b	807	CLA	C1B-CHB-C4A	-2.46	125.24	130.12
15	A	827	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
15	A	804	CLA	CHB-C4A-NA	2.46	127.91	124.51
15	A	839	CLA	CHB-C4A-NA	2.46	127.91	124.51
15	B	825	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
15	O	831	CLA	CHB-C4A-NA	2.46	127.91	124.51
15	N	811	CLA	CHB-C4A-NA	2.46	127.91	124.51
15	a	836	CLA	CHB-C4A-NA	2.46	127.91	124.51
15	B	829	CLA	CHB-C4A-NA	2.46	127.91	124.51
15	N	804	CLA	CHB-C4A-NA	2.45	127.91	124.51
15	b	831	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
15	N	828	CLA	CHB-C4A-NA	2.45	127.90	124.51
15	N	831	CLA	CHB-C4A-NA	2.45	127.90	124.51
15	N	840	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
16	b	842	PQN	C11-C3-C4	-2.45	115.88	118.50
15	N	825	CLA	CHB-C4A-NA	2.45	127.90	124.51
15	j	202	CLA	CHB-C4A-NA	2.45	127.90	124.51
15	O	824	CLA	C1B-CHB-C4A	-2.45	125.27	130.12
15	N	838	CLA	CHB-C4A-NA	2.45	127.90	124.51
15	N	832	CLA	CHB-C4A-NA	2.45	127.89	124.51
15	a	817	CLA	CHB-C4A-NA	2.45	127.89	124.51
14	b	833	F6C	OMB-CMB-C2B	-2.45	120.16	125.69
18	N	846	BCR	C11-C10-C9	-2.45	123.82	127.31
15	B	803	CLA	CHB-C4A-NA	2.44	127.89	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	b	831	CLA	CHB-C4A-NA	2.44	127.89	124.51
15	A	832	CLA	CHB-C4A-NA	2.44	127.89	124.51
15	b	824	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
14	a	826	F6C	OMB-CMB-C2B	-2.44	120.17	125.69
14	j	204	F6C	C1-C2-C3	-2.44	121.82	126.04
15	N	841	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
14	A	802	F6C	CMB-C2B-C1B	-2.44	122.00	128.26
15	N	806	CLA	CHB-C4A-NA	2.44	127.89	124.51
15	N	834	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
15	b	808	CLA	C1-C2-C3	-2.44	121.82	126.04
15	N	813	CLA	CHB-C4A-NA	2.44	127.89	124.51
15	B	828	CLA	CHB-C4A-NA	2.44	127.88	124.51
15	b	829	CLA	CHB-C4A-NA	2.44	127.88	124.51
14	N	802	F6C	CMB-C2B-C1B	-2.44	122.01	128.26
15	O	836	CLA	CHB-C4A-NA	2.44	127.88	124.51
15	b	803	CLA	O2D-CGD-O1D	-2.43	119.08	123.84
14	b	840	F6C	C3A-C4A-NA	2.43	111.90	110.10
15	a	827	CLA	C1B-CHB-C4A	-2.43	125.30	130.12
15	A	819	CLA	CHB-C4A-NA	2.43	127.88	124.51
15	B	811	CLA	CHB-C4A-NA	2.43	127.87	124.51
15	A	839	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
15	a	839	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
15	B	802	CLA	CHB-C4A-NA	2.43	127.87	124.51
14	N	826	F6C	OMB-CMB-C2B	-2.43	120.20	125.69
15	O	804	CLA	CHB-C4A-NA	2.43	127.87	124.51
15	O	838	CLA	CHB-C4A-NA	2.43	127.87	124.51
15	b	813	CLA	CHB-C4A-NA	2.42	127.86	124.51
15	B	830	CLA	C1B-CHB-C4A	-2.42	125.31	130.12
15	L	203	CLA	O2D-CGD-CBD	2.42	115.58	111.27
14	a	802	F6C	CMB-C2B-C1B	-2.42	122.04	128.26
15	N	812	CLA	CHB-C4A-NA	2.42	127.86	124.51
15	i	103	CLA	CHB-C4A-NA	2.42	127.86	124.51
15	b	801	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
15	a	837	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
15	N	842	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
15	O	831	CLA	C1-C2-C3	-2.42	121.85	126.04
15	O	823	CLA	CHB-C4A-NA	2.42	127.86	124.51
15	A	837	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
15	a	832	CLA	CHB-C4A-NA	2.42	127.86	124.51
15	a	841	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
15	N	839	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
15	b	838	CLA	CHB-C4A-NA	2.42	127.86	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	856	F6C	CHB-C4A-C3A	-2.42	120.41	125.48
15	O	813	CLA	CHB-C4A-NA	2.42	127.85	124.51
15	N	837	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
14	N	856	F6C	CHB-C4A-C3A	-2.42	120.41	125.48
15	B	813	CLA	C1B-CHB-C4A	-2.41	125.33	130.12
15	A	803	CLA	CHB-C4A-NA	2.41	127.85	124.51
15	A	812	CLA	CHB-C4A-NA	2.41	127.85	124.51
15	a	834	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
15	W	1502	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
15	a	812	CLA	CHB-C4A-NA	2.41	127.85	124.51
15	O	832	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
18	a	846	BCR	C11-C10-C9	-2.41	123.87	127.31
15	a	819	CLA	CHB-C4A-NA	2.41	127.85	124.51
15	b	836	CLA	CHB-C4A-NA	2.41	127.85	124.51
15	b	801	CLA	CMB-C2B-C3B	2.41	129.19	124.68
15	O	837	CLA	CHB-C4A-NA	2.41	127.84	124.51
15	a	825	CLA	CHB-C4A-NA	2.41	127.84	124.51
15	b	819	CLA	CHB-C4A-NA	2.41	127.84	124.51
14	A	857	F6C	CHB-C4A-C3A	-2.41	120.43	125.48
15	A	825	CLA	CHB-C4A-NA	2.41	127.84	124.51
15	B	834	CLA	CHB-C4A-NA	2.41	127.84	124.51
15	b	832	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
15	W	1501	CLA	CHB-C4A-NA	2.41	127.84	124.51
15	O	828	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
15	b	803	CLA	CHB-C4A-NA	2.41	127.84	124.51
15	A	828	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
15	a	804	CLA	CHB-C4A-NA	2.41	127.84	124.51
15	B	836	CLA	CHB-C4A-NA	2.40	127.83	124.51
15	A	834	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
15	O	811	CLA	CHB-C4A-NA	2.40	127.83	124.51
15	a	835	CLA	CHB-C4A-NA	2.40	127.83	124.51
14	L	204	F6C	CHB-C4A-C3A	-2.40	120.44	125.48
15	b	837	CLA	CHB-C4A-NA	2.40	127.83	124.51
15	a	842	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
15	A	811	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
15	j	203	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
15	b	808	CLA	CHB-C4A-NA	2.40	127.83	124.51
15	N	827	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
15	a	811	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
15	B	817	CLA	CHB-C4A-NA	2.40	127.83	124.51
15	N	803	CLA	CHB-C4A-NA	2.40	127.83	124.51
15	a	838	CLA	CHB-C4A-NA	2.40	127.83	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	O	801	CLA	CMB-C2B-C3B	2.40	129.16	124.68
15	O	835	CLA	CHB-C4A-NA	2.40	127.83	124.51
15	A	830	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
14	b	833	F6C	CBD-CHA-C4D	-2.40	105.84	108.54
15	N	833	CLA	CHB-C4A-NA	2.40	127.82	124.51
15	b	815	CLA	C1B-CHB-C4A	-2.39	125.37	130.12
15	b	832	CLA	CHB-C4A-NA	2.39	127.82	124.51
15	b	809	CLA	C1B-CHB-C4A	-2.39	125.38	130.12
14	N	826	F6C	CHB-C4A-C3A	-2.39	120.46	125.48
14	N	824	F6C	C4A-C3A-C2A	-2.39	103.45	106.94
15	N	819	CLA	CHB-C4A-NA	2.39	127.82	124.51
15	O	832	CLA	CHB-C4A-NA	2.39	127.82	124.51
15	B	808	CLA	C1B-CHB-C4A	-2.39	125.38	130.12
15	A	833	CLA	CHB-C4A-NA	2.39	127.82	124.51
15	O	815	CLA	C1B-CHB-C4A	-2.39	125.39	130.12
15	b	811	CLA	CHB-C4A-NA	2.39	127.81	124.51
15	b	839	CLA	CHB-C4A-NA	2.39	127.81	124.51
15	B	809	CLA	CHB-C4A-NA	2.39	127.81	124.51
15	O	839	CLA	CHB-C4A-NA	2.39	127.81	124.51
15	B	839	CLA	C1B-CHB-C4A	-2.39	125.39	130.12
15	B	801	CLA	CMB-C2B-C3B	2.39	129.14	124.68
15	L	203	CLA	C1B-CHB-C4A	-2.39	125.39	130.12
15	O	837	CLA	C1B-CHB-C4A	-2.39	125.39	130.12
15	b	817	CLA	CHB-C4A-NA	2.38	127.81	124.51
14	N	826	F6C	O2D-CGD-CBD	2.38	115.50	111.27
15	N	835	CLA	CHB-C4A-NA	2.38	127.81	124.51
15	O	808	CLA	CHB-C4A-NA	2.38	127.81	124.51
15	a	833	CLA	CHB-C4A-NA	2.38	127.81	124.51
14	B	831	F6C	CBD-CHA-C4D	-2.38	105.86	108.54
15	B	827	CLA	CHB-C4A-NA	2.38	127.81	124.51
15	j	203	CLA	CHD-C1D-ND	-2.38	122.27	124.45
14	L	201	F6C	CMC-C2C-C1C	-2.38	124.81	128.46
15	b	823	CLA	C2D-C1D-ND	-2.38	108.35	110.10
15	a	840	CLA	C1-C2-C3	-2.38	122.90	126.75
15	A	836	CLA	C1B-CHB-C4A	-2.38	125.40	130.12
15	b	835	CLA	C1B-CHB-C4A	-2.38	125.40	130.12
15	B	835	CLA	CHB-C4A-NA	2.38	127.80	124.51
15	a	812	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
15	a	830	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
15	b	837	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
15	B	830	CLA	CHB-C4A-NA	2.38	127.80	124.51
15	B	829	CLA	C1-C2-C3	-2.38	121.93	126.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	809	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
14	O	833	F6C	CBD-CHA-C4D	-2.38	105.86	108.54
15	A	827	CLA	CHB-C4A-NA	2.38	127.80	124.51
15	A	838	CLA	CHB-C4A-NA	2.38	127.80	124.51
15	B	822	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
15	N	830	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
15	A	842	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
15	B	807	CLA	CHB-C4A-NA	2.37	127.79	124.51
15	B	837	CLA	CHB-C4A-NA	2.37	127.79	124.51
15	O	829	CLA	CHB-C4A-NA	2.37	127.79	124.51
15	B	833	CLA	CHB-C4A-NA	2.37	127.79	124.51
15	N	811	CLA	C1B-CHB-C4A	-2.37	125.42	130.12
14	A	857	F6C	OMB-CMB-C2B	-2.37	120.32	125.69
15	a	803	CLA	CHB-C4A-NA	2.37	127.79	124.51
14	a	824	F6C	C4A-C3A-C2A	-2.37	103.48	106.94
15	O	824	CLA	C1-C2-C3	-2.37	121.94	126.04
15	N	840	CLA	C1-C2-C3	-2.37	122.92	126.75
15	A	841	CLA	C1B-CHB-C4A	-2.37	125.42	130.12
15	A	835	CLA	CHB-C4A-NA	2.37	127.79	124.51
15	F	201	CLA	CHB-C4A-NA	2.37	127.79	124.51
15	a	836	CLA	C1B-CHB-C4A	-2.37	125.43	130.12
14	O	840	F6C	C4A-C3A-C2A	-2.36	103.49	106.94
15	A	839	CLA	CHD-C1D-ND	-2.36	122.28	124.45
18	A	847	BCR	C20-C21-C22	-2.36	123.94	127.31
14	N	824	F6C	OMB-CMB-C2B	-2.36	120.34	125.69
15	N	812	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
15	O	803	CLA	CHB-C4A-NA	2.36	127.78	124.51
14	b	810	F6C	CMC-C2C-C1C	-2.36	124.83	128.46
15	a	827	CLA	CHB-C4A-NA	2.36	127.78	124.51
15	O	819	CLA	CHB-C4A-NA	2.36	127.78	124.51
15	A	809	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
14	O	833	F6C	OMB-CMB-C2B	-2.36	120.35	125.69
15	b	816	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
14	a	824	F6C	OMB-CMB-C2B	-2.36	120.36	125.69
15	A	816	CLA	C1B-CHB-C4A	-2.36	125.45	130.12
18	A	858	BCR	C12-C13-C14	2.36	122.56	118.94
15	V	103	CLA	CHB-C4A-NA	2.36	127.77	124.51
14	b	840	F6C	C4A-C3A-C2A	-2.36	103.50	106.94
15	A	831	CLA	CHB-C4A-NA	2.35	127.77	124.51
15	B	814	CLA	C1B-CHB-C4A	-2.35	125.45	130.12
15	a	809	CLA	C1B-CHB-C4A	-2.35	125.45	130.12
15	a	816	CLA	C1B-CHB-C4A	-2.35	125.46	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	833	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	N	809	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	N	831	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	N	836	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	b	829	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
14	A	824	F6C	C4A-C3A-C2A	-2.35	103.51	106.94
15	B	836	CLA	C1-C2-C3	-2.35	121.98	126.04
15	A	825	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	O	811	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	K	103	CLA	CHB-C4A-NA	2.35	127.76	124.51
15	b	804	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	N	816	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	b	811	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
15	b	834	CLA	C1B-CHB-C4A	-2.35	125.47	130.12
15	A	840	CLA	C1-C2-C3	-2.35	122.95	126.75
18	N	857	BCR	C8-C7-C6	2.35	133.79	127.20
15	f	201	CLA	CHB-C4A-NA	2.35	127.76	124.51
15	O	809	CLA	C1B-CHB-C4A	-2.35	125.47	130.12
15	O	816	CLA	C1B-CHB-C4A	-2.35	125.47	130.12
15	A	833	CLA	C1B-CHB-C4A	-2.35	125.47	130.12
15	a	810	CLA	C1B-CHB-C4A	-2.35	125.47	130.12
14	N	856	F6C	C4A-C3A-C2A	-2.34	103.52	106.94
15	A	832	CLA	C1B-CHB-C4A	-2.34	125.47	130.12
15	B	832	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
15	b	814	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
14	O	840	F6C	CMB-C2B-C1B	-2.34	122.25	128.26
15	O	834	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
15	A	812	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
15	S	201	CLA	CHB-C4A-NA	2.34	127.75	124.51
14	W	1503	F6C	CMB-C2B-C1B	-2.34	122.26	128.26
15	B	835	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
15	A	806	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
15	b	827	CLA	CHB-C4A-NA	2.34	127.75	124.51
15	B	812	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
15	B	836	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
15	N	833	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
14	b	840	F6C	CMB-C2B-C1B	-2.34	122.26	128.26
15	B	803	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
15	B	827	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
15	B	834	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
15	O	814	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
15	a	831	CLA	CHB-C4A-NA	2.34	127.74	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	b	835	CLA	O2D-CGD-O1D	-2.34	119.27	123.84
15	N	810	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
15	a	806	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
15	A	819	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
15	A	840	CLA	CHB-C4A-NA	2.33	127.74	124.51
15	A	810	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
15	b	830	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
15	b	841	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
15	A	822	CLA	CHB-C4A-NA	2.33	127.74	124.51
15	A	834	CLA	CHB-C4A-NA	2.33	127.74	124.51
15	A	835	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
14	B	838	F6C	C4A-C3A-C2A	-2.33	103.54	106.94
15	b	805	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
15	N	840	CLA	CHB-C4A-NA	2.33	127.74	124.51
18	N	857	BCR	C12-C13-C14	2.33	122.52	118.94
15	b	815	CLA	O2D-CGD-CBD	2.33	115.41	111.27
15	O	835	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
15	N	834	CLA	CHB-C4A-NA	2.33	127.73	124.51
15	W	1502	CLA	CHD-C1D-ND	-2.33	122.31	124.45
14	j	204	F6C	CMB-C2B-C1B	-2.33	122.29	128.26
15	N	814	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
15	O	830	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
15	O	823	CLA	C1B-CHB-C4A	-2.33	125.51	130.12
15	B	825	CLA	CHB-C4A-NA	2.33	127.73	124.51
15	A	808	CLA	C1B-CHB-C4A	-2.33	125.51	130.12
15	N	806	CLA	CHD-C1D-ND	-2.33	122.32	124.45
15	K	103	CLA	C1B-CHB-C4A	-2.33	125.51	130.12
15	N	832	CLA	C1B-CHB-C4A	-2.33	125.51	130.12
14	B	831	F6C	C4A-C3A-C2A	-2.33	103.55	106.94
15	a	832	CLA	C1B-CHB-C4A	-2.33	125.51	130.12
15	O	841	CLA	C1B-CHB-C4A	-2.32	125.51	130.12
15	L	203	CLA	CHD-C1D-ND	-2.32	122.32	124.45
15	b	807	CLA	CHB-C4A-NA	2.32	127.73	124.51
15	O	838	CLA	C1-C2-C3	-2.32	122.02	126.04
15	A	814	CLA	C1B-CHB-C4A	-2.32	125.52	130.12
15	A	831	CLA	C1B-CHB-C4A	-2.32	125.52	130.12
14	a	802	F6C	CMC-C2C-C1C	-2.32	124.89	128.46
15	a	840	CLA	CHB-C4A-NA	2.32	127.72	124.51
15	a	833	CLA	C1B-CHB-C4A	-2.32	125.52	130.12
14	a	856	F6C	C4A-C3A-C2A	-2.32	103.55	106.94
15	B	828	CLA	C1B-CHB-C4A	-2.32	125.52	130.12
15	O	807	CLA	CHB-C4A-NA	2.32	127.72	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	a	857	BCR	C8-C7-C6	2.32	133.72	127.20
14	a	826	F6C	C3A-C4A-NA	2.32	111.81	110.10
15	O	805	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
15	a	808	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
15	O	804	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
14	O	810	F6C	CMC-C2C-C1C	-2.32	124.90	128.46
16	O	842	PQN	C11-C3-C4	-2.32	116.02	118.50
15	a	822	CLA	CHB-C4A-NA	2.32	127.72	124.51
15	V	103	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
15	a	831	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
15	O	838	CLA	C1B-CHB-C4A	-2.31	125.53	130.12
15	b	838	CLA	C1B-CHB-C4A	-2.31	125.53	130.12
15	B	826	CLA	CHB-C4A-NA	2.31	127.71	124.51
15	O	812	CLA	C1B-CHB-C4A	-2.31	125.53	130.12
15	j	203	CLA	O2D-CGD-CBD	2.31	115.38	111.27
15	O	835	CLA	O2D-CGD-O1D	-2.31	119.32	123.84
15	b	818	CLA	CHB-C4A-NA	2.31	127.71	124.51
15	a	814	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
15	B	821	CLA	C2D-C1D-ND	-2.31	108.40	110.10
15	N	827	CLA	CHB-C4A-NA	2.31	127.71	124.51
15	N	808	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
15	O	829	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
15	a	825	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
15	b	836	CLA	C1B-CHB-C4A	-2.31	125.55	130.12
14	b	833	F6C	C4A-C3A-C2A	-2.31	103.57	106.94
14	O	833	F6C	C4A-C3A-C2A	-2.31	103.57	106.94
15	a	834	CLA	CHB-C4A-NA	2.31	127.70	124.51
15	b	835	CLA	CHB-C4A-NA	2.30	127.70	124.51
18	a	847	BCR	C20-C21-C22	-2.30	124.02	127.31
14	A	802	F6C	CMC-C2C-C1C	-2.30	124.92	128.46
15	B	810	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
15	N	825	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
15	a	807	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
16	B	840	PQN	C11-C3-C4	-2.30	116.04	118.50
15	W	1502	CLA	O2D-CGD-CBD	2.30	115.35	111.27
15	b	828	CLA	CHB-C4A-NA	2.30	127.69	124.51
15	N	819	CLA	C1B-CHB-C4A	-2.30	125.57	130.12
15	O	836	CLA	C1B-CHB-C4A	-2.30	125.57	130.12
14	A	826	F6C	C3A-C4A-NA	2.30	111.80	110.10
14	A	824	F6C	CMC-C2C-C1C	-2.30	124.94	128.46
14	A	857	F6C	C4A-C3A-C2A	-2.29	103.59	106.94
15	B	804	CLA	C1B-CHB-C4A	-2.29	125.57	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	O	840	F6C	CMC-C2C-C1C	-2.29	124.94	128.46
15	N	806	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
15	A	813	CLA	C1-C2-C3	-2.29	122.08	126.04
14	L	204	F6C	CMC-C2C-C1C	-2.29	124.94	128.46
15	a	839	CLA	CHD-C1D-ND	-2.29	122.35	124.45
15	a	830	CLA	CHB-C4A-NA	2.29	127.68	124.51
15	O	818	CLA	CHB-C4A-NA	2.29	127.68	124.51
15	A	807	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
15	B	816	CLA	CHB-C4A-NA	2.29	127.67	124.51
15	O	828	CLA	CHB-C4A-NA	2.28	127.67	124.51
15	N	839	CLA	CHD-C1D-ND	-2.28	122.36	124.45
15	A	805	CLA	C1B-CHB-C4A	-2.28	125.59	130.12
15	b	812	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
15	b	801	CLA	CHB-C4A-NA	2.28	127.67	124.51
15	a	805	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
15	N	828	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
15	a	829	CLA	CHB-C4A-NA	2.28	127.66	124.51
15	a	827	CLA	CHD-C1D-ND	-2.28	122.36	124.45
14	L	204	F6C	CMB-C2B-C1B	-2.28	122.42	128.26
15	B	822	CLA	C1-C2-C3	-2.28	122.10	126.04
15	A	830	CLA	CHB-C4A-NA	2.28	127.66	124.51
18	A	846	BCR	C11-C10-C9	-2.28	124.06	127.31
14	A	826	F6C	CMB-C2B-C1B	-2.27	122.43	128.26
15	b	841	CLA	CHD-C1D-ND	-2.27	122.36	124.45
15	a	837	CLA	CHB-C4A-NA	2.27	127.66	124.51
15	B	833	CLA	O2D-CGD-O1D	-2.27	119.39	123.84
15	N	804	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
15	A	829	CLA	CHB-C4A-NA	2.27	127.65	124.51
15	A	837	CLA	CHB-C4A-NA	2.27	127.65	124.51
15	N	807	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
15	B	806	CLA	CHB-C4A-NA	2.27	127.65	124.51
15	A	820	CLA	C1-C2-C3	-2.27	122.12	126.04
15	O	819	CLA	CHD-C1D-ND	-2.27	122.37	124.45
18	b	847	BCR	C15-C16-C17	-2.27	118.83	123.47
14	j	204	F6C	CMC-C2C-C1C	-2.27	124.98	128.46
15	A	821	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
15	N	830	CLA	CHB-C4A-NA	2.27	127.64	124.51
15	V	102	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
15	a	806	CLA	CHD-C1D-ND	-2.26	122.37	124.45
15	A	813	CLA	C1B-CHB-C4A	-2.26	125.63	130.12
15	i	102	CLA	C1B-CHB-C4A	-2.26	125.63	130.12
15	b	819	CLA	CHD-C1D-ND	-2.26	122.37	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	i	103	CLA	C1B-CHB-C4A	-2.26	125.63	130.12
15	S	201	CLA	C1B-CHB-C4A	-2.26	125.64	130.12
15	b	806	CLA	C1B-CHB-C4A	-2.26	125.64	130.12
15	N	837	CLA	CHB-C4A-NA	2.26	127.64	124.51
15	b	824	CLA	C1-C2-C3	-2.26	122.13	126.04
15	B	805	CLA	C1B-CHB-C4A	-2.26	125.64	130.12
15	K	102	CLA	C1B-CHB-C4A	-2.26	125.64	130.12
15	B	817	CLA	CHD-C1D-ND	-2.26	122.38	124.45
14	B	838	F6C	CMC-C2C-C1C	-2.26	124.99	128.46
15	N	820	CLA	C1-C2-C3	-2.26	122.13	126.04
15	B	832	CLA	CHD-C1D-ND	-2.26	122.38	124.45
15	a	819	CLA	C1B-CHB-C4A	-2.26	125.64	130.12
15	B	806	CLA	O2D-CGD-CBD	2.26	115.28	111.27
15	B	801	CLA	CHB-C4A-NA	2.26	127.63	124.51
15	O	801	CLA	CHB-C4A-NA	2.26	127.63	124.51
15	b	834	CLA	CHD-C1D-ND	-2.26	122.38	124.45
15	N	823	CLA	C1B-CHB-C4A	-2.26	125.65	130.12
14	B	831	F6C	O2D-CGD-CBD	2.26	115.28	111.27
15	A	839	CLA	O2A-CGA-O1A	-2.26	117.90	123.59
15	S	201	CLA	O2A-CGA-O1A	-2.25	117.90	123.59
15	N	829	CLA	CHB-C4A-NA	2.25	127.63	124.51
18	b	847	BCR	C19-C18-C17	-2.25	115.48	118.94
15	N	817	CLA	C1B-CHB-C4A	-2.25	125.65	130.12
15	a	804	CLA	C1B-CHB-C4A	-2.25	125.65	130.12
15	O	827	CLA	CHB-C4A-NA	2.25	127.63	124.51
15	b	828	CLA	C1-C2-C3	-2.25	122.15	126.04
15	O	815	CLA	O2D-CGD-CBD	2.25	115.27	111.27
14	A	826	F6C	CBC-CAC-C3C	2.25	118.00	112.27
15	F	201	CLA	O2A-CGA-O1A	-2.25	117.91	123.59
15	a	813	CLA	C1B-CHB-C4A	-2.25	125.66	130.12
15	B	818	CLA	C1B-CHB-C4A	-2.25	125.66	130.12
15	f	201	CLA	C1B-CHB-C4A	-2.25	125.66	130.12
15	N	827	CLA	CHD-C1D-ND	-2.25	122.39	124.45
15	A	804	CLA	C1B-CHB-C4A	-2.25	125.67	130.12
15	N	805	CLA	C1B-CHB-C4A	-2.25	125.67	130.12
18	N	847	BCR	C20-C21-C22	-2.25	124.10	127.31
15	F	201	CLA	C1B-CHB-C4A	-2.25	125.67	130.12
15	B	808	CLA	CHB-C4A-NA	2.24	127.62	124.51
15	A	817	CLA	C1B-CHB-C4A	-2.24	125.67	130.12
15	a	813	CLA	C1-C2-C3	-2.24	122.16	126.04
15	O	806	CLA	C1B-CHB-C4A	-2.24	125.67	130.12
15	b	838	CLA	C1-C2-C3	-2.24	122.16	126.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	a	857	BCR	C12-C13-C14	2.24	122.38	118.94
15	b	808	CLA	O2D-CGD-CBD	2.24	115.25	111.27
15	a	828	CLA	C1B-CHB-C4A	-2.24	125.67	130.12
15	N	825	CLA	CHD-C1D-ND	-2.24	122.39	124.45
15	A	823	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
15	O	826	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
18	A	858	BCR	C8-C7-C6	2.24	133.50	127.20
15	b	813	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
15	B	826	CLA	C1-C2-C3	-2.24	122.17	126.04
15	N	813	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
15	A	806	CLA	CHD-C1D-ND	-2.24	122.40	124.45
15	O	820	CLA	C1B-CHB-C4A	-2.24	125.69	130.12
15	a	835	CLA	O2D-CGD-CBD	2.24	115.24	111.27
14	b	840	F6C	CMC-C2C-C1C	-2.24	125.03	128.46
15	B	819	CLA	C1B-CHB-C4A	-2.24	125.69	130.12
15	X	103	CLA	C1B-CHB-C4A	-2.24	125.69	130.12
14	W	1503	F6C	CMC-C2C-C1C	-2.23	125.03	128.46
15	a	822	CLA	C1B-CHB-C4A	-2.23	125.69	130.12
15	b	820	CLA	C1B-CHB-C4A	-2.23	125.69	130.12
15	N	821	CLA	C1B-CHB-C4A	-2.23	125.69	130.12
15	b	809	CLA	CHB-C4A-NA	2.23	127.60	124.51
15	a	821	CLA	C1B-CHB-C4A	-2.23	125.69	130.12
15	N	813	CLA	C1-C2-C3	-2.23	122.18	126.04
15	j	202	CLA	C1B-CHB-C4A	-2.23	125.69	130.12
14	b	833	F6C	O2D-CGD-CBD	2.23	115.23	111.27
15	O	828	CLA	C1-C2-C3	-2.23	122.18	126.04
15	a	823	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
15	B	837	CLA	O2A-CGA-O1A	-2.23	117.96	123.59
15	A	820	CLA	O2A-CGA-O1A	-2.23	117.96	123.59
15	b	826	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
15	b	821	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
15	l	103	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
15	a	817	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
14	O	833	F6C	O2D-CGD-CBD	2.23	115.23	111.27
15	A	822	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
15	a	839	CLA	O2A-CGA-O1A	-2.23	117.97	123.59
15	N	842	CLA	CHB-C4A-NA	2.23	127.59	124.51
14	W	1503	F6C	C1-C2-C3	-2.23	122.19	126.04
15	f	201	CLA	O2A-CGA-O1A	-2.23	117.97	123.59
15	B	823	CLA	CHD-C1D-ND	-2.22	122.41	124.45
15	Z	103	CLA	C1B-CHB-C4A	-2.22	125.71	130.12
15	B	811	CLA	C1B-CHB-C4A	-2.22	125.71	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	O	817	CLA	CHD-C1D-ND	-2.22	122.41	124.45
15	O	821	CLA	C1B-CHB-C4A	-2.22	125.72	130.12
15	a	818	CLA	O2D-CGD-CBD	2.22	115.21	111.27
15	B	839	CLA	CHD-C1D-ND	-2.22	122.42	124.45
15	A	818	CLA	O2D-CGD-CBD	2.22	115.21	111.27
14	N	856	F6C	C1-C2-C3	-2.22	122.21	126.04
15	N	818	CLA	C1B-CHB-C4A	-2.22	125.73	130.12
15	L	202	CLA	C1B-CHB-C4A	-2.22	125.73	130.12
15	b	823	CLA	C1B-CHB-C4A	-2.21	125.73	130.12
15	O	804	CLA	CHD-C1D-ND	-2.21	122.42	124.45
14	A	857	F6C	C1-C2-C3	-2.21	122.22	126.04
15	a	830	CLA	C1-C2-C3	-2.21	122.22	126.04
18	B	845	BCR	C15-C16-C17	-2.21	118.94	123.47
18	O	847	BCR	C15-C16-C17	-2.21	118.94	123.47
15	a	829	CLA	O2A-CGA-O1A	-2.21	118.01	123.59
15	B	824	CLA	C1B-CHB-C4A	-2.21	125.74	130.12
15	N	815	CLA	C1B-CHB-C4A	-2.21	125.74	130.12
15	A	818	CLA	C1B-CHB-C4A	-2.21	125.74	130.12
15	b	839	CLA	O2A-CGA-O1A	-2.21	118.02	123.59
15	a	842	CLA	CHB-C4A-NA	2.21	127.57	124.51
15	O	834	CLA	CHD-C1D-ND	-2.21	122.42	124.45
15	O	825	CLA	CHD-C1D-ND	-2.21	122.42	124.45
15	B	815	CLA	CHD-C1D-ND	-2.21	122.43	124.45
15	O	813	CLA	C1B-CHB-C4A	-2.21	125.75	130.12
15	a	818	CLA	C1B-CHB-C4A	-2.21	125.75	130.12
15	A	842	CLA	CHB-C4A-NA	2.20	127.56	124.51
15	A	827	CLA	CHD-C1D-ND	-2.20	122.43	124.45
15	b	832	CLA	CHD-C1D-ND	-2.20	122.43	124.45
15	N	829	CLA	O2A-CGA-O1A	-2.20	118.03	123.59
15	L	203	CLA	C1-C2-C3	-2.20	122.23	126.04
14	N	826	F6C	CMB-C2B-C1B	-2.20	122.61	128.26
15	O	841	CLA	CHD-C1D-ND	-2.20	122.43	124.45
15	a	808	CLA	CHD-C1D-ND	-2.20	122.43	124.45
15	B	830	CLA	CHD-C1D-ND	-2.20	122.43	124.45
15	N	808	CLA	CHD-C1D-ND	-2.20	122.43	124.45
15	A	829	CLA	O2A-CGA-O1A	-2.20	118.05	123.59
15	b	819	CLA	O2A-CGA-O1A	-2.20	118.05	123.59
14	a	826	F6C	CMB-C2B-C1B	-2.20	122.62	128.26
15	A	815	CLA	C1B-CHB-C4A	-2.20	125.77	130.12
15	b	804	CLA	O2A-CGA-O1A	-2.20	118.05	123.59
15	a	820	CLA	O2A-CGA-O1A	-2.20	118.05	123.59
15	a	820	CLA	C1-C2-C3	-2.20	122.25	126.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	N	826	F6C	C3A-C4A-NA	2.20	111.72	110.10
15	A	821	CLA	O2A-CGA-O1A	-2.19	118.06	123.59
18	f	202	BCR	C24-C23-C22	-2.19	122.92	126.23
15	N	835	CLA	O2A-CGA-O1A	-2.19	118.06	123.59
15	O	809	CLA	CHB-C4A-NA	2.19	127.54	124.51
15	a	835	CLA	O2A-CGA-O1A	-2.19	118.06	123.59
15	B	817	CLA	O2A-CGA-O1A	-2.19	118.07	123.59
15	a	815	CLA	C1B-CHB-C4A	-2.19	125.78	130.12
15	B	812	CLA	CHD-C1D-ND	-2.19	122.44	124.45
15	a	837	CLA	CHD-C1D-ND	-2.19	122.44	124.45
18	F	202	BCR	C24-C23-C22	-2.19	122.93	126.23
15	N	838	CLA	C1B-CHB-C4A	-2.19	125.78	130.12
15	O	832	CLA	O2A-CGA-O1A	-2.19	118.07	123.59
15	O	839	CLA	O2A-CGA-O1A	-2.19	118.07	123.59
15	A	825	CLA	CHD-C1D-ND	-2.19	122.44	124.45
15	b	807	CLA	O2D-CGD-CBD	2.19	115.15	111.27
15	B	803	CLA	CHD-C1D-ND	-2.19	122.45	124.45
15	O	804	CLA	O2A-CGA-O1A	-2.18	118.08	123.59
14	A	824	F6C	CBD-CHA-C4D	-2.18	106.08	108.54
13	A	801	CL0	O2A-CGA-O1A	-2.18	118.08	123.59
15	N	804	CLA	CHD-C1D-ND	-2.18	122.45	124.45
14	b	840	F6C	CBD-CHA-C4D	-2.18	106.08	108.54
15	N	839	CLA	O2A-CGA-O1A	-2.18	118.09	123.59
15	N	833	CLA	CHD-C1D-ND	-2.18	122.45	124.45
14	N	802	F6C	CMC-C2C-C1C	-2.18	125.11	128.46
15	A	856	CLA	O2A-CGA-O1A	-2.18	118.10	123.59
15	O	832	CLA	CHD-C1D-ND	-2.18	122.45	124.45
15	N	820	CLA	O2A-CGA-O1A	-2.18	118.10	123.59
14	a	856	F6C	C3A-C4A-NA	2.18	111.71	110.10
15	W	1501	CLA	C1B-CHB-C4A	-2.18	125.81	130.12
15	O	807	CLA	O2D-CGD-CBD	2.18	115.13	111.27
15	A	808	CLA	CHD-C1D-ND	-2.18	122.45	124.45
15	b	831	CLA	CHD-C1D-ND	-2.18	122.45	124.45
15	B	829	CLA	O2A-CGA-O1A	-2.17	118.10	123.59
15	b	802	CLA	O2A-CGA-O1A	-2.17	118.10	123.59
15	B	816	CLA	CHD-C1D-ND	-2.17	122.46	124.45
15	N	808	CLA	O2A-CGA-O1A	-2.17	117.88	123.30
15	B	803	CLA	O2A-CGA-O1A	-2.17	118.11	123.59
15	O	811	CLA	O2A-CGA-O1A	-2.17	118.11	123.59
15	B	804	CLA	CHD-C1D-ND	-2.17	122.46	124.45
15	a	821	CLA	O2A-CGA-O1A	-2.17	118.12	123.59
15	B	821	CLA	C1B-CHB-C4A	-2.17	125.82	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	N	822	CLA	C1B-CHB-C4A	-2.17	125.82	130.12
15	W	1502	CLA	C1-C2-C3	-2.17	122.29	126.04
14	A	857	F6C	CMC-C2C-C1C	-2.17	125.13	128.46
14	N	856	F6C	CMC-C2C-C1C	-2.17	125.13	128.46
15	O	808	CLA	O2D-CGD-CBD	2.17	115.12	111.27
15	O	802	CLA	O2A-CGA-O1A	-2.17	118.12	123.59
15	a	825	CLA	CHD-C1D-ND	-2.17	122.46	124.45
15	O	831	CLA	O2A-CGA-O1A	-2.17	118.13	123.59
15	A	808	CLA	O2A-CGA-O1A	-2.16	117.90	123.30
14	a	824	F6C	CMC-C2C-C1C	-2.16	125.14	128.46
15	a	815	CLA	O2A-CGA-O1A	-2.16	118.13	123.59
15	O	814	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	B	809	CLA	O2A-CGA-O1A	-2.16	118.13	123.59
15	B	830	CLA	O2A-CGA-O1A	-2.16	118.13	123.59
15	a	838	CLA	C1B-CHB-C4A	-2.16	125.83	130.12
15	a	805	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	b	802	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	A	835	CLA	O2A-CGA-O1A	-2.16	118.14	123.59
15	j	203	CLA	O2A-CGA-O1A	-2.16	118.14	123.59
15	N	821	CLA	O2A-CGA-O1A	-2.16	118.14	123.59
15	A	836	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	O	831	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	O	819	CLA	O2A-CGA-O1A	-2.16	118.15	123.59
15	N	822	CLA	CHB-C4A-NA	2.16	127.50	124.51
15	A	805	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	A	841	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	b	829	CLA	CHD-C1D-ND	-2.16	122.47	124.45
15	A	815	CLA	O2A-CGA-O1A	-2.16	118.15	123.59
15	N	815	CLA	O2A-CGA-O1A	-2.16	118.15	123.59
15	A	812	CLA	O2A-CGA-O1A	-2.16	118.15	123.59
15	A	813	CLA	O2A-CGA-O1A	-2.16	118.15	123.59
15	a	813	CLA	O2A-CGA-O1A	-2.16	118.15	123.59
15	b	828	CLA	O2A-CGA-O1A	-2.16	118.15	123.59
18	O	848	BCR	C24-C23-C22	-2.15	122.98	126.23
15	N	834	CLA	CHD-C1D-ND	-2.15	122.47	124.45
14	L	204	F6C	O2D-CGD-CBD	2.15	115.09	111.27
14	N	824	F6C	CMC-C2C-C1C	-2.15	125.15	128.46
15	B	809	CLA	CHD-C1D-ND	-2.15	122.47	124.45
15	N	837	CLA	CHD-C1D-ND	-2.15	122.47	124.45
15	a	819	CLA	C1-C2-C3	-2.15	122.32	126.04
15	L	203	CLA	O2A-CGA-O1A	-2.15	118.16	123.59
15	a	804	CLA	CHD-C1D-ND	-2.15	122.48	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	a	808	CLA	O2A-CGA-O1A	-2.15	117.94	123.30
18	F	202	BCR	C2-C1-C6	2.15	113.79	110.48
15	B	825	CLA	O2A-CGA-O1A	-2.15	118.17	123.59
20	A	853	LMT	O1B-C1B-O5B	2.15	116.68	110.67
15	B	829	CLA	CHD-C1D-ND	-2.15	122.48	124.45
15	b	825	CLA	CHD-C1D-ND	-2.15	122.48	124.45
20	a	853	LMT	O1B-C1B-O5B	2.15	116.67	110.67
15	N	812	CLA	O2A-CGA-O1A	-2.15	118.17	123.59
15	S	201	CLA	C1-C2-C3	-2.15	122.33	126.04
13	N	801	CL0	O2A-CGA-O1A	-2.15	118.17	123.59
15	N	805	CLA	CHD-C1D-ND	-2.15	122.48	124.45
15	b	818	CLA	CHD-C1D-ND	-2.15	122.48	124.45
15	A	841	CLA	O2A-CGA-O1A	-2.15	118.18	123.59
15	a	812	CLA	O2A-CGA-O1A	-2.15	118.18	123.59
15	b	801	CLA	O2A-CGA-O1A	-2.15	118.18	123.59
14	A	826	F6C	O2D-CGD-CBD	2.15	115.08	111.27
15	N	813	CLA	O2A-CGA-O1A	-2.15	118.18	123.59
15	A	837	CLA	CHD-C1D-ND	-2.14	122.48	124.45
15	O	818	CLA	CHD-C1D-ND	-2.14	122.48	124.45
15	b	805	CLA	CHD-C1D-ND	-2.14	122.48	124.45
14	A	802	F6C	C1-C2-C3	-2.14	122.33	126.04
15	b	811	CLA	O2A-CGA-O1A	-2.14	118.19	123.59
15	a	837	CLA	O2D-CGD-CBD	2.14	115.08	111.27
15	A	856	CLA	CHD-C1D-ND	-2.14	122.49	124.45
15	N	818	CLA	O2D-CGD-CBD	2.14	115.07	111.27
15	a	827	CLA	O2A-CGA-O1A	-2.14	118.19	123.59
15	j	203	CLA	C1-C2-C3	-2.14	122.34	126.04
15	f	201	CLA	C1-C2-C3	-2.14	122.34	126.04
15	A	834	CLA	CHD-C1D-ND	-2.14	122.49	124.45
14	a	824	F6C	CBD-CHA-C4D	-2.14	106.13	108.54
15	W	1502	CLA	O2A-CGA-O1A	-2.14	118.20	123.59
15	b	823	CLA	C1-C2-C3	-2.14	122.35	126.04
14	N	826	F6C	CBC-CAC-C3C	2.13	117.70	112.27
15	O	828	CLA	O2A-CGA-O1A	-2.13	118.21	123.59
15	N	827	CLA	O2A-CGA-O1A	-2.13	118.21	123.59
14	A	857	F6C	CMB-C2B-C1B	-2.13	122.79	128.26
13	a	801	CL0	O2A-CGA-O1A	-2.13	118.21	123.59
15	N	811	CLA	O2D-CGD-CBD	2.13	115.06	111.27
15	a	836	CLA	CHD-C1D-ND	-2.13	122.50	124.45
15	N	840	CLA	O2A-CGA-O1A	-2.13	118.21	123.59
15	B	826	CLA	O2A-CGA-O1A	-2.13	118.21	123.59
15	a	838	CLA	CHD-C1D-ND	-2.13	122.50	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	b	811	CLA	CHD-C1D-ND	-2.13	122.50	124.45
15	a	825	CLA	O2A-CGA-O1A	-2.13	118.22	123.59
14	W	1503	F6C	O2A-CGA-O1A	-2.13	118.22	123.59
15	O	805	CLA	CHD-C1D-ND	-2.13	122.50	124.45
15	b	814	CLA	CHD-C1D-ND	-2.13	122.50	124.45
15	N	807	CLA	CHD-C1D-ND	-2.13	122.50	124.45
15	a	841	CLA	CHD-C1D-ND	-2.13	122.50	124.45
15	b	804	CLA	CHD-C1D-ND	-2.13	122.50	124.45
15	A	842	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
15	B	814	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
15	a	841	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
18	A	858	BCR	C8-C9-C10	2.12	122.20	118.94
15	F	201	CLA	C1-C2-C3	-2.12	122.37	126.04
15	A	827	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
14	a	856	F6C	CMC-C2C-C1C	-2.12	125.20	128.46
15	B	824	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
14	N	856	F6C	CMB-C2B-C1B	-2.12	122.82	128.26
15	O	816	CLA	O2A-CGA-O1A	-2.12	118.24	123.59
15	A	833	CLA	CHD-C1D-ND	-2.12	122.50	124.45
15	O	811	CLA	CHD-C1D-ND	-2.12	122.50	124.45
15	O	825	CLA	O2A-CGA-O1A	-2.12	118.24	123.59
15	b	816	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
15	b	838	CLA	CHD-C1D-ND	-2.12	122.51	124.45
14	B	838	F6C	CBD-CHA-C4D	-2.12	106.15	108.54
15	b	824	CLA	O2D-CGD-CBD	2.12	115.03	111.27
15	b	832	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
14	A	857	F6C	O2A-CGA-O1A	-2.12	118.25	123.59
15	B	827	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
15	O	826	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
18	f	202	BCR	C20-C19-C18	-2.11	120.48	126.42
15	B	836	CLA	O2A-CGA-O1A	-2.11	118.26	123.59
15	B	822	CLA	O2D-CGD-CBD	2.11	115.02	111.27
14	N	856	F6C	O2A-CGA-O1A	-2.11	118.26	123.59
15	b	829	CLA	O2A-CGA-O1A	-2.11	118.26	123.59
15	a	834	CLA	CHD-C1D-ND	-2.11	122.51	124.45
14	N	856	F6C	C3A-C4A-NA	2.11	111.66	110.10
15	a	816	CLA	CHD-C1D-ND	-2.11	122.51	124.45
15	N	842	CLA	O2A-CGA-O1A	-2.11	118.27	123.59
18	A	858	BCR	C11-C12-C13	-2.11	120.49	126.42
15	a	818	CLA	CBA-CAA-C2A	2.11	120.09	113.86
15	N	825	CLA	O2A-CGA-O1A	-2.11	118.27	123.59
15	b	826	CLA	O2A-CGA-O1A	-2.11	118.27	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	N	842	CLA	CHD-C1D-ND	-2.11	122.52	124.45
15	a	842	CLA	O2A-CGA-O1A	-2.11	118.27	123.59
15	A	842	CLA	CHD-C1D-ND	-2.11	122.52	124.45
15	b	803	CLA	O1D-CGD-CBD	2.11	128.79	124.48
15	A	809	CLA	O2A-CGA-O1A	-2.11	118.28	123.59
15	B	808	CLA	O2A-CGA-O1A	-2.11	118.28	123.59
14	a	856	F6C	CMB-C2B-C1B	-2.10	122.86	128.26
15	N	820	CLA	CHD-C1D-ND	-2.10	122.52	124.45
15	A	838	CLA	C1B-CHB-C4A	-2.10	125.95	130.12
15	N	841	CLA	CHD-C1D-ND	-2.10	122.52	124.45
15	B	823	CLA	O2A-CGA-O1A	-2.10	118.28	123.59
15	a	818	CLA	O2A-CGA-O1A	-2.10	118.28	123.59
15	O	824	CLA	O2D-CGD-CBD	2.10	115.00	111.27
15	A	812	CLA	CHD-C1D-ND	-2.10	122.52	124.45
15	b	841	CLA	O2A-CGA-O1A	-2.10	118.29	123.59
20	N	853	LMT	O1B-C1B-O5B	2.10	116.54	110.67
14	j	204	F6C	O2D-CGD-CBD	2.10	115.00	111.27
15	O	827	CLA	O2A-CGA-O1A	-2.10	118.29	123.59
15	b	838	CLA	O2A-CGA-O1A	-2.10	118.29	123.59
14	N	824	F6C	CBD-CHA-C4D	-2.10	106.17	108.54
15	K	103	CLA	CHD-C1D-ND	-2.10	122.52	124.45
14	a	802	F6C	CHB-C4A-C3A	-2.10	121.08	125.48
15	A	816	CLA	CHD-C1D-ND	-2.10	122.53	124.45
15	V	103	CLA	CHD-C1D-ND	-2.10	122.53	124.45
15	A	822	CLA	O2A-CGA-O1A	-2.10	118.30	123.59
15	a	840	CLA	O2A-CGA-O1A	-2.10	118.30	123.59
14	j	204	F6C	O2A-CGA-O1A	-2.10	118.30	123.59
15	a	833	CLA	CHD-C1D-ND	-2.10	122.53	124.45
15	B	839	CLA	O2A-CGA-O1A	-2.10	118.30	123.59
15	b	827	CLA	O2A-CGA-O1A	-2.10	118.30	123.59
15	O	841	CLA	O2A-CGA-O1A	-2.10	118.30	123.59
15	B	813	CLA	CHD-C1D-ND	-2.09	122.53	124.45
15	A	840	CLA	O2A-CGA-O1A	-2.09	118.31	123.59
18	N	857	BCR	C8-C9-C10	2.09	122.15	118.94
15	N	819	CLA	C1-C2-C3	-2.09	122.42	126.04
15	A	804	CLA	CHD-C1D-ND	-2.09	122.53	124.45
15	O	801	CLA	O2A-CGA-O1A	-2.09	118.31	123.59
16	a	843	PQN	C11-C3-C4	-2.09	116.26	118.50
18	B	845	BCR	C19-C18-C17	-2.09	115.73	118.94
18	N	857	BCR	C11-C12-C13	-2.09	120.54	126.42
14	B	831	F6C	O2A-CGA-O1A	-2.09	118.31	123.59
15	b	825	CLA	O2A-CGA-O1A	-2.09	118.31	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	826	F6C	CBC-CAC-C3C	2.09	117.59	112.27
15	N	823	CLA	CHD-C1D-ND	-2.09	122.53	124.45
15	O	809	CLA	O2A-CGA-O1A	-2.09	118.32	123.59
18	a	857	BCR	C11-C12-C13	-2.09	120.55	126.42
18	O	847	BCR	C19-C18-C17	-2.09	115.73	118.94
15	N	836	CLA	CHD-C1D-ND	-2.09	122.53	124.45
15	B	821	CLA	CHB-C4A-NA	2.09	127.40	124.51
15	O	838	CLA	O2A-CGA-O1A	-2.09	118.33	123.59
15	b	809	CLA	CHD-C1D-ND	-2.09	122.54	124.45
15	a	814	CLA	O2A-CGA-O1A	-2.09	118.33	123.59
15	B	836	CLA	CHD-C1D-ND	-2.08	122.54	124.45
15	N	835	CLA	CHD-C1D-ND	-2.08	122.54	124.45
15	N	835	CLA	O2D-CGD-CBD	2.08	114.97	111.27
14	W	1503	F6C	CBD-CHA-C4D	-2.08	106.19	108.54
15	a	812	CLA	CHD-C1D-ND	-2.08	122.54	124.45
15	a	809	CLA	O2A-CGA-O1A	-2.08	118.33	123.59
15	A	818	CLA	CBA-CAA-C2A	2.08	120.01	113.86
15	O	806	CLA	CHD-C1D-ND	-2.08	122.54	124.45
15	Z	103	CLA	O2A-CGA-O1A	-2.08	118.34	123.59
15	i	103	CLA	CHD-C1D-ND	-2.08	122.54	124.45
14	O	840	F6C	CBD-CHA-C4D	-2.08	106.19	108.54
15	l	103	CLA	O2A-CGA-O1A	-2.08	118.34	123.59
15	A	838	CLA	CHD-C1D-ND	-2.08	122.54	124.45
14	L	204	F6C	O2A-CGA-O1A	-2.08	118.34	123.59
14	b	833	F6C	O2A-CGA-O1A	-2.08	118.34	123.59
15	K	103	CLA	O2A-CGA-O1A	-2.08	118.34	123.59
15	O	802	CLA	CHD-C1D-ND	-2.08	122.54	124.45
15	a	842	CLA	CHD-C1D-ND	-2.08	122.54	124.45
15	i	103	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
14	A	802	F6C	CHB-C4A-C3A	-2.08	121.12	125.48
15	O	814	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
15	b	831	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
15	b	809	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
15	B	837	CLA	CHD-C1D-ND	-2.08	122.55	124.45
15	a	820	CLA	CHD-C1D-ND	-2.08	122.55	124.45
14	a	856	F6C	O2A-CGA-O1A	-2.07	118.36	123.59
15	V	103	CLA	O2A-CGA-O1A	-2.07	118.36	123.59
15	B	810	CLA	CHD-C1D-ND	-2.07	122.55	124.45
15	B	819	CLA	CHD-C1D-ND	-2.07	122.55	124.45
15	N	816	CLA	CHD-C1D-ND	-2.07	122.55	124.45
15	N	822	CLA	O2A-CGA-O1A	-2.07	118.37	123.59
15	a	815	CLA	CHD-C1D-ND	-2.07	122.55	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	812	CLA	O2A-CGA-O1A	-2.07	118.37	123.59
15	a	819	CLA	O2A-CGA-O1A	-2.07	118.37	123.59
15	b	831	CLA	C1-C2-C3	-2.07	122.47	126.04
15	B	806	CLA	CHD-C1D-ND	-2.07	122.55	124.45
15	a	813	CLA	CHD-C1D-ND	-2.07	122.55	124.45
14	N	802	F6C	C1-C2-C3	-2.07	122.47	126.04
15	A	813	CLA	CHD-C1D-ND	-2.07	122.56	124.45
15	A	836	CLA	O2A-CGA-O1A	-2.07	118.38	123.59
15	A	815	CLA	CHD-C1D-ND	-2.07	122.56	124.45
14	O	833	F6C	O2A-CGA-O1A	-2.06	118.39	123.59
15	A	825	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
15	a	836	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
15	N	812	CLA	CHD-C1D-ND	-2.06	122.56	124.45
15	O	821	CLA	CHD-C1D-ND	-2.06	122.56	124.45
18	O	848	BCR	C20-C19-C18	-2.06	120.63	126.42
15	N	832	CLA	CHD-C1D-ND	-2.06	122.56	124.45
15	b	825	CLA	O2D-CGD-CBD	2.06	114.93	111.27
15	O	803	CLA	O1D-CGD-CBD	2.06	128.70	124.48
15	N	836	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
15	B	827	CLA	CHD-C1D-ND	-2.06	122.56	124.45
15	B	807	CLA	O2D-CGD-CBD	2.06	114.93	111.27
15	B	801	CLA	O1D-CGD-CBD	2.06	128.70	124.48
15	b	814	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
15	N	809	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
18	a	857	BCR	C8-C9-C10	2.06	122.10	118.94
15	A	814	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
15	N	838	CLA	CHD-C1D-ND	-2.06	122.56	124.45
15	N	814	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
15	L	202	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
15	N	819	CLA	O2A-CGA-O1A	-2.06	118.41	123.59
15	a	822	CLA	O2A-CGA-O1A	-2.05	118.41	123.59
15	N	837	CLA	O2D-CGD-CBD	2.05	114.92	111.27
15	N	803	CLA	CHD-C1D-ND	-2.05	122.57	124.45
14	b	840	F6C	O2A-CGA-O1A	-2.05	118.41	123.59
15	O	838	CLA	CHD-C1D-ND	-2.05	122.57	124.45
15	O	829	CLA	O2A-CGA-O1A	-2.05	118.41	123.59
15	b	821	CLA	CHD-C1D-ND	-2.05	122.57	124.45
14	a	826	F6C	O2D-CGD-CBD	2.05	114.91	111.27
15	N	818	CLA	O2A-CGA-O1A	-2.05	118.42	123.59
14	A	802	F6C	O2A-CGA-O1A	-2.05	118.42	123.59
14	a	856	F6C	C1-C2-C3	-2.05	122.50	126.04
15	b	812	CLA	CHD-C1D-ND	-2.05	122.57	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	A	818	CLA	O2A-CGA-O1A	-2.05	118.42	123.59
15	O	820	CLA	O2A-CGA-O1A	-2.05	118.42	123.59
14	O	840	F6C	O2A-CGA-O1A	-2.05	118.43	123.59
15	B	835	CLA	O2A-CGA-O1A	-2.05	118.43	123.59
15	B	802	CLA	O1D-CGD-CBD	2.05	128.67	124.48
15	O	812	CLA	CHD-C1D-ND	-2.04	122.58	124.45
15	O	839	CLA	CHD-C1D-ND	-2.04	122.58	124.45
14	L	201	F6C	CMB-C2B-C1B	-2.04	123.02	128.26
15	O	829	CLA	CHD-C1D-ND	-2.04	122.58	124.45
15	a	807	CLA	CHD-C1D-ND	-2.04	122.58	124.45
15	O	837	CLA	O2A-CGA-O1A	-2.04	118.44	123.59
15	N	806	CLA	O2A-CGA-O1A	-2.04	118.44	123.59
15	a	837	CLA	O2A-CGA-O1A	-2.04	118.44	123.59
14	N	826	F6C	O2A-CGA-O1A	-2.04	118.44	123.59
15	N	837	CLA	O2A-CGA-O1A	-2.04	118.44	123.59
14	A	857	F6C	C3A-C4A-NA	2.04	111.61	110.10
15	N	831	CLA	O2A-CGA-O1A	-2.04	118.44	123.59
15	B	818	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
15	b	820	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
15	N	809	CLA	CHD-C1D-ND	-2.04	122.58	124.45
15	O	817	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
15	A	837	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
15	b	817	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
15	B	835	CLA	CHD-C1D-ND	-2.03	122.58	124.45
14	A	824	F6C	O2A-CGA-O1A	-2.03	118.46	123.59
15	b	837	CLA	O2A-CGA-O1A	-2.03	118.46	123.59
15	a	831	CLA	O2A-CGA-O1A	-2.03	118.46	123.59
15	B	822	CLA	O2A-CGA-O1A	-2.03	118.46	123.59
18	F	202	BCR	C20-C19-C18	-2.03	120.71	126.42
14	j	204	F6C	CBD-CHA-C4D	-2.03	106.25	108.54
15	N	818	CLA	CBA-CAA-C2A	2.03	119.86	113.86
14	N	802	F6C	CHB-C4A-C3A	-2.03	121.22	125.48
15	A	819	CLA	O2A-CGA-O1A	-2.03	118.47	123.59
15	A	831	CLA	O2A-CGA-O1A	-2.03	118.47	123.59
15	O	823	CLA	CAA-CBA-CGA	-2.03	107.32	113.25
15	A	811	CLA	O2D-CGD-CBD	2.03	114.88	111.27
15	B	805	CLA	CHD-C1D-ND	-2.03	122.59	124.45
15	B	808	CLA	CHD-C1D-ND	-2.03	122.59	124.45
15	A	803	CLA	O2A-CGA-O1A	-2.03	118.47	123.59
15	a	835	CLA	CHD-C1D-ND	-2.03	122.59	124.45
15	O	807	CLA	O2A-CGA-O1A	-2.03	118.47	123.59
15	N	839	CLA	C1-C2-C3	-2.03	122.54	126.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	B	815	CLA	O2A-CGA-O1A	-2.03	118.48	123.59
15	B	801	CLA	O2A-CGA-O1A	-2.03	118.48	123.59
15	A	839	CLA	C1-C2-C3	-2.03	122.54	126.04
20	a	853	LMT	O3'-C3'-C2'	-2.03	105.67	110.35
14	L	201	F6C	CMC-C2C-C3C	2.02	128.76	124.94
15	b	807	CLA	O2A-CGA-O1A	-2.02	118.48	123.59
15	O	823	CLA	CHD-C1D-ND	-2.02	122.59	124.45
18	A	845	BCR	C7-C6-C5	2.02	126.36	121.46
14	L	204	F6C	CBD-CHA-C4D	-2.02	106.26	108.54
15	N	827	CLA	CAA-C2A-C1A	-2.02	105.35	111.97
15	a	832	CLA	CHD-C1D-ND	-2.02	122.60	124.45
14	B	838	F6C	O2A-CGA-O1A	-2.02	118.49	123.59
15	A	823	CLA	CHD-C1D-ND	-2.02	122.60	124.45
15	a	805	CLA	O2A-CGA-O1A	-2.02	118.50	123.59
15	A	827	CLA	CAA-C2A-C1A	-2.02	105.36	111.97
15	O	830	CLA	O2A-CGA-O1A	-2.02	118.50	123.59
15	O	823	CLA	O2A-CGA-O1A	-2.02	118.50	123.59
15	O	809	CLA	CHD-C1D-ND	-2.02	122.60	124.45
15	O	837	CLA	CHD-C1D-ND	-2.02	122.60	124.45
20	N	853	LMT	O3'-C3'-C2'	-2.02	105.69	110.35
15	A	809	CLA	CHD-C1D-ND	-2.02	122.60	124.45
15	A	803	CLA	CHD-C1D-ND	-2.01	122.60	124.45
15	b	813	CLA	O2A-CGA-O1A	-2.01	118.51	123.59
15	b	807	CLA	CHD-C1D-ND	-2.01	122.60	124.45
15	A	827	CLA	O2D-CGD-CBD	2.01	114.84	111.27
20	A	853	LMT	O3'-C3'-C2'	-2.01	105.70	110.35
14	a	824	F6C	O2A-CGA-O1A	-2.01	118.52	123.59
15	a	803	CLA	CHD-C1D-ND	-2.01	122.61	124.45
15	A	810	CLA	O2A-CGA-O1A	-2.01	118.52	123.59
15	b	824	CLA	O2A-CGA-O1A	-2.01	118.52	123.59
15	A	828	CLA	O2A-CGA-O1A	-2.01	118.52	123.59
15	N	834	CLA	O2A-CGA-O1A	-2.01	118.52	123.59
15	N	829	CLA	CHD-C1D-ND	-2.01	122.61	124.45
15	a	804	CLA	C1-C2-C3	-2.01	122.57	126.04
14	b	833	F6C	CMC-C2C-C3C	2.01	128.73	124.94
14	N	824	F6C	O2A-CGA-O1A	-2.01	118.52	123.59
15	X	103	CLA	O2A-CGA-O1A	-2.01	118.52	123.59
15	B	821	CLA	O2A-CGA-O1A	-2.01	118.53	123.59
15	B	806	CLA	O2A-CGA-O1A	-2.01	118.53	123.59
15	N	811	CLA	O2A-CGA-O1A	-2.01	118.53	123.59
15	O	824	CLA	O2A-CGA-O1A	-2.01	118.53	123.59
18	O	848	BCR	C2-C1-C6	2.01	113.57	110.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	A	820	CLA	CHD-C1D-ND	-2.00	122.61	124.45
15	N	815	CLA	CHD-C1D-ND	-2.00	122.61	124.45
15	a	809	CLA	CHD-C1D-ND	-2.00	122.61	124.45
15	b	801	CLA	O1D-CGD-CBD	2.00	128.59	124.48
15	N	803	CLA	O2A-CGA-O1A	-2.00	118.53	123.59
15	a	827	CLA	CAA-C2A-C1A	-2.00	105.41	111.97
15	b	817	CLA	O2D-CGD-CBD	2.00	114.83	111.27
18	O	847	BCR	C15-C14-C13	-2.00	124.45	127.31
15	A	819	CLA	C1-C2-C3	-2.00	122.58	126.04
15	O	816	CLA	CHD-C1D-ND	-2.00	122.61	124.45
15	O	801	CLA	O1D-CGD-CBD	2.00	128.58	124.48
15	b	823	CLA	O2A-CGA-O1A	-2.00	118.54	123.59
15	N	819	CLA	CHD-C1D-ND	-2.00	122.61	124.45
14	b	810	F6C	CMC-C2C-C3C	2.00	128.71	124.94

All (252) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
13	A	801	CL0	ND
13	A	801	CL0	NC
13	A	801	CL0	NA
13	N	801	CL0	ND
13	N	801	CL0	NC
13	N	801	CL0	NA
13	a	801	CL0	ND
13	a	801	CL0	NC
13	a	801	CL0	NA
15	A	803	CLA	ND
15	A	804	CLA	ND
15	A	805	CLA	ND
15	A	806	CLA	ND
15	A	807	CLA	ND
15	A	808	CLA	ND
15	A	809	CLA	ND
15	A	810	CLA	ND
15	A	811	CLA	ND
15	A	812	CLA	ND
15	A	813	CLA	ND
15	A	814	CLA	ND
15	A	815	CLA	ND
15	A	816	CLA	ND
15	A	817	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
15	A	818	CLA	ND
15	A	819	CLA	ND
15	A	820	CLA	ND
15	A	821	CLA	ND
15	A	822	CLA	ND
15	A	823	CLA	ND
15	A	825	CLA	ND
15	A	827	CLA	ND
15	A	828	CLA	ND
15	A	829	CLA	ND
15	A	830	CLA	ND
15	A	831	CLA	ND
15	A	832	CLA	ND
15	A	833	CLA	ND
15	A	834	CLA	ND
15	A	835	CLA	ND
15	A	836	CLA	ND
15	A	837	CLA	ND
15	A	838	CLA	ND
15	A	839	CLA	ND
15	A	840	CLA	ND
15	A	841	CLA	ND
15	A	842	CLA	ND
15	A	856	CLA	ND
15	B	801	CLA	ND
15	B	802	CLA	ND
15	B	803	CLA	ND
15	B	804	CLA	ND
15	B	805	CLA	ND
15	B	806	CLA	ND
15	B	807	CLA	ND
15	B	808	CLA	ND
15	B	809	CLA	ND
15	B	810	CLA	ND
15	B	812	CLA	ND
15	B	813	CLA	ND
15	B	814	CLA	ND
15	B	815	CLA	ND
15	B	816	CLA	ND
15	B	817	CLA	ND
15	B	818	CLA	ND
15	B	819	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
15	B	820	CLA	ND
15	B	821	CLA	ND
15	B	822	CLA	ND
15	B	823	CLA	ND
15	B	824	CLA	ND
15	B	825	CLA	ND
15	B	826	CLA	ND
15	B	827	CLA	ND
15	B	828	CLA	ND
15	B	829	CLA	ND
15	B	830	CLA	ND
15	B	832	CLA	ND
15	B	833	CLA	ND
15	B	834	CLA	ND
15	B	835	CLA	ND
15	B	836	CLA	ND
15	B	837	CLA	ND
15	B	839	CLA	ND
15	F	201	CLA	ND
15	K	102	CLA	ND
15	K	103	CLA	ND
15	L	202	CLA	ND
15	L	203	CLA	ND
15	X	103	CLA	ND
15	N	803	CLA	ND
15	N	804	CLA	ND
15	N	805	CLA	ND
15	N	806	CLA	ND
15	N	807	CLA	ND
15	N	808	CLA	ND
15	N	809	CLA	ND
15	N	810	CLA	ND
15	N	811	CLA	ND
15	N	812	CLA	ND
15	N	813	CLA	ND
15	N	814	CLA	ND
15	N	815	CLA	ND
15	N	816	CLA	ND
15	N	817	CLA	ND
15	N	818	CLA	ND
15	N	819	CLA	ND
15	N	820	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
15	N	821	CLA	ND
15	N	822	CLA	ND
15	N	823	CLA	ND
15	N	825	CLA	ND
15	N	827	CLA	ND
15	N	828	CLA	ND
15	N	829	CLA	ND
15	N	830	CLA	ND
15	N	831	CLA	ND
15	N	832	CLA	ND
15	N	833	CLA	ND
15	N	834	CLA	ND
15	N	835	CLA	ND
15	N	836	CLA	ND
15	N	837	CLA	ND
15	N	838	CLA	ND
15	N	839	CLA	ND
15	N	840	CLA	ND
15	N	841	CLA	ND
15	N	842	CLA	ND
15	O	801	CLA	ND
15	O	802	CLA	ND
15	O	803	CLA	ND
15	O	804	CLA	ND
15	O	805	CLA	ND
15	O	806	CLA	ND
15	O	807	CLA	ND
15	O	808	CLA	ND
15	O	809	CLA	ND
15	O	811	CLA	ND
15	O	812	CLA	ND
15	O	814	CLA	ND
15	O	815	CLA	ND
15	O	816	CLA	ND
15	O	817	CLA	ND
15	O	818	CLA	ND
15	O	819	CLA	ND
15	O	820	CLA	ND
15	O	821	CLA	ND
15	O	822	CLA	ND
15	O	823	CLA	ND
15	O	824	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
15	O	825	CLA	ND
15	O	826	CLA	ND
15	O	827	CLA	ND
15	O	828	CLA	ND
15	O	829	CLA	ND
15	O	830	CLA	ND
15	O	831	CLA	ND
15	O	832	CLA	ND
15	O	834	CLA	ND
15	O	835	CLA	ND
15	O	836	CLA	ND
15	O	837	CLA	ND
15	O	838	CLA	ND
15	O	839	CLA	ND
15	O	841	CLA	ND
15	S	201	CLA	ND
15	V	102	CLA	ND
15	V	103	CLA	ND
15	W	1501	CLA	ND
15	W	1502	CLA	ND
15	Z	103	CLA	ND
15	a	803	CLA	ND
15	a	804	CLA	ND
15	a	805	CLA	ND
15	a	806	CLA	ND
15	a	807	CLA	ND
15	a	808	CLA	ND
15	a	809	CLA	ND
15	a	810	CLA	ND
15	a	811	CLA	ND
15	a	812	CLA	ND
15	a	813	CLA	ND
15	a	814	CLA	ND
15	a	815	CLA	ND
15	a	816	CLA	ND
15	a	817	CLA	ND
15	a	818	CLA	ND
15	a	819	CLA	ND
15	a	820	CLA	ND
15	a	821	CLA	ND
15	a	822	CLA	ND
15	a	823	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
15	a	825	CLA	ND
15	a	827	CLA	ND
15	a	828	CLA	ND
15	a	829	CLA	ND
15	a	830	CLA	ND
15	a	831	CLA	ND
15	a	832	CLA	ND
15	a	833	CLA	ND
15	a	834	CLA	ND
15	a	835	CLA	ND
15	a	836	CLA	ND
15	a	837	CLA	ND
15	a	838	CLA	ND
15	a	839	CLA	ND
15	a	840	CLA	ND
15	a	841	CLA	ND
15	a	842	CLA	ND
15	b	801	CLA	ND
15	b	802	CLA	ND
15	b	803	CLA	ND
15	b	804	CLA	ND
15	b	805	CLA	ND
15	b	806	CLA	ND
15	b	807	CLA	ND
15	b	808	CLA	ND
15	b	809	CLA	ND
15	b	811	CLA	ND
15	b	812	CLA	ND
15	b	814	CLA	ND
15	b	815	CLA	ND
15	b	816	CLA	ND
15	b	817	CLA	ND
15	b	818	CLA	ND
15	b	819	CLA	ND
15	b	820	CLA	ND
15	b	821	CLA	ND
15	b	822	CLA	ND
15	b	823	CLA	ND
15	b	824	CLA	ND
15	b	825	CLA	ND
15	b	826	CLA	ND
15	b	827	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
15	b	828	CLA	ND
15	b	829	CLA	ND
15	b	830	CLA	ND
15	b	831	CLA	ND
15	b	832	CLA	ND
15	b	834	CLA	ND
15	b	835	CLA	ND
15	b	836	CLA	ND
15	b	837	CLA	ND
15	b	838	CLA	ND
15	b	839	CLA	ND
15	b	841	CLA	ND
15	f	201	CLA	ND
15	i	102	CLA	ND
15	i	103	CLA	ND
15	j	202	CLA	ND
15	j	203	CLA	ND
15	l	103	CLA	ND

All (3603) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	A	802	F6C	C1B-C2B-CMB-OMB
14	A	802	F6C	C3B-C2B-CMB-OMB
14	A	824	F6C	C4B-C3B-CAB-CBB
14	A	824	F6C	C1B-C2B-CMB-OMB
14	A	824	F6C	C3B-C2B-CMB-OMB
14	A	826	F6C	C2C-C3C-CAC-CBC
14	A	826	F6C	C4C-C3C-CAC-CBC
14	A	826	F6C	C3B-C2B-CMB-OMB
14	A	857	F6C	C3B-C2B-CMB-OMB
14	A	857	F6C	C4-C3-C5-C6
14	B	831	F6C	CHA-CBD-CGD-O1D
14	B	831	F6C	CHA-CBD-CGD-O2D
14	B	831	F6C	C3B-C2B-CMB-OMB
14	B	838	F6C	C1B-C2B-CMB-OMB
14	B	838	F6C	C3B-C2B-CMB-OMB
14	B	838	F6C	C2-C3-C5-C6
14	B	838	F6C	C4-C3-C5-C6
14	L	201	F6C	C1B-C2B-CMB-OMB
14	L	201	F6C	C3B-C2B-CMB-OMB
14	L	204	F6C	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	L	204	F6C	C1B-C2B-CMB-OMB
14	L	204	F6C	C3B-C2B-CMB-OMB
14	N	802	F6C	C1B-C2B-CMB-OMB
14	N	802	F6C	C3B-C2B-CMB-OMB
14	N	824	F6C	C2B-C3B-CAB-CBB
14	N	824	F6C	C4B-C3B-CAB-CBB
14	N	824	F6C	C3B-C2B-CMB-OMB
14	N	826	F6C	C2C-C3C-CAC-CBC
14	N	826	F6C	C4C-C3C-CAC-CBC
14	N	856	F6C	C2A-CAA-CBA-CGA
14	O	810	F6C	C1B-C2B-CMB-OMB
14	O	810	F6C	C3B-C2B-CMB-OMB
14	O	833	F6C	CHA-CBD-CGD-O1D
14	O	833	F6C	CHA-CBD-CGD-O2D
14	O	840	F6C	C1B-C2B-CMB-OMB
14	O	840	F6C	C3B-C2B-CMB-OMB
14	O	840	F6C	C2-C3-C5-C6
14	O	840	F6C	C4-C3-C5-C6
14	W	1503	F6C	C1A-C2A-CAA-CBA
14	W	1503	F6C	CBA-CGA-O2A-C1
14	W	1503	F6C	C1B-C2B-CMB-OMB
14	W	1503	F6C	C3B-C2B-CMB-OMB
14	W	1503	F6C	C2-C3-C5-C6
14	W	1503	F6C	C4-C3-C5-C6
14	a	802	F6C	C1B-C2B-CMB-OMB
14	a	802	F6C	C3B-C2B-CMB-OMB
14	a	824	F6C	C2B-C3B-CAB-CBB
14	a	824	F6C	C4B-C3B-CAB-CBB
14	a	824	F6C	C1B-C2B-CMB-OMB
14	a	824	F6C	C3B-C2B-CMB-OMB
14	a	826	F6C	C2C-C3C-CAC-CBC
14	a	856	F6C	C2A-CAA-CBA-CGA
14	a	856	F6C	C3B-C2B-CMB-OMB
14	a	856	F6C	C4-C3-C5-C6
14	b	810	F6C	C1B-C2B-CMB-OMB
14	b	810	F6C	C3B-C2B-CMB-OMB
14	b	833	F6C	CHA-CBD-CGD-O1D
14	b	833	F6C	CHA-CBD-CGD-O2D
14	b	840	F6C	C1B-C2B-CMB-OMB
14	b	840	F6C	C3B-C2B-CMB-OMB
14	b	840	F6C	C2-C3-C5-C6
14	b	840	F6C	C4-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	j	204	F6C	C1A-C2A-CAA-CBA
14	j	204	F6C	C1B-C2B-CMB-OMB
14	j	204	F6C	C3B-C2B-CMB-OMB
15	A	803	CLA	C3A-C2A-CAA-CBA
15	A	805	CLA	C3A-C2A-CAA-CBA
15	A	806	CLA	C1A-C2A-CAA-CBA
15	A	806	CLA	C3A-C2A-CAA-CBA
15	A	806	CLA	CHA-CBD-CGD-O1D
15	A	806	CLA	CHA-CBD-CGD-O2D
15	A	806	CLA	CAD-CBD-CGD-O1D
15	A	806	CLA	CAD-CBD-CGD-O2D
15	A	807	CLA	CBD-CGD-O2D-CED
15	A	807	CLA	C2-C3-C5-C6
15	A	807	CLA	C4-C3-C5-C6
15	A	809	CLA	C3A-C2A-CAA-CBA
15	A	809	CLA	C6-C7-C8-C9
15	A	810	CLA	C1A-C2A-CAA-CBA
15	A	811	CLA	CHA-CBD-CGD-O1D
15	A	811	CLA	CHA-CBD-CGD-O2D
15	A	811	CLA	CAD-CBD-CGD-O1D
15	A	811	CLA	C6-C7-C8-C9
15	A	812	CLA	C1A-C2A-CAA-CBA
15	A	812	CLA	C2-C3-C5-C6
15	A	812	CLA	C4-C3-C5-C6
15	A	814	CLA	C2-C3-C5-C6
15	A	814	CLA	C4-C3-C5-C6
15	A	815	CLA	C1A-C2A-CAA-CBA
15	A	816	CLA	CHA-CBD-CGD-O1D
15	A	816	CLA	CHA-CBD-CGD-O2D
15	A	818	CLA	C1A-C2A-CAA-CBA
15	A	818	CLA	C3A-C2A-CAA-CBA
15	A	818	CLA	CHA-CBD-CGD-O1D
15	A	818	CLA	CHA-CBD-CGD-O2D
15	A	819	CLA	C3A-C2A-CAA-CBA
15	A	820	CLA	C1A-C2A-CAA-CBA
15	A	820	CLA	C3A-C2A-CAA-CBA
15	A	828	CLA	CHA-CBD-CGD-O1D
15	A	828	CLA	CHA-CBD-CGD-O2D
15	A	837	CLA	C1A-C2A-CAA-CBA
15	A	837	CLA	CBD-CGD-O2D-CED
15	A	838	CLA	C1A-C2A-CAA-CBA
15	A	838	CLA	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	A	838	CLA	C4-C3-C5-C6
15	A	840	CLA	CHA-CBD-CGD-O1D
15	A	840	CLA	CHA-CBD-CGD-O2D
15	A	841	CLA	C1A-C2A-CAA-CBA
15	A	841	CLA	CBA-CGA-O2A-C1
15	A	841	CLA	O1A-CGA-O2A-C1
15	A	841	CLA	CHA-CBD-CGD-O1D
15	A	841	CLA	CHA-CBD-CGD-O2D
15	A	842	CLA	C1A-C2A-CAA-CBA
15	A	856	CLA	CHA-CBD-CGD-O1D
15	A	856	CLA	CHA-CBD-CGD-O2D
15	B	801	CLA	CHA-CBD-CGD-O1D
15	B	801	CLA	CHA-CBD-CGD-O2D
15	B	803	CLA	CBD-CGD-O2D-CED
15	B	804	CLA	C3A-C2A-CAA-CBA
15	B	805	CLA	CBD-CGD-O2D-CED
15	B	808	CLA	C1A-C2A-CAA-CBA
15	B	808	CLA	C3A-C2A-CAA-CBA
15	B	808	CLA	CHA-CBD-CGD-O1D
15	B	808	CLA	CHA-CBD-CGD-O2D
15	B	812	CLA	CBD-CGD-O2D-CED
15	B	813	CLA	C1A-C2A-CAA-CBA
15	B	813	CLA	C3A-C2A-CAA-CBA
15	B	815	CLA	C3A-C2A-CAA-CBA
15	B	816	CLA	C1A-C2A-CAA-CBA
15	B	816	CLA	C3A-C2A-CAA-CBA
15	B	818	CLA	C1A-C2A-CAA-CBA
15	B	818	CLA	C3A-C2A-CAA-CBA
15	B	818	CLA	CBD-CGD-O2D-CED
15	B	819	CLA	CHA-CBD-CGD-O1D
15	B	820	CLA	C1A-C2A-CAA-CBA
15	B	823	CLA	C2-C3-C5-C6
15	B	823	CLA	C4-C3-C5-C6
15	B	826	CLA	C1A-C2A-CAA-CBA
15	B	826	CLA	C3A-C2A-CAA-CBA
15	B	827	CLA	C2-C3-C5-C6
15	B	827	CLA	C4-C3-C5-C6
15	B	828	CLA	C4-C3-C5-C6
15	B	834	CLA	CHA-CBD-CGD-O1D
15	B	834	CLA	CHA-CBD-CGD-O2D
15	B	834	CLA	CAD-CBD-CGD-O1D
15	B	834	CLA	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	B	835	CLA	C1A-C2A-CAA-CBA
15	K	102	CLA	CBD-CGD-O2D-CED
15	K	103	CLA	CHA-CBD-CGD-O1D
15	K	103	CLA	CHA-CBD-CGD-O2D
15	N	803	CLA	C3A-C2A-CAA-CBA
15	N	805	CLA	C3A-C2A-CAA-CBA
15	N	806	CLA	C1A-C2A-CAA-CBA
15	N	806	CLA	C3A-C2A-CAA-CBA
15	N	806	CLA	CHA-CBD-CGD-O1D
15	N	806	CLA	CHA-CBD-CGD-O2D
15	N	806	CLA	CAD-CBD-CGD-O1D
15	N	806	CLA	CAD-CBD-CGD-O2D
15	N	807	CLA	CBD-CGD-O2D-CED
15	N	807	CLA	C2-C3-C5-C6
15	N	807	CLA	C4-C3-C5-C6
15	N	809	CLA	C3A-C2A-CAA-CBA
15	N	809	CLA	C6-C7-C8-C9
15	N	810	CLA	C1A-C2A-CAA-CBA
15	N	811	CLA	CAD-CBD-CGD-O1D
15	N	811	CLA	CAD-CBD-CGD-O2D
15	N	811	CLA	C6-C7-C8-C9
15	N	812	CLA	C1A-C2A-CAA-CBA
15	N	812	CLA	CBD-CGD-O2D-CED
15	N	812	CLA	C4-C3-C5-C6
15	N	814	CLA	C2-C3-C5-C6
15	N	814	CLA	C4-C3-C5-C6
15	N	815	CLA	C1A-C2A-CAA-CBA
15	N	816	CLA	CHA-CBD-CGD-O1D
15	N	816	CLA	CHA-CBD-CGD-O2D
15	N	818	CLA	C1A-C2A-CAA-CBA
15	N	818	CLA	C3A-C2A-CAA-CBA
15	N	818	CLA	CHA-CBD-CGD-O2D
15	N	819	CLA	C3A-C2A-CAA-CBA
15	N	820	CLA	C1A-C2A-CAA-CBA
15	N	820	CLA	C3A-C2A-CAA-CBA
15	N	823	CLA	C1A-C2A-CAA-CBA
15	N	823	CLA	C3A-C2A-CAA-CBA
15	N	825	CLA	C2-C3-C5-C6
15	N	825	CLA	C4-C3-C5-C6
15	N	835	CLA	CHA-CBD-CGD-O1D
15	N	835	CLA	CHA-CBD-CGD-O2D
15	N	837	CLA	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	837	CLA	CBD-CGD-O2D-CED
15	N	838	CLA	C2-C3-C5-C6
15	N	838	CLA	C4-C3-C5-C6
15	N	840	CLA	CHA-CBD-CGD-O1D
15	N	840	CLA	CHA-CBD-CGD-O2D
15	N	841	CLA	C1A-C2A-CAA-CBA
15	N	842	CLA	C1A-C2A-CAA-CBA
15	O	801	CLA	CHA-CBD-CGD-O1D
15	O	801	CLA	CHA-CBD-CGD-O2D
15	O	801	CLA	CBD-CGD-O2D-CED
15	O	802	CLA	CHA-CBD-CGD-O1D
15	O	802	CLA	CHA-CBD-CGD-O2D
15	O	804	CLA	CBD-CGD-O2D-CED
15	O	804	CLA	C4-C3-C5-C6
15	O	805	CLA	C3A-C2A-CAA-CBA
15	O	806	CLA	CBD-CGD-O2D-CED
15	O	809	CLA	C1A-C2A-CAA-CBA
15	O	809	CLA	C3A-C2A-CAA-CBA
15	O	809	CLA	CHA-CBD-CGD-O1D
15	O	809	CLA	CHA-CBD-CGD-O2D
15	O	814	CLA	C11-C12-C13-C14
15	O	815	CLA	C1A-C2A-CAA-CBA
15	O	817	CLA	C3A-C2A-CAA-CBA
15	O	818	CLA	C1A-C2A-CAA-CBA
15	O	818	CLA	C3A-C2A-CAA-CBA
15	O	820	CLA	C1A-C2A-CAA-CBA
15	O	820	CLA	C3A-C2A-CAA-CBA
15	O	820	CLA	CBD-CGD-O2D-CED
15	O	821	CLA	CHA-CBD-CGD-O1D
15	O	821	CLA	CHA-CBD-CGD-O2D
15	O	822	CLA	C1A-C2A-CAA-CBA
15	O	825	CLA	C4-C3-C5-C6
15	O	827	CLA	CBD-CGD-O2D-CED
15	O	828	CLA	C1A-C2A-CAA-CBA
15	O	828	CLA	C3A-C2A-CAA-CBA
15	O	829	CLA	C2-C3-C5-C6
15	O	829	CLA	C4-C3-C5-C6
15	O	830	CLA	C2-C3-C5-C6
15	O	830	CLA	C4-C3-C5-C6
15	O	830	CLA	C11-C10-C8-C7
15	O	835	CLA	C1A-C2A-CAA-CBA
15	O	836	CLA	CHA-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	836	CLA	CHA-CBD-CGD-O2D
15	O	836	CLA	CAD-CBD-CGD-O1D
15	O	836	CLA	CAD-CBD-CGD-O2D
15	O	837	CLA	C1A-C2A-CAA-CBA
15	O	841	CLA	C1A-C2A-CAA-CBA
15	V	102	CLA	CBD-CGD-O2D-CED
15	V	103	CLA	CHA-CBD-CGD-O1D
15	V	103	CLA	CHA-CBD-CGD-O2D
15	a	803	CLA	C3A-C2A-CAA-CBA
15	a	805	CLA	C3A-C2A-CAA-CBA
15	a	806	CLA	C1A-C2A-CAA-CBA
15	a	806	CLA	C3A-C2A-CAA-CBA
15	a	807	CLA	CBD-CGD-O2D-CED
15	a	807	CLA	C2-C3-C5-C6
15	a	807	CLA	C4-C3-C5-C6
15	a	809	CLA	C3A-C2A-CAA-CBA
15	a	809	CLA	C6-C7-C8-C9
15	a	810	CLA	C1A-C2A-CAA-CBA
15	a	811	CLA	CHA-CBD-CGD-O1D
15	a	811	CLA	CHA-CBD-CGD-O2D
15	a	811	CLA	CAD-CBD-CGD-O1D
15	a	811	CLA	C6-C7-C8-C9
15	a	812	CLA	C1A-C2A-CAA-CBA
15	a	812	CLA	C3A-C2A-CAA-CBA
15	a	812	CLA	CBD-CGD-O2D-CED
15	a	814	CLA	C2-C3-C5-C6
15	a	814	CLA	C4-C3-C5-C6
15	a	818	CLA	C1A-C2A-CAA-CBA
15	a	818	CLA	C3A-C2A-CAA-CBA
15	a	818	CLA	CHA-CBD-CGD-O1D
15	a	818	CLA	CHA-CBD-CGD-O2D
15	a	819	CLA	C3A-C2A-CAA-CBA
15	a	820	CLA	C1A-C2A-CAA-CBA
15	a	820	CLA	C3A-C2A-CAA-CBA
15	a	825	CLA	C2-C3-C5-C6
15	a	825	CLA	C4-C3-C5-C6
15	a	837	CLA	C1A-C2A-CAA-CBA
15	a	837	CLA	CBD-CGD-O2D-CED
15	a	838	CLA	C2-C3-C5-C6
15	a	838	CLA	C4-C3-C5-C6
15	a	840	CLA	CHA-CBD-CGD-O1D
15	a	840	CLA	CHA-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	a	841	CLA	C1A-C2A-CAA-CBA
15	a	841	CLA	CBA-CGA-O2A-C1
15	a	841	CLA	O1A-CGA-O2A-C1
15	a	841	CLA	CHA-CBD-CGD-O1D
15	a	841	CLA	CHA-CBD-CGD-O2D
15	a	842	CLA	C1A-C2A-CAA-CBA
15	b	801	CLA	CHA-CBD-CGD-O1D
15	b	801	CLA	CHA-CBD-CGD-O2D
15	b	802	CLA	CHA-CBD-CGD-O1D
15	b	802	CLA	CHA-CBD-CGD-O2D
15	b	804	CLA	CBD-CGD-O2D-CED
15	b	805	CLA	C3A-C2A-CAA-CBA
15	b	806	CLA	CBD-CGD-O2D-CED
15	b	809	CLA	C1A-C2A-CAA-CBA
15	b	809	CLA	C3A-C2A-CAA-CBA
15	b	811	CLA	C12-C13-C15-C16
15	b	814	CLA	CBD-CGD-O2D-CED
15	b	815	CLA	C1A-C2A-CAA-CBA
15	b	815	CLA	C3A-C2A-CAA-CBA
15	b	817	CLA	C3A-C2A-CAA-CBA
15	b	818	CLA	C1A-C2A-CAA-CBA
15	b	818	CLA	C3A-C2A-CAA-CBA
15	b	820	CLA	C1A-C2A-CAA-CBA
15	b	820	CLA	C3A-C2A-CAA-CBA
15	b	820	CLA	CBD-CGD-O2D-CED
15	b	821	CLA	CHA-CBD-CGD-O1D
15	b	821	CLA	CHA-CBD-CGD-O2D
15	b	822	CLA	C1A-C2A-CAA-CBA
15	b	823	CLA	C1A-C2A-CAA-CBA
15	b	823	CLA	C3A-C2A-CAA-CBA
15	b	828	CLA	C1A-C2A-CAA-CBA
15	b	828	CLA	C3A-C2A-CAA-CBA
15	b	829	CLA	C2-C3-C5-C6
15	b	829	CLA	C4-C3-C5-C6
15	b	830	CLA	C2-C3-C5-C6
15	b	830	CLA	C4-C3-C5-C6
15	b	835	CLA	C1A-C2A-CAA-CBA
15	b	836	CLA	CHA-CBD-CGD-O1D
15	b	836	CLA	CHA-CBD-CGD-O2D
15	b	836	CLA	CAD-CBD-CGD-O1D
15	b	836	CLA	CAD-CBD-CGD-O2D
15	b	837	CLA	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	841	CLA	C1A-C2A-CAA-CBA
15	i	102	CLA	CBD-CGD-O2D-CED
15	i	103	CLA	CHA-CBD-CGD-O1D
15	i	103	CLA	CHA-CBD-CGD-O2D
15	j	203	CLA	C11-C10-C8-C9
18	A	845	BCR	C17-C18-C19-C20
18	A	845	BCR	C36-C18-C19-C20
18	A	846	BCR	C5-C6-C7-C8
18	A	846	BCR	C21-C22-C23-C24
18	A	846	BCR	C37-C22-C23-C24
18	A	848	BCR	C17-C18-C19-C20
18	A	848	BCR	C36-C18-C19-C20
18	A	848	BCR	C23-C24-C25-C26
18	A	850	BCR	C7-C8-C9-C10
18	A	850	BCR	C7-C8-C9-C34
18	A	850	BCR	C36-C18-C19-C20
18	A	850	BCR	C21-C22-C23-C24
18	A	850	BCR	C37-C22-C23-C24
18	A	858	BCR	C7-C8-C9-C34
18	A	858	BCR	C23-C24-C25-C26
18	B	842	BCR	C21-C22-C23-C24
18	B	842	BCR	C37-C22-C23-C24
18	B	844	BCR	C5-C6-C7-C8
18	F	202	BCR	C17-C18-C19-C20
18	F	202	BCR	C36-C18-C19-C20
18	F	202	BCR	C21-C22-C23-C24
18	F	202	BCR	C37-C22-C23-C24
18	I	101	BCR	C7-C8-C9-C10
18	I	101	BCR	C11-C12-C13-C14
18	I	101	BCR	C11-C12-C13-C35
18	I	101	BCR	C21-C22-C23-C24
18	I	101	BCR	C37-C22-C23-C24
18	J	101	BCR	C11-C12-C13-C14
18	J	101	BCR	C11-C12-C13-C35
18	J	101	BCR	C37-C22-C23-C24
18	J	101	BCR	C23-C24-C25-C26
18	L	205	BCR	C7-C8-C9-C34
18	M	101	BCR	C1-C6-C7-C8
18	M	101	BCR	C5-C6-C7-C8
18	M	101	BCR	C7-C8-C9-C10
18	M	101	BCR	C7-C8-C9-C34
18	N	845	BCR	C17-C18-C19-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	N	845	BCR	C36-C18-C19-C20
18	N	846	BCR	C5-C6-C7-C8
18	N	846	BCR	C21-C22-C23-C24
18	N	846	BCR	C37-C22-C23-C24
18	N	848	BCR	C17-C18-C19-C20
18	N	848	BCR	C36-C18-C19-C20
18	N	848	BCR	C23-C24-C25-C26
18	N	850	BCR	C7-C8-C9-C10
18	N	850	BCR	C7-C8-C9-C34
18	N	850	BCR	C17-C18-C19-C20
18	N	850	BCR	C36-C18-C19-C20
18	N	850	BCR	C21-C22-C23-C24
18	N	850	BCR	C37-C22-C23-C24
18	N	850	BCR	C23-C24-C25-C26
18	N	850	BCR	C23-C24-C25-C30
18	N	857	BCR	C23-C24-C25-C26
18	O	844	BCR	C21-C22-C23-C24
18	O	844	BCR	C37-C22-C23-C24
18	O	846	BCR	C7-C8-C9-C10
18	O	846	BCR	C7-C8-C9-C34
18	O	848	BCR	C11-C12-C13-C14
18	O	848	BCR	C11-C12-C13-C35
18	O	848	BCR	C17-C18-C19-C20
18	O	848	BCR	C36-C18-C19-C20
18	O	848	BCR	C21-C22-C23-C24
18	T	101	BCR	C7-C8-C9-C10
18	T	101	BCR	C7-C8-C9-C34
18	T	101	BCR	C11-C12-C13-C14
18	T	101	BCR	C11-C12-C13-C35
18	T	101	BCR	C21-C22-C23-C24
18	T	101	BCR	C37-C22-C23-C24
18	T	101	BCR	C23-C24-C25-C26
18	U	101	BCR	C11-C12-C13-C14
18	U	101	BCR	C11-C12-C13-C35
18	U	101	BCR	C21-C22-C23-C24
18	U	101	BCR	C37-C22-C23-C24
18	U	101	BCR	C23-C24-C25-C26
18	W	1504	BCR	C7-C8-C9-C10
18	W	1504	BCR	C7-C8-C9-C34
18	W	1504	BCR	C37-C22-C23-C24
18	Y	102	BCR	C5-C6-C7-C8
18	Y	102	BCR	C7-C8-C9-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	Y	102	BCR	C7-C8-C9-C34
18	a	845	BCR	C17-C18-C19-C20
18	a	845	BCR	C36-C18-C19-C20
18	a	846	BCR	C5-C6-C7-C8
18	a	846	BCR	C21-C22-C23-C24
18	a	846	BCR	C37-C22-C23-C24
18	a	848	BCR	C17-C18-C19-C20
18	a	848	BCR	C36-C18-C19-C20
18	a	848	BCR	C23-C24-C25-C26
18	a	848	BCR	C23-C24-C25-C30
18	a	850	BCR	C7-C8-C9-C10
18	a	850	BCR	C7-C8-C9-C34
18	a	850	BCR	C36-C18-C19-C20
18	a	850	BCR	C21-C22-C23-C24
18	a	850	BCR	C37-C22-C23-C24
18	a	850	BCR	C23-C24-C25-C26
18	a	857	BCR	C23-C24-C25-C26
18	b	844	BCR	C21-C22-C23-C24
18	b	844	BCR	C37-C22-C23-C24
18	b	846	BCR	C5-C6-C7-C8
18	b	846	BCR	C7-C8-C9-C10
18	b	846	BCR	C7-C8-C9-C34
18	f	202	BCR	C11-C12-C13-C14
18	f	202	BCR	C11-C12-C13-C35
18	f	202	BCR	C17-C18-C19-C20
18	f	202	BCR	C36-C18-C19-C20
18	f	202	BCR	C21-C22-C23-C24
18	f	202	BCR	C37-C22-C23-C24
18	g	101	BCR	C7-C8-C9-C10
18	g	101	BCR	C7-C8-C9-C34
18	g	101	BCR	C11-C12-C13-C14
18	g	101	BCR	C11-C12-C13-C35
18	g	101	BCR	C23-C24-C25-C26
18	h	101	BCR	C11-C12-C13-C14
18	h	101	BCR	C11-C12-C13-C35
18	h	101	BCR	C21-C22-C23-C24
18	h	101	BCR	C37-C22-C23-C24
18	h	101	BCR	C23-C24-C25-C26
18	j	205	BCR	C7-C8-C9-C10
18	j	205	BCR	C7-C8-C9-C34
18	k	102	BCR	C1-C6-C7-C8
18	k	102	BCR	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	k	102	BCR	C7-C8-C9-C10
18	k	102	BCR	C7-C8-C9-C34
19	A	851	LHG	C3-O3-P-O5
19	L	207	LHG	C3-O3-P-O5
19	L	207	LHG	C4-O6-P-O3
19	M	102	LHG	O9-C7-O7-C5
19	X	101	LHG	C4-O6-P-O4
19	N	851	LHG	C3-O3-P-O5
19	W	1506	LHG	C3-O3-P-O5
19	Y	101	LHG	O9-C7-O7-C5
19	Z	101	LHG	C4-O6-P-O4
19	j	207	LHG	C3-O3-P-O5
19	j	207	LHG	C4-O6-P-O3
19	k	101	LHG	O9-C7-O7-C5
19	l	101	LHG	C4-O6-P-O4
20	A	853	LMT	C2-C1-O1'-C1'
20	A	854	LMT	C2-C1-O1'-C1'
20	N	853	LMT	C2-C1-O1'-C1'
20	N	854	LMT	C2-C1-O1'-C1'
20	a	853	LMT	C2-C1-O1'-C1'
20	a	854	LMT	C2-C1-O1'-C1'
21	A	855	LMG	O9-C10-O7-C8
21	A	855	LMG	C11-C10-O7-C8
21	I	103	LMG	C11-C10-O7-C8
21	J	102	LMG	C2-C1-O1-C7
21	J	102	LMG	O6-C1-O1-C7
21	N	855	LMG	O9-C10-O7-C8
21	T	103	LMG	C11-C10-O7-C8
21	U	102	LMG	C2-C1-O1-C7
21	U	102	LMG	O6-C1-O1-C7
21	a	855	LMG	O9-C10-O7-C8
21	a	855	LMG	C11-C10-O7-C8
21	g	103	LMG	C11-C10-O7-C8
21	h	102	LMG	C2-C1-O1-C7
21	h	102	LMG	O6-C1-O1-C7
15	N	837	CLA	O1D-CGD-O2D-CED
15	A	812	CLA	O1D-CGD-O2D-CED
15	A	837	CLA	O1D-CGD-O2D-CED
15	N	806	CLA	O1D-CGD-O2D-CED
15	A	811	CLA	CBD-CGD-O2D-CED
15	A	812	CLA	CBD-CGD-O2D-CED
15	A	816	CLA	CBD-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	A	820	CLA	CBD-CGD-O2D-CED
15	B	801	CLA	CBD-CGD-O2D-CED
15	B	825	CLA	CBD-CGD-O2D-CED
15	B	828	CLA	CBD-CGD-O2D-CED
15	N	806	CLA	CBD-CGD-O2D-CED
15	N	811	CLA	CBD-CGD-O2D-CED
15	N	820	CLA	CBD-CGD-O2D-CED
15	O	814	CLA	CBD-CGD-O2D-CED
15	O	830	CLA	CBD-CGD-O2D-CED
15	a	811	CLA	CBD-CGD-O2D-CED
15	b	801	CLA	CBD-CGD-O2D-CED
15	b	827	CLA	CBD-CGD-O2D-CED
14	A	857	F6C	O1A-CGA-O2A-C1
14	L	204	F6C	O1A-CGA-O2A-C1
14	N	856	F6C	O1A-CGA-O2A-C1
14	W	1503	F6C	O1A-CGA-O2A-C1
14	a	856	F6C	O1A-CGA-O2A-C1
14	j	204	F6C	O1A-CGA-O2A-C1
15	A	813	CLA	O1A-CGA-O2A-C1
15	B	808	CLA	O1A-CGA-O2A-C1
15	N	813	CLA	O1A-CGA-O2A-C1
15	O	809	CLA	O1A-CGA-O2A-C1
15	a	813	CLA	O1A-CGA-O2A-C1
15	b	809	CLA	O1A-CGA-O2A-C1
15	B	801	CLA	O1D-CGD-O2D-CED
15	O	820	CLA	O1D-CGD-O2D-CED
15	b	801	CLA	O1D-CGD-O2D-CED
15	A	807	CLA	O1D-CGD-O2D-CED
15	B	803	CLA	O1D-CGD-O2D-CED
15	N	807	CLA	O1D-CGD-O2D-CED
15	N	812	CLA	O1D-CGD-O2D-CED
15	O	801	CLA	O1D-CGD-O2D-CED
15	V	102	CLA	O1D-CGD-O2D-CED
15	a	807	CLA	O1D-CGD-O2D-CED
15	a	812	CLA	O1D-CGD-O2D-CED
15	a	837	CLA	O1D-CGD-O2D-CED
15	b	806	CLA	O1D-CGD-O2D-CED
15	b	820	CLA	O1D-CGD-O2D-CED
15	i	102	CLA	O1D-CGD-O2D-CED
14	A	857	F6C	CBA-CGA-O2A-C1
14	L	204	F6C	CBA-CGA-O2A-C1
14	N	856	F6C	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	j	204	F6C	CBA-CGA-O2A-C1
15	A	813	CLA	CBA-CGA-O2A-C1
15	B	808	CLA	CBA-CGA-O2A-C1
15	B	829	CLA	CBA-CGA-O2A-C1
15	N	813	CLA	CBA-CGA-O2A-C1
15	O	809	CLA	CBA-CGA-O2A-C1
15	O	831	CLA	CBA-CGA-O2A-C1
15	a	813	CLA	CBA-CGA-O2A-C1
15	b	809	CLA	CBA-CGA-O2A-C1
15	A	806	CLA	CBD-CGD-O2D-CED
15	A	818	CLA	CBD-CGD-O2D-CED
15	A	822	CLA	CBD-CGD-O2D-CED
15	B	827	CLA	CBD-CGD-O2D-CED
15	X	103	CLA	CBD-CGD-O2D-CED
15	N	816	CLA	CBD-CGD-O2D-CED
15	N	818	CLA	CBD-CGD-O2D-CED
15	O	831	CLA	CBD-CGD-O2D-CED
15	O	841	CLA	CBD-CGD-O2D-CED
15	W	1501	CLA	CBD-CGD-O2D-CED
15	a	816	CLA	CBD-CGD-O2D-CED
15	a	820	CLA	CBD-CGD-O2D-CED
15	a	822	CLA	CBD-CGD-O2D-CED
15	b	830	CLA	CBD-CGD-O2D-CED
15	A	820	CLA	O1A-CGA-O2A-C1
15	A	822	CLA	O1A-CGA-O2A-C1
15	A	842	CLA	O1A-CGA-O2A-C1
15	B	817	CLA	O1A-CGA-O2A-C1
15	B	825	CLA	O1A-CGA-O2A-C1
15	B	827	CLA	O1A-CGA-O2A-C1
15	B	829	CLA	O1A-CGA-O2A-C1
15	N	820	CLA	O1A-CGA-O2A-C1
15	N	822	CLA	O1A-CGA-O2A-C1
15	N	842	CLA	O1A-CGA-O2A-C1
15	O	819	CLA	O1A-CGA-O2A-C1
15	O	827	CLA	O1A-CGA-O2A-C1
15	O	829	CLA	O1A-CGA-O2A-C1
15	O	831	CLA	O1A-CGA-O2A-C1
15	a	842	CLA	O1A-CGA-O2A-C1
15	b	819	CLA	O1A-CGA-O2A-C1
15	b	827	CLA	O1A-CGA-O2A-C1
15	b	829	CLA	O1A-CGA-O2A-C1
15	b	831	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	W	1506	LHG	O10-C23-O8-C6
19	j	207	LHG	O10-C23-O8-C6
19	l	102	LHG	O10-C23-O8-C6
21	I	103	LMG	O10-C28-O8-C9
21	T	103	LMG	O10-C28-O8-C9
21	g	103	LMG	O10-C28-O8-C9
15	B	805	CLA	O1D-CGD-O2D-CED
15	B	818	CLA	O1D-CGD-O2D-CED
15	K	102	CLA	O1D-CGD-O2D-CED
15	O	804	CLA	O1D-CGD-O2D-CED
15	O	806	CLA	O1D-CGD-O2D-CED
15	b	804	CLA	O1D-CGD-O2D-CED
15	b	814	CLA	O1D-CGD-O2D-CED
15	B	812	CLA	O1D-CGD-O2D-CED
15	B	802	CLA	CBD-CGD-O2D-CED
15	O	829	CLA	CBD-CGD-O2D-CED
15	a	803	CLA	CBD-CGD-O2D-CED
15	a	818	CLA	CBD-CGD-O2D-CED
15	b	829	CLA	CBD-CGD-O2D-CED
15	O	827	CLA	O1D-CGD-O2D-CED
21	I	103	LMG	O9-C10-O7-C8
21	g	103	LMG	O9-C10-O7-C8
15	a	820	CLA	O1A-CGA-O2A-C1
19	L	207	LHG	O10-C23-O8-C6
14	A	826	F6C	C3-C5-C6-C7
14	a	826	F6C	C3-C5-C6-C7
15	A	813	CLA	C3-C5-C6-C7
15	A	829	CLA	C3-C5-C6-C7
15	A	831	CLA	C3-C5-C6-C7
15	A	836	CLA	C3-C5-C6-C7
15	A	856	CLA	C3-C5-C6-C7
15	B	818	CLA	C3-C5-C6-C7
15	B	821	CLA	C3-C5-C6-C7
15	B	823	CLA	C3-C5-C6-C7
15	B	827	CLA	C3-C5-C6-C7
15	B	828	CLA	C3-C5-C6-C7
15	N	804	CLA	C3-C5-C6-C7
15	N	813	CLA	C3-C5-C6-C7
15	N	829	CLA	C3-C5-C6-C7
15	N	831	CLA	C3-C5-C6-C7
15	N	836	CLA	C3-C5-C6-C7
15	N	839	CLA	C3-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	841	CLA	C3-C5-C6-C7
15	O	802	CLA	C3-C5-C6-C7
15	O	804	CLA	C3-C5-C6-C7
15	O	820	CLA	C3-C5-C6-C7
15	O	823	CLA	C3-C5-C6-C7
15	O	829	CLA	C3-C5-C6-C7
15	O	830	CLA	C3-C5-C6-C7
15	a	813	CLA	C3-C5-C6-C7
15	a	829	CLA	C3-C5-C6-C7
15	a	831	CLA	C3-C5-C6-C7
15	a	836	CLA	C3-C5-C6-C7
15	b	802	CLA	C3-C5-C6-C7
15	b	820	CLA	C3-C5-C6-C7
15	b	825	CLA	C3-C5-C6-C7
15	b	829	CLA	C3-C5-C6-C7
15	b	830	CLA	C3-C5-C6-C7
15	b	831	CLA	C3-C5-C6-C7
14	a	856	F6C	CBA-CGA-O2A-C1
15	B	805	CLA	CBA-CGA-O2A-C1
15	B	818	CLA	CBA-CGA-O2A-C1
15	B	825	CLA	CBA-CGA-O2A-C1
15	N	841	CLA	CBA-CGA-O2A-C1
15	O	806	CLA	CBA-CGA-O2A-C1
15	O	820	CLA	CBA-CGA-O2A-C1
15	O	825	CLA	CBA-CGA-O2A-C1
15	O	827	CLA	CBA-CGA-O2A-C1
15	b	806	CLA	CBA-CGA-O2A-C1
15	b	827	CLA	CBA-CGA-O2A-C1
15	b	831	CLA	CBA-CGA-O2A-C1
21	I	103	LMG	C29-C28-O8-C9
21	T	103	LMG	C29-C28-O8-C9
21	g	103	LMG	C29-C28-O8-C9
19	M	102	LHG	C8-C7-O7-C5
19	Y	101	LHG	C8-C7-O7-C5
19	k	101	LHG	C8-C7-O7-C5
21	N	855	LMG	C11-C10-O7-C8
15	b	827	CLA	O1D-CGD-O2D-CED
15	A	819	CLA	CBD-CGD-O2D-CED
15	N	819	CLA	CBD-CGD-O2D-CED
15	N	836	CLA	CBD-CGD-O2D-CED
15	O	803	CLA	CBD-CGD-O2D-CED
15	Z	103	CLA	CBD-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	841	CLA	CBD-CGD-O2D-CED
15	a	820	CLA	C2C-C3C-CAC-CBC
20	a	853	LMT	O5B-C1B-O1B-C4'
14	B	831	F6C	C3A-C2A-CAA-CBA
14	O	833	F6C	C3A-C2A-CAA-CBA
14	b	833	F6C	C3A-C2A-CAA-CBA
15	a	820	CLA	C4C-C3C-CAC-CBC
14	L	204	F6C	C4-C3-C5-C6
14	j	204	F6C	C4-C3-C5-C6
15	A	829	CLA	C4-C3-C5-C6
15	N	829	CLA	C4-C3-C5-C6
15	a	812	CLA	C4-C3-C5-C6
15	a	829	CLA	C4-C3-C5-C6
14	A	857	F6C	C2-C3-C5-C6
15	A	838	CLA	C2-C3-C5-C6
15	B	828	CLA	C2-C3-C5-C6
15	N	812	CLA	C2-C3-C5-C6
15	N	829	CLA	C2-C3-C5-C6
15	O	825	CLA	C2-C3-C5-C6
15	a	812	CLA	C2-C3-C5-C6
15	A	836	CLA	CBD-CGD-O2D-CED
15	B	839	CLA	CBD-CGD-O2D-CED
15	N	803	CLA	CBD-CGD-O2D-CED
15	a	819	CLA	CBD-CGD-O2D-CED
15	A	809	CLA	C2A-CAA-CBA-CGA
15	A	812	CLA	C2A-CAA-CBA-CGA
15	A	839	CLA	C2A-CAA-CBA-CGA
15	N	809	CLA	C2A-CAA-CBA-CGA
15	N	812	CLA	C2A-CAA-CBA-CGA
15	N	839	CLA	C2A-CAA-CBA-CGA
15	O	828	CLA	C2A-CAA-CBA-CGA
15	a	809	CLA	C2A-CAA-CBA-CGA
15	a	812	CLA	C2A-CAA-CBA-CGA
15	a	839	CLA	C2A-CAA-CBA-CGA
15	b	828	CLA	C2A-CAA-CBA-CGA
15	N	811	CLA	O1D-CGD-O2D-CED
15	B	803	CLA	C3-C5-C6-C7
15	O	825	CLA	C3-C5-C6-C7
15	a	825	CLA	C3-C5-C6-C7
15	a	841	CLA	C3-C5-C6-C7
15	b	823	CLA	C3-C5-C6-C7
15	A	820	CLA	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	A	822	CLA	CBA-CGA-O2A-C1
15	A	837	CLA	CBA-CGA-O2A-C1
15	A	842	CLA	CBA-CGA-O2A-C1
15	B	816	CLA	CBA-CGA-O2A-C1
15	B	817	CLA	CBA-CGA-O2A-C1
15	B	823	CLA	CBA-CGA-O2A-C1
15	B	827	CLA	CBA-CGA-O2A-C1
15	N	820	CLA	CBA-CGA-O2A-C1
15	N	822	CLA	CBA-CGA-O2A-C1
15	N	837	CLA	CBA-CGA-O2A-C1
15	N	842	CLA	CBA-CGA-O2A-C1
15	O	818	CLA	CBA-CGA-O2A-C1
15	O	819	CLA	CBA-CGA-O2A-C1
15	O	829	CLA	CBA-CGA-O2A-C1
15	a	820	CLA	CBA-CGA-O2A-C1
15	a	837	CLA	CBA-CGA-O2A-C1
15	a	842	CLA	CBA-CGA-O2A-C1
15	b	818	CLA	CBA-CGA-O2A-C1
15	b	819	CLA	CBA-CGA-O2A-C1
15	b	820	CLA	CBA-CGA-O2A-C1
15	b	825	CLA	CBA-CGA-O2A-C1
15	b	829	CLA	CBA-CGA-O2A-C1
19	L	207	LHG	C24-C23-O8-C6
19	W	1506	LHG	C24-C23-O8-C6
19	j	207	LHG	C24-C23-O8-C6
19	l	102	LHG	C24-C23-O8-C6
20	A	853	LMT	O5B-C1B-O1B-C4'
15	N	820	CLA	C2C-C3C-CAC-CBC
14	A	802	F6C	C1A-C2A-CAA-CBA
14	A	826	F6C	C1A-C2A-CAA-CBA
14	A	857	F6C	C1A-C2A-CAA-CBA
14	N	802	F6C	C1A-C2A-CAA-CBA
14	N	826	F6C	C1A-C2A-CAA-CBA
14	N	856	F6C	C1A-C2A-CAA-CBA
14	a	802	F6C	C1A-C2A-CAA-CBA
14	a	826	F6C	C1A-C2A-CAA-CBA
15	A	803	CLA	CBD-CGD-O2D-CED
15	A	838	CLA	CBD-CGD-O2D-CED
15	N	825	CLA	CBD-CGD-O2D-CED
15	a	829	CLA	CBD-CGD-O2D-CED
15	b	834	CLA	CBD-CGD-O2D-CED
15	B	825	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	814	CLA	O1D-CGD-O2D-CED
15	a	811	CLA	O1D-CGD-O2D-CED
21	T	103	LMG	O9-C10-O7-C8
15	A	837	CLA	O1A-CGA-O2A-C1
15	B	805	CLA	O1A-CGA-O2A-C1
15	B	823	CLA	O1A-CGA-O2A-C1
15	N	837	CLA	O1A-CGA-O2A-C1
15	N	841	CLA	O1A-CGA-O2A-C1
15	O	806	CLA	O1A-CGA-O2A-C1
15	O	820	CLA	O1A-CGA-O2A-C1
15	O	825	CLA	O1A-CGA-O2A-C1
15	a	837	CLA	O1A-CGA-O2A-C1
15	b	806	CLA	O1A-CGA-O2A-C1
15	b	825	CLA	O1A-CGA-O2A-C1
19	X	102	LHG	O10-C23-O8-C6
15	A	820	CLA	C2C-C3C-CAC-CBC
14	a	802	F6C	CBD-CGD-O2D-CED
15	A	829	CLA	CBD-CGD-O2D-CED
15	A	835	CLA	CBD-CGD-O2D-CED
15	B	815	CLA	CBD-CGD-O2D-CED
15	N	822	CLA	CBD-CGD-O2D-CED
15	O	834	CLA	CBD-CGD-O2D-CED
15	a	823	CLA	CBD-CGD-O2D-CED
15	a	825	CLA	CBD-CGD-O2D-CED
15	a	834	CLA	CBD-CGD-O2D-CED
15	a	836	CLA	CBD-CGD-O2D-CED
15	A	811	CLA	O1D-CGD-O2D-CED
14	N	826	F6C	C3-C5-C6-C7
14	b	810	F6C	C3-C5-C6-C7
15	A	804	CLA	C3-C5-C6-C7
15	A	841	CLA	C3-C5-C6-C7
15	B	808	CLA	C3-C5-C6-C7
15	B	829	CLA	C3-C5-C6-C7
15	F	201	CLA	C3-C5-C6-C7
15	S	201	CLA	C3-C5-C6-C7
15	a	804	CLA	C3-C5-C6-C7
15	b	804	CLA	C3-C5-C6-C7
15	f	201	CLA	C3-C5-C6-C7
15	B	809	CLA	CBA-CGA-O2A-C1
15	O	811	CLA	CBA-CGA-O2A-C1
15	O	841	CLA	CBA-CGA-O2A-C1
15	a	804	CLA	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	a	822	CLA	CBA-CGA-O2A-C1
15	b	811	CLA	CBA-CGA-O2A-C1
15	b	834	CLA	CBA-CGA-O2A-C1
15	b	841	CLA	CBA-CGA-O2A-C1
19	X	102	LHG	C24-C23-O8-C6
19	Z	102	LHG	C24-C23-O8-C6
15	B	816	CLA	O1A-CGA-O2A-C1
15	B	818	CLA	O1A-CGA-O2A-C1
15	O	818	CLA	O1A-CGA-O2A-C1
15	a	822	CLA	O1A-CGA-O2A-C1
15	b	820	CLA	O1A-CGA-O2A-C1
19	Z	102	LHG	O10-C23-O8-C6
15	A	820	CLA	O1D-CGD-O2D-CED
15	B	828	CLA	O1D-CGD-O2D-CED
15	N	820	CLA	O1D-CGD-O2D-CED
15	B	832	CLA	CBD-CGD-O2D-CED
15	N	829	CLA	CBD-CGD-O2D-CED
15	O	839	CLA	CBD-CGD-O2D-CED
15	a	835	CLA	CBD-CGD-O2D-CED
15	a	838	CLA	CBD-CGD-O2D-CED
15	b	802	CLA	CBD-CGD-O2D-CED
15	b	821	CLA	CBD-CGD-O2D-CED
15	b	835	CLA	CBD-CGD-O2D-CED
15	N	820	CLA	C4C-C3C-CAC-CBC
15	B	822	CLA	CBD-CGD-O2D-CED
15	N	834	CLA	CBD-CGD-O2D-CED
15	N	838	CLA	CBD-CGD-O2D-CED
15	b	824	CLA	CBD-CGD-O2D-CED
14	L	201	F6C	C3-C5-C6-C7
14	O	810	F6C	C3-C5-C6-C7
15	N	825	CLA	C3-C5-C6-C7
15	b	818	CLA	O1A-CGA-O2A-C1
14	A	857	F6C	C2A-CAA-CBA-CGA
14	B	838	F6C	C2A-CAA-CBA-CGA
14	O	840	F6C	C2A-CAA-CBA-CGA
14	b	840	F6C	C2A-CAA-CBA-CGA
14	N	856	F6C	C4-C3-C5-C6
15	A	818	CLA	C4-C3-C5-C6
15	B	803	CLA	C4-C3-C5-C6
15	B	805	CLA	C4-C3-C5-C6
15	N	818	CLA	C4-C3-C5-C6
15	O	806	CLA	C4-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	a	818	CLA	C4-C3-C5-C6
15	b	804	CLA	C4-C3-C5-C6
15	b	806	CLA	C4-C3-C5-C6
14	L	204	F6C	C2-C3-C5-C6
14	N	856	F6C	C2-C3-C5-C6
14	a	856	F6C	C2-C3-C5-C6
15	A	818	CLA	C2-C3-C5-C6
15	B	803	CLA	C2-C3-C5-C6
15	B	805	CLA	C2-C3-C5-C6
15	N	818	CLA	C2-C3-C5-C6
15	O	804	CLA	C2-C3-C5-C6
15	O	806	CLA	C2-C3-C5-C6
15	a	818	CLA	C2-C3-C5-C6
15	a	829	CLA	C2-C3-C5-C6
15	b	804	CLA	C2-C3-C5-C6
15	b	806	CLA	C2-C3-C5-C6
14	a	824	F6C	CBD-CGD-O2D-CED
15	B	834	CLA	CBD-CGD-O2D-CED
15	l	103	CLA	CBD-CGD-O2D-CED
15	A	830	CLA	C2A-CAA-CBA-CGA
15	B	826	CLA	C2A-CAA-CBA-CGA
15	N	830	CLA	C2A-CAA-CBA-CGA
15	O	830	CLA	C2A-CAA-CBA-CGA
15	a	830	CLA	C2A-CAA-CBA-CGA
15	A	816	CLA	O1D-CGD-O2D-CED
21	U	102	LMG	C19-C20-C21-C22
15	B	809	CLA	O1A-CGA-O2A-C1
15	O	811	CLA	O1A-CGA-O2A-C1
15	a	804	CLA	O1A-CGA-O2A-C1
15	b	811	CLA	O1A-CGA-O2A-C1
15	b	834	CLA	O1A-CGA-O2A-C1
15	b	841	CLA	O1A-CGA-O2A-C1
15	B	832	CLA	CBA-CGA-O2A-C1
15	B	839	CLA	CBA-CGA-O2A-C1
15	O	804	CLA	CBA-CGA-O2A-C1
15	O	834	CLA	CBA-CGA-O2A-C1
15	a	811	CLA	CBA-CGA-O2A-C1
15	a	829	CLA	CBA-CGA-O2A-C1
15	b	804	CLA	CBA-CGA-O2A-C1
20	N	853	LMT	O5B-C1B-O1B-C4'
15	A	820	CLA	C4C-C3C-CAC-CBC
15	B	827	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	816	CLA	O1D-CGD-O2D-CED
15	O	830	CLA	O1D-CGD-O2D-CED
15	b	830	CLA	O1D-CGD-O2D-CED
15	O	841	CLA	O1A-CGA-O2A-C1
15	A	806	CLA	O1D-CGD-O2D-CED
15	A	822	CLA	O1D-CGD-O2D-CED
15	a	820	CLA	O1D-CGD-O2D-CED
15	B	803	CLA	O1A-CGA-O2A-C1
15	B	832	CLA	O1A-CGA-O2A-C1
15	B	839	CLA	O1A-CGA-O2A-C1
15	O	804	CLA	O1A-CGA-O2A-C1
15	O	834	CLA	O1A-CGA-O2A-C1
15	b	804	CLA	O1A-CGA-O2A-C1
15	a	810	CLA	C3-C5-C6-C7
15	b	806	CLA	C3-C5-C6-C7
15	A	804	CLA	CBA-CGA-O2A-C1
15	A	809	CLA	CBA-CGA-O2A-C1
15	A	811	CLA	CBA-CGA-O2A-C1
15	A	823	CLA	CBA-CGA-O2A-C1
15	A	829	CLA	CBA-CGA-O2A-C1
15	A	831	CLA	CBA-CGA-O2A-C1
15	B	803	CLA	CBA-CGA-O2A-C1
15	N	804	CLA	CBA-CGA-O2A-C1
15	N	811	CLA	CBA-CGA-O2A-C1
15	N	829	CLA	CBA-CGA-O2A-C1
15	N	831	CLA	CBA-CGA-O2A-C1
15	a	823	CLA	CBA-CGA-O2A-C1
15	a	831	CLA	CBA-CGA-O2A-C1
15	O	829	CLA	C10-C11-C12-C13
15	O	841	CLA	C15-C16-C17-C18
15	b	829	CLA	C10-C11-C12-C13
15	O	831	CLA	C3-C5-C6-C7
19	X	101	LHG	O7-C5-C6-O8
19	l	101	LHG	O7-C5-C6-O8
15	b	805	CLA	CBA-CGA-O2A-C1
15	A	804	CLA	O1A-CGA-O2A-C1
15	A	831	CLA	O1A-CGA-O2A-C1
15	N	804	CLA	O1A-CGA-O2A-C1
15	N	831	CLA	O1A-CGA-O2A-C1
15	a	831	CLA	O1A-CGA-O2A-C1
15	A	822	CLA	C4-C3-C5-C6
15	O	827	CLA	C4-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	827	CLA	C4-C3-C5-C6
14	j	204	F6C	C2-C3-C5-C6
14	A	857	F6C	C6-C7-C8-C9
14	A	857	F6C	C11-C10-C8-C9
14	N	856	F6C	C6-C7-C8-C9
14	N	856	F6C	C11-C10-C8-C9
14	a	856	F6C	C6-C7-C8-C9
14	a	856	F6C	C11-C10-C8-C9
15	B	812	CLA	C11-C12-C13-C14
15	B	828	CLA	C11-C12-C13-C14
15	B	839	CLA	C11-C12-C13-C14
15	F	201	CLA	C6-C7-C8-C9
15	L	203	CLA	C11-C10-C8-C9
15	S	201	CLA	C6-C7-C8-C9
15	W	1502	CLA	C11-C10-C8-C9
15	b	814	CLA	C11-C12-C13-C14
15	b	830	CLA	C11-C12-C13-C14
15	f	201	CLA	C6-C7-C8-C9
15	A	825	CLA	CBD-CGD-O2D-CED
15	B	830	CLA	CBD-CGD-O2D-CED
15	O	817	CLA	CBD-CGD-O2D-CED
21	J	102	LMG	C19-C20-C21-C22
15	B	827	CLA	C10-C11-C12-C13
15	N	830	CLA	C8-C10-C11-C12
15	a	819	CLA	C15-C16-C17-C18
15	A	813	CLA	C2A-CAA-CBA-CGA
15	B	828	CLA	C2A-CAA-CBA-CGA
15	N	813	CLA	C2A-CAA-CBA-CGA
15	a	813	CLA	C2A-CAA-CBA-CGA
18	A	846	BCR	C7-C8-C9-C34
18	A	849	BCR	C37-C22-C23-C24
18	B	841	BCR	C37-C22-C23-C24
18	B	844	BCR	C7-C8-C9-C34
18	F	202	BCR	C11-C12-C13-C35
18	I	101	BCR	C7-C8-C9-C34
18	L	205	BCR	C37-C22-C23-C24
18	M	101	BCR	C36-C18-C19-C20
18	N	846	BCR	C7-C8-C9-C34
18	N	857	BCR	C7-C8-C9-C34
18	O	843	BCR	C37-C22-C23-C24
18	O	848	BCR	C37-C22-C23-C24
18	Y	102	BCR	C36-C18-C19-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	a	846	BCR	C7-C8-C9-C34
18	a	857	BCR	C7-C8-C9-C34
18	b	843	BCR	C37-C22-C23-C24
18	k	102	BCR	C36-C18-C19-C20
18	A	846	BCR	C7-C8-C9-C10
18	A	849	BCR	C21-C22-C23-C24
18	B	841	BCR	C21-C22-C23-C24
18	B	844	BCR	C7-C8-C9-C10
18	N	846	BCR	C7-C8-C9-C10
18	O	843	BCR	C21-C22-C23-C24
18	W	1504	BCR	C21-C22-C23-C24
18	a	846	BCR	C7-C8-C9-C10
18	b	843	BCR	C21-C22-C23-C24
19	A	851	LHG	C23-C24-C25-C26
19	Z	101	LHG	C23-C24-C25-C26
19	Z	102	LHG	C7-C8-C9-C10
15	a	823	CLA	O1A-CGA-O2A-C1
14	a	802	F6C	C15-C16-C17-C18
15	B	828	CLA	C5-C6-C7-C8
15	N	812	CLA	C15-C16-C17-C18
15	O	814	CLA	C10-C11-C12-C13
15	O	830	CLA	C8-C10-C11-C12
20	N	854	LMT	C7-C8-C9-C10
15	X	103	CLA	O1D-CGD-O2D-CED
15	A	806	CLA	C3-C5-C6-C7
15	B	805	CLA	C3-C5-C6-C7
15	a	806	CLA	C3-C5-C6-C7
15	N	833	CLA	CBA-CGA-O2A-C1
15	N	838	CLA	CBA-CGA-O2A-C1
14	L	204	F6C	C8-C10-C11-C12
14	b	833	F6C	C15-C16-C17-C18
14	j	204	F6C	C8-C10-C11-C12
15	A	803	CLA	C13-C15-C16-C17
15	A	809	CLA	C5-C6-C7-C8
15	A	812	CLA	C5-C6-C7-C8
15	A	812	CLA	C15-C16-C17-C18
15	A	819	CLA	C10-C11-C12-C13
15	A	819	CLA	C15-C16-C17-C18
15	A	820	CLA	C5-C6-C7-C8
15	A	830	CLA	C8-C10-C11-C12
15	B	809	CLA	C5-C6-C7-C8
15	B	836	CLA	C8-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	803	CLA	C13-C15-C16-C17
15	N	812	CLA	C5-C6-C7-C8
15	O	830	CLA	C5-C6-C7-C8
15	O	838	CLA	C8-C10-C11-C12
15	W	1501	CLA	C13-C15-C16-C17
15	a	812	CLA	C5-C6-C7-C8
15	b	811	CLA	C5-C6-C7-C8
15	b	814	CLA	C10-C11-C12-C13
15	b	817	CLA	C13-C15-C16-C17
15	b	830	CLA	C5-C6-C7-C8
15	b	838	CLA	C8-C10-C11-C12
15	b	841	CLA	C15-C16-C17-C18
15	j	202	CLA	C13-C15-C16-C17
19	X	102	LHG	C7-C8-C9-C10
19	X	102	LHG	C23-C24-C25-C26
20	N	853	LMT	C2B-C1B-O1B-C4'
14	a	856	F6C	C1A-C2A-CAA-CBA
14	B	831	F6C	C15-C16-C17-C18
14	O	833	F6C	C15-C16-C17-C18
15	A	811	CLA	C5-C6-C7-C8
15	B	812	CLA	C5-C6-C7-C8
15	B	812	CLA	C10-C11-C12-C13
15	B	830	CLA	C10-C11-C12-C13
15	N	811	CLA	C5-C6-C7-C8
15	N	819	CLA	C10-C11-C12-C13
15	N	819	CLA	C15-C16-C17-C18
15	N	820	CLA	C5-C6-C7-C8
15	O	814	CLA	C5-C6-C7-C8
15	O	817	CLA	C13-C15-C16-C17
15	O	832	CLA	C10-C11-C12-C13
15	a	803	CLA	C13-C15-C16-C17
15	a	812	CLA	C15-C16-C17-C18
15	a	820	CLA	C5-C6-C7-C8
15	a	830	CLA	C8-C10-C11-C12
15	b	803	CLA	C15-C16-C17-C18
15	b	811	CLA	C13-C15-C16-C17
15	b	814	CLA	C5-C6-C7-C8
15	b	832	CLA	C10-C11-C12-C13
15	O	831	CLA	O1D-CGD-O2D-CED
15	W	1501	CLA	O1D-CGD-O2D-CED
15	a	822	CLA	O1D-CGD-O2D-CED
19	X	101	LHG	C23-C24-C25-C26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	a	851	LHG	C23-C24-C25-C26
21	T	103	LMG	C28-C29-C30-C31
21	g	103	LMG	C28-C29-C30-C31
20	A	854	LMT	C7-C8-C9-C10
14	A	802	F6C	C15-C16-C17-C18
15	A	810	CLA	C5-C6-C7-C8
15	N	812	CLA	C10-C11-C12-C13
15	O	811	CLA	C5-C6-C7-C8
15	A	810	CLA	C3-C5-C6-C7
15	A	821	CLA	CBA-CGA-O2A-C1
15	B	804	CLA	CBA-CGA-O2A-C1
15	N	821	CLA	CBA-CGA-O2A-C1
15	O	805	CLA	CBA-CGA-O2A-C1
15	a	821	CLA	CBA-CGA-O2A-C1
20	a	854	LMT	C7-C8-C9-C10
15	A	818	CLA	O1D-CGD-O2D-CED
15	a	816	CLA	O1D-CGD-O2D-CED
15	b	829	CLA	C2-C1-O2A-CGA
20	a	854	LMT	C3-C4-C5-C6
14	W	1503	F6C	C8-C10-C11-C12
15	A	812	CLA	C10-C11-C12-C13
15	A	819	CLA	C8-C10-C11-C12
15	a	810	CLA	C5-C6-C7-C8
15	a	812	CLA	C10-C11-C12-C13
15	N	818	CLA	O1D-CGD-O2D-CED
19	Z	102	LHG	C23-C24-C25-C26
19	l	101	LHG	C23-C24-C25-C26
19	l	102	LHG	C7-C8-C9-C10
19	l	102	LHG	C23-C24-C25-C26
15	O	824	CLA	CBD-CGD-O2D-CED
15	O	836	CLA	CBD-CGD-O2D-CED
15	b	803	CLA	CBD-CGD-O2D-CED
15	A	810	CLA	C8-C10-C11-C12
15	a	810	CLA	C8-C10-C11-C12
14	N	802	F6C	C15-C16-C17-C18
15	N	819	CLA	C8-C10-C11-C12
15	N	839	CLA	C13-C15-C16-C17
15	B	802	CLA	O1D-CGD-O2D-CED
15	O	841	CLA	O1D-CGD-O2D-CED
14	N	856	F6C	C6-C7-C8-C10
15	A	807	CLA	C11-C12-C13-C15
15	A	818	CLA	C11-C12-C13-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	A	856	CLA	C6-C7-C8-C10
15	B	809	CLA	C12-C13-C15-C16
15	B	828	CLA	C11-C10-C8-C7
15	B	828	CLA	C11-C12-C13-C15
15	B	830	CLA	C6-C7-C8-C10
15	B	830	CLA	C11-C10-C8-C7
15	N	818	CLA	C11-C12-C13-C15
15	O	802	CLA	C6-C7-C8-C10
15	O	809	CLA	C6-C7-C8-C10
15	O	811	CLA	C12-C13-C15-C16
15	O	832	CLA	C11-C10-C8-C7
15	a	806	CLA	C6-C7-C8-C10
15	a	807	CLA	C11-C12-C13-C15
15	a	818	CLA	C11-C12-C13-C15
15	a	839	CLA	C11-C10-C8-C7
15	a	841	CLA	C6-C7-C8-C10
15	b	802	CLA	C6-C7-C8-C10
15	b	830	CLA	C11-C10-C8-C7
15	b	832	CLA	C11-C10-C8-C7
15	O	806	CLA	C3-C5-C6-C7
15	O	808	CLA	C3-C5-C6-C7
15	A	809	CLA	O1A-CGA-O2A-C1
15	N	811	CLA	O1A-CGA-O2A-C1
15	b	805	CLA	O1A-CGA-O2A-C1
15	B	820	CLA	C2A-CAA-CBA-CGA
15	b	830	CLA	C2A-CAA-CBA-CGA
15	O	829	CLA	O1D-CGD-O2D-CED
15	a	818	CLA	O1D-CGD-O2D-CED
15	b	829	CLA	O1D-CGD-O2D-CED
14	A	857	F6C	C10-C11-C12-C13
14	a	856	F6C	C10-C11-C12-C13
15	B	802	CLA	C15-C16-C17-C18
15	B	828	CLA	C8-C10-C11-C12
15	a	819	CLA	C8-C10-C11-C12
15	a	839	CLA	C13-C15-C16-C17
15	A	823	CLA	O1A-CGA-O2A-C1
15	A	829	CLA	O1A-CGA-O2A-C1
15	B	819	CLA	CBD-CGD-O2D-CED
15	N	823	CLA	CBD-CGD-O2D-CED
15	O	823	CLA	CBD-CGD-O2D-CED
15	b	816	CLA	CBD-CGD-O2D-CED
15	A	839	CLA	C13-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	839	CLA	C5-C6-C7-C8
20	A	853	LMT	O1'-C1-C2-C3
20	A	854	LMT	C3-C4-C5-C6
14	N	856	F6C	C3-C5-C6-C7
15	N	806	CLA	C3-C5-C6-C7
15	N	820	CLA	C3-C5-C6-C7
15	a	820	CLA	C3-C5-C6-C7
15	N	818	CLA	C8-C10-C11-C12
15	N	822	CLA	C5-C6-C7-C8
15	N	829	CLA	C8-C10-C11-C12
15	a	811	CLA	C5-C6-C7-C8
15	a	819	CLA	C10-C11-C12-C13
15	b	825	CLA	C13-C15-C16-C17
15	b	830	CLA	C8-C10-C11-C12
15	j	202	CLA	C10-C11-C12-C13
15	A	811	CLA	O1A-CGA-O2A-C1
15	N	829	CLA	O1A-CGA-O2A-C1
15	N	833	CLA	O1A-CGA-O2A-C1
15	a	811	CLA	O1A-CGA-O2A-C1
15	a	829	CLA	O1A-CGA-O2A-C1
14	N	826	F6C	C10-C11-C12-C13
15	A	818	CLA	C8-C10-C11-C12
15	A	831	CLA	C10-C11-C12-C13
15	B	808	CLA	C5-C6-C7-C8
15	B	821	CLA	C5-C6-C7-C8
15	B	823	CLA	C13-C15-C16-C17
15	B	827	CLA	C8-C10-C11-C12
15	B	837	CLA	C5-C6-C7-C8
15	O	808	CLA	C10-C11-C12-C13
15	O	823	CLA	C5-C6-C7-C8
15	O	825	CLA	C13-C15-C16-C17
15	a	809	CLA	C5-C6-C7-C8
15	a	822	CLA	C8-C10-C11-C12
15	b	829	CLA	C8-C10-C11-C12
15	b	839	CLA	C5-C6-C7-C8
20	N	854	LMT	C3-C4-C5-C6
15	O	803	CLA	O1D-CGD-O2D-CED
15	Z	103	CLA	O1D-CGD-O2D-CED
15	a	803	CLA	O1D-CGD-O2D-CED
15	N	841	CLA	CBD-CGD-O2D-CED
15	B	804	CLA	O1A-CGA-O2A-C1
14	A	826	F6C	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	826	F6C	C10-C11-C12-C13
15	A	822	CLA	C8-C10-C11-C12
15	B	839	CLA	C15-C16-C17-C18
15	L	202	CLA	C13-C15-C16-C17
15	O	829	CLA	C8-C10-C11-C12
15	a	806	CLA	C8-C10-C11-C12
15	a	818	CLA	C8-C10-C11-C12
19	L	207	LHG	C3-O3-P-O6
19	X	101	LHG	C4-O6-P-O3
19	X	102	LHG	C3-O3-P-O6
19	W	1506	LHG	C3-O3-P-O6
19	W	1506	LHG	C4-O6-P-O3
19	Z	101	LHG	C3-O3-P-O6
19	Z	101	LHG	C4-O6-P-O3
19	Z	102	LHG	C3-O3-P-O6
19	j	207	LHG	C3-O3-P-O6
19	l	101	LHG	C3-O3-P-O6
19	l	101	LHG	C4-O6-P-O3
19	l	102	LHG	C3-O3-P-O6
15	O	834	CLA	C3-C5-C6-C7
15	a	822	CLA	C3-C5-C6-C7
15	A	838	CLA	CBA-CGA-O2A-C1
15	B	812	CLA	CBA-CGA-O2A-C1
15	B	826	CLA	CBA-CGA-O2A-C1
15	N	809	CLA	CBA-CGA-O2A-C1
15	N	823	CLA	CBA-CGA-O2A-C1
15	O	814	CLA	CBA-CGA-O2A-C1
15	a	809	CLA	CBA-CGA-O2A-C1
15	b	814	CLA	CBA-CGA-O2A-C1
15	b	828	CLA	CBA-CGA-O2A-C1
15	b	838	CLA	CBA-CGA-O2A-C1
15	N	835	CLA	CBD-CGD-O2D-CED
15	O	821	CLA	CBD-CGD-O2D-CED
15	A	806	CLA	C8-C10-C11-C12
15	A	822	CLA	C5-C6-C7-C8
15	N	806	CLA	C8-C10-C11-C12
15	N	809	CLA	C5-C6-C7-C8
15	N	810	CLA	C5-C6-C7-C8
15	b	823	CLA	C5-C6-C7-C8
15	N	821	CLA	O1A-CGA-O2A-C1
15	N	838	CLA	O1A-CGA-O2A-C1
15	O	805	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	836	CLA	O1D-CGD-O2D-CED
15	b	841	CLA	O1D-CGD-O2D-CED
20	A	853	LMT	C2B-C1B-O1B-C4'
15	N	810	CLA	C8-C10-C11-C12
19	N	851	LHG	C23-C24-C25-C26
21	I	103	LMG	C28-C29-C30-C31
15	N	819	CLA	O1D-CGD-O2D-CED
15	b	818	CLA	C4-C3-C5-C6
15	b	825	CLA	C4-C3-C5-C6
15	N	831	CLA	C10-C11-C12-C13
15	a	829	CLA	C8-C10-C11-C12
20	a	853	LMT	C2B-C1B-O1B-C4'
15	N	803	CLA	O1D-CGD-O2D-CED
15	A	856	CLA	C2A-CAA-CBA-CGA
15	b	822	CLA	C2A-CAA-CBA-CGA
14	a	856	F6C	C3-C5-C6-C7
15	B	816	CLA	C3-C5-C6-C7
15	N	822	CLA	C3-C5-C6-C7
15	b	818	CLA	C3-C5-C6-C7
15	A	819	CLA	O1D-CGD-O2D-CED
15	A	833	CLA	CBA-CGA-O2A-C1
15	O	828	CLA	CBA-CGA-O2A-C1
15	O	838	CLA	CBA-CGA-O2A-C1
15	a	833	CLA	CBA-CGA-O2A-C1
15	a	838	CLA	CBA-CGA-O2A-C1
21	B	847	LMG	C22-C23-C24-C25
21	T	103	LMG	C11-C12-C13-C14
15	O	802	CLA	CBD-CGD-O2D-CED
15	O	818	CLA	C3-C5-C6-C7
19	k	101	LHG	C12-C13-C14-C15
21	I	103	LMG	C11-C12-C13-C14
21	O	850	LMG	C22-C23-C24-C25
21	U	102	LMG	C39-C40-C41-C42
21	b	849	LMG	C22-C23-C24-C25
15	a	821	CLA	O1A-CGA-O2A-C1
15	A	836	CLA	O1D-CGD-O2D-CED
15	B	839	CLA	O1D-CGD-O2D-CED
13	N	801	CL0	C16-C17-C18-C19
13	a	801	CL0	C16-C17-C18-C19
15	A	803	CLA	C16-C17-C18-C20
15	b	802	CLA	C16-C17-C18-C20
15	B	836	CLA	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	824	F6C	C3A-C2A-CAA-CBA
15	b	834	CLA	O1D-CGD-O2D-CED
15	A	817	CLA	CBD-CGD-O2D-CED
21	J	102	LMG	C39-C40-C41-C42
21	b	849	LMG	C40-C41-C42-C43
15	A	803	CLA	O1D-CGD-O2D-CED
15	a	819	CLA	O1D-CGD-O2D-CED
15	A	821	CLA	O1A-CGA-O2A-C1
21	O	850	LMG	C40-C41-C42-C43
21	h	102	LMG	C39-C40-C41-C42
22	B	848	LFA	C9-C10-C11-C12
15	A	839	CLA	C8-C10-C11-C12
19	Y	101	LHG	C12-C13-C14-C15
21	B	847	LMG	C40-C41-C42-C43
15	N	810	CLA	C3-C5-C6-C7
15	b	834	CLA	C3-C5-C6-C7
15	A	838	CLA	O1D-CGD-O2D-CED
15	N	825	CLA	O1D-CGD-O2D-CED
15	a	829	CLA	O1D-CGD-O2D-CED
21	g	103	LMG	C11-C12-C13-C14
15	b	818	CLA	C10-C11-C12-C13
15	B	812	CLA	O1A-CGA-O2A-C1
15	B	826	CLA	O1A-CGA-O2A-C1
15	O	814	CLA	O1A-CGA-O2A-C1
13	N	801	CL0	C16-C17-C18-C20
15	A	842	CLA	C16-C17-C18-C19
15	A	856	CLA	C16-C17-C18-C20
15	B	816	CLA	C11-C12-C13-C15
15	N	803	CLA	C16-C17-C18-C20
15	N	829	CLA	C11-C12-C13-C14
15	O	818	CLA	C11-C12-C13-C15
15	a	803	CLA	C16-C17-C18-C20
15	a	829	CLA	C11-C12-C13-C14
15	a	842	CLA	C16-C17-C18-C19
15	b	818	CLA	C11-C12-C13-C15
15	A	835	CLA	O1D-CGD-O2D-CED
15	a	834	CLA	O1D-CGD-O2D-CED
15	A	834	CLA	C4-C3-C5-C6
15	A	841	CLA	C4-C3-C5-C6
15	B	806	CLA	C4-C3-C5-C6
15	B	816	CLA	C4-C3-C5-C6
19	X	102	LHG	C28-C29-C30-C31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	818	CLA	C2-C3-C5-C6
15	A	806	CLA	C6-C7-C8-C9
15	A	807	CLA	C14-C13-C15-C16
15	A	842	CLA	C11-C10-C8-C9
15	L	203	CLA	C6-C7-C8-C9
15	N	806	CLA	C6-C7-C8-C9
15	N	807	CLA	C14-C13-C15-C16
15	N	810	CLA	C11-C10-C8-C9
15	N	842	CLA	C11-C10-C8-C9
15	O	839	CLA	C6-C7-C8-C9
15	O	839	CLA	C11-C12-C13-C14
15	W	1502	CLA	C6-C7-C8-C9
15	a	807	CLA	C14-C13-C15-C16
15	a	842	CLA	C11-C10-C8-C9
15	b	808	CLA	C6-C7-C8-C9
15	b	811	CLA	C14-C13-C15-C16
15	b	832	CLA	C6-C7-C8-C9
15	b	841	CLA	C14-C13-C15-C16
15	j	203	CLA	C6-C7-C8-C9
14	a	802	F6C	O1D-CGD-O2D-CED
15	N	822	CLA	O1D-CGD-O2D-CED
19	N	851	LHG	C25-C26-C27-C28
15	b	806	CLA	C15-C16-C17-C18
15	A	831	CLA	C2A-CAA-CBA-CGA
15	N	831	CLA	C2A-CAA-CBA-CGA
15	O	822	CLA	C2A-CAA-CBA-CGA
15	a	831	CLA	C2A-CAA-CBA-CGA
15	a	809	CLA	O1A-CGA-O2A-C1
15	b	814	CLA	O1A-CGA-O2A-C1
18	N	849	BCR	C37-C22-C23-C24
18	a	849	BCR	C37-C22-C23-C24
19	M	102	LHG	C12-C13-C14-C15
19	W	1506	LHG	C9-C10-C11-C12
18	N	849	BCR	C21-C22-C23-C24
18	a	849	BCR	C21-C22-C23-C24
18	a	850	BCR	C17-C18-C19-C20
14	A	857	F6C	C3-C5-C6-C7
15	N	818	CLA	C3-C5-C6-C7
21	J	102	LMG	O6-C5-C6-O5
22	f	204	LFA	C9-C10-C11-C12
19	Y	101	LHG	C23-C24-C25-C26
19	L	207	LHG	C17-C18-C19-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Z	101	LHG	C25-C26-C27-C28
21	a	855	LMG	C21-C22-C23-C24
21	j	206	LMG	C19-C20-C21-C22
13	A	801	CL0	C16-C17-C18-C19
13	a	801	CL0	C16-C17-C18-C20
14	b	810	F6C	C16-C17-C18-C20
15	A	803	CLA	C16-C17-C18-C19
15	A	829	CLA	C11-C12-C13-C14
15	A	856	CLA	C16-C17-C18-C19
15	B	832	CLA	C6-C7-C8-C10
15	N	842	CLA	C16-C17-C18-C20
15	O	802	CLA	C16-C17-C18-C19
15	O	802	CLA	C16-C17-C18-C20
15	O	823	CLA	C6-C7-C8-C9
15	b	802	CLA	C16-C17-C18-C19
20	N	853	LMT	O5'-C1'-O1'-C1
15	N	822	CLA	C8-C10-C11-C12
15	a	806	CLA	C5-C6-C7-C8
15	O	834	CLA	O1D-CGD-O2D-CED
19	l	102	LHG	C28-C29-C30-C31
21	A	855	LMG	C21-C22-C23-C24
21	N	855	LMG	C21-C22-C23-C24
15	a	817	CLA	CBD-CGD-O2D-CED
15	b	836	CLA	CBD-CGD-O2D-CED
15	B	815	CLA	O1D-CGD-O2D-CED
15	a	825	CLA	O1D-CGD-O2D-CED
21	L	206	LMG	C19-C20-C21-C22
21	W	1505	LMG	C19-C20-C21-C22
22	O	851	LFA	C9-C10-C11-C12
15	N	831	CLA	C5-C6-C7-C8
15	a	822	CLA	C5-C6-C7-C8
15	A	833	CLA	O1A-CGA-O2A-C1
15	a	833	CLA	O1A-CGA-O2A-C1
15	a	838	CLA	O1A-CGA-O2A-C1
15	b	838	CLA	O1A-CGA-O2A-C1
19	j	207	LHG	C29-C30-C31-C32
21	J	102	LMG	C17-C18-C19-C20
15	A	820	CLA	C3-C5-C6-C7
15	A	822	CLA	C3-C5-C6-C7
15	B	832	CLA	C3-C5-C6-C7
15	S	201	CLA	CBA-CGA-O2A-C1
19	Z	102	LHG	C12-C13-C14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
21	U	102	LMG	C17-C18-C19-C20
15	A	829	CLA	O1D-CGD-O2D-CED
15	A	812	CLA	C3A-C2A-CAA-CBA
15	B	805	CLA	C3A-C2A-CAA-CBA
15	B	821	CLA	C3A-C2A-CAA-CBA
15	B	822	CLA	C3A-C2A-CAA-CBA
15	B	834	CLA	C3A-C2A-CAA-CBA
15	B	835	CLA	C3A-C2A-CAA-CBA
15	N	837	CLA	C3A-C2A-CAA-CBA
15	N	841	CLA	C3A-C2A-CAA-CBA
15	O	806	CLA	C3A-C2A-CAA-CBA
15	O	815	CLA	C3A-C2A-CAA-CBA
15	O	823	CLA	C3A-C2A-CAA-CBA
15	O	824	CLA	C3A-C2A-CAA-CBA
15	O	826	CLA	C3A-C2A-CAA-CBA
15	O	835	CLA	C3A-C2A-CAA-CBA
15	O	836	CLA	C3A-C2A-CAA-CBA
15	O	837	CLA	C3A-C2A-CAA-CBA
15	a	838	CLA	C3A-C2A-CAA-CBA
15	b	806	CLA	C3A-C2A-CAA-CBA
15	b	824	CLA	C3A-C2A-CAA-CBA
15	b	836	CLA	C3A-C2A-CAA-CBA
15	b	837	CLA	C3A-C2A-CAA-CBA
15	O	837	CLA	C13-C15-C16-C17
20	N	852	LMT	C2-C1-O1'-C1'
19	k	101	LHG	C23-C24-C25-C26
15	N	809	CLA	O1A-CGA-O2A-C1
13	A	801	CL0	C16-C17-C18-C20
14	L	201	F6C	C16-C17-C18-C20
15	B	816	CLA	C11-C12-C13-C14
15	N	803	CLA	C16-C17-C18-C19
15	N	829	CLA	C11-C12-C13-C15
15	N	842	CLA	C16-C17-C18-C19
15	a	803	CLA	C16-C17-C18-C19
15	a	829	CLA	C11-C12-C13-C15
15	b	818	CLA	C11-C12-C13-C14
19	l	101	LHG	C24-C25-C26-C27
21	L	206	LMG	C34-C35-C36-C37
15	a	836	CLA	O1D-CGD-O2D-CED
15	B	813	CLA	CBD-CGD-O2D-CED
15	B	837	CLA	CBD-CGD-O2D-CED
19	X	102	LHG	C12-C13-C14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	a	851	LHG	C25-C26-C27-C28
14	B	838	F6C	C3-C5-C6-C7
14	O	840	F6C	C3-C5-C6-C7
14	b	840	F6C	C3-C5-C6-C7
15	A	807	CLA	C3-C5-C6-C7
21	U	102	LMG	C10-C11-C12-C13
15	N	823	CLA	O1A-CGA-O2A-C1
15	b	828	CLA	O1A-CGA-O2A-C1
15	A	829	CLA	C8-C10-C11-C12
15	A	836	CLA	C4-C3-C5-C6
15	N	836	CLA	C4-C3-C5-C6
15	O	807	CLA	C4-C3-C5-C6
15	b	832	CLA	C4-C3-C5-C6
15	A	818	CLA	CBA-CGA-O2A-C1
15	A	829	CLA	C2-C3-C5-C6
15	B	816	CLA	C2-C3-C5-C6
15	B	829	CLA	C2-C3-C5-C6
15	O	807	CLA	C2-C3-C5-C6
15	a	836	CLA	C2-C3-C5-C6
15	a	841	CLA	C2-C3-C5-C6
15	b	832	CLA	C2-C3-C5-C6
19	l	102	LHG	C8-C7-O7-C5
19	A	851	LHG	C25-C26-C27-C28
19	X	101	LHG	C24-C25-C26-C27
19	l	102	LHG	C12-C13-C14-C15
21	j	206	LMG	C29-C30-C31-C32
15	a	823	CLA	O1D-CGD-O2D-CED
15	B	836	CLA	O1A-CGA-O2A-C1
15	O	828	CLA	O1A-CGA-O2A-C1
15	A	829	CLA	C11-C12-C13-C15
15	B	807	CLA	C10-C11-C12-C13
15	A	818	CLA	C3-C5-C6-C7
15	B	807	CLA	C3-C5-C6-C7
15	a	818	CLA	C3-C5-C6-C7
15	f	201	CLA	CBA-CGA-O2A-C1
14	a	824	F6C	C3A-C2A-CAA-CBA
15	A	838	CLA	O1A-CGA-O2A-C1
15	O	838	CLA	O1A-CGA-O2A-C1
19	j	207	LHG	C14-C15-C16-C17
19	l	102	LHG	O9-C7-O7-C5
15	B	827	CLA	C2-C1-O2A-CGA
15	O	829	CLA	C2-C1-O2A-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Z	101	LHG	C24-C25-C26-C27
14	N	856	F6C	C10-C11-C12-C13
15	A	856	CLA	C13-C15-C16-C17
15	O	806	CLA	C15-C16-C17-C18
19	M	102	LHG	C23-C24-C25-C26
15	B	804	CLA	C3-C5-C6-C7
15	O	809	CLA	C3-C5-C6-C7
15	a	807	CLA	C3-C5-C6-C7
15	b	805	CLA	C3-C5-C6-C7
18	A	846	BCR	C1-C6-C7-C8
18	A	846	BCR	C23-C24-C25-C26
18	A	847	BCR	C1-C6-C7-C8
18	A	847	BCR	C5-C6-C7-C8
18	A	847	BCR	C23-C24-C25-C26
18	A	848	BCR	C23-C24-C25-C30
18	A	850	BCR	C5-C6-C7-C8
18	A	850	BCR	C23-C24-C25-C26
18	A	850	BCR	C23-C24-C25-C30
18	A	858	BCR	C23-C24-C25-C30
18	B	842	BCR	C23-C24-C25-C30
18	B	844	BCR	C1-C6-C7-C8
18	B	844	BCR	C23-C24-C25-C26
18	B	846	BCR	C5-C6-C7-C8
18	I	101	BCR	C23-C24-C25-C26
18	I	101	BCR	C23-C24-C25-C30
18	I	102	BCR	C23-C24-C25-C26
18	J	101	BCR	C23-C24-C25-C30
18	L	209	BCR	C5-C6-C7-C8
18	N	846	BCR	C1-C6-C7-C8
18	N	847	BCR	C1-C6-C7-C8
18	N	847	BCR	C5-C6-C7-C8
18	N	847	BCR	C23-C24-C25-C26
18	N	848	BCR	C23-C24-C25-C30
18	N	850	BCR	C5-C6-C7-C8
18	N	857	BCR	C23-C24-C25-C30
18	O	843	BCR	C23-C24-C25-C26
18	O	844	BCR	C23-C24-C25-C30
18	O	846	BCR	C1-C6-C7-C8
18	O	846	BCR	C5-C6-C7-C8
18	O	849	BCR	C5-C6-C7-C8
18	T	101	BCR	C23-C24-C25-C30
18	T	102	BCR	C23-C24-C25-C26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	U	101	BCR	C23-C24-C25-C30
18	W	1508	BCR	C5-C6-C7-C8
18	Y	102	BCR	C1-C6-C7-C8
18	a	846	BCR	C1-C6-C7-C8
18	a	847	BCR	C1-C6-C7-C8
18	a	847	BCR	C5-C6-C7-C8
18	a	847	BCR	C23-C24-C25-C26
18	a	847	BCR	C23-C24-C25-C30
18	a	850	BCR	C5-C6-C7-C8
18	a	850	BCR	C23-C24-C25-C30
18	a	857	BCR	C23-C24-C25-C30
18	b	844	BCR	C23-C24-C25-C30
18	b	846	BCR	C1-C6-C7-C8
18	b	848	BCR	C5-C6-C7-C8
18	h	101	BCR	C23-C24-C25-C30
18	j	201	BCR	C5-C6-C7-C8
18	j	201	BCR	C23-C24-C25-C26
19	A	851	LHG	C27-C28-C29-C30
19	l	101	LHG	C25-C26-C27-C28
15	a	818	CLA	CBA-CGA-O2A-C1
14	N	826	F6C	C8-C10-C11-C12
15	O	801	CLA	C13-C15-C16-C17
15	b	802	CLA	C13-C15-C16-C17
21	W	1505	LMG	C29-C30-C31-C32
15	A	804	CLA	C8-C10-C11-C12
15	A	831	CLA	C5-C6-C7-C8
15	N	804	CLA	C8-C10-C11-C12
15	N	806	CLA	C5-C6-C7-C8
15	a	839	CLA	C8-C10-C11-C12
15	B	829	CLA	C4-C3-C5-C6
15	B	830	CLA	C4-C3-C5-C6
15	N	841	CLA	C4-C3-C5-C6
15	a	834	CLA	C4-C3-C5-C6
15	a	841	CLA	C4-C3-C5-C6
15	N	829	CLA	O1D-CGD-O2D-CED
15	b	821	CLA	O1D-CGD-O2D-CED
14	A	857	F6C	C6-C7-C8-C10
14	B	838	F6C	C11-C10-C8-C7
14	a	856	F6C	C6-C7-C8-C10
15	A	806	CLA	C6-C7-C8-C10
15	A	807	CLA	C12-C13-C15-C16
15	A	820	CLA	C12-C13-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	A	836	CLA	C2-C3-C5-C6
15	A	839	CLA	C11-C10-C8-C7
15	A	841	CLA	C6-C7-C8-C10
15	A	842	CLA	C11-C10-C8-C7
15	B	806	CLA	C2-C3-C5-C6
15	B	816	CLA	C6-C7-C8-C10
15	B	817	CLA	C12-C13-C15-C16
15	B	825	CLA	C12-C13-C15-C16
15	F	201	CLA	C6-C7-C8-C10
15	L	203	CLA	C6-C7-C8-C10
15	N	806	CLA	C6-C7-C8-C10
15	N	807	CLA	C11-C12-C13-C15
15	N	807	CLA	C12-C13-C15-C16
15	N	839	CLA	C12-C13-C15-C16
15	N	841	CLA	C2-C3-C5-C6
15	N	842	CLA	C11-C10-C8-C7
15	O	811	CLA	C6-C7-C8-C10
15	O	818	CLA	C2-C3-C5-C6
15	O	827	CLA	C2-C3-C5-C6
15	O	832	CLA	C6-C7-C8-C10
15	O	839	CLA	C11-C12-C13-C15
15	O	841	CLA	C12-C13-C15-C16
15	S	201	CLA	C6-C7-C8-C10
15	a	807	CLA	C12-C13-C15-C16
15	a	819	CLA	C11-C12-C13-C15
15	a	842	CLA	C11-C10-C8-C7
15	b	808	CLA	C6-C7-C8-C10
15	b	811	CLA	C6-C7-C8-C10
15	b	830	CLA	C11-C12-C13-C15
15	b	832	CLA	C6-C7-C8-C10
15	f	201	CLA	C6-C7-C8-C10
15	j	203	CLA	C6-C7-C8-C10
15	S	201	CLA	O1A-CGA-O2A-C1
15	f	201	CLA	O1A-CGA-O2A-C1
15	a	828	CLA	C5-C6-C7-C8
15	b	801	CLA	C13-C15-C16-C17
15	L	202	CLA	CBD-CGD-O2D-CED
15	O	818	CLA	C11-C12-C13-C14
15	b	823	CLA	C6-C7-C8-C9
15	b	841	CLA	C16-C17-C18-C19
15	B	832	CLA	O1D-CGD-O2D-CED
15	b	835	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Z	102	LHG	O9-C7-O7-C5
21	J	102	LMG	C10-C11-C12-C13
15	A	814	CLA	CBA-CGA-O2A-C1
15	B	828	CLA	CBA-CGA-O2A-C1
15	F	201	CLA	CBA-CGA-O2A-C1
15	N	818	CLA	CBA-CGA-O2A-C1
15	O	830	CLA	CBA-CGA-O2A-C1
15	b	830	CLA	CBA-CGA-O2A-C1
15	B	808	CLA	C2A-CAA-CBA-CGA
15	O	802	CLA	C2A-CAA-CBA-CGA
15	b	802	CLA	C2A-CAA-CBA-CGA
14	N	826	F6C	C15-C16-C17-C18
15	A	806	CLA	C5-C6-C7-C8
15	A	841	CLA	C5-C6-C7-C8
15	O	838	CLA	C15-C16-C17-C18
15	a	804	CLA	C8-C10-C11-C12
15	a	831	CLA	C10-C11-C12-C13
15	j	203	CLA	C10-C11-C12-C13
21	U	102	LMG	C21-C22-C23-C24
21	W	1505	LMG	C34-C35-C36-C37
15	a	835	CLA	O1D-CGD-O2D-CED
15	b	802	CLA	O1D-CGD-O2D-CED
14	L	201	F6C	C3A-C2A-CAA-CBA
15	a	838	CLA	O1D-CGD-O2D-CED
15	N	841	CLA	C5-C6-C7-C8
15	O	811	CLA	C13-C15-C16-C17
19	X	101	LHG	C25-C26-C27-C28
19	j	207	LHG	C17-C18-C19-C20
14	A	824	F6C	C2B-C3B-CAB-CBB
15	N	807	CLA	C3-C5-C6-C7
19	W	1506	LHG	C17-C18-C19-C20
21	U	102	LMG	C13-C14-C15-C16
15	B	821	CLA	C6-C7-C8-C9
15	O	834	CLA	C6-C7-C8-C10
15	b	834	CLA	C6-C7-C8-C10
20	a	853	LMT	O5'-C1'-O1'-C1
15	B	809	CLA	C13-C15-C16-C17
15	a	831	CLA	C5-C6-C7-C8
15	a	841	CLA	C5-C6-C7-C8
19	W	1506	LHG	C14-C15-C16-C17
21	j	206	LMG	C28-C29-C30-C31
19	X	102	LHG	C8-C7-O7-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Z	102	LHG	C8-C7-O7-C5
19	a	851	LHG	C8-C7-O7-C5
19	j	207	LHG	C8-C7-O7-C5
21	J	102	LMG	C11-C10-O7-C8
19	L	207	LHG	C29-C30-C31-C32
15	N	828	CLA	C5-C6-C7-C8
15	A	818	CLA	O1A-CGA-O2A-C1
19	Z	102	LHG	C28-C29-C30-C31
21	W	1505	LMG	C28-C29-C30-C31
19	X	102	LHG	C34-C35-C36-C37
19	Z	101	LHG	O7-C5-C6-O8
19	a	851	LHG	O7-C5-C6-O8
15	B	829	CLA	CBD-CGD-O2D-CED
15	O	839	CLA	O1D-CGD-O2D-CED
19	l	102	LHG	C24-C25-C26-C27
21	L	206	LMG	C30-C31-C32-C33
22	B	848	LFA	C4-C5-C6-C7
22	f	204	LFA	C4-C5-C6-C7
21	N	855	LMG	O6-C5-C6-O5
21	a	855	LMG	O6-C5-C6-O5
14	A	826	F6C	C8-C10-C11-C12
14	a	826	F6C	C8-C10-C11-C12
15	l	103	CLA	O1D-CGD-O2D-CED
15	A	822	CLA	C2-C3-C5-C6
15	A	834	CLA	C2-C3-C5-C6
15	A	841	CLA	C2-C3-C5-C6
15	B	830	CLA	C2-C3-C5-C6
15	N	836	CLA	C2-C3-C5-C6
15	b	825	CLA	C2-C3-C5-C6
15	b	827	CLA	C2-C3-C5-C6
14	b	840	F6C	C11-C10-C8-C9
15	A	807	CLA	C11-C12-C13-C14
15	A	822	CLA	C14-C13-C15-C16
15	A	839	CLA	C11-C10-C8-C9
15	A	839	CLA	C14-C13-C15-C16
15	A	841	CLA	C6-C7-C8-C9
15	B	830	CLA	C6-C7-C8-C9
15	B	830	CLA	C11-C10-C8-C9
15	N	807	CLA	C11-C12-C13-C14
15	N	822	CLA	C14-C13-C15-C16
15	N	839	CLA	C14-C13-C15-C16
15	N	841	CLA	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	809	CLA	C6-C7-C8-C9
15	O	832	CLA	C6-C7-C8-C9
15	O	832	CLA	C11-C10-C8-C9
15	O	841	CLA	C14-C13-C15-C16
15	a	806	CLA	C6-C7-C8-C9
15	a	807	CLA	C11-C12-C13-C14
15	a	822	CLA	C14-C13-C15-C16
15	a	839	CLA	C11-C10-C8-C9
15	a	841	CLA	C6-C7-C8-C9
15	b	809	CLA	C6-C7-C8-C9
15	b	811	CLA	C6-C7-C8-C9
15	b	814	CLA	C14-C13-C15-C16
15	b	818	CLA	C6-C7-C8-C9
15	b	819	CLA	C11-C12-C13-C14
15	b	832	CLA	C11-C10-C8-C9
14	a	824	F6C	O1D-CGD-O2D-CED
15	B	834	CLA	O1D-CGD-O2D-CED
21	j	206	LMG	C33-C34-C35-C36
15	O	805	CLA	C3-C5-C6-C7
15	A	819	CLA	C2A-CAA-CBA-CGA
15	A	822	CLA	C2A-CAA-CBA-CGA
15	A	835	CLA	C2A-CAA-CBA-CGA
15	A	842	CLA	C2A-CAA-CBA-CGA
15	N	822	CLA	C2A-CAA-CBA-CGA
15	N	835	CLA	C2A-CAA-CBA-CGA
15	O	831	CLA	C2A-CAA-CBA-CGA
15	a	804	CLA	C2A-CAA-CBA-CGA
19	L	207	LHG	C14-C15-C16-C17
21	L	206	LMG	C29-C30-C31-C32
15	N	805	CLA	CBA-CGA-O2A-C1
14	B	831	F6C	C1A-C2A-CAA-CBA
14	O	840	F6C	C1A-C2A-CAA-CBA
18	N	848	BCR	C37-C22-C23-C24
21	h	102	LMG	C10-C11-C12-C13
15	N	834	CLA	O1D-CGD-O2D-CED
15	N	838	CLA	O1D-CGD-O2D-CED
14	O	810	F6C	C3A-C2A-CAA-CBA
13	A	801	CL0	C10-C11-C12-C13
15	B	801	CLA	C13-C15-C16-C17
21	I	103	LMG	C29-C30-C31-C32
18	A	858	BCR	C7-C8-C9-C10
18	J	101	BCR	C21-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	L	205	BCR	C7-C8-C9-C10
15	a	818	CLA	O1A-CGA-O2A-C1
15	A	803	CLA	C1A-C2A-CAA-CBA
15	A	805	CLA	C1A-C2A-CAA-CBA
15	A	809	CLA	C1A-C2A-CAA-CBA
15	A	819	CLA	C1A-C2A-CAA-CBA
15	B	804	CLA	C1A-C2A-CAA-CBA
15	B	805	CLA	C1A-C2A-CAA-CBA
15	B	810	CLA	C1A-C2A-CAA-CBA
15	B	815	CLA	C1A-C2A-CAA-CBA
15	B	821	CLA	C1A-C2A-CAA-CBA
15	B	822	CLA	C1A-C2A-CAA-CBA
15	B	828	CLA	C1A-C2A-CAA-CBA
15	B	829	CLA	C1A-C2A-CAA-CBA
15	B	830	CLA	C1A-C2A-CAA-CBA
15	B	833	CLA	C1A-C2A-CAA-CBA
15	B	834	CLA	C1A-C2A-CAA-CBA
15	N	803	CLA	C1A-C2A-CAA-CBA
15	N	805	CLA	C1A-C2A-CAA-CBA
15	N	809	CLA	C1A-C2A-CAA-CBA
15	N	811	CLA	C1A-C2A-CAA-CBA
15	N	819	CLA	C1A-C2A-CAA-CBA
15	O	805	CLA	C1A-C2A-CAA-CBA
15	O	806	CLA	C1A-C2A-CAA-CBA
15	O	812	CLA	C1A-C2A-CAA-CBA
15	O	817	CLA	C1A-C2A-CAA-CBA
15	O	823	CLA	C1A-C2A-CAA-CBA
15	O	824	CLA	C1A-C2A-CAA-CBA
15	O	826	CLA	C1A-C2A-CAA-CBA
15	O	830	CLA	C1A-C2A-CAA-CBA
15	O	831	CLA	C1A-C2A-CAA-CBA
15	O	832	CLA	C1A-C2A-CAA-CBA
15	O	836	CLA	C1A-C2A-CAA-CBA
15	a	803	CLA	C1A-C2A-CAA-CBA
15	a	805	CLA	C1A-C2A-CAA-CBA
15	a	809	CLA	C1A-C2A-CAA-CBA
15	a	815	CLA	C1A-C2A-CAA-CBA
15	a	819	CLA	C1A-C2A-CAA-CBA
15	a	838	CLA	C1A-C2A-CAA-CBA
15	b	805	CLA	C1A-C2A-CAA-CBA
15	b	806	CLA	C1A-C2A-CAA-CBA
15	b	812	CLA	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	817	CLA	C1A-C2A-CAA-CBA
15	b	824	CLA	C1A-C2A-CAA-CBA
15	b	831	CLA	C1A-C2A-CAA-CBA
15	b	832	CLA	C1A-C2A-CAA-CBA
15	b	836	CLA	C1A-C2A-CAA-CBA
15	A	842	CLA	C16-C17-C18-C20
15	O	834	CLA	C6-C7-C8-C9
15	a	842	CLA	C16-C17-C18-C20
15	b	841	CLA	C16-C17-C18-C20
19	X	102	LHG	O9-C7-O7-C5
19	W	1506	LHG	C8-C7-O7-C5
21	U	102	LMG	C11-C10-O7-C8
15	b	824	CLA	O1D-CGD-O2D-CED
15	B	835	CLA	C13-C15-C16-C17
15	N	820	CLA	C10-C11-C12-C13
15	O	813	CLA	C5-C6-C7-C8
19	X	101	LHG	C3-O3-P-O6
13	A	801	CL0	C3-C5-C6-C7
15	B	822	CLA	O1D-CGD-O2D-CED
19	N	851	LHG	C27-C28-C29-C30
15	F	201	CLA	O1A-CGA-O2A-C1
15	B	823	CLA	C5-C6-C7-C8
15	O	814	CLA	C8-C10-C11-C12
19	a	851	LHG	C27-C28-C29-C30
21	b	849	LMG	C31-C32-C33-C34
22	O	851	LFA	C4-C5-C6-C7
15	b	834	CLA	C6-C7-C8-C9
20	a	853	LMT	O5B-C5B-C6B-O6B
21	W	1505	LMG	O6-C5-C6-O5
19	Z	102	LHG	C24-C25-C26-C27
21	L	206	LMG	C33-C34-C35-C36
15	b	839	CLA	C3-C5-C6-C7
15	O	817	CLA	CBA-CGA-O2A-C1
15	a	806	CLA	CBA-CGA-O2A-C1
15	O	818	CLA	C4-C3-C5-C6
15	O	831	CLA	C4-C3-C5-C6
15	a	836	CLA	C4-C3-C5-C6
15	A	841	CLA	C15-C16-C17-C18
19	l	102	LHG	C15-C16-C17-C18
15	b	830	CLA	O1A-CGA-O2A-C1
19	Z	102	LHG	C11-C10-C9-C8
15	B	829	CLA	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	B	832	CLA	C6-C7-C8-C9
20	A	853	LMT	O5B-C5B-C6B-O6B
21	T	103	LMG	O6-C5-C6-O5
19	A	851	LHG	C4-C5-C6-O8
19	N	851	LHG	C4-C5-C6-O8
19	a	851	LHG	C4-C5-C6-O8
21	J	102	LMG	C7-C8-C9-O8
21	h	102	LMG	C7-C8-C9-O8
15	B	808	CLA	C10-C11-C12-C13
15	b	838	CLA	C15-C16-C17-C18
14	b	840	F6C	C1A-C2A-CAA-CBA
20	N	853	LMT	C2-C3-C4-C5
15	A	820	CLA	C10-C11-C12-C13
15	B	816	CLA	C10-C11-C12-C13
15	O	809	CLA	C5-C6-C7-C8
21	T	103	LMG	C29-C30-C31-C32
13	a	801	CL0	CAA-CBA-CGA-O2A
15	N	821	CLA	CAA-CBA-CGA-O2A
15	a	821	CLA	CAA-CBA-CGA-O2A
15	B	830	CLA	O1D-CGD-O2D-CED
15	A	814	CLA	O1A-CGA-O2A-C1
15	N	805	CLA	O1A-CGA-O2A-C1
15	N	818	CLA	O1A-CGA-O2A-C1
15	O	830	CLA	O1A-CGA-O2A-C1
20	N	853	LMT	O5B-C5B-C6B-O6B
19	Z	101	LHG	C30-C31-C32-C33
15	O	834	CLA	C5-C6-C7-C8
15	B	828	CLA	O1A-CGA-O2A-C1
21	g	103	LMG	O6-C5-C6-O5
15	O	822	CLA	CAA-CBA-CGA-O2A
19	L	207	LHG	C8-C7-O7-C5
19	N	851	LHG	C8-C7-O7-C5
21	h	102	LMG	C11-C10-O7-C8
19	Z	102	LHG	C15-C16-C17-C18
15	O	817	CLA	O1D-CGD-O2D-CED
15	b	834	CLA	C5-C6-C7-C8
21	A	855	LMG	O6-C5-C6-O5
21	I	103	LMG	O6-C5-C6-O5
15	O	839	CLA	C3-C5-C6-C7
21	j	206	LMG	C35-C36-C37-C38
15	A	839	CLA	CBA-CGA-O2A-C1
15	N	814	CLA	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	a	805	CLA	CBA-CGA-O2A-C1
19	l	101	LHG	C24-C23-O8-C6
19	k	101	LHG	C33-C34-C35-C36
20	a	853	LMT	C2-C3-C4-C5
21	W	1505	LMG	C33-C34-C35-C36
14	A	824	F6C	CBD-CGD-O2D-CED
15	A	828	CLA	C5-C6-C7-C8
14	B	838	F6C	C3A-C2A-CAA-CBA
14	b	810	F6C	C3A-C2A-CAA-CBA
13	A	801	CL0	CAA-CBA-CGA-O2A
21	A	855	LMG	C13-C14-C15-C16
21	h	102	LMG	O6-C5-C6-O5
21	j	206	LMG	O6-C5-C6-O5
15	a	819	CLA	C2A-CAA-CBA-CGA
19	W	1506	LHG	O9-C7-O7-C5
19	a	851	LHG	O9-C7-O7-C5
15	b	825	CLA	C5-C6-C7-C8
14	N	802	F6C	CBD-CGD-O2D-CED
21	L	206	LMG	O6-C5-C6-O5
21	U	102	LMG	O6-C5-C6-O5
15	A	825	CLA	O1D-CGD-O2D-CED
15	b	803	CLA	O1D-CGD-O2D-CED
13	N	801	CL0	C10-C11-C12-C13
15	B	805	CLA	C15-C16-C17-C18
15	N	839	CLA	C8-C10-C11-C12
15	B	815	CLA	CBA-CGA-O2A-C1
15	N	806	CLA	CBA-CGA-O2A-C1
15	a	814	CLA	CBA-CGA-O2A-C1
19	a	851	LHG	O8-C23-C24-C25
14	O	833	F6C	C1A-C2A-CAA-CBA
14	b	833	F6C	C1A-C2A-CAA-CBA
15	O	808	CLA	C13-C15-C16-C17
15	O	818	CLA	C10-C11-C12-C13
15	a	806	CLA	O1A-CGA-O2A-C1
19	X	101	LHG	C11-C10-C9-C8
19	k	101	LHG	C25-C26-C27-C28
15	O	802	CLA	C13-C15-C16-C17
15	O	803	CLA	C13-C15-C16-C17
20	N	853	LMT	C2'-C1'-O1'-C1
20	a	853	LMT	C2'-C1'-O1'-C1
19	Z	102	LHG	C34-C35-C36-C37
21	J	102	LMG	O9-C10-O7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	826	F6C	C5-C6-C7-C8
15	B	812	CLA	C8-C10-C11-C12
15	a	803	CLA	C8-C10-C11-C12
15	b	827	CLA	C10-C11-C12-C13
15	a	805	CLA	O1A-CGA-O2A-C1
14	O	810	F6C	C16-C17-C18-C20
15	O	836	CLA	O1D-CGD-O2D-CED
19	L	207	LHG	C13-C14-C15-C16
15	B	819	CLA	O1D-CGD-O2D-CED
15	b	816	CLA	O1D-CGD-O2D-CED
14	L	201	F6C	C11-C12-C13-C15
14	O	810	F6C	C11-C12-C13-C15
14	O	840	F6C	C11-C12-C13-C15
14	b	840	F6C	C11-C10-C8-C7
15	A	812	CLA	C11-C10-C8-C7
15	A	812	CLA	C11-C12-C13-C15
15	A	822	CLA	C12-C13-C15-C16
15	A	828	CLA	C6-C7-C8-C10
15	A	839	CLA	C12-C13-C15-C16
15	B	808	CLA	C12-C13-C15-C16
15	B	809	CLA	C6-C7-C8-C10
15	B	811	CLA	C6-C7-C8-C10
15	B	812	CLA	C11-C10-C8-C7
15	B	812	CLA	C12-C13-C15-C16
15	B	817	CLA	C11-C10-C8-C7
15	B	817	CLA	C11-C12-C13-C15
15	B	822	CLA	C11-C12-C13-C15
15	B	829	CLA	C11-C12-C13-C15
15	B	839	CLA	C12-C13-C15-C16
15	N	805	CLA	C6-C7-C8-C10
15	N	805	CLA	C11-C10-C8-C7
15	N	812	CLA	C11-C12-C13-C15
15	N	820	CLA	C12-C13-C15-C16
15	N	822	CLA	C12-C13-C15-C16
15	N	839	CLA	C11-C12-C13-C15
15	O	809	CLA	C12-C13-C15-C16
15	O	814	CLA	C12-C13-C15-C16
15	O	818	CLA	C6-C7-C8-C10
15	O	819	CLA	C11-C10-C8-C7
15	O	819	CLA	C11-C12-C13-C15
15	O	819	CLA	C12-C13-C15-C16
15	O	824	CLA	C11-C12-C13-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	827	CLA	C12-C13-C15-C16
15	O	831	CLA	C11-C12-C13-C15
15	O	837	CLA	C12-C13-C15-C16
15	a	804	CLA	C6-C7-C8-C10
15	a	805	CLA	C6-C7-C8-C10
15	a	809	CLA	C6-C7-C8-C10
15	a	812	CLA	C11-C12-C13-C15
15	a	820	CLA	C12-C13-C15-C16
15	a	822	CLA	C12-C13-C15-C16
15	a	839	CLA	C12-C13-C15-C16
15	b	809	CLA	C6-C7-C8-C10
15	b	809	CLA	C12-C13-C15-C16
15	b	813	CLA	C6-C7-C8-C10
15	b	814	CLA	C12-C13-C15-C16
15	b	818	CLA	C6-C7-C8-C10
15	b	819	CLA	C11-C12-C13-C15
15	b	819	CLA	C12-C13-C15-C16
15	b	824	CLA	C11-C12-C13-C15
15	b	827	CLA	C12-C13-C15-C16
15	b	831	CLA	C11-C12-C13-C15
15	b	841	CLA	C12-C13-C15-C16
15	B	837	CLA	C3-C5-C6-C7
14	B	838	F6C	C11-C10-C8-C9
14	L	201	F6C	C11-C12-C13-C14
14	O	810	F6C	C11-C12-C13-C14
14	O	840	F6C	C11-C10-C8-C9
14	b	810	F6C	C11-C12-C13-C14
15	A	812	CLA	C11-C12-C13-C14
15	A	820	CLA	C14-C13-C15-C16
15	A	829	CLA	C11-C10-C8-C9
15	A	830	CLA	C14-C13-C15-C16
15	A	839	CLA	C11-C12-C13-C14
15	A	856	CLA	C6-C7-C8-C9
15	B	805	CLA	C14-C13-C15-C16
15	B	808	CLA	C14-C13-C15-C16
15	B	809	CLA	C6-C7-C8-C9
15	B	809	CLA	C14-C13-C15-C16
15	B	811	CLA	C6-C7-C8-C9
15	B	812	CLA	C14-C13-C15-C16
15	B	816	CLA	C6-C7-C8-C9
15	B	817	CLA	C11-C10-C8-C9
15	B	817	CLA	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	B	822	CLA	C11-C12-C13-C14
15	B	825	CLA	C14-C13-C15-C16
15	B	829	CLA	C11-C12-C13-C14
15	B	837	CLA	C6-C7-C8-C9
15	B	839	CLA	C14-C13-C15-C16
15	N	820	CLA	C14-C13-C15-C16
15	N	839	CLA	C11-C12-C13-C14
15	O	809	CLA	C14-C13-C15-C16
15	O	811	CLA	C6-C7-C8-C9
15	O	814	CLA	C14-C13-C15-C16
15	O	818	CLA	C6-C7-C8-C9
15	O	819	CLA	C11-C10-C8-C9
15	O	819	CLA	C11-C12-C13-C14
15	O	824	CLA	C11-C12-C13-C14
15	O	827	CLA	C14-C13-C15-C16
15	O	830	CLA	C11-C12-C13-C14
15	O	831	CLA	C11-C12-C13-C14
15	a	819	CLA	C11-C10-C8-C9
15	a	820	CLA	C14-C13-C15-C16
15	a	839	CLA	C11-C12-C13-C14
15	a	839	CLA	C14-C13-C15-C16
15	b	802	CLA	C6-C7-C8-C9
15	b	809	CLA	C14-C13-C15-C16
15	b	813	CLA	C6-C7-C8-C9
15	b	819	CLA	C11-C10-C8-C9
15	b	824	CLA	C11-C12-C13-C14
15	b	827	CLA	C14-C13-C15-C16
15	b	830	CLA	C11-C10-C8-C9
15	b	831	CLA	C11-C12-C13-C14
15	b	839	CLA	C6-C7-C8-C9
15	b	839	CLA	C11-C12-C13-C14
15	N	817	CLA	CBD-CGD-O2D-CED
19	X	101	LHG	C31-C32-C33-C34
19	l	102	LHG	C31-C32-C33-C34
15	A	805	CLA	CBA-CGA-O2A-C1
15	A	806	CLA	CBA-CGA-O2A-C1
15	B	835	CLA	CBA-CGA-O2A-C1
15	b	808	CLA	C8-C10-C11-C12
15	b	831	CLA	C10-C11-C12-C13
15	B	803	CLA	C2A-CAA-CBA-CGA
15	N	804	CLA	C2A-CAA-CBA-CGA
15	N	819	CLA	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	804	CLA	C2A-CAA-CBA-CGA
15	a	835	CLA	C2A-CAA-CBA-CGA
15	b	804	CLA	C2A-CAA-CBA-CGA
19	X	101	LHG	C12-C13-C14-C15
15	O	824	CLA	O1D-CGD-O2D-CED
18	A	847	BCR	C37-C22-C23-C24
18	N	847	BCR	C37-C22-C23-C24
18	a	847	BCR	C37-C22-C23-C24
18	a	857	BCR	C36-C18-C19-C20
18	b	848	BCR	C7-C8-C9-C34
18	j	205	BCR	C37-C22-C23-C24
15	N	841	CLA	O1D-CGD-O2D-CED
15	O	823	CLA	O1D-CGD-O2D-CED
18	A	847	BCR	C21-C22-C23-C24
18	A	850	BCR	C17-C18-C19-C20
18	N	847	BCR	C21-C22-C23-C24
18	O	849	BCR	C7-C8-C9-C10
18	Y	102	BCR	C17-C18-C19-C20
15	b	808	CLA	C3-C5-C6-C7
15	B	825	CLA	C10-C11-C12-C13
15	b	808	CLA	C10-C11-C12-C13
15	b	814	CLA	C8-C10-C11-C12
19	A	851	LHG	C8-C7-O7-C5
19	X	102	LHG	C11-C10-C9-C8
21	b	849	LMG	C13-C14-C15-C16
15	O	837	CLA	CBA-CGA-O2A-C1
15	b	822	CLA	CBA-CGA-O2A-C1
19	Z	101	LHG	C24-C23-O8-C6
21	j	206	LMG	C10-C11-C12-C13
15	A	818	CLA	C10-C11-C12-C13
15	b	808	CLA	C13-C15-C16-C17
19	l	101	LHG	C12-C13-C14-C15
15	B	820	CLA	CAA-CBA-CGA-O2A
15	O	825	CLA	C5-C6-C7-C8
15	O	838	CLA	C10-C11-C12-C13
15	a	818	CLA	C10-C11-C12-C13
15	b	837	CLA	C13-C15-C16-C17
19	W	1506	LHG	C31-C32-C33-C34
15	O	817	CLA	O1A-CGA-O2A-C1
15	O	832	CLA	C8-C10-C11-C12
15	b	822	CLA	CAA-CBA-CGA-O2A
15	N	823	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	821	CLA	O1D-CGD-O2D-CED
21	J	102	LMG	C13-C14-C15-C16
21	O	850	LMG	C41-C42-C43-C44
15	N	834	CLA	C4-C3-C5-C6
15	a	834	CLA	C2-C3-C5-C6
19	j	207	LHG	O9-C7-O7-C5
21	U	102	LMG	O9-C10-O7-C8
15	B	811	CLA	C11-C10-C8-C9
15	O	813	CLA	C11-C10-C8-C9
15	N	814	CLA	O1A-CGA-O2A-C1
19	l	101	LHG	O10-C23-O8-C6
15	A	815	CLA	C6-C7-C8-C9
15	b	802	CLA	C15-C16-C17-C18
15	A	832	CLA	CBA-CGA-O2A-C1
15	N	825	CLA	CBA-CGA-O2A-C1
15	a	839	CLA	CBA-CGA-O2A-C1
15	A	821	CLA	CAA-CBA-CGA-O2A
21	L	206	LMG	C10-C11-C12-C13
19	X	101	LHG	C2-C3-O3-P
19	Z	101	LHG	C2-C3-O3-P
19	l	101	LHG	C2-C3-O3-P
15	A	815	CLA	C3A-C2A-CAA-CBA
15	A	837	CLA	C3A-C2A-CAA-CBA
15	A	842	CLA	C3A-C2A-CAA-CBA
15	B	824	CLA	C3A-C2A-CAA-CBA
15	B	828	CLA	C3A-C2A-CAA-CBA
15	B	839	CLA	C3A-C2A-CAA-CBA
15	K	102	CLA	C3A-C2A-CAA-CBA
15	N	812	CLA	C3A-C2A-CAA-CBA
15	N	815	CLA	C3A-C2A-CAA-CBA
15	N	838	CLA	C3A-C2A-CAA-CBA
15	N	842	CLA	C3A-C2A-CAA-CBA
15	O	830	CLA	C3A-C2A-CAA-CBA
15	O	841	CLA	C3A-C2A-CAA-CBA
15	V	102	CLA	C3A-C2A-CAA-CBA
15	W	1502	CLA	C3A-C2A-CAA-CBA
15	a	815	CLA	C3A-C2A-CAA-CBA
15	a	837	CLA	C3A-C2A-CAA-CBA
15	a	842	CLA	C3A-C2A-CAA-CBA
15	b	830	CLA	C3A-C2A-CAA-CBA
15	b	835	CLA	C3A-C2A-CAA-CBA
15	b	841	CLA	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	i	102	CLA	C3A-C2A-CAA-CBA
15	j	203	CLA	C3A-C2A-CAA-CBA
15	N	818	CLA	C10-C11-C12-C13
21	W	1505	LMG	C30-C31-C32-C33
15	A	817	CLA	O1D-CGD-O2D-CED
15	N	835	CLA	O1D-CGD-O2D-CED
19	M	102	LHG	C25-C26-C27-C28
19	X	102	LHG	C24-C25-C26-C27
21	L	206	LMG	C28-C29-C30-C31
15	B	836	CLA	C15-C16-C17-C18
14	A	802	F6C	C2A-CAA-CBA-CGA
14	A	824	F6C	C2A-CAA-CBA-CGA
14	N	802	F6C	C2A-CAA-CBA-CGA
14	N	824	F6C	C2A-CAA-CBA-CGA
14	a	802	F6C	C2A-CAA-CBA-CGA
14	a	824	F6C	C2A-CAA-CBA-CGA
15	N	807	CLA	CBA-CGA-O2A-C1
15	b	837	CLA	CBA-CGA-O2A-C1
15	b	839	CLA	CBA-CGA-O2A-C1
19	X	101	LHG	C24-C23-O8-C6
19	Y	101	LHG	C10-C11-C12-C13
19	Z	101	LHG	C28-C29-C30-C31
15	N	828	CLA	C13-C15-C16-C17
19	X	101	LHG	C4-C5-C6-O8
19	Z	101	LHG	C4-C5-C6-O8
19	l	101	LHG	C4-C5-C6-O8
21	U	102	LMG	C7-C8-C9-O8
21	W	1505	LMG	C10-C11-C12-C13
14	N	824	F6C	C3A-C2A-CAA-CBA
15	b	815	CLA	CBD-CGD-O2D-CED
19	M	102	LHG	C11-C10-C9-C8
21	h	102	LMG	C30-C31-C32-C33
15	a	814	CLA	O1A-CGA-O2A-C1
15	a	820	CLA	C10-C11-C12-C13
15	B	825	CLA	C4-C3-C5-C6
15	N	822	CLA	C4-C3-C5-C6
15	O	831	CLA	C2-C3-C5-C6
19	j	207	LHG	C13-C14-C15-C16
21	h	102	LMG	C13-C14-C15-C16
19	X	102	LHG	C15-C16-C17-C18
19	l	102	LHG	C11-C10-C9-C8
15	O	802	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	N	826	F6C	C3B-C2B-CMB-OMB
15	B	813	CLA	O1D-CGD-O2D-CED
15	a	817	CLA	O1D-CGD-O2D-CED
15	b	836	CLA	O1D-CGD-O2D-CED
15	b	809	CLA	C3-C5-C6-C7
15	O	809	CLA	C2A-CAA-CBA-CGA
15	a	822	CLA	C2A-CAA-CBA-CGA
15	j	203	CLA	C2A-CAA-CBA-CGA
14	O	840	F6C	C5-C6-C7-C8
15	B	807	CLA	C13-C15-C16-C17
15	B	815	CLA	C13-C15-C16-C17
19	Y	101	LHG	C30-C31-C32-C33
21	h	102	LMG	C15-C16-C17-C18
21	j	206	LMG	C34-C35-C36-C37
19	N	851	LHG	O9-C7-O7-C5
21	h	102	LMG	O9-C10-O7-C8
13	N	801	CL0	CBA-CGA-O2A-C1
15	O	839	CLA	CBA-CGA-O2A-C1
15	a	825	CLA	CBA-CGA-O2A-C1
19	a	851	LHG	C29-C30-C31-C32
15	A	839	CLA	O1A-CGA-O2A-C1
15	N	806	CLA	O1A-CGA-O2A-C1
14	a	826	F6C	C15-C16-C17-C18
15	N	813	CLA	C6-C7-C8-C9
21	J	102	LMG	C12-C13-C14-C15
15	O	805	CLA	C15-C16-C17-C18
15	f	201	CLA	C5-C6-C7-C8
15	A	805	CLA	O1A-CGA-O2A-C1
15	B	815	CLA	O1A-CGA-O2A-C1
19	W	1506	LHG	C33-C34-C35-C36
21	g	103	LMG	C29-C30-C31-C32
19	k	101	LHG	C11-C10-C9-C8
19	A	851	LHG	O7-C5-C6-O8
19	X	102	LHG	O7-C5-C6-O8
19	N	851	LHG	O7-C5-C6-O8
19	Z	102	LHG	O7-C5-C6-O8
19	l	102	LHG	O7-C5-C6-O8
21	J	102	LMG	O7-C8-C9-O8
21	h	102	LMG	O7-C8-C9-O8
15	A	812	CLA	C8-C10-C11-C12
15	B	830	CLA	C8-C10-C11-C12
19	L	207	LHG	C33-C34-C35-C36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	M	102	LHG	C33-C34-C35-C36
14	b	840	F6C	C3A-C2A-CAA-CBA
14	L	201	F6C	C16-C17-C18-C19
14	O	810	F6C	C16-C17-C18-C19
15	A	815	CLA	C6-C7-C8-C10
15	B	821	CLA	C6-C7-C8-C10
19	Y	101	LHG	C29-C30-C31-C32
20	A	853	LMT	O5'-C1'-O1'-C1
15	a	812	CLA	C8-C10-C11-C12
19	L	207	LHG	O9-C7-O7-C5
15	A	829	CLA	C2-C1-O2A-CGA
15	A	832	CLA	C2-C1-O2A-CGA
15	a	832	CLA	C2-C1-O2A-CGA
15	B	837	CLA	O1D-CGD-O2D-CED
15	B	802	CLA	C13-C15-C16-C17
14	b	840	F6C	C6-C7-C8-C9
15	A	805	CLA	C11-C10-C8-C9
15	A	810	CLA	C11-C10-C8-C9
15	A	818	CLA	C14-C13-C15-C16
15	A	831	CLA	C6-C7-C8-C9
15	A	831	CLA	C11-C12-C13-C14
15	B	806	CLA	C14-C13-C15-C16
15	B	823	CLA	C11-C12-C13-C14
15	B	829	CLA	C11-C10-C8-C9
15	B	836	CLA	C14-C13-C15-C16
15	N	805	CLA	C11-C10-C8-C9
15	N	812	CLA	C11-C12-C13-C14
15	N	839	CLA	C6-C7-C8-C9
15	N	839	CLA	C11-C10-C8-C9
15	O	806	CLA	C14-C13-C15-C16
15	O	831	CLA	C11-C10-C8-C9
15	O	838	CLA	C14-C13-C15-C16
15	a	805	CLA	C11-C10-C8-C9
15	a	812	CLA	C11-C12-C13-C14
15	a	828	CLA	C6-C7-C8-C9
15	a	830	CLA	C14-C13-C15-C16
15	b	816	CLA	C6-C7-C8-C9
15	b	825	CLA	C11-C12-C13-C14
19	l	101	LHG	C11-C10-C9-C8
15	O	815	CLA	CBD-CGD-O2D-CED
15	B	832	CLA	C5-C6-C7-C8
15	N	841	CLA	C15-C16-C17-C18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	S	201	CLA	C5-C6-C7-C8
15	a	818	CLA	C5-C6-C7-C8
15	b	809	CLA	C5-C6-C7-C8
15	b	813	CLA	C5-C6-C7-C8
15	b	816	CLA	C5-C6-C7-C8
15	A	806	CLA	O1A-CGA-O2A-C1
22	f	204	LFA	C5-C6-C7-C8
15	A	804	CLA	C2A-CAA-CBA-CGA
15	A	838	CLA	C2A-CAA-CBA-CGA
15	a	842	CLA	C2A-CAA-CBA-CGA
15	b	809	CLA	C2A-CAA-CBA-CGA
14	b	810	F6C	C16-C17-C18-C19
15	b	823	CLA	C6-C7-C8-C10
15	A	814	CLA	CBD-CGD-O2D-CED
18	A	847	BCR	C23-C24-C25-C30
18	A	849	BCR	C1-C6-C7-C8
18	B	841	BCR	C23-C24-C25-C26
18	B	844	BCR	C23-C24-C25-C30
18	I	102	BCR	C23-C24-C25-C30
18	L	209	BCR	C23-C24-C25-C26
18	N	846	BCR	C23-C24-C25-C26
18	N	847	BCR	C23-C24-C25-C30
18	N	849	BCR	C1-C6-C7-C8
18	O	846	BCR	C23-C24-C25-C26
18	O	846	BCR	C23-C24-C25-C30
18	T	102	BCR	C23-C24-C25-C30
18	U	101	BCR	C5-C6-C7-C8
18	W	1508	BCR	C23-C24-C25-C26
18	a	846	BCR	C23-C24-C25-C26
18	a	849	BCR	C1-C6-C7-C8
18	b	843	BCR	C23-C24-C25-C26
18	b	846	BCR	C23-C24-C25-C30
18	g	102	BCR	C23-C24-C25-C26
18	h	101	BCR	C5-C6-C7-C8
18	k	102	BCR	C23-C24-C25-C26
15	F	201	CLA	C5-C6-C7-C8
15	N	818	CLA	C5-C6-C7-C8
15	N	830	CLA	C5-C6-C7-C8
18	O	849	BCR	C7-C8-C9-C34
19	Z	101	LHG	C14-C15-C16-C17
15	L	202	CLA	O1D-CGD-O2D-CED
18	F	202	BCR	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	M	101	BCR	C17-C18-C19-C20
18	a	847	BCR	C21-C22-C23-C24
18	a	857	BCR	C7-C8-C9-C10
18	k	102	BCR	C17-C18-C19-C20
19	A	851	LHG	O9-C7-O7-C5
21	h	102	LMG	C19-C20-C21-C22
19	l	101	LHG	C31-C32-C33-C34
15	F	201	CLA	C16-C17-C18-C20
15	O	823	CLA	C6-C7-C8-C10
15	O	841	CLA	C16-C17-C18-C19
15	B	814	CLA	C3-C5-C6-C7
15	b	813	CLA	C11-C10-C8-C9
15	B	835	CLA	O1A-CGA-O2A-C1
21	A	855	LMG	C29-C30-C31-C32
14	B	838	F6C	C11-C12-C13-C15
14	O	840	F6C	C11-C10-C8-C7
14	b	810	F6C	C11-C12-C13-C15
15	A	805	CLA	C11-C10-C8-C7
15	A	809	CLA	C6-C7-C8-C10
15	A	811	CLA	C6-C7-C8-C10
15	A	829	CLA	C11-C10-C8-C7
15	A	830	CLA	C12-C13-C15-C16
15	A	831	CLA	C6-C7-C8-C10
15	A	839	CLA	C11-C12-C13-C15
15	B	801	CLA	C11-C10-C8-C7
15	B	805	CLA	C12-C13-C15-C16
15	B	806	CLA	C12-C13-C15-C16
15	B	823	CLA	C11-C12-C13-C15
15	B	835	CLA	C12-C13-C15-C16
15	N	809	CLA	C6-C7-C8-C10
15	N	810	CLA	C11-C10-C8-C7
15	N	811	CLA	C6-C7-C8-C10
15	N	812	CLA	C11-C10-C8-C7
15	N	828	CLA	C6-C7-C8-C10
15	N	829	CLA	C11-C10-C8-C7
15	N	830	CLA	C12-C13-C15-C16
15	N	839	CLA	C6-C7-C8-C10
15	N	839	CLA	C11-C10-C8-C7
15	O	806	CLA	C12-C13-C15-C16
15	O	807	CLA	C12-C13-C15-C16
15	O	814	CLA	C11-C12-C13-C15
15	O	825	CLA	C11-C12-C13-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	839	CLA	C6-C7-C8-C10
15	W	1502	CLA	C6-C7-C8-C10
15	a	805	CLA	C11-C10-C8-C7
15	a	811	CLA	C6-C7-C8-C10
15	a	812	CLA	C11-C10-C8-C7
15	a	828	CLA	C6-C7-C8-C10
15	a	830	CLA	C12-C13-C15-C16
15	a	839	CLA	C11-C12-C13-C15
15	b	801	CLA	C11-C10-C8-C7
15	b	806	CLA	C12-C13-C15-C16
15	b	807	CLA	C12-C13-C15-C16
15	b	808	CLA	C11-C10-C8-C7
15	b	808	CLA	C11-C12-C13-C15
15	b	814	CLA	C11-C12-C13-C15
15	b	819	CLA	C11-C10-C8-C7
15	b	825	CLA	C11-C12-C13-C15
15	b	837	CLA	C12-C13-C15-C16
19	Y	101	LHG	C11-C12-C13-C14
19	Z	101	LHG	C12-C13-C14-C15
15	N	812	CLA	C8-C10-C11-C12
15	O	802	CLA	C15-C16-C17-C18
15	O	827	CLA	C10-C11-C12-C13
15	b	839	CLA	C10-C11-C12-C13
18	A	846	BCR	C9-C10-C11-C12
18	N	845	BCR	C15-C16-C17-C18
18	N	846	BCR	C9-C10-C11-C12
18	T	101	BCR	C9-C10-C11-C12
18	a	846	BCR	C9-C10-C11-C12
18	g	101	BCR	C9-C10-C11-C12
15	A	833	CLA	C6-C7-C8-C10
15	O	801	CLA	C16-C17-C18-C20
22	B	848	LFA	C5-C6-C7-C8
15	A	807	CLA	CBA-CGA-O2A-C1
15	B	837	CLA	CBA-CGA-O2A-C1
19	k	101	LHG	C30-C31-C32-C33
15	b	838	CLA	C10-C11-C12-C13
15	N	816	CLA	C2A-CAA-CBA-CGA
15	N	842	CLA	C2A-CAA-CBA-CGA
15	b	831	CLA	C2A-CAA-CBA-CGA
15	N	836	CLA	C5-C6-C7-C8
14	a	826	F6C	C4C-C3C-CAC-CBC
20	N	853	LMT	O1'-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	Z	101	LHG	O10-C23-O8-C6
15	A	825	CLA	CBA-CGA-O2A-C1
15	N	839	CLA	CBA-CGA-O2A-C1
15	a	807	CLA	CBA-CGA-O2A-C1
15	b	813	CLA	CBA-CGA-O2A-C1
15	b	817	CLA	CBA-CGA-O2A-C1
15	A	818	CLA	C5-C6-C7-C8
15	B	802	CLA	C10-C11-C12-C13
15	B	836	CLA	C10-C11-C12-C13
15	O	839	CLA	C10-C11-C12-C13
14	O	840	F6C	CAD-CBD-CGD-O2D
14	b	840	F6C	CAD-CBD-CGD-O2D
15	A	808	CLA	CAD-CBD-CGD-O2D
15	A	810	CLA	CAD-CBD-CGD-O2D
15	A	811	CLA	CAD-CBD-CGD-O2D
15	A	813	CLA	CAD-CBD-CGD-O2D
15	A	817	CLA	CAD-CBD-CGD-O2D
15	A	827	CLA	CAD-CBD-CGD-O2D
15	A	832	CLA	CAD-CBD-CGD-O2D
15	A	835	CLA	CAD-CBD-CGD-O2D
15	B	809	CLA	CAD-CBD-CGD-O2D
15	B	811	CLA	CAD-CBD-CGD-O2D
15	B	812	CLA	CAD-CBD-CGD-O2D
15	B	816	CLA	CAD-CBD-CGD-O2D
15	B	820	CLA	CAD-CBD-CGD-O2D
15	B	827	CLA	CAD-CBD-CGD-O2D
15	B	835	CLA	CAD-CBD-CGD-O2D
15	N	810	CLA	CAD-CBD-CGD-O2D
15	N	813	CLA	CAD-CBD-CGD-O2D
15	N	817	CLA	CAD-CBD-CGD-O2D
15	N	825	CLA	CAD-CBD-CGD-O2D
15	N	827	CLA	CAD-CBD-CGD-O2D
15	O	813	CLA	CAD-CBD-CGD-O2D
15	O	814	CLA	CAD-CBD-CGD-O2D
15	O	837	CLA	CAD-CBD-CGD-O2D
15	a	808	CLA	CAD-CBD-CGD-O2D
15	a	811	CLA	CAD-CBD-CGD-O2D
15	a	821	CLA	CAD-CBD-CGD-O2D
15	a	825	CLA	CAD-CBD-CGD-O2D
15	a	827	CLA	CAD-CBD-CGD-O2D
15	a	832	CLA	CAD-CBD-CGD-O2D
15	a	842	CLA	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	813	CLA	CAD-CBD-CGD-O2D
15	b	814	CLA	CAD-CBD-CGD-O2D
15	b	837	CLA	CAD-CBD-CGD-O2D
21	J	102	LMG	C30-C31-C32-C33
15	A	856	CLA	C15-C16-C17-C18
15	b	831	CLA	C8-C10-C11-C12
15	b	813	CLA	CBD-CGD-O2D-CED
15	O	813	CLA	CBA-CGA-O2A-C1
15	b	805	CLA	C15-C16-C17-C18
19	X	101	LHG	C5-C4-O6-P
19	Z	101	LHG	C5-C4-O6-P
19	l	101	LHG	C5-C4-O6-P
15	A	823	CLA	CBD-CGD-O2D-CED
15	B	811	CLA	CBD-CGD-O2D-CED
15	O	837	CLA	O1A-CGA-O2A-C1
15	O	839	CLA	O1A-CGA-O2A-C1
15	a	839	CLA	O1A-CGA-O2A-C1
20	A	853	LMT	C2-C3-C4-C5
19	X	102	LHG	O6-C4-C5-O7
14	A	826	F6C	C15-C16-C17-C18
15	B	836	CLA	C5-C6-C7-C8
15	L	203	CLA	C10-C11-C12-C13
15	N	835	CLA	C5-C6-C7-C8
15	a	811	CLA	C3-C5-C6-C7
14	A	857	F6C	C4B-C3B-CAB-CBB
14	N	856	F6C	C4B-C3B-CAB-CBB
14	a	856	F6C	C4B-C3B-CAB-CBB
15	L	203	CLA	C2A-CAA-CBA-CGA
15	W	1502	CLA	C2A-CAA-CBA-CGA
19	Z	101	LHG	C11-C10-C9-C8
19	Z	101	LHG	C31-C32-C33-C34
14	N	824	F6C	CBD-CGD-O2D-CED
15	A	807	CLA	O1A-CGA-O2A-C1
15	a	825	CLA	O1A-CGA-O2A-C1
15	N	806	CLA	C16-C17-C18-C19
15	N	806	CLA	C16-C17-C18-C20
15	a	806	CLA	C16-C17-C18-C19
22	B	848	LFA	C13-C14-C15-C16
15	A	809	CLA	CHA-CBD-CGD-O1D
15	A	809	CLA	CHA-CBD-CGD-O2D
15	A	820	CLA	CHA-CBD-CGD-O1D
15	B	804	CLA	CHA-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	B	804	CLA	CHA-CBD-CGD-O2D
15	B	814	CLA	CHA-CBD-CGD-O1D
15	B	814	CLA	CHA-CBD-CGD-O2D
15	B	819	CLA	CHA-CBD-CGD-O2D
15	B	821	CLA	CHA-CBD-CGD-O1D
15	B	822	CLA	CHA-CBD-CGD-O1D
15	B	822	CLA	CHA-CBD-CGD-O2D
15	B	823	CLA	CHA-CBD-CGD-O1D
15	B	823	CLA	CHA-CBD-CGD-O2D
15	N	809	CLA	CHA-CBD-CGD-O1D
15	N	809	CLA	CHA-CBD-CGD-O2D
15	N	818	CLA	CHA-CBD-CGD-O1D
15	N	831	CLA	CHA-CBD-CGD-O1D
15	N	831	CLA	CHA-CBD-CGD-O2D
15	O	816	CLA	CHA-CBD-CGD-O1D
15	O	816	CLA	CHA-CBD-CGD-O2D
15	O	823	CLA	CHA-CBD-CGD-O1D
15	O	823	CLA	CHA-CBD-CGD-O2D
15	O	824	CLA	CHA-CBD-CGD-O1D
15	O	824	CLA	CHA-CBD-CGD-O2D
15	O	825	CLA	CHA-CBD-CGD-O1D
15	O	825	CLA	CHA-CBD-CGD-O2D
15	a	806	CLA	CHA-CBD-CGD-O1D
15	a	809	CLA	CHA-CBD-CGD-O1D
15	a	809	CLA	CHA-CBD-CGD-O2D
15	a	816	CLA	CHA-CBD-CGD-O1D
15	a	816	CLA	CHA-CBD-CGD-O2D
15	a	820	CLA	CHA-CBD-CGD-O1D
15	a	820	CLA	CHA-CBD-CGD-O2D
15	a	835	CLA	CHA-CBD-CGD-O1D
15	a	835	CLA	CHA-CBD-CGD-O2D
15	b	824	CLA	CHA-CBD-CGD-O1D
15	b	824	CLA	CHA-CBD-CGD-O2D
15	b	825	CLA	CHA-CBD-CGD-O1D
15	b	825	CLA	CHA-CBD-CGD-O2D
19	Y	101	LHG	C33-C34-C35-C36
15	A	832	CLA	O1A-CGA-O2A-C1
15	b	822	CLA	O1A-CGA-O2A-C1
15	b	839	CLA	O1A-CGA-O2A-C1
19	X	101	LHG	O10-C23-O8-C6
14	O	840	F6C	C3A-C2A-CAA-CBA
15	B	804	CLA	C15-C16-C17-C18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
21	U	102	LMG	O7-C8-C9-O8
15	A	828	CLA	C13-C15-C16-C17
13	N	801	CL0	O1A-CGA-O2A-C1
15	N	825	CLA	O1A-CGA-O2A-C1
15	b	837	CLA	O1A-CGA-O2A-C1
13	N	801	CL0	CAA-CBA-CGA-O2A
20	N	854	LMT	C9-C10-C11-C12
21	T	103	LMG	C32-C33-C34-C35
15	B	829	CLA	O1D-CGD-O2D-CED
15	b	816	CLA	C3-C5-C6-C7
15	B	837	CLA	C10-C11-C12-C13
19	M	102	LHG	C10-C11-C12-C13
21	J	102	LMG	C21-C22-C23-C24
15	N	807	CLA	O1A-CGA-O2A-C1
21	U	102	LMG	C30-C31-C32-C33
15	B	828	CLA	C11-C10-C8-C9
15	N	830	CLA	C14-C13-C15-C16
15	N	831	CLA	C6-C7-C8-C9
15	O	801	CLA	C11-C10-C8-C9
15	O	802	CLA	C6-C7-C8-C9
15	O	813	CLA	C6-C7-C8-C9
15	O	825	CLA	C11-C12-C13-C14
15	a	829	CLA	C11-C10-C8-C9
15	a	831	CLA	C6-C7-C8-C9
15	b	803	CLA	C11-C10-C8-C9
15	b	806	CLA	C14-C13-C15-C16
15	b	807	CLA	C14-C13-C15-C16
15	b	808	CLA	C11-C10-C8-C9
19	Z	102	LHG	C31-C32-C33-C34
15	A	825	CLA	O1A-CGA-O2A-C1
15	B	837	CLA	O1A-CGA-O2A-C1
15	a	807	CLA	O1A-CGA-O2A-C1
15	b	813	CLA	O1A-CGA-O2A-C1
21	B	847	LMG	C35-C36-C37-C38
15	O	816	CLA	C5-C6-C7-C8
15	b	832	CLA	C8-C10-C11-C12
15	B	802	CLA	C2A-CAA-CBA-CGA
19	M	102	LHG	C26-C27-C28-C29
19	Y	101	LHG	C25-C26-C27-C28
14	B	838	F6C	C1A-C2A-CAA-CBA
18	A	858	BCR	C36-C18-C19-C20
18	B	846	BCR	C7-C8-C9-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	k	101	LHG	C28-C29-C30-C31
18	B	846	BCR	C7-C8-C9-C10
18	L	205	BCR	C21-C22-C23-C24
18	N	857	BCR	C7-C8-C9-C10
18	b	848	BCR	C7-C8-C9-C10
15	A	811	CLA	C1A-C2A-CAA-CBA
15	B	824	CLA	C1A-C2A-CAA-CBA
15	B	839	CLA	C1A-C2A-CAA-CBA
15	N	838	CLA	C1A-C2A-CAA-CBA
15	V	102	CLA	C1A-C2A-CAA-CBA
15	b	826	CLA	C1A-C2A-CAA-CBA
15	b	830	CLA	C1A-C2A-CAA-CBA
15	A	806	CLA	C16-C17-C18-C19
15	O	811	CLA	C16-C17-C18-C20
15	f	201	CLA	C16-C17-C18-C20
20	A	854	LMT	C9-C10-C11-C12
14	L	201	F6C	C2-C1-O2A-CGA
15	N	832	CLA	CBA-CGA-O2A-C1
18	a	857	BCR	C15-C16-C17-C18
14	A	824	F6C	O1D-CGD-O2D-CED
15	B	811	CLA	C5-C6-C7-C8
22	B	848	LFA	C3-C4-C5-C6
15	N	817	CLA	O1D-CGD-O2D-CED
13	N	801	CL0	C3-C5-C6-C7
15	O	816	CLA	C3-C5-C6-C7
21	L	206	LMG	C36-C37-C38-C39
15	O	813	CLA	O1A-CGA-O2A-C1
15	b	817	CLA	O1A-CGA-O2A-C1
19	L	207	LHG	C3-O3-P-O4
19	L	207	LHG	C4-O6-P-O4
19	X	101	LHG	C3-O3-P-O5
19	X	101	LHG	C4-O6-P-O5
19	X	102	LHG	C3-O3-P-O4
19	W	1506	LHG	C3-O3-P-O4
19	W	1506	LHG	C4-O6-P-O4
19	Z	101	LHG	C3-O3-P-O4
19	Z	101	LHG	C3-O3-P-O5
19	Z	101	LHG	C4-O6-P-O5
19	Z	102	LHG	C3-O3-P-O4
19	j	207	LHG	C3-O3-P-O4
19	j	207	LHG	C4-O6-P-O4
19	l	101	LHG	C3-O3-P-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	l	101	LHG	C4-O6-P-O5
19	l	102	LHG	C3-O3-P-O4
15	b	805	CLA	C16-C17-C18-C20
13	a	801	CL0	C10-C11-C12-C13
15	O	803	CLA	C15-C16-C17-C18
15	W	1502	CLA	C8-C10-C11-C12
15	b	828	CLA	C15-C16-C17-C18
15	b	841	CLA	C13-C15-C16-C17
15	B	811	CLA	CBA-CGA-O2A-C1
15	O	822	CLA	CBA-CGA-O2A-C1
15	N	809	CLA	CBD-CGD-O2D-CED
19	X	102	LHG	O6-C4-C5-C6
14	N	802	F6C	O1D-CGD-O2D-CED
15	O	831	CLA	C8-C10-C11-C12
15	a	839	CLA	C3-C5-C6-C7
21	U	102	LMG	C12-C13-C14-C15
21	h	102	LMG	C12-C13-C14-C15
15	N	822	CLA	C16-C17-C18-C20
15	S	201	CLA	C16-C17-C18-C20
20	a	854	LMT	C9-C10-C11-C12
14	N	824	F6C	C2-C3-C5-C6
15	A	816	CLA	CAD-CBD-CGD-O1D
15	A	856	CLA	CAD-CBD-CGD-O1D
15	B	804	CLA	CAD-CBD-CGD-O1D
15	B	819	CLA	CAD-CBD-CGD-O1D
15	B	821	CLA	CAD-CBD-CGD-O1D
15	N	816	CLA	CAD-CBD-CGD-O1D
15	O	802	CLA	CAD-CBD-CGD-O1D
15	O	821	CLA	CAD-CBD-CGD-O1D
15	O	823	CLA	CAD-CBD-CGD-O1D
15	a	806	CLA	CAD-CBD-CGD-O1D
15	a	816	CLA	CAD-CBD-CGD-O1D
15	b	802	CLA	CAD-CBD-CGD-O1D
15	b	821	CLA	CAD-CBD-CGD-O1D
15	B	801	CLA	C8-C10-C11-C12
15	N	803	CLA	C8-C10-C11-C12
19	l	102	LHG	C34-C35-C36-C37
15	B	820	CLA	CBA-CGA-O2A-C1
15	B	809	CLA	C16-C17-C18-C20
15	N	831	CLA	C16-C17-C18-C20
15	O	805	CLA	C16-C17-C18-C20
15	a	806	CLA	C16-C17-C18-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	a	831	CLA	C16-C17-C18-C20
15	a	833	CLA	C6-C7-C8-C10
15	b	811	CLA	C16-C17-C18-C20
14	N	856	F6C	C11-C10-C8-C7
14	W	1503	F6C	C11-C10-C8-C7
14	W	1503	F6C	C11-C12-C13-C15
14	b	840	F6C	C11-C12-C13-C15
14	j	204	F6C	C11-C10-C8-C7
15	A	805	CLA	C6-C7-C8-C10
15	A	820	CLA	C11-C12-C13-C15
15	B	805	CLA	C6-C7-C8-C10
15	B	807	CLA	C11-C10-C8-C7
15	B	807	CLA	C11-C12-C13-C15
15	B	812	CLA	C11-C12-C13-C15
15	B	815	CLA	C11-C12-C13-C15
15	N	807	CLA	C11-C10-C8-C7
15	N	820	CLA	C11-C12-C13-C15
15	N	821	CLA	C3A-C2A-CAA-CBA
15	N	831	CLA	C6-C7-C8-C10
15	N	834	CLA	C2-C3-C5-C6
15	O	801	CLA	C11-C10-C8-C7
15	O	808	CLA	C11-C12-C13-C15
15	O	813	CLA	C6-C7-C8-C10
15	O	814	CLA	C11-C10-C8-C7
15	a	814	CLA	C11-C10-C8-C7
15	a	820	CLA	C11-C12-C13-C15
15	a	829	CLA	C11-C10-C8-C7
15	a	831	CLA	C6-C7-C8-C10
15	b	814	CLA	C11-C10-C8-C7
19	Z	102	LHG	O6-C4-C5-O7
15	N	811	CLA	C3-C5-C6-C7
15	B	804	CLA	CBD-CGD-O2D-CED
15	O	832	CLA	CAA-CBA-CGA-O2A
19	Z	101	LHG	C33-C34-C35-C36
15	N	820	CLA	C15-C16-C17-C18
15	A	803	CLA	C8-C10-C11-C12
15	B	807	CLA	C8-C10-C11-C12
15	A	816	CLA	C2A-CAA-CBA-CGA
15	O	829	CLA	C2A-CAA-CBA-CGA
15	a	816	CLA	C2A-CAA-CBA-CGA
15	a	838	CLA	C2A-CAA-CBA-CGA
15	F	201	CLA	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
21	h	102	LMG	C29-C30-C31-C32
15	b	832	CLA	CAA-CBA-CGA-O2A
14	A	826	F6C	C1B-C2B-CMB-OMB
14	B	831	F6C	C1B-C2B-CMB-OMB
14	N	824	F6C	C1B-C2B-CMB-OMB
14	N	826	F6C	C1B-C2B-CMB-OMB
14	a	856	F6C	C1B-C2B-CMB-OMB
15	B	811	CLA	O1A-CGA-O2A-C1
15	N	839	CLA	O1A-CGA-O2A-C1
19	j	207	LHG	C33-C34-C35-C36
15	b	815	CLA	O1D-CGD-O2D-CED
15	O	841	CLA	C16-C17-C18-C20
15	a	834	CLA	C16-C17-C18-C20
15	A	814	CLA	C5-C6-C7-C8
15	A	830	CLA	C5-C6-C7-C8
15	A	841	CLA	C13-C15-C16-C17
19	M	102	LHG	C28-C29-C30-C31
15	N	832	CLA	O1A-CGA-O2A-C1
15	N	835	CLA	C4-C3-C5-C6
15	A	803	CLA	CBA-CGA-O2A-C1
15	a	803	CLA	CBA-CGA-O2A-C1
15	A	836	CLA	C5-C6-C7-C8
20	a	853	LMT	O1'-C1-C2-C3
19	X	102	LHG	C14-C15-C16-C17
15	A	818	CLA	C13-C15-C16-C17
15	b	801	CLA	C8-C10-C11-C12
14	B	838	F6C	C6-C7-C8-C9
14	B	838	F6C	C11-C12-C13-C14
14	j	204	F6C	C11-C10-C8-C9
15	A	818	CLA	C11-C12-C13-C14
15	A	828	CLA	C6-C7-C8-C9
15	B	801	CLA	C11-C10-C8-C9
15	B	802	CLA	C11-C10-C8-C9
15	B	812	CLA	C11-C10-C8-C9
15	B	835	CLA	C14-C13-C15-C16
15	N	812	CLA	C11-C10-C8-C9
15	N	818	CLA	C11-C12-C13-C14
15	N	818	CLA	C14-C13-C15-C16
15	N	822	CLA	C11-C10-C8-C9
15	N	828	CLA	C6-C7-C8-C9
15	N	829	CLA	C11-C10-C8-C9
15	O	807	CLA	C14-C13-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	811	CLA	C14-C13-C15-C16
15	O	816	CLA	C6-C7-C8-C9
15	O	830	CLA	C11-C10-C8-C9
15	O	837	CLA	C14-C13-C15-C16
15	O	841	CLA	C11-C12-C13-C14
15	a	805	CLA	C6-C7-C8-C9
15	a	810	CLA	C11-C10-C8-C9
15	a	812	CLA	C11-C10-C8-C9
15	a	818	CLA	C14-C13-C15-C16
15	b	801	CLA	C11-C10-C8-C9
15	b	808	CLA	C11-C12-C13-C14
15	b	837	CLA	C14-C13-C15-C16
15	b	838	CLA	C14-C13-C15-C16
15	O	822	CLA	O1A-CGA-O2A-C1
22	O	851	LFA	C5-C6-C7-C8
19	Z	102	LHG	C35-C36-C37-C38
19	l	101	LHG	C14-C15-C16-C17
15	B	820	CLA	O1A-CGA-O2A-C1
19	X	101	LHG	C33-C34-C35-C36
18	j	201	BCR	C7-C8-C9-C34
21	j	206	LMG	C30-C31-C32-C33
15	A	822	CLA	C16-C17-C18-C20
15	N	820	CLA	C16-C17-C18-C20
15	O	815	CLA	O1D-CGD-O2D-CED
15	N	812	CLA	CBA-CGA-O2A-C1
15	A	835	CLA	C5-C6-C7-C8
15	a	818	CLA	C13-C15-C16-C17
15	B	830	CLA	CAA-CBA-CGA-O2A
19	Y	101	LHG	C26-C27-C28-C29
15	a	828	CLA	C13-C15-C16-C17
15	N	833	CLA	C6-C7-C8-C10
15	N	834	CLA	C16-C17-C18-C20
15	b	805	CLA	C16-C17-C18-C19
15	B	814	CLA	C5-C6-C7-C8
15	B	836	CLA	C13-C15-C16-C17
19	j	207	LHG	C9-C10-C11-C12
19	Z	102	LHG	O6-C4-C5-C6
15	A	814	CLA	C2A-CAA-CBA-CGA
15	N	838	CLA	C2A-CAA-CBA-CGA
15	a	837	CLA	C2A-CAA-CBA-CGA
15	b	803	CLA	C2A-CAA-CBA-CGA
14	N	826	F6C	C2-C1-O2A-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	832	CLA	C2-C1-O2A-CGA
21	O	850	LMG	C31-C32-C33-C34
15	N	822	CLA	C16-C17-C18-C19
15	f	201	CLA	C16-C17-C18-C19
15	N	818	CLA	C13-C15-C16-C17
19	W	1506	LHG	C29-C30-C31-C32
15	j	203	CLA	C8-C10-C11-C12
15	N	803	CLA	CBA-CGA-O2A-C1
18	A	858	BCR	C15-C16-C17-C18
15	N	812	CLA	O1A-CGA-O2A-C1
15	a	803	CLA	O1A-CGA-O2A-C1
15	A	814	CLA	O1D-CGD-O2D-CED
15	A	834	CLA	C16-C17-C18-C20
15	b	828	CLA	C4-C3-C5-C6
18	B	846	BCR	C1-C6-C7-C8
18	J	101	BCR	C5-C6-C7-C8
18	M	101	BCR	C23-C24-C25-C26
18	O	849	BCR	C1-C6-C7-C8
18	b	846	BCR	C23-C24-C25-C26
18	g	102	BCR	C5-C6-C7-C8
18	g	102	BCR	C23-C24-C25-C30
21	A	855	LMG	C20-C21-C22-C23
14	N	824	F6C	O1D-CGD-O2D-CED
19	l	101	LHG	C28-C29-C30-C31
15	a	832	CLA	CBA-CGA-O2A-C1
15	A	806	CLA	C16-C17-C18-C20
15	a	822	CLA	C16-C17-C18-C20
14	a	826	F6C	CBD-CGD-O2D-CED
20	N	852	LMT	O5'-C1'-O1'-C1
14	N	856	F6C	C5-C6-C7-C8
20	A	853	LMT	C2'-C1'-O1'-C1
15	A	856	CLA	CBD-CGD-O2D-CED
19	A	851	LHG	C3-O3-P-O6
19	N	851	LHG	C3-O3-P-O6
19	a	851	LHG	C3-O3-P-O6
15	L	202	CLA	C15-C16-C17-C18
15	B	804	CLA	O1D-CGD-O2D-CED
15	O	803	CLA	C2C-C3C-CAC-CBC
19	Z	102	LHG	C14-C15-C16-C17
22	O	851	LFA	C3-C4-C5-C6
14	L	204	F6C	C11-C10-C8-C7
15	A	804	CLA	C6-C7-C8-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	A	807	CLA	C11-C10-C8-C7
15	B	802	CLA	C11-C10-C8-C7
15	B	807	CLA	C6-C7-C8-C10
15	O	806	CLA	C6-C7-C8-C10
15	O	827	CLA	C6-C7-C8-C10
15	W	1502	CLA	C11-C10-C8-C7
15	a	807	CLA	C11-C10-C8-C7
15	a	819	CLA	C11-C10-C8-C7
15	b	803	CLA	C11-C10-C8-C7
15	b	806	CLA	C6-C7-C8-C10
15	b	839	CLA	C11-C12-C13-C15
19	X	101	LHG	C9-C10-C11-C12
14	O	840	F6C	C11-C12-C13-C14
15	A	805	CLA	C6-C7-C8-C9
15	A	812	CLA	C11-C10-C8-C9
15	B	807	CLA	C6-C7-C8-C9
15	B	807	CLA	C11-C10-C8-C9
15	B	807	CLA	C11-C12-C13-C14
15	N	805	CLA	C6-C7-C8-C9
15	a	814	CLA	C11-C10-C8-C9
15	a	818	CLA	C11-C12-C13-C14
15	b	814	CLA	C11-C10-C8-C9
15	N	809	CLA	O1D-CGD-O2D-CED
18	N	857	BCR	C15-C16-C17-C18
18	a	845	BCR	C15-C16-C17-C18
15	B	804	CLA	C16-C17-C18-C20
15	S	201	CLA	C16-C17-C18-C19
15	A	803	CLA	O1A-CGA-O2A-C1
13	a	801	CL0	CAA-CBA-CGA-O1A
15	N	821	CLA	CAA-CBA-CGA-O1A
15	a	821	CLA	CAA-CBA-CGA-O1A
15	b	829	CLA	C2A-CAA-CBA-CGA
15	B	829	CLA	C10-C11-C12-C13
13	a	801	CL0	C3-C5-C6-C7
15	a	832	CLA	O1A-CGA-O2A-C1
15	B	837	CLA	C16-C17-C18-C20
19	Y	101	LHG	C11-C10-C9-C8
15	L	203	CLA	C8-C10-C11-C12
15	O	825	CLA	C10-C11-C12-C13
15	B	811	CLA	C11-C10-C8-C7
15	O	813	CLA	C11-C10-C8-C7
15	b	813	CLA	C11-C10-C8-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	835	CLA	C2-C3-C5-C6
15	b	828	CLA	C2-C3-C5-C6
15	A	822	CLA	C16-C17-C18-C19
15	O	805	CLA	C16-C17-C18-C19
19	k	101	LHG	C29-C30-C31-C32
15	N	803	CLA	O1A-CGA-O2A-C1
15	A	823	CLA	O1D-CGD-O2D-CED
15	N	806	CLA	C10-C11-C12-C13
15	B	806	CLA	C2A-CAA-CBA-CGA
15	N	814	CLA	C2A-CAA-CBA-CGA
18	B	845	BCR	C19-C20-C21-C22
18	O	847	BCR	C19-C20-C21-C22
15	B	802	CLA	C2C-C3C-CAC-CBC
19	Y	101	LHG	C27-C28-C29-C30
21	a	855	LMG	C18-C19-C20-C21
19	M	102	LHG	C27-C28-C29-C30
14	A	802	F6C	CBD-CGD-O2D-CED
15	L	202	CLA	C16-C17-C18-C19
15	a	812	CLA	C3-C5-C6-C7
15	B	820	CLA	C4-C3-C5-C6
15	L	203	CLA	C4-C3-C5-C6
15	W	1502	CLA	C4-C3-C5-C6
19	L	207	LHG	C31-C32-C33-C34
21	J	102	LMG	C29-C30-C31-C32
15	B	821	CLA	C2-C3-C5-C6
22	O	851	LFA	C10-C11-C12-C13
22	f	204	LFA	C3-C4-C5-C6
13	a	801	CL0	C13-C15-C16-C17
14	A	857	F6C	C5-C6-C7-C8
15	b	803	CLA	C10-C11-C12-C13
21	J	102	LMG	C18-C19-C20-C21
21	g	103	LMG	C30-C31-C32-C33
21	B	847	LMG	C41-C42-C43-C44
15	N	842	CLA	C13-C15-C16-C17
15	a	820	CLA	C15-C16-C17-C18
15	j	202	CLA	C15-C16-C17-C18
19	k	101	LHG	C26-C27-C28-C29
15	N	808	CLA	CBD-CGD-O2D-CED
14	N	826	F6C	C5-C6-C7-C8
15	O	831	CLA	C10-C11-C12-C13
15	A	837	CLA	C2A-CAA-CBA-CGA
15	B	827	CLA	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	837	CLA	C2A-CAA-CBA-CGA
15	O	803	CLA	C2A-CAA-CBA-CGA
15	O	807	CLA	C2A-CAA-CBA-CGA
15	a	814	CLA	C2A-CAA-CBA-CGA
15	b	807	CLA	C2A-CAA-CBA-CGA
15	b	827	CLA	C2A-CAA-CBA-CGA
15	O	822	CLA	CAA-CBA-CGA-O1A
15	A	810	CLA	C3A-C2A-CAA-CBA
15	A	821	CLA	C3A-C2A-CAA-CBA
15	B	833	CLA	C3A-C2A-CAA-CBA
15	L	203	CLA	C3A-C2A-CAA-CBA
15	N	810	CLA	C3A-C2A-CAA-CBA
15	a	810	CLA	C3A-C2A-CAA-CBA
15	a	821	CLA	C3A-C2A-CAA-CBA
15	O	820	CLA	C6-C7-C8-C10
15	a	815	CLA	C6-C7-C8-C9
15	b	838	CLA	C13-C15-C16-C17
14	A	826	F6C	C4-C3-C5-C6
15	B	821	CLA	C4-C3-C5-C6
15	b	817	CLA	CBD-CGD-O2D-CED
15	B	825	CLA	C2-C3-C5-C6
15	b	803	CLA	C13-C15-C16-C17
21	W	1505	LMG	C35-C36-C37-C38
14	W	1503	F6C	C11-C10-C8-C9
14	b	840	F6C	C11-C12-C13-C14
15	A	820	CLA	C11-C12-C13-C14
15	B	808	CLA	C11-C12-C13-C14
15	B	814	CLA	C6-C7-C8-C9
15	B	836	CLA	C11-C12-C13-C14
15	L	202	CLA	C11-C10-C8-C9
15	N	809	CLA	C11-C10-C8-C9
15	N	819	CLA	C11-C10-C8-C9
15	O	803	CLA	C11-C10-C8-C9
15	O	809	CLA	C11-C12-C13-C14
15	O	814	CLA	C11-C10-C8-C9
15	O	831	CLA	C14-C13-C15-C16
15	O	838	CLA	C11-C12-C13-C14
15	a	820	CLA	C6-C7-C8-C9
15	a	841	CLA	C11-C12-C13-C14
15	b	838	CLA	C11-C12-C13-C14
15	A	831	CLA	C16-C17-C18-C20
15	a	822	CLA	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	825	CLA	C10-C11-C12-C13
18	A	848	BCR	C16-C17-C18-C36
18	A	850	BCR	C11-C10-C9-C34
18	A	850	BCR	C16-C17-C18-C36
18	A	858	BCR	C16-C17-C18-C36
18	B	842	BCR	C11-C10-C9-C34
18	B	843	BCR	C11-C10-C9-C34
18	B	843	BCR	C20-C21-C22-C37
18	F	203	BCR	C35-C13-C14-C15
18	I	102	BCR	C20-C21-C22-C37
18	N	848	BCR	C16-C17-C18-C36
18	N	850	BCR	C11-C10-C9-C34
18	N	850	BCR	C16-C17-C18-C36
18	N	857	BCR	C16-C17-C18-C36
18	O	844	BCR	C11-C10-C9-C34
18	O	845	BCR	C11-C10-C9-C34
18	O	845	BCR	C20-C21-C22-C37
18	S	202	BCR	C35-C13-C14-C15
18	T	102	BCR	C20-C21-C22-C37
18	a	848	BCR	C16-C17-C18-C36
18	a	850	BCR	C11-C10-C9-C34
18	a	850	BCR	C16-C17-C18-C36
18	a	857	BCR	C16-C17-C18-C36
18	b	844	BCR	C11-C10-C9-C34
18	b	845	BCR	C11-C10-C9-C34
18	b	845	BCR	C20-C21-C22-C37
18	f	203	BCR	C35-C13-C14-C15
18	g	102	BCR	C20-C21-C22-C37
15	B	811	CLA	O1D-CGD-O2D-CED
15	B	804	CLA	C2A-CAA-CBA-CGA
15	b	805	CLA	C2A-CAA-CBA-CGA
15	O	838	CLA	C13-C15-C16-C17
14	N	826	F6C	O1A-CGA-O2A-C1
13	A	801	CL0	CAA-CBA-CGA-O1A
15	A	833	CLA	C6-C7-C8-C9
15	B	801	CLA	C16-C17-C18-C20
15	B	804	CLA	C16-C17-C18-C19
14	a	826	F6C	O1D-CGD-O2D-CED
18	O	846	BCR	C36-C18-C19-C20
15	b	813	CLA	O1D-CGD-O2D-CED
21	I	103	LMG	C32-C33-C34-C35
15	N	821	CLA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	826	CLA	C15-C16-C17-C18
20	A	853	LMT	C5'-C4'-O1B-C1B
20	a	853	LMT	C5'-C4'-O1B-C1B
15	A	820	CLA	C15-C16-C17-C18
15	a	830	CLA	C4-C3-C5-C6
15	b	831	CLA	C4-C3-C5-C6
15	j	203	CLA	C4-C3-C5-C6
15	B	809	CLA	C1A-C2A-CAA-CBA
15	K	102	CLA	C1A-C2A-CAA-CBA
15	N	821	CLA	C1A-C2A-CAA-CBA
15	O	811	CLA	C1A-C2A-CAA-CBA
15	a	811	CLA	C1A-C2A-CAA-CBA
15	i	102	CLA	C1A-C2A-CAA-CBA
15	B	837	CLA	C16-C17-C18-C19
15	a	835	CLA	C16-C17-C18-C20
14	A	826	F6C	C2-C3-C5-C6
14	A	857	F6C	C11-C10-C8-C7
14	L	204	F6C	C12-C13-C15-C16
14	a	856	F6C	C11-C10-C8-C7
15	A	814	CLA	C11-C10-C8-C7
15	B	823	CLA	C12-C13-C15-C16
15	B	835	CLA	C6-C7-C8-C10
15	L	203	CLA	C11-C10-C8-C7
15	N	814	CLA	C11-C10-C8-C7
15	O	825	CLA	C12-C13-C15-C16
15	O	830	CLA	C11-C12-C13-C15
15	O	837	CLA	C6-C7-C8-C10
15	a	818	CLA	C11-C10-C8-C7
15	a	819	CLA	C6-C7-C8-C10
15	b	825	CLA	C12-C13-C15-C16
15	b	827	CLA	C6-C7-C8-C10
15	b	837	CLA	C6-C7-C8-C10
19	k	101	LHG	C10-C11-C12-C13
15	O	801	CLA	C8-C10-C11-C12
15	W	1501	CLA	C15-C16-C17-C18
15	a	806	CLA	C10-C11-C12-C13
15	a	838	CLA	C3-C5-C6-C7
18	A	845	BCR	C15-C16-C17-C18
18	I	101	BCR	C9-C10-C11-C12
19	Y	101	LHG	C28-C29-C30-C31
14	a	826	F6C	C3B-C2B-CMB-OMB
15	b	801	CLA	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	W	1502	CLA	C10-C11-C12-C13
15	a	814	CLA	C10-C11-C12-C13
15	a	821	CLA	C5-C6-C7-C8
19	a	851	LHG	O10-C23-C24-C25
15	B	825	CLA	C2A-CAA-CBA-CGA
15	N	829	CLA	C2A-CAA-CBA-CGA
15	O	805	CLA	C2A-CAA-CBA-CGA
15	a	829	CLA	C2A-CAA-CBA-CGA
15	B	823	CLA	C10-C11-C12-C13
14	A	802	F6C	O1D-CGD-O2D-CED
21	L	206	LMG	C18-C19-C20-C21
15	a	841	CLA	C15-C16-C17-C18
14	N	824	F6C	C1A-C2A-CAA-CBA
21	g	103	LMG	C12-C13-C14-C15
15	N	813	CLA	C4-C3-C5-C6
14	a	856	F6C	C5-C6-C7-C8
19	l	101	LHG	C33-C34-C35-C36
19	X	102	LHG	C13-C14-C15-C16
15	A	829	CLA	C10-C11-C12-C13
21	h	102	LMG	C38-C39-C40-C41
15	O	801	CLA	C16-C17-C18-C19
19	A	851	LHG	C12-C13-C14-C15
18	A	848	BCR	C16-C17-C18-C19
18	A	850	BCR	C11-C10-C9-C8
18	A	850	BCR	C16-C17-C18-C19
18	A	858	BCR	C16-C17-C18-C19
18	B	842	BCR	C11-C10-C9-C8
18	B	843	BCR	C11-C10-C9-C8
18	B	843	BCR	C20-C21-C22-C23
18	F	203	BCR	C12-C13-C14-C15
18	I	102	BCR	C20-C21-C22-C23
18	N	848	BCR	C16-C17-C18-C19
18	N	850	BCR	C11-C10-C9-C8
18	N	850	BCR	C16-C17-C18-C19
18	N	857	BCR	C16-C17-C18-C19
18	O	844	BCR	C11-C10-C9-C8
18	O	845	BCR	C11-C10-C9-C8
18	O	845	BCR	C20-C21-C22-C23
18	S	202	BCR	C12-C13-C14-C15
18	T	102	BCR	C20-C21-C22-C23
18	a	848	BCR	C16-C17-C18-C19
18	a	850	BCR	C11-C10-C9-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	a	850	BCR	C16-C17-C18-C19
18	a	857	BCR	C16-C17-C18-C19
18	b	844	BCR	C11-C10-C9-C8
18	b	845	BCR	C11-C10-C9-C8
18	b	845	BCR	C20-C21-C22-C23
18	f	203	BCR	C12-C13-C14-C15
18	g	102	BCR	C20-C21-C22-C23
15	O	808	CLA	C5-C6-C7-C8
15	O	841	CLA	C13-C15-C16-C17
19	X	102	LHG	C35-C36-C37-C38
19	l	102	LHG	C14-C15-C16-C17
15	A	856	CLA	O1D-CGD-O2D-CED
19	l	102	LHG	C13-C14-C15-C16
15	a	822	CLA	C15-C16-C17-C18
15	A	839	CLA	C4-C3-C5-C6
19	M	102	LHG	C29-C30-C31-C32
15	B	823	CLA	C2-C1-O2A-CGA
15	N	829	CLA	C2-C1-O2A-CGA
15	Z	103	CLA	C2-C1-O2A-CGA
15	a	827	CLA	C2-C1-O2A-CGA
15	a	829	CLA	C2-C1-O2A-CGA
15	W	1502	CLA	C2-C3-C5-C6
15	N	808	CLA	O1D-CGD-O2D-CED
15	N	841	CLA	C6-C7-C8-C9
15	a	822	CLA	C11-C10-C8-C9
19	M	102	LHG	C30-C31-C32-C33
15	N	838	CLA	C3-C5-C6-C7
14	N	824	F6C	C4-C3-C5-C6
15	a	806	CLA	O1D-CGD-O2D-CED
21	a	855	LMG	C29-C30-C31-C32
15	b	838	CLA	C5-C6-C7-C8
15	O	827	CLA	C2A-CAA-CBA-CGA
15	b	814	CLA	C2A-CAA-CBA-CGA
15	O	839	CLA	C16-C17-C18-C20
15	b	803	CLA	C2C-C3C-CAC-CBC
18	A	858	BCR	C1-C6-C7-C8
18	Y	102	BCR	C23-C24-C25-C26
18	j	201	BCR	C1-C6-C7-C8
15	a	829	CLA	C10-C11-C12-C13
15	a	835	CLA	C5-C6-C7-C8
22	B	848	LFA	C10-C11-C12-C13
15	b	817	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	B	845	BCR	C15-C16-C17-C18
18	b	847	BCR	C19-C20-C21-C22
19	M	102	LHG	C11-C12-C13-C14
15	A	813	CLA	C4-C3-C5-C6
15	N	830	CLA	C4-C3-C5-C6
18	j	205	BCR	C21-C22-C23-C24
15	A	839	CLA	C15-C16-C17-C18
15	O	838	CLA	C5-C6-C7-C8
19	A	851	LHG	C26-C27-C28-C29
15	A	835	CLA	C2-C3-C5-C6
15	A	819	CLA	CAA-CBA-CGA-O2A
15	N	819	CLA	CAA-CBA-CGA-O2A
15	O	813	CLA	C3-C5-C6-C7
15	B	820	CLA	CAA-CBA-CGA-O1A
22	f	204	LFA	C10-C11-C12-C13
13	A	801	CL0	C15-C16-C17-C18
14	j	204	F6C	C16-C17-C18-C19
15	A	820	CLA	C16-C17-C18-C20
15	A	839	CLA	C16-C17-C18-C20
15	a	820	CLA	C16-C17-C18-C20
15	b	820	CLA	C6-C7-C8-C10
13	N	801	CL0	C15-C16-C17-C18
15	A	806	CLA	C10-C11-C12-C13
15	B	839	CLA	C13-C15-C16-C17
19	l	102	LHG	O6-C4-C5-O7
21	a	855	LMG	C19-C20-C21-C22
15	b	822	CLA	CAA-CBA-CGA-O1A
15	B	812	CLA	C2A-CAA-CBA-CGA
15	O	814	CLA	C2A-CAA-CBA-CGA
15	N	803	CLA	C15-C16-C17-C18
21	O	850	LMG	C13-C14-C15-C16
14	N	826	F6C	CBA-CGA-O2A-C1
19	W	1506	LHG	C13-C14-C15-C16
19	l	101	LHG	C9-C10-C11-C12
20	N	853	LMT	C5'-C4'-O1B-C1B
15	A	835	CLA	C4-C3-C5-C6
15	b	822	CLA	C4-C3-C5-C6
15	A	810	CLA	C11-C10-C8-C7
15	A	814	CLA	C6-C7-C8-C10
15	A	818	CLA	C11-C10-C8-C7
15	B	828	CLA	C6-C7-C8-C10
15	B	837	CLA	C6-C7-C8-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	L	203	CLA	C2-C3-C5-C6
15	N	804	CLA	C6-C7-C8-C10
15	N	821	CLA	C11-C10-C8-C7
15	N	822	CLA	C2-C3-C5-C6
15	N	841	CLA	C6-C7-C8-C10
15	O	803	CLA	C11-C10-C8-C7
15	O	824	CLA	C2-C3-C5-C6
15	O	832	CLA	C2-C3-C5-C6
15	a	830	CLA	C2-C3-C5-C6
15	a	831	CLA	C11-C10-C8-C7
15	b	831	CLA	C2-C3-C5-C6
15	b	839	CLA	C6-C7-C8-C10
15	A	830	CLA	C13-C15-C16-C17
19	X	101	LHG	C14-C15-C16-C17
19	X	102	LHG	C33-C34-C35-C36
21	A	855	LMG	C19-C20-C21-C22
21	U	102	LMG	C29-C30-C31-C32
15	B	818	CLA	CAA-CBA-CGA-O2A
20	N	852	LMT	C2'-C1'-O1'-C1
15	A	822	CLA	C15-C16-C17-C18
15	O	801	CLA	CAA-CBA-CGA-O2A
21	b	849	LMG	O7-C10-C11-C12
15	b	806	CLA	C8-C10-C11-C12
15	b	822	CLA	C5-C6-C7-C8
21	W	1505	LMG	C11-C12-C13-C14
15	O	820	CLA	C6-C7-C8-C9
15	B	834	CLA	CAA-CBA-CGA-O2A
15	i	102	CLA	CAA-CBA-CGA-O2A
15	B	829	CLA	C8-C10-C11-C12
15	A	821	CLA	CAA-CBA-CGA-O1A
19	a	851	LHG	C12-C13-C14-C15
15	N	839	CLA	C4-C3-C5-C6
15	O	822	CLA	C4-C3-C5-C6
15	a	822	CLA	C4-C3-C5-C6
15	N	829	CLA	C10-C11-C12-C13
15	B	834	CLA	CAA-CBA-CGA-O1A
15	b	836	CLA	CAA-CBA-CGA-O2A
15	j	203	CLA	C2-C3-C5-C6
15	A	813	CLA	C6-C7-C8-C9
20	A	852	LMT	C5-C6-C7-C8
21	U	102	LMG	C18-C19-C20-C21
14	L	204	F6C	C11-C10-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	W	1503	F6C	C11-C12-C13-C14
15	B	805	CLA	C6-C7-C8-C9
15	B	815	CLA	C11-C12-C13-C14
15	B	817	CLA	C14-C13-C15-C16
15	B	823	CLA	C14-C13-C15-C16
15	N	820	CLA	C11-C12-C13-C14
15	N	831	CLA	C11-C12-C13-C14
15	O	806	CLA	C6-C7-C8-C9
15	O	808	CLA	C11-C12-C13-C14
15	O	825	CLA	C14-C13-C15-C16
15	a	818	CLA	C11-C10-C8-C9
15	a	820	CLA	C11-C12-C13-C14
15	a	829	CLA	C6-C7-C8-C9
15	b	806	CLA	C6-C7-C8-C9
15	b	809	CLA	C11-C12-C13-C14
15	b	825	CLA	C14-C13-C15-C16
15	b	838	CLA	C11-C10-C8-C9
15	b	841	CLA	C11-C12-C13-C14
15	b	824	CLA	C8-C10-C11-C12
19	Y	101	LHG	C13-C14-C15-C16
21	J	102	LMG	C38-C39-C40-C41
15	A	823	CLA	C3A-C2A-CAA-CBA
15	a	823	CLA	C3A-C2A-CAA-CBA
15	a	841	CLA	C3A-C2A-CAA-CBA
15	b	821	CLA	C3A-C2A-CAA-CBA
15	b	826	CLA	C3A-C2A-CAA-CBA
15	B	820	CLA	C5-C6-C7-C8
15	A	816	CLA	CAA-CBA-CGA-O2A
15	B	810	CLA	CAA-CBA-CGA-O2A
15	N	816	CLA	CAA-CBA-CGA-O2A
15	b	836	CLA	CAA-CBA-CGA-O1A
14	B	838	F6C	CAD-CBD-CGD-O2D
15	A	814	CLA	CAD-CBD-CGD-O2D
15	A	815	CLA	CAD-CBD-CGD-O2D
15	A	821	CLA	CAD-CBD-CGD-O2D
15	A	825	CLA	CAD-CBD-CGD-O2D
15	A	834	CLA	CAD-CBD-CGD-O2D
15	B	810	CLA	CAD-CBD-CGD-O2D
15	B	824	CLA	CAD-CBD-CGD-O2D
15	B	828	CLA	CAD-CBD-CGD-O2D
15	N	808	CLA	CAD-CBD-CGD-O2D
15	N	814	CLA	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	815	CLA	CAD-CBD-CGD-O2D
15	N	836	CLA	CAD-CBD-CGD-O2D
15	O	805	CLA	CAD-CBD-CGD-O2D
15	O	811	CLA	CAD-CBD-CGD-O2D
15	O	822	CLA	CAD-CBD-CGD-O2D
15	a	810	CLA	CAD-CBD-CGD-O2D
15	a	813	CLA	CAD-CBD-CGD-O2D
15	a	814	CLA	CAD-CBD-CGD-O2D
15	a	815	CLA	CAD-CBD-CGD-O2D
15	a	817	CLA	CAD-CBD-CGD-O2D
15	a	822	CLA	CAD-CBD-CGD-O2D
15	a	836	CLA	CAD-CBD-CGD-O2D
15	b	811	CLA	CAD-CBD-CGD-O2D
15	b	812	CLA	CAD-CBD-CGD-O2D
15	b	822	CLA	CAD-CBD-CGD-O2D
15	a	815	CLA	C6-C7-C8-C10
15	a	828	CLA	C3-C5-C6-C7
15	a	806	CLA	CBD-CGD-O2D-CED
13	N	801	CL0	C13-C15-C16-C17
15	A	856	CLA	C2-C1-O2A-CGA
15	N	838	CLA	C2-C1-O2A-CGA
15	a	816	CLA	CAA-CBA-CGA-O2A
15	A	807	CLA	CAA-CBA-CGA-O2A
15	a	819	CLA	CAA-CBA-CGA-O2A
15	j	202	CLA	O1D-CGD-O2D-CED
15	A	830	CLA	C4-C3-C5-C6
15	O	809	CLA	C10-C11-C12-C13
15	B	801	CLA	CAA-CBA-CGA-O2A
15	O	820	CLA	CAA-CBA-CGA-O2A
21	g	103	LMG	O7-C10-C11-C12
21	B	847	LMG	C33-C34-C35-C36
18	B	844	BCR	C17-C18-C19-C20
18	N	848	BCR	C21-C22-C23-C24
18	O	846	BCR	C17-C18-C19-C20
18	a	857	BCR	C17-C18-C19-C20
22	O	851	LFA	C11-C10-C9-C8
15	N	817	CLA	CAA-CBA-CGA-O2A
15	N	807	CLA	CAA-CBA-CGA-O2A
15	a	807	CLA	CAA-CBA-CGA-O2A
21	I	103	LMG	O7-C10-C11-C12
15	K	102	CLA	CAA-CBA-CGA-O2A
15	O	836	CLA	CAA-CBA-CGA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	O	836	CLA	CAA-CBA-CGA-O2A
15	V	102	CLA	CAA-CBA-CGA-O2A
15	i	102	CLA	CAA-CBA-CGA-O1A
14	A	826	F6C	O2A-C1-C2-C3
14	N	826	F6C	O2A-C1-C2-C3
14	a	826	F6C	O2A-C1-C2-C3
15	A	803	CLA	O2A-C1-C2-C3
15	A	807	CLA	O2A-C1-C2-C3
15	A	828	CLA	O2A-C1-C2-C3
15	A	856	CLA	O2A-C1-C2-C3
15	B	815	CLA	O2A-C1-C2-C3
15	X	103	CLA	O2A-C1-C2-C3
15	N	803	CLA	O2A-C1-C2-C3
15	N	807	CLA	O2A-C1-C2-C3
15	O	802	CLA	O2A-C1-C2-C3
15	Z	103	CLA	O2A-C1-C2-C3
15	a	803	CLA	O2A-C1-C2-C3
15	a	828	CLA	O2A-C1-C2-C3
15	b	802	CLA	O2A-C1-C2-C3
15	A	812	CLA	CBA-CGA-O2A-C1
15	O	824	CLA	C8-C10-C11-C12
15	b	812	CLA	CAA-CBA-CGA-O2A
15	N	841	CLA	C13-C15-C16-C17
15	A	835	CLA	C16-C17-C18-C20
15	a	839	CLA	C16-C17-C18-C20
15	b	839	CLA	C16-C17-C18-C20
15	j	202	CLA	CBD-CGD-O2D-CED
14	A	826	F6C	CHA-CBD-CGD-O1D
14	A	826	F6C	CHA-CBD-CGD-O2D
14	N	826	F6C	CHA-CBD-CGD-O1D
14	N	826	F6C	CHA-CBD-CGD-O2D
14	a	826	F6C	CHA-CBD-CGD-O1D
14	a	826	F6C	CHA-CBD-CGD-O2D
15	A	807	CLA	CHA-CBD-CGD-O1D
15	A	807	CLA	CHA-CBD-CGD-O2D
15	A	812	CLA	CHA-CBD-CGD-O1D
15	A	812	CLA	CHA-CBD-CGD-O2D
15	A	820	CLA	CHA-CBD-CGD-O2D
15	A	830	CLA	CHA-CBD-CGD-O1D
15	A	830	CLA	CHA-CBD-CGD-O2D
15	A	831	CLA	CHA-CBD-CGD-O1D
15	A	831	CLA	CHA-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	A	832	CLA	CHA-CBD-CGD-O2D
15	A	836	CLA	CHA-CBD-CGD-O1D
15	A	837	CLA	CHA-CBD-CGD-O1D
15	A	837	CLA	CHA-CBD-CGD-O2D
15	B	805	CLA	CHA-CBD-CGD-O1D
15	B	805	CLA	CHA-CBD-CGD-O2D
15	B	807	CLA	CHA-CBD-CGD-O2D
15	B	813	CLA	CHA-CBD-CGD-O1D
15	B	813	CLA	CHA-CBD-CGD-O2D
15	B	821	CLA	CHA-CBD-CGD-O2D
15	B	825	CLA	CHA-CBD-CGD-O1D
15	B	825	CLA	CHA-CBD-CGD-O2D
15	L	203	CLA	CHA-CBD-CGD-O2D
15	N	807	CLA	CHA-CBD-CGD-O2D
15	N	811	CLA	CHA-CBD-CGD-O1D
15	N	811	CLA	CHA-CBD-CGD-O2D
15	N	812	CLA	CHA-CBD-CGD-O1D
15	N	812	CLA	CHA-CBD-CGD-O2D
15	N	820	CLA	CHA-CBD-CGD-O1D
15	N	820	CLA	CHA-CBD-CGD-O2D
15	N	837	CLA	CHA-CBD-CGD-O1D
15	N	837	CLA	CHA-CBD-CGD-O2D
15	N	841	CLA	CHA-CBD-CGD-O1D
15	N	841	CLA	CHA-CBD-CGD-O2D
15	O	806	CLA	CHA-CBD-CGD-O1D
15	O	806	CLA	CHA-CBD-CGD-O2D
15	O	808	CLA	CHA-CBD-CGD-O1D
15	O	815	CLA	CHA-CBD-CGD-O1D
15	O	815	CLA	CHA-CBD-CGD-O2D
15	O	827	CLA	CHA-CBD-CGD-O1D
15	O	827	CLA	CHA-CBD-CGD-O2D
15	W	1502	CLA	CHA-CBD-CGD-O2D
15	a	806	CLA	CHA-CBD-CGD-O2D
15	a	807	CLA	CHA-CBD-CGD-O2D
15	a	812	CLA	CHA-CBD-CGD-O1D
15	a	812	CLA	CHA-CBD-CGD-O2D
15	a	828	CLA	CHA-CBD-CGD-O1D
15	a	828	CLA	CHA-CBD-CGD-O2D
15	a	832	CLA	CHA-CBD-CGD-O2D
15	a	837	CLA	CHA-CBD-CGD-O1D
15	a	837	CLA	CHA-CBD-CGD-O2D
15	b	805	CLA	CHA-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	b	808	CLA	CHA-CBD-CGD-O2D
15	b	809	CLA	CHA-CBD-CGD-O1D
15	b	809	CLA	CHA-CBD-CGD-O2D
15	b	815	CLA	CHA-CBD-CGD-O1D
15	b	815	CLA	CHA-CBD-CGD-O2D
15	b	816	CLA	CHA-CBD-CGD-O1D
15	b	816	CLA	CHA-CBD-CGD-O2D
15	b	819	CLA	CHA-CBD-CGD-O2D
15	b	823	CLA	CHA-CBD-CGD-O1D
15	b	827	CLA	CHA-CBD-CGD-O1D
15	b	827	CLA	CHA-CBD-CGD-O2D
15	b	828	CLA	CHA-CBD-CGD-O1D
15	b	828	CLA	CHA-CBD-CGD-O2D
15	j	203	CLA	CHA-CBD-CGD-O2D
15	K	102	CLA	CAA-CBA-CGA-O1A
15	O	812	CLA	CAA-CBA-CGA-O1A
15	O	812	CLA	CAA-CBA-CGA-O2A
15	V	102	CLA	CAA-CBA-CGA-O1A
15	a	817	CLA	CAA-CBA-CGA-O2A
15	b	812	CLA	CAA-CBA-CGA-O1A
21	B	847	LMG	O7-C10-C11-C12
21	T	103	LMG	O7-C10-C11-C12
15	O	822	CLA	C5-C6-C7-C8
21	g	103	LMG	C31-C32-C33-C34
21	T	103	LMG	C31-C32-C33-C34
19	l	102	LHG	O6-C4-C5-C6
15	a	816	CLA	CAA-CBA-CGA-O1A
19	j	207	LHG	C18-C19-C20-C21
14	N	856	F6C	CAA-CBA-CGA-O2A
14	a	856	F6C	CAA-CBA-CGA-O2A
19	Y	101	LHG	C34-C35-C36-C37
19	k	101	LHG	C13-C14-C15-C16
15	O	826	CLA	C8-C10-C11-C12
15	b	826	CLA	C8-C10-C11-C12
15	A	816	CLA	CAA-CBA-CGA-O1A
15	A	812	CLA	O1A-CGA-O2A-C1
15	B	826	CLA	CAA-CBA-CGA-O2A
19	k	101	LHG	O7-C7-C8-C9
15	B	836	CLA	C16-C17-C18-C20
15	b	801	CLA	C16-C17-C18-C20
19	Y	101	LHG	O1-C1-C2-O2
19	k	101	LHG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	a	835	CLA	C15-C16-C17-C18
21	a	855	LMG	C20-C21-C22-C23
14	A	857	F6C	CAA-CBA-CGA-O2A
15	b	809	CLA	C8-C10-C11-C12
16	N	843	PQN	C20-C21-C22-C23
21	L	206	LMG	C37-C38-C39-C40
15	A	835	CLA	C12-C13-C15-C16
15	a	823	CLA	C2-C3-C5-C6
15	j	203	CLA	C11-C10-C8-C7
21	O	850	LMG	O7-C10-C11-C12
15	a	836	CLA	C5-C6-C7-C8
14	A	857	F6C	C11-C12-C13-C14
14	L	204	F6C	C14-C13-C15-C16
14	N	856	F6C	C11-C12-C13-C14
15	A	814	CLA	C11-C10-C8-C9
15	B	801	CLA	C14-C13-C15-C16
15	B	825	CLA	C11-C12-C13-C14
15	B	835	CLA	C6-C7-C8-C9
15	N	814	CLA	C11-C10-C8-C9
15	O	837	CLA	C6-C7-C8-C9
15	a	831	CLA	C11-C10-C8-C9
15	b	801	CLA	C14-C13-C15-C16
15	b	837	CLA	C6-C7-C8-C9
18	O	849	BCR	C19-C20-C21-C22
20	a	853	LMT	C3'-C4'-O1B-C1B
15	b	826	CLA	C15-C16-C17-C18
21	j	206	LMG	C18-C19-C20-C21
15	B	825	CLA	C8-C10-C11-C12
15	b	820	CLA	CAA-CBA-CGA-O2A
15	b	820	CLA	C6-C7-C8-C9
15	b	827	CLA	C3-C5-C6-C7
20	A	854	LMT	C5-C6-C7-C8
15	B	810	CLA	CAA-CBA-CGA-O1A
19	L	207	LHG	C26-C27-C28-C29
20	A	853	LMT	C3'-C4'-O1B-C1B
15	N	816	CLA	CAA-CBA-CGA-O1A
15	N	817	CLA	CAA-CBA-CGA-O1A
15	A	807	CLA	CAA-CBA-CGA-O1A
15	O	839	CLA	C16-C17-C18-C19
21	W	1505	LMG	C20-C21-C22-C23
21	J	102	LMG	C23-C24-C25-C26
18	g	101	BCR	C21-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	j	201	BCR	C7-C8-C9-C10
15	A	821	CLA	C1A-C2A-CAA-CBA
15	A	823	CLA	C1A-C2A-CAA-CBA
15	L	203	CLA	C1A-C2A-CAA-CBA
15	N	816	CLA	C1A-C2A-CAA-CBA
15	N	830	CLA	C1A-C2A-CAA-CBA
15	O	813	CLA	C1A-C2A-CAA-CBA
15	W	1502	CLA	C1A-C2A-CAA-CBA
15	a	821	CLA	C1A-C2A-CAA-CBA
15	a	823	CLA	C1A-C2A-CAA-CBA
15	b	813	CLA	C1A-C2A-CAA-CBA
15	b	821	CLA	C1A-C2A-CAA-CBA
15	j	203	CLA	C1A-C2A-CAA-CBA
15	N	814	CLA	C16-C17-C18-C19
15	N	839	CLA	C16-C17-C18-C20
21	I	103	LMG	O9-C10-C11-C12
21	O	850	LMG	O9-C10-C11-C12
21	T	103	LMG	O9-C10-C11-C12
15	B	824	CLA	C8-C10-C11-C12
15	A	809	CLA	C2-C1-O2A-CGA
15	A	838	CLA	C2-C1-O2A-CGA
15	N	827	CLA	C2-C1-O2A-CGA
15	N	835	CLA	C2-C1-O2A-CGA
15	a	838	CLA	C2-C1-O2A-CGA
19	k	101	LHG	C32-C33-C34-C35
19	Z	102	LHG	C4-C5-C6-O8
19	N	851	LHG	O8-C23-C24-C25
15	B	822	CLA	C8-C10-C11-C12
15	N	831	CLA	C13-C15-C16-C17
15	A	829	CLA	C2A-CAA-CBA-CGA
15	B	816	CLA	C2A-CAA-CBA-CGA
15	N	835	CLA	C16-C17-C18-C20
15	b	838	CLA	C16-C17-C18-C20
15	B	818	CLA	CAA-CBA-CGA-O1A
19	M	102	LHG	C13-C14-C15-C16
21	g	103	LMG	C32-C33-C34-C35
15	O	824	CLA	C4-C3-C5-C6
15	b	817	CLA	CAA-CBA-CGA-O2A
15	O	832	CLA	C3-C5-C6-C7
15	N	839	CLA	C15-C16-C17-C18
15	W	1501	CLA	C10-C11-C12-C13
19	a	851	LHG	C3-O3-P-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	l	101	LHG	C3-O3-P-O4
15	W	1501	CLA	C16-C17-C18-C19
21	b	849	LMG	C23-C24-C25-C26
14	a	856	F6C	CAA-CBA-CGA-O1A
21	B	847	LMG	O9-C10-C11-C12
21	b	849	LMG	O9-C10-C11-C12
21	g	103	LMG	O9-C10-C11-C12
15	O	817	CLA	CAA-CBA-CGA-O2A
19	M	102	LHG	O7-C7-C8-C9
15	b	828	CLA	C5-C6-C7-C8
18	A	850	BCR	C1-C6-C7-C8
18	F	202	BCR	C23-C24-C25-C26
18	N	857	BCR	C1-C6-C7-C8
18	a	857	BCR	C1-C6-C7-C8
18	f	202	BCR	C23-C24-C25-C26
21	U	102	LMG	C11-C12-C13-C14
14	N	856	F6C	CAA-CBA-CGA-O1A
15	a	817	CLA	CAA-CBA-CGA-O1A
15	L	202	CLA	C2A-CAA-CBA-CGA
15	O	818	CLA	C2A-CAA-CBA-CGA
15	W	1501	CLA	C2A-CAA-CBA-CGA
15	j	202	CLA	C2A-CAA-CBA-CGA
15	N	807	CLA	CAA-CBA-CGA-O1A
15	O	820	CLA	CAA-CBA-CGA-O1A
15	b	820	CLA	CAA-CBA-CGA-O1A
21	U	102	LMG	C38-C39-C40-C41
15	A	817	CLA	CAA-CBA-CGA-O2A
15	N	806	CLA	CAA-CBA-CGA-O2A
15	a	825	CLA	CAA-CBA-CGA-O2A
19	l	102	LHG	O8-C23-C24-C25
15	O	832	CLA	C4-C3-C5-C6
15	A	821	CLA	C5-C6-C7-C8
19	M	102	LHG	C34-C35-C36-C37
19	N	851	LHG	C29-C30-C31-C32
14	A	824	F6C	C2-C3-C5-C6
14	a	824	F6C	C2-C3-C5-C6
15	A	812	CLA	CAD-CBD-CGD-O1D
15	A	835	CLA	CAD-CBD-CGD-O1D
15	A	836	CLA	CAD-CBD-CGD-O1D
15	A	837	CLA	C2-C3-C5-C6
15	B	826	CLA	CAD-CBD-CGD-O1D
15	N	837	CLA	C2-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	839	CLA	CAD-CBD-CGD-O1D
15	a	812	CLA	CAD-CBD-CGD-O1D
15	a	828	CLA	CAD-CBD-CGD-O1D
15	b	805	CLA	CAD-CBD-CGD-O1D
15	b	823	CLA	CAD-CBD-CGD-O1D
15	a	807	CLA	CAA-CBA-CGA-O1A
15	B	815	CLA	CAA-CBA-CGA-O2A
15	a	805	CLA	CAA-CBA-CGA-O2A
15	a	829	CLA	CAA-CBA-CGA-O2A
19	l	101	LHG	O7-C7-C8-C9
15	N	807	CLA	C13-C15-C16-C17
15	a	803	CLA	C15-C16-C17-C18
15	A	807	CLA	C11-C10-C8-C9
15	A	818	CLA	C11-C10-C8-C9
15	A	820	CLA	C6-C7-C8-C9
15	B	828	CLA	C6-C7-C8-C9
15	B	837	CLA	C11-C12-C13-C14
15	N	807	CLA	C11-C10-C8-C9
15	N	818	CLA	C11-C10-C8-C9
15	N	820	CLA	C6-C7-C8-C9
15	N	829	CLA	C6-C7-C8-C9
15	N	834	CLA	C14-C13-C15-C16
15	N	835	CLA	C14-C13-C15-C16
15	O	801	CLA	C14-C13-C15-C16
15	O	819	CLA	C14-C13-C15-C16
15	W	1501	CLA	C11-C10-C8-C9
15	a	819	CLA	C6-C7-C8-C9
15	b	819	CLA	C14-C13-C15-C16
15	b	827	CLA	C11-C12-C13-C14
15	A	828	CLA	O1A-CGA-O2A-C1
15	B	826	CLA	CAA-CBA-CGA-O1A
19	N	851	LHG	C24-C23-O8-C6
15	A	805	CLA	CAA-CBA-CGA-O2A
15	A	810	CLA	CAA-CBA-CGA-O2A
15	A	813	CLA	CAA-CBA-CGA-O2A
15	O	828	CLA	CAA-CBA-CGA-O2A
15	O	838	CLA	CAA-CBA-CGA-O2A
15	a	810	CLA	CAA-CBA-CGA-O2A
15	b	828	CLA	CAA-CBA-CGA-O2A
15	b	838	CLA	CAA-CBA-CGA-O2A
19	N	851	LHG	C12-C13-C14-C15
14	A	857	F6C	CAA-CBA-CGA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
22	f	204	LFA	C11-C10-C9-C8
15	N	809	CLA	C8-C10-C11-C12
15	A	825	CLA	CAA-CBA-CGA-O2A
15	N	810	CLA	CAA-CBA-CGA-O2A
15	O	827	CLA	CAA-CBA-CGA-O2A
15	a	813	CLA	CAA-CBA-CGA-O2A
19	A	851	LHG	O8-C23-C24-C25
19	X	101	LHG	O7-C7-C8-C9
21	N	855	LMG	C19-C20-C21-C22
19	k	101	LHG	O9-C7-C8-C9
19	Z	102	LHG	C2-C3-O3-P
15	B	839	CLA	C4-C3-C5-C6
15	a	823	CLA	C4-C3-C5-C6
18	B	844	BCR	C36-C18-C19-C20
18	N	857	BCR	C36-C18-C19-C20
14	A	802	F6C	C11-C10-C8-C7
14	A	857	F6C	C11-C12-C13-C15
14	W	1503	F6C	C12-C13-C15-C16
14	j	204	F6C	C11-C12-C13-C15
15	A	834	CLA	C12-C13-C15-C16
15	A	841	CLA	C3A-C2A-CAA-CBA
15	B	801	CLA	C12-C13-C15-C16
15	B	820	CLA	C2-C3-C5-C6
15	B	824	CLA	C11-C10-C8-C7
15	B	825	CLA	C6-C7-C8-C10
15	B	839	CLA	C11-C12-C13-C15
15	N	818	CLA	C11-C10-C8-C7
15	N	822	CLA	C11-C10-C8-C7
15	N	834	CLA	C12-C13-C15-C16
15	N	835	CLA	C12-C13-C15-C16
15	a	810	CLA	C11-C10-C8-C7
15	a	834	CLA	C12-C13-C15-C16
15	a	835	CLA	C12-C13-C15-C16
15	b	805	CLA	C11-C12-C13-C15
15	b	806	CLA	C11-C12-C13-C15
15	b	826	CLA	C11-C10-C8-C7
15	b	838	CLA	C6-C7-C8-C10
15	A	810	CLA	CAA-CBA-CGA-O1A
15	B	813	CLA	CAA-CBA-CGA-O2A
15	B	825	CLA	CAA-CBA-CGA-O2A
15	B	836	CLA	CAA-CBA-CGA-O2A
15	N	805	CLA	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	N	813	CLA	CAA-CBA-CGA-O2A
15	N	829	CLA	CAA-CBA-CGA-O2A
15	N	838	CLA	CAA-CBA-CGA-O2A
15	b	805	CLA	CAA-CBA-CGA-O2A
15	b	827	CLA	CAA-CBA-CGA-O2A
19	Y	101	LHG	O7-C7-C8-C9
14	A	802	F6C	C3-C5-C6-C7
18	A	858	BCR	C17-C18-C19-C20
18	I	101	BCR	C17-C18-C19-C20
18	a	848	BCR	C21-C22-C23-C24
18	b	846	BCR	C17-C18-C19-C20
15	A	805	CLA	CAA-CBA-CGA-O1A
15	b	827	CLA	CAA-CBA-CGA-O1A
15	b	828	CLA	CAA-CBA-CGA-O1A
19	M	102	LHG	O9-C7-C8-C9
19	X	101	LHG	O9-C7-C8-C9
19	l	101	LHG	O9-C7-C8-C9
14	W	1503	F6C	C16-C17-C18-C19
15	b	839	CLA	C16-C17-C18-C19
20	A	852	LMT	C2-C1-O1'-C1'
20	a	852	LMT	C2-C1-O1'-C1'
15	A	806	CLA	CAA-CBA-CGA-O2A
15	B	804	CLA	CAA-CBA-CGA-O2A
21	A	855	LMG	C18-C19-C20-C21
21	T	103	LMG	O6-C1-O1-C7
15	a	839	CLA	C15-C16-C17-C18
15	N	836	CLA	O1A-CGA-O2A-C1
15	N	836	CLA	CBA-CGA-O2A-C1
19	A	851	LHG	C24-C23-O8-C6
14	j	204	F6C	C5-C6-C7-C8
15	N	822	CLA	C15-C16-C17-C18
15	b	811	CLA	C10-C11-C12-C13
15	B	821	CLA	CAA-CBA-CGA-O2A
15	N	825	CLA	CAA-CBA-CGA-O2A
15	a	806	CLA	CAA-CBA-CGA-O2A
15	a	838	CLA	CAA-CBA-CGA-O2A
21	g	103	LMG	O8-C28-C29-C30
13	a	801	CL0	C15-C16-C17-C18
14	A	826	F6C	C5-C6-C7-C8
15	B	836	CLA	CAA-CBA-CGA-O1A
15	K	103	CLA	C2A-CAA-CBA-CGA
15	A	817	CLA	CAA-CBA-CGA-O1A

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
15	Z	103	CLA	O1A-CGA-O2A-C1
15	A	803	CLA	C15-C16-C17-C18
15	N	814	CLA	C5-C6-C7-C8
15	O	827	CLA	C3-C5-C6-C7
15	N	813	CLA	CAA-CBA-CGA-O1A
15	O	817	CLA	CAA-CBA-CGA-O1A
15	O	828	CLA	CAA-CBA-CGA-O1A
15	b	817	CLA	CAA-CBA-CGA-O1A
21	L	206	LMG	C11-C12-C13-C14
15	A	838	CLA	CAA-CBA-CGA-O2A
15	N	828	CLA	CAA-CBA-CGA-O2A
15	O	805	CLA	CAA-CBA-CGA-O2A
15	O	815	CLA	CAA-CBA-CGA-O2A



There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















Ligand CLA a 825






Ligand CLA b 816







Ligand CLA O 835




Bond lengths




Bond angles




Torsions




Rings








Ligand CLA b 805




Ligand LMT A 854







Ligand CLA K 102




Bond lengths



Bond angles




Torsions




Rings


Ligand BCR M 101




Bond lengths




Bond angles





Torsions




Rings












Ligand CLA a 840





Ligand CLA b 827




Ligand BCR A 849









Ligand CLA N 821




Ligand BCR T 102





Ligand CLA A 835




Ligand CLA V 103












Ligand CLA b 808




Ligand BCR b 848












Ligand CLA B 810




Bond lengths





Bond angles




Torsions




Rings

Ligand CLA b 813**Ligand BCR b 847**


Ligand F6C N 824




Bond lengths




Bond angles




Torsions




Rings





Ligand CLA b 831




Ligand CLA O 809














Ligand CLA a 827





Ligand PQN O 842













Ligand CLA B 821




Ligand CLA N 838









Ligand CLA i 102




Bond lengths





Bond angles




Torsions




Rings







Ligand CLA B 805




Bond lengths




Bond angles




Torsions




Rings




Ligand CLA A 808




Bond lengths





Bond angles




Torsions




Rings







Ligand F6C N 826




Ligand CLA A 813




Bond lengths



Bond angles







Torsions




Rings


Ligand CLA a 832









Ligand CLA a 837














Ligand CLA a 815




Ligand CLA A 816




Ligand CLA A 834




Ligand CLA B 817




Ligand CLA B 828




Ligand CLA b 802




Ligand CLA b 822




Bond lengths



Bond angles




Torsions




Rings


Ligand CLA B 833




Bond lengths





Bond angles




Torsions




Rings





Ligand BCR a 846






Ligand F6C a 826

















Ligand F6C B 831




Ligand CLA b 821












Ligand CLA L 202







Ligand CLA i 103




Ligand CLA a 819




Ligand CLA a 812




Ligand F6C a 824




Bond lengths




Bond angles




Torsions




Rings




Ligand CLA O 813




Ligand CLA B 836




Ligand CLA A 805




Ligand CLA N 835






Ligand BCR b 843





Ligand CLA B 820













Ligand F6C b 833










Ligand CLA b 812












Ligand CLA b 836





Ligand CLA B 809






Ligand CLA O 838






Ligand CLA B 814







Ligand CLA O 820




Bond lengths



Bond angles




Torsions




Rings


Ligand CLA A 828




Bond lengths




Bond angles






Torsions






Rings


















Ligand CLA O 816




Bond lengths



Bond angles




Torsions




Rings


Ligand LMG U 102




Bond lengths





Bond angles




Torsions




Rings









Ligand CLA A 839







Ligand CLA b 828














Ligand CLA a 806




Ligand CLA A 856




Ligand CLA b 815




Ligand BCR N 845




Ligand CLA A 836




Ligand BCR B 842




Ligand CLA O 836




Bond lengths




Bond angles




Torsions




Rings










Ligand CLA N 839




Ligand CLA B 825









Ligand CLA A 817




Ligand CL0 a 801






Ligand CLA S 201





Ligand CLA b 830


















Ligand CLA a 807













Ligand CLA A 821




Ligand F6C b 840**Ligand CLA O 825**









Ligand CLA B 830







Ligand CLA N 807




Bond lengths



Bond angles




Torsions




Rings


Ligand CLA a 835




Bond lengths



Bond angles




Torsions





Rings



Ligand BCR a 850




Ligand CLA O 802









Ligand CLA A 818






Ligand LMG T 103







Ligand CLA O 808















Ligand CLA b 832




Ligand BCR g 102










Ligand LHG L 207




Ligand CLA A 810












Ligand CLA a 803




Ligand LMT a 853









Ligand CLA b 824




Ligand CL0 A 801




Ligand CLA a 842




Ligand BCR I 101




Ligand CLA b 806




Bond lengths




Bond angles




Torsions




Rings




Ligand CLA A 807




Ligand LHG k 101






Ligand CLA B 811





Ligand CLA B 829





















Ligand CLA B 826**Ligand F6C N 856**




















Ligand CLA O 804






Ligand CLA N 820









Ligand F6C a 856**Ligand CLA b 809**














Ligand CLA a 816







Ligand CLA B 803




Ligand F6C N 802




Ligand CLA Z 103




Ligand BCR h 101







Ligand CLA B 832





Ligand CLA b 811





Ligand CLA O 823

















Ligand CLA A 840




Bond lengths



Bond angles




Torsions




Rings


Ligand CLA O 812




Bond lengths



Bond angles




Torsions




Rings


Ligand BCR N 850




Bond lengths



Bond angles




Torsions





Rings


Ligand CLA a 813







Ligand BCR a 847

















Ligand CLA f 201





Ligand BCR K 101





Ligand CLA B 818
















Ligand LMG W 1505




Ligand CLA O 824












Ligand CLA b 818




Bond lengths



Bond angles




Torsions




Rings


Ligand F6C A 824




Bond lengths




Bond angles




Torsions




Rings




Ligand LMT a 852




Ligand CLA W 1501






Ligand F6C A 826




Ligand CLA a 836













Ligand CLA K 103





Ligand BCR N 846















Ligand CLA a 821









Ligand CLA I 103




Bond lengths



Bond angles




Torsions




Rings


Ligand CLA N 810




Bond lengths



Bond angles




Torsions







Rings


Ligand CLA O 832




Ligand PQN a 843









Ligand CLA b 835




Bond lengths



Bond angles




Torsions





Rings

Ligand CLA B 812




Ligand BCR O 845








Ligand CLA O 806




Ligand BCR j 201









Ligand CLA b 834







Ligand BCR N 849














Ligand CLA N 808




Bond lengths




Bond angles







Torsions





Rings














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-50063. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 314




Y Index: 273




Z Index: 312


6.3.2 Raw map



X Index: 314



Y Index: 273




Z Index: 312


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.054. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 439 nm³; this corresponds to an approximate mass of 396 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.498 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.498 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.01	-	-
Author-provided FSC curve	2.01	2.27	2.02
Unmasked-calculated*	3.03	3.87	3.10

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.03 differs from the reported value 2.01 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-50063 and PDB model 9EYS. Per-residue inclusion information can be found in section [3](#) on page [41](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.054 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.054).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.054) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9390	 0.6720
A	 0.9470	 0.6750
B	 0.9540	 0.6780
C	 0.9900	 0.7050
D	 0.9570	 0.6740
E	 0.8950	 0.6460
F	 0.8920	 0.6430
I	 0.9590	 0.6890
J	 0.8860	 0.6330
K	 0.7630	 0.5740
L	 0.9590	 0.6910
M	 0.9230	 0.6640
N	 0.9460	 0.6760
O	 0.9530	 0.6790
P	 0.9920	 0.7070
Q	 0.9560	 0.6760
R	 0.8950	 0.6430
S	 0.8930	 0.6440
T	 0.9630	 0.6930
U	 0.8900	 0.6370
V	 0.7750	 0.5800
W	 0.9610	 0.6960
X	 0.7170	 0.5900
Y	 0.9230	 0.6650
Z	 0.7280	 0.5910
a	 0.9470	 0.6750
b	 0.9530	 0.6790
c	 0.9930	 0.7030
d	 0.9580	 0.6760
e	 0.8930	 0.6450
f	 0.9010	 0.6470
g	 0.9570	 0.6900
h	 0.8840	 0.6370
i	 0.7740	 0.5870
j	 0.9600	 0.6950



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
k	 0.9260	 0.6650
l	 0.7090	 0.5940