



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 19, 2026 – 06:14 PM EDT

PDB ID : 1IIZ / pdb_000011iz
Title : Crystal structure of HSC-HSC-AMS bound DesD, the desferrioxamine synthetase from the Streptomyces griseoflavus ferrimycin biosynthetic pathway
Authors : Patel, K.D.; Gulick, A.M.
Deposited on : 2026-02-26
Resolution : 2.47 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	83% 13% .
1	B	612	80% 17% .
1	C	612	79% 17% ..
1	D	612	83% 14% .
1	E	612	84% 12% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	B	801	-	X	-	-
2	GOL	B	808	-	-	X	-
2	GOL	D	801	-	X	-	-
2	GOL	D	806	-	-	X	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 25170 atoms, of which 256 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DesD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	592	Total	C	N	O	S	0	1	0
			4693	2985	819	874	15			
1	A	592	Total	C	N	O	S	0	1	0
			4682	2980	816	871	15			
1	D	591	Total	C	N	O	S	0	0	0
			4686	2980	818	873	15			
1	E	592	Total	C	N	O	S	0	1	0
			4678	2978	813	872	15			
1	C	592	Total	C	N	O	S	0	0	0
			4686	2981	815	874	16			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	H	O	0	0
			14	3	8	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	H	O	0	0
			14	3	8	3		
2	B	1	Total	C	H	O	0	0
			14	3	8	3		
2	B	1	Total	C	H	O	0	0
			14	3	8	3		
2	B	1	Total	C	H	O	0	0
			14	3	8	3		
2	B	1	Total	C	H	O	0	0
			14	3	8	3		
2	B	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	A	1	Total	C	H	O	0	0
			14	3	8	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			14	3	8	3		
2	D	1	Total	C	H	O	0	0
			14	3	8	3		
2	D	1	Total	C	H	O	0	0
			14	3	8	3		
2	D	1	Total	C	H	O	0	0
			14	3	8	3		
2	D	1	Total	C	H	O	0	0
			14	3	8	3		
2	D	1	Total	C	H	O	0	0
			14	3	8	3		
2	E	1	Total	C	H	O	0	0
			14	3	8	3		
2	C	1	Total	C	H	O	0	0
			14	3	8	3		
2	C	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 3 is 5'-O-({4-[(5-{4-[(5-aminopentyl)(hydroxy)amino]-4-oxobutanamido}pentyl)(hydroxy)amino]-4-oxobutanoyl}sulfamoyl)adenosine (CCD ID: A1C9F) (formula: C₂₈H₄₆N₁₀O₁₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	S	0	0
			51	28	10	12	1		
3	A	1	Total	C	N	O	S	0	0
			51	28	10	12	1		
3	D	1	Total	C	N	O	S	0	0
			51	28	10	12	1		
3	E	1	Total	C	N	O	S	0	0
			51	28	10	12	1		
3	C	1	Total	C	N	O	S	0	0
			51	28	10	12	1		

- Molecule 4 is DIPHOSPHATE (CCD ID: DPO) (formula: O_7P_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			9	7	2		
4	A	1	Total	O	P	0	0
			9	7	2		
4	D	1	Total	O	P	0	0
			9	7	2		
4	E	1	Total	O	P	0	0
			9	7	2		
4	C	1	Total	O	P	0	0
			9	7	2		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	2	Total 2 Mg 2	0	0
5	A	2	Total 2 Mg 2	0	0
5	D	2	Total 2 Mg 2	0	0
5	E	2	Total 2 Mg 2	0	0
5	C	2	Total 2 Mg 2	0	0

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total 5 O 4 S 1	0	0
6	B	1	Total 5 O 4 S 1	0	0
6	B	1	Total 5 O 4 S 1	0	0
6	B	1	Total 5 O 4 S 1	0	0
6	A	1	Total 5 O 4 S 1	0	0
6	A	1	Total 5 O 4 S 1	0	0
6	A	1	Total 5 O 4 S 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	235	Total	O	0	0
			235	235		
7	A	225	Total	O	0	0
			225	225		
7	D	198	Total	O	0	0
			198	198		
7	E	131	Total	O	0	0
			131	131		
7	C	113	Total	O	0	0
			113	113		

- Molecule 1: DesD







• Molecule 1: DesD



• Molecule 1: DesD



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	128.64Å 236.82Å 331.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.45 – 2.47 44.45 – 2.48	Depositor EDS
% Data completeness (in resolution range)	100.0 (44.45-2.47) 94.6 (44.45-2.48)	Depositor EDS
R_{merge}	0.27	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.48Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.175 , 0.213 0.176 , 0.214	Depositor DCC
R_{free} test set	9044 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	39.0	Xtriage
Anisotropy	0.052	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	25170	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, DPO, A1C9F, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/4799	0.65	0/6535
1	B	0.51	0/4810	0.67	0/6547
1	C	0.46	1/4800 (0.0%)	0.64	5/6535 (0.1%)
1	D	0.50	0/4800	0.65	0/6533
1	E	0.45	1/4795 (0.0%)	0.62	2/6529 (0.0%)
All	All	0.48	2/24004 (0.0%)	0.65	7/32679 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	420	ARG	NE-CZ	9.02	1.43	1.33
1	C	479	ARG	NE-CZ	7.44	1.41	1.33

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	479	ARG	CA-CB-CG	-9.74	94.61	114.10
1	C	479	ARG	NH1-CZ-NH2	8.12	129.85	119.30
1	E	420	ARG	NE-CZ-NH1	-7.29	114.21	121.50
1	E	420	ARG	NH1-CZ-NH2	6.50	127.75	119.30
1	C	479	ARG	NE-CZ-NH2	-5.61	114.15	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4682	0	4564	67	0
1	B	4693	0	4579	89	0
1	C	4686	0	4569	88	0
1	D	4686	0	4572	66	0
1	E	4678	0	4555	49	0
2	A	90	120	118	13	0
2	B	48	64	63	15	0
2	C	12	16	16	2	0
2	D	36	48	48	6	0
2	E	6	8	8	0	0
3	A	51	0	0	0	0
3	B	51	0	0	2	0
3	C	51	0	0	0	0
3	D	51	0	0	1	0
3	E	51	0	0	0	0
4	A	9	0	0	0	0
4	B	9	0	0	0	0
4	C	9	0	0	1	0
4	D	9	0	0	0	0
4	E	9	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	2	0	0	0	0
5	E	2	0	0	0	0
6	A	15	0	0	0	0
6	B	20	0	0	0	0
6	C	25	0	0	1	0
6	D	25	0	0	1	0
7	A	225	0	0	1	0
7	B	235	0	0	1	0
7	C	113	0	0	4	0
7	D	198	0	0	3	0
7	E	131	0	0	1	0
All	All	24914	256	23092	349	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 349 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:807:A1C9F:C39	3:D:807:A1C9F:O38	1.63	1.23
3:B:809:A1C9F:C39	3:B:809:A1C9F:O38	1.64	1.10
1:B:82:ARG:NH2	1:B:97:GLU:OE2	1.98	0.95
1:D:491:LEU:HD11	1:D:548:LEU:HD11	1.52	0.92
1:D:491:LEU:HD21	1:D:548:LEU:HD12	1.53	0.89

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	591/612 (97%)	575 (97%)	16 (3%)	0	100	100
1	B	591/612 (97%)	577 (98%)	14 (2%)	0	100	100
1	C	590/612 (96%)	572 (97%)	17 (3%)	1 (0%)	43	61
1	D	589/612 (96%)	573 (97%)	16 (3%)	0	100	100
1	E	591/612 (97%)	574 (97%)	17 (3%)	0	100	100
All	All	2952/3060 (96%)	2871 (97%)	80 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	45	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	483/504 (96%)	482 (100%)	1 (0%)	87	94
1	B	485/504 (96%)	483 (100%)	2 (0%)	84	92
1	C	485/504 (96%)	480 (99%)	5 (1%)	68	84
1	D	485/504 (96%)	484 (100%)	1 (0%)	87	94
1	E	482/504 (96%)	480 (100%)	2 (0%)	84	92
All	All	2420/2520 (96%)	2409 (100%)	11 (0%)	81	91

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	202	ASP
1	C	208	ARG
1	C	357	ARG
1	C	296	VAL
1	E	132	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	454	GLN
1	E	391	HIS
1	C	580	GLN
1	C	160	ASN
1	C	454	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 69 ligands modelled in this entry, 10 are monoatomic - leaving 59 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	SO4	D	813	-	4,4,4	0.26	0	6,6,6	0.20	0
6	SO4	D	815	-	4,4,4	0.30	0	6,6,6	0.21	0
2	GOL	B	803	-	5,5,5	0.90	0	5,5,5	0.62	0
2	GOL	A	615	-	5,5,5	0.69	0	5,5,5	1.13	0
6	SO4	C	908	-	4,4,4	0.25	0	6,6,6	0.11	0
6	SO4	A	622	-	4,4,4	0.26	0	6,6,6	0.17	0
6	SO4	C	911	-	4,4,4	0.23	0	6,6,6	0.25	0
4	DPO	B	810	5	6,8,8	0.75	0	12,13,13	1.34	1 (8%)
2	GOL	D	804	-	5,5,5	1.13	0	5,5,5	1.21	1 (20%)
2	GOL	A	610	-	5,5,5	0.75	0	5,5,5	0.80	0
2	GOL	D	805	-	5,5,5	1.43	1 (20%)	5,5,5	1.28	1 (20%)
2	GOL	A	606	-	5,5,5	1.01	0	5,5,5	0.92	0
2	GOL	A	614	-	5,5,5	1.42	1 (20%)	5,5,5	1.58	1 (20%)
6	SO4	A	621	-	4,4,4	0.28	0	6,6,6	0.18	0
2	GOL	A	605	-	5,5,5	0.97	0	5,5,5	1.04	0
6	SO4	D	811	-	4,4,4	0.25	0	6,6,6	0.20	0
6	SO4	D	812	-	4,4,4	0.22	0	6,6,6	0.21	0
2	GOL	A	612	-	5,5,5	1.10	0	5,5,5	1.60	1 (20%)
3	A1C9F	C	903	5	53,53,53	3.62	17 (32%)	60,72,72	2.53	19 (31%)
2	GOL	B	807	-	5,5,5	0.90	0	5,5,5	1.12	0
2	GOL	D	806	-	5,5,5	1.32	0	5,5,5	1.50	1 (20%)
3	A1C9F	E	602	5	53,53,53	3.74	16 (30%)	60,72,72	2.52	16 (26%)
4	DPO	C	904	5	6,8,8	0.68	0	12,13,13	1.21	1 (8%)
6	SO4	A	620	-	4,4,4	0.24	0	6,6,6	0.36	0
6	SO4	D	814	-	4,4,4	0.28	0	6,6,6	0.24	0
4	DPO	A	617	5	6,8,8	0.94	0	12,13,13	0.96	1 (8%)
2	GOL	A	602	-	5,5,5	1.43	1 (20%)	5,5,5	1.56	1 (20%)
2	GOL	B	802	-	5,5,5	1.64	1 (20%)	5,5,5	1.66	1 (20%)
2	GOL	C	902	-	5,5,5	0.80	0	5,5,5	1.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SO4	B	813	-	4,4,4	0.23	0	6,6,6	0.12	0
2	GOL	A	613	-	5,5,5	0.81	0	5,5,5	1.11	0
4	DPO	E	603	5	6,8,8	0.56	0	12,13,13	1.47	3 (25%)
6	SO4	C	909	-	4,4,4	0.22	0	6,6,6	0.19	0
2	GOL	B	804	-	5,5,5	1.05	0	5,5,5	1.30	1 (20%)
2	GOL	B	806	-	5,5,5	0.83	0	5,5,5	0.83	0
2	GOL	D	801	-	5,5,5	1.15	0	5,5,5	1.96	2 (40%)
2	GOL	A	604	-	5,5,5	0.74	0	5,5,5	0.67	0
2	GOL	A	609	-	5,5,5	1.21	1 (20%)	5,5,5	1.20	1 (20%)
4	DPO	D	808	5	6,8,8	0.79	0	12,13,13	1.14	2 (16%)
2	GOL	C	901	-	5,5,5	0.82	0	5,5,5	0.90	0
2	GOL	D	802	-	5,5,5	0.69	0	5,5,5	0.97	0
6	SO4	B	816	-	4,4,4	0.27	0	6,6,6	0.14	0
3	A1C9F	A	616	5	53,53,53	3.67	15 (28%)	60,72,72	2.67	22 (36%)
6	SO4	C	910	-	4,4,4	0.24	0	6,6,6	0.11	0
2	GOL	A	601	-	5,5,5	1.13	0	5,5,5	1.15	1 (20%)
3	A1C9F	B	809	5	53,53,53	3.74	20 (37%)	60,72,72	2.54	14 (23%)
2	GOL	A	611	-	5,5,5	0.98	0	5,5,5	1.17	1 (20%)
6	SO4	B	815	-	4,4,4	0.24	0	6,6,6	0.19	0
3	A1C9F	D	807	5	53,53,53	3.74	17 (32%)	60,72,72	2.65	14 (23%)
2	GOL	E	601	-	5,5,5	1.19	0	5,5,5	1.83	2 (40%)
2	GOL	B	801	-	5,5,5	2.11	2 (40%)	5,5,5	2.50	2 (40%)
2	GOL	A	603	-	5,5,5	1.02	0	5,5,5	0.87	0
2	GOL	A	607	-	5,5,5	1.00	0	5,5,5	0.87	0
2	GOL	B	805	-	5,5,5	0.84	0	5,5,5	1.05	1 (20%)
2	GOL	A	608	-	5,5,5	1.13	0	5,5,5	0.95	0
6	SO4	C	907	-	4,4,4	0.26	0	6,6,6	0.45	0
2	GOL	D	803	-	5,5,5	0.58	0	5,5,5	1.40	1 (20%)
6	SO4	B	814	-	4,4,4	0.25	0	6,6,6	0.28	0
2	GOL	B	808	-	5,5,5	0.88	0	5,5,5	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	803	-	-	2/4/4/4	-
2	GOL	A	615	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DPO	B	810	5	-	0/6/6/6	-
2	GOL	D	804	-	-	4/4/4/4	-
2	GOL	A	610	-	-	0/4/4/4	-
2	GOL	D	805	-	-	3/4/4/4	-
2	GOL	A	606	-	-	1/4/4/4	-
2	GOL	A	614	-	-	2/4/4/4	-
2	GOL	A	605	-	-	1/4/4/4	-
2	GOL	A	612	-	-	0/4/4/4	-
3	A1C9F	C	903	5	-	12/47/64/64	0/3/3/3
2	GOL	B	807	-	-	0/4/4/4	-
2	GOL	D	806	-	-	0/4/4/4	-
3	A1C9F	E	602	5	-	14/47/64/64	0/3/3/3
4	DPO	C	904	5	-	0/6/6/6	-
4	DPO	A	617	5	-	1/6/6/6	-
2	GOL	A	602	-	-	2/4/4/4	-
2	GOL	B	802	-	-	0/4/4/4	-
2	GOL	C	902	-	-	0/4/4/4	-
2	GOL	A	613	-	-	2/4/4/4	-
4	DPO	E	603	5	-	0/6/6/6	-
2	GOL	B	804	-	-	2/4/4/4	-
2	GOL	B	806	-	-	2/4/4/4	-
2	GOL	D	801	-	-	4/4/4/4	-
2	GOL	A	604	-	-	1/4/4/4	-
2	GOL	A	609	-	-	2/4/4/4	-
4	DPO	D	808	5	-	0/6/6/6	-
2	GOL	C	901	-	-	2/4/4/4	-
2	GOL	D	802	-	-	0/4/4/4	-
3	A1C9F	A	616	5	-	17/47/64/64	0/3/3/3
2	GOL	A	601	-	-	4/4/4/4	-
3	A1C9F	B	809	5	-	16/47/64/64	0/3/3/3
2	GOL	A	611	-	-	4/4/4/4	-
3	A1C9F	D	807	5	-	14/47/64/64	0/3/3/3
2	GOL	E	601	-	-	2/4/4/4	-
2	GOL	B	801	-	-	2/4/4/4	-
2	GOL	A	603	-	-	0/4/4/4	-
2	GOL	A	607	-	-	4/4/4/4	-
2	GOL	B	805	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	608	-	-	3/4/4/4	-
2	GOL	D	803	-	-	2/4/4/4	-
2	GOL	B	808	-	-	3/4/4/4	-

The worst 5 of 92 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	807	A1C9F	O37-S06	12.60	1.53	1.42
3	B	809	A1C9F	O37-S06	12.47	1.53	1.42
3	A	616	A1C9F	O37-S06	11.98	1.52	1.42
3	E	602	A1C9F	O37-S06	11.68	1.52	1.42
3	E	602	A1C9F	O36-S06	11.18	1.52	1.42

The worst 5 of 112 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	807	A1C9F	O37-S06-O36	-13.64	100.43	120.85
3	A	616	A1C9F	O37-S06-O36	-13.20	101.09	120.85
3	E	602	A1C9F	O37-S06-O36	-12.86	101.59	120.85
3	B	809	A1C9F	O37-S06-O36	-12.55	102.05	120.85
3	C	903	A1C9F	O37-S06-O36	-11.65	103.40	120.85

There are no chirality outliers.

5 of 132 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	801	GOL	C1-C2-C3-O3
2	B	801	GOL	O2-C2-C3-O3
2	B	803	GOL	C1-C2-C3-O3
2	B	804	GOL	C1-C2-C3-O3
2	B	804	GOL	O2-C2-C3-O3

There are no ring outliers.

21 monomers are involved in 42 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	606	GOL	1	0
2	A	614	GOL	2	0
6	D	812	SO4	1	0
2	A	612	GOL	1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	806	GOL	4	0
4	C	904	DPO	1	0
2	A	602	GOL	1	0
6	C	909	SO4	1	0
2	B	804	GOL	3	0
2	B	806	GOL	1	0
2	D	801	GOL	1	0
2	A	604	GOL	3	0
2	A	609	GOL	3	0
2	C	901	GOL	2	0
2	D	802	GOL	1	0
3	B	809	A1C9F	2	0
2	A	611	GOL	2	0
3	D	807	A1C9F	1	0
2	B	801	GOL	1	0
2	B	805	GOL	1	0
2	B	808	GOL	9	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A1C9F E 602




Ligand A1C9F A 616



Ligand A1C9F B 809





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	592/612 (96%)	-0.49	6 (1%) 79 77	27, 47, 82, 108	1 (0%)
1	B	592/612 (96%)	-0.54	9 (1%) 72 69	26, 44, 75, 132	1 (0%)
1	C	592/612 (96%)	-0.14	10 (1%) 69 66	33, 60, 96, 127	0
1	D	591/612 (96%)	-0.46	7 (1%) 76 74	32, 46, 72, 114	0
1	E	592/612 (96%)	-0.24	10 (1%) 69 66	28, 57, 88, 140	1 (0%)
All	All	2959/3060 (96%)	-0.37	42 (1%) 73 71	26, 50, 87, 140	3 (0%)

The worst 5 of 42 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	43	GLY	6.1
1	E	42	ASP	5.2
1	D	572	LEU	5.0
1	B	1	MET	5.0
1	B	42	ASP	4.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SO4	C	911	5/5	0.61	0.13	137,138,139,139	0
6	SO4	A	622	5/5	0.66	0.12	142,142,142,143	0
2	GOL	A	604	6/6	0.68	0.16	99,119,124,125	0
6	SO4	D	811	5/5	0.70	0.11	133,133,133,133	0
6	SO4	B	813	5/5	0.70	0.14	148,148,149,149	0
6	SO4	C	908	5/5	0.71	0.10	145,146,146,146	0
2	GOL	A	614	6/6	0.73	0.21	84,101,111,112	0
6	SO4	A	620	5/5	0.74	0.28	106,106,107,107	5
6	SO4	B	816	5/5	0.75	0.12	143,143,144,144	0
6	SO4	C	907	5/5	0.75	0.21	117,117,118,118	5
6	SO4	A	621	5/5	0.76	0.22	117,117,117,118	5
6	SO4	C	910	5/5	0.77	0.11	140,140,140,140	0
2	GOL	A	610	6/6	0.79	0.14	86,103,105,105	0
2	GOL	A	609	6/6	0.79	0.15	84,100,104,104	0
2	GOL	B	801	6/6	0.80	0.19	69,83,88,88	0
6	SO4	C	909	5/5	0.80	0.11	147,147,148,148	0
6	SO4	D	815	5/5	0.80	0.15	114,114,115,115	5
6	SO4	B	815	5/5	0.80	0.12	145,145,145,145	0
6	SO4	D	813	5/5	0.81	0.20	78,78,80,80	5
2	GOL	C	901	6/6	0.82	0.20	84,101,108,112	0
2	GOL	A	612	6/6	0.82	0.21	92,110,121,122	0
2	GOL	B	804	6/6	0.82	0.20	55,66,72,79	14
2	GOL	D	805	6/6	0.83	0.20	71,86,101,103	0
2	GOL	A	615	6/6	0.83	0.15	80,96,101,104	0
2	GOL	A	605	6/6	0.84	0.18	88,105,117,118	0
2	GOL	B	805	6/6	0.84	0.14	94,113,116,117	0
2	GOL	A	613	6/6	0.84	0.11	87,105,109,109	0
6	SO4	B	814	5/5	0.85	0.23	105,105,105,105	5
2	GOL	B	803	6/6	0.85	0.15	88,106,109,109	0
2	GOL	D	804	6/6	0.86	0.14	76,92,97,97	0
2	GOL	A	607	6/6	0.86	0.20	92,110,114,114	0
2	GOL	A	606	6/6	0.87	0.15	65,77,89,89	0
2	GOL	A	611	6/6	0.87	0.17	72,86,91,93	0
2	GOL	D	802	6/6	0.88	0.16	78,93,97,97	0
2	GOL	C	902	6/6	0.88	0.14	56,68,73,78	0
6	SO4	D	812	5/5	0.88	0.11	115,116,116,116	5
2	GOL	A	602	6/6	0.88	0.15	71,85,94,95	0
2	GOL	B	808	6/6	0.88	0.29	63,76,84,85	0
2	GOL	D	801	6/6	0.89	0.22	91,110,113,114	0
2	GOL	D	806	6/6	0.89	0.15	81,97,103,104	0
2	GOL	E	601	6/6	0.89	0.15	69,83,90,90	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	A	608	6/6	0.89	0.18	69,83,91,98	0
2	GOL	B	802	6/6	0.89	0.12	50,69,81,85	0
6	SO4	D	814	5/5	0.89	0.12	91,91,91,92	5
3	A1C9F	E	602	51/51	0.90	0.18	47,65,100,101	51
2	GOL	A	601	6/6	0.90	0.13	75,91,101,101	0
2	GOL	B	807	6/6	0.90	0.13	83,100,107,108	0
2	GOL	D	803	6/6	0.92	0.15	63,75,79,81	0
3	A1C9F	C	903	51/51	0.93	0.15	49,55,107,112	0
3	A1C9F	B	809	51/51	0.93	0.15	42,66,105,106	0
2	GOL	B	806	6/6	0.94	0.11	53,64,70,71	0
2	GOL	A	603	6/6	0.94	0.12	48,58,65,66	14
5	MG	E	604	1/1	0.94	0.08	48,48,48,48	0
3	A1C9F	A	616	51/51	0.94	0.13	42,55,98,100	0
3	A1C9F	D	807	51/51	0.94	0.13	49,57,97,98	0
5	MG	A	619	1/1	0.96	0.05	28,28,28,28	0
4	DPO	C	904	9/9	0.97	0.06	44,47,54,58	0
4	DPO	E	603	9/9	0.97	0.06	47,51,58,59	0
5	MG	C	906	1/1	0.98	0.05	36,36,36,36	0
4	DPO	D	808	9/9	0.98	0.07	43,45,57,59	0
5	MG	B	812	1/1	0.98	0.03	32,32,32,32	0
4	DPO	B	810	9/9	0.99	0.05	30,41,54,55	0
5	MG	D	809	1/1	0.99	0.06	42,42,42,42	0
5	MG	D	810	1/1	0.99	0.02	39,39,39,39	0
4	DPO	A	617	9/9	0.99	0.04	35,42,49,62	0
5	MG	E	605	1/1	0.99	0.04	51,51,51,51	0
5	MG	C	905	1/1	0.99	0.02	40,40,40,40	0
5	MG	B	811	1/1	1.00	0.02	37,37,37,37	0
5	MG	A	618	1/1	1.00	0.02	32,32,32,32	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1C9F E 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1C9F C 903:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around A1C9F B 809:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1C9F A 616:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.