



# wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 2, 2026 – 12:13 PM JST

PDB ID : 21JI / pdb\_000021ji  
Title : Crystal structure of isoprimeverose-producing enzyme from *Phaeoacremonium minimum*  
Authors : Nakamichi, Y.; Watanabe, M.; Yaoi, K.; Matsuzawa, T.  
Deposited on : 2025-12-15  
Resolution : 2.80 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.48.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	3657 (2.80-2.80)
Clashscore	180529	4123 (2.80-2.80)
Ramachandran outliers	177936	4071 (2.80-2.80)
Sidechain outliers	177891	4073 (2.80-2.80)
RSRZ outliers	164620	3659 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	871	
1	B	871	
1	C	871	
2	D	3	
2	F	3	
2	I	3	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	E	2	 100%
3	G	2	 100%
3	H	2	 50% 50%

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 18089 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoprimeverose-producing oligoxyloglucan hydrolase, beta-glucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	757	5809	3692	953	1143	21	0	1	0
1	B	757	5800	3687	951	1141	21	0	0	0
1	C	756	5791	3682	950	1138	21	0	0	0

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	PHE	-	linker	UNP A0AA49QB00
A	778	ALA	-	expression tag	UNP R8BKC2
A	779	ALA	-	expression tag	UNP R8BKC2
A	780	ALA	-	expression tag	UNP R8BKC2
A	781	SER	-	expression tag	UNP R8BKC2
A	782	PHE	-	expression tag	UNP R8BKC2
A	783	LEU	-	expression tag	UNP R8BKC2
A	784	GLU	-	expression tag	UNP R8BKC2
A	785	GLN	-	expression tag	UNP R8BKC2
A	786	LYS	-	expression tag	UNP R8BKC2
A	787	LEU	-	expression tag	UNP R8BKC2
A	788	ILE	-	expression tag	UNP R8BKC2
A	789	SER	-	expression tag	UNP R8BKC2
A	790	GLU	-	expression tag	UNP R8BKC2
A	791	GLU	-	expression tag	UNP R8BKC2
A	792	ASP	-	expression tag	UNP R8BKC2
A	793	LEU	-	expression tag	UNP R8BKC2
A	794	ASN	-	expression tag	UNP R8BKC2
A	795	SER	-	expression tag	UNP R8BKC2
A	796	ALA	-	expression tag	UNP R8BKC2
A	797	VAL	-	expression tag	UNP R8BKC2
A	798	ASP	-	expression tag	UNP R8BKC2

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	799	HIS	-	expression tag	UNP R8BKC2
A	800	HIS	-	expression tag	UNP R8BKC2
A	801	HIS	-	expression tag	UNP R8BKC2
A	802	HIS	-	expression tag	UNP R8BKC2
A	803	HIS	-	expression tag	UNP R8BKC2
A	804	HIS	-	expression tag	UNP R8BKC2
B	24	PHE	-	linker	UNP A0AA49QB00
B	778	ALA	-	expression tag	UNP R8BKC2
B	779	ALA	-	expression tag	UNP R8BKC2
B	780	ALA	-	expression tag	UNP R8BKC2
B	781	SER	-	expression tag	UNP R8BKC2
B	782	PHE	-	expression tag	UNP R8BKC2
B	783	LEU	-	expression tag	UNP R8BKC2
B	784	GLU	-	expression tag	UNP R8BKC2
B	785	GLN	-	expression tag	UNP R8BKC2
B	786	LYS	-	expression tag	UNP R8BKC2
B	787	LEU	-	expression tag	UNP R8BKC2
B	788	ILE	-	expression tag	UNP R8BKC2
B	789	SER	-	expression tag	UNP R8BKC2
B	790	GLU	-	expression tag	UNP R8BKC2
B	791	GLU	-	expression tag	UNP R8BKC2
B	792	ASP	-	expression tag	UNP R8BKC2
B	793	LEU	-	expression tag	UNP R8BKC2
B	794	ASN	-	expression tag	UNP R8BKC2
B	795	SER	-	expression tag	UNP R8BKC2
B	796	ALA	-	expression tag	UNP R8BKC2
B	797	VAL	-	expression tag	UNP R8BKC2
B	798	ASP	-	expression tag	UNP R8BKC2
B	799	HIS	-	expression tag	UNP R8BKC2
B	800	HIS	-	expression tag	UNP R8BKC2
B	801	HIS	-	expression tag	UNP R8BKC2
B	802	HIS	-	expression tag	UNP R8BKC2
B	803	HIS	-	expression tag	UNP R8BKC2
B	804	HIS	-	expression tag	UNP R8BKC2
C	24	PHE	-	linker	UNP A0AA49QB00
C	778	ALA	-	expression tag	UNP R8BKC2
C	779	ALA	-	expression tag	UNP R8BKC2
C	780	ALA	-	expression tag	UNP R8BKC2
C	781	SER	-	expression tag	UNP R8BKC2
C	782	PHE	-	expression tag	UNP R8BKC2
C	783	LEU	-	expression tag	UNP R8BKC2
C	784	GLU	-	expression tag	UNP R8BKC2

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	785	GLN	-	expression tag	UNP R8BKC2
C	786	LYS	-	expression tag	UNP R8BKC2
C	787	LEU	-	expression tag	UNP R8BKC2
C	788	ILE	-	expression tag	UNP R8BKC2
C	789	SER	-	expression tag	UNP R8BKC2
C	790	GLU	-	expression tag	UNP R8BKC2
C	791	GLU	-	expression tag	UNP R8BKC2
C	792	ASP	-	expression tag	UNP R8BKC2
C	793	LEU	-	expression tag	UNP R8BKC2
C	794	ASN	-	expression tag	UNP R8BKC2
C	795	SER	-	expression tag	UNP R8BKC2
C	796	ALA	-	expression tag	UNP R8BKC2
C	797	VAL	-	expression tag	UNP R8BKC2
C	798	ASP	-	expression tag	UNP R8BKC2
C	799	HIS	-	expression tag	UNP R8BKC2
C	800	HIS	-	expression tag	UNP R8BKC2
C	801	HIS	-	expression tag	UNP R8BKC2
C	802	HIS	-	expression tag	UNP R8BKC2
C	803	HIS	-	expression tag	UNP R8BKC2
C	804	HIS	-	expression tag	UNP R8BKC2

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	D	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	F	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	I	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	H	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0

- Molecule 6 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 13 8 5	0	0

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	B	1	Total Ca 1 1	0	0
7	C	1	Total Ca 1 1	0	0

- Molecule 8 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula:  $C_6H_{14}O_4$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 10 6 4	0	0

- Molecule 9 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula:  $C_{12}H_{26}O_7$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	C O	0	0
			19	12 7		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	17	Total	O	0	0
			17	17		
10	B	15	Total	O	0	0
			15	15		
10	C	15	Total	O	0	0
			15	15		






● Molecule 1: Isoprimeverose-producing oligoxyloglucan hydrolase,beta-glucosidase



● Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2  
BMA3

- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%MAG1  
MAG2  
BMA3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50%  50%MAG1  
MAG2

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	186.19Å 74.03Å 184.49Å 90.00° 95.23° 90.00°	Depositor
Resolution (Å)	49.08 – 2.80 49.08 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.2 (49.08-2.80) 99.1 (49.08-2.80)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.70 (at 2.81Å)	Xtrriage
Refinement program	PHENIX 1.21.1_5286	Depositor
R, $R_{free}$	0.216 , 0.268 0.216 , 0.268	Depositor DCC
$R_{free}$ test set	3074 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	64.7	Xtrriage
Anisotropy	0.457	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 50.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	18089	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, NAG, BMA, P6G, CA, PGE, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.13	0/5944	0.31	0/8105
1	B	0.11	0/5935	0.30	0/8093
1	C	0.12	0/5926	0.30	0/8081
All	All	0.12	0/17805	0.30	0/24279

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5809	0	5629	71	0
1	B	5800	0	5624	73	0
1	C	5791	0	5619	117	0
2	D	39	0	34	1	0
2	F	39	0	34	1	0
2	I	39	0	34	1	0
3	E	28	0	25	0	0
3	G	28	0	25	0	0
3	H	28	0	25	0	0
4	A	126	0	117	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	98	0	91	3	0
4	C	84	0	78	0	0
5	A	36	0	27	1	0
5	B	40	0	30	1	0
5	C	12	0	9	1	0
6	A	13	0	18	1	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	10	0	14	1	0
9	B	19	0	26	0	0
10	A	17	0	0	0	0
10	B	15	0	0	1	0
10	C	15	0	0	1	0
All	All	18089	0	17459	260	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 260 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:454:VAL:HG23	1:C:458:ASP:HB2	1.65	0.77
1:C:144:ALA:HA	1:C:201:MET:HE3	1.69	0.74
1:A:314:GLU:N	1:A:314:GLU:OE1	2.25	0.70
1:B:667:ILE:HD12	1:B:761:ILE:HD12	1.75	0.68
1:A:695:THR:HG23	1:A:722:ILE:O	1.94	0.67

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	756/871 (87%)	726 (96%)	26 (3%)	4 (0%)	25	56
1	B	755/871 (87%)	718 (95%)	36 (5%)	1 (0%)	48	77
1	C	754/871 (87%)	709 (94%)	42 (6%)	3 (0%)	30	61
All	All	2265/2613 (87%)	2153 (95%)	104 (5%)	8 (0%)	30	61

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	723	PRO
1	B	620	SER
1	A	90	GLY
1	C	300	ALA
1	C	577	TYR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	625/717 (87%)	619 (99%)	6 (1%)	73	91
1	B	624/717 (87%)	620 (99%)	4 (1%)	84	95
1	C	623/717 (87%)	613 (98%)	10 (2%)	58	85
All	All	1872/2151 (87%)	1852 (99%)	20 (1%)	70	90

5 of 20 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	325	SER
1	C	650	LEU
1	C	709	VAL
1	C	687	THR
1	B	243	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	619	ASN
1	B	629	HIS
1	C	545	ASN
1	C	232	ASN
1	C	308	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	D	1	2,1	14,14,15	0.73	0	17,19,21	1.06	1 (5%)
2	NAG	D	2	2	14,14,15	0.73	0	17,19,21	0.80	0
2	BMA	D	3	2	11,11,12	0.79	0	15,15,17	2.56	6 (40%)
3	NAG	E	1	3,1	14,14,15	0.71	0	17,19,21	0.84	0
3	NAG	E	2	3	14,14,15	0.70	0	17,19,21	0.86	0
2	NAG	F	1	2,1	14,14,15	0.71	0	17,19,21	0.91	0
2	NAG	F	2	2	14,14,15	0.65	0	17,19,21	0.96	2 (11%)
2	BMA	F	3	2	11,11,12	0.79	0	15,15,17	2.87	5 (33%)
3	NAG	G	1	3,1	14,14,15	0.73	0	17,19,21	0.82	0
3	NAG	G	2	3	14,14,15	0.72	0	17,19,21	0.84	0
3	NAG	H	1	3,1	14,14,15	0.67	0	17,19,21	0.95	0
3	NAG	H	2	3	14,14,15	0.73	0	17,19,21	0.97	1 (5%)
2	NAG	I	1	2,1	14,14,15	0.73	0	17,19,21	1.40	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	I	2	2	14,14,15	0.74	0	17,19,21	0.98	0
2	BMA	I	3	2	11,11,12	0.86	1 (9%)	15,15,17	2.72	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	BMA	D	3	2	-	0/2/19/22	0/1/1/1
3	NAG	E	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	BMA	F	3	2	-	1/2/19/22	0/1/1/1
3	NAG	G	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	NAG	H	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
2	NAG	I	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	4/6/23/26	0/1/1/1
2	BMA	I	3	2	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	3	BMA	C2-C3	2.02	1.55	1.52

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	3	BMA	C1-O5-C5	8.21	123.31	112.19
2	F	3	BMA	C1-O5-C5	8.02	123.06	112.19
2	D	3	BMA	C1-O5-C5	7.53	122.39	112.19
2	F	3	BMA	C1-C2-C3	4.50	115.20	109.67
2	I	1	NAG	C2-N2-C7	2.83	126.94	122.90

There are no chirality outliers.

5 of 11 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	1	NAG	O5-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6
2	I	2	NAG	C8-C7-N2-C2
2	I	2	NAG	O7-C7-N2-C2
3	G	1	NAG	C8-C7-N2-C2



There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1	NAG	1	0
2	I	2	NAG	1	0
2	F	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











## 5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 3 are monoatomic - leaving 47 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	B	904	1	14,14,15	0.66	0	17,19,21	0.81	0
4	NAG	B	919	1	14,14,15	0.69	0	17,19,21	1.19	1 (5%)
5	ACT	B	909	-	3,3,3	1.07	0	3,3,3	1.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	C	902	1	14,14,15	0.72	0	17,19,21	0.94	0
5	ACT	B	916	-	3,3,3	1.07	0	3,3,3	1.23	0
5	ACT	C	906	-	3,3,3	1.08	0	3,3,3	1.18	0
5	ACT	B	914	-	3,3,3	1.07	0	3,3,3	1.27	0
4	NAG	A	919	1	14,14,15	0.70	0	17,19,21	0.82	0
4	NAG	A	902	1	14,14,15	0.70	0	17,19,21	0.94	0
4	NAG	C	903	1	14,14,15	0.73	0	17,19,21	0.81	0
5	ACT	A	910	-	3,3,3	1.08	0	3,3,3	1.20	0
5	ACT	A	915	-	3,3,3	1.08	0	3,3,3	1.22	0
5	ACT	A	917	-	3,3,3	1.08	0	3,3,3	1.20	0
5	ACT	B	905	-	3,3,3	1.07	0	3,3,3	1.23	0
4	NAG	C	908	1	14,14,15	0.70	0	17,19,21	0.84	0
4	NAG	A	906	1	14,14,15	0.74	0	17,19,21	0.90	0
4	NAG	C	909	1	14,14,15	0.72	0	17,19,21	1.67	3 (17%)
5	ACT	A	916	-	3,3,3	1.08	0	3,3,3	1.22	0
4	NAG	B	906	1	14,14,15	0.75	0	17,19,21	0.97	1 (5%)
5	ACT	A	913	-	3,3,3	1.08	0	3,3,3	1.21	0
5	ACT	B	912	-	3,3,3	1.06	0	3,3,3	1.25	0
8	PGE	A	921	-	9,9,9	0.32	0	8,8,8	0.50	0
4	NAG	C	910	1	14,14,15	0.74	0	17,19,21	0.77	0
5	ACT	A	914	-	3,3,3	1.06	0	3,3,3	1.28	0
4	NAG	A	903	1	14,14,15	0.72	0	17,19,21	0.97	0
4	NAG	B	901	1	14,14,15	0.75	0	17,19,21	0.92	0
5	ACT	B	913	-	3,3,3	1.08	0	3,3,3	1.20	0
4	NAG	A	908	1	14,14,15	0.74	0	17,19,21	0.93	0
4	NAG	A	905	1	14,14,15	0.72	0	17,19,21	2.09	3 (17%)
4	NAG	B	918	1	14,14,15	0.67	0	17,19,21	2.02	2 (11%)
6	PG4	A	907	-	12,12,12	0.29	0	11,11,11	0.16	0
5	ACT	B	911	-	3,3,3	1.07	0	3,3,3	1.25	0
4	NAG	C	901	1	14,14,15	0.76	0	17,19,21	1.17	1 (5%)
5	ACT	B	903	-	3,3,3	1.06	0	3,3,3	1.29	0
5	ACT	A	912	-	3,3,3	1.07	0	3,3,3	1.27	0
5	ACT	A	911	-	3,3,3	1.04	0	3,3,3	1.34	0
5	ACT	B	910	-	3,3,3	1.06	0	3,3,3	1.28	0
4	NAG	A	901	1	14,14,15	0.72	0	17,19,21	0.93	0
4	NAG	A	918	1	14,14,15	0.69	0	17,19,21	0.87	0
4	NAG	B	917	1	14,14,15	0.70	0	17,19,21	0.83	0
9	P6G	B	907	-	18,18,18	0.30	0	17,17,17	0.17	0
4	NAG	A	920	1	14,14,15	0.71	0	17,19,21	0.94	1 (5%)
5	ACT	C	905	-	3,3,3	1.06	0	3,3,3	1.21	0
5	ACT	A	904	-	3,3,3	1.06	0	3,3,3	1.31	0
4	NAG	B	902	1	14,14,15	0.74	0	17,19,21	1.00	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	ACT	C	907	-	3,3,3	1.06	0	3,3,3	1.27	0
5	ACT	B	915	-	3,3,3	1.07	0	3,3,3	1.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	904	1	-	2/6/23/26	0/1/1/1
4	NAG	B	919	1	-	1/6/23/26	0/1/1/1
4	NAG	C	902	1	-	2/6/23/26	0/1/1/1
4	NAG	A	919	1	-	1/6/23/26	0/1/1/1
4	NAG	A	902	1	-	0/6/23/26	0/1/1/1
4	NAG	C	903	1	-	1/6/23/26	0/1/1/1
4	NAG	C	908	1	-	0/6/23/26	0/1/1/1
4	NAG	A	906	1	-	0/6/23/26	0/1/1/1
4	NAG	C	909	1	-	1/6/23/26	0/1/1/1
4	NAG	B	906	1	-	0/6/23/26	0/1/1/1
8	PGE	A	921	-	-	0/7/7/7	-
4	NAG	C	910	1	-	2/6/23/26	0/1/1/1
4	NAG	A	903	1	-	0/6/23/26	0/1/1/1
4	NAG	B	901	1	-	2/6/23/26	0/1/1/1
4	NAG	A	908	1	-	2/6/23/26	0/1/1/1
4	NAG	A	905	1	-	1/6/23/26	0/1/1/1
4	NAG	B	918	1	-	2/6/23/26	0/1/1/1
6	PG4	A	907	-	-	4/10/10/10	-
4	NAG	C	901	1	-	0/6/23/26	0/1/1/1
4	NAG	A	901	1	-	0/6/23/26	0/1/1/1
4	NAG	A	918	1	-	0/6/23/26	0/1/1/1
4	NAG	B	917	1	-	0/6/23/26	0/1/1/1
9	P6G	B	907	-	-	4/16/16/16	-
4	NAG	A	920	1	-	2/6/23/26	0/1/1/1
4	NAG	B	902	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	905	NAG	C2-N2-C7	6.71	132.46	122.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	918	NAG	C2-N2-C7	6.35	131.95	122.90
4	C	909	NAG	C2-N2-C7	5.03	130.06	122.90
4	B	918	NAG	C1-C2-N2	3.76	116.91	110.49
4	A	905	NAG	C1-C2-N2	3.49	116.46	110.49

There are no chirality outliers.

5 of 27 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	905	NAG	C1-C2-N2-C7
4	C	909	NAG	C3-C2-N2-C7
4	B	901	NAG	C4-C5-C6-O6
4	B	918	NAG	C1-C2-N2-C7
6	A	907	PG4	O4-C7-C8-O5

There are no ring outliers.

9 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	921	PGE	1	0
4	B	901	NAG	1	0
4	A	905	NAG	1	0
4	B	918	NAG	1	0
6	A	907	PG4	1	0
5	B	903	ACT	1	0
5	A	911	ACT	1	0
5	C	905	ACT	1	0
4	B	902	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	757/871 (86%)	-0.22	2 (0%) 90 87	24, 58, 79, 95	1 (0%)
1	B	757/871 (86%)	-0.11	3 (0%) 89 85	49, 66, 82, 99	0
1	C	756/871 (86%)	0.12	4 (0%) 87 83	51, 77, 98, 111	0
All	All	2270/2613 (86%)	-0.07	9 (0%) 89 85	24, 67, 91, 111	1 (0%)

The worst 5 of 9 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	435	ALA	4.0
1	A	722	ILE	2.8
1	B	778	ALA	2.3
1	A	778	ALA	2.2
1	C	736	LEU	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	BMA	I	3	11/12	0.48	0.12	93,98,100,101	0
3	NAG	G	2	14/15	0.59	0.14	109,117,123,124	0
2	BMA	D	3	11/12	0.63	0.11	89,92,96,105	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	BMA	F	3	11/12	0.63	0.12	87,91,97,99	0
2	NAG	I	2	14/15	0.71	0.14	85,89,94,95	0
3	NAG	H	2	14/15	0.73	0.12	92,102,110,112	0
3	NAG	E	2	14/15	0.75	0.10	84,89,97,99	0
3	NAG	G	1	14/15	0.77	0.11	92,96,106,111	0
2	NAG	D	2	14/15	0.81	0.10	71,79,85,89	0
2	NAG	F	2	14/15	0.83	0.11	83,87,91,92	0
3	NAG	H	1	14/15	0.86	0.12	80,88,95,99	0
2	NAG	F	1	14/15	0.86	0.10	72,78,83,90	0
2	NAG	I	1	14/15	0.88	0.10	79,84,87,87	0
2	NAG	D	1	14/15	0.90	0.11	60,71,78,79	0
3	NAG	E	1	14/15	0.92	0.09	69,74,81,84	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain I:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	A	920	14/15	0.24	0.14	90,97,112,112	0
4	NAG	C	909	14/15	0.40	0.14	103,109,114,114	0
4	NAG	C	910	14/15	0.41	0.15	90,115,121,124	0
4	NAG	A	918	14/15	0.42	0.16	94,99,106,107	0
4	NAG	C	903	14/15	0.44	0.14	95,106,112,115	0
4	NAG	A	919	14/15	0.46	0.14	88,103,110,114	0
4	NAG	A	905	14/15	0.53	0.16	85,95,99,106	0
4	NAG	C	908	14/15	0.54	0.14	103,111,120,125	0
4	NAG	B	904	14/15	0.56	0.16	81,86,94,96	0
4	NAG	C	902	14/15	0.57	0.13	88,102,105,116	0
4	NAG	C	901	14/15	0.58	0.17	93,99,106,114	0
4	NAG	B	906	14/15	0.60	0.16	85,97,101,106	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	A	901	14/15	0.65	0.18	82,96,113,115	0
4	NAG	B	919	14/15	0.65	0.12	97,101,106,106	0
5	ACT	B	916	4/4	0.66	0.14	70,73,78,82	0
4	NAG	B	918	14/15	0.68	0.16	82,88,90,92	0
4	NAG	A	903	14/15	0.69	0.15	87,96,108,109	0
5	ACT	B	914	4/4	0.70	0.18	58,62,72,72	0
5	ACT	B	913	4/4	0.70	0.16	67,68,69,70	0
5	ACT	C	905	4/4	0.71	0.21	63,66,72,75	0
4	NAG	B	917	14/15	0.72	0.12	84,92,97,100	0
4	NAG	A	906	14/15	0.75	0.12	82,89,93,94	0
5	ACT	A	911	4/4	0.76	0.17	51,57,58,62	0
5	ACT	A	914	4/4	0.76	0.16	64,68,69,72	0
5	ACT	B	911	4/4	0.78	0.18	64,65,66,67	0
5	ACT	C	906	4/4	0.78	0.17	72,79,81,86	0
6	PG4	A	907	13/13	0.79	0.16	61,82,86,90	0
5	ACT	A	916	4/4	0.80	0.12	66,70,71,71	0
5	ACT	B	912	4/4	0.80	0.16	69,78,81,86	0
5	ACT	B	903	4/4	0.84	0.14	64,70,71,71	0
5	ACT	B	915	4/4	0.84	0.14	73,75,76,78	0
9	P6G	B	907	19/19	0.84	0.14	65,72,80,84	0
5	ACT	B	909	4/4	0.85	0.21	66,66,66,68	0
5	ACT	A	915	4/4	0.86	0.14	60,63,69,70	0
4	NAG	B	902	14/15	0.86	0.11	76,79,82,83	0
4	NAG	B	901	14/15	0.87	0.12	66,73,78,78	0
5	ACT	B	910	4/4	0.87	0.15	57,59,61,66	0
5	ACT	A	917	4/4	0.87	0.12	55,59,61,65	0
8	PGE	A	921	10/10	0.87	0.10	56,60,65,65	0
5	ACT	A	913	4/4	0.87	0.11	70,70,74,76	0
5	ACT	A	904	4/4	0.88	0.13	40,42,48,50	0
5	ACT	A	910	4/4	0.89	0.13	47,56,59,60	0
5	ACT	A	912	4/4	0.89	0.20	57,60,64,66	0
5	ACT	C	907	4/4	0.89	0.15	58,65,66,71	0
5	ACT	B	905	4/4	0.92	0.10	65,68,68,69	0
4	NAG	A	902	14/15	0.92	0.09	59,63,74,77	0
4	NAG	A	908	14/15	0.92	0.09	67,72,75,78	0
7	CA	B	908	1/1	0.95	0.06	70,70,70,70	0
7	CA	C	904	1/1	0.96	0.06	91,91,91,91	0
7	CA	A	909	1/1	0.99	0.06	65,65,65,65	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.