



wwPDB EM Validation Summary Report ⓘ

Sep 14, 2026 – 03:59 PM EDT

PDB ID : 11VX / pdb_000011vx
EMDB ID : EMD-76086
Title : GluA2-STZ open state with partial agonist FW at 25 degrees C (full-length composite)
Authors : Newton, T.P.; Yen, L.Y.; Gangwar, S.P.; Sobolevsky, A.I.
Deposited on : 2026-03-15
Resolution : 3.37 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14287 (2.87 - 3.87)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1052	 83% 10% 7%
1	B	1052	 85% 7% 8%
1	C	1052	 83% 10% 7%
1	D	1052	 84% 8% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FWD	A	1301	-	X	-	-
2	FWD	C	1301	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 31763 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform Flip of Glutamate receptor 2, Voltage-dependent calcium channel gamma-2 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	980	Total	C	N	O	S	0	0
			7711	4965	1274	1431	41		
1	B	968	Total	C	N	O	S	0	0
			7615	4907	1258	1409	41		
1	C	980	Total	C	N	O	S	0	0
			7711	4965	1274	1431	41		
1	D	968	Total	C	N	O	S	0	0
			7615	4907	1258	1409	41		

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	GLY	GLN	conflict	UNP P19491
A	241	GLU	ASN	conflict	UNP P19491
A	382	LEU	VAL	conflict	UNP P19491
A	?	-	LEU	deletion	UNP P19491
A	?	-	THR	deletion	UNP P19491
A	?	-	GLU	deletion	UNP P19491
A	?	-	LEU	deletion	UNP P19491
A	?	-	PRO	deletion	UNP P19491
A	?	-	SER	deletion	UNP P19491
A	384	GLU	GLY	conflict	UNP P19491
A	385	ASP	ASN	conflict	UNP P19491
A	392	GLN	ASN	conflict	UNP P19491
A	999	GLY	-	linker	UNP P19491
A	1000	THR	-	linker	UNP P19491
A	1001	GLY	-	linker	UNP P19491
A	1047	ASP	ASN	conflict	UNP O88602
A	1208	THR	-	expression tag	UNP O88602
A	1209	GLY	-	expression tag	UNP O88602
B	-13	GLY	GLN	conflict	UNP P19491
B	241	GLU	ASN	conflict	UNP P19491
B	382	LEU	VAL	conflict	UNP P19491

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	LEU	deletion	UNP P19491
B	?	-	THR	deletion	UNP P19491
B	?	-	GLU	deletion	UNP P19491
B	?	-	LEU	deletion	UNP P19491
B	?	-	PRO	deletion	UNP P19491
B	?	-	SER	deletion	UNP P19491
B	384	GLU	GLY	conflict	UNP P19491
B	385	ASP	ASN	conflict	UNP P19491
B	392	GLN	ASN	conflict	UNP P19491
B	999	GLY	-	linker	UNP P19491
B	1000	THR	-	linker	UNP P19491
B	1001	GLY	-	linker	UNP P19491
B	1047	ASP	ASN	conflict	UNP O88602
B	1208	THR	-	expression tag	UNP O88602
B	1209	GLY	-	expression tag	UNP O88602
C	-13	GLY	GLN	conflict	UNP P19491
C	241	GLU	ASN	conflict	UNP P19491
C	382	LEU	VAL	conflict	UNP P19491
C	?	-	LEU	deletion	UNP P19491
C	?	-	THR	deletion	UNP P19491
C	?	-	GLU	deletion	UNP P19491
C	?	-	LEU	deletion	UNP P19491
C	?	-	PRO	deletion	UNP P19491
C	?	-	SER	deletion	UNP P19491
C	384	GLU	GLY	conflict	UNP P19491
C	385	ASP	ASN	conflict	UNP P19491
C	392	GLN	ASN	conflict	UNP P19491
C	999	GLY	-	linker	UNP P19491
C	1000	THR	-	linker	UNP P19491
C	1001	GLY	-	linker	UNP P19491
C	1047	ASP	ASN	conflict	UNP O88602
C	1208	THR	-	expression tag	UNP O88602
C	1209	GLY	-	expression tag	UNP O88602
D	-13	GLY	GLN	conflict	UNP P19491
D	241	GLU	ASN	conflict	UNP P19491
D	382	LEU	VAL	conflict	UNP P19491
D	?	-	LEU	deletion	UNP P19491
D	?	-	THR	deletion	UNP P19491
D	?	-	GLU	deletion	UNP P19491
D	?	-	LEU	deletion	UNP P19491
D	?	-	PRO	deletion	UNP P19491
D	?	-	SER	deletion	UNP P19491

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	384	GLU	GLY	conflict	UNP P19491
D	385	ASP	ASN	conflict	UNP P19491
D	392	GLN	ASN	conflict	UNP P19491
D	999	GLY	-	linker	UNP P19491
D	1000	THR	-	linker	UNP P19491
D	1001	GLY	-	linker	UNP P19491
D	1047	ASP	ASN	conflict	UNP O88602
D	1208	THR	-	expression tag	UNP O88602
D	1209	GLY	-	expression tag	UNP O88602

- Molecule 2 is 2-AMINO-3-(5-FLUORO-2,4-DIOXO-3,4-DIHYDRO-2H-PYRIMIDIN-1-YL)-PROPIONIC ACID (CCD ID: FWD) (formula: C₇H₈FN₃O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	F	N	O	0
			15	7	1	3	4	
2	B	1	Total	C	F	N	O	0
			15	7	1	3	4	
2	C	1	Total	C	F	N	O	0
			15	7	1	3	4	
2	D	1	Total	C	F	N	O	0
			15	7	1	3	4	

- Molecule 3 is (2S)-3-(hexadecanoyloxy)-2-[(9Z)-octadec-9-enoyloxy]propyl 2-(trimethylamm onio)ethyl phosphate (CCD ID: POV) (formula: C₄₂H₈₂NO₈P).




Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	A	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	B	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	B	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	B	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	C	1	Total	C	N	O	P	0
			52	42	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
3	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	C	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	D	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	D	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	D	1	Total	C	N	O	P	0
			52	42	1	8	1	
3	D	1	Total	C	N	O	P	0
			52	42	1	8	1	

- Molecule 4 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$).



Mol	Chain	Residues	Atoms			AltConf
4	A	1	Total	C	N	0
			10	7	3	

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Na	0
			1	1	


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Isoform Flip of Glutamate receptor 2, Voltage-dependent calcium channel gamma-2 subunit




- Molecule 1: Isoform Flip of Glutamate receptor 2, Voltage-dependent calcium channel gamma-2 subunit






- Molecule 1: Isoform Flip of Glutamate receptor 2, Voltage-dependent calcium channel gamma-2 subunit


Chain C: 83% 10% 7%



- Molecule 1: Isoform Flip of Glutamate receptor 2, Voltage-dependent calcium channel gamma-2 subunit

Chain D: 84% 8% 8%





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	206965	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	78.536	Depositor
Minimum map value	-58.560	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.104	Depositor
Recommended contour level	4	Depositor
Map size (Å)	369.59998, 369.59998, 369.59998	wwPDB
Map dimensions	440, 440, 440	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SPD, POV, NA, FWD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/7878	0.79	11/10644 (0.1%)
1	B	0.25	1/7780 (0.0%)	0.74	2/10513 (0.0%)
1	C	0.26	0/7878	0.79	11/10644 (0.1%)
1	D	0.25	1/7780 (0.0%)	0.74	2/10513 (0.0%)
All	All	0.25	2/31316 (0.0%)	0.77	26/42314 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	2
1	C	0	5
1	D	0	2
All	All	0	14

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	716	LYS	C-N	7.31	1.39	1.33
1	D	716	LYS	C-N	7.23	1.39	1.33

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	391	GLU	N-CA-C	-6.88	106.08	114.75
1	C	391	GLU	N-CA-C	-6.85	106.12	114.75
1	A	391	GLU	CA-C-N	6.33	133.63	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	391	GLU	C-N-CA	6.33	133.63	121.54
1	C	391	GLU	CA-C-N	6.32	133.60	121.54

There are no chirality outliers.

5 of 14 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	139	SER	Peptide
1	A	318	ASN	Peptide
1	A	392	GLN	Peptide
1	A	41	PHE	Peptide
1	A	697	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7711	0	7673	56	0
1	B	7615	0	7583	39	0
1	C	7711	0	7673	54	0
1	D	7615	0	7583	43	0
2	A	15	0	7	1	0
2	B	15	0	7	1	0
2	C	15	0	7	0	0
2	D	15	0	7	1	0
3	A	312	0	492	6	0
3	B	156	0	246	2	0
3	C	364	0	574	15	0
3	D	208	0	328	5	0
4	A	10	0	19	0	0
5	A	1	0	0	0	0
All	All	31763	0	32199	205	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 205 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1036:ARG:HG2	1:C:1057:MET:H	1.64	0.62
1:A:1036:ARG:HG2	1:A:1057:MET:H	1.64	0.61
1:B:203:ASP:O	1:B:207:GLN:NE2	2.35	0.59
1:C:227:PHE:HZ	1:C:363:LEU:HB2	1.68	0.59
1:A:503:MET:HE1	1:A:690:VAL:HG22	1.84	0.59

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	968/1052 (92%)	845 (87%)	116 (12%)	7 (1%)	18	46
1	B	954/1052 (91%)	854 (90%)	99 (10%)	1 (0%)	48	77
1	C	968/1052 (92%)	844 (87%)	117 (12%)	7 (1%)	18	46
1	D	954/1052 (91%)	854 (90%)	99 (10%)	1 (0%)	48	77
All	All	3844/4208 (91%)	3397 (88%)	431 (11%)	16 (0%)	31	58

5 of 16 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	42	ARG
1	A	140	ASP
1	C	42	ARG
1	C	140	ASP
1	A	324	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	829/893 (93%)	829 (100%)	0	100	100
1	B	820/893 (92%)	818 (100%)	2 (0%)	87	85
1	C	829/893 (93%)	829 (100%)	0	100	100
1	D	820/893 (92%)	818 (100%)	2 (0%)	87	85
All	All	3298/3572 (92%)	3294 (100%)	4 (0%)	87	89

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1139	ILE
1	B	1153	ILE
1	D	1139	ILE
1	D	1153	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 49 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	355	ASN
1	C	1204	HIS
1	C	586	GLN
1	C	1059	HIS
1	D	65	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 26 ligands modelled in this entry, 1 is monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	POV	A	1303	-	51,51,51	1.40	5 (9%)	57,59,59	1.07	5 (8%)
2	FWD	B	1301	-	14,15,15	4.13	7 (50%)	15,21,21	4.39	7 (46%)
3	POV	D	1301	-	51,51,51	1.41	5 (9%)	57,59,59	1.05	4 (7%)
3	POV	B	1303	-	51,51,51	1.41	5 (9%)	57,59,59	1.03	4 (7%)
3	POV	C	1305	-	51,51,51	1.40	6 (11%)	57,59,59	1.02	4 (7%)
2	FWD	C	1301	-	14,15,15	4.10	9 (64%)	15,21,21	4.74	7 (46%)
3	POV	A	1306	-	51,51,51	1.40	5 (9%)	57,59,59	1.04	4 (7%)
3	POV	D	1305	-	51,51,51	1.41	5 (9%)	57,59,59	1.03	4 (7%)
3	POV	A	1304	-	51,51,51	1.40	5 (9%)	57,59,59	1.03	4 (7%)
2	FWD	D	1303	-	14,15,15	4.10	7 (50%)	15,21,21	4.40	7 (46%)
2	FWD	A	1301	-	14,15,15	4.13	9 (64%)	15,21,21	4.66	8 (53%)
3	POV	A	1307	-	51,51,51	1.41	5 (9%)	57,59,59	1.06	4 (7%)
3	POV	C	1304	-	51,51,51	1.41	5 (9%)	57,59,59	1.04	4 (7%)
3	POV	A	1302	-	51,51,51	1.40	6 (11%)	57,59,59	1.09	5 (8%)
3	POV	C	1306	-	51,51,51	1.41	5 (9%)	57,59,59	0.92	4 (7%)
3	POV	C	1307	-	51,51,51	1.40	5 (9%)	57,59,59	1.05	4 (7%)
3	POV	D	1302	-	51,51,51	1.42	5 (9%)	57,59,59	0.98	3 (5%)
3	POV	A	1305	-	51,51,51	1.41	5 (9%)	57,59,59	0.93	4 (7%)
3	POV	D	1304	-	51,51,51	1.41	5 (9%)	57,59,59	1.06	5 (8%)
3	POV	B	1304	-	51,51,51	1.42	5 (9%)	57,59,59	1.00	3 (5%)
3	POV	C	1303	-	51,51,51	1.39	5 (9%)	57,59,59	1.12	5 (8%)
4	SPD	A	1308	-	9,9,9	0.32	0	8,8,8	0.48	0
3	POV	B	1302	-	51,51,51	1.41	5 (9%)	57,59,59	1.04	4 (7%)
3	POV	C	1308	-	51,51,51	1.41	5 (9%)	57,59,59	1.05	4 (7%)
3	POV	C	1302	-	51,51,51	1.41	5 (9%)	57,59,59	1.03	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	POV	A	1303	-	-	23/55/55/55	-
2	FWD	B	1301	-	-	0/8/8/8	0/1/1/1
3	POV	D	1301	-	-	31/55/55/55	-
3	POV	B	1303	-	-	24/55/55/55	-
3	POV	C	1305	-	-	34/55/55/55	-
2	FWD	C	1301	-	-	2/8/8/8	0/1/1/1
3	POV	A	1306	-	-	32/55/55/55	-
3	POV	D	1305	-	-	23/55/55/55	-
3	POV	A	1304	-	-	33/55/55/55	-
2	FWD	D	1303	-	-	1/8/8/8	0/1/1/1
2	FWD	A	1301	-	-	2/8/8/8	0/1/1/1
3	POV	A	1307	-	-	24/55/55/55	-
3	POV	C	1304	-	-	32/55/55/55	-
3	POV	A	1302	-	-	29/55/55/55	-
3	POV	C	1306	-	-	24/55/55/55	-
3	POV	C	1307	-	-	32/55/55/55	-
3	POV	D	1302	-	-	22/55/55/55	-
3	POV	A	1305	-	-	26/55/55/55	-
3	POV	D	1304	-	-	26/55/55/55	-
3	POV	B	1304	-	-	23/55/55/55	-
3	POV	C	1303	-	-	26/55/55/55	-
4	SPD	A	1308	-	-	0/7/7/7	-
3	POV	B	1302	-	-	25/55/55/55	-
3	POV	C	1308	-	-	21/55/55/55	-
3	POV	C	1302	-	-	29/55/55/55	-

The worst 5 of 134 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1301	FWD	O4-C4	12.34	1.47	1.23
2	B	1301	FWD	O4-C4	12.33	1.47	1.23
2	C	1301	FWD	O4-C4	12.27	1.46	1.23
2	D	1303	FWD	O4-C4	12.25	1.46	1.23
2	B	1301	FWD	C6-C5	5.60	1.41	1.33

The worst 5 of 111 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1301	FWD	N3-C2-N1	9.19	122.74	114.86
2	A	1301	FWD	N3-C2-N1	9.11	122.67	114.86
2	B	1301	FWD	N3-C2-N1	8.68	122.31	114.86
2	D	1303	FWD	N3-C2-N1	8.59	122.23	114.86
2	C	1301	FWD	O4-C4-C5	-8.26	118.66	125.69

There are no chirality outliers.

5 of 544 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1302	POV	C1-O11-P-O12
3	A	1302	POV	C1-O11-P-O13
3	A	1302	POV	C1-O11-P-O14
3	A	1302	POV	O12-C11-C12-N
3	A	1303	POV	C1-O11-P-O14


There are no ring outliers.




20 monomers are involved in 29 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1303	POV	1	0
2	B	1301	FWD	1	0
3	D	1301	POV	3	0
3	C	1305	POV	5	0
3	A	1306	POV	1	0
3	A	1304	POV	1	0
2	D	1303	FWD	1	0
2	A	1301	FWD	1	0
3	A	1307	POV	1	0
3	C	1304	POV	2	0
3	C	1306	POV	1	0
3	C	1307	POV	2	0
3	D	1302	POV	1	0
3	A	1305	POV	2	0
3	D	1304	POV	1	0
3	B	1304	POV	1	0
3	C	1303	POV	2	0
3	B	1302	POV	1	0
3	C	1308	POV	1	0
3	C	1302	POV	5	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-76086. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 220



Y Index: 220




Z Index: 220


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 220



Y Index: 199




Z Index: 268


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 285 nm³; this corresponds to an approximate mass of 257 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.297 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-76086 and PDB model 11VX. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 4.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8530	0.4820
A	0.8520	0.4800
B	0.8590	0.4870
C	0.8470	0.4760
D	0.8530	0.4850

