



wwPDB EM Validation Summary Report ⓘ

Oct 13, 2025 – 04:51 pm BST

PDB ID : 7ASP / pdb_00007asp
EMDB ID : EMD-11903
Title : Staphylococcus aureus 70S after 50 minutes incubation at 37C
Authors : Camicata, G.; Bashan, A.; Yonath, A.
Deposited on : 2020-10-27
Resolution : 2.86 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev129
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	12017 (2.36 - 3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	Y	2923	
2	X	1552	
3	3	114	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	1	105	
4	A	105	
5	B	43	
6	2	64	
7	4	37	
8	a	80	
9	b	114	
10	c	136	
11	C	274	
12	d	113	
13	D	215	
14	E	206	
15	e	60	
16	f	88	
17	g	83	
18	G	175	
19	H	145	
20	h	80	
21	I	122	
22	i	56	
23	j	78	
24	J	146	
25	k	202	
26	K	137	
27	L	120	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	l	198	
29	m	156	
30	M	119	
31	n	95	
32	N	114	
33	o	130	
34	O	116	
35	p	155	
36	P	102	
37	q	127	
38	Q	112	
39	R	89	
40	S	103	
41	T	94	
42	U	79	
43	V	49	
44	W	67	
45	Z	47	
46	F	158	

2 Entry composition [i](#)

There are 46 unique types of molecules in this entry. The entry contains 128828 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	Y	2723	Total	C	N	O	P	0	0
			58376	26062	10687	18904	2723		

- Molecule 2 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	X	1447	Total	C	N	O	P	0	0
			31009	13847	5680	10037	1445		

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	114	Total	C	N	O	P	0	0
			2430	1086	436	794	114		

- Molecule 4 is a protein called 50S ribosomal protein L33,50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	47	Total	C	N	O	S	0	0
			390	238	78	70	4		
4	1	58	Total	C	N	O		0	0
			449	280	85	84			

- Molecule 5 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	43	Total	C	N	O	S	0	0
			367	225	89	52	1		

- Molecule 6 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	2	64	Total	C	N	O	S	0	0
			521	324	113	82	2		

- Molecule 7 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	4	37	Total	C	N	O	S	0	0
			295	186	60	44	5		

- Molecule 8 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	a	80	Total	C	N	O	S	0	0
			626	394	116	116			

- Molecule 9 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	b	114	Total	C	N	O	S	0	0
			826	507	158	159	2		

- Molecule 10 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	c	136	Total	C	N	O	S	0	0
			976	611	190	173	2		

- Molecule 11 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	C	274	Total	C	N	O	S	0	0
			2094	1303	415	371	5		

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	d	113	Total	C	N	O	S	0	0
			828	510	168	149	1		

- Molecule 13 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	D	215	Total	C	N	O	S	0	0
			1627	1018	299	305	5		

- Molecule 14 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	E	206	Total	C	N	O	S	0	0
			1572	986	288	296	2		

- Molecule 15 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	e	60	Total	C	N	O	S	0	0
			497	314	99	79	5		

- Molecule 16 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	f	88	Total	C	N	O	S	0	0
			713	441	148	123	1		

- Molecule 17 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	g	83	Total	C	N	O	S	0	0
			537	335	105	96	1		

- Molecule 18 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	G	165	Total	C	N	O	S	0	0
			1184	739	226	216	3		

- Molecule 19 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	H	145	Total	C	N	O	S	0	0
			1143	714	208	218	3		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	h	80	Total	C	N	O	0	0
			520	327	97	96		

- Molecule 21 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	I	122	Total	C	N	O	S	0	0
			918	572	174	168	4		

- Molecule 22 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	i	56	Total	C	N	O	S	0	0
			458	292	88	76	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	j	77	Total	C	N	O	S	0	0
			498	300	99	98	1		

- Molecule 24 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	J	146	Total	C	N	O	S	0	0
			1086	674	214	197	1		

- Molecule 25 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	k	202	Total	C	N	O	S	0	0
			1551	979	293	278	1		

- Molecule 26 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	K	137	Total	C	N	O	S	0	0
			1071	689	203	175	4		

- Molecule 27 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	L	120	Total	C	N	O	S	0	0
			932	576	182	173	1		

- Molecule 28 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	l	198	Total	C	N	O		0	0
			1058	634	211	213			

- Molecule 29 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	m	156	Total	C	N	O	S	0	0
			1153	727	211	213	2		

- Molecule 30 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	M	119	Total	C	N	O		0	0
			882	549	174	159			

- Molecule 31 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	n	95	Total	C	N	O	S	0	0
			785	496	138	149	2		

- Molecule 32 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	N	114	Total	C	N	O		0	0
			889	563	175	151			

- Molecule 33 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	o	130	Total	C	N	O	S	0	0
			1007	639	180	184	4		

- Molecule 34 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	O	116	Total	C	N	O	S	0	0
			942	593	189	156	4		

- Molecule 35 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	p	154	Total	C	N	O	S	0	0
			1155	719	219	214	3		

- Molecule 36 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	P	102	Total	C	N	O	S	0	0
			790	503	142	144	1		

- Molecule 37 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	q	127	Total	C	N	O	S	0	0
			975	605	194	175	1		

- Molecule 38 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Q	112	Total	C	N	O	S	0	0
			854	534	164	153	3		

- Molecule 39 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	R	89	Total	C	N	O	S	0	0
			715	453	127	131	4		

- Molecule 40 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	S	103	Total	C	N	O	S	0	0
			770	486	142	141	1		

- Molecule 41 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	T	94	Total	C	N	O	0	0
			722	463	130	129		

- Molecule 42 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	U	79	Total	C	N	O	0	0
			597	369	117	111		

- Molecule 43 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	V	49	Total	C	N	O	0	0
			379	234	82	63		

- Molecule 44 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	W	67	Total	C	N	O	0	0
			541	333	102	106		

- Molecule 45 is a protein called 50S ribosomalprotein L32p.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Z	47	Total	C	N	O	S	0	0
			355	219	76	58	2		


- Molecule 46 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	F	155	Total	C	N	O	0	0
			765	455	155	155		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S rRNA






A1943	A1944	A1945	A1946	C1947	G1948	G1949	U1950	C1951	U1952	U1953	A1954	G1955	G1956	U1957	U1958	A1959	G1960	A1965	U1966	U1967	U1978	A1979	U1982	U1983	C1984	A1987	C1990	G1991	C1992	A1993	C1994	G1995	A1996	A1997	A1998	G1999	G2000	C2001	G2002	U2003	A2004	U2011	G2012	G2013	G2014	C2015	A2016	C2017	U2018	G2019	U2020	A2024																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
C2033	G2037	G2038	G2039	G2040	A2041	A2042	A2043	U2044	U2046	A2047	G2048	U2049	A2050	C2051	C2052	U2053	G2054	A2057	A2058	G2059	A2060	G2063	C2070	C2077	G2080	A2081	G2082	G2083	A2086	A2087	G2088	A2089	C2090	C2091	C2092	G2096	U2103	C2111	U2112	U2113	A2115	C2116	U2117	U2118	U2119	G2120	A2121	A2122	A2123																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
U2124	U2125	C2126	G2127	C2128	C2129	A2130	C2131	A2132	C2133	U2135	G	U	G	U	A	C	A	G	A	U	A	C	A	G	U	C	U	U	U	U	U	U	U	U	U	A	G	C	C	G	A	G	U	C	U	A	C	G	U	G																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
G	A	G	G	C	C	C	U	G	U	G	G	G	A	U	A	C	C	A	C	C	C	U	C	G	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
U2246	G2247	A2252	G2257	U2258	G2265	G2266	G2269	G2277	A2295	G2306	G2309	C2310	U2311	C2312	A2313	A2314	A2315	U2318	U2319	C2320	U2323	C	A2325	G2326	A2327	A2328	U2329	G2330	G2331	U2332	U2333	G2334	G2335	A2336	A2337	A2338	U2339	C2340	U2341	U2342	U2343	C2344	A2345	U2346	A2347	G2348	G2352	U2353																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
A2354	A2355	A2356	A2360	A2361	A2362	A2363	A2367	G2368	C2369	U2370	U2371	C2374	U2375	G2376	C2377	A2381	A2388	G2392	C2395	G2398	G2399	U2400	C2401	A2402	A2403	A2406	A2407	C2408	G2409	G2410	A2411	C2412	U2413	G2416	U2417	G2418	A2419	U2420	U2425	U2430	C2431	U2432	U2433	U2434	G2437	A2438																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
A2439	G2440	U2446	G2447	G2448	C2449	A2452	G2456	A2457	A2460	A2461	A2462	A2466	C2467	C2468	G2471	G2472	G2473	A2474	A2475	A2486	U2487	C2488	U2489	C2490	C2491	C2492	A2496	G2497	A2498	G2499	U2500	U2501	C2502	A2503	A2504	A2505	G2508	A2509	C2510	G2513	U2517	G2518	C2526	U2527	C2528	A2530																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
U2531	G2532	C2533	A2540	U2541	A2545	U2546	G2547	G2548	U2549	G2550	G2551	G2552	G2553	G2554	G2555	G2556	G2557	A2558	G2559	G2560	G2561	G2562	G2563	G2564	G2565	G2566	A2569	G2570	G2571	U2579	G2580	U2581	U2582	G2583	G2584	G2585	U2590	A2591	A2592	A2593	G2594	A2599	C2600	G2602	G2603	A2604	U2607	G2608	U2612																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
C2613	C2618	G2626	A2629	G2630	C2633	U2634	G2635	U2636	C2637	U2640	A2641	U2642	G2645	U2648	U2649	G2650	G2651	U2655	U2656	G2657	G2658	A2660	A2661	U2662	U2663	U2664	G2665	A2666	G2667	G2672	U2674	U2675	U2676	C2677	C2678	U2679	U2680	A2681	G2682	U2683	A2684	G2685	U2686	A	A	G2690	G2691																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
A2692	C2693	C2694	G2695	G2696	G2697	A2698	U2699	G2700	A2701	A2702	U2716	A2717	G2718	C2719	U2728	G2729	A2732	A2733	C2734	G2735	A2740	G2741	U2753	G2759	A2760	C2761	G2762	G2763	G2764	U2765	U2766	A2767	A2768	U2769	U2770	U2771	C2772	U2773	A2774	U2775	A2776	A2777	G2778	U2779	A2780	U2781	C2782	U2783	A2784	U2785	G2786	C2787	A2788																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
A2791	A2792	G2793	C2794	C2795	C2796	U2800	C2801	A2802	G2803	A2804	A2805	U2806	C2807	A2808	U2809	A2810	U2811	U2812	U2813	C2814	C2815	C2816	A2817	A2818	C2819	U2820	U2821	C2822	G2823	A2824	U2825	U2826	A2827	U2828	A2829	A2830	G2831	A2832	U2833	C2834	A2840	A2841	U2844	G2845	U2848	A2854	C2855	G2859	U2860	U2861	A2874	U2875																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
U2878	A2882	G2883	G2884	U2885	G2886	U2887	A2896	C2900	U2901	A2902	U2903	U2904	C2905	G2906	G2910	A2911	C2912	G2913	A2914	G2915	U2916	U2917	U2920	C	A	A	U2926	U2927	U2928	U2929	U2930	U2931	U2932	U2933	U2934	U2935	U2936	U2937	U2938	U2939	U2940	U2941	U2942	U2943	U2944	U2945	U2946	U2947	U2948	U2949	U2950	U2951	U2952	U2953	U2954	U2955	U2956	U2957	U2958	U2959	U2960	U2961	U2962	U2963	U2964	U2965	U2966	U2967	U2968	U2969	U2970	U2971	U2972	U2973	U2974	U2975	U2976	U2977	U2978	U2979	U2980	U2981	U2982	U2983	U2984	U2985	U2986	U2987	U2988	U2989	U2990	U2991	U2992	U2993	U2994	U2995	U2996	U2997	U2998	U2999	U3000	U3001	U3002	U3003	U3004	U3005	U3006	U3007	U3008	U3009	U3010	U3011	U3012	U3013	U3014	U3015	U3016	U3017	U3018	U3019	U3020	U3021	U3022	U3023	U3024	U3025	U3026	U3027	U3028	U3029	U3030	U3031	U3032	U3033	U3034	U3035	U3036	U3037	U3038	U3039	U3040	U3041	U3042	U3043	U3044	U3045	U3046	U3047	U3048	U3049	U3050	U3051	U3052	U3053	U3054	U3055	U3056	U3057	U3058	U3059	U3060	U3061	U3062	U3063	U3064	U3065	U3066	U3067	U3068	U3069	U3070	U3071	U3072	U3073	U3074	U3075	U3076	U3077	U3078	U3079	U3080	U3081	U3082	U3083	U3084	U3085	U3086	U3087	U3088	U3089	U3090	U3091	U3092	U3093	U3094	U3095	U3096	U3097	U3098	U3099	U3100	U3101	U3102	U3103	U3104	U3105	U3106	U3107	U3108	U3109	U3110	U3111	U3112	U3113	U3114	U3115	U3116	U3117	U3118	U3119	U3120	U3121	U3122	U3123	U3124	U3125	U3126	U3127	U3128	U3129	U3130	U3131	U3132	U3133	U3134	U3135	U3136	U3137	U3138	U3139	U3140	U3141	U3142	U3143	U3144	U3145	U3146	U3147	U3148	U3149	U3150	U3151	U3152	U3153	U3154	U3155	U3156	U3157	U3158	U3159	U3160	U3161	U3162	U3163	U3164	U3165	U3166	U3167	U3168	U3169	U3170	U3171	U3172	U3173	U3174	U3175	U3176	U3177	U3178	U3179	U3180	U3181	U3182	U3183	U3184	U3185	U3186	U3187	U3188	U3189	U3190	U3191	U3192	U3193	U3194	U3195	U3196	U3197	U3198	U3199	U3200	U3201	U3202	U3203	U3204	U3205	U3206	U3207	U3208	U3209	U3210	U3211	U3212	U3213	U3214	U3215	U3216	U3217	U3218	U3219	U3220	U3221	U3222	U3223	U3224	U3225	U3226	U3227	U3228	U3229	U3230	U3231	U3232	U3233	U3234	U3235	U3236	U3237	U3238	U3239	U3240	U3241	U3242	U3243	U3244	U3245	U3246	U3247	U3248	U3249	U3250	U3251	U3252	U3253	U3254	U3255	U3256	U3257	U3258	U3259	U3260	U3261	U3262	U3263	U3264	U3265	U3266	U3267	U3268	U3269	U3270	U3271	U3272	U3273	U3274	U3275	U3276	U3277	U3278	U3279	U3280	U3281	U3282	U3283	U3284	U3285	U3286	U3287	U3288	U3289	U3290	U3291	U3292	U3293	U3294	U3295	U3296	U3297	U3298	U3299	U3300	U3301	U3302	U3303	U3304	U3305	U3306	U3307	U3308	U3309	U3310	U3311	U3312	U3313	U3314	U3315	U3316	U3317	U3318	U3319	U3320	U3321	U3322	U3323	U3324	U3325	U3326	U3327	U3328	U3329	U3330	U3331	U3332	U3333	U3334	U3335	U3336	U3337	U3338	U3339	U3340	U3341	U3342	U3343	U3344	U3345	U3346	U3347	U3348	U3349	U3350	U3351	U3352	U3353	U3354	U3355	U3356	U3357	U3358	U3359	U3360	U3361	U3362	U3363	U3364	U3365	U3366	U3367	U3368	U3369	U3370	U3371	U3372	U3373	U3374	U3375	U3376	U3377	U3378	U3379	U3380	U3381	U3382	U3383	U3384	U3385	U3386	U3387	U3388	U3389	U3390	U3391	U3392	U3393	U3394	U3395	U3396	U3397	U3398	U3399	U3400	U3401	U3402	U3403	U3404	U3405	U3406	U3407	U3408	U3409	U3410	U3411	U3412	U3413	U3414	U3415	U3416	U3417	U3418	U3419	U3420	U3421	U3422	U3423	U3424	U3425	U3426	U3427	U3428	U3429	U3430	U3431	U3432	U3433	U3434	U3435	U3436	U3437	U3438	U3439	U3440	U3441	U3442	U3443	U3444	U3445	U3446	U3447	U3448	U3449	U3450	U3451	U3452	U3453	U3454	U3455	U3456	U3457	U3458	U3459	U3460	U3461	U3462	U3463	U3464	U3465	U3466	U3467	U3468	U3469	U3470	U3471	U3472	U3473	U3474	U3475	U3476	U3477	U3478	U3479	U3480	U3481	U3482	U3483	U3484	U3485	U3486	U3487	U3488	U3489	U3490	U3491	U3492	U3493	U3494	U3495	U3496	U3497	U3498	U3499	U3500	U3501	U3502	U3503	U3504	U3505	U3506	U3507	U3508	U3509	U3510	U3511	U3512	U3513	U3514	U3515	U3516	U3517	U3518	U3519	U3520	U3521	U3522	U3523	U3524	U3525	U3526	U3527	U3528	U3529	U3530	U3531	U3532	U3533	U3534	U3535	U3536	U3537	U3538	U3539	U3540	U3541	U3542	U3543	U3544	U3545	U3546	U3547	U3548	U3549	U3550	U3551	U3552	U3553	U3554	U3555	U3556	U3557	U3558	U3559	U3560	U3561	U3562	U3563	U3564	U3565	U3566	U3567	U3568	U3569	U3570	U3571	U3572	U3573	U3574	U3575	U3576	U3577	U3578	U3579	U3580	U3581	U3582	U3583	U3584	U3585	U3586	U3587	U3588	U3589	U3590	U3591	U3592	U3593	U3594	U3595	U3596	U3597	U3598	U3599	U3600	U3601	U3602	U3603	U3604	U3605	U3606	U3607	U3608	U3609	U3610	U3611	U3612	U3613	U3614	U3615	U3616	U3617	U3618	U3619	U3620	U3621	U3622	U3623	U3624	U3625	U3626	U3627	U3628	U3629	U3630	U3631	U3632	U3633	U3634	U3635	U3636	U3637	U3638	U3639	U3640	U3641	U3642


G1031	U971	A910	G847	C787	C727	C567	C507	A547	C486	C425	C305	C242	C122
C1032	C972	A911	U849	A789	C728	A668	U608	G548	U487	U426	A306	C243	U182
C1033	A974	C913	U	A789	A729	G669	G609	U549	U488	C427	A307	G244	U183
U1034	A975	U914	U	C791	U731	A670	A610	U550	A489	U428	A308	C245	U184
U	G976	C915	C	A792	C732	G672	G612	G552	A490	U429	C309	G246	U185
C	C977	C916	C	C793	C733	G673	U613	C553	G492	C430	G310	C247	U
C	A978	A917	G865	G794	C734	G674	G614	C554	A544	C431	G311	U248	U
C	C979	U	C856	A795	C735	G675	A615	A555	G	G432	U312	U249	U
C	C980	U	C857	U796	A736	G676	A616	A556	A495	A433	C313	C250	G
U	G981	U921	C858	U797	A737	A677	A617	C557	A496	A434	A314	A251	A
U	C982	C922	C859	A798	C738	G678	G618	C558	C497	U434	U315	U252	C
U	C983	A923	U860	C800	C739	G679	C619	U559	U498	C435	C316	U253	C
C	A984	A924	U861	U801	C740	U680	C620	U560	A499	G437	G317	A254	C
G	C985	A925	U862	A801	C741	G681	C621	A561	U494	U438	G318	C255	G
G	A986	A926	G863	A802	A742	G682	A622	U562	A495	A439	C319	C256	A
C	G987	G927	C864	C803	C743	A683	C623	C563	C502	A440	C320	U257	U
C	A988	A928	G865	C804	U744	A684	G624	C564	A503	A441	A321	A258	G
A	C989	A929	C866	C805	U745	U685	G625	C565	G504	C442	C322	G259	G
C	U930	U	U867	C806	U746	U686	C626	G566	A505	C443	C323	U260	U
C	U931	U931	G868	G807	C747	C687	U627	A567	A506	C444	C324	U261	U
A1050	A992	A932	C869	G808	U748	C688	C628	A568	A507	U445	G326	G262	C
A1051	A993	A933	U870	U809	C749	A689	A629	U569	G508	G446	C327	U264	A
A1052	C994	C934	G871	A810	G750	U690	A630	U570	C509	U447	C328	A265	A
G1053	C995	C935	G872	A811	U751	G691	C631	A571	C510	U448	A329	A266	A
U1054	A996	G936	U873	G812	C752	U692	C632	U572	A511	U	C330	A267	A
A1055	A997	A937	A874	C813	C753	G693	G633	U573	C512	U451	U331	G267	G
C	U938	U938	U	C814	U754	U694	U634	C574	A452	A452	A332	U269	U
C	A998	A939	C878	A815	U755	A695	G635	G575	G514	C453	C333	G270	A
C	U999	C940	A879	C816	C756	G696	G636	C576	C515	C454	C334	A271	A
C	C1000	C941	U880	C817	A757	C697	A637	C577	U516	C455	C335	C272	A
C	U1001	U	U881	C818	C758	G698	G638	C578	A517	A	C336	C273	A
C	C1002	G942	U882	C819	U759	G699	G639	U579	A518	A457	A337	G274	A
G1058	G1059	C943	A883	G820	C760	U700	C640	A580	C519	C458	C338	C275	A
U1061	A1004	A945	G884	U821	A761	G701	U641	A581	U520	A459	C339	U276	A
C1062	C1005	C946	C885	U822	C762	A702	C642	A582	A521	A460	C400	U277	A
C	U1063	A1006	A886	A823	G763	A703	A643	G583	C522	C461	U341	U278	A
U1064	U1007	A948	C887	A824	C764	A704	U644	C584	G525	A462	C342	A281	C
C1065	C1008	G949	U888	C825	U765	U705	U645	G585	U	U463	C343	A282	U
C	C1066	C950	C889	G826	G766	G706	G646	C586	C526	A464	A404	A283	U
U1067	C1009	C951	C900	A827	A767	C707	G647	C587	C527	U465	A405	G284	U
C1068	U1010	G952	G891	U828	U768	G708	A648	C588	A528	C466	C346	C285	U
U1069	U1011	G953	C892	U829	C769	C709	A649	G589	G529	U467	C407	G286	U
C	U1070	C954	C893	A830	U770	U710	A650	U590	C530	C468	U348	A287	G
U1071	G1013	A956	U894	G831	C771	G711	C651	A591	A531	U	C349	A288	U
C1072	C1013	G955	G895	U832	C772	G712	U652	C592	C532	A	C350	C289	C
G1073	A1014	G957	G896	G833	C773	G713	G653	G593	C533	A	C411	G290	A
U1074	C958	C958	G897	C834	A774	A714	G654	C594	C534	G	C412	A291	C
C1075	U1015	A959	U898	U835	A775	U715	A655	G595	G535	U	U413	U291	U
G1076	A1016	U960	G899	U836	A776	U716	A656	G596	C536	A	C414	C292	A
U1017	C1017	G960	A890	A836	C777	U717	U657	U597	G537	A	A415	C293	A
C1078	C1018	U961	U891	U837	C778	G718	G658	U598	C538	C	C416	G294	U
A1079	U1019	G962	G901	G838	C779	G719	C659	U599	U539	U	U417	U295	U
C1080	G1081	G963	U902	U839	C780	G720	U660	U600	A540	G	C418	A296	U
U1081	C1020	U964	C903	G840	U781	A720	U661	U601	A541	U	A419	G297	U
G1082	U1021	G965	G904	U841	G782	G721	G662	U602	U542	G	U420	C298	U
C1083	A1022	U966	A905	U842	C783	G722	A663	A603	U543	C481	C421	G299	U
U1084	G1085	C907	C906	A843	C784	A723	G664	A604	C544	A482	A422	C300	A
C1086	U1024	A968	G908	G844	C785	A724	U665	G605	G545	C483	A423	A301	U
U1087	G1025	U969	G909	G845	C786	C725	U666	U606	U546	U484	C424	A364	U
C1088	U1026	C909	U970	C846	U786	A726	G666	U606	U546	A485	U	A364	U
U1089	U1027	G1029	U1030	C846	U786	A726	G666	U606	U546	A485	U	A364	U
U1090	A1028	G1029	U1030	C846	U786	A726	G666	U606	U546	A485	U	A364	U
U1091	C1029	U1030	U1031	C846	U786	A726	G666	U606	U546	A485	U	A364	U

Chain 1:  37% 14% 45%




- Molecule 5: 50S ribosomal protein L34

Chain B:  72% 21% 7%





- Molecule 6: 50S ribosomal protein L35

Chain 2:  55% 36% 9%





- Molecule 7: 50S ribosomal protein L36

Chain 4:  41% 51% 8%




- Molecule 8: 30S ribosomal protein S10


Chain a:  36% 31% 45% 19% 5%




- Molecule 9: 30S ribosomal protein S11

Chain b:  31% 44% 41% 15%







• Molecule 10: 30S ribosomal protein S12



• Molecule 11: 50S ribosomal protein L2



• Molecule 12: 30S ribosomal protein S13




• Molecule 13: 50S ribosomal protein L3






• Molecule 14: 50S ribosomal protein L4



• Molecule 15: 30S ribosomal protein S14 type Z




• Molecule 16: 30S ribosomal protein S15




• Molecule 17: 30S ribosomal protein S16





• Molecule 18: 50S ribosomal protein L6







• Molecule 19: 50S ribosomal protein L13




• Molecule 20: 30S ribosomal protein S17



• Molecule 21: 50S ribosomal protein L14



• Molecule 22: 30S ribosomal protein S18




• Molecule 23: 30S ribosomal protein S20







- Molecule 24: 50S ribosomal protein L15




- Molecule 25: 30S ribosomal protein S3



- Molecule 26: 50S ribosomal protein L16





- Molecule 27: 50S ribosomal protein L17







• Molecule 28: 30S ribosomal protein S4




• Molecule 29: 30S ribosomal protein S5




• Molecule 30: 50S ribosomal protein L18




• Molecule 31: 30S ribosomal protein S6




- Molecule 32: 50S ribosomal protein L19




- Molecule 33: 30S ribosomal protein S8



- Molecule 34: 50S ribosomal protein L20




- Molecule 35: 30S ribosomal protein S7




- Molecule 36: 50S ribosomal protein L21

Chain P: 




- Molecule 37: 30S ribosomal protein S9

Chain q: 




- Molecule 38: 50S ribosomal protein L22

Chain Q: 




- Molecule 39: 50S ribosomal protein L23

Chain R: 




- Molecule 40: 50S ribosomal protein L24

Chain S: 



- Molecule 41: 50S ribosomal protein L25

Chain T:  57% 34% 9%




- Molecule 42: 50S ribosomal protein L27

Chain U:  70% 25% . .



- Molecule 43: 50S ribosomal protein L28

Chain V:  63% 31% . .




- Molecule 44: 50S ribosomal protein L29

Chain W:  55% 30% 15%



- Molecule 45: 50S ribosomal protein L32p

Chain Z:  62% 28% 11%



- Molecule 46: 50S ribosomal protein L5

Chain F:  78% 18% . .



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	192105	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.076	Depositor
Minimum map value	-0.028	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0045	Depositor
Map size ($\text{\AA}$)	408.0, 408.0, 408.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.85, 0.85, 0.85	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	Y	0.36	0/65368	0.59	10/101922 (0.0%)
2	X	0.37	0/34716	0.66	25/54120 (0.0%)
3	3	0.37	0/2717	0.64	3/4232 (0.1%)
4	1	1.01	0/451	1.13	0/606
4	A	0.97	0/395	1.04	0/530
5	B	0.93	0/371	1.13	0/484
6	2	0.96	0/526	1.08	0/690
7	4	1.03	0/298	1.01	0/392
8	a	1.04	0/637	1.13	0/865
9	b	1.03	0/840	1.09	0/1137
10	c	1.05	0/991	1.07	0/1337
11	C	1.01	0/2129	1.08	1/2858 (0.0%)
12	d	1.01	0/835	1.14	0/1123
13	D	1.02	0/1651	1.05	0/2215
14	E	1.00	0/1595	1.10	1/2154 (0.0%)
15	e	0.96	0/507	1.08	0/674
16	f	0.98	0/721	1.18	0/964
17	g	1.06	0/541	1.12	0/733
18	G	1.04	0/1199	1.11	0/1621
19	H	0.98	0/1165	1.06	0/1570
20	h	1.12	0/527	1.03	0/721
21	I	1.02	0/925	1.07	0/1242
22	i	0.98	0/465	1.11	0/620
23	j	1.09	0/496	1.33	1/669 (0.1%)
24	J	1.00	0/1100	1.09	0/1467
25	k	1.01	0/1573	1.14	3/2121 (0.1%)
26	K	1.00	0/1095	1.06	0/1472
27	L	0.99	0/936	1.17	1/1253 (0.1%)
28	l	1.20	0/1062	1.27	0/1465
29	m	1.03	0/1167	1.13	1/1576 (0.1%)
30	M	1.02	0/891	1.11	0/1194
31	n	0.97	0/796	1.05	1/1069 (0.1%)
32	N	1.01	0/901	1.03	0/1209
33	o	1.02	0/1019	1.06	0/1371

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
34	O	0.93	0/954	1.14	0/1264
35	p	1.01	0/1170	1.22	1/1580 (0.1%)
36	P	1.02	0/800	0.98	0/1070
37	q	1.00	0/990	1.11	0/1332
38	Q	1.01	0/862	1.09	0/1161
39	R	0.98	0/723	1.06	0/966
40	S	1.04	0/779	1.07	1/1043 (0.1%)
41	T	1.03	0/730	1.05	0/981
42	U	1.01	0/603	1.02	0/802
43	V	1.00	0/384	1.02	0/515
44	W	0.97	0/542	1.24	1/722 (0.1%)
45	Z	0.97	0/361	1.10	0/482
46	F	1.27	0/763	1.50	4/1059 (0.4%)
All	All	0.61	0/140267	0.77	54/210653 (0.0%)

There are no bond length outliers.

The worst 5 of 54 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Y	1897	U	C2'-C3'-O3'	9.09	123.13	109.50
2	X	99	U	C4'-C3'-O3'	8.88	122.72	109.40
2	X	353	C	C4'-C3'-O3'	8.64	122.37	109.40
1	Y	2591	A	C2'-C3'-O3'	8.34	126.20	113.70
3	3	26	C	C2'-C3'-O3'	8.34	126.20	113.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Y	58376	0	29353	1341	0
2	X	31009	0	15621	1720	0
3	3	2430	0	1229	92	0
4	1	449	0	491	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	390	0	394	35	0
5	B	367	0	415	13	0
6	2	521	0	586	25	0
7	4	295	0	340	40	0
8	a	626	0	628	141	0
9	b	826	0	817	104	0
10	c	976	0	966	102	0
11	C	2094	0	2205	129	0
12	d	828	0	809	68	0
13	D	1627	0	1667	48	0
14	E	1572	0	1619	66	0
15	e	497	0	512	63	0
16	f	713	0	733	61	0
17	g	537	0	462	66	0
18	G	1184	0	1149	113	0
19	H	1143	0	1134	38	0
20	h	520	0	415	36	0
21	I	918	0	981	38	0
22	i	458	0	496	66	0
23	j	498	0	445	69	0
24	J	1086	0	1125	49	0
25	k	1551	0	1570	178	0
26	K	1071	0	1123	37	0
27	L	932	0	983	19	0
28	l	1058	0	568	34	0
29	m	1153	0	1210	189	0
30	M	882	0	900	62	0
31	n	785	0	781	79	0
32	N	889	0	937	33	0
33	o	1007	0	1050	174	0
34	O	942	0	1014	37	0
35	p	1155	0	1139	71	0
36	P	790	0	830	36	0
37	q	975	0	970	84	0
38	Q	854	0	914	42	0
39	R	715	0	748	21	0
40	S	770	0	809	58	0
41	T	722	0	766	32	0
42	U	597	0	604	23	0
43	V	379	0	400	14	0
44	W	541	0	563	41	0
45	Z	355	0	356	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
46	F	765	0	339	69	0
All	All	128828	0	83166	5018	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 5018 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
33:o:42:SER:HB2	33:o:103:ILE:CD1	1.22	1.58
1:Y:1987:A:H1'	2:X:1429:A:N6	1.33	1.39
2:X:599:U:H5'	33:o:56:LYS:CD	1.54	1.34
8:a:24:LYS:HG2	25:k:59:ALA:CB	1.59	1.33
2:X:682:G:H5''	9:b:115:PRO:CG	1.58	1.32

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	1	56/105 (53%)	51 (91%)	5 (9%)	0	100	100
4	A	45/105 (43%)	41 (91%)	3 (7%)	1 (2%)	5	12
5	B	41/43 (95%)	38 (93%)	3 (7%)	0	100	100
6	2	62/64 (97%)	48 (77%)	13 (21%)	1 (2%)	8	18
7	4	35/37 (95%)	32 (91%)	2 (6%)	1 (3%)	3	8
8	a	78/80 (98%)	51 (65%)	22 (28%)	5 (6%)	1	1
9	b	112/114 (98%)	85 (76%)	22 (20%)	5 (4%)	2	3
10	c	134/136 (98%)	101 (75%)	26 (19%)	7 (5%)	1	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	C	272/274 (99%)	230 (85%)	38 (14%)	4 (2%)	8	19
12	d	111/113 (98%)	88 (79%)	20 (18%)	3 (3%)	4	10
13	D	213/215 (99%)	179 (84%)	27 (13%)	7 (3%)	3	7
14	E	204/206 (99%)	181 (89%)	21 (10%)	2 (1%)	13	26
15	e	58/60 (97%)	44 (76%)	9 (16%)	5 (9%)	0	1
16	f	86/88 (98%)	73 (85%)	12 (14%)	1 (1%)	11	23
17	g	81/83 (98%)	54 (67%)	22 (27%)	5 (6%)	1	2
18	G	161/175 (92%)	126 (78%)	31 (19%)	4 (2%)	4	10
19	H	143/145 (99%)	125 (87%)	15 (10%)	3 (2%)	5	13
20	h	78/80 (98%)	60 (77%)	17 (22%)	1 (1%)	10	22
21	I	120/122 (98%)	105 (88%)	14 (12%)	1 (1%)	16	32
22	i	54/56 (96%)	42 (78%)	10 (18%)	2 (4%)	2	5
23	j	73/78 (94%)	56 (77%)	15 (20%)	2 (3%)	4	10
24	J	144/146 (99%)	123 (85%)	18 (12%)	3 (2%)	5	13
25	k	200/202 (99%)	159 (80%)	35 (18%)	6 (3%)	3	8
26	K	135/137 (98%)	119 (88%)	13 (10%)	3 (2%)	5	12
27	L	118/120 (98%)	108 (92%)	9 (8%)	1 (1%)	16	32
28	l	196/198 (99%)	154 (79%)	33 (17%)	9 (5%)	2	3
29	m	154/156 (99%)	116 (75%)	32 (21%)	6 (4%)	2	5
30	M	117/119 (98%)	98 (84%)	15 (13%)	4 (3%)	3	6
31	n	93/95 (98%)	72 (77%)	19 (20%)	2 (2%)	5	12
32	N	112/114 (98%)	100 (89%)	10 (9%)	2 (2%)	7	16
33	o	128/130 (98%)	88 (69%)	35 (27%)	5 (4%)	2	5
34	O	114/116 (98%)	108 (95%)	3 (3%)	3 (3%)	4	10
35	p	150/155 (97%)	127 (85%)	20 (13%)	3 (2%)	6	14
36	P	100/102 (98%)	84 (84%)	14 (14%)	2 (2%)	6	14
37	q	125/127 (98%)	98 (78%)	23 (18%)	4 (3%)	3	7
38	Q	110/112 (98%)	96 (87%)	13 (12%)	1 (1%)	14	29
39	R	87/89 (98%)	77 (88%)	8 (9%)	2 (2%)	5	11
40	S	101/103 (98%)	83 (82%)	14 (14%)	4 (4%)	2	4
41	T	92/94 (98%)	82 (89%)	8 (9%)	2 (2%)	5	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	U	77/79 (98%)	69 (90%)	6 (8%)	2 (3%)	4	10
43	V	47/49 (96%)	39 (83%)	6 (13%)	2 (4%)	2	4
44	W	65/67 (97%)	58 (89%)	6 (9%)	1 (2%)	8	19
45	Z	45/47 (96%)	38 (84%)	5 (11%)	2 (4%)	2	4
46	F	151/158 (96%)	110 (73%)	32 (21%)	9 (6%)	1	2
All	All	4878/5094 (96%)	4016 (82%)	724 (15%)	138 (3%)	6	9

5 of 138 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	a	63	GLU
10	c	57	LYS
12	d	95	LEU
13	D	71	LYS
17	g	66	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	1	52/97 (54%)	44 (85%)	8 (15%)	2	3
4	A	44/97 (45%)	27 (61%)	17 (39%)	0	0
5	B	39/39 (100%)	32 (82%)	7 (18%)	1	2
6	2	55/55 (100%)	42 (76%)	13 (24%)	0	0
7	4	35/35 (100%)	29 (83%)	6 (17%)	1	2
8	a	67/73 (92%)	42 (63%)	25 (37%)	0	0
9	b	85/90 (94%)	67 (79%)	18 (21%)	1	0
10	c	95/118 (80%)	72 (76%)	23 (24%)	0	0
11	C	221/221 (100%)	189 (86%)	32 (14%)	2	4
12	d	75/97 (77%)	53 (71%)	22 (29%)	0	0
13	D	173/173 (100%)	130 (75%)	43 (25%)	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	E	168/168 (100%)	136 (81%)	32 (19%)	1	1
15	e	51/52 (98%)	33 (65%)	18 (35%)	0	0
16	f	74/80 (92%)	61 (82%)	13 (18%)	1	2
17	g	36/70 (51%)	19 (53%)	17 (47%)	0	0
18	G	115/153 (75%)	78 (68%)	37 (32%)	0	0
19	H	122/123 (99%)	108 (88%)	14 (12%)	4	8
20	h	35/75 (47%)	24 (69%)	11 (31%)	0	0
21	I	100/100 (100%)	82 (82%)	18 (18%)	1	2
22	i	49/50 (98%)	32 (65%)	17 (35%)	0	0
23	j	37/65 (57%)	19 (51%)	18 (49%)	0	0
24	J	109/112 (97%)	84 (77%)	25 (23%)	0	0
25	k	151/164 (92%)	114 (76%)	37 (24%)	0	0
26	K	108/114 (95%)	91 (84%)	17 (16%)	2	3
27	L	96/101 (95%)	77 (80%)	19 (20%)	1	1
28	l	23/174 (13%)	17 (74%)	6 (26%)	0	0
29	m	120/122 (98%)	73 (61%)	47 (39%)	0	0
30	M	83/95 (87%)	56 (68%)	27 (32%)	0	0
31	n	82/83 (99%)	63 (77%)	19 (23%)	0	0
32	N	93/100 (93%)	73 (78%)	20 (22%)	1	0
33	o	107/111 (96%)	74 (69%)	33 (31%)	0	0
34	O	96/96 (100%)	81 (84%)	15 (16%)	2	3
35	p	114/131 (87%)	83 (73%)	31 (27%)	0	0
36	P	84/86 (98%)	62 (74%)	22 (26%)	0	0
37	q	96/105 (91%)	65 (68%)	31 (32%)	0	0
38	Q	89/91 (98%)	74 (83%)	15 (17%)	1	2
39	R	78/80 (98%)	58 (74%)	20 (26%)	0	0
40	S	81/88 (92%)	59 (73%)	22 (27%)	0	0
41	T	78/82 (95%)	63 (81%)	15 (19%)	1	1
42	U	59/62 (95%)	44 (75%)	15 (25%)	0	0
43	V	39/41 (95%)	32 (82%)	7 (18%)	1	2
44	W	58/60 (97%)	42 (72%)	16 (28%)	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	Z	35/43 (81%)	29 (83%)	6 (17%)	1	2
All	All	3607/4172 (86%)	2733 (76%)	874 (24%)	2	0

5 of 874 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
26	K	13	HIS
30	M	90	LYS
40	S	67	ASN
26	K	113	VAL
25	k	203	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 70 such sidechains are listed below:

Mol	Chain	Res	Type
36	P	28	ASN
37	q	16	ASN
41	T	13	GLN
14	E	46	GLN
14	E	40	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	Y	2709/2923 (92%)	1007 (37%)	48 (1%)
2	X	1436/1552 (92%)	1030 (71%)	56 (3%)
3	3	113/114 (99%)	47 (41%)	2 (1%)
All	All	4258/4589 (92%)	2084 (48%)	106 (2%)

5 of 2084 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	Y	10	A
1	Y	11	U
1	Y	12	U
1	Y	14	A
1	Y	34	U

5 of 106 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	X	334	G
2	X	730	G
2	X	1431	U
2	X	384	G
2	X	589	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11903. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 294



Y Index: 206




Z Index: 213


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0045. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2394 nm^3 ; this corresponds to an approximate mass of 2163 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.350 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11903 and PDB model 7ASP. Per-residue inclusion information can be found in section [3](#) on page [12](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0045 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0045).

9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0045) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9420	 0.3760
1	 0.9820	 0.5540
2	 0.9760	 0.5590
3	 0.9980	 0.4340
4	 0.9340	 0.5020
A	 0.8800	 0.4910
B	 0.9830	 0.5810
C	 0.9670	 0.5420
D	 0.9770	 0.5480
E	 0.9810	 0.5310
F	 0.9910	 0.3300
G	 0.9660	 0.2980
H	 0.9810	 0.5560
I	 0.9740	 0.5610
J	 0.9880	 0.5380
K	 0.9800	 0.5410
L	 0.9810	 0.5530
M	 0.9920	 0.4440
N	 0.9620	 0.5490
O	 0.9860	 0.5680
P	 0.9880	 0.5600
Q	 0.9710	 0.5490
R	 0.9830	 0.5250
S	 0.9800	 0.4750
T	 0.9450	 0.4880
U	 0.9670	 0.5580
V	 0.9780	 0.5240
W	 0.9890	 0.4400
X	 0.9560	 0.1800
Y	 0.9810	 0.4900
Z	 0.9850	 0.5060
a	 0.6290	 0.0890
b	 0.6160	 0.0970
c	 0.5690	 0.1800
d	 0.5130	 0.0780



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.4830	 0.0600
f	 0.9010	 0.1860
g	 0.8350	 0.0730
h	 0.9060	 0.1110
i	 0.8730	 0.1350
j	 0.9780	 0.1810
k	 0.4020	 0.0840
l	 0.7630	 0.0860
m	 0.7940	 0.0820
n	 0.4670	 0.0870
o	 0.8880	 0.1140
p	 0.7240	 0.0840
q	 0.7210	 0.1080