



Full wwPDB EM Validation Report ⓘ

Jan 21, 2025 – 03:14 PM EST

PDB ID : 9AXK
EMDB ID : EMD-43968
Title : HIV 16055.v8.3 SOSIP Env in Complex with Base and N611 Epitope pAbs from Rabbit 2463
Authors : Brown, S.; Antansijevic, A.; Ward, A.B.
Deposited on : 2024-03-06
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	514	<div> <div>5%</div> <div>81%</div> <div>5%</div> <div>14%</div> </div>
1	I	514	<div> <div>82%</div> <div>5%</div> <div>13%</div> </div>
1	M	514	<div> <div>82%</div> <div>5%</div> <div>13%</div> </div>
2	F	109	<div> <div>98%</div> <div>.</div> </div>
3	H	124	<div> <div>100%</div> </div>
4	A	104	<div> <div>26%</div> <div>100%</div> </div>
5	B	112	<div> <div>11%</div> <div>96%</div> <div>.</div> </div>
6	C	155	<div> <div>6%</div> <div>79%</div> <div>.</div> <div>19%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	J	155	
6	N	155	
7	E	2	
7	G	2	
7	O	2	
7	P	2	
7	Q	2	
7	R	2	
7	T	2	
7	U	2	
7	V	2	
7	X	2	
7	Y	2	
7	Z	2	
7	a	2	
7	b	2	
8	K	5	
8	S	5	
8	W	5	
9	L	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	NAG	J	702	-	-	X	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 17039 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Surface protein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	M	447	Total	C	N	O	S	0	0
			3561	2247	625	662	27		
1	D	443	Total	C	N	O	S	0	0
			3540	2234	621	658	27		
1	I	447	Total	C	N	O	S	0	0
			3567	2250	625	665	27		

There are 153 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	-4	MET	-	initiating methionine	UNP A1EAI1
M	-3	ASP	-	expression tag	UNP A1EAI1
M	-2	ALA	-	expression tag	UNP A1EAI1
M	-1	MET	-	expression tag	UNP A1EAI1
M	0	LYS	-	expression tag	UNP A1EAI1
M	1	ARG	-	expression tag	UNP A1EAI1
M	2	GLY	-	expression tag	UNP A1EAI1
M	3	LEU	-	expression tag	UNP A1EAI1
M	4	CYS	-	expression tag	UNP A1EAI1
M	5	CYS	-	expression tag	UNP A1EAI1
M	6	VAL	-	expression tag	UNP A1EAI1
M	7	LEU	-	expression tag	UNP A1EAI1
M	8	LEU	-	expression tag	UNP A1EAI1
M	9	LEU	-	expression tag	UNP A1EAI1
M	10	CYS	-	expression tag	UNP A1EAI1
M	11	GLY	-	expression tag	UNP A1EAI1
M	12	ALA	-	expression tag	UNP A1EAI1
M	13	VAL	-	expression tag	UNP A1EAI1
M	14	PHE	-	expression tag	UNP A1EAI1
M	15	VAL	-	expression tag	UNP A1EAI1
M	16	SER	-	expression tag	UNP A1EAI1
M	17	PRO	-	expression tag	UNP A1EAI1
M	18	SER	-	expression tag	UNP A1EAI1
M	19	GLN	-	expression tag	UNP A1EAI1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	20	GLU	-	expression tag	UNP A1EAI1
M	21	ILE	-	expression tag	UNP A1EAI1
M	22	HIS	-	expression tag	UNP A1EAI1
M	23	ALA	-	expression tag	UNP A1EAI1
M	24	ARG	-	expression tag	UNP A1EAI1
M	25	PHE	-	expression tag	UNP A1EAI1
M	26	ARG	-	expression tag	UNP A1EAI1
M	27	ARG	-	expression tag	UNP A1EAI1
M	28	GLY	-	expression tag	UNP A1EAI1
M	29	ALA	-	expression tag	UNP A1EAI1
M	30	ARG	-	expression tag	UNP A1EAI1
M	47	ASP	GLU	conflict	UNP A1EAI1
M	49	GLU	LYS	conflict	UNP A1EAI1
M	65	LYS	VAL	conflict	UNP A1EAI1
M	66	ARG	HIS	conflict	UNP A1EAI1
M	73	CYS	ALA	conflict	UNP A1EAI1
M	165	LEU	ILE	conflict	UNP A1EAI1
M	308	VAL	ARG	conflict	UNP A1EAI1
M	318	TRP	THR	conflict	UNP A1EAI1
M	321	TYR	ALA	conflict	UNP A1EAI1
M	364	GLN	SER	conflict	UNP A1EAI1
M	430	ARG	GLU	conflict	UNP A1EAI1
M	433	GLN	ARG	conflict	UNP A1EAI1
M	501	ARG	ALA	conflict	UNP A1EAI1
M	502	CYS	ALA	conflict	UNP A1EAI1
M	510	ARG	GLU	conflict	UNP A1EAI1
M	511	ARG	LYS	conflict	UNP A1EAI1
D	-4	MET	-	initiating methionine	UNP A1EAI1
D	-3	ASP	-	expression tag	UNP A1EAI1
D	-2	ALA	-	expression tag	UNP A1EAI1
D	-1	MET	-	expression tag	UNP A1EAI1
D	0	LYS	-	expression tag	UNP A1EAI1
D	1	ARG	-	expression tag	UNP A1EAI1
D	2	GLY	-	expression tag	UNP A1EAI1
D	3	LEU	-	expression tag	UNP A1EAI1
D	4	CYS	-	expression tag	UNP A1EAI1
D	5	CYS	-	expression tag	UNP A1EAI1
D	6	VAL	-	expression tag	UNP A1EAI1
D	7	LEU	-	expression tag	UNP A1EAI1
D	8	LEU	-	expression tag	UNP A1EAI1
D	9	LEU	-	expression tag	UNP A1EAI1
D	10	CYS	-	expression tag	UNP A1EAI1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	11	GLY	-	expression tag	UNP A1EAI1
D	12	ALA	-	expression tag	UNP A1EAI1
D	13	VAL	-	expression tag	UNP A1EAI1
D	14	PHE	-	expression tag	UNP A1EAI1
D	15	VAL	-	expression tag	UNP A1EAI1
D	16	SER	-	expression tag	UNP A1EAI1
D	17	PRO	-	expression tag	UNP A1EAI1
D	18	SER	-	expression tag	UNP A1EAI1
D	19	GLN	-	expression tag	UNP A1EAI1
D	20	GLU	-	expression tag	UNP A1EAI1
D	21	ILE	-	expression tag	UNP A1EAI1
D	22	HIS	-	expression tag	UNP A1EAI1
D	23	ALA	-	expression tag	UNP A1EAI1
D	24	ARG	-	expression tag	UNP A1EAI1
D	25	PHE	-	expression tag	UNP A1EAI1
D	26	ARG	-	expression tag	UNP A1EAI1
D	27	ARG	-	expression tag	UNP A1EAI1
D	28	GLY	-	expression tag	UNP A1EAI1
D	29	ALA	-	expression tag	UNP A1EAI1
D	30	ARG	-	expression tag	UNP A1EAI1
D	47	ASP	GLU	conflict	UNP A1EAI1
D	49	GLU	LYS	conflict	UNP A1EAI1
D	65	LYS	VAL	conflict	UNP A1EAI1
D	66	ARG	HIS	conflict	UNP A1EAI1
D	73	CYS	ALA	conflict	UNP A1EAI1
D	165	LEU	ILE	conflict	UNP A1EAI1
D	308	VAL	ARG	conflict	UNP A1EAI1
D	318	TRP	THR	conflict	UNP A1EAI1
D	321	TYR	ALA	conflict	UNP A1EAI1
D	364	GLN	SER	conflict	UNP A1EAI1
D	430	ARG	GLU	conflict	UNP A1EAI1
D	433	GLN	ARG	conflict	UNP A1EAI1
D	501	ARG	ALA	conflict	UNP A1EAI1
D	502	CYS	ALA	conflict	UNP A1EAI1
D	510	ARG	GLU	conflict	UNP A1EAI1
D	511	ARG	LYS	conflict	UNP A1EAI1
I	-4	MET	-	initiating methionine	UNP A1EAI1
I	-3	ASP	-	expression tag	UNP A1EAI1
I	-2	ALA	-	expression tag	UNP A1EAI1
I	-1	MET	-	expression tag	UNP A1EAI1
I	0	LYS	-	expression tag	UNP A1EAI1
I	1	ARG	-	expression tag	UNP A1EAI1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	2	GLY	-	expression tag	UNP A1EAI1
I	3	LEU	-	expression tag	UNP A1EAI1
I	4	CYS	-	expression tag	UNP A1EAI1
I	5	CYS	-	expression tag	UNP A1EAI1
I	6	VAL	-	expression tag	UNP A1EAI1
I	7	LEU	-	expression tag	UNP A1EAI1
I	8	LEU	-	expression tag	UNP A1EAI1
I	9	LEU	-	expression tag	UNP A1EAI1
I	10	CYS	-	expression tag	UNP A1EAI1
I	11	GLY	-	expression tag	UNP A1EAI1
I	12	ALA	-	expression tag	UNP A1EAI1
I	13	VAL	-	expression tag	UNP A1EAI1
I	14	PHE	-	expression tag	UNP A1EAI1
I	15	VAL	-	expression tag	UNP A1EAI1
I	16	SER	-	expression tag	UNP A1EAI1
I	17	PRO	-	expression tag	UNP A1EAI1
I	18	SER	-	expression tag	UNP A1EAI1
I	19	GLN	-	expression tag	UNP A1EAI1
I	20	GLU	-	expression tag	UNP A1EAI1
I	21	ILE	-	expression tag	UNP A1EAI1
I	22	HIS	-	expression tag	UNP A1EAI1
I	23	ALA	-	expression tag	UNP A1EAI1
I	24	ARG	-	expression tag	UNP A1EAI1
I	25	PHE	-	expression tag	UNP A1EAI1
I	26	ARG	-	expression tag	UNP A1EAI1
I	27	ARG	-	expression tag	UNP A1EAI1
I	28	GLY	-	expression tag	UNP A1EAI1
I	29	ALA	-	expression tag	UNP A1EAI1
I	30	ARG	-	expression tag	UNP A1EAI1
I	47	ASP	GLU	conflict	UNP A1EAI1
I	49	GLU	LYS	conflict	UNP A1EAI1
I	65	LYS	VAL	conflict	UNP A1EAI1
I	66	ARG	HIS	conflict	UNP A1EAI1
I	73	CYS	ALA	conflict	UNP A1EAI1
I	165	LEU	ILE	conflict	UNP A1EAI1
I	308	VAL	ARG	conflict	UNP A1EAI1
I	318	TRP	THR	conflict	UNP A1EAI1
I	321	TYR	ALA	conflict	UNP A1EAI1
I	364	GLN	SER	conflict	UNP A1EAI1
I	430	ARG	GLU	conflict	UNP A1EAI1
I	433	GLN	ARG	conflict	UNP A1EAI1
I	501	ARG	ALA	conflict	UNP A1EAI1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	502	CYS	ALA	conflict	UNP A1EAI1
I	510	ARG	GLU	conflict	UNP A1EAI1
I	511	ARG	LYS	conflict	UNP A1EAI1

- Molecule 2 is a protein called Rabbit Base Epitope Polyclonal Antibody - Predicted Light Chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	F	109	Total	C	N	O	0	0
			545	327	109	109		

- Molecule 3 is a protein called Rabbit Base Epitope Polyclonal Antibody - Predicted Heavy Chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	H	124	Total	C	N	O	0	0
			620	372	124	124		

- Molecule 4 is a protein called Rabbit N611 Epitope Polyclonal Antibody - Predicted Light Chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	A	104	Total	C	N	O	0	0
			520	312	104	104		

- Molecule 5 is a protein called Rabbit N611 Epitope Polyclonal Antibody - Predicted Heavy Chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	B	112	Total	C	N	O	0	0
			560	336	112	112		

- Molecule 6 is a protein called Transmembrane protein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	N	127	Total	C	N	O	S	0	0
			1020	639	180	194	7		
6	C	126	Total	C	N	O	S	0	0
			1015	636	179	193	7		
6	J	131	Total	C	N	O	S	0	0
			1043	657	183	197	6		

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	511	ARG	LYS	conflict	UNP A0A0B5KUY7
N	520	SER	ILE	conflict	UNP A0A0B5KUY7
N	560	PRO	ILE	conflict	UNP A0A0B5KUY7
N	562	CYS	ALA	conflict	UNP A0A0B5KUY7
N	569	ASP	LEU	conflict	UNP A0A0B5KUY7
N	570	GLY	THR	conflict	UNP A0A0B5KUY7
N	571	HIS	VAL	conflict	UNP A0A0B5KUY7
N	586	HIS	ARG	conflict	UNP A0A0B5KUY7
N	606	CYS	THR	conflict	UNP A0A0B5KUY7
C	511	ARG	LYS	conflict	UNP A0A0B5KUY7
C	520	SER	ILE	conflict	UNP A0A0B5KUY7
C	561	PRO	ILE	conflict	UNP A0A0B5KUY7
C	563	CYS	ALA	conflict	UNP A0A0B5KUY7
C	570	ASP	LEU	conflict	UNP A0A0B5KUY7
C	571	GLY	THR	conflict	UNP A0A0B5KUY7
C	572	HIS	VAL	conflict	UNP A0A0B5KUY7
C	587	HIS	ARG	conflict	UNP A0A0B5KUY7
C	607	CYS	THR	conflict	UNP A0A0B5KUY7
J	511	ARG	LYS	conflict	UNP A0A0B5KUY7
J	520	SER	ILE	conflict	UNP A0A0B5KUY7
J	560	PRO	ILE	conflict	UNP A0A0B5KUY7
J	562	CYS	ALA	conflict	UNP A0A0B5KUY7
J	569	ASP	LEU	conflict	UNP A0A0B5KUY7
J	570	GLY	THR	conflict	UNP A0A0B5KUY7
J	571	HIS	VAL	conflict	UNP A0A0B5KUY7
J	586	HIS	ARG	conflict	UNP A0A0B5KUY7
J	606	CYS	THR	conflict	UNP A0A0B5KUY7

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
7	E	2	Total	C	N	O	0	0
			28	16	2	10		
7	G	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
7	O	2	Total	C	N	O	0	0
			28	16	2	10		
7	P	2	Total	C	N	O	0	0
			28	16	2	10		
7	Q	2	Total	C	N	O	0	0
			28	16	2	10		
7	R	2	Total	C	N	O	0	0
			28	16	2	10		
7	T	2	Total	C	N	O	0	0
			28	16	2	10		
7	U	2	Total	C	N	O	0	0
			28	16	2	10		
7	V	2	Total	C	N	O	0	0
			28	16	2	10		
7	X	2	Total	C	N	O	0	0
			28	16	2	10		
7	Y	2	Total	C	N	O	0	0
			28	16	2	10		
7	Z	2	Total	C	N	O	0	0
			28	16	2	10		
7	a	2	Total	C	N	O	0	0
			28	16	2	10		
7	b	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
8	K	5	Total	C	N	O	0	0
			61	34	2	25		
8	S	5	Total	C	N	O	0	0
			61	34	2	25		
8	W	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 9 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
9	L	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 10 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
10	M	1	Total	C	N	O	0
			14	8	1	5	
10	M	1	Total	C	N	O	0
			14	8	1	5	
10	M	1	Total	C	N	O	0
			14	8	1	5	
10	M	1	Total	C	N	O	0
			14	8	1	5	
10	M	1	Total	C	N	O	0
			14	8	1	5	
10	M	1	Total	C	N	O	0
			14	8	1	5	
10	M	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
10	M	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	D	1	Total	C	N	O	0
			14	8	1	5	
10	I	1	Total	C	N	O	0
			14	8	1	5	
10	I	1	Total	C	N	O	0
			14	8	1	5	
10	I	1	Total	C	N	O	0
			14	8	1	5	
10	I	1	Total	C	N	O	0
			14	8	1	5	
10	I	1	Total	C	N	O	0
			14	8	1	5	
10	I	1	Total	C	N	O	0
			14	8	1	5	
10	I	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
10	J	1	Total	C	N	O	0
			14	8	1	5	
10	J	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Surface protein gp120




- Molecule 1: Surface protein gp120



- Molecule 1: Surface protein gp120







- Molecule 2: Rabbit Base Epitope Polyclonal Antibody - Predicted Light Chain




- Molecule 3: Rabbit Base Epitope Polyclonal Antibody - Predicted Heavy Chain





- Molecule 4: Rabbit N611 Epitope Polyclonal Antibody - Predicted Light Chain




- Molecule 5: Rabbit N611 Epitope Polyclonal Antibody - Predicted Heavy Chain




- Molecule 6: Transmembrane protein gp41





- Molecule 6: Transmembrane protein gp41





- Molecule 6: Transmembrane protein gp41




- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a: 50% 50%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b: 100%




- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 40% 40% 60%



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 20% 20% 60%



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  60% 40%



- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  33% 67% 33%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	23695	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40.3	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.041	Depositor
Minimum map value	-0.020	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.009	Depositor
Map size (Å)	384.72, 384.72, 384.72	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8015, 0.8015, 0.8015	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	0.30	0/3615	0.54	0/4905
1	I	0.29	0/3643	0.54	0/4946
1	M	0.29	0/3637	0.55	0/4938
6	C	0.26	0/1037	0.45	0/1405
6	J	0.34	0/1065	0.49	0/1443
6	N	0.29	0/1041	0.48	0/1410
All	All	0.29	0/14038	0.53	0/19047

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	3540	0	3489	21	0
1	I	3567	0	3516	15	0
1	M	3561	0	3512	22	0
2	F	545	0	123	1	0
3	H	620	0	144	0	0
4	A	520	0	123	0	0
5	B	560	0	126	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	C	1015	0	974	3	0
6	J	1043	0	1007	29	0
6	N	1020	0	978	8	0
7	E	28	0	25	4	0
7	G	28	0	25	3	0
7	O	28	0	25	1	0
7	P	28	0	25	1	0
7	Q	28	0	25	0	0
7	R	28	0	25	0	0
7	T	28	0	25	0	0
7	U	28	0	25	0	0
7	V	28	0	25	1	0
7	X	28	0	25	0	0
7	Y	28	0	25	0	0
7	Z	28	0	25	0	0
7	a	28	0	25	0	0
7	b	28	0	25	0	0
8	K	61	0	52	5	0
8	S	61	0	52	4	0
8	W	61	0	52	2	0
9	L	39	0	34	1	0
10	D	168	0	156	4	0
10	I	112	0	104	0	0
10	J	28	0	26	8	0
10	M	126	0	117	6	0
All	All	17039	0	14935	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:J:626:ASN:ND2	10:J:702:NAG:C1	2.02	1.21
6:J:626:ASN:HD21	10:J:702:NAG:C2	1.61	1.12
6:J:626:ASN:HD21	10:J:702:NAG:C1	1.62	1.12
6:J:567:LEU:O	6:J:568:GLN:HG2	1.54	1.07
1:M:447:LYS:HB3	8:K:2:NAG:H81	1.46	0.97
6:J:626:ASN:ND2	10:J:702:NAG:HN2	1.65	0.94
6:J:564:GLN:HB2	6:J:567:LEU:HB2	1.51	0.89
1:I:447:LYS:HB3	8:W:2:NAG:H81	1.52	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:J:626:ASN:ND2	10:J:702:NAG:N2	2.22	0.84
6:J:567:LEU:O	6:J:568:GLN:CG	2.27	0.83
6:J:626:ASN:OD1	6:J:627:MET:N	2.13	0.82
6:J:626:ASN:CG	10:J:702:NAG:C1	2.48	0.81
1:D:175:LEU:HD21	10:D:601:NAG:H82	1.66	0.76
7:G:1:NAG:H3	7:G:2:NAG:HN2	1.59	0.67
7:V:1:NAG:H61	7:V:2:NAG:C7	2.26	0.66
1:D:265:LEU:HD13	8:S:1:NAG:H82	1.78	0.65
1:D:330:GLN:N	1:D:330:GLN:OE1	2.32	0.63
6:J:534:ALA:HB3	6:J:629:TRP:HE1	1.63	0.63
1:M:213:THR:HG21	8:K:4:MAN:H62	1.82	0.61
1:I:371:GLU:OE2	1:I:422:LYS:NZ	2.34	0.60
6:N:657:ASN:O	6:N:661:LEU:HG	2.00	0.60
1:M:50:THR:O	1:M:103:GLN:NE2	2.35	0.59
1:M:67:ASN:OD1	1:M:69:TRP:N	2.37	0.58
1:I:371:GLU:N	1:I:371:GLU:OE1	2.36	0.58
6:J:567:LEU:C	6:J:568:GLN:HG2	2.24	0.58
1:D:447:LYS:HB3	8:S:2:NAG:O7	2.04	0.57
1:I:441:GLU:N	1:I:441:GLU:OE1	2.36	0.57
7:E:1:NAG:C6	7:E:2:NAG:HN2	2.18	0.56
6:N:575:LYS:HE3	6:J:568:GLN:OE1	2.06	0.55
8:S:3:BMA:H4	8:S:5:MAN:H5	1.88	0.55
6:J:618:LYS:HD2	6:J:622:GLU:CD	2.27	0.55
1:M:324:ASP:OD1	1:M:325:ILE:N	2.40	0.55
1:I:282:THR:O	1:I:457:ARG:NH2	2.40	0.55
1:M:173:TYR:CE2	10:M:601:NAG:H5	2.43	0.54
1:I:370:LEU:O	1:I:374:THR:OG1	2.25	0.53
6:J:566:LEU:HB3	6:J:572:TRP:CZ3	2.43	0.53
1:I:129:LEU:O	1:I:195:TYR:N	2.42	0.53
1:D:371:GLU:N	1:D:371:GLU:OE1	2.42	0.52
1:D:34:LEU:N	1:D:500:THR:O	2.43	0.52
1:D:175:LEU:O	1:D:322:THR:OG1	2.27	0.52
5:B:34:UNK:O	5:B:42:UNK:N	2.43	0.52
6:N:563:GLN:N	6:N:563:GLN:OE1	2.41	0.51
1:M:213:THR:HB	8:K:4:MAN:H4	1.92	0.51
1:D:359:ILE:HG13	1:D:465:GLU:O	2.10	0.51
6:J:626:ASN:OD1	10:J:702:NAG:C1	2.58	0.51
1:D:443:ASN:ND2	10:D:608:NAG:O7	2.44	0.50
6:J:619:SER:O	6:J:623:ILE:HG13	2.11	0.50
7:E:2:NAG:C7	7:E:2:NAG:O3	2.59	0.50
7:E:2:NAG:C7	7:E:2:NAG:HO3	2.24	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:371:GLU:OE2	1:D:422:LYS:NZ	2.45	0.49
5:B:30:UNK:O	5:B:47:UNK:N	2.46	0.49
1:M:72:HIS:CG	1:M:111:LEU:HD21	2.48	0.49
8:S:3:BMA:H4	8:S:5:MAN:C5	2.43	0.49
1:M:301:THR:HG22	1:M:445:THR:HG22	1.95	0.49
1:I:72:HIS:HA	6:J:566:LEU:HD12	1.94	0.49
1:M:173:TYR:CD2	10:M:601:NAG:H5	2.48	0.48
7:G:2:NAG:HO3	7:G:2:NAG:C7	2.27	0.48
1:D:443:ASN:CG	10:D:608:NAG:C7	2.82	0.48
6:N:571:HIS:HB3	6:J:568:GLN:OE1	2.14	0.47
1:I:67:ASN:OD1	1:I:69:TRP:N	2.48	0.47
7:O:1:NAG:H62	7:O:2:NAG:C7	2.44	0.47
1:I:324:ASP:OD1	1:I:325:ILE:N	2.46	0.47
6:C:545:LEU:HD22	6:J:593:LEU:HD13	1.95	0.47
6:N:620:HIS:ND1	6:N:621:ASP:OD1	2.47	0.46
7:E:1:NAG:H62	7:E:2:NAG:HN2	1.80	0.46
1:M:346:ARG:HG2	9:L:2:NAG:O7	2.15	0.46
1:D:233:ASN:N	1:D:245:ASN:O	2.45	0.46
1:M:281:LEU:O	1:M:457:ARG:NH2	2.44	0.46
1:D:271:GLU:OE1	1:D:271:GLU:N	2.45	0.45
6:J:534:ALA:HB3	6:J:629:TRP:NE1	2.29	0.45
6:J:623:ILE:HA	6:J:627:MET:SD	2.56	0.45
6:J:626:ASN:ND2	10:J:702:NAG:C2	2.44	0.45
1:D:50:THR:O	1:D:103:GLN:NE2	2.47	0.45
1:M:258:VAL:HG13	8:K:1:NAG:H81	2.00	0.44
10:M:601:NAG:HO3	10:M:601:NAG:C7	2.30	0.44
6:N:658:GLU:HA	6:N:661:LEU:HD12	1.99	0.44
1:M:133:GLN:NE2	1:M:189:LYS:O	2.47	0.44
1:I:50:THR:O	1:I:103:GLN:NE2	2.47	0.43
1:I:504:ARG:NH1	6:J:654:GLN:OE1	2.51	0.43
2:F:17:UNK:O	2:F:79:UNK:N	2.52	0.43
1:M:491:GLU:OE2	1:M:493:LYS:NZ	2.44	0.43
6:J:538:LEU:O	6:J:539:THR:OG1	2.24	0.43
7:G:1:NAG:H62	7:G:2:NAG:C1	2.49	0.43
6:J:593:LEU:HD11	6:J:597:TRP:CZ2	2.53	0.42
1:I:298:ILE:HD12	1:I:335:ILE:HD11	2.01	0.42
1:D:153:GLU:OE1	1:D:153:GLU:N	2.49	0.42
7:P:1:NAG:H62	7:P:2:NAG:C7	2.49	0.42
1:M:173:TYR:HB3	10:M:601:NAG:H83	2.02	0.42
1:D:67:ASN:OD1	1:D:68:VAL:N	2.52	0.42
6:J:570:GLY:C	6:J:572:TRP:N	2.73	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:72:HIS:ND1	1:M:111:LEU:HD21	2.35	0.41
1:D:57:ASP:OD1	1:D:58:ALA:N	2.53	0.41
6:C:541:GLN:NE2	6:J:648:GLU:O	2.53	0.41
8:W:1:NAG:H61	8:W:2:NAG:H82	2.02	0.41
1:M:160:ASN:CG	10:M:602:NAG:HN2	2.23	0.41
1:M:395:THR:OG1	1:M:396:TYR:N	2.52	0.41
8:K:1:NAG:H62	8:K:2:NAG:H82	2.02	0.41
6:N:543:ARG:NH1	6:C:597:ILE:O	2.54	0.41
1:D:443:ASN:CG	10:D:608:NAG:O7	2.59	0.41
1:M:99:ASP:OD2	1:M:103:GLN:NE2	2.50	0.41
1:D:369:ASP:OD1	1:D:369:ASP:N	2.53	0.41
1:I:327:ASN:OD1	1:I:328:ILE:N	2.54	0.41
1:M:244:ASN:HB2	10:M:603:NAG:O7	2.20	0.40
1:M:369:ASP:OD1	1:M:370:LEU:N	2.55	0.40
6:J:530:THR:HG21	6:J:625:GLY:O	2.21	0.40
1:D:239:GLY:O	1:D:240:THR:OG1	2.29	0.40
1:I:307:THR:O	1:I:323:GLY:N	2.53	0.40
6:N:562:CYS:O	6:N:566:LEU:N	2.50	0.40
1:D:449:ASN:O	1:D:451:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	435/514 (85%)	420 (97%)	15 (3%)	0	100	100
1	I	441/514 (86%)	428 (97%)	13 (3%)	0	100	100
1	M	441/514 (86%)	433 (98%)	8 (2%)	0	100	100
6	C	122/155 (79%)	120 (98%)	2 (2%)	0	100	100
6	J	127/155 (82%)	119 (94%)	8 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	N	123/155 (79%)	120 (98%)	3 (2%)	0	100	100
All	All	1689/2007 (84%)	1640 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	400/460 (87%)	400 (100%)	0	100	100
1	I	403/460 (88%)	403 (100%)	0	100	100
1	M	402/460 (87%)	402 (100%)	0	100	100
6	C	110/131 (84%)	110 (100%)	0	100	100
6	J	112/131 (86%)	112 (100%)	0	100	100
6	N	110/131 (84%)	110 (100%)	0	100	100
All	All	1537/1773 (87%)	1537 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	M	244	ASN
1	D	399	ASN
6	J	576	GLN
6	J	626	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

46 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	E	1	7,1	14,14,15	0.28	0	17,19,21	0.82	1 (5%)
7	NAG	E	2	7	14,14,15	0.26	0	17,19,21	0.63	0
7	NAG	G	1	7,1	14,14,15	0.42	0	17,19,21	1.13	2 (11%)
7	NAG	G	2	7	14,14,15	0.27	0	17,19,21	0.67	0
8	NAG	K	1	8,1	14,14,15	0.30	0	17,19,21	0.60	0
8	NAG	K	2	8	14,14,15	0.30	0	17,19,21	0.55	0
8	BMA	K	3	8	11,11,12	0.23	0	15,15,17	0.67	0
8	MAN	K	4	8	11,11,12	0.21	0	15,15,17	0.54	0
8	MAN	K	5	8	11,11,12	0.22	0	15,15,17	0.61	0
9	NAG	L	1	9,1	14,14,15	0.31	0	17,19,21	0.71	0
9	NAG	L	2	9	14,14,15	0.30	0	17,19,21	0.70	0
9	BMA	L	3	9	11,11,12	0.21	0	15,15,17	0.51	0
7	NAG	O	1	7,1	14,14,15	0.25	0	17,19,21	0.61	0
7	NAG	O	2	7	14,14,15	0.27	0	17,19,21	0.60	0
7	NAG	P	1	7,1	14,14,15	0.28	0	17,19,21	0.60	0
7	NAG	P	2	7	14,14,15	0.27	0	17,19,21	0.55	0
7	NAG	Q	1	7,1	14,14,15	0.28	0	17,19,21	0.52	0
7	NAG	Q	2	7	14,14,15	0.17	0	17,19,21	0.47	0
7	NAG	R	1	7,1	14,14,15	0.26	0	17,19,21	0.50	0
7	NAG	R	2	7	14,14,15	0.27	0	17,19,21	0.64	0
8	NAG	S	1	8,1	14,14,15	0.30	0	17,19,21	0.76	1 (5%)
8	NAG	S	2	8	14,14,15	0.47	0	17,19,21	1.12	2 (11%)
8	BMA	S	3	8	11,11,12	0.36	0	15,15,17	1.67	3 (20%)
8	MAN	S	4	8	11,11,12	0.19	0	15,15,17	0.58	0
8	MAN	S	5	8	11,11,12	0.18	0	15,15,17	0.61	0
7	NAG	T	1	7,1	14,14,15	0.38	0	17,19,21	1.00	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	T	2	7	14,14,15	0.25	0	17,19,21	0.68	0
7	NAG	U	1	7,1	14,14,15	0.24	0	17,19,21	0.48	0
7	NAG	U	2	7	14,14,15	0.22	0	17,19,21	0.55	0
7	NAG	V	1	7,1	14,14,15	0.25	0	17,19,21	0.69	0
7	NAG	V	2	7	14,14,15	0.27	0	17,19,21	0.60	0
8	NAG	W	1	8,1	14,14,15	0.26	0	17,19,21	0.64	0
8	NAG	W	2	8	14,14,15	0.27	0	17,19,21	0.54	0
8	BMA	W	3	8	11,11,12	0.25	0	15,15,17	0.66	0
8	MAN	W	4	8	11,11,12	0.17	0	15,15,17	0.57	0
8	MAN	W	5	8	11,11,12	0.25	0	15,15,17	0.62	0
7	NAG	X	1	7,1	14,14,15	0.29	0	17,19,21	0.50	0
7	NAG	X	2	7	14,14,15	0.21	0	17,19,21	0.49	0
7	NAG	Y	1	7,1	14,14,15	0.40	0	17,19,21	0.46	0
7	NAG	Y	2	7	14,14,15	0.22	0	17,19,21	0.43	0
7	NAG	Z	1	7,1	14,14,15	0.29	0	17,19,21	0.53	0
7	NAG	Z	2	7	14,14,15	0.26	0	17,19,21	0.40	0
7	NAG	a	1	7,1	14,14,15	0.39	0	17,19,21	0.46	0
7	NAG	a	2	7	14,14,15	0.14	0	17,19,21	0.86	1 (5%)
7	NAG	b	1	6,7	14,14,15	0.28	0	17,19,21	0.59	0
7	NAG	b	2	7	14,14,15	0.25	0	17,19,21	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	E	1	7,1	-	3/6/23/26	0/1/1/1
7	NAG	E	2	7	-	4/6/23/26	0/1/1/1
7	NAG	G	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	G	2	7	-	3/6/23/26	0/1/1/1
8	NAG	K	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	K	2	8	-	2/6/23/26	0/1/1/1
8	BMA	K	3	8	-	0/2/19/22	0/1/1/1
8	MAN	K	4	8	-	1/2/19/22	0/1/1/1
8	MAN	K	5	8	-	1/2/19/22	0/1/1/1
9	NAG	L	1	9,1	-	2/6/23/26	0/1/1/1
9	NAG	L	2	9	-	2/6/23/26	0/1/1/1
9	BMA	L	3	9	-	1/2/19/22	0/1/1/1
7	NAG	O	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	O	2	7	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	P	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	P	2	7	-	1/6/23/26	0/1/1/1
7	NAG	Q	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	Q	2	7	-	2/6/23/26	0/1/1/1
7	NAG	R	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	R	2	7	-	2/6/23/26	0/1/1/1
8	NAG	S	1	8,1	-	3/6/23/26	0/1/1/1
8	NAG	S	2	8	-	3/6/23/26	0/1/1/1
8	BMA	S	3	8	-	0/2/19/22	0/1/1/1
8	MAN	S	4	8	-	1/2/19/22	0/1/1/1
8	MAN	S	5	8	-	0/2/19/22	0/1/1/1
7	NAG	T	1	7,1	-	1/6/23/26	0/1/1/1
7	NAG	T	2	7	-	4/6/23/26	0/1/1/1
7	NAG	U	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	U	2	7	-	0/6/23/26	0/1/1/1
7	NAG	V	1	7,1	-	3/6/23/26	0/1/1/1
7	NAG	V	2	7	-	0/6/23/26	0/1/1/1
8	NAG	W	1	8,1	-	3/6/23/26	0/1/1/1
8	NAG	W	2	8	-	2/6/23/26	0/1/1/1
8	BMA	W	3	8	-	0/2/19/22	0/1/1/1
8	MAN	W	4	8	-	0/2/19/22	0/1/1/1
8	MAN	W	5	8	-	0/2/19/22	0/1/1/1
7	NAG	X	1	7,1	-	1/6/23/26	0/1/1/1
7	NAG	X	2	7	-	0/6/23/26	0/1/1/1
7	NAG	Y	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	Y	2	7	-	1/6/23/26	0/1/1/1
7	NAG	Z	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	Z	2	7	-	0/6/23/26	0/1/1/1
7	NAG	a	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	a	2	7	-	4/6/23/26	0/1/1/1
7	NAG	b	1	6,7	-	2/6/23/26	0/1/1/1
7	NAG	b	2	7	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	S	3	BMA	C1-O5-C5	4.24	117.87	112.19
8	S	3	BMA	C1-C2-C3	3.24	114.36	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	G	1	NAG	O4-C4-C5	3.06	116.86	109.32
7	T	1	NAG	C1-O5-C5	-3.02	108.13	112.19
7	a	2	NAG	C2-N2-C7	2.72	126.55	122.90
8	S	2	NAG	C1-O5-C5	2.70	115.81	112.19
7	G	1	NAG	C1-O5-C5	2.62	115.70	112.19
8	S	1	NAG	C1-O5-C5	2.27	115.23	112.19
8	S	3	BMA	C6-C5-C4	-2.22	107.56	113.02
8	S	2	NAG	O5-C1-C2	-2.16	107.95	111.29
7	E	1	NAG	C1-O5-C5	2.09	114.98	112.19

There are no chirality outliers.

All (65) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	E	1	NAG	C3-C2-N2-C7
7	E	1	NAG	C8-C7-N2-C2
7	E	1	NAG	O7-C7-N2-C2
7	E	2	NAG	C3-C2-N2-C7
7	E	2	NAG	C8-C7-N2-C2
7	E	2	NAG	O7-C7-N2-C2
7	G	2	NAG	C3-C2-N2-C7
7	G	2	NAG	C8-C7-N2-C2
7	G	2	NAG	O7-C7-N2-C2
7	P	1	NAG	C8-C7-N2-C2
7	P	1	NAG	O7-C7-N2-C2
7	R	2	NAG	C8-C7-N2-C2
7	R	2	NAG	O7-C7-N2-C2
7	T	1	NAG	C1-C2-N2-C7
7	V	1	NAG	C3-C2-N2-C7
7	V	1	NAG	C8-C7-N2-C2
7	V	1	NAG	O7-C7-N2-C2
7	b	2	NAG	C1-C2-N2-C7
7	b	2	NAG	C8-C7-N2-C2
7	b	2	NAG	O7-C7-N2-C2
8	K	1	NAG	C8-C7-N2-C2
8	K	1	NAG	O7-C7-N2-C2
8	K	2	NAG	O7-C7-N2-C2
8	S	1	NAG	C3-C2-N2-C7
8	S	1	NAG	C8-C7-N2-C2
8	S	1	NAG	O7-C7-N2-C2
9	L	1	NAG	O7-C7-N2-C2
9	L	2	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	L	2	NAG	O7-C7-N2-C2
8	K	2	NAG	C8-C7-N2-C2
8	S	2	NAG	C8-C7-N2-C2
8	S	2	NAG	O7-C7-N2-C2
9	L	1	NAG	C8-C7-N2-C2
7	Q	2	NAG	C4-C5-C6-O6
8	W	1	NAG	C8-C7-N2-C2
8	W	1	NAG	O7-C7-N2-C2
7	Q	1	NAG	O5-C5-C6-O6
7	a	2	NAG	O5-C5-C6-O6
7	T	2	NAG	C8-C7-N2-C2
7	T	2	NAG	O7-C7-N2-C2
8	W	2	NAG	C8-C7-N2-C2
7	Q	2	NAG	O5-C5-C6-O6
7	a	2	NAG	C8-C7-N2-C2
7	a	2	NAG	O7-C7-N2-C2
8	W	2	NAG	O7-C7-N2-C2
7	Q	1	NAG	C4-C5-C6-O6
7	a	1	NAG	O5-C5-C6-O6
7	a	2	NAG	C4-C5-C6-O6
8	K	4	MAN	O5-C5-C6-O6
7	T	2	NAG	O5-C5-C6-O6
7	O	2	NAG	O5-C5-C6-O6
7	P	2	NAG	O5-C5-C6-O6
7	Y	2	NAG	O5-C5-C6-O6
8	K	5	MAN	O5-C5-C6-O6
9	L	3	BMA	O5-C5-C6-O6
7	E	2	NAG	O5-C5-C6-O6
8	S	4	MAN	O5-C5-C6-O6
7	T	2	NAG	C3-C2-N2-C7
8	W	1	NAG	C3-C2-N2-C7
7	b	2	NAG	O5-C5-C6-O6
8	S	2	NAG	O5-C5-C6-O6
7	a	1	NAG	C4-C5-C6-O6
7	b	1	NAG	C8-C7-N2-C2
7	X	1	NAG	C4-C5-C6-O6
7	b	1	NAG	O7-C7-N2-C2


There are no ring outliers.


20 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	E	2	NAG	4	0
7	G	1	NAG	2	0
8	W	1	NAG	1	0
8	K	2	NAG	2	0
8	K	1	NAG	2	0
7	G	2	NAG	3	0
7	P	2	NAG	1	0
7	P	1	NAG	1	0
8	W	2	NAG	2	0
8	K	4	MAN	2	0
8	S	1	NAG	1	0
7	V	2	NAG	1	0
9	L	2	NAG	1	0
7	O	1	NAG	1	0
7	V	1	NAG	1	0
8	S	3	BMA	2	0
8	S	5	MAN	2	0
7	E	1	NAG	2	0
8	S	2	NAG	1	0
7	O	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
















































5.6 Ligand geometry

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	NAG	D	611	1	14,14,15	0.28	0	17,19,21	0.56	0
10	NAG	M	606	1	14,14,15	0.27	0	17,19,21	0.66	0
10	NAG	I	607	1	14,14,15	0.15	0	17,19,21	0.45	0
10	NAG	J	701	6	14,14,15	0.25	0	17,19,21	0.52	0
10	NAG	D	612	1	14,14,15	0.27	0	17,19,21	0.84	0
10	NAG	M	603	1	14,14,15	0.25	0	17,19,21	0.61	0
10	NAG	M	604	1	14,14,15	0.30	0	17,19,21	0.50	0
10	NAG	I	602	1	14,14,15	0.21	0	17,19,21	0.53	0
10	NAG	M	601	1	14,14,15	0.26	0	17,19,21	0.81	0
10	NAG	M	609	1	14,14,15	0.28	0	17,19,21	0.67	0
10	NAG	D	605	1	14,14,15	0.25	0	17,19,21	0.46	0
10	NAG	I	605	1	14,14,15	0.20	0	17,19,21	0.42	0
10	NAG	D	604	1	14,14,15	0.27	0	17,19,21	0.58	0
10	NAG	M	607	1	14,14,15	0.27	0	17,19,21	0.62	0
10	NAG	D	608	1	14,14,15	0.27	0	17,19,21	0.63	0
10	NAG	D	609	1	14,14,15	0.27	0	17,19,21	0.58	0
10	NAG	I	606	1	14,14,15	0.19	0	17,19,21	0.49	0
10	NAG	D	606	1	14,14,15	0.15	0	17,19,21	0.51	0
10	NAG	D	602	1	14,14,15	0.27	0	17,19,21	0.50	0
10	NAG	D	603	1	14,14,15	0.42	0	17,19,21	0.39	0
10	NAG	M	608	1	14,14,15	0.28	0	17,19,21	0.54	0
10	NAG	M	605	1	14,14,15	0.28	0	17,19,21	0.59	0
10	NAG	D	610	1	14,14,15	0.24	0	17,19,21	0.68	0
10	NAG	D	607	1	14,14,15	0.30	0	17,19,21	0.64	0
10	NAG	J	702	-	14,14,15	0.39	0	17,19,21	0.76	0
10	NAG	M	602	1	14,14,15	0.27	0	17,19,21	0.72	0
10	NAG	I	603	1	14,14,15	0.29	0	17,19,21	0.60	0
10	NAG	I	604	1	14,14,15	0.18	0	17,19,21	0.53	0
10	NAG	I	608	1	14,14,15	0.18	0	17,19,21	0.52	0
10	NAG	D	601	1	14,14,15	0.32	0	17,19,21	0.62	0
10	NAG	I	601	1	14,14,15	0.35	0	17,19,21	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	D	611	1	-	2/6/23/26	0/1/1/1
10	NAG	M	606	1	-	1/6/23/26	0/1/1/1
10	NAG	I	607	1	-	0/6/23/26	0/1/1/1
10	NAG	J	701	6	-	2/6/23/26	0/1/1/1
10	NAG	D	612	1	-	3/6/23/26	0/1/1/1
10	NAG	M	603	1	-	3/6/23/26	0/1/1/1
10	NAG	M	604	1	-	3/6/23/26	0/1/1/1
10	NAG	I	602	1	-	2/6/23/26	0/1/1/1
10	NAG	M	601	1	-	4/6/23/26	0/1/1/1
10	NAG	M	609	1	-	0/6/23/26	0/1/1/1
10	NAG	D	605	1	-	1/6/23/26	0/1/1/1
10	NAG	I	605	1	-	1/6/23/26	0/1/1/1
10	NAG	D	604	1	-	0/6/23/26	0/1/1/1
10	NAG	M	607	1	-	2/6/23/26	0/1/1/1
10	NAG	D	608	1	-	1/6/23/26	0/1/1/1
10	NAG	D	609	1	-	3/6/23/26	0/1/1/1
10	NAG	I	606	1	-	1/6/23/26	0/1/1/1
10	NAG	D	606	1	-	1/6/23/26	0/1/1/1
10	NAG	D	602	1	-	2/6/23/26	0/1/1/1
10	NAG	D	603	1	-	0/6/23/26	0/1/1/1
10	NAG	M	608	1	-	1/6/23/26	0/1/1/1
10	NAG	M	605	1	-	3/6/23/26	0/1/1/1
10	NAG	D	610	1	-	3/6/23/26	0/1/1/1
10	NAG	D	607	1	-	0/6/23/26	0/1/1/1
10	NAG	J	702	-	-	3/6/23/26	0/1/1/1
10	NAG	M	602	1	-	3/6/23/26	0/1/1/1
10	NAG	I	603	1	-	3/6/23/26	0/1/1/1
10	NAG	I	604	1	-	2/6/23/26	0/1/1/1
10	NAG	I	608	1	-	0/6/23/26	0/1/1/1
10	NAG	D	601	1	-	1/6/23/26	0/1/1/1
10	NAG	I	601	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	M	601	NAG	C3-C2-N2-C7
10	M	601	NAG	C8-C7-N2-C2
10	M	601	NAG	O7-C7-N2-C2
10	M	602	NAG	C3-C2-N2-C7
10	M	602	NAG	C8-C7-N2-C2
10	M	602	NAG	O7-C7-N2-C2
10	D	610	NAG	C3-C2-N2-C7
10	D	610	NAG	C8-C7-N2-C2
10	D	610	NAG	O7-C7-N2-C2
10	D	612	NAG	C3-C2-N2-C7
10	D	612	NAG	C8-C7-N2-C2
10	D	612	NAG	O7-C7-N2-C2
10	J	702	NAG	C3-C2-N2-C7
10	J	702	NAG	O5-C5-C6-O6
10	I	604	NAG	C4-C5-C6-O6
10	M	604	NAG	C8-C7-N2-C2
10	M	604	NAG	O7-C7-N2-C2
10	I	603	NAG	C8-C7-N2-C2
10	I	603	NAG	O7-C7-N2-C2
10	J	702	NAG	C4-C5-C6-O6
10	D	602	NAG	O5-C5-C6-O6
10	J	701	NAG	O5-C5-C6-O6
10	I	601	NAG	O5-C5-C6-O6
10	I	604	NAG	O5-C5-C6-O6
10	M	605	NAG	C8-C7-N2-C2
10	I	601	NAG	C4-C5-C6-O6
10	M	603	NAG	C8-C7-N2-C2
10	M	605	NAG	O7-C7-N2-C2
10	D	602	NAG	C4-C5-C6-O6
10	I	606	NAG	O5-C5-C6-O6
10	M	603	NAG	O7-C7-N2-C2
10	J	701	NAG	C4-C5-C6-O6
10	M	604	NAG	O5-C5-C6-O6
10	D	611	NAG	O5-C5-C6-O6
10	I	603	NAG	O5-C5-C6-O6
10	M	605	NAG	O5-C5-C6-O6
10	M	601	NAG	O5-C5-C6-O6
10	M	603	NAG	O5-C5-C6-O6
10	M	606	NAG	O5-C5-C6-O6
10	M	607	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	M	608	NAG	O5-C5-C6-O6
10	D	609	NAG	O5-C5-C6-O6
10	D	608	NAG	O5-C5-C6-O6
10	D	601	NAG	O5-C5-C6-O6
10	D	605	NAG	O5-C5-C6-O6
10	I	605	NAG	O5-C5-C6-O6
10	D	609	NAG	C8-C7-N2-C2
10	I	602	NAG	C4-C5-C6-O6
10	M	607	NAG	C1-C2-N2-C7
10	D	606	NAG	C1-C2-N2-C7
10	D	611	NAG	C1-C2-N2-C7
10	I	602	NAG	O5-C5-C6-O6
10	D	609	NAG	O7-C7-N2-C2

There are no ring outliers.

6 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	M	603	NAG	1	0
10	M	601	NAG	4	0
10	D	608	NAG	3	0
10	J	702	NAG	8	0
10	M	602	NAG	1	0
10	D	601	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-43968. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 225




Y Index: 230




Z Index: 241


6.3.2 Raw map



X Index: 228



Y Index: 237




Z Index: 240


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.009. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_43968_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 128 nm³; this corresponds to an approximate mass of 116 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.82	4.43	3.88
Unmasked-calculated*	6.17	9.03	294.12

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.17 differs from the reported value 3.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-43968 and PDB model 9AXK. Per-residue inclusion information can be found in section [3](#) on page [14](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.009 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.009).



























































9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.009) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7320	 0.4560
A	 0.6650	 0.3950
B	 0.7550	 0.4330
C	 0.6570	 0.4200
D	 0.7350	 0.4600
E	 0.6070	 0.4170
F	 0.8440	 0.5170
G	 0.4640	 0.3650
H	 0.8550	 0.4970
I	 0.7480	 0.4700
J	 0.7140	 0.4490
K	 0.4430	 0.1860
L	 0.5130	 0.3090
M	 0.7480	 0.4670
N	 0.6820	 0.4430
O	 0.5360	 0.3650
P	 0.3930	 0.2970
Q	 0.6790	 0.4570
R	 0.3930	 0.3880
S	 0.6560	 0.3370
T	 0.5710	 0.3840
U	 0.7860	 0.4840
V	 0.4290	 0.3610
W	 0.7380	 0.4390
X	 0.6790	 0.4640
Y	 0.5360	 0.4420
Z	 0.4640	 0.3730
a	 0.6790	 0.3490
b	 0.5710	 0.3190

