



Full wwPDB EM Validation Report ⓘ

Apr 9, 2025 – 06:42 PM EDT

PDB ID : 9B4X / pdb_00009b4x
EMDB ID : EMD-44189
Title : SARS CoV-2 full-length spike protein with Lys1269Ala and His1271Ala substitutions in the coatomer binding motif, 1RBD-up conformation (SPIKE-AXA)
Authors : Singh, S.; Hasan, S.S.
Deposited on : 2024-03-21
Resolution : 3.33 Å(reported)
Based on initial model : 7KRQ

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







































Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1312	
1	B	1312	
1	C	1312	
2	D	2	
2	E	2	
2	F	2	
2	H	2	
2	J	2	
2	L	2	



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	Q	2	 100%
2	S	2	 100%
2	Z	2	 100%
2	a	2	 100%
2	b	2	 100%
2	e	2	 100%
3	G	3	 100%
3	I	3	 33%  67%
3	K	3	 33%  67%
3	M	3	 33%  67%
3	N	3	 100%
3	P	3	 100%
3	R	3	 33%  67%
3	T	3	 100%
3	V	3	 100%
3	X	3	 33%  67%
3	Y	3	 100%
3	c	3	 100%
3	d	3	 33%  67%
3	f	3	 33%  67%
3	g	3	 33%  67%
3	i	3	 100%
4	O	6	 17%  83%
5	U	4	 25%  75%
6	W	3	 33%  67%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	h	3	 <div>33% 67%</div>
7	j	5	 <div>100%</div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	H	2	X	-	-	-
8	NAG	A	1301	X	-	-	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 50511 atoms, of which 24320 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1019	Total	C	H	N	O	S	0	0
			15741	5099	7767	1327	1512	36		
1	B	1061	Total	C	H	N	O	S	0	0
			16360	5307	8055	1382	1579	37		
1	C	1079	Total	C	H	N	O	S	0	0
			16622	5386	8186	1405	1607	38		

There are 141 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	SER	-	insertion	UNP P0DTC2
A	-19	ALA	-	insertion	UNP P0DTC2
A	-18	TRP	-	insertion	UNP P0DTC2
A	-17	SER	-	insertion	UNP P0DTC2
A	-16	HIS	-	insertion	UNP P0DTC2
A	-15	PRO	-	insertion	UNP P0DTC2
A	-14	GLN	-	insertion	UNP P0DTC2
A	-13	PHE	-	insertion	UNP P0DTC2
A	-12	GLU	-	insertion	UNP P0DTC2
A	-11	LYS	-	insertion	UNP P0DTC2
A	-10	GLY	-	insertion	UNP P0DTC2
A	-9	GLY	-	insertion	UNP P0DTC2
A	-8	GLY	-	insertion	UNP P0DTC2
A	-7	SER	-	insertion	UNP P0DTC2
A	-6	GLY	-	insertion	UNP P0DTC2
A	-5	GLY	-	insertion	UNP P0DTC2
A	-4	GLY	-	insertion	UNP P0DTC2
A	-3	SER	-	insertion	UNP P0DTC2
A	-2	GLY	-	insertion	UNP P0DTC2
A	-1	GLY	-	insertion	UNP P0DTC2
A	0	SER	-	insertion	UNP P0DTC2
A	1	SER	-	insertion	UNP P0DTC2
A	2	ALA	-	insertion	UNP P0DTC2
A	3	TRP	-	insertion	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	4	SER	-	insertion	UNP P0DTC2
A	5	HIS	-	insertion	UNP P0DTC2
A	6	PRO	-	insertion	UNP P0DTC2
A	7	GLN	-	insertion	UNP P0DTC2
A	8	PHE	-	insertion	UNP P0DTC2
A	9	GLU	-	insertion	UNP P0DTC2
A	10	LYS	-	insertion	UNP P0DTC2
A	11	SER	-	insertion	UNP P0DTC2
A	12	ALA	-	insertion	UNP P0DTC2
A	13	LEU	-	insertion	UNP P0DTC2
A	14	VAL	-	insertion	UNP P0DTC2
A	15	PRO	-	insertion	UNP P0DTC2
A	16	ARG	-	insertion	UNP P0DTC2
A	17	GLY	-	insertion	UNP P0DTC2
A	18	SER	-	insertion	UNP P0DTC2
A	614	GLY	ASP	variant	UNP P0DTC2
A	682	GLY	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	685	SER	ARG	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1269	ALA	LYS	engineered mutation	UNP P0DTC2
A	1271	ALA	HIS	engineered mutation	UNP P0DTC2
B	-20	SER	-	insertion	UNP P0DTC2
B	-19	ALA	-	insertion	UNP P0DTC2
B	-18	TRP	-	insertion	UNP P0DTC2
B	-17	SER	-	insertion	UNP P0DTC2
B	-16	HIS	-	insertion	UNP P0DTC2
B	-15	PRO	-	insertion	UNP P0DTC2
B	-14	GLN	-	insertion	UNP P0DTC2
B	-13	PHE	-	insertion	UNP P0DTC2
B	-12	GLU	-	insertion	UNP P0DTC2
B	-11	LYS	-	insertion	UNP P0DTC2
B	-10	GLY	-	insertion	UNP P0DTC2
B	-9	GLY	-	insertion	UNP P0DTC2
B	-8	GLY	-	insertion	UNP P0DTC2
B	-7	SER	-	insertion	UNP P0DTC2
B	-6	GLY	-	insertion	UNP P0DTC2
B	-5	GLY	-	insertion	UNP P0DTC2
B	-4	GLY	-	insertion	UNP P0DTC2
B	-3	SER	-	insertion	UNP P0DTC2
B	-2	GLY	-	insertion	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	insertion	UNP P0DTC2
B	0	SER	-	insertion	UNP P0DTC2
B	1	SER	-	insertion	UNP P0DTC2
B	2	ALA	-	insertion	UNP P0DTC2
B	3	TRP	-	insertion	UNP P0DTC2
B	4	SER	-	insertion	UNP P0DTC2
B	5	HIS	-	insertion	UNP P0DTC2
B	6	PRO	-	insertion	UNP P0DTC2
B	7	GLN	-	insertion	UNP P0DTC2
B	8	PHE	-	insertion	UNP P0DTC2
B	9	GLU	-	insertion	UNP P0DTC2
B	10	LYS	-	insertion	UNP P0DTC2
B	11	SER	-	insertion	UNP P0DTC2
B	12	ALA	-	insertion	UNP P0DTC2
B	13	LEU	-	insertion	UNP P0DTC2
B	14	VAL	-	insertion	UNP P0DTC2
B	15	PRO	-	insertion	UNP P0DTC2
B	16	ARG	-	insertion	UNP P0DTC2
B	17	GLY	-	insertion	UNP P0DTC2
B	18	SER	-	insertion	UNP P0DTC2
B	614	GLY	ASP	variant	UNP P0DTC2
B	682	GLY	ARG	engineered mutation	UNP P0DTC2
B	683	SER	ARG	engineered mutation	UNP P0DTC2
B	685	SER	ARG	engineered mutation	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1269	ALA	LYS	engineered mutation	UNP P0DTC2
B	1271	ALA	HIS	engineered mutation	UNP P0DTC2
C	-20	SER	-	insertion	UNP P0DTC2
C	-19	ALA	-	insertion	UNP P0DTC2
C	-18	TRP	-	insertion	UNP P0DTC2
C	-17	SER	-	insertion	UNP P0DTC2
C	-16	HIS	-	insertion	UNP P0DTC2
C	-15	PRO	-	insertion	UNP P0DTC2
C	-14	GLN	-	insertion	UNP P0DTC2
C	-13	PHE	-	insertion	UNP P0DTC2
C	-12	GLU	-	insertion	UNP P0DTC2
C	-11	LYS	-	insertion	UNP P0DTC2
C	-10	GLY	-	insertion	UNP P0DTC2
C	-9	GLY	-	insertion	UNP P0DTC2
C	-8	GLY	-	insertion	UNP P0DTC2
C	-7	SER	-	insertion	UNP P0DTC2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-6	GLY	-	insertion	UNP P0DTC2
C	-5	GLY	-	insertion	UNP P0DTC2
C	-4	GLY	-	insertion	UNP P0DTC2
C	-3	SER	-	insertion	UNP P0DTC2
C	-2	GLY	-	insertion	UNP P0DTC2
C	-1	GLY	-	insertion	UNP P0DTC2
C	0	SER	-	insertion	UNP P0DTC2
C	1	SER	-	insertion	UNP P0DTC2
C	2	ALA	-	insertion	UNP P0DTC2
C	3	TRP	-	insertion	UNP P0DTC2
C	4	SER	-	insertion	UNP P0DTC2
C	5	HIS	-	insertion	UNP P0DTC2
C	6	PRO	-	insertion	UNP P0DTC2
C	7	GLN	-	insertion	UNP P0DTC2
C	8	PHE	-	insertion	UNP P0DTC2
C	9	GLU	-	insertion	UNP P0DTC2
C	10	LYS	-	insertion	UNP P0DTC2
C	11	SER	-	insertion	UNP P0DTC2
C	12	ALA	-	insertion	UNP P0DTC2
C	13	LEU	-	insertion	UNP P0DTC2
C	14	VAL	-	insertion	UNP P0DTC2
C	15	PRO	-	insertion	UNP P0DTC2
C	16	ARG	-	insertion	UNP P0DTC2
C	17	GLY	-	insertion	UNP P0DTC2
C	18	SER	-	insertion	UNP P0DTC2
C	614	GLY	ASP	variant	UNP P0DTC2
C	682	GLY	ARG	engineered mutation	UNP P0DTC2
C	683	SER	ARG	engineered mutation	UNP P0DTC2
C	685	SER	ARG	engineered mutation	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1269	ALA	LYS	engineered mutation	UNP P0DTC2
C	1271	ALA	HIS	engineered mutation	UNP P0DTC2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	2	Total 40	C 16	H 12	N 2	O 10	0	0
2	E	2	Total 40	C 16	H 12	N 2	O 10	0	0
2	F	2	Total 40	C 16	H 12	N 2	O 10	0	0
2	H	2	Total 52	C 16	H 24	N 2	O 10	0	0
2	J	2	Total 28	C 16	N 2	O 10		0	0
2	L	2	Total 28	C 16	N 2	O 10		0	0
2	Q	2	Total 40	C 16	H 12	N 2	O 10	0	0
2	S	2	Total 28	C 16	N 2	O 10		0	0
2	Z	2	Total 53	C 16	H 25	N 2	O 10	0	0
2	a	2	Total 53	C 16	H 25	N 2	O 10	0	0
2	b	2	Total 28	C 16	N 2	O 10		0	0
2	e	2	Total 28	C 16	N 2	O 10		0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	3	Total 51	C 22	H 12	N 2	O 15	0	0
3	I	3	Total 39	C 22	N 2	O 15		0	0
3	K	3	Total 39	C 22	N 2	O 15		0	0
3	M	3	Total 39	C 22	N 2	O 15		0	0
3	N	3	Total 39	C 22	N 2	O 15		0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
3	P	3	Total	C	N	O	0	0
			39	22	2	15		
3	R	3	Total	C	N	O	0	0
			39	22	2	15		
3	T	3	Total	C	N	O	0	0
			39	22	2	15		
3	V	3	Total	C	N	O	0	0
			39	22	2	15		
3	X	3	Total	C	N	O	0	0
			39	22	2	15		
3	Y	3	Total	C	N	O	0	0
			39	22	2	15		
3	c	3	Total	C	N	O	0	0
			39	22	2	15		
3	d	3	Total	C	N	O	0	0
			39	22	2	15		
3	f	3	Total	C	N	O	0	0
			39	22	2	15		
3	g	3	Total	C	N	O	0	0
			39	22	2	15		
3	i	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	O	6	Total	C	N	O	0	0
			74	42	3	29		

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	U	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
6	W	3	Total	C	N	O	0	0
			38	22	2	14		
6	h	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	j	5	Total	C	N	O	0	0
			64	36	3	25		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms					AltConf
8	A	1	Total	C	H	N	O	0
			25	8	11	1	5	
8	A	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	A	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	A	1	Total	C	N	O		0
			14	8	1	5		
8	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	B	1	Total	C	H	N	O	0
			26	8	12	1	5	
8	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	B	1	Total	C	H	N	O	0
			26	8	12	1	5	
8	B	1	Total	C	N	O		0
			14	8	1	5		
8	C	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	C	1	Total	C	H	N	O	0
			27	8	13	1	5	


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
8	C	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	C	1	Total	C	H	N	O	0
			27	8	13	1	5	
8	C	1	Total	C	N	O		0
			14	8	1	5		
8	C	1	Total	C	N	O		0
			14	8	1	5		



- Molecule 1: Spike glycoprotein



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1
MAG2

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  33% 67%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  33% 67%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  33% 67%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  33%  67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  33%  67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  33%  67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%

MAG1
MAG2
BMA3

- Molecule 4: alpha-D-mannopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  17% 83%

MAG1
MAG2
BMA3
MAN4
MAG5
FUC6

- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  25% 75%

MAG1
MAG2
BMA3
MAN4

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  33% 67%

MAG1
MAG2
FUC3

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  33% 67%

MAG1
MAG2
FUC3

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  100%

MAG1
MAG2
BMA3
MAN4
MAG5

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	153245	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	42.19	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	105000	Depositor
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	0.739	Depositor
Minimum map value	-0.271	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.024	Depositor
Recommended contour level	0.089	Depositor
Map size (Å)	332.112, 332.112, 332.112	wwPDB
Map dimensions	272, 272, 272	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.221, 1.221, 1.221	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, FUC, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/8155	0.47	0/11090
1	B	0.30	0/8499	0.48	0/11561
1	C	0.30	0/8633	0.47	0/11748
All	All	0.30	0/25287	0.47	0/34399

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	717	ASN	Peptide
1	B	986	PRO	Peptide

5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1001/1312 (76%)	936 (94%)	64 (6%)	1 (0%)	48	76
1	B	1047/1312 (80%)	964 (92%)	80 (8%)	3 (0%)	37	66
1	C	1069/1312 (82%)	989 (92%)	79 (7%)	1 (0%)	48	76
All	All	3117/3936 (79%)	2889 (93%)	223 (7%)	5 (0%)	45	72

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	335	LEU
1	B	987	PRO
1	C	166	CYS
1	B	336	CYS
1	A	164	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	891/1135 (78%)	878 (98%)	13 (2%)	60	77
1	B	926/1135 (82%)	914 (99%)	12 (1%)	65	79
1	C	940/1135 (83%)	931 (99%)	9 (1%)	73	84
All	All	2757/3405 (81%)	2723 (99%)	34 (1%)	66	80

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	153	MET
1	A	188	ASN
1	A	220	PHE
1	A	224	GLU
1	A	369	TYR
1	A	394	ASN
1	A	466	ARG
1	A	515	PHE
1	A	567	ARG
1	A	697	MET
1	A	803	SER
1	A	902	MET
1	A	907	ASN
1	B	153	MET
1	B	176	LEU
1	B	179	LEU
1	B	255	SER
1	B	318	PHE
1	B	336	CYS
1	B	342	PHE
1	B	408	ARG
1	B	578	ASP
1	B	697	MET
1	B	731	MET
1	B	873	TYR
1	C	140	PHE
1	C	153	MET
1	C	170	TYR
1	C	177	MET
1	C	377	PHE
1	C	486	PHE
1	C	616	ASN
1	C	1030	SER
1	C	1102	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	188	ASN
1	A	544	ASN
1	A	616	ASN
1	B	69	HIS
1	B	125	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	188	ASN
1	B	804	GLN
1	B	935	GLN
1	C	99	ASN
1	C	125	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

93 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	1,2	14,14,15	1.96	3 (21%)	17,19,21	1.14	1 (5%)
2	NAG	D	2	2	14,14,15	2.00	4 (28%)	17,19,21	1.03	1 (5%)
2	NAG	E	1	1,2	14,14,15	1.99	4 (28%)	17,19,21	1.16	2 (11%)
2	NAG	E	2	2	14,14,15	2.01	4 (28%)	17,19,21	1.07	2 (11%)
2	NAG	F	1	1,2	14,14,15	2.07	4 (28%)	17,19,21	1.29	1 (5%)
2	NAG	F	2	2	14,14,15	2.01	4 (28%)	17,19,21	1.17	1 (5%)
3	NAG	G	1	3,1	14,14,15	2.08	4 (28%)	17,19,21	1.47	3 (17%)
3	NAG	G	2	3	14,14,15	2.07	4 (28%)	17,19,21	1.22	2 (11%)
3	BMA	G	3	3	11,11,12	0.92	1 (9%)	15,15,17	0.86	1 (6%)
2	NAG	H	1	1,2	14,14,15	2.01	4 (28%)	17,19,21	1.30	2 (11%)
2	NAG	H	2	2	14,14,15	2.13	4 (28%)	17,19,21	2.32	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	I	1	3,1	14,14,15	1.98	5 (35%)	17,19,21	1.23	2 (11%)
3	NAG	I	2	3	14,14,15	2.02	3 (21%)	17,19,21	1.27	2 (11%)
3	BMA	I	3	3	11,11,12	0.51	0	15,15,17	0.75	0
2	NAG	J	1	2	14,14,15	2.10	5 (35%)	17,19,21	1.49	3 (17%)
2	NAG	J	2	2	14,14,15	2.04	3 (21%)	17,19,21	1.12	1 (5%)
3	NAG	K	1	3,1	14,14,15	2.01	3 (21%)	17,19,21	1.64	3 (17%)
3	NAG	K	2	3	14,14,15	1.93	3 (21%)	17,19,21	1.24	2 (11%)
3	BMA	K	3	3	11,11,12	0.51	0	15,15,17	0.68	0
2	NAG	L	1	1,2	14,14,15	1.91	4 (28%)	17,19,21	1.30	2 (11%)
2	NAG	L	2	2	14,14,15	2.01	4 (28%)	17,19,21	1.19	1 (5%)
3	NAG	M	1	3,1	14,14,15	1.97	5 (35%)	17,19,21	1.58	5 (29%)
3	NAG	M	2	3	14,14,15	1.96	4 (28%)	17,19,21	1.35	1 (5%)
3	BMA	M	3	3	11,11,12	0.56	0	15,15,17	0.70	0
3	NAG	N	1	3,1	14,14,15	1.93	3 (21%)	17,19,21	1.59	3 (17%)
3	NAG	N	2	3	14,14,15	1.93	3 (21%)	17,19,21	1.23	1 (5%)
3	BMA	N	3	3	11,11,12	0.69	0	15,15,17	1.14	1 (6%)
4	NAG	O	1	1,4	14,14,15	2.01	5 (35%)	17,19,21	1.36	3 (17%)
4	NAG	O	2	4	14,14,15	1.97	4 (28%)	17,19,21	1.44	2 (11%)
4	BMA	O	3	4	11,11,12	0.80	0	15,15,17	0.92	1 (6%)
4	MAN	O	4	4	11,11,12	0.78	0	15,15,17	1.10	2 (13%)
4	NAG	O	5	4	14,14,15	2.01	4 (28%)	17,19,21	1.13	2 (11%)
4	FUC	O	6	4	10,10,11	0.67	0	14,14,16	0.69	0
3	NAG	P	1	3,1	14,14,15	2.11	5 (35%)	17,19,21	2.17	7 (41%)
3	NAG	P	2	3	14,14,15	1.98	4 (28%)	17,19,21	1.19	2 (11%)
3	BMA	P	3	3	11,11,12	0.79	1 (9%)	15,15,17	0.93	1 (6%)
2	NAG	Q	1	1,2	14,14,15	2.04	5 (35%)	17,19,21	1.12	2 (11%)
2	NAG	Q	2	2	14,14,15	2.06	4 (28%)	17,19,21	1.31	3 (17%)
3	NAG	R	1	3,1	14,14,15	1.95	4 (28%)	17,19,21	1.34	3 (17%)
3	NAG	R	2	3	14,14,15	1.99	4 (28%)	17,19,21	1.04	2 (11%)
3	BMA	R	3	3	11,11,12	0.57	0	15,15,17	0.76	0
2	NAG	S	1	1,2	14,14,15	1.98	4 (28%)	17,19,21	1.16	2 (11%)
2	NAG	S	2	2	14,14,15	2.00	4 (28%)	17,19,21	1.19	2 (11%)
3	NAG	T	1	3,1	14,14,15	1.93	5 (35%)	17,19,21	1.46	5 (29%)
3	NAG	T	2	3	14,14,15	2.03	4 (28%)	17,19,21	1.15	2 (11%)
3	BMA	T	3	3	11,11,12	0.46	0	15,15,17	0.90	1 (6%)
5	NAG	U	1	1,5	14,14,15	1.86	4 (28%)	17,19,21	1.59	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	U	2	5	14,14,15	1.97	3 (21%)	17,19,21	1.29	2 (11%)
5	BMA	U	3	5	11,11,12	0.89	0	15,15,17	0.97	0
5	MAN	U	4	5	11,11,12	0.60	0	15,15,17	0.98	2 (13%)
3	NAG	V	1	3,1	14,14,15	1.95	5 (35%)	17,19,21	1.50	4 (23%)
3	NAG	V	2	3	14,14,15	2.03	4 (28%)	17,19,21	1.37	2 (11%)
3	BMA	V	3	3	11,11,12	0.81	0	15,15,17	0.88	1 (6%)
6	NAG	W	1	1,6	14,14,15	2.06	5 (35%)	17,19,21	1.71	3 (17%)
6	NAG	W	2	6	14,14,15	1.97	4 (28%)	17,19,21	1.16	1 (5%)
6	FUC	W	3	6	10,10,11	0.73	0	14,14,16	0.68	0
3	NAG	X	1	3,1	14,14,15	1.93	5 (35%)	17,19,21	1.24	2 (11%)
3	NAG	X	2	3	14,14,15	1.96	4 (28%)	17,19,21	1.23	2 (11%)
3	BMA	X	3	3	11,11,12	0.51	0	15,15,17	0.68	0
3	NAG	Y	1	3,1	14,14,15	2.02	4 (28%)	17,19,21	1.32	1 (5%)
3	NAG	Y	2	3	14,14,15	2.06	4 (28%)	17,19,21	1.13	2 (11%)
3	BMA	Y	3	3	11,11,12	0.81	0	15,15,17	1.01	1 (6%)
2	NAG	Z	1	1,2	14,14,15	1.95	4 (28%)	17,19,21	1.13	1 (5%)
2	NAG	Z	2	2	14,14,15	1.98	4 (28%)	17,19,21	1.13	2 (11%)
2	NAG	a	1	1,2	14,14,15	1.89	3 (21%)	17,19,21	1.24	2 (11%)
2	NAG	a	2	2	14,14,15	1.99	4 (28%)	17,19,21	1.07	2 (11%)
2	NAG	b	1	1,2	14,14,15	2.04	4 (28%)	17,19,21	1.21	1 (5%)
2	NAG	b	2	2	14,14,15	2.01	4 (28%)	17,19,21	1.17	2 (11%)
3	NAG	c	1	3,1	14,14,15	1.93	4 (28%)	17,19,21	1.41	3 (17%)
3	NAG	c	2	3	14,14,15	1.97	4 (28%)	17,19,21	1.14	2 (11%)
3	BMA	c	3	3	11,11,12	0.71	0	15,15,17	1.13	1 (6%)
3	NAG	d	1	3,1	14,14,15	1.97	4 (28%)	17,19,21	1.20	1 (5%)
3	NAG	d	2	3	14,14,15	1.99	4 (28%)	17,19,21	0.97	1 (5%)
3	BMA	d	3	3	11,11,12	0.94	0	15,15,17	0.94	0
2	NAG	e	1	1,2	14,14,15	2.02	3 (21%)	17,19,21	1.22	2 (11%)
2	NAG	e	2	2	14,14,15	1.98	4 (28%)	17,19,21	1.09	2 (11%)
3	NAG	f	1	3,1	14,14,15	1.88	3 (21%)	17,19,21	1.37	2 (11%)
3	NAG	f	2	3	14,14,15	1.94	3 (21%)	17,19,21	1.22	2 (11%)
3	BMA	f	3	3	11,11,12	0.56	0	15,15,17	0.73	0
3	NAG	g	1	3,1	14,14,15	1.87	3 (21%)	17,19,21	1.32	2 (11%)
3	NAG	g	2	3	14,14,15	1.93	4 (28%)	17,19,21	1.22	2 (11%)
3	BMA	g	3	3	11,11,12	0.51	0	15,15,17	0.70	0
6	NAG	h	1	1,6	14,14,15	2.00	4 (28%)	17,19,21	1.04	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	h	2	6	14,14,15	2.00	4 (28%)	17,19,21	1.38	3 (17%)
6	FUC	h	3	6	10,10,11	0.57	0	14,14,16	0.82	0
3	NAG	i	1	3,1	14,14,15	1.92	4 (28%)	17,19,21	1.26	2 (11%)
3	NAG	i	2	3	14,14,15	1.96	4 (28%)	17,19,21	1.17	1 (5%)
3	BMA	i	3	3	11,11,12	0.78	0	15,15,17	0.90	1 (6%)
7	NAG	j	1	1,7	14,14,15	1.91	5 (35%)	17,19,21	1.50	3 (17%)
7	NAG	j	2	7	14,14,15	1.96	4 (28%)	17,19,21	1.36	3 (17%)
7	BMA	j	3	7	11,11,12	0.81	0	15,15,17	1.10	1 (6%)
7	MAN	j	4	7	11,11,12	0.61	0	15,15,17	0.91	2 (13%)
7	NAG	j	5	7	14,14,15	1.99	4 (28%)	17,19,21	1.10	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	F	2	2	-	3/6/23/26	0/1/1/1
3	NAG	G	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	BMA	G	3	3	-	0/2/19/22	0/1/1/1
2	NAG	H	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	H	2	2	1/1/6/7	3/6/23/26	0/1/1/1
3	NAG	I	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	BMA	I	3	3	-	0/2/19/22	0/1/1/1
2	NAG	J	1	2	-	4/6/23/26	0/1/1/1
2	NAG	J	2	2	-	4/6/23/26	0/1/1/1
3	NAG	K	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	K	2	3	-	2/6/23/26	0/1/1/1
3	BMA	K	3	3	-	1/2/19/22	0/1/1/1
2	NAG	L	1	1,2	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	L	2	2	-	6/6/23/26	0/1/1/1
3	NAG	M	1	3,1	-	6/6/23/26	0/1/1/1
3	NAG	M	2	3	-	3/6/23/26	0/1/1/1
3	BMA	M	3	3	-	1/2/19/22	0/1/1/1
3	NAG	N	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	N	2	3	-	2/6/23/26	0/1/1/1
3	BMA	N	3	3	-	0/2/19/22	0/1/1/1
4	NAG	O	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	O	2	4	-	0/6/23/26	0/1/1/1
4	BMA	O	3	4	-	0/2/19/22	0/1/1/1
4	MAN	O	4	4	-	0/2/19/22	0/1/1/1
4	NAG	O	5	4	-	0/6/23/26	0/1/1/1
4	FUC	O	6	4	-	-	0/1/1/1
3	NAG	P	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	P	2	3	-	0/6/23/26	0/1/1/1
3	BMA	P	3	3	-	1/2/19/22	0/1/1/1
2	NAG	Q	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	2/6/23/26	0/1/1/1
3	NAG	R	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	R	2	3	-	3/6/23/26	0/1/1/1
3	BMA	R	3	3	-	0/2/19/22	0/1/1/1
2	NAG	S	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	S	2	2	-	4/6/23/26	0/1/1/1
3	NAG	T	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	T	2	3	-	2/6/23/26	0/1/1/1
3	BMA	T	3	3	-	0/2/19/22	0/1/1/1
5	NAG	U	1	1,5	-	4/6/23/26	0/1/1/1
5	NAG	U	2	5	-	4/6/23/26	0/1/1/1
5	BMA	U	3	5	-	2/2/19/22	0/1/1/1
5	MAN	U	4	5	-	2/2/19/22	1/1/1/1
3	NAG	V	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	V	2	3	-	1/6/23/26	0/1/1/1
3	BMA	V	3	3	-	1/2/19/22	0/1/1/1
6	NAG	W	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	W	2	6	-	5/6/23/26	0/1/1/1
6	FUC	W	3	6	-	-	0/1/1/1
3	NAG	X	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	X	2	3	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	X	3	3	-	0/2/19/22	0/1/1/1
3	NAG	Y	1	3,1	-	6/6/23/26	0/1/1/1
3	NAG	Y	2	3	-	2/6/23/26	0/1/1/1
3	BMA	Y	3	3	-	1/2/19/22	0/1/1/1
2	NAG	Z	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	2/6/23/26	0/1/1/1
2	NAG	a	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	a	2	2	-	2/6/23/26	0/1/1/1
2	NAG	b	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	b	2	2	-	2/6/23/26	0/1/1/1
3	NAG	c	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	c	2	3	-	2/6/23/26	0/1/1/1
3	BMA	c	3	3	-	1/2/19/22	0/1/1/1
3	NAG	d	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	d	2	3	-	2/6/23/26	0/1/1/1
3	BMA	d	3	3	-	0/2/19/22	0/1/1/1
2	NAG	e	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	e	2	2	-	0/6/23/26	0/1/1/1
3	NAG	f	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	f	2	3	-	1/6/23/26	0/1/1/1
3	BMA	f	3	3	-	2/2/19/22	0/1/1/1
3	NAG	g	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	g	2	3	-	4/6/23/26	0/1/1/1
3	BMA	g	3	3	-	0/2/19/22	0/1/1/1
6	NAG	h	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	h	2	6	-	0/6/23/26	0/1/1/1
6	FUC	h	3	6	-	-	0/1/1/1
3	NAG	i	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	i	2	3	-	0/6/23/26	0/1/1/1
3	BMA	i	3	3	-	1/2/19/22	0/1/1/1
7	NAG	j	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	j	2	7	-	3/6/23/26	0/1/1/1
7	BMA	j	3	7	-	0/2/19/22	0/1/1/1
7	MAN	j	4	7	-	2/2/19/22	0/1/1/1
7	NAG	j	5	7	-	0/6/23/26	0/1/1/1

All (272) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	2	NAG	O5-C1	4.79	1.51	1.43
3	G	2	NAG	O5-C1	4.67	1.51	1.43
2	J	1	NAG	O5-C1	4.60	1.51	1.43
3	V	2	NAG	O5-C1	4.56	1.51	1.43
6	W	1	NAG	O5-C1	4.56	1.51	1.43
3	Y	2	NAG	O5-C1	4.53	1.51	1.43
3	P	1	NAG	O5-C1	4.52	1.51	1.43
3	T	2	NAG	O5-C1	4.50	1.51	1.43
2	Q	2	NAG	O5-C1	4.46	1.51	1.43
4	O	1	NAG	O5-C1	4.46	1.51	1.43
2	J	2	NAG	O5-C1	4.45	1.51	1.43
6	h	2	NAG	O5-C1	4.45	1.51	1.43
2	F	2	NAG	O5-C1	4.43	1.51	1.43
2	Q	1	NAG	O5-C1	4.41	1.51	1.43
2	S	2	NAG	O5-C1	4.40	1.51	1.43
2	b	2	NAG	O5-C1	4.40	1.51	1.43
2	F	1	NAG	O5-C1	4.39	1.51	1.43
6	h	1	NAG	O5-C1	4.35	1.51	1.43
3	R	2	NAG	O5-C1	4.34	1.51	1.43
2	b	1	NAG	O5-C1	4.34	1.51	1.43
2	E	1	NAG	O5-C1	4.32	1.51	1.43
3	G	1	NAG	O5-C1	4.32	1.51	1.43
2	e	1	NAG	O5-C1	4.31	1.50	1.43
3	Y	1	NAG	O5-C1	4.31	1.50	1.43
2	D	2	NAG	O5-C1	4.30	1.50	1.43
4	O	5	NAG	O5-C1	4.30	1.50	1.43
2	S	1	NAG	O5-C1	4.30	1.50	1.43
2	E	2	NAG	O5-C1	4.30	1.50	1.43
3	M	2	NAG	O5-C1	4.29	1.50	1.43
2	a	2	NAG	O5-C1	4.29	1.50	1.43
5	U	2	NAG	O5-C1	4.27	1.50	1.43
7	j	5	NAG	O5-C1	4.26	1.50	1.43
3	K	1	NAG	O5-C1	4.26	1.50	1.43
2	Z	2	NAG	O5-C1	4.25	1.50	1.43
2	e	2	NAG	O5-C1	4.25	1.50	1.43
3	I	1	NAG	O5-C1	4.24	1.50	1.43
3	I	2	NAG	O5-C1	4.22	1.50	1.43
3	d	2	NAG	O5-C1	4.22	1.50	1.43
6	W	2	NAG	O5-C1	4.21	1.50	1.43
3	P	2	NAG	O5-C1	4.20	1.50	1.43
3	X	2	NAG	O5-C1	4.20	1.50	1.43
3	X	1	NAG	O5-C1	4.19	1.50	1.43
2	L	2	NAG	O5-C1	4.18	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	1	NAG	O5-C1	4.18	1.50	1.43
3	c	2	NAG	O5-C1	4.15	1.50	1.43
3	i	1	NAG	O5-C1	4.15	1.50	1.43
4	O	2	NAG	O5-C1	4.13	1.50	1.43
2	D	1	NAG	O5-C1	4.13	1.50	1.43
3	i	2	NAG	O5-C1	4.12	1.50	1.43
2	L	1	NAG	O5-C1	4.10	1.50	1.43
3	d	1	NAG	O5-C1	4.09	1.50	1.43
3	c	1	NAG	O5-C1	4.09	1.50	1.43
2	Z	1	NAG	O5-C1	4.08	1.50	1.43
3	V	1	NAG	O5-C1	4.06	1.50	1.43
3	K	1	NAG	C7-N2	4.05	1.47	1.34
7	j	2	NAG	O5-C1	4.05	1.50	1.43
3	R	1	NAG	O5-C1	4.04	1.50	1.43
3	G	1	NAG	C7-N2	4.04	1.47	1.34
2	e	1	NAG	C7-N2	4.03	1.47	1.34
3	f	1	NAG	O5-C1	4.02	1.50	1.43
2	F	1	NAG	C7-N2	4.00	1.47	1.34
3	g	2	NAG	O5-C1	3.98	1.50	1.43
3	g	1	NAG	O5-C1	3.98	1.50	1.43
3	Y	1	NAG	C7-N2	3.98	1.47	1.34
3	I	2	NAG	C7-N2	3.97	1.47	1.34
2	b	1	NAG	C7-N2	3.97	1.47	1.34
3	K	2	NAG	O5-C1	3.97	1.50	1.43
3	N	1	NAG	O5-C1	3.97	1.50	1.43
3	f	2	NAG	O5-C1	3.97	1.50	1.43
2	a	1	NAG	O5-C1	3.96	1.50	1.43
2	H	1	NAG	C7-N2	3.96	1.47	1.34
2	H	2	NAG	C7-N2	3.96	1.47	1.34
3	N	2	NAG	O5-C1	3.95	1.50	1.43
2	Q	2	NAG	C7-N2	3.95	1.47	1.34
5	U	1	NAG	O5-C1	3.95	1.50	1.43
2	J	2	NAG	C7-N2	3.94	1.47	1.34
2	D	1	NAG	C7-N2	3.94	1.47	1.34
3	Y	2	NAG	C7-N2	3.92	1.47	1.34
3	M	1	NAG	C7-N2	3.92	1.47	1.34
3	K	2	NAG	C7-N2	3.92	1.47	1.34
3	N	1	NAG	C7-N2	3.92	1.47	1.34
7	j	1	NAG	O5-C1	3.91	1.50	1.43
3	T	1	NAG	O5-C1	3.90	1.50	1.43
3	d	2	NAG	C7-N2	3.90	1.46	1.34
4	O	5	NAG	C7-N2	3.90	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	f	2	NAG	C7-N2	3.90	1.46	1.34
2	E	2	NAG	C7-N2	3.89	1.46	1.34
2	L	2	NAG	C7-N2	3.89	1.46	1.34
3	d	1	NAG	C7-N2	3.89	1.46	1.34
6	W	2	NAG	C7-N2	3.89	1.46	1.34
3	c	2	NAG	C7-N2	3.88	1.46	1.34
2	Z	1	NAG	C7-N2	3.87	1.46	1.34
2	a	2	NAG	C7-N2	3.87	1.46	1.34
3	i	2	NAG	C7-N2	3.87	1.46	1.34
3	R	2	NAG	C7-N2	3.87	1.46	1.34
7	j	2	NAG	C7-N2	3.86	1.46	1.34
2	F	2	NAG	C7-N2	3.86	1.46	1.34
2	b	2	NAG	C7-N2	3.86	1.46	1.34
2	Z	2	NAG	C7-N2	3.86	1.46	1.34
3	N	2	NAG	C7-N2	3.86	1.46	1.34
7	j	5	NAG	C7-N2	3.86	1.46	1.34
6	h	1	NAG	C7-N2	3.86	1.46	1.34
3	g	2	NAG	C7-N2	3.86	1.46	1.34
3	G	2	NAG	C7-N2	3.86	1.46	1.34
4	O	2	NAG	C7-N2	3.86	1.46	1.34
3	c	1	NAG	C7-N2	3.85	1.46	1.34
2	E	1	NAG	C7-N2	3.85	1.46	1.34
2	J	1	NAG	C7-N2	3.85	1.46	1.34
2	D	2	NAG	C7-N2	3.85	1.46	1.34
5	U	2	NAG	C7-N2	3.85	1.46	1.34
3	P	2	NAG	C7-N2	3.85	1.46	1.34
2	e	2	NAG	C7-N2	3.85	1.46	1.34
3	R	1	NAG	C7-N2	3.85	1.46	1.34
2	S	2	NAG	C7-N2	3.83	1.46	1.34
3	T	2	NAG	C7-N2	3.82	1.46	1.34
3	V	2	NAG	C7-N2	3.82	1.46	1.34
6	W	1	NAG	C7-N2	3.82	1.46	1.34
3	M	1	NAG	O5-C1	3.80	1.50	1.43
2	S	1	NAG	C7-N2	3.80	1.46	1.34
2	Q	1	NAG	C7-N2	3.79	1.46	1.34
3	X	2	NAG	C7-N2	3.79	1.46	1.34
6	h	2	NAG	C7-N2	3.79	1.46	1.34
3	M	2	NAG	C7-N2	3.78	1.46	1.34
2	a	1	NAG	C7-N2	3.76	1.46	1.34
3	V	1	NAG	C7-N2	3.76	1.46	1.34
3	P	1	NAG	C7-N2	3.76	1.46	1.34
7	j	1	NAG	C7-N2	3.75	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	1	NAG	C7-N2	3.74	1.46	1.34
3	i	1	NAG	C7-N2	3.73	1.46	1.34
4	O	1	NAG	C7-N2	3.73	1.46	1.34
3	g	1	NAG	C7-N2	3.71	1.46	1.34
3	X	1	NAG	C7-N2	3.71	1.46	1.34
3	f	1	NAG	C7-N2	3.68	1.46	1.34
5	U	1	NAG	C7-N2	3.66	1.46	1.34
3	T	1	NAG	C7-N2	3.66	1.46	1.34
2	L	1	NAG	C7-N2	3.65	1.46	1.34
3	G	1	NAG	C2-N2	2.78	1.50	1.46
2	e	1	NAG	C2-N2	2.77	1.50	1.46
3	N	1	NAG	C2-N2	2.76	1.50	1.46
3	P	1	NAG	O5-C5	2.70	1.48	1.43
3	I	2	NAG	C2-N2	2.70	1.50	1.46
2	J	1	NAG	O5-C5	2.67	1.48	1.43
2	D	1	NAG	C2-N2	2.64	1.50	1.46
3	Y	2	NAG	C2-N2	2.64	1.50	1.46
2	b	1	NAG	C2-N2	2.60	1.50	1.46
3	d	2	NAG	C2-N2	2.56	1.50	1.46
2	b	2	NAG	C2-N2	2.56	1.50	1.46
3	Y	1	NAG	C2-N2	2.54	1.50	1.46
2	H	1	NAG	C2-N2	2.53	1.50	1.46
3	M	1	NAG	C2-N2	2.52	1.50	1.46
3	f	2	NAG	C2-N2	2.52	1.50	1.46
2	Q	2	NAG	C2-N2	2.52	1.50	1.46
2	J	2	NAG	C2-N2	2.51	1.50	1.46
4	O	5	NAG	C2-N2	2.50	1.50	1.46
2	H	2	NAG	C2-N2	2.49	1.50	1.46
2	E	2	NAG	C2-N2	2.49	1.50	1.46
2	F	1	NAG	C2-N2	2.49	1.50	1.46
3	N	2	NAG	C2-N2	2.49	1.50	1.46
2	F	1	NAG	O5-C5	2.48	1.48	1.43
3	P	1	NAG	C3-C2	-2.48	1.47	1.52
6	h	1	NAG	C2-N2	2.47	1.50	1.46
7	j	5	NAG	C2-N2	2.47	1.50	1.46
5	U	2	NAG	C2-N2	2.47	1.50	1.46
4	O	2	NAG	C2-N2	2.47	1.50	1.46
2	L	2	NAG	C2-N2	2.47	1.50	1.46
3	K	2	NAG	C2-N2	2.46	1.50	1.46
3	P	2	NAG	C2-N2	2.45	1.50	1.46
2	Z	1	NAG	C2-N2	2.45	1.50	1.46
3	c	2	NAG	C2-N2	2.45	1.50	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	e	2	NAG	C2-N2	2.45	1.50	1.46
2	D	2	NAG	C2-N2	2.45	1.50	1.46
3	i	2	NAG	C2-N2	2.45	1.50	1.46
7	j	2	NAG	C2-N2	2.44	1.50	1.46
2	Z	2	NAG	C2-N2	2.43	1.50	1.46
3	d	1	NAG	C2-N2	2.43	1.50	1.46
3	R	2	NAG	C2-N2	2.42	1.50	1.46
2	Q	1	NAG	O5-C5	2.42	1.48	1.43
2	F	2	NAG	C2-N2	2.41	1.50	1.46
6	h	2	NAG	C2-N2	2.40	1.50	1.46
2	a	2	NAG	C2-N2	2.40	1.50	1.46
2	L	2	NAG	O5-C5	2.39	1.48	1.43
3	T	1	NAG	O5-C5	2.38	1.48	1.43
2	E	1	NAG	C2-N2	2.38	1.50	1.46
3	G	3	BMA	C1-C2	2.38	1.57	1.52
6	W	2	NAG	C2-N2	2.38	1.50	1.46
3	R	1	NAG	C2-N2	2.38	1.50	1.46
4	O	1	NAG	O5-C5	2.37	1.48	1.43
3	T	2	NAG	C2-N2	2.37	1.50	1.46
3	V	2	NAG	C2-N2	2.36	1.50	1.46
3	G	2	NAG	C2-N2	2.36	1.50	1.46
6	W	1	NAG	C2-N2	2.36	1.50	1.46
3	V	1	NAG	O5-C5	2.35	1.48	1.43
3	c	1	NAG	C2-N2	2.35	1.50	1.46
2	S	2	NAG	C2-N2	2.35	1.50	1.46
3	g	2	NAG	C2-N2	2.34	1.50	1.46
2	J	1	NAG	C3-C2	-2.32	1.47	1.52
2	S	1	NAG	C2-N2	2.30	1.50	1.46
6	W	1	NAG	O5-C5	2.30	1.47	1.43
3	G	1	NAG	O5-C5	2.29	1.47	1.43
2	D	2	NAG	O5-C5	2.28	1.47	1.43
3	X	2	NAG	C2-N2	2.28	1.50	1.46
2	Q	1	NAG	C3-C2	-2.27	1.47	1.52
3	I	1	NAG	C3-C2	-2.27	1.47	1.52
2	S	2	NAG	O5-C5	2.27	1.47	1.43
3	M	2	NAG	C2-N2	2.27	1.50	1.46
2	E	2	NAG	O5-C5	2.27	1.47	1.43
2	Q	2	NAG	O5-C5	2.25	1.47	1.43
4	O	5	NAG	O5-C5	2.25	1.47	1.43
3	P	1	NAG	C2-N2	2.24	1.50	1.46
2	a	1	NAG	C2-N2	2.24	1.50	1.46
3	M	1	NAG	O5-C5	2.23	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	1	NAG	O5-C5	2.23	1.47	1.43
3	I	1	NAG	O5-C5	2.22	1.47	1.43
3	K	1	NAG	C2-N2	2.21	1.49	1.46
2	J	1	NAG	C2-N2	2.21	1.49	1.46
2	Q	1	NAG	C2-N2	2.20	1.49	1.46
3	G	2	NAG	O5-C5	2.20	1.47	1.43
7	j	2	NAG	O5-C5	2.20	1.47	1.43
3	c	2	NAG	O5-C5	2.19	1.47	1.43
3	i	1	NAG	C2-N2	2.18	1.49	1.46
3	V	1	NAG	C2-N2	2.17	1.49	1.46
3	X	2	NAG	O5-C5	2.17	1.47	1.43
3	T	1	NAG	C3-C2	-2.17	1.48	1.52
7	j	1	NAG	C2-N2	2.17	1.49	1.46
2	Z	2	NAG	O5-C5	2.17	1.47	1.43
3	I	1	NAG	C2-N2	2.16	1.49	1.46
6	W	2	NAG	O5-C5	2.16	1.47	1.43
2	F	2	NAG	O5-C5	2.16	1.47	1.43
7	j	5	NAG	O5-C5	2.16	1.47	1.43
3	d	1	NAG	O5-C5	2.16	1.47	1.43
2	e	2	NAG	O5-C5	2.16	1.47	1.43
2	E	1	NAG	O5-C5	2.15	1.47	1.43
2	H	2	NAG	O5-C5	2.15	1.47	1.43
4	O	1	NAG	C3-C2	-2.15	1.48	1.52
7	j	1	NAG	O5-C5	2.14	1.47	1.43
2	a	2	NAG	O5-C5	2.14	1.47	1.43
3	T	2	NAG	O5-C5	2.13	1.47	1.43
3	P	2	NAG	O5-C5	2.12	1.47	1.43
3	T	1	NAG	C2-N2	2.12	1.49	1.46
6	h	2	NAG	O5-C5	2.12	1.47	1.43
3	X	1	NAG	C2-N2	2.12	1.49	1.46
3	g	1	NAG	C2-N2	2.11	1.49	1.46
3	P	3	BMA	C1-C2	2.11	1.57	1.52
6	h	1	NAG	O5-C5	2.11	1.47	1.43
2	b	1	NAG	O5-C5	2.11	1.47	1.43
3	V	2	NAG	O5-C5	2.10	1.47	1.43
3	c	1	NAG	O5-C5	2.10	1.47	1.43
3	d	2	NAG	O5-C5	2.10	1.47	1.43
3	g	2	NAG	O5-C5	2.09	1.47	1.43
3	M	1	NAG	C3-C2	-2.08	1.48	1.52
4	O	1	NAG	C2-N2	2.08	1.49	1.46
3	Y	1	NAG	O5-C5	2.08	1.47	1.43
4	O	2	NAG	O5-C5	2.08	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	f	1	NAG	C2-N2	2.07	1.49	1.46
3	R	1	NAG	O5-C5	2.06	1.47	1.43
5	U	1	NAG	C2-N2	2.06	1.49	1.46
3	M	2	NAG	O5-C5	2.06	1.47	1.43
3	i	1	NAG	O5-C5	2.06	1.47	1.43
3	R	2	NAG	O5-C5	2.05	1.47	1.43
3	i	2	NAG	O5-C5	2.05	1.47	1.43
2	S	1	NAG	O5-C5	2.05	1.47	1.43
7	j	1	NAG	C3-C2	-2.05	1.48	1.52
2	L	1	NAG	O5-C5	2.05	1.47	1.43
3	Y	2	NAG	O5-C5	2.05	1.47	1.43
2	L	1	NAG	C2-N2	2.04	1.49	1.46
2	b	2	NAG	O5-C5	2.04	1.47	1.43
3	X	1	NAG	O5-C5	2.04	1.47	1.43
5	U	1	NAG	O5-C5	2.03	1.47	1.43
3	X	1	NAG	C3-C2	-2.03	1.48	1.52
2	Z	1	NAG	O5-C5	2.02	1.47	1.43
6	W	1	NAG	C3-C2	-2.01	1.48	1.52
3	V	1	NAG	C3-C2	-2.00	1.48	1.52

All (168) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	2	NAG	C3-C4-C5	5.96	121.03	110.23
3	P	1	NAG	C1-O5-C5	5.90	120.10	112.19
3	G	1	NAG	C8-C7-N2	4.47	123.54	116.12
6	W	1	NAG	C1-O5-C5	4.43	118.12	112.19
3	M	2	NAG	C2-N2-C7	-4.25	117.20	122.90
3	K	1	NAG	C8-C7-N2	4.09	122.90	116.12
4	O	2	NAG	C2-N2-C7	-3.88	117.70	122.90
2	H	2	NAG	O4-C4-C5	3.84	118.77	109.32
2	F	1	NAG	C8-C7-N2	3.81	122.43	116.12
3	N	1	NAG	C4-C3-C2	3.64	116.35	111.02
3	V	2	NAG	C2-N2-C7	-3.56	118.13	122.90
2	H	2	NAG	O4-C4-C3	3.54	118.72	110.38
3	N	1	NAG	C3-C4-C5	3.47	116.52	110.23
2	H	2	NAG	C8-C7-N2	3.34	121.66	116.12
3	N	3	BMA	C1-O5-C5	3.32	116.64	112.19
2	b	1	NAG	C8-C7-N2	3.27	121.54	116.12
3	f	1	NAG	C2-N2-C7	-3.22	118.59	122.90
3	Y	1	NAG	C8-C7-N2	3.20	121.42	116.12
2	H	1	NAG	C8-C7-N2	3.19	121.41	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	c	3	BMA	C1-O5-C5	3.18	116.45	112.19
2	L	2	NAG	C8-C7-N2	3.14	121.32	116.12
5	U	1	NAG	C2-N2-C7	-3.10	118.75	122.90
4	O	1	NAG	C2-N2-C7	-3.10	118.75	122.90
3	d	1	NAG	C8-C7-N2	3.09	121.23	116.12
3	P	1	NAG	O5-C5-C4	3.07	118.31	110.83
7	j	1	NAG	C2-N2-C7	-3.07	118.78	122.90
3	i	1	NAG	C2-N2-C7	-3.07	118.79	122.90
2	J	1	NAG	C2-N2-C7	-3.07	118.79	122.90
7	j	3	BMA	C1-O5-C5	3.04	116.26	112.19
6	W	1	NAG	C2-N2-C7	-3.00	118.88	122.90
3	X	1	NAG	C2-N2-C7	-2.98	118.91	122.90
3	M	1	NAG	C3-C4-C5	2.98	115.63	110.23
3	X	2	NAG	C2-N2-C7	-2.98	118.91	122.90
3	G	2	NAG	C2-N2-C7	-2.94	118.96	122.90
3	I	1	NAG	C2-N2-C7	-2.90	119.01	122.90
3	M	1	NAG	C8-C7-N2	2.89	120.92	116.12
3	V	1	NAG	C2-N2-C7	-2.85	119.07	122.90
2	e	1	NAG	O5-C1-C2	2.85	115.70	111.29
2	Q	2	NAG	C2-N2-C7	-2.84	119.09	122.90
2	S	1	NAG	C2-N2-C7	-2.82	119.13	122.90
3	K	1	NAG	C1-C2-N2	-2.78	106.05	110.43
2	J	1	NAG	C4-C3-C2	-2.78	106.95	111.02
3	I	2	NAG	C2-N2-C7	-2.75	119.21	122.90
3	Y	3	BMA	O2-C2-C3	-2.74	104.47	110.15
6	h	2	NAG	C2-N2-C7	-2.73	119.24	122.90
4	O	4	MAN	C1-O5-C5	2.72	115.83	112.19
3	c	1	NAG	C3-C4-C5	2.69	115.11	110.23
2	L	1	NAG	C6-C5-C4	-2.68	106.44	113.02
7	j	2	NAG	C3-C4-C5	2.64	115.02	110.23
2	J	2	NAG	C8-C7-N2	2.62	120.46	116.12
3	P	1	NAG	C3-C4-C5	2.60	114.95	110.23
3	I	2	NAG	C8-C7-N2	2.59	120.41	116.12
6	W	2	NAG	C8-C7-N2	2.58	120.39	116.12
4	O	2	NAG	C8-C7-N2	2.55	120.35	116.12
2	b	2	NAG	C2-N2-C7	-2.54	119.49	122.90
3	g	1	NAG	C2-N2-C7	-2.53	119.51	122.90
4	O	3	BMA	O3-C3-C2	2.52	115.20	110.05
3	N	2	NAG	C8-C7-N2	2.52	120.29	116.12
3	f	2	NAG	C8-C7-N2	2.50	120.27	116.12
2	S	2	NAG	C2-N2-C7	-2.50	119.55	122.90
5	U	2	NAG	C8-C7-N2	2.49	120.25	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	1	NAG	C2-N2-C7	-2.48	119.57	122.90
3	V	1	NAG	C8-C7-N2	2.48	120.23	116.12
3	Y	2	NAG	C8-C7-N2	2.48	120.23	116.12
3	V	2	NAG	C8-C7-N2	2.46	120.20	116.12
3	P	3	BMA	O2-C2-C3	-2.46	105.06	110.15
3	P	1	NAG	C8-C7-N2	2.45	120.19	116.12
2	Q	2	NAG	C8-C7-N2	2.45	120.18	116.12
5	U	1	NAG	C4-C3-C2	2.45	114.61	111.02
2	E	1	NAG	C2-N2-C7	-2.44	119.63	122.90
3	c	2	NAG	C8-C7-N2	2.43	120.15	116.12
6	W	1	NAG	C8-C7-N2	2.43	120.15	116.12
2	E	2	NAG	C8-C7-N2	2.41	120.11	116.12
3	X	2	NAG	C8-C7-N2	2.41	120.11	116.12
3	i	3	BMA	O2-C2-C3	-2.40	105.17	110.15
2	D	1	NAG	C8-C7-N2	2.40	120.10	116.12
7	j	2	NAG	C8-C7-N2	2.40	120.10	116.12
3	Y	2	NAG	C2-N2-C7	-2.40	119.69	122.90
2	J	1	NAG	C8-C7-N2	2.40	120.09	116.12
3	X	1	NAG	C8-C7-N2	2.40	120.09	116.12
3	g	2	NAG	C8-C7-N2	2.38	120.06	116.12
3	i	1	NAG	C8-C7-N2	2.38	120.06	116.12
4	O	5	NAG	C8-C7-N2	2.38	120.06	116.12
7	j	1	NAG	C8-C7-N2	2.37	120.05	116.12
2	S	1	NAG	C8-C7-N2	2.37	120.05	116.12
2	b	2	NAG	C8-C7-N2	2.37	120.04	116.12
2	e	2	NAG	C8-C7-N2	2.37	120.04	116.12
6	h	1	NAG	C8-C7-N2	2.37	120.04	116.12
3	T	1	NAG	O5-C5-C4	2.36	116.57	110.83
3	N	1	NAG	C6-C5-C4	-2.36	107.23	113.02
6	h	2	NAG	O5-C1-C2	2.35	114.93	111.29
4	O	1	NAG	C8-C7-N2	2.35	120.02	116.12
3	I	1	NAG	C8-C7-N2	2.35	120.02	116.12
3	c	1	NAG	C2-N2-C7	-2.33	119.77	122.90
2	E	1	NAG	C8-C7-N2	2.33	119.98	116.12
3	P	2	NAG	C8-C7-N2	2.32	119.97	116.12
6	h	2	NAG	C8-C7-N2	2.32	119.97	116.12
2	Z	2	NAG	C8-C7-N2	2.32	119.96	116.12
3	i	2	NAG	C8-C7-N2	2.31	119.96	116.12
3	R	1	NAG	C8-C7-N2	2.31	119.95	116.12
4	O	1	NAG	C1-O5-C5	-2.31	109.09	112.19
3	d	2	NAG	C8-C7-N2	2.31	119.94	116.12
7	j	5	NAG	C8-C7-N2	2.31	119.94	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	e	2	NAG	C2-N2-C7	-2.30	119.81	122.90
2	H	2	NAG	C1-O5-C5	-2.30	109.10	112.19
5	U	1	NAG	C3-C4-C5	2.30	114.41	110.23
3	f	1	NAG	C8-C7-N2	2.30	119.93	116.12
4	O	5	NAG	C2-N2-C7	-2.29	119.83	122.90
3	T	1	NAG	O5-C1-C2	-2.28	107.76	111.29
5	U	4	MAN	C1-O5-C5	2.28	115.24	112.19
7	j	5	NAG	C2-N2-C7	-2.26	119.87	122.90
3	R	1	NAG	C3-C4-C5	2.26	114.33	110.23
2	Z	1	NAG	C8-C7-N2	2.26	119.86	116.12
3	g	2	NAG	C2-N2-C7	-2.25	119.89	122.90
2	S	2	NAG	C8-C7-N2	2.25	119.85	116.12
2	Z	2	NAG	C2-N2-C7	-2.25	119.89	122.90
3	R	2	NAG	C8-C7-N2	2.25	119.85	116.12
2	a	1	NAG	C2-N2-C7	-2.25	119.89	122.90
3	c	1	NAG	C8-C7-N2	2.25	119.84	116.12
2	a	2	NAG	C8-C7-N2	2.24	119.84	116.12
3	T	1	NAG	C8-C7-N2	2.24	119.83	116.12
3	G	2	NAG	C8-C7-N2	2.24	119.83	116.12
5	U	4	MAN	O2-C2-C3	-2.24	105.52	110.15
2	Q	1	NAG	C2-N2-C7	-2.23	119.91	122.90
3	K	2	NAG	C3-C4-C5	2.23	114.27	110.23
2	D	2	NAG	C8-C7-N2	2.23	119.81	116.12
3	c	2	NAG	C2-N2-C7	-2.22	119.92	122.90
5	U	1	NAG	C6-C5-C4	-2.22	107.57	113.02
4	O	4	MAN	O2-C2-C3	-2.21	105.56	110.15
3	P	2	NAG	C2-N2-C7	-2.21	119.94	122.90
3	M	1	NAG	O4-C4-C3	-2.21	105.17	110.38
3	M	1	NAG	C6-C5-C4	-2.21	107.60	113.02
3	T	2	NAG	C2-N2-C7	-2.20	119.95	122.90
3	G	3	BMA	O2-C2-C3	-2.20	105.59	110.15
7	j	1	NAG	C3-C4-C5	2.20	114.22	110.23
2	H	1	NAG	O4-C4-C3	-2.20	105.20	110.38
3	G	1	NAG	O7-C7-C8	-2.19	118.15	122.05
3	K	2	NAG	C8-C7-N2	2.19	119.75	116.12
2	F	2	NAG	C8-C7-N2	2.19	119.74	116.12
3	T	2	NAG	C8-C7-N2	2.18	119.74	116.12
2	Q	1	NAG	C8-C7-N2	2.18	119.74	116.12
2	E	2	NAG	C2-N2-C7	-2.18	119.98	122.90
3	V	1	NAG	C6-C5-C4	-2.18	107.66	113.02
5	U	2	NAG	O5-C1-C2	2.18	114.66	111.29
3	g	1	NAG	C8-C7-N2	2.18	119.73	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	V	3	BMA	O2-C2-C3	-2.18	105.64	110.15
3	P	1	NAG	O5-C1-C2	2.17	114.65	111.29
3	R	2	NAG	C2-N2-C7	-2.17	119.99	122.90
3	T	3	BMA	C1-O5-C5	2.17	115.09	112.19
3	P	1	NAG	C6-C5-C4	-2.12	107.81	113.02
2	a	1	NAG	C8-C7-N2	2.12	119.63	116.12
7	j	2	NAG	C2-N2-C7	-2.10	120.09	122.90
7	j	4	MAN	O2-C2-C3	-2.09	105.81	110.15
3	V	1	NAG	C3-C4-C5	2.09	114.02	110.23
3	T	1	NAG	C6-C5-C4	-2.09	107.89	113.02
3	P	1	NAG	O4-C4-C3	-2.08	105.47	110.38
3	G	1	NAG	O7-C7-N2	-2.07	118.31	121.98
3	M	1	NAG	O5-C5-C4	2.07	115.87	110.83
2	a	2	NAG	C2-N2-C7	-2.07	120.12	122.90
3	R	1	NAG	C2-N2-C7	-2.07	120.13	122.90
2	e	1	NAG	C4-C3-C2	2.06	114.04	111.02
7	j	4	MAN	C1-O5-C5	2.06	114.95	112.19
2	L	1	NAG	C1-O5-C5	2.06	114.95	112.19
5	U	1	NAG	C8-C7-N2	2.04	119.51	116.12
6	h	1	NAG	C2-N2-C7	-2.03	120.18	122.90
3	f	2	NAG	C2-N2-C7	-2.03	120.18	122.90
3	K	1	NAG	O7-C7-C8	-2.01	118.47	122.05
2	Q	2	NAG	O5-C1-C2	-2.01	108.18	111.29

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	H	2	NAG	C4

All (171) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	e	1	NAG	C1-C2-N2-C7
3	G	1	NAG	C1-C2-N2-C7
3	K	1	NAG	C1-C2-N2-C7
3	N	1	NAG	C1-C2-N2-C7
3	c	1	NAG	C1-C2-N2-C7
3	g	2	NAG	C1-C2-N2-C7
3	N	1	NAG	C4-C5-C6-O6
7	j	4	MAN	C4-C5-C6-O6
3	X	1	NAG	O5-C5-C6-O6
3	g	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	T	2	NAG	C4-C5-C6-O6
7	j	4	MAN	O5-C5-C6-O6
2	L	1	NAG	C4-C5-C6-O6
5	U	1	NAG	C4-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	S	2	NAG	O5-C5-C6-O6
3	c	1	NAG	C4-C5-C6-O6
3	Y	1	NAG	O5-C5-C6-O6
6	W	1	NAG	O5-C5-C6-O6
3	X	1	NAG	C4-C5-C6-O6
2	Q	2	NAG	O5-C5-C6-O6
3	T	2	NAG	O5-C5-C6-O6
3	R	1	NAG	O5-C5-C6-O6
5	U	1	NAG	O5-C5-C6-O6
3	Y	1	NAG	C4-C5-C6-O6
2	Z	2	NAG	O5-C5-C6-O6
5	U	3	BMA	O5-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
3	g	2	NAG	C4-C5-C6-O6
2	L	1	NAG	O5-C5-C6-O6
2	L	2	NAG	O5-C5-C6-O6
3	N	1	NAG	O5-C5-C6-O6
6	W	1	NAG	C4-C5-C6-O6
3	g	1	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	H	1	NAG	O5-C5-C6-O6
3	c	1	NAG	O5-C5-C6-O6
3	i	1	NAG	O5-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6
3	P	1	NAG	C4-C5-C6-O6
5	U	2	NAG	O5-C5-C6-O6
3	i	1	NAG	C4-C5-C6-O6
3	T	1	NAG	O5-C5-C6-O6
2	H	1	NAG	C4-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
2	Q	2	NAG	C4-C5-C6-O6
3	M	1	NAG	C4-C5-C6-O6
3	g	1	NAG	C4-C5-C6-O6
3	R	1	NAG	C4-C5-C6-O6
2	e	1	NAG	O5-C5-C6-O6
3	P	1	NAG	O5-C5-C6-O6
2	S	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	M	1	NAG	O5-C5-C6-O6
6	W	2	NAG	O5-C5-C6-O6
5	U	3	BMA	C4-C5-C6-O6
2	a	2	NAG	C4-C5-C6-O6
6	W	2	NAG	C4-C5-C6-O6
2	F	1	NAG	C8-C7-N2-C2
2	F	1	NAG	O7-C7-N2-C2
2	H	1	NAG	C8-C7-N2-C2
2	H	1	NAG	O7-C7-N2-C2
2	H	2	NAG	C8-C7-N2-C2
2	H	2	NAG	O7-C7-N2-C2
2	J	1	NAG	C8-C7-N2-C2
2	J	1	NAG	O7-C7-N2-C2
2	J	2	NAG	C8-C7-N2-C2
2	J	2	NAG	O7-C7-N2-C2
2	L	2	NAG	C8-C7-N2-C2
2	L	2	NAG	O7-C7-N2-C2
2	b	1	NAG	C8-C7-N2-C2
2	b	1	NAG	O7-C7-N2-C2
3	G	1	NAG	C8-C7-N2-C2
3	G	1	NAG	O7-C7-N2-C2
3	K	1	NAG	C8-C7-N2-C2
3	K	1	NAG	O7-C7-N2-C2
3	M	1	NAG	C8-C7-N2-C2
3	M	1	NAG	O7-C7-N2-C2
3	M	2	NAG	C8-C7-N2-C2
3	M	2	NAG	O7-C7-N2-C2
3	N	2	NAG	C8-C7-N2-C2
3	N	2	NAG	O7-C7-N2-C2
3	Y	1	NAG	C8-C7-N2-C2
3	Y	1	NAG	O7-C7-N2-C2
3	d	1	NAG	C8-C7-N2-C2
3	d	1	NAG	O7-C7-N2-C2
3	g	1	NAG	C8-C7-N2-C2
3	g	1	NAG	O7-C7-N2-C2
5	U	1	NAG	C8-C7-N2-C2
5	U	1	NAG	O7-C7-N2-C2
5	U	2	NAG	C8-C7-N2-C2
5	U	2	NAG	O7-C7-N2-C2
6	W	2	NAG	C8-C7-N2-C2
6	W	2	NAG	O7-C7-N2-C2
2	E	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	U	2	NAG	C4-C5-C6-O6
2	b	2	NAG	O5-C5-C6-O6
3	c	2	NAG	C4-C5-C6-O6
2	Z	2	NAG	C4-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	Z	1	NAG	C4-C5-C6-O6
2	a	2	NAG	O5-C5-C6-O6
2	e	1	NAG	C4-C5-C6-O6
3	P	3	BMA	O5-C5-C6-O6
2	L	2	NAG	C4-C5-C6-O6
3	M	3	BMA	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
3	Y	3	BMA	O5-C5-C6-O6
2	Q	1	NAG	O5-C5-C6-O6
3	K	3	BMA	O5-C5-C6-O6
3	d	1	NAG	O5-C5-C6-O6
3	X	2	NAG	O5-C5-C6-O6
3	c	3	BMA	O5-C5-C6-O6
7	j	1	NAG	O5-C5-C6-O6
2	S	2	NAG	C3-C2-N2-C7
3	K	2	NAG	C3-C2-N2-C7
2	H	2	NAG	O5-C5-C6-O6
3	M	2	NAG	O5-C5-C6-O6
2	S	1	NAG	O5-C5-C6-O6
3	i	3	BMA	O5-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
3	V	2	NAG	O5-C5-C6-O6
3	V	3	BMA	O5-C5-C6-O6
2	b	2	NAG	C4-C5-C6-O6
3	T	1	NAG	C4-C5-C6-O6
2	Z	1	NAG	O5-C5-C6-O6
3	Y	2	NAG	C4-C5-C6-O6
3	c	2	NAG	O5-C5-C6-O6
2	D	2	NAG	C1-C2-N2-C7
2	F	2	NAG	C1-C2-N2-C7
2	L	2	NAG	C1-C2-N2-C7
2	S	2	NAG	C1-C2-N2-C7
3	K	2	NAG	C1-C2-N2-C7
3	R	2	NAG	C1-C2-N2-C7
3	T	1	NAG	C1-C2-N2-C7
3	d	1	NAG	C1-C2-N2-C7
3	d	2	NAG	C1-C2-N2-C7

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	E	2	NAG	C4-C5-C6-O6
2	J	1	NAG	O5-C5-C6-O6
7	j	2	NAG	C4-C5-C6-O6
2	b	1	NAG	C3-C2-N2-C7
3	M	1	NAG	C3-C2-N2-C7
3	T	1	NAG	C3-C2-N2-C7
3	Y	1	NAG	C3-C2-N2-C7
3	c	1	NAG	C3-C2-N2-C7
3	d	1	NAG	C3-C2-N2-C7
3	d	2	NAG	C3-C2-N2-C7
3	f	2	NAG	C3-C2-N2-C7
6	W	2	NAG	C3-C2-N2-C7
6	h	1	NAG	C3-C2-N2-C7
7	j	2	NAG	C3-C2-N2-C7
3	Y	2	NAG	O5-C5-C6-O6
2	J	1	NAG	C4-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
3	f	3	BMA	O5-C5-C6-O6
2	b	1	NAG	C1-C2-N2-C7
3	M	1	NAG	C1-C2-N2-C7
3	Y	1	NAG	C1-C2-N2-C7
6	h	1	NAG	C1-C2-N2-C7
7	j	2	NAG	C1-C2-N2-C7
2	D	2	NAG	C3-C2-N2-C7
2	F	2	NAG	C3-C2-N2-C7
2	L	2	NAG	C3-C2-N2-C7
3	K	1	NAG	C3-C2-N2-C7
3	R	2	NAG	C3-C2-N2-C7
3	g	2	NAG	C3-C2-N2-C7
5	U	4	MAN	C4-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
3	f	3	BMA	C4-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
5	U	4	MAN	O5-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	U	4	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.












































































5.6 Ligand geometry [i](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	B	1403	1	14,14,15	1.99	4 (28%)	17,19,21	0.99	2 (11%)
8	NAG	B	1404	1	14,14,15	2.01	4 (28%)	17,19,21	1.14	2 (11%)
8	NAG	A	1302	1	14,14,15	2.05	4 (28%)	17,19,21	2.11	5 (29%)
8	NAG	B	1402	1	14,14,15	2.01	4 (28%)	17,19,21	1.15	3 (17%)
8	NAG	B	1406	1	14,14,15	2.03	4 (28%)	17,19,21	0.90	0
8	NAG	C	1404	1	14,14,15	2.02	4 (28%)	17,19,21	1.02	1 (5%)
8	NAG	B	1407	1	14,14,15	2.18	4 (28%)	17,19,21	1.95	4 (23%)
8	NAG	C	1403	1	14,14,15	1.98	4 (28%)	17,19,21	1.07	2 (11%)
8	NAG	C	1405	1	14,14,15	2.05	4 (28%)	17,19,21	1.48	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	C	1402	1	14,14,15	2.09	4 (28%)	17,19,21	1.15	3 (17%)
8	NAG	A	1303	1	14,14,15	2.07	4 (28%)	17,19,21	1.64	5 (29%)
8	NAG	B	1405	1	14,14,15	1.98	4 (28%)	17,19,21	1.08	2 (11%)
8	NAG	A	1301	1	14,14,15	2.02	4 (28%)	17,19,21	2.74	5 (29%)
8	NAG	B	1408	1	14,14,15	1.98	4 (28%)	17,19,21	1.07	1 (5%)
8	NAG	A	1304	-	14,14,15	1.98	4 (28%)	17,19,21	1.15	2 (11%)
8	NAG	C	1406	1	14,14,15	1.98	4 (28%)	17,19,21	1.17	2 (11%)
8	NAG	B	1401	1	14,14,15	1.98	4 (28%)	17,19,21	1.08	2 (11%)
8	NAG	C	1401	1	14,14,15	2.06	4 (28%)	17,19,21	1.24	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	B	1403	1	-	0/6/23/26	0/1/1/1
8	NAG	B	1404	1	-	1/6/23/26	0/1/1/1
8	NAG	A	1302	1	-	1/6/23/26	0/1/1/1
8	NAG	B	1402	1	-	2/6/23/26	0/1/1/1
8	NAG	B	1406	1	-	4/6/23/26	0/1/1/1
8	NAG	C	1404	1	-	1/6/23/26	0/1/1/1
8	NAG	B	1407	1	-	3/6/23/26	0/1/1/1
8	NAG	C	1403	1	-	0/6/23/26	0/1/1/1
8	NAG	C	1405	1	-	1/6/23/26	0/1/1/1
8	NAG	C	1402	1	-	2/6/23/26	0/1/1/1
8	NAG	A	1303	1	-	1/6/23/26	0/1/1/1
8	NAG	B	1405	1	-	0/6/23/26	0/1/1/1
8	NAG	A	1301	1	1/1/6/7	3/6/23/26	0/1/1/1
8	NAG	B	1408	1	-	0/6/23/26	0/1/1/1
8	NAG	A	1304	-	-	2/6/23/26	0/1/1/1
8	NAG	C	1406	1	-	2/6/23/26	0/1/1/1
8	NAG	B	1401	1	-	2/6/23/26	0/1/1/1
8	NAG	C	1401	1	-	3/6/23/26	0/1/1/1

All (72) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	1407	NAG	O5-C1	5.00	1.52	1.43
8	C	1402	NAG	O5-C1	4.74	1.51	1.43
8	A	1303	NAG	O5-C1	4.71	1.51	1.43
8	C	1401	NAG	O5-C1	4.50	1.51	1.43
8	B	1406	NAG	O5-C1	4.50	1.51	1.43
8	B	1404	NAG	O5-C1	4.45	1.51	1.43
8	A	1302	NAG	O5-C1	4.44	1.51	1.43
8	C	1404	NAG	O5-C1	4.37	1.51	1.43
8	B	1408	NAG	O5-C1	4.37	1.51	1.43
8	B	1402	NAG	O5-C1	4.35	1.51	1.43
8	B	1403	NAG	O5-C1	4.33	1.51	1.43
8	B	1405	NAG	O5-C1	4.32	1.50	1.43
8	C	1403	NAG	O5-C1	4.19	1.50	1.43
8	C	1405	NAG	O5-C1	4.18	1.50	1.43
8	C	1406	NAG	O5-C1	4.18	1.50	1.43
8	A	1304	NAG	O5-C1	4.17	1.50	1.43
8	B	1401	NAG	O5-C1	4.17	1.50	1.43
8	A	1301	NAG	O5-C1	4.12	1.50	1.43
8	C	1405	NAG	C7-N2	4.04	1.47	1.34
8	B	1407	NAG	C7-N2	3.97	1.47	1.34
8	C	1401	NAG	C7-N2	3.93	1.47	1.34
8	B	1401	NAG	C7-N2	3.90	1.46	1.34
8	B	1402	NAG	C7-N2	3.89	1.46	1.34
8	C	1403	NAG	C7-N2	3.89	1.46	1.34
8	C	1404	NAG	C7-N2	3.88	1.46	1.34
8	C	1406	NAG	C7-N2	3.88	1.46	1.34
8	C	1402	NAG	C7-N2	3.87	1.46	1.34
8	A	1304	NAG	C7-N2	3.86	1.46	1.34
8	A	1302	NAG	C7-N2	3.86	1.46	1.34
8	B	1403	NAG	C7-N2	3.86	1.46	1.34
8	B	1406	NAG	C7-N2	3.84	1.46	1.34
8	B	1405	NAG	C7-N2	3.83	1.46	1.34
8	A	1301	NAG	C7-N2	3.83	1.46	1.34
8	B	1408	NAG	C7-N2	3.81	1.46	1.34
8	B	1404	NAG	C7-N2	3.79	1.46	1.34
8	A	1303	NAG	C7-N2	3.75	1.46	1.34
8	A	1301	NAG	C2-N2	3.11	1.51	1.46
8	C	1405	NAG	O5-C5	2.56	1.48	1.43
8	A	1302	NAG	O5-C5	2.56	1.48	1.43
8	C	1401	NAG	C2-N2	2.53	1.50	1.46
8	B	1407	NAG	C2-N2	2.52	1.50	1.46
8	C	1405	NAG	C2-N2	2.52	1.50	1.46
8	C	1402	NAG	C2-N2	2.49	1.50	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	1407	NAG	O5-C5	2.48	1.48	1.43
8	B	1401	NAG	C2-N2	2.48	1.50	1.46
8	C	1403	NAG	C2-N2	2.46	1.50	1.46
8	B	1402	NAG	C2-N2	2.45	1.50	1.46
8	A	1302	NAG	C2-N2	2.45	1.50	1.46
8	C	1404	NAG	C2-N2	2.45	1.50	1.46
8	A	1303	NAG	O5-C5	2.42	1.48	1.43
8	C	1406	NAG	C2-N2	2.41	1.50	1.46
8	B	1404	NAG	O5-C5	2.40	1.48	1.43
8	B	1406	NAG	C2-N2	2.40	1.50	1.46
8	B	1403	NAG	C2-N2	2.40	1.50	1.46
8	A	1304	NAG	C2-N2	2.38	1.50	1.46
8	C	1402	NAG	O5-C5	2.34	1.48	1.43
8	A	1303	NAG	C2-N2	2.34	1.50	1.46
8	B	1405	NAG	C2-N2	2.33	1.50	1.46
8	C	1401	NAG	O5-C5	2.32	1.47	1.43
8	B	1404	NAG	C2-N2	2.31	1.50	1.46
8	B	1402	NAG	O5-C5	2.27	1.47	1.43
8	C	1404	NAG	O5-C5	2.26	1.47	1.43
8	B	1408	NAG	C2-N2	2.25	1.50	1.46
8	B	1408	NAG	O5-C5	2.24	1.47	1.43
8	A	1304	NAG	O5-C5	2.24	1.47	1.43
8	C	1406	NAG	O5-C5	2.22	1.47	1.43
8	B	1406	NAG	O5-C5	2.21	1.47	1.43
8	C	1403	NAG	O5-C5	2.19	1.47	1.43
8	B	1401	NAG	O5-C5	2.15	1.47	1.43
8	B	1405	NAG	O5-C5	2.14	1.47	1.43
8	B	1403	NAG	O5-C5	2.12	1.47	1.43
8	A	1301	NAG	O5-C5	2.01	1.47	1.43

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1301	NAG	C3-C4-C5	6.84	122.63	110.23
8	A	1301	NAG	C1-C2-N2	6.50	120.68	110.43
8	A	1302	NAG	O5-C5-C6	5.29	117.96	107.66
8	B	1407	NAG	C1-O5-C5	5.04	118.94	112.19
8	A	1302	NAG	O5-C5-C4	4.34	121.38	110.83
8	A	1303	NAG	C1-O5-C5	3.75	117.22	112.19
8	B	1407	NAG	C8-C7-N2	3.61	122.10	116.12
8	A	1301	NAG	O4-C4-C5	3.56	118.09	109.32
8	C	1401	NAG	C8-C7-N2	3.29	121.57	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1301	NAG	O4-C4-C3	3.07	117.61	110.38
8	B	1407	NAG	O5-C1-C2	2.70	115.47	111.29
8	C	1405	NAG	C3-C4-C5	2.58	114.92	110.23
8	B	1404	NAG	C2-N2-C7	-2.51	119.54	122.90
8	A	1304	NAG	C2-N2-C7	-2.50	119.54	122.90
8	C	1406	NAG	C2-N2-C7	-2.45	119.61	122.90
8	B	1408	NAG	C2-N2-C7	-2.43	119.64	122.90
8	A	1303	NAG	O5-C1-C2	2.43	115.05	111.29
8	B	1401	NAG	C8-C7-N2	2.40	120.10	116.12
8	A	1304	NAG	C8-C7-N2	2.38	120.07	116.12
8	C	1406	NAG	C8-C7-N2	2.37	120.06	116.12
8	B	1407	NAG	C1-C2-N2	-2.35	106.72	110.43
8	A	1303	NAG	C2-N2-C7	-2.35	119.75	122.90
8	A	1302	NAG	O5-C1-C2	2.34	114.91	111.29
8	C	1405	NAG	C8-C7-N2	2.33	119.98	116.12
8	C	1402	NAG	C8-C7-N2	2.32	119.97	116.12
8	B	1402	NAG	C8-C7-N2	2.31	119.95	116.12
8	A	1303	NAG	C8-C7-N2	2.30	119.93	116.12
8	B	1402	NAG	C1-O5-C5	-2.29	109.12	112.19
8	A	1302	NAG	C6-C5-C4	2.28	118.61	113.02
8	B	1404	NAG	C8-C7-N2	2.27	119.89	116.12
8	B	1403	NAG	C8-C7-N2	2.27	119.88	116.12
8	C	1405	NAG	O5-C1-C2	-2.25	107.81	111.29
8	C	1402	NAG	C2-N2-C7	-2.25	119.88	122.90
8	C	1402	NAG	C1-O5-C5	2.24	115.19	112.19
8	B	1405	NAG	C8-C7-N2	2.24	119.83	116.12
8	C	1403	NAG	C8-C7-N2	2.23	119.82	116.12
8	C	1404	NAG	C8-C7-N2	2.20	119.77	116.12
8	B	1403	NAG	C2-N2-C7	-2.19	119.97	122.90
8	B	1405	NAG	C2-N2-C7	-2.17	119.99	122.90
8	B	1402	NAG	C2-N2-C7	-2.14	120.04	122.90
8	A	1301	NAG	C8-C7-N2	2.12	119.63	116.12
8	A	1302	NAG	C1-O5-C5	2.11	115.02	112.19
8	B	1401	NAG	C2-N2-C7	-2.10	120.09	122.90
8	C	1405	NAG	C2-N2-C7	-2.09	120.10	122.90
8	A	1303	NAG	C1-C2-N2	-2.06	107.18	110.43
8	C	1405	NAG	C6-C5-C4	-2.05	107.99	113.02
8	C	1403	NAG	C2-N2-C7	-2.03	120.17	122.90

All (1) chirality outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
-----	-------	-----	------	------

Mol	Chain	Res	Type	Atom
8	A	1301	NAG	C4

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	1301	NAG	C1-C2-N2-C7
8	B	1406	NAG	C1-C2-N2-C7
8	B	1401	NAG	C4-C5-C6-O6
8	A	1304	NAG	O5-C5-C6-O6
8	C	1406	NAG	O5-C5-C6-O6
8	C	1402	NAG	C4-C5-C6-O6
8	B	1406	NAG	O5-C5-C6-O6
8	C	1406	NAG	C4-C5-C6-O6
8	B	1401	NAG	O5-C5-C6-O6
8	C	1402	NAG	O5-C5-C6-O6
8	A	1302	NAG	C4-C5-C6-O6
8	B	1407	NAG	C8-C7-N2-C2
8	B	1407	NAG	O7-C7-N2-C2
8	C	1401	NAG	C8-C7-N2-C2
8	C	1401	NAG	O7-C7-N2-C2
8	A	1301	NAG	O5-C5-C6-O6
8	A	1301	NAG	C4-C5-C6-O6
8	A	1304	NAG	C4-C5-C6-O6
8	B	1404	NAG	O5-C5-C6-O6
8	B	1406	NAG	C4-C5-C6-O6
8	C	1404	NAG	O5-C5-C6-O6
8	B	1407	NAG	O5-C5-C6-O6
8	A	1303	NAG	O5-C5-C6-O6
8	C	1405	NAG	C4-C5-C6-O6
8	B	1406	NAG	C3-C2-N2-C7
8	C	1401	NAG	O5-C5-C6-O6
8	B	1402	NAG	O5-C5-C6-O6
8	B	1402	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-44189. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 136




Y Index: 136




Z Index: 136


6.2.2 Raw map



X Index: 136



Y Index: 136




Z Index: 136


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 133




Y Index: 130




Z Index: 121


6.3.2 Raw map



X Index: 133



Y Index: 130




Z Index: 121


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.089. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 463 nm³; this corresponds to an approximate mass of 418 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.300 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.300 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.33	-	-
Author-provided FSC curve	3.33	3.83	3.37
Unmasked-calculated*	3.95	4.51	3.98

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.95 differs from the reported value 3.33 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-44189 and PDB model 9B4X. Per-residue inclusion information can be found in [section 3](#) on [page 14](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.089 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.089).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.089) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9590	 0.4080
A	 0.9500	 0.3980
B	 0.9690	 0.4150
C	 0.9720	 0.4230
D	 0.8930	 0.3220
E	 0.8930	 0.2890
F	 0.9290	 0.4030
G	 0.9490	 0.3230
H	 0.7860	 0.2540
I	 1.0000	 0.3280
J	 0.9640	 0.2660
K	 0.9740	 0.3230
L	 0.9640	 0.4230
M	 0.8970	 0.3000
N	 0.8720	 0.2920
O	 0.8780	 0.2780
P	 0.9230	 0.3320
Q	 0.9640	 0.3810
R	 0.9740	 0.3680
S	 0.9640	 0.3790
T	 0.9740	 0.4170
U	 0.8600	 0.2930
V	 1.0000	 0.3300
W	 0.9470	 0.3440
X	 0.9740	 0.4220
Y	 0.8970	 0.2450
Z	 0.9290	 0.3500
a	 0.8210	 0.3860
b	 0.8570	 0.3010
c	 0.8460	 0.2950
d	 0.9740	 0.3490
e	 1.0000	 0.1970
f	 0.9740	 0.3930
g	 1.0000	 0.4500
h	 0.8420	 0.2730



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.9740	 0.3470
j	 0.8120	 0.2680