



# wwPDB X-ray Structure Validation Summary Report (i)

Oct 3, 2024 – 12:16 PM EDT

PDB ID : 9C5D  
Title : E. coli peptidyl-prolyl cis-trans isomerase containing (2S,3S)-4-Fluorovaline  
Authors : Frkic, R.L.; Jackson, C.J.  
Deposited on : 2024-06-06  
Resolution : 1.30 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 1.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1387 (1.30-1.30)
Clashscore	180529	1497 (1.30-1.30)
Ramachandran outliers	177936	1455 (1.30-1.30)
Sidechain outliers	177891	1455 (1.30-1.30)
RSRZ outliers	164620	1384 (1.30-1.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 6491 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidyl-prolyl cis-trans isomerase B.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	165	Total	C	F	N	O	S	0	8	0
			1340	838	23	223	247	9			
1	B	170	Total	C	F	N	O	S	0	10	0
			1396	872	22	236	257	9			
1	C	170	Total	C	F	N	O	S	0	8	0
			1396	870	22	239	257	8			
1	D	163	Total	C	F	N	O	S	0	8	0
			1321	827	22	219	243	10			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	165	HIS	-	expression tag	UNP P23869
A	166	HIS	-	expression tag	UNP P23869
A	167	HIS	-	expression tag	UNP P23869
A	168	HIS	-	expression tag	UNP P23869
A	169	HIS	-	expression tag	UNP P23869
A	170	HIS	-	expression tag	UNP P23869
B	165	HIS	-	expression tag	UNP P23869
B	166	HIS	-	expression tag	UNP P23869
B	167	HIS	-	expression tag	UNP P23869
B	168	HIS	-	expression tag	UNP P23869
B	169	HIS	-	expression tag	UNP P23869
B	170	HIS	-	expression tag	UNP P23869
C	165	HIS	-	expression tag	UNP P23869
C	166	HIS	-	expression tag	UNP P23869
C	167	HIS	-	expression tag	UNP P23869
C	168	HIS	-	expression tag	UNP P23869
C	169	HIS	-	expression tag	UNP P23869
C	170	HIS	-	expression tag	UNP P23869
D	165	HIS	-	expression tag	UNP P23869
D	166	HIS	-	expression tag	UNP P23869
D	167	HIS	-	expression tag	UNP P23869

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
D	168	HIS	-	expression tag	UNP P23869
D	169	HIS	-	expression tag	UNP P23869
D	170	HIS	-	expression tag	UNP P23869

- Molecule 2 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C<sub>10</sub>H<sub>22</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total    C    O 16    10    6	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
			Total C O		
3	A	1	4 2 2	0	0

- Molecule 4 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
			Total C O		
4	B	1	10 6 4	0	0
4	C	1	10 6 4	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub><sup>-</sup>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 4 2 2	0	0

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total C O 7 4 3	0	0
6	C	1	Total C O 7 4 3	0	0

- Molecule 7 is 3,6,9,12,15,18,21,24,27-NONAOXANONACOSANE-1,29-DIOL (three-letter code: XPE) (formula: C<sub>20</sub>H<sub>42</sub>O<sub>11</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
7	D	1	31	20	11	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O			
8	A	253	253	253		0	0
8	B	227	227	227		0	0
8	C	254	254	254		0	0
8	D	215	215	215		0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Peptidyl-prolyl cis-trans isomerase B




- Molecule 1: Peptidyl-prolyl cis-trans isomerase B



- Molecule 1: Peptidyl-prolyl cis-trans isomerase B



- Molecule 1: Peptidyl-prolyl cis-trans isomerase B



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	79.62Å 84.00Å 123.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.18 – 1.30 42.18 – 1.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (42.18-1.30) 100.0 (42.18-1.30)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.58 (at 1.30Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
$R$ , $R_{free}$	0.164 , 0.186 0.196 , 0.205	Depositor DCC
$R_{free}$ test set	10356 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.2	Xtriage
Anisotropy	0.114	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 46.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.49$ , $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	6491	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, 1PE, XPE, PEG, PGE, EDO, A1AVU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.35	0/1187	0.64	0/1569
1	B	0.34	0/1260	0.62	0/1665
1	C	0.35	0/1252	0.64	0/1656
1	D	0.33	0/1175	0.62	0/1552
All	All	0.34	0/4874	0.63	0/6442

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1340	0	1091	3	0
1	B	1396	0	1146	2	0
1	C	1396	0	1136	5	0
1	D	1321	0	1088	10	0
2	A	16	0	22	2	0
3	A	4	0	6	0	0
4	B	10	0	14	1	0
4	C	10	0	14	1	0
5	B	4	0	3	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	C	14	0	20	0	0
7	D	31	0	42	6	0
8	A	253	0	0	0	0
8	B	227	0	0	1	0
8	C	254	0	0	4	0
8	D	215	0	0	5	0
All	All	6491	0	4582	23	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 23 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:43:ARG:HH12	7:D:201:XPE:H81	1.48	0.79
1:C:32:ARG:NH2	8:C:302:HOH:O	2.25	0.69
1:D:43:ARG:NH1	7:D:201:XPE:H81	2.08	0.68
1:A:48:PHE:HZ	2:A:201:1PE:H221	1.69	0.57
1:B:19:LYS:NZ	8:B:305:HOH:O	2.42	0.51

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	147/170 (86%)	138 (94%)	9 (6%)	0	100 100
1	B	155/170 (91%)	148 (96%)	7 (4%)	0	100 100
1	C	154/170 (91%)	148 (96%)	6 (4%)	0	100 100
1	D	146/170 (86%)	138 (94%)	8 (6%)	0	100 100
All	All	602/680 (88%)	572 (95%)	30 (5%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	122/128 (95%)	118 (97%)	4 (3%)	33 <span style="background-color: red; color: white;">5</span>
1	B	130/128 (102%)	127 (98%)	3 (2%)	45 <span style="background-color: red; color: white;">11</span>
1	C	129/128 (101%)	126 (98%)	3 (2%)	45 <span style="background-color: red; color: white;">11</span>
1	D	121/128 (94%)	118 (98%)	3 (2%)	42 <span style="background-color: red; color: white;">9</span>
All	All	502/512 (98%)	489 (97%)	13 (3%)	44 <span style="background-color: red; color: white;">8</span>

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	17	ASP
1	C	25	LYS
1	D	49	MET
1	D	17	ASP
1	D	25	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	165	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

89 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	A1AVU	C	162	1	5,7,8	0.43	0	2,8,10	1.43	0
1	A1AVU	D	126[A]	-	5,7,8	0.40	0	2,8,10	1.23	0
1	A1AVU	D	126[B]	-	5,7,8	0.37	0	2,8,10	1.45	0
1	A1AVU	C	12	1	5,7,8	0.35	0	2,8,10	1.65	0
1	A1AVU	D	155[A]	-	5,7,8	0.46	0	2,8,10	1.17	0
1	A1AVU	D	155[B]	-	5,7,8	0.46	0	2,8,10	1.18	0
1	A1AVU	B	12[A]	-	5,7,8	0.46	0	2,8,10	1.26	0
1	A1AVU	B	12[B]	-	5,7,8	0.46	0	2,8,10	1.14	0
1	A1AVU	B	24	1	5,7,8	0.35	0	2,8,10	1.47	0
1	A1AVU	B	44	1	5,7,8	0.47	0	2,8,10	1.65	1 (50%)
1	A1AVU	C	102[A]	1	5,7,8	0.20	0	2,8,10	1.32	0
1	A1AVU	C	126	1	5,7,8	0.25	0	2,8,10	1.46	0
1	A1AVU	C	102[B]	1	5,7,8	0.21	0	2,8,10	1.26	0
1	A1AVU	A	24	1	5,7,8	0.36	0	2,8,10	1.47	1 (50%)
1	A1AVU	B	133[A]	1	5,7,8	0.33	0	2,8,10	1.03	0
1	A1AVU	B	133[B]	1	5,7,8	0.40	0	2,8,10	0.98	0
1	A1AVU	C	160	1	5,7,8	0.47	0	2,8,10	1.49	0
1	A1AVU	C	127	1	5,7,8	0.21	0	2,8,10	1.35	0
1	A1AVU	A	133[A]	-	5,7,8	0.38	0	2,8,10	0.91	0
1	A1AVU	A	133[B]	-	5,7,8	0.31	0	2,8,10	1.08	0
1	A1AVU	C	24	1	5,7,8	0.25	0	2,8,10	1.42	0
1	A1AVU	D	133[B]	-	5,7,8	0.35	0	2,8,10	1.04	0
1	A1AVU	B	162[A]	-	5,7,8	0.37	0	2,8,10	1.21	0
1	A1AVU	B	162[B]	-	5,7,8	0.45	0	2,8,10	1.19	0
1	A1AVU	D	24	1	5,7,8	0.39	0	2,8,10	1.47	1 (50%)
1	A1AVU	D	162	1	5,7,8	0.47	0	2,8,10	1.06	0
1	A1AVU	C	139	1	5,7,8	0.18	0	2,8,10	0.87	0
1	A1AVU	D	12	1	5,7,8	0.36	0	2,8,10	1.05	0
1	A1AVU	D	103	1	5,7,8	0.28	0	2,8,10	1.76	1 (50%)
1	A1AVU	D	127	1	5,7,8	0.26	0	2,8,10	1.47	1 (50%)
1	A1AVU	C	44	1	5,7,8	0.49	0	2,8,10	1.44	0
1	A1AVU	A	139	1	5,7,8	0.24	0	2,8,10	0.92	0
1	A1AVU	B	127	1	5,7,8	0.19	0	2,8,10	1.67	1 (50%)
1	A1AVU	A	12	1	5,7,8	0.38	0	2,8,10	1.09	0
1	A1AVU	B	150[A]	-	5,7,8	0.36	0	2,8,10	1.44	1 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	A1AVU	B	150[B]	-	5,7,8	0.36	0	2,8,10	1.43	1 (50%)
1	A1AVU	A	160[A]	1	5,7,8	0.47	0	2,8,10	0.95	0
1	A1AVU	A	127	1	5,7,8	0.20	0	2,8,10	1.57	0
1	A1AVU	A	44	1	5,7,8	0.48	0	2,8,10	1.20	0
1	A1AVU	A	160[B]	1	5,7,8	0.36	0	2,8,10	2.22	2 (100%)
1	A1AVU	A	102	1	5,7,8	0.27	0	2,8,10	1.30	0
1	A1AVU	A	2	1	5,7,8	0.46	0	2,8,10	1.20	0
1	A1AVU	D	133[A]	-	5,7,8	0.36	0	2,8,10	1.09	0
1	A1AVU	D	122	1	5,7,8	0.33	0	2,8,10	0.95	0
1	A1AVU	C	132[A]	-	5,7,8	0.27	0	2,8,10	1.21	0
1	A1AVU	C	132[B]	-	5,7,8	0.37	0	2,8,10	1.35	0
1	A1AVU	C	150	1	5,7,8	0.43	0	2,8,10	1.61	1 (50%)
1	A1AVU	B	155[A]	1	5,7,8	0.44	0	2,8,10	1.43	0
1	A1AVU	B	155[B]	1	5,7,8	0.36	0	2,8,10	1.25	0
1	A1AVU	D	160	1	5,7,8	0.42	0	2,8,10	0.99	0
1	A1AVU	B	102	1	5,7,8	0.17	0	2,8,10	1.48	1 (50%)
1	A1AVU	B	103	1	5,7,8	0.20	0	2,8,10	1.32	0
1	A1AVU	D	150[A]	1	5,7,8	0.38	0	2,8,10	1.48	1 (50%)
1	A1AVU	D	150[B]	1	5,7,8	0.35	0	2,8,10	1.46	1 (50%)
1	A1AVU	D	44	1	5,7,8	0.23	0	2,8,10	1.28	0
1	A1AVU	A	155[A]	-	5,7,8	0.39	0	2,8,10	1.17	0
1	A1AVU	A	155[B]	-	5,7,8	0.47	0	2,8,10	1.23	0
1	A1AVU	C	103	1	5,7,8	0.28	0	2,8,10	1.25	0
1	A1AVU	C	133[A]	1	5,7,8	0.34	0	2,8,10	1.03	0
1	A1AVU	C	133[B]	1	5,7,8	0.39	0	2,8,10	1.10	0
1	A1AVU	A	162	1	5,7,8	0.65	0	2,8,10	1.17	0
1	A1AVU	B	2	1	5,7,8	0.33	0	2,8,10	1.33	0
1	A1AVU	D	139	1	5,7,8	0.32	0	2,8,10	0.77	0
1	A1AVU	C	155[A]	-	5,7,8	0.38	0	2,8,10	1.25	0
1	A1AVU	B	139	1	5,7,8	0.18	0	2,8,10	0.85	0
1	A1AVU	C	155[B]	-	5,7,8	0.37	0	2,8,10	1.28	0
1	A1AVU	A	126[A]	-	5,7,8	0.30	0	2,8,10	1.41	0
1	A1AVU	A	126[B]	-	5,7,8	0.34	0	2,8,10	1.18	0
1	A1AVU	B	132[A]	-	5,7,8	0.35	0	2,8,10	1.19	0
1	A1AVU	B	132[B]	-	5,7,8	0.35	0	2,8,10	1.11	0
1	A1AVU	C	122[A]	-	5,7,8	0.35	0	2,8,10	1.11	0
1	A1AVU	C	122[B]	-	5,7,8	0.46	0	2,8,10	1.35	0
1	A1AVU	A	132[A]	-	5,7,8	0.43	0	2,8,10	1.23	0
1	A1AVU	A	132[B]	-	5,7,8	0.42	0	2,8,10	1.23	0
1	A1AVU	D	2	1	5,7,8	0.38	0	2,8,10	1.03	0
1	A1AVU	C	2[A]	-	5,7,8	0.37	0	2,8,10	1.22	0
1	A1AVU	C	2[B]	-	5,7,8	0.38	0	2,8,10	0.85	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	A1AVU	D	102[A]	-	5,7,8	0.25	0	2,8,10	1.31	0
1	A1AVU	B	122	1	5,7,8	0.55	0	2,8,10	1.57	0
1	A1AVU	D	102[B]	-	5,7,8	0.22	0	2,8,10	1.29	0
1	A1AVU	A	122	1	5,7,8	0.36	0	2,8,10	1.42	0
1	A1AVU	A	103[A]	1	5,7,8	0.30	0	2,8,10	1.41	0
1	A1AVU	A	103[B]	1	5,7,8	0.25	0	2,8,10	1.46	1 (50%)
1	A1AVU	A	150[A]	-	5,7,8	0.32	0	2,8,10	1.57	1 (50%)
1	A1AVU	B	160	1	5,7,8	0.52	0	2,8,10	1.02	0
1	A1AVU	A	150[B]	-	5,7,8	0.40	0	2,8,10	1.52	1 (50%)
1	A1AVU	D	132[A]	-	5,7,8	0.41	0	2,8,10	1.18	0
1	A1AVU	D	132[B]	-	5,7,8	0.37	0	2,8,10	1.15	0
1	A1AVU	B	126	1	5,7,8	0.33	0	2,8,10	1.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	A1AVU	C	162	1	-	1/6/8/10	-
1	A1AVU	D	126[A]	-	-	0/6/8/10	-
1	A1AVU	D	126[B]	-	-	0/6/8/10	-
1	A1AVU	C	12	1	-	0/6/8/10	-
1	A1AVU	D	155[A]	-	-	0/6/8/10	-
1	A1AVU	D	155[B]	-	-	0/6/8/10	-
1	A1AVU	B	12[A]	-	-	0/6/8/10	-
1	A1AVU	B	12[B]	-	-	0/6/8/10	-
1	A1AVU	B	24	1	-	0/6/8/10	-
1	A1AVU	B	44	1	-	1/6/8/10	-
1	A1AVU	C	102[A]	1	-	0/6/8/10	-
1	A1AVU	C	126	1	-	0/6/8/10	-
1	A1AVU	C	102[B]	1	-	0/6/8/10	-
1	A1AVU	A	24	1	-	0/6/8/10	-
1	A1AVU	B	133[A]	1	-	0/6/8/10	-
1	A1AVU	B	133[B]	1	-	0/6/8/10	-
1	A1AVU	C	160	1	-	1/6/8/10	-
1	A1AVU	C	127	1	-	0/6/8/10	-
1	A1AVU	A	133[A]	-	-	0/6/8/10	-
1	A1AVU	A	133[B]	-	-	0/6/8/10	-
1	A1AVU	C	24	1	-	0/6/8/10	-
1	A1AVU	D	133[B]	-	-	0/6/8/10	-
1	A1AVU	B	162[A]	-	-	1/6/8/10	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	A1AVU	B	162[B]	-	-	0/6/8/10	-
1	A1AVU	D	24	1	-	0/6/8/10	-
1	A1AVU	D	162	1	-	0/6/8/10	-
1	A1AVU	C	139	1	-	0/6/8/10	-
1	A1AVU	D	12	1	-	0/6/8/10	-
1	A1AVU	D	103	1	-	1/6/8/10	-
1	A1AVU	D	127	1	-	0/6/8/10	-
1	A1AVU	C	44	1	-	1/6/8/10	-
1	A1AVU	A	139	1	-	0/6/8/10	-
1	A1AVU	B	127	1	-	0/6/8/10	-
1	A1AVU	A	12	1	-	1/6/8/10	-
1	A1AVU	B	150[A]	-	-	0/6/8/10	-
1	A1AVU	B	150[B]	-	-	0/6/8/10	-
1	A1AVU	A	160[A]	1	-	1/6/8/10	-
1	A1AVU	A	127	1	-	0/6/8/10	-
1	A1AVU	A	44	1	-	2/6/8/10	-
1	A1AVU	A	160[B]	1	-	1/6/8/10	-
1	A1AVU	A	102	1	-	1/6/8/10	-
1	A1AVU	A	2	1	-	0/6/8/10	-
1	A1AVU	D	133[A]	-	-	0/6/8/10	-
1	A1AVU	D	122	1	-	1/6/8/10	-
1	A1AVU	C	132[A]	-	-	0/6/8/10	-
1	A1AVU	C	132[B]	-	-	0/6/8/10	-
1	A1AVU	C	150	1	-	0/6/8/10	-
1	A1AVU	B	155[A]	1	-	0/6/8/10	-
1	A1AVU	B	155[B]	1	-	0/6/8/10	-
1	A1AVU	D	160	1	-	0/6/8/10	-
1	A1AVU	B	102	1	-	1/6/8/10	-
1	A1AVU	B	103	1	-	0/6/8/10	-
1	A1AVU	D	150[A]	1	-	0/6/8/10	-
1	A1AVU	D	150[B]	1	-	0/6/8/10	-
1	A1AVU	D	44	1	-	2/6/8/10	-
1	A1AVU	A	155[A]	-	-	0/6/8/10	-
1	A1AVU	A	155[B]	-	-	0/6/8/10	-
1	A1AVU	C	103	1	-	0/6/8/10	-
1	A1AVU	C	133[A]	1	-	0/6/8/10	-
1	A1AVU	C	133[B]	1	-	0/6/8/10	-
1	A1AVU	A	162	1	-	0/6/8/10	-
1	A1AVU	B	2	1	-	0/6/8/10	-
1	A1AVU	D	139	1	-	0/6/8/10	-
1	A1AVU	C	155[A]	-	-	0/6/8/10	-
1	A1AVU	B	139	1	-	0/6/8/10	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	A1AVU	C	155[B]	-	-	0/6/8/10	-
1	A1AVU	A	126[A]	-	-	0/6/8/10	-
1	A1AVU	A	126[B]	-	-	0/6/8/10	-
1	A1AVU	B	132[A]	-	-	0/6/8/10	-
1	A1AVU	B	132[B]	-	-	0/6/8/10	-
1	A1AVU	C	122[A]	-	-	0/6/8/10	-
1	A1AVU	C	122[B]	-	-	1/6/8/10	-
1	A1AVU	A	132[A]	-	-	0/6/8/10	-
1	A1AVU	A	132[B]	-	-	1/6/8/10	-
1	A1AVU	D	2	1	-	0/6/8/10	-
1	A1AVU	C	2[A]	-	-	0/6/8/10	-
1	A1AVU	C	2[B]	-	-	0/6/8/10	-
1	A1AVU	D	102[A]	-	-	1/6/8/10	-
1	A1AVU	B	122	1	-	1/6/8/10	-
1	A1AVU	D	102[B]	-	-	1/6/8/10	-
1	A1AVU	A	122	1	-	0/6/8/10	-
1	A1AVU	A	103[A]	1	-	0/6/8/10	-
1	A1AVU	A	103[B]	1	-	1/6/8/10	-
1	A1AVU	A	150[A]	-	-	0/6/8/10	-
1	A1AVU	B	160	1	-	0/6/8/10	-
1	A1AVU	A	150[B]	-	-	0/6/8/10	-
1	A1AVU	D	132[A]	-	-	0/6/8/10	-
1	A1AVU	D	132[B]	-	-	1/6/8/10	-
1	A1AVU	B	126	1	-	0/6/8/10	-

There are no bond length outliers.

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	D	103	A1AVU	O-C-CA	-2.46	118.44	124.77
1	A	160[B]	A1AVU	CG2-CB-CG1	-2.41	105.72	110.06
1	B	127	A1AVU	O-C-CA	-2.27	118.92	124.77
1	C	150	A1AVU	O-C-CA	-2.22	119.06	124.77
1	A	150[A]	A1AVU	O-C-CA	-2.16	119.22	124.77

There are no chirality outliers.

5 of 23 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	102	A1AVU	O-C-CA-CB
1	A	103[B]	A1AVU	CA-CB-CG1-F01

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	A	132[B]	A1AVU	CA-CB-CG1-F01
1	A	160[A]	A1AVU	CA-CB-CG1-F01
1	A	160[B]	A1AVU	CA-CB-CG1-F01

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	126[B]	A1AVU	1	0

## 5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	1PE	A	201	-	15,15,15	0.15	0	14,14,14	0.12	0
3	EDO	A	202	-	3,3,3	0.44	0	2,2,2	0.34	0
5	ACT	B	202	-	3,3,3	1.32	0	3,3,3	1.40	0
6	PEG	C	202	-	6,6,6	0.11	0	5,5,5	0.09	0
7	XPE	D	201	-	30,30,30	0.55	0	29,29,29	0.36	0
4	PGE	C	203	-	9,9,9	0.30	0	8,8,8	0.32	0
6	PEG	C	201	-	6,6,6	0.14	0	5,5,5	0.26	0
4	PGE	B	201	-	9,9,9	0.35	0	8,8,8	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1PE	A	201	-	-	3/13/13/13	-
3	EDO	A	202	-	-	0/1/1/1	-
7	XPE	D	201	-	-	14/28/28/28	-
6	PEG	C	202	-	-	1/4/4/4	-
4	PGE	C	203	-	-	4/7/7/7	-
6	PEG	C	201	-	-	0/4/4/4	-
4	PGE	B	201	-	-	3/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 25 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	D	201	XPE	C8-C9-O10-C11
7	D	201	XPE	O19-C20-C21-O22
7	D	201	XPE	O25-C26-C27-O28
7	D	201	XPE	O16-C17-C18-O19
7	D	201	XPE	O10-C11-C12-O13

There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	1PE	2	0
7	D	201	XPE	6	0
4	C	203	PGE	1	0
4	B	201	PGE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	149/170 (87%)	0.03	5 (3%) 48 52	14, 20, 35, 71	1 (0%)
1	B	154/170 (90%)	0.10	3 (1%) 66 69	11, 19, 36, 52	4 (2%)
1	C	154/170 (90%)	0.17	6 (3%) 44 47	8, 19, 36, 56	2 (1%)
1	D	147/170 (86%)	0.23	6 (4%) 42 45	11, 22, 40, 53	2 (1%)
All	All	604/680 (88%)	0.13	20 (3%) 49 53	8, 20, 38, 71	9 (1%)

The worst 5 of 20 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	165	HIS	4.7
1	D	115	LEU	4.5
1	B	170	HIS	2.9
1	A	164	GLU	2.9
1	C	146	MET	2.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	A1AVU	A	162	8/9	0.86	0.14	22,24,32,35	0
1	A1AVU	C	44	8/9	0.91	0.11	16,18,22,29	0
1	A1AVU	D	103	8/9	0.91	0.11	24,25,30,34	0
1	A1AVU	A	160[B]	8/9	0.92	0.11	22,25,25,26	8
1	A1AVU	A	160[A]	8/9	0.92	0.11	22,25,27,29	8
1	A1AVU	D	160	8/9	0.92	0.11	25,28,31,31	1
1	A1AVU	D	162	8/9	0.92	0.11	25,27,32,35	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	A1AVU	B	102	8/9	0.93	0.09	13,16,18,23	0
1	A1AVU	C	12	8/9	0.93	0.09	13,14,20,27	0
1	A1AVU	B	2	8/9	0.93	0.12	14,16,24,26	0
1	A1AVU	B	160	8/9	0.94	0.10	14,17,22,25	0
1	A1AVU	A	44	8/9	0.94	0.09	16,19,24,28	0
1	A1AVU	A	103[A]	8/9	0.94	0.09	20,21,25,28	8
1	A1AVU	A	103[B]	8/9	0.94	0.09	19,20,22,22	8
1	A1AVU	B	44	8/9	0.94	0.09	14,16,20,23	0
1	A1AVU	A	2	8/9	0.94	0.08	17,18,24,28	0
1	A1AVU	B	103	8/9	0.95	0.08	15,16,19,21	0
1	A1AVU	D	139	8/9	0.95	0.08	17,17,19,23	0
1	A1AVU	A	139	8/9	0.95	0.08	17,18,19,23	0
1	A1AVU	D	44	8/9	0.95	0.08	15,18,22,24	0
1	A1AVU	C	102[A]	8/9	0.96	0.07	12,13,15,16	8
1	A1AVU	C	102[B]	8/9	0.96	0.07	13,14,17,18	8
1	A1AVU	C	139	8/9	0.96	0.07	16,17,19,22	0
1	A1AVU	C	150	8/9	0.96	0.07	20,22,25,25	0
1	A1AVU	C	160	8/9	0.96	0.07	14,16,21,23	0
1	A1AVU	C	162	8/9	0.96	0.07	16,19,24,27	0
1	A1AVU	D	2	8/9	0.96	0.07	20,21,25,29	0
1	A1AVU	D	24	8/9	0.96	0.07	19,20,21,24	0
1	A1AVU	B	127	8/9	0.96	0.06	14,17,20,23	0
1	A1AVU	D	102[A]	8/9	0.96	0.07	21,21,23,25	5
1	A1AVU	D	102[B]	8/9	0.96	0.07	21,23,24,25	5
1	A1AVU	A	102	8/9	0.96	0.07	16,19,20,24	0
1	A1AVU	D	122	8/9	0.96	0.08	19,20,22,23	0
1	A1AVU	A	12	8/9	0.96	0.08	15,16,23,27	0
1	A1AVU	C	24	8/9	0.96	0.07	15,16,18,22	0
1	A1AVU	B	24	8/9	0.96	0.07	15,16,18,23	0
1	A1AVU	C	126	8/9	0.97	0.06	13,13,15,17	0
1	A1AVU	C	127	8/9	0.97	0.06	14,17,20,24	0
1	A1AVU	C	133[A]	8/9	0.97	0.05	15,15,17,18	8
1	A1AVU	C	133[B]	8/9	0.97	0.05	14,15,16,18	8
1	A1AVU	B	132[A]	8/9	0.97	0.06	15,15,17,19	5
1	A1AVU	B	132[B]	8/9	0.97	0.06	15,16,18,20	5
1	A1AVU	B	133[A]	8/9	0.97	0.05	13,14,17,19	8
1	A1AVU	B	133[B]	8/9	0.97	0.05	14,15,17,20	8
1	A1AVU	B	139	8/9	0.97	0.06	16,17,19,22	0
1	A1AVU	D	12	8/9	0.97	0.06	18,20,24,27	0
1	A1AVU	B	155[A]	8/9	0.97	0.06	14,14,15,15	8
1	A1AVU	B	155[B]	8/9	0.97	0.06	14,15,17,19	8
1	A1AVU	A	150[B]	8/9	0.97	0.07	17,17,18,18	5

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	A1AVU	A	122	8/9	0.97	0.06	14,16,20,20	0
1	A1AVU	A	127	8/9	0.97	0.06	14,17,21,24	0
1	A1AVU	A	24	8/9	0.97	0.06	16,17,18,20	0
1	A1AVU	D	127	8/9	0.97	0.07	21,23,29,31	0
1	A1AVU	B	122	8/9	0.97	0.06	14,15,18,22	0
1	A1AVU	A	150[A]	8/9	0.97	0.07	17,17,18,19	5
1	A1AVU	C	103	8/9	0.97	0.06	13,14,17,20	0
1	A1AVU	C	132[B]	8/9	0.98	0.06	15,17,20,21	5
1	A1AVU	B	150[A]	8/9	0.98	0.07	16,17,18,19	5
1	A1AVU	B	150[B]	8/9	0.98	0.07	16,18,20,21	5
1	A1AVU	A	132[A]	8/9	0.98	0.06	17,18,19,20	5
1	A1AVU	A	155[A]	8/9	0.98	0.05	15,16,17,19	5
1	A1AVU	A	155[B]	8/9	0.98	0.05	15,16,17,18	5
1	A1AVU	B	162[A]	8/9	0.98	0.06	16,20,23,25	5
1	A1AVU	B	162[B]	8/9	0.98	0.06	16,20,24,26	5
1	A1AVU	C	2[A]	8/9	0.98	0.08	15,15,22,39	5
1	A1AVU	C	2[B]	8/9	0.98	0.08	12,15,27,46	5
1	A1AVU	A	132[B]	8/9	0.98	0.06	17,18,20,22	5
1	A1AVU	B	126	8/9	0.98	0.05	13,14,16,17	0
1	A1AVU	A	133[A]	8/9	0.98	0.06	16,18,19,21	5
1	A1AVU	A	133[B]	8/9	0.98	0.06	16,17,19,21	5
1	A1AVU	A	126[B]	8/9	0.98	0.05	15,16,16,16	5
1	A1AVU	B	12[A]	8/9	0.98	0.06	14,15,20,23	5
1	A1AVU	D	132[A]	8/9	0.98	0.06	20,22,24,25	5
1	A1AVU	D	132[B]	8/9	0.98	0.06	20,21,22,23	5
1	A1AVU	D	133[A]	8/9	0.98	0.06	19,19,21,22	5
1	A1AVU	D	133[B]	8/9	0.98	0.06	19,20,21,22	5
1	A1AVU	B	12[B]	8/9	0.98	0.06	14,15,18,21	5
1	A1AVU	D	150[A]	8/9	0.98	0.04	14,15,16,17	8
1	A1AVU	D	150[B]	8/9	0.98	0.04	15,16,18,19	8
1	A1AVU	D	155[A]	8/9	0.98	0.06	15,17,18,21	5
1	A1AVU	D	155[B]	8/9	0.98	0.06	15,17,18,19	5
1	A1AVU	A	126[A]	8/9	0.98	0.05	14,15,17,18	5
1	A1AVU	C	132[A]	8/9	0.98	0.06	15,16,18,21	5
1	A1AVU	C	155[A]	8/9	0.99	0.05	17,18,18,20	5
1	A1AVU	C	155[B]	8/9	0.99	0.05	18,18,19,20	5
1	A1AVU	C	122[A]	8/9	0.99	0.05	10,13,15,16	5
1	A1AVU	C	122[B]	8/9	0.99	0.05	13,14,17,19	5
1	A1AVU	D	126[A]	8/9	0.99	0.06	19,20,20,22	5
1	A1AVU	D	126[B]	8/9	0.99	0.06	19,20,21,22	5

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	PGE	C	203	10/10	0.74	0.19	43,56,63,68	0
3	EDO	A	202	4/4	0.78	0.17	47,54,64,69	0
5	ACT	B	202	4/4	0.78	0.18	29,42,52,54	4
7	XPE	D	201	31/31	0.86	0.16	22,43,63,86	0
4	PGE	B	201	10/10	0.87	0.17	20,37,58,62	0
2	1PE	A	201	16/16	0.87	0.14	24,36,66,68	0
6	PEG	C	202	7/7	0.88	0.18	42,51,73,82	0
6	PEG	C	201	7/7	0.91	0.12	23,24,37,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.