

Feb 10, 2025 – 01:38 PM EST

PDB ID	:	9C8K
EMDB ID	:	EMD-45307
Title	:	Rabbit Hemorrhagic Disease Virus reinitiation stimulating TURBS RNA
		bound to rabbit ribosome
Authors	:	Sherlock, M.E.; Kieft, J.S.
Deposited on	:	2024-06-12
Resolution	:	3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	0.0.1.dev 113
:	4.02b-467
:	20231227.v01 (using entries in the PDB archive December 27th 2023)
:	1.9.13
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.40
	: : : : :

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	EM structures
Metric	$(\# {\rm Entries})$	$(\# {\rm Entries})$
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	295	72% •	27%
2	В	264	5% 78% •	20%
3	С	293	8% 	24%
4	D	243	86%	• 9%
5	Е	263	93%	5% •
6	F	204	62%	• 7%
7	G	249	91%	• 7%
8	Н	194	91%	• 6%



Conti	nued fron	$i \ previous$	page	
Mol	Chain	Length	Quality of chain	
			38%	
9	Ι	208	98%	•
10	т	10.4	13%	
10	J	194	90%	• 8%
11	V	165	58%	
	n	105	<u>58%</u> • 41%	
12	L	158		
12		100	91%	••
13	М	132	91%	9%
			<u> </u>	
14	Ν	151	97%	••
	_		15%	
15	0	151	84%	5%• 10%
10	D	1.45	54%	
16	Р	145	81% ·	17%
17	0	146	/5%	50/
11	Q	140	95%	5%
18	В	135	87%	. 10%
10	10	100	43%	• 10%
19	S	152	91%	9%
			63%	
20	Т	145	96%	• •
			80%	
21	U	119	82%	18%
00	τ <i>ι</i>	0.9	16%	
	V	85	93%	5% •
23	W	130	020/	
20	**	100	13%	• •
24	Х	143	96%	
			28%	
25	Y	133	91%	• 6%
			42%	
26	Z	125	58% 42%	
~ ~		115	15%	
27	a	115	80% ·	16%
20	h	81	J70	00/ 50/
20	D	04	89% 71%	6% 5%
29	C	69	87%	• 12%
			73%	- 12/0
30	d	56	88%	• • 9%
<u> </u>			53%	
31	е	59	90%	• 7%
			42%	
32	f	156	46% • 53%	
0.0		017	99%	
- 33	g	317	99%	•



Mol	Chain	Length	Quality of chain							
			25%							
34	1	1869		70%		22%	9%			
~~		0.1	5%							
35	2	91	26%	•	70%					



2 Entry composition (i)

There are 37 unique types of molecules in this entry. The entry contains 134479 atoms, of which 58947 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues			AltConf	Trace				
1	А	215	Total 3409	C 1083	Н 1705	N 298	0 315	S 8	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	290	ALA	THR	conflict	UNP G1TLT8
А	293	ASP	GLU	conflict	UNP G1TLT8

• Molecule 2 is a protein called eS1.

Mol	Chain	Residues			AltConf	Trace				
2	В	212	Total	C	H 1705	N 200	0	S 14	0	0
			3517	1093	1795	308	307	14		

• Molecule 3 is a protein called 40S ribosomal protein uS5.

Mol	Chain	Residues			AltConf	Trace				
3	С	222	Total 3533	C 1114	Н 1809	N 296	O 304	S 10	0	0

• Molecule 4 is a protein called 40S ribosomal protein uS3.

Mol	Chain	Residues			AltConf	Trace				
4	D	220	Total 3513	C 1090	Н 1804	N 308	0 304	${f S}{7}$	0	0

• Molecule 5 is a protein called 40S ribosomal protein eS4.

Mol	Chain	Residues			AltConf	Trace				
5	Е	257	Total 4170	C 1298	Н 2139	N 381	0 344	S 8	0	0



• Molecule 6 is a protein called uS7.

Mol	Chain	Residues			Atom	S			AltConf	Trace
6	F	190	Total 3060	C 939	H 1558	N 285	0 271	${f S} 7$	0	0

• Molecule 7 is a protein called eS6.

Mol	Chain	Residues			Atoms	S			AltConf	Trace
7	G	232	Total 3929	C 1176	Н 2045	N 379	O 322	S 7	0	0

• Molecule 8 is a protein called eS7.

Mol	Chain	Residues			Atom	.s			AltConf	Trace
8	Н	183	Total 3045	C 941	Н 1566	N 272	O 265	S 1	0	0

• Molecule 9 is a protein called eS8.

Mol	Chain	Residues			Atoms	5			AltConf	Trace
9	Ι	207	Total 3482	C 1064	Н 1786	N 334	O 293	${ m S}{ m 5}$	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ι	47	ARG	GLY	conflict	UNP G1TJW1

• Molecule 10 is a protein called uS4.

Mol	Chain	Residues			Atom	\mathbf{S}			AltConf	Trace
10	J	179	Total 3110	C 953	Н 1615	N 299	0 241	${S \over 2}$	0	0

• Molecule 11 is a protein called S10_plectin domain-containing protein.

Mol	Chain	Residues			Aton	ns			AltConf	Trace
11	Κ	98	Total 1681	C 539	Н 854	N 148	0 134	${ m S}{ m 6}$	0	0

• Molecule 12 is a protein called uS17.



Mol	Chain	Residues			Atom	IS			AltConf	Trace
12	L	153	Total 2593	C 804	Н 1335	N 235	O 213	S 6	0	0

• Molecule 13 is a protein called eS12.

Mol	Chain	Residues			Aton	ıs			AltConf	Trace
13	М	120	Total 1893	C 584	Н 962	N 164	0 174	S 9	0	0

• Molecule 14 is a protein called uS15.

Mol	Chain	Residues			Atom	S			AltConf	Trace
14	Ν	149	Total 2492	C 770	Н 1290	N 228	O 203	S 1	0	0

• Molecule 15 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues			Atom	S			AltConf	Trace
15	Ο	136	Total 2056	C 621	Н 1040	N 199	O 190	S 6	0	0

• Molecule 16 is a protein called 40S ribosomal protein uS19.

Mol	Chain	Residues			Atom	S			AltConf	Trace
16	Р	120	Total 2046	C 636	Н 1047	N 188	0 168	S 7	0	0

• Molecule 17 is a protein called uS9.

Mol	Chain	Residues			Atom	IS			AltConf	Trace
17	Q	139	Total 2284	C 704	Н 1175	N 210	0 192	${ m S} { m 3}$	0	0

• Molecule 18 is a protein called Small ribosomal subunit protein eS17.

Mol	Chain	Residues			Atom	AltConf	Trace			
18	R	121	Total 2021	C 618	Н 1036	N 183	0 181	${ m S} { m 3}$	0	0

There is a discrepancy between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
R	134	PRO	ALA	conflict	UNP G1TU13

• Molecule 19 is a protein called uS13.

Mol	Chain	Residues			AltConf	Trace				
19	S	139	Total 2365	C 725	Н 1211	N 233	0 195	S 1	0	0

• Molecule 20 is a protein called 40S ribosomal protein eS19.

Mol	Chain	Residues			Atom	IS			AltConf	Trace
20	Т	143	Total 2258	C 697	Н 1146	N 214	0 198	${ m S} { m 3}$	0	0

• Molecule 21 is a protein called uS10.

Mol	Chain	Residues			AltConf	Trace				
21	U	97	Total 1607	C 483	H 838	N 144	0 138	$\frac{S}{4}$	0	0

• Molecule 22 is a protein called eS21.

Mol	Chain	Residues			Aton	ıs			AltConf	Trace
22	V	81	Total 1239	C 380	Н 622	N 114	0 118	${f S}{5}$	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
V	3	ASN	SER	conflict	UNP G1TM82
V	4	ASP	ASN	conflict	UNP G1TM82
V	33	GLN	PRO	conflict	UNP G1TM82
V	50	PHE	SER	conflict	UNP G1TM82
V	75	ALA	SER	conflict	UNP G1TM82
V	76	ASP	HIS	conflict	UNP G1TM82
V	81	LYS	GLN	conflict	UNP G1TM82

• Molecule 23 is a protein called uS8.

Mol	Chain	Residues			AltConf	Trace				
23	W	129	Total 2115	C 659	Н 1081	N 193	0 176	S 6	0	0



• Molecule 24 is a protein called uS12.

Mol	Chain	Residues			Atom	S			AltConf	Trace
24	Х	139	Total 2228	C 682	Н 1148	N 214	0 181	${ m S} { m 3}$	0	0

• Molecule 25 is a protein called Small ribosomal subunit protein eS24.

Mol	Chain	Residues			AltConf	Trace				
25	Y	125	Total 2102	C 642	Н 1087	N 199	O 169	${ m S}{ m 5}$	0	0

• Molecule 26 is a protein called eS25.

Mol	Chain	Residues			AltConf	Trace				
26	Ζ	73	Total 1226	C 374	Н 641	N 108	O 102	S 1	0	0

• Molecule 27 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace	
27	a	97	Total 1598	C 481	Н 824	N 160	0 128	${ m S}{ m 5}$	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	28	ARG	CYS	conflict	UNP G1TFE8
a	56	ALA	VAL	conflict	UNP G1TFE8
a	109	ARG	PRO	conflict	UNP G1TFE8

• Molecule 28 is a protein called eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
28	b	80	Total 1272	C 391	Н 647	N 116	0 111	${f S}{7}$	0	0

• Molecule 29 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace	
29	С	61	Total 984	C 291	Н 504	N 96	0 91	${ m S} { m 2}$	0	0



• Molecule 30 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
30	d	51	Total 858	C 269	Н 431	N 87	O 66	${ m S}{ m 5}$	0	0

• Molecule 31 is a protein called 40S ribosomal protein eS30.

Mol	Chain	Residues	Atoms						AltConf	Trace
31	P	55	Total	С	Η	Ν	0	\mathbf{S}	0	0
01	C	00	921	272	484	96	68	1	0	0

• Molecule 32 is a protein called eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace	
32	f	73	Total 1224	C 379	Н 623	N 115	O 100	${f S} {f 7}$	0	0

• Molecule 33 is a protein called Receptor for Activated C Kinase 1 (RACK1).

Mol	Chain	Residues	Atoms					AltConf	Trace	
33	g	314	Total 4839	C 1537	Н 2399	N 425	O 466	S 12	0	0

• Molecule 34 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
34	1	1708	Total 54862	C 16274	Н 18406	N 6546	O 11928	Р 1708	0	0

• Molecule 35 is a RNA chain called RHDV Reinitiation stimulating element RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
35	2	27	Total 871	C 258	Н 294	N 108	0 186	Р 25	0	0

• Molecule 36 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
36	Q	2	Total Mg 2 2	0
36	X	1	Total Mg 1 1	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
36	1	71	TotalMg7171	0

• Molecule 37 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
37	a	1	Total Zn 1 1	0
37	d	1	Total Zn 1 1	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Small ribosomal subunit protein uS2



• Molecule 4: 40S ribosomal protein uS3















• Molecule 20: 40S ribosomal protein eS19









 \bullet Molecule 31: 40S ribosomal protein eS30



	53%				
Chain e:		90%		• 7%	
*****	••• •••••	•••• •	•••••	•	
LYS VAL H3 G4 S5 L6 A7	R8 A9 G10 K11 V12 R13 G14 G14 G15 T16	r1/ K18 A20 A20 K21 K24 K26 K26 K26 K27	V455 V46 P47 T48 F49 G50 G50 K51 K52 K53	G54 P55 M56 A57 A57 SER SER	
• Molecule	32: eS31				
_	42%				
Chain f:	46%	•	53%		_
MET GLN ILE PHE VAL LYS LYS LAR	IHR GLY LYS THR ILF ILEU GLU VAL GLU PRO SER	AST THR TLE GLU GLU ASN VAL LYS CLYS GLU GLU	GLY ILE PRO PRO ASP GLN GLN CLEU ILEU ILE PHE ALA	LYS GLN GLU GLU GLU GLY GLY ARC THR LEU SER ASP ASP	ASN
	•	• • • •••••		•••••	*****
ILE GLN LYS CLV GLU SER THR LEU HIS	LEU VAL LEU ARG ARG GLY GLY ALA LYS K79 R80	K81 K82 K83 K83 K90 K91 K92 K94	R95 K97 K97 K99 K100 A101 V102 L103 K104	Y105 Y106 X107 V108 D109 E110 N111 K113 Y114	8115 N116 1117 R119 R119 F122 P122 P122 S123
******	*******	********	••		
D124 E125 C126 G127 A128 G129	v1.30 F131 M132 A133 S134 H135 F136 F136 D137 R138 H139	Y140 C141 C142 C143 K143 C144 C144 C144 T147 Y148 Y148 C149	F150 N151 LYS PRO GLU ASP LYS		
• Molecule	33: Receptor for	Activated C Kina	se 1 (RACK1)		
_	-	99%			
Chain g:		99%			
****	*******	•••••	*******		•••••
MET T2 E3 Q4 M5 T6 L7	R8 69 6111 110 613 613 613 8114 8115 616	W17 V18 T19 Q20 Q20 A22 T24 T24 P25 P25 Q26	F 2/ P28 M30 M30 L32 L32 S33 A34 S33 S35 R36	D37 K38 T39 140 141 M42 W43 K44 K44 K44 L45 L45	R47 D48 E49 T50 N51 Y52 G53 G53 G53 G53 G53 R57 R57 A58 R57 R57 R57 R57 R57 R57 R57 R57 R57 R57
461 462 863 464 465 765	567 268 769 770 572 573 573 574 575 175	777 777 79 179 183 183 183 185 185 185	.87 188 189 191 192 194 194 195 196	197 198 198 100 1100 1102 1102 1103 1103 1104 1105 1105	2107 2108 2109 2110 7111 7111 7113 7113 3114 3115 3115 7113 7116 7117 7117 7117 7119 7119
	• • • • • • • • • • • • • • • • • • •		о о т о м 4 и и о	o o o o a d w d o o a d	• • • • • • • • • • • • • • • • • • •
V12 S12 G12 G12 S12 R12 D12	<pre>F12 T12 F12 F13 F13 F13 F13 F13 F13 F13 F13 F13 F13</pre>	V13 C13 K13 V14 T14 V14 V14 C14 D14 C14 C14 C14 C14 C14 C14 C14 C14 C14 C	H14 814 814 815 815 815 815 815 815 815 815 815 815	S15 P155 N15 S16 S16 S16 N16 P16 P16 T16 T16 V16	S16 C16 G16 M17 W17 L17 V17 V17 V17 V17 V17 V17 V17 V17 V17 V
******	*******	********		********	*********
N181 C182 K183 L184 K185 T186	N187 H188 I189 G190 G192 G193 G193 G193 V194 L195 N196	T197 V198 T199 V200 S201 P202 P202 D203 G204 S205 S205	C207 A208 S209 G210 G211 K212 K212 D213 G214 Q215 A216	M217 L218 W219 D220 D220 L221 N222 E223 E223 G224 H226 H226	L227 Y228 T229 L230 D231 G233 G233 G233 G233 C236 N237 N237 N237 C240 C240
41 42 443 45 45 45 45	55 55 55 55 56 55 57 55 56 55 56 56 56 56 56 56 56 56 56 56	57 55 66 61 66 66 65 65 65 65 65	67 68 69 77 77 77 77 77 75 77 75	7.77 7.8 7.79 8.81 8.82 8.83 8.83 8.83 8.83 8.83 8.83 8.83	88 88 88 88 88 88 88 88 88 88
	42 42 42 42 42 42 42 44 44 44 44 44 44 4			H 2 2 2 2 4 5 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22 22 22 22 22 22 22 22 22 25 25 25 25 2
******	*******				
G301 Y302 T303 D304 N305 L306	V307 R308 V309 W310 W310 Q311 T313 T313 T313 T314 C315 C315	ARG			
• Molecule	34: 18S ribosom	al RNA			
	25%				
Chain 1:		70%	22%	9%	













4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	61643	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	49.94	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV $(4k \ge 4k)$	Depositor
Maximum map value	3.029	Depositor
Minimum map value	-1.682	Depositor
Average map value	0.013	Depositor
Map value standard deviation	0.102	Depositor
Recommended contour level	0.43	Depositor
Map size (Å)	388.0, 388.0, 388.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.97, 0.97, 0.97	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	B	ond angles
MIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.29	0/1741	0.60	0/2366
2	В	0.27	0/1749	0.60	0/2340
3	С	0.26	0/1761	0.54	0/2379
4	D	0.25	0/1736	0.53	0/2338
5	Е	0.64	3/2072~(0.1%)	0.79	4/2793~(0.1%)
6	F	0.24	0/1524	0.54	0/2048
7	G	0.73	3/1907~(0.2%)	0.92	5/2538~(0.2%)
8	Н	0.26	0/1501	0.59	0/2009
9	Ι	0.77	2/1725~(0.1%)	0.93	5/2298~(0.2%)
10	J	0.28	0/1520	0.64	0/2030
11	Κ	0.26	0/851	0.51	0/1147
12	L	0.27	0/1281	0.60	0/1710
13	М	0.23	0/941	0.45	0/1264
14	N	0.27	0/1226	0.58	0/1649
15	0	1.00	4/1029~(0.4%)	1.04	6/1380~(0.4%)
16	Р	0.27	0/1019	0.59	0/1361
17	Q	0.25	0/1126	0.55	0/1506
18	R	0.25	0/997	0.54	0/1338
19	S	0.24	0/1172	0.57	0/1570
20	Т	0.25	0/1131	0.52	0/1515
21	U	0.23	0/778	0.53	0/1045
22	V	0.27	0/623	0.54	0/833
23	W	0.27	0/1051	0.63	1/1406~(0.1%)
24	Х	0.25	0/1097	0.55	0/1464
25	Y	0.29	0/1032	0.59	0/1371
26	Ζ	0.24	0/591	0.54	0/794
27	a	0.26	0/786	0.62	0/1053
28	b	0.28	0/637	0.62	0/854
29	с	0.24	0/482	0.63	0/645
30	d	0.94	3/437~(0.7%)	1.50	4/580~(0.7%)
31	е	0.25	0/443	0.57	0/583
32	f	0.41	1/613~(0.2%)	0.73	$\overline{2/811}~(0.2\%)$



Mal Chain		Bo	ond lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
33	g	0.23	0/2497	0.49	0/3399	
34	1	0.21	1/40767~(0.0%)	0.77	5/63536~(0.0%)	
35	2	0.19	0/644	0.80	0/1003	
All	All	0.32	17/80487~(0.0%)	0.72	32/116956~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
15	0	0	2
28	b	0	1
30	d	0	1
32	f	0	1
All	All	0	5

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	0	71	PRO	CB-CG	22.51	2.62	1.50
9	Ι	179	PRO	CB-CG	22.29	2.61	1.50
5	Ε	43	PRO	CG-CD	-22.27	0.77	1.50
7	G	174	PRO	CB-CG	21.98	2.59	1.50
15	0	71	PRO	CG-CD	-18.77	0.88	1.50
9	Ι	179	PRO	CG-CD	-18.41	0.89	1.50
7	G	174	PRO	CG-CD	-17.99	0.91	1.50
30	d	10	HIS	C-N	-12.35	1.10	1.34
34	1	1	U	OP3-P	-10.60	1.48	1.61
30	d	11	PRO	CG-CD	-10.07	1.17	1.50
30	d	11	PRO	CB-CG	-9.53	1.02	1.50
5	Ε	43	PRO	N-CD	8.94	1.60	1.47
5	Ε	43	PRO	CB-CG	8.55	1.92	1.50
32	f	144	CYS	CB-SG	-7.35	1.69	1.82
15	0	71	PRO	N-CD	7.05	1.57	1.47
7	G	174	PRO	N-CD	6.69	1.57	1.47
15	0	71	PRO	CA-CB	-5.11	1.43	1.53

All (17) bond length outliers are listed below:

All (32) bond angle outliers are listed below:

9 1	179	PRO	CB-CG-CD	-25.48	7.13	106.50



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
7	G	174	PRO	CB-CG-CD	-24.17	12.24	106.50
5	Е	43	PRO	N-CD-CG	-22.69	69.16	103.20
15	0	71	PRO	CB-CG-CD	-20.28	27.42	106.50
30	d	11	PRO	N-CD-CG	-18.81	74.98	103.20
30	d	11	PRO	CB-CG-CD	18.81	179.85	106.50
7	G	174	PRO	N-CA-CB	-17.90	81.82	103.30
30	d	11	PRO	CA-CB-CG	-16.98	71.73	104.00
9	Ι	179	PRO	N-CA-CB	-13.46	87.15	103.30
15	0	71	PRO	N-CD-CG	-12.39	84.62	103.20
34	1	1357	A	OP2-P-O3'	-11.76	79.34	105.20
5	Е	43	PRO	CA-CB-CG	-11.63	81.90	104.00
9	Ι	179	PRO	CA-N-CD	-11.41	95.52	111.50
9	Ι	179	PRO	CA-CB-CG	-11.26	82.60	104.00
7	G	174	PRO	CA-CB-CG	-10.97	83.15	104.00
34	1	1357	А	OP1-P-O3'	-10.90	81.23	105.20
15	0	71	PRO	N-CA-CB	-10.89	90.24	103.30
7	G	174	PRO	CA-N-CD	-10.77	96.42	111.50
15	0	71	PRO	CA-CB-CG	-9.84	85.30	104.00
32	f	144	CYS	CA-CB-SG	9.35	130.82	114.00
15	0	136	PRO	CA-N-CD	-8.94	98.98	111.50
34	1	1358	U	OP1-P-OP2	8.24	131.96	119.60
30	d	11	PRO	CA-N-CD	-8.16	100.07	111.50
7	G	174	PRO	N-CD-CG	-7.64	91.74	103.20
32	f	141	CYS	CA-CB-SG	6.33	125.38	114.00
5	Е	43	PRO	CA-N-CD	-6.22	102.80	111.50
5	Е	42	LEU	CA-CB-CG	5.84	128.74	115.30
15	0	71	PRO	CA-N-CD	-5.63	103.62	111.50
34	1	918	U	C2-N1-C1'	5.60	124.42	117.70
34	1	67	С	C2-N1-C1'	5.43	124.77	118.80
23	W	85	ASP	CB-CG-OD2	5.32	123.09	118.30
9	Ι	179	PRO	N-CD-CG	-5.17	95.45	103.20

Continued from previous page...

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
15	0	141	ARG	Peptide
15	0	142	ARG	Peptide
28	b	65	GLN	Peptide
30	d	10	HIS	Peptide
32	f	141	CYS	Peptide



5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	213/295~(72%)	188 (88%)	25~(12%)	0	100	100
2	В	210/264~(80%)	160 (76%)	47 (22%)	3 (1%)	9	34
3	С	220/293~(75%)	196 (89%)	23 (10%)	1 (0%)	25	58
4	D	218/243~(90%)	204 (94%)	13 (6%)	1 (0%)	25	58
5	Е	255/263~(97%)	217 (85%)	37 (14%)	1 (0%)	30	63
6	F	188/204~(92%)	162 (86%)	25 (13%)	1 (0%)	25	58
7	G	230/249~(92%)	202 (88%)	28 (12%)	0	100	100
8	Н	181/194 (93%)	162 (90%)	19 (10%)	0	100	100
9	Ι	205/208~(99%)	167 (82%)	38 (18%)	0	100	100
10	J	177/194~(91%)	156 (88%)	19 (11%)	2 (1%)	12	39
11	K	96/165~(58%)	85 (88%)	10 (10%)	1 (1%)	13	42
12	L	151/158~(96%)	133 (88%)	18 (12%)	0	100	100
13	М	118/132~(89%)	112 (95%)	6 (5%)	0	100	100
14	Ν	147/151~(97%)	126 (86%)	20 (14%)	1 (1%)	19	51
15	Ο	134/151~(89%)	111 (83%)	21 (16%)	2 (2%)	8	33
16	Р	118/145 (81%)	98 (83%)	20 (17%)	0	100	100
17	Q	137/146~(94%)	126 (92%)	11 (8%)	0	100	100
18	R	119/135~(88%)	111 (93%)	6 (5%)	2 (2%)	7	30
19	S	$\overline{137/152}\ (90\%)$	125 (91%)	12 (9%)	0	100	100
20	Т	141/145~(97%)	133 (94%)	6 (4%)	2 (1%)	9	34
21	U	95/119 (80%)	93 (98%)	2 (2%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
22	V	79/83~(95%)	76 (96%)	2 (2%)	1 (1%)	10	36
23	W	127/130~(98%)	112 (88%)	15 (12%)	0	100	100
24	Х	137/143~(96%)	123 (90%)	14 (10%)	0	100	100
25	Y	123/133~(92%)	115 (94%)	8 (6%)	0	100	100
26	Z	71/125~(57%)	68 (96%)	3 (4%)	0	100	100
27	a	95/115 (83%)	80 (84%)	14 (15%)	1 (1%)	12	39
28	b	78/84~(93%)	56 (72%)	21 (27%)	1 (1%)	10	36
29	с	59/69~(86%)	52 (88%)	6 (10%)	1 (2%)	7	30
30	d	49/56~(88%)	46 (94%)	3~(6%)	0	100	100
31	е	53/59~(90%)	47 (89%)	6 (11%)	0	100	100
32	f	71/156~(46%)	66 (93%)	5 (7%)	0	100	100
33	g	312/317~(98%)	292 (94%)	20 (6%)	0	100	100
All	All	4744/5476 (87%)	4200 (88%)	523 (11%)	21 (0%)	32	63

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	Е	93	GLU
6	F	63	LYS
10	J	3	VAL
22	V	42	VAL
3	С	174	ILE
15	0	139	SER
18	R	88	VAL
4	D	217	ILE
10	J	123	ILE
15	0	141	ARG
28	b	75	GLU
18	R	95	ILE
29	с	38	THR
2	В	179	ASN
2	В	210	VAL
14	Ν	29	THR
20	Т	31	PRO
27	a	45	VAL
11	К	41	PRO
2	В	205	TYR
20	Т	37	VAL



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	\mathbf{n} tiles
1	А	180/243~(74%)	178~(99%)	2(1%)	70	84
2	В	193/231~(84%)	189 (98%)	4 (2%)	48	72
3	С	188/225~(84%)	182 (97%)	6 (3%)	34	63
4	D	183/202~(91%)	179 (98%)	4 (2%)	47	71
5	Е	220/225~(98%)	211 (96%)	9 (4%)	26	57
6	F	160/170~(94%)	159 (99%)	1 (1%)	84	91
7	G	202/218~(93%)	197 (98%)	5 (2%)	42	69
8	Н	164/174~(94%)	158 (96%)	6 (4%)	29	59
9	Ι	179/180~(99%)	176 (98%)	3 (2%)	56	78
10	J	160/168~(95%)	157 (98%)	3 (2%)	52	75
11	K	89/136~(65%)	87 (98%)	2(2%)	47	71
12	L	138/142~(97%)	137 (99%)	1 (1%)	81	90
13	М	102/108~(94%)	102 (100%)	0	100	100
14	Ν	130/131~(99%)	129 (99%)	1 (1%)	79	89
15	О	106/119~(89%)	101 (95%)	5 (5%)	22	52
16	Р	109/130~(84%)	106 (97%)	3 (3%)	38	66
17	Q	115/121~(95%)	115 (100%)	0	100	100
18	R	110/122~(90%)	108 (98%)	2 (2%)	54	76
19	S	121/132 (92%)	121 (100%)	0	100	100
20	Т	113/115~(98%)	111 (98%)	2 (2%)	54	76
21	U	90/107~(84%)	90 (100%)	0	100	100
22	V	65/67~(97%)	62 (95%)	3(5%)	23	52
23	W	112/113~(99%)	109 (97%)	3 (3%)	40	67
24	Х	111/115~(96%)	109 (98%)	2 (2%)	54	76
25	Y	107/115~(93%)	103 (96%)	4 (4%)	29	59
26	Ζ	65/103~(63%)	65 (100%)	0	100	100



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
27	a	84/98~(86%)	80~(95%)	4(5%)	21	51
28	b	72/76~(95%)	69~(96%)	3~(4%)	25	56
29	с	54/62~(87%)	54 (100%)	0	100	100
30	d	45/49~(92%)	45 (100%)	0	100	100
31	е	44/48~(92%)	42 (96%)	2(4%)	23	53
32	f	66/140~(47%)	65~(98%)	1 (2%)	60	80
33	g	272/275~(99%)	271 (100%)	1 (0%)	89	94
All	All	4149/4660 (89%)	4067 (98%)	82 (2%)	50	74

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	103	PHE
1	А	165	ASN
2	В	32	ASP
2	В	77	ASP
2	В	169	MET
2	В	232	HIS
3	С	73	MET
3	С	108	LYS
3	С	144	SER
3	С	220	ASP
3	С	245	SER
3	С	271	ASP
4	D	117	ARG
4	D	127	MET
4	D	159	HIS
4	D	167	TYR
5	Е	50	ASN
5	Е	81	THR
5	Е	88	ASP
5	Е	109	PHE
5	Е	124	CYS
5	Е	128	LYS
5	Е	181	CYS
5	Е	216	ASN
5	Е	250	GLU
6	F	61	PHE
7	G	27	PHE
7	G	48	TYR



Mol	Chain	Res	Type
7	G	91	GLU
7	G	109	LEU
7	G	197	GLN
8	Н	19	PHE
8	Н	94	PHE
8	Н	157	HIS
8	Н	159	ASP
8	Н	171	GLU
8	Н	189	PHE
9	Ι	42	ARG
9	Ι	45	THR
9	Ι	181	GLN
10	J	21	GLU
10	J	115	PHE
10	J	151	LEU
11	К	71	LEU
11	K	82	TYR
12	L	109	MET
14	Ν	76	LYS
15	0	51	GLU
15	0	54	CYS
15	0	142	ARG
15	0	143	LYS
15	0	150	ARG
16	Р	37	TYR
16	Р	97	TYR
16	Р	120	SER
18	R	84	TYR
18	R	110	ASP
20	Т	33	TRP
20	Т	82	ARG
22	V	17	CYS
22	V	46	PHE
22	V	68	SER
23	W	37	PHE
23	W	57	ARG
23	W	99	PHE
24	Х	7	LEU
24	Х	138	LYS
25	Y	26	ASP
25	Y	68	LYS
25	Y	72	PHE



\mathbf{Mol}	Chain	\mathbf{Res}	Type
25	Y	90	ARG
27	a	28	ARG
27	а	67	LEU
27	а	68	TYR
27	а	74	CYS
28	b	27	SER
28	b	60	SER
28	b	83	GLN
31	е	38	TYR
31	е	56	ASN
32	f	144	CYS
33	g	291	TRP

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such side chains are listed below:

Mol	Chain	Res	Type
2	В	40	ASN
5	Е	36	HIS
5	Ε	214	ASN
7	G	187	HIS
9	Ι	22	HIS
15	0	43	HIS
19	S	42	HIS
28	b	26	GLN

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
34	1	1701/1869~(91%)	393~(23%)	16 (0%)
35	2	25/91~(27%)	3 (12%)	1 (4%)
All	All	1726/1960~(88%)	396 (22%)	17~(0%)

All (396) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
34	1	4	С
34	1	9	U
34	1	11	А
34	1	13	С
34	1	17	С



Mol	Chain	Res	Type
34	1	20	G
34	1	26	U
34	1	31	U
34	1	33	G
34	1	41	G
34	1	42	А
34	1	46	А
34	1	51	U
34	1	59	U
34	1	62	G
34	1	64	А
34	1	67	С
34	1	68	А
34	1	72	С
34	1	73	С
34	1	76	U
34	1	77	A
34	1	79	А
34	1	97	U
34	1	100	U
34	1	103	А
34	1	104	А
34	1	106	С
34	1	111	А
34	1	112	U
34	1	113	G
34	1	114	G
34	1	115	U
34	1	116	U
34	1	118	С
34	1	119	U
34	1	125	С
34	1	126	G
34	1	143	U
34	1	154	U
34	1	155	G
34	1	161	U
34	1	166	A
34	1	171	A
34	1	172	U
34	1	174	C
34	1	183	G



Mol	Chain	Res	Type
34	1	217	А
34	1	219	U
34	1	225	G
34	1	226	А
34	1	227	U
34	1	228	С
34	1	230	А
34	1	238	С
34	1	284	С
34	1	286	U
34	1	287	U
34	1	288	G
34	1	292	А
34	1	294	U
34	1	302	А
34	1	305	U
34	1	306	С
34	1	309	G
34	1	312	G
34	1	314	U
34	1	319	С
34	1	320	G
34	1	325	С
34	1	327	G
34	1	328	U
34	1	329	G
34	1	331	С
34	1	332	G
34	1	333	G
34	1	339	А
34	1	344	U
34	1	347	G
34	1	350	С
34	1	364	A
34	1	370	G
34	1	372	U
34	1	376	A
34	1	384	U
34	1	385	G
34	1	386	С
34	1	387	C
34	1	389	А



Mol	Chain	Res	Type
34	1	401	А
34	1	408	А
34	1	409	С
34	1	417	С
34	1	428	U
34	1	442	С
34	1	443	U
34	1	448	А
34	1	449	A
34	1	450	С
34	1	455	А
34	1	463	С
34	1	464	А
34	1	465	А
34	1	466	G
34	1	469	А
34	1	470	G
34	1	471	G
34	1	472	С
34	1	473	А
34	1	476	А
34	1	482	G
34	1	487	U
34	1	488	U
34	1	489	А
34	1	492	С
34	1	495	U
34	1	500	А
34	1	504	G
34	1	509	G
34	1	523	A
34	1	524	U
34	1	525	A
34	1	526	A
34	1	528	A
34	1	533	A
34	1	534	G
34	1	541	U
34	1	542	U
34	1	544	G
34	1	545	A
34	1	546	G



Mol	Chain	Res	Type
34	1	547	G
34	1	548	С
34	1	553	U
34	1	554	A
34	1	560	А
34	1	561	A
34	1	562	U
34	1	576	A
34	1	587	А
34	1	589	G
34	1	590	А
34	1	591	U
34	1	592	С
34	1	594	A
34	1	607	U
34	1	608	С
34	1	613	G
34	1	614	С
34	1	620	G
34	1	629	А
34	1	643	А
34	1	644	G
34	1	645	С
34	1	655	А
34	1	660	С
34	1	661	U
34	1	664	А
34	1	668	А
34	1	669	А
34	1	672	А
34	1	673	G
34	1	675	U
34	1	683	G
34	1	687	С
34	1	688	U
34	1	689	U
34	1	690	G
34	1	695	С
34	1	742	U
34	1	743	U
34	1	744	G
34	1	746	C



Mol	Chain	Res	Type
34	1	748	С
34	1	751	G
34	1	798	G
34	1	799	U
34	1	800	U
34	1	801	U
34	1	809	А
34	1	811	А
34	1	812	А
34	1	821	G
34	1	823	U
34	1	834	С
34	1	837	А
34	1	838	G
34	1	839	С
34	1	840	С
34	1	841	G
34	1	847	А
34	1	848	U
34	1	852	G
34	1	861	А
34	1	862	А
34	1	868	G
34	1	870	А
34	1	872	А
34	1	874	G
34	1	886	А
34	1	891	G
34	1	913	А
34	1	914	U
34	1	917	U
34	1	919	А
34	1	920	А
34	1	921	G
34	1	929	G
34	1	938	А
34	1	940	U
34	1	943	U
34	1	953	С
34	1	954	U
34	1	955	А
34	1	956	G



Mol	Chain	Res	Type
34	1	959	G
34	1	960	U
34	1	961	G
34	1	963	А
34	1	968	U
34	1	969	U
34	1	978	G
34	1	983	А
34	1	990	А
34	1	992	А
34	1	993	G
34	1	1002	U
34	1	1008	А
34	1	1015	U
34	1	1017	U
34	1	1044	G
34	1	1048	G
34	1	1049	А
34	1	1050	А
34	1	1051	G
34	1	1057	С
34	1	1058	А
34	1	1060	А
34	1	1061	U
34	1	1066	U
34	1	1077	А
34	1	1085	С
34	1	1091	С
34	1	1095	С
34	1	1096	G
34	1	1099	G
34	1	1109	С
34	1	1113	А
34	1	1114	U
34	1	1116	С
34	1	1139	С
34	1	1140	G
34	1	1146	С
34	1	1149	А
34	1	1150	А
34	1	1156	U
34	1	1161	U



Mol	Chain	Res	Type
34	1	1166	G
34	1	1188	А
34	1	1195	A
34	1	1196	А
34	1	1199	А
34	1	1202	U
34	1	1207	G
34	1	1212	G
34	1	1215	С
34	1	1217	A
34	1	1221	G
34	1	1224	G
34	1	1242	U
34	1	1251	A
34	1	1254	С
34	1	1256	G
34	1	1257	G
34	1	1259	А
34	1	1261	С
34	1	1262	С
34	1	1264	С
34	1	1274	G
34	1	1275	G
34	1	1285	G
34	1	1287	А
34	1	1288	U
34	1	1289	U
34	1	1290	G
34	1	1291	А
34	1	1301	А
$\overline{34}$	1	1302	G
34	1	1303	С
34	1	1321	G
34	1	1327	G
34	1	1330	G
34	1	1331	С
34	1	1333	U
$\overline{34}$	1	1342	U
34	1	1345	G
34	1	1351	G
$\overline{34}$	1	1354	G
34	1	1356	G



Mol	Chain	Res	Type
34	1	1358	U
34	1	1360	U
34	1	1371	U
34	1	1372	U
34	1	1375	G
34	1	1378	A
34	1	1380	С
34	1	1382	А
34	1	1387	G
34	1	1399	С
34	1	1409	А
34	1	1420	G
34	1	1439	A
$\overline{34}$	1	1442	U
34	1	1452	A
$\overline{34}$	1	1454	A
34	1	1456	G
34	1	1463	U
34	1	1476	А
34	1	1477	U
34	1	1478	U
34	1	1479	G
34	1	1484	А
34	1	1489	A
34	1	1494	U
34	1	1497	G
34	1	1498	A
34	1	1501	С
34	1	1505	U
34	1	1507	G
34	1	1508	A
34	1	1519	U
34	1	1520	G
34	1	1521	С
34	1	1522	A
34	1	1527	С
34	1	1531	А
34	1	1533	A
34	1	1535	U
34	1	1536	G
34	1	1537	A
34	1	1539	U



Mol	Chain	Res	Type
34	1	1544	С
34	1	1548	G
34	1	1553	С
34	1	1554	С
34	1	1555	U
34	1	1558	С
34	1	1580	А
34	1	1586	U
34	1	1588	А
34	1	1599	U
34	1	1601	А
34	1	1604	G
34	1	1606	G
34	1	1617	G
34	1	1621	U
34	1	1622	U
34	1	1623	А
34	1	1624	U
34	1	1646	С
34	1	1660	С
34	1	1661	A
34	1	1662	U
34	1	1663	А
34	1	1665	G
34	1	1671	G
34	1	1678	А
34	1	1691	U
34	1	1699	А
34	1	1721	U
34	1	1726	G
34	1	1737	G
34	1	1742	С
34	1	1745	А
34	1	1750	С
34	1	1757	G
34	1	1783	С
34	1	1784	G
34	1	1823	А
34	1	1829	G
34	1	1831	А
34	1	1834	A
34	1	1835	А



Mol	Chain	Res	Type
34	1	1838	U
34	1	1843	G
34	1	1849	G
34	1	1861	G
34	1	1862	G
34	1	1863	А
34	1	1864	U
34	1	1865	С
34	1	1866	А
34	1	1869	А
35	2	5	U
35	2	6	G
35	2	45	С

All (17) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
34	1	227	U
34	1	332	G
34	1	369	С
34	1	463	С
34	1	475	С
34	1	546	G
34	1	547	G
34	1	561	А
34	1	797	С
34	1	822	U
34	1	869	А
34	1	962	А
34	1	1095	С
34	1	1211	G
34	1	1554	С
34	1	1756	С
35	2	5	U

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 76 ligands modelled in this entry, 76 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
30	d	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	d	10:HIS	С	11:PRO	Ν	1.10



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-45307. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 200





Z Index: 200

6.2.2 Raw map



X Index: 200

Y Index: 200



The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 201





Y Index: 226

Z Index: 277

6.3.2 Raw map



X Index: 0





The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.43. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 586 nm^3 ; this corresponds to an approximate mass of 529 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.323 $\mathrm{\AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.323 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.10	3.77	3.15
Unmasked-calculated*	6.48	9.47	6.57

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.48 differs from the reported value 3.1 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-45307 and PDB model 9C8K. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.43 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.43).



9.4 Atom inclusion (i)



At the recommended contour level, 56% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.43) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	$\mathbf{Q} extsf{-score}$
All	0.5610	0.2560
1	0.6570	0.2800
2	0.7180	0.1940
А	0.5930	0.2380
В	0.8190	0.4000
С	0.7400	0.4020
D	0.0700	0.1280
Е	0.8180	0.4050
F	0.3000	0.0800
G	0.3060	0.0770
Н	0.5820	0.2850
Ι	0.5310	0.1780
J	0.7140	0.3400
Κ	0.0370	0.0900
\mathbf{L}	0.6560	0.3760
М	0.0000	0.0720
Ν	0.8100	0.4510
О	0.7160	0.3500
Р	0.3050	0.1080
Q	0.1900	0.1120
R	0.1010	0.0830
S	0.4720	0.1330
Т	0.3280	0.0930
U	0.0320	0.0800
V	0.6830	0.3720
W	0.8470	0.4820
Х	0.6800	0.4350
Y	0.5520	0.2210
Z	0.2630	0.1080
a	0.6630	0.3930
b	0.8010	0.4010
с	0.1910	0.0890
d	0.2020	0.0940
e	0.4290	0.2600
f	0.0920	0.0660
g	0.0080	0.0990

0.0 <.00

1.0

