



## Full wwPDB EM Validation Report ⓘ

Mar 4, 2026 – 10:48 PM UTC

PDB ID : 9DIA / pdb\_00009dia  
EMDB ID : EMD-46902  
Title : Cryo-EM structure of alpha5beta1 integrin in complex with NeoNectin candidate 2  
Authors : Werther, R.; Nguyen, A.; Estrada Alamo, K.A.; Wang, X.; Campbell, M.G.  
Deposited on : 2024-09-05  
Resolution : 2.97 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13205 ( 2.47 - 3.47 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1005	40% 5% 55%
2	B	738	44% 6% 50%
3	C	99	45% 18% 36%
4	D	2	100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	G	2	 100%
4	H	2	 100%
5	E	5	 100%
6	F	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	H	1	-	-	X	-

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 12709 atoms, of which 5806 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	A	449	6515	2152	3129	557	669	8	2	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	956	THR	-	expression tag	UNP P08648
A	957	GLY	-	expression tag	UNP P08648
A	958	GLY	-	expression tag	UNP P08648
A	959	LEU	-	expression tag	UNP P08648
A	960	GLU	-	expression tag	UNP P08648
A	961	VAL	-	expression tag	UNP P08648
A	962	LEU	-	expression tag	UNP P08648
A	963	PHE	-	expression tag	UNP P08648
A	964	GLN	-	expression tag	UNP P08648

- Molecule 2 is a protein called Integrin beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	B	371	5502	1788	2677	468	554	15	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	709	ASP	-	expression tag	UNP P05556
B	710	THR	-	expression tag	UNP P05556
B	711	SER	-	expression tag	UNP P05556
B	712	GLY	-	expression tag	UNP P05556
B	713	LEU	-	expression tag	UNP P05556
B	714	GLU	-	expression tag	UNP P05556
B	715	VAL	-	expression tag	UNP P05556
B	716	LEU	-	expression tag	UNP P05556

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	717	PHE	-	expression tag	UNP P05556
B	718	GLN	-	expression tag	UNP P05556

- Molecule 3 is a protein called NeoNectin candidate 2.


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	C	63	445	284	85	76	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	D	2	28	16	2	10	0	0
4	G	2	28	16	2	10	0	0
4	H	2	28	16	2	10	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	E	5	64	36	3	25	0	0

- Molecule 6 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	F	2	24	14	1	9	0	0

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
			Total	Ca	
7	A	3	3	3	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
8	A	1	14	8	1	5	0
8	B	1	14	8	1	5	0
8	B	1	14	8	1	5	0
8	B	1	14	8	1	5	0
8	B	1	14	8	1	5	0


- Molecule 9 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mn	
9	B	2	2	2	0





• Molecule 3: NeoNectin candidate 2



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2

- Molecule 5: alpha-D-mannopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%MAG1  
MAG2  
BMA3  
MAM4  
MAG5

- Molecule 6: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%MAG1  
FUC2

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	153759	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	36000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.830	Depositor
Minimum map value	-0.961	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.028	Depositor
Recommended contour level	0.2	Depositor
Map size ( $\text{\AA}$ )	394.944, 394.944, 394.944	wwPDB
Map dimensions	352, 352, 352	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.122, 1.122, 1.122	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG, FUC, MN, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.10	0/3486	0.25	0/4753
2	B	0.09	0/2875	0.23	0/3896
3	C	0.07	0/450	0.18	0/612
All	All	0.10	0/6811	0.24	0/9261

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3386	3129	3187	33	0
2	B	2825	2677	2742	34	0
3	C	445	0	433	19	0
4	D	28	0	25	1	0
4	G	28	0	25	2	0
4	H	28	0	25	9	0
5	E	64	0	55	3	0
6	F	24	0	22	0	0
7	A	3	0	0	0	0
8	A	14	0	13	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	B	56	0	52	1	0
9	B	2	0	0	0	0
All	All	6903	5806	6579	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:224:ASN:ND2	2:B:225:LEU:H	1.61	0.98
4:H:1:NAG:H83	4:H:1:NAG:H3	1.53	0.90
2:B:79:SER:N	2:B:119:GLU:OE2	2.18	0.76
1:A:122:ARG:NH1	1:A:123:THR:O	2.20	0.73
2:B:224:ASN:ND2	2:B:225:LEU:N	2.36	0.73
1:A:257:LEU:O	1:A:258:THR:OG1	2.08	0.71
2:B:224:ASN:HD22	2:B:225:LEU:H	1.40	0.70
2:B:224:ASN:HD22	2:B:225:LEU:N	1.92	0.68
1:A:25:PHE:CE1	1:A:434:ILE:HD11	2.30	0.67
4:H:1:NAG:H61	4:H:2:NAG:O5	1.95	0.67
3:C:19:PHE:CZ	3:C:50:LEU:HD12	2.29	0.66
4:H:1:NAG:H4	4:H:2:NAG:N2	2.06	0.66
3:C:46:GLN:O	3:C:50:LEU:HD23	1.96	0.66
1:A:282:ALA:CB	2:B:299:ILE:HD12	2.28	0.64
1:A:266:ASN:OD1	1:A:267:GLY:N	2.31	0.64
1:A:24:GLU:OE1	1:A:420:ARG:NE	2.32	0.63
1:A:124:GLU:N	1:A:124:GLU:OE1	2.30	0.63
1:A:358:LEU:HD21	1:A:433:LEU:HD13	1.82	0.62
4:G:1:NAG:H61	4:G:2:NAG:O5	1.99	0.62
1:A:93:VAL:O	1:A:122:ARG:N	2.33	0.61
1:A:257:LEU:O	1:A:257:LEU:HD12	2.01	0.61
1:A:312:ARG:NH1	1:A:316:GLY:O	2.34	0.61
3:C:42:VAL:HG13	3:C:46:GLN:HB2	1.82	0.61
3:C:44:GLU:O	3:C:47:ILE:HG22	2.01	0.61
2:B:236:MET:O	2:B:240:VAL:HG22	2.00	0.61
1:A:283:SER:O	1:A:285:PHE:N	2.34	0.60
1:A:81:GLU:N	1:A:81:GLU:OE1	2.34	0.59
1:A:249:VAL:HG22	1:A:264:ILE:HG12	1.84	0.58
4:H:1:NAG:H3	4:H:1:NAG:C8	2.29	0.57
3:C:3:VAL:CG2	3:C:47:ILE:HG13	2.33	0.57
2:B:279:GLY:O	2:B:280:GLN:NE2	2.36	0.57

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:95:GLN:O	2:B:97:GLN:NE2	2.39	0.56
4:H:1:NAG:O6	4:H:2:NAG:H2	2.06	0.56
2:B:138:ASP:O	2:B:142:VAL:HG23	2.06	0.56
3:C:47:ILE:HD11	3:C:63:VAL:HG22	1.89	0.55
3:C:11:ILE:HG23	3:C:12:PRO:HD2	1.90	0.54
2:B:142:VAL:HG12	2:B:142:VAL:O	2.06	0.54
3:C:19:PHE:O	3:C:22:VAL:HG12	2.09	0.53
1:A:10:VAL:HG22	1:A:444:VAL:HG12	1.90	0.52
2:B:233:ASP:OD1	2:B:234:ALA:N	2.43	0.52
2:B:175:TYR:OH	2:B:267:ASP:O	2.29	0.51
2:B:188:THR:HG21	3:C:58:GLY:HA2	1.93	0.51
1:A:19:PHE:CE1	1:A:37:VAL:HG11	2.46	0.50
2:B:121:TYR:HD2	2:B:251:THR:HG23	1.77	0.49
4:H:1:NAG:C1	4:H:1:NAG:H82	2.42	0.49
1:A:2:ASN:HB3	1:A:361:LEU:HD21	1.93	0.49
1:A:295:ASN:ND2	1:A:297:ASP:OD2	2.44	0.49
3:C:42:VAL:HG13	3:C:46:GLN:CB	2.43	0.49
4:D:1:NAG:H61	4:D:2:NAG:H82	1.95	0.49
3:C:6:HIS:HB3	3:C:8:ARG:HG2	1.96	0.48
1:A:358:LEU:HD11	1:A:370:ALA:HB2	1.96	0.48
2:B:134:SER:O	2:B:135:MET:HB2	2.13	0.48
1:A:121:TRP:CZ3	1:A:123:THR:HA	2.49	0.48
1:A:420:ARG:O	1:A:433:LEU:HD12	2.14	0.47
1:A:300:ASP:O	1:A:329:GLN:NE2	2.44	0.47
2:B:175:TYR:O	2:B:224:ASN:ND2	2.47	0.47
2:B:252:ARG:NH1	2:B:309:ASN:O	2.48	0.47
2:B:386:ASN:ND2	8:B:802:NAG:O7	2.48	0.47
1:A:315:ASP:OD1	1:A:315:ASP:C	2.57	0.46
1:A:75:LYS:HE2	1:A:75:LYS:HA	1.98	0.46
2:B:179:THR:O	2:B:183:LEU:N	2.48	0.46
3:C:3:VAL:HG13	3:C:61:VAL:HG23	1.98	0.45
1:A:153:SER:OG	1:A:154:ASP:N	2.50	0.45
3:C:44:GLU:HA	3:C:47:ILE:HG22	1.98	0.45
2:B:133:TYR:CD2	3:C:12:PRO:HD3	2.52	0.44
1:A:187:PHE:CE2	3:C:8:ARG:HG3	2.52	0.44
2:B:421:ASP:OD1	2:B:421:ASP:N	2.50	0.44
2:B:399:SER:OG	2:B:400:ILE:N	2.48	0.44
3:C:6:HIS:ND1	3:C:8:ARG:HD3	2.31	0.44
3:C:22:VAL:O	3:C:26:LEU:HB2	2.17	0.44
1:A:261:TYR:CZ	5:E:1:NAG:H62	2.53	0.44
1:A:339:THR:O	1:A:339:THR:HG22	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:415:CYS:SG	2:B:441:ILE:HD11	2.58	0.43
5:E:3:BMA:H61	5:E:5:NAG:C1	2.47	0.43
2:B:385:VAL:O	2:B:385:VAL:HG13	2.17	0.43
1:A:196:THR:HG23	1:A:199:GLN:H	1.84	0.43
1:A:285:PHE:CZ	1:A:304:VAL:HG11	2.53	0.43
3:C:32:ARG:NE	3:C:33:ASN:O	2.51	0.43
4:G:1:NAG:H4	4:G:2:NAG:H2	1.50	0.43
4:H:1:NAG:C6	4:H:2:NAG:H2	2.49	0.43
2:B:295:ASP:OD1	2:B:296:TYR:N	2.48	0.42
2:B:381:CYS:HB2	2:B:385:VAL:HG13	2.02	0.42
3:C:19:PHE:HA	3:C:22:VAL:HG12	2.01	0.42
2:B:108:PRO:HB3	2:B:411:THR:HG22	2.01	0.41
2:B:178:THR:HG22	2:B:178:THR:O	2.20	0.41
2:B:224:ASN:CG	2:B:225:LEU:H	2.25	0.41
1:A:222:ALA:CB	5:E:2:NAG:H83	2.51	0.41
2:B:126:TYR:CE2	2:B:245:ILE:HG23	2.55	0.41
4:H:1:NAG:H83	4:H:1:NAG:C3	2.37	0.41
2:B:238:VAL:HG11	2:B:254:LEU:HD13	2.03	0.41
2:B:343:ASN:OD1	2:B:343:ASN:N	2.53	0.41
1:A:35:VAL:HG13	1:A:434:ILE:HD13	2.02	0.40
2:B:245:ILE:HG22	2:B:245:ILE:O	2.20	0.40
1:A:63:SER:OG	1:A:64:PRO:HD3	2.22	0.40
4:H:1:NAG:C8	4:H:1:NAG:C1	3.00	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	449/1005 (45%)	431 (96%)	18 (4%)	0	100	100
2	B	367/738 (50%)	348 (95%)	19 (5%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	61/99 (62%)	57 (93%)	4 (7%)	0	100	100
All	All	877/1842 (48%)	836 (95%)	41 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	355/836 (42%)	355 (100%)	0	100	100
2	B	313/656 (48%)	312 (100%)	1 (0%)	86	91
3	C	41/83 (49%)	41 (100%)	0	100	100
All	All	709/1575 (45%)	708 (100%)	1 (0%)	87	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	343	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	400	GLN
1	A	410	HIS
2	B	224	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	D	1	1,4	14,14,15	0.20	0	17,19,21	0.47	0
4	NAG	D	2	4	14,14,15	0.21	0	17,19,21	0.42	0
5	NAG	E	1	5,1	14,14,15	0.23	0	17,19,21	0.46	0
5	NAG	E	2	5	14,14,15	0.20	0	17,19,21	0.45	0
5	BMA	E	3	5	11,11,12	0.60	0	15,15,17	0.71	0
5	MAN	E	4	5	11,11,12	0.67	1 (9%)	15,15,17	1.12	2 (13%)
5	NAG	E	5	5	14,14,15	0.26	0	17,19,21	0.43	0
6	NAG	F	1	6,1	14,14,15	0.22	0	17,19,21	0.45	0
6	FUC	F	2	6	10,10,11	0.55	0	14,14,16	0.72	0
4	NAG	G	1	1,4	14,14,15	0.23	0	17,19,21	0.43	0
4	NAG	G	2	4	14,14,15	0.31	0	17,19,21	0.41	0
4	NAG	H	1	2,4	14,14,15	0.32	0	17,19,21	0.69	0
4	NAG	H	2	4	14,14,15	0.39	0	17,19,21	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
5	NAG	E	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	E	2	5	-	1/6/23/26	0/1/1/1
5	BMA	E	3	5	-	0/2/19/22	0/1/1/1
5	MAN	E	4	5	-	1/2/19/22	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	E	5	5	-	4/6/23/26	0/1/1/1
6	NAG	F	1	6,1	-	0/6/23/26	0/1/1/1
6	FUC	F	2	6	-	-	0/1/1/1
4	NAG	G	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	NAG	H	1	2,4	-	4/6/23/26	0/1/1/1
4	NAG	H	2	4	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	4	MAN	C1-C2	2.04	1.57	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	4	MAN	C1-O5-C5	2.85	116.01	112.19
5	E	4	MAN	O2-C2-C3	-2.24	105.50	110.15

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	G	1	NAG	O5-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
5	E	5	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
4	H	1	NAG	C8-C7-N2-C2
4	H	1	NAG	O7-C7-N2-C2
5	E	2	NAG	O5-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6
5	E	4	MAN	O5-C5-C6-O6
5	E	5	NAG	C1-C2-N2-C7
5	E	5	NAG	C4-C5-C6-O6
4	H	2	NAG	O5-C5-C6-O6
4	H	1	NAG	C3-C2-N2-C7
5	E	5	NAG	C3-C2-N2-C7
4	H	1	NAG	C1-C2-N2-C7


There are no ring outliers.


10 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	5	NAG	1	0
5	E	3	BMA	1	0
4	D	2	NAG	1	0
4	G	1	NAG	2	0
5	E	1	NAG	1	0
4	G	2	NAG	2	0
5	E	2	NAG	1	0
4	H	1	NAG	9	0
4	D	1	NAG	1	0
4	H	2	NAG	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 5 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
8	NAG	A	1002	1	14,14,15	0.25	0	17,19,21	0.46	0
8	NAG	B	803	2	14,14,15	0.22	0	17,19,21	0.42	0
8	NAG	B	801	2	14,14,15	0.21	0	17,19,21	0.41	0
8	NAG	B	802	2	14,14,15	0.25	0	17,19,21	0.44	0
8	NAG	B	804	2	14,14,15	0.22	0	17,19,21	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	1002	1	-	1/6/23/26	0/1/1/1
8	NAG	B	803	2	-	2/6/23/26	0/1/1/1
8	NAG	B	801	2	-	4/6/23/26	0/1/1/1
8	NAG	B	802	2	-	0/6/23/26	0/1/1/1
8	NAG	B	804	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	801	NAG	C1-C2-N2-C7
8	B	804	NAG	C4-C5-C6-O6
8	B	803	NAG	O5-C5-C6-O6
8	B	804	NAG	O5-C5-C6-O6
8	B	801	NAG	O5-C5-C6-O6
8	B	803	NAG	C4-C5-C6-O6
8	B	801	NAG	C4-C5-C6-O6
8	A	1002	NAG	C3-C2-N2-C7
8	B	801	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	802	NAG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-46902. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 176




Y Index: 176




Z Index: 176

### 6.2.2 Raw map



X Index: 176



Y Index: 176




Z Index: 176


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 174



Y Index: 181




Z Index: 152


### 6.3.2 Raw map



X Index: 174



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

This section was not generated.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_46902\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 76 nm<sup>3</sup>; this corresponds to an approximate mass of 69 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.337 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.337 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.97	-	-
Author-provided FSC curve	2.97	3.27	2.99
Unmasked-calculated*	4.05	8.19	4.15

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.05 differs from the reported value 2.97 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-46902 and PDB model 9DIA. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay [i](#)


This section was not generated.

### 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

### 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).



















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9530	 0.5410
A	 0.9540	 0.5550
B	 0.9520	 0.5370
C	 0.9500	 0.4910
D	 0.8210	 0.4860
E	 0.9840	 0.5010
F	 0.9580	 0.4770
G	 0.7860	 0.4610
H	 0.6790	 0.2900

