



wwPDB EM Validation Summary Report ⓘ

Jan 13, 2025 – 12:22 PM EST

PDB ID : 9E1M
EMDB ID : EMD-47413
Title : Snf2h bound nucleosome complex - ClassA2
Authors : Malik, D.; Deshmukh, A.A.; Bilokapic, S.; Halic, M.
Deposited on : 2024-10-21
Resolution : 3.25 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	136	
1	E	136	
2	B	103	
2	F	103	
3	C	130	
3	G	130	
4	D	126	
4	H	126	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	I	149	 <p>50% 50%</p>
6	J	152	 <p>57% 42%</p>
7	W	1052	 <p>10% 23% 17% 58%</p>

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 15924 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	97	Total	C	N	O	S	0	0
			799	505	153	138	3		
1	E	96	Total	C	N	O	S	0	0
			790	499	151	137	3		

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	85	Total	C	N	O	S	0	0
			679	428	135	115	1		
2	F	80	Total	C	N	O	S	0	0
			641	405	125	110	1		

- Molecule 3 is a protein called Histone H2A type 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	109	Total	C	N	O	0	0
			837	526	165	146		
3	G	109	Total	C	N	O	0	0
			837	526	165	146		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	99	ARG	GLY	conflict	UNP P06897
C	123	SER	ALA	conflict	UNP P06897
G	99	ARG	GLY	conflict	UNP P06897
G	123	SER	ALA	conflict	UNP P06897

- Molecule 4 is a protein called Histone H2B 1.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	96	Total	C	N	O	S	0	0
			746	469	134	141	2		
4	H	96	Total	C	N	O	S	0	0
			756	475	138	141	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	29	THR	SER	engineered mutation	UNP P02281
H	29	THR	SER	engineered mutation	UNP P02281

- Molecule 5 is a DNA chain called DNA (149-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	149	Total	C	N	O	P	0	0
			3075	1454	580	892	149		


- Molecule 6 is a DNA chain called DNA (151-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	151	Total	C	N	O	P	0	0
			3077	1461	558	907	151		

- Molecule 7 is a protein called SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily A member 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	W	444	Total	C	N	O	S	0	0
			3656	2340	643	650	23		

- Molecule 8 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
8	W	1	Total	C	N	O	P	0
			31	10	5	13	3	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H3.2




- Molecule 1: Histone H3.2




- Molecule 2: Histone H4



- Molecule 2: Histone H4




- Molecule 3: Histone H2A type 1







- Molecule 3: Histone H2A type 1





- Molecule 4: Histone H2B 1.1



- Molecule 4: Histone H2B 1.1



- Molecule 5: DNA (149-MER)



- Molecule 6: DNA (151-MER)



- Molecule 7: SWI/SNF-related matrix-associated actin-dependent regulator of chromatin sub-family A member 5



MET	TLE	LYS	Y183	R267	L354	E422	L492	M556	R626	ALA
SER	PHE	PRO	Q194	V271	D357	W423	P493	L657	L627	GLU
SER	ASP	GLY	W185	D272	N360	Y424	K494	S558	D628	MET
ALA	ALA	ARG	L191	D273	S361	T425	L495	T559	I629	ASN
GLU	SER	PRO	I192	V274	A362	R426	K496	R660	I630	GLU
PRO	PRO	ILE	S193	L275	D363	I427	Q498	A561	V631	LYS
PRO	GLY	LYS	E196	P277	ASP	L428	G499	L564	I632	LEU
PRO	LYS	LYS	N197	G278	PHE	M429	S500	G565	Q633	SER
PRO	GLN	ASP	G198	E279	ASP	K430	R501	I666	Q634	MET
PRO	GLU	GLU	I199	W280	SER	ASP	V502	N567	GLY	GLU
PRO	ILE	GLN	T202	T285	TRP	ILE	L503	L568	ARG	GLU
GLU	GLN	ASN	A204	S286	PHE	ILE	I504	A569	LEU	SER
SER	GLU	LEU	L203	L290	ASP	ASP	F505	T570	VAL	SER
ALA	PRO	LEU	A204	L290	THR	ASN	S506	A571	ASP	ARG
PRO	ASP	SER	D205	L290	ASN	SER	T509	D572	GLN	ALA
SER	PRO	VAL	E206	L290	ASN	ALA	R510	V573	ASN	PRO
LYS	THR	GLY	M207	E293	CYS	GLY	V511	V574	ASN	PRO
PRO	TYR	ASP	G208	W302	LEU	MET	L512	D578	LYS	ASP
ALA	GLU	TYR	L209	R303	GLY	ASP	L515	S579	ILE	GLU
ALA	GLU	ARG	G210	Y304	D377	K443	E516	D580	GLY	THR
SER	LYS	HIS	K211	L305	Q378	M444	D517	W581	LYS	GLU
ILE	ILE	ARG	Q214	Y306	K379	R445	C519	N582	ASP	SER
ALA	GLN	ARG	L218	I307	L380	L450	M520	P583	GLU	VAL
SER	THR	THR	M222	A310	V381	L453	W521	Q584	LEU	THR
GLY	ASP	GLN	K223	H311	H385	R454	R522	A589	GLU	GLU
ASN	ALA	GLU	GLU	K314	M386	K455	E523	M590	ILE	GLY
SER	ARG	ASP	ASP	M315	R389	C456	Y524	D591	ARG	GLU
SER	PHE	GLU	GLU	E316	P390	C457	E525	R592	HIS	THR
ASN	GLU	LEU	LEU	K317	F391	M458	Y526	A593	ALA	ALA
LYS	TYR	LEU	LEU	E322	R394	H459	C527	H594	THR	GLU
GLY	GLY	THR	THR	P229	R395	H459	R528	I596	HIS	GLY
PRO	GLU	SER	SER	G230	V324	Y461	L529	G597	VAL	GLN
GLU	THR	GLN	GLU	P231	R325	L462	D530	Q598	PHE	LEU
VAL	GLY	LYS	LYS	H232	E326	F463	Q531	V602	ALA	LEU
ALA	LEU	ALA	ALA	M233	F327	D464	Q532	F603	SER	GLU
ALA	PHE	THR	THR	V234	R328	G465	H535	V604	THR	THR
GLN	ALA	ASN	VAL	L235	T329	A466	E537	F605	GLU	TRP
ALA	VAL	VAL	CYS	V237	T330	E467	D536	I608	ILE	ILE
SER	ILE	GLN	T166	K238	N331	P468	E537	T609	ASP	PRO
ALA	ALA	SER	R167	S239	L334	G469	R538	D610	GLU	LYS
ALA	SER	ALA	F168	H242	L336	P470	Q539	N611	ILE	ARG
SER	ALA	ALA	E169	N243	T336	Y471	S541	V613	GLY	GLU
ALA	GLN	GLY	D170	E247	L340	T473	I542	R616	ILE	THR
LYS	LYS	PRO	S171	F248	N343	D475	A544	E619	GLY	VAL
PRO	THR	PRO	P172	K249	N343	T474	E547	R620	ASP	ALA
ALA	THR	THR	S173	R250	E346	D475	S550	A621	LYS	ASP
ASP	SER	SER	Y174	W251	I347	L478	T551	E622	THR	THR
GLU	PRO	GLU	G178	L255	W348	K484	K551	M623	ALA	ALA
MET	LEU	LYS	L180	K264	S349	G415	F553	K624	VAL	VAL
GLU	MET	MET	R181		L350	L416	V554	L625	ASP	ASP
			D182			S417			GLY	GLY
						K418			ARG	ARG
						R421			PHE	PHE

ARG
LYS
LYS
LYS
LYS
LEU
LYS
LEU

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	11600	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	28.864	Depositor
Minimum map value	-0.309	Depositor
Average map value	-0.017	Depositor
Map value standard deviation	0.279	Depositor
Recommended contour level	4	Depositor
Map size (Å)	497.0, 497.0, 497.0	wwPDB
Map dimensions	497, 497, 497	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0, 1.0, 1.0	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/811	0.52	0/1088
1	E	0.31	0/802	0.54	0/1076
2	B	0.31	0/687	0.57	0/921
2	F	0.30	0/648	0.56	0/868
3	C	0.30	0/847	0.54	0/1144
3	G	0.30	0/847	0.55	0/1144
4	D	0.31	0/757	0.49	0/1018
4	H	0.31	0/767	0.50	0/1029
5	I	0.72	0/3454	0.93	0/5334
6	J	0.74	0/3447	0.93	0/5313
7	W	0.27	0/3733	0.53	0/5041
All	All	0.52	0/16800	0.74	0/23976

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	799	0	838	9	0
1	E	790	0	826	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	679	0	717	3	0
2	F	641	0	684	9	0
3	C	837	0	891	8	0
3	G	837	0	891	14	0
4	D	746	0	764	4	0
4	H	756	0	786	8	0
5	I	3075	0	1671	55	0
6	J	3077	0	1695	46	0
7	W	3656	0	3730	167	0
8	W	31	0	12	3	0
All	All	15924	0	13505	303	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 303 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:W:424:TYR:CD2	7:W:453:LEU:HD11	1.47	1.49
7:W:424:TYR:CD2	7:W:453:LEU:CD1	2.36	1.09
7:W:424:TYR:CE2	7:W:453:LEU:HD11	1.88	1.07
7:W:404:LEU:HD11	7:W:596:ILE:HG13	1.36	1.04
7:W:238:LYS:HE2	7:W:535:HIS:CD2	1.98	0.99

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	95/136 (70%)	92 (97%)	3 (3%)	0	100	100
1	E	94/136 (69%)	89 (95%)	5 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	83/103 (81%)	81 (98%)	2 (2%)	0	100	100
2	F	78/103 (76%)	76 (97%)	2 (3%)	0	100	100
3	C	107/130 (82%)	106 (99%)	1 (1%)	0	100	100
3	G	107/130 (82%)	103 (96%)	4 (4%)	0	100	100
4	D	94/126 (75%)	93 (99%)	1 (1%)	0	100	100
4	H	94/126 (75%)	92 (98%)	2 (2%)	0	100	100
7	W	438/1052 (42%)	398 (91%)	35 (8%)	5 (1%)	12	39
All	All	1190/2042 (58%)	1130 (95%)	55 (5%)	5 (0%)	32	60

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	W	523	ASN
7	W	455	LYS
7	W	381	VAL
7	W	503	LEU
7	W	566	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	85/111 (77%)	84 (99%)	1 (1%)	67	79
1	E	84/111 (76%)	82 (98%)	2 (2%)	44	66
2	B	69/79 (87%)	66 (96%)	3 (4%)	25	51
2	F	66/79 (84%)	66 (100%)	0	100	100
3	C	85/102 (83%)	84 (99%)	1 (1%)	67	79
3	G	85/102 (83%)	85 (100%)	0	100	100
4	D	80/106 (76%)	78 (98%)	2 (2%)	42	65
4	H	82/106 (77%)	81 (99%)	1 (1%)	67	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	W	409/939 (44%)	377 (92%)	32 (8%)	10	32
All	All	1045/1735 (60%)	1003 (96%)	42 (4%)	29	53

5 of 42 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	W	474	THR
7	W	526	TYR
7	W	478	LEU
7	W	517	ASP
7	W	555	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	GLN
7	W	214	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	ATP	W	1101	-	28,33,33	0.64	0	34,52,52	0.61	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	ATP	W	1101	-	-	4/18/38/38	0/3/3/3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
8	W	1101	ATP	C5-C6-N6	2.37	123.91	120.31

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	W	1101	ATP	PB-O3B-PG-O2G
8	W	1101	ATP	O4'-C4'-C5'-O5'
8	W	1101	ATP	C3'-C4'-C5'-O5'
8	W	1101	ATP	PB-O3B-PG-O1G


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	W	1101	ATP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47413. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 248




Y Index: 248




Z Index: 248


6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 255




Y Index: 225




Z Index: 251


6.3.2 Raw map



X Index: 196



Y Index: 184




Z Index: 194


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 120 nm³; this corresponds to an approximate mass of 109 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.308 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.308 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.25	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	9.16	18.69	9.57

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 9.16 differs from the reported value 3.25 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-47413 and PDB model 9E1M. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 4.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8600	<div></div> 0.5350
A	<div></div> 0.9480	<div></div> 0.6300
B	<div></div> 0.8950	<div></div> 0.6170
C	<div></div> 0.9490	<div></div> 0.6340
D	<div></div> 0.9380	<div></div> 0.6380
E	<div></div> 0.9650	<div></div> 0.6480
F	<div></div> 0.9430	<div></div> 0.6360
G	<div></div> 0.9380	<div></div> 0.6360
H	<div></div> 0.9160	<div></div> 0.6230
I	<div></div> 0.9560	<div></div> 0.5720
J	<div></div> 0.9450	<div></div> 0.5680
W	<div></div> 0.5780	<div></div> 0.3160

