

Full wwPDB X-ray Structure Validation Report (i)

Jun 29, 2025 – 08:39 am BST

PDB ID : 9FHU / pdb 00009fhu

Title: Bacteroides ovatus polysaccharide lyase family 38 (BoPL38) wild type in com-

plex hexamannuluronic acid at pH 3.5

Authors: Tandrup, T.; Wilkens, C.

Deposited on : 2024-05-28

Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1

Mogul : 1.8.4, CSD as541be (2020)

Xtriage (Phenix) : 2.0rc1 EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.003 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.44

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(\mathring{\rm A})}) \end{array}$
R_{free}	164625	6234 (2.10-2.10)
Clashscore	180529	6893 (2.10-2.10)
Ramachandran outliers	177936	6839 (2.10-2.10)
Sidechain outliers	177891	6840 (2.10-2.10)
RSRZ outliers	164620	6234 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	404	89% 5%	6%
1	В	404	88% 7%	6%
1	С	404	86% 8%	6%
1	D	404	85% 9%	6%
2	Е	4	100%	



 $Continued\ from\ previous\ page...$

Mol	Chain	hain Lengt	Quality of chain
1,101	CHAIN	Dong.	
2	F	F 4	100%
2	G	G 4	100%
2	Н	H 4	100%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 13615 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Alginate lyase family protein.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	381	Total	С	N	О	S	0	3	0
1	A	301	3077	1971	519	574	13	0	3	
1	В	381	Total	С	N	О	S	0	5	0
1	Ъ	301	3087	1976	520	578	13	0		
1	С	381	Total	С	N	О	S	0	7	0
1		301	3101	1987	525	576	13	0	'	
1	1 D	380	Total	С	N	О	S	0	2	0
1		380	3066	1962	518	573	13	0		

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP A0A5M5BWR5
A	2	GLY	-	expression tag	UNP A0A5M5BWR5
A	3	SER	-	expression tag	UNP A0A5M5BWR5
A	4	SER	-	expression tag	UNP A0A5M5BWR5
A	5	HIS	-	expression tag	UNP A0A5M5BWR5
A	6	HIS	-	expression tag	UNP A0A5M5BWR5
A	7	HIS	-	expression tag	UNP A0A5M5BWR5
A	8	HIS	-	expression tag	UNP A0A5M5BWR5
A	9	HIS	-	expression tag	UNP A0A5M5BWR5
A	10	HIS	-	expression tag	UNP A0A5M5BWR5
A	11	SER	-	expression tag	UNP A0A5M5BWR5
A	12	SER	-	expression tag	UNP A0A5M5BWR5
A	13	GLY	-	expression tag	UNP A0A5M5BWR5
A	14	LEU	-	expression tag	UNP A0A5M5BWR5
A	15	VAL	-	expression tag	UNP A0A5M5BWR5
A	16	PRO	-	expression tag	UNP A0A5M5BWR5
A	17	ARG	-	expression tag	UNP A0A5M5BWR5
A	18	GLY	-	expression tag	UNP A0A5M5BWR5
A	19	SER	-	expression tag	UNP A0A5M5BWR5
A	20	HIS	-	expression tag	UNP A0A5M5BWR5
A	21	MET	-	expression tag	UNP A0A5M5BWR5



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
A	22	ALA	-	expression tag	UNP A0A5M5BWR5
A	23	SER	_	expression tag	UNP A0A5M5BWR5
В	1	MET	-	initiating methionine	UNP A0A5M5BWR5
В	2	GLY	_	expression tag	UNP A0A5M5BWR5
В	3	SER	-	expression tag	UNP A0A5M5BWR5
В	4	SER	-	expression tag	UNP A0A5M5BWR5
В	5	HIS	-	expression tag	UNP A0A5M5BWR5
В	6	HIS	-	expression tag	UNP A0A5M5BWR5
В	7	HIS	-	expression tag	UNP A0A5M5BWR5
В	8	HIS	-	expression tag	UNP A0A5M5BWR5
В	9	HIS	-	expression tag	UNP A0A5M5BWR5
В	10	HIS	-	expression tag	UNP A0A5M5BWR5
В	11	SER	-	expression tag	UNP A0A5M5BWR5
В	12	SER	-	expression tag	UNP A0A5M5BWR5
В	13	GLY	-	expression tag	UNP A0A5M5BWR5
В	14	LEU	-	expression tag	UNP A0A5M5BWR5
В	15	VAL	-	expression tag	UNP A0A5M5BWR5
В	16	PRO	-	expression tag	UNP A0A5M5BWR5
В	17	ARG	-	expression tag	UNP A0A5M5BWR5
В	18	GLY	-	expression tag	UNP A0A5M5BWR5
В	19	SER	-	expression tag	UNP A0A5M5BWR5
В	20	HIS	-	expression tag	UNP A0A5M5BWR5
В	21	MET	-	expression tag	UNP A0A5M5BWR5
В	22	ALA	-	expression tag	UNP A0A5M5BWR5
В	23	SER	-	expression tag	UNP A0A5M5BWR5
С	1	MET	-	initiating methionine	UNP A0A5M5BWR5
С	2	GLY	_	expression tag	UNP A0A5M5BWR5
С	3	SER	-	expression tag	UNP A0A5M5BWR5
С	4	SER	-	expression tag	UNP A0A5M5BWR5
С	5	HIS	-	expression tag	UNP A0A5M5BWR5
С	6	HIS	-	expression tag	UNP A0A5M5BWR5
С	7	HIS	-	expression tag	UNP A0A5M5BWR5
С	8	HIS	-	expression tag	UNP A0A5M5BWR5
С	9	HIS	-	expression tag	UNP A0A5M5BWR5
С	10	HIS	-	expression tag	UNP A0A5M5BWR5
С	11	SER	-	expression tag	UNP A0A5M5BWR5
С	12	SER	-	expression tag	UNP A0A5M5BWR5
С	13	GLY	-	expression tag	UNP A0A5M5BWR5
С	14	LEU	-	expression tag	UNP A0A5M5BWR5
С	15	VAL	-	expression tag	UNP A0A5M5BWR5
С	16	PRO	-	expression tag	UNP A0A5M5BWR5
С	17	ARG	-	expression tag	UNP A0A5M5BWR5



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	18	GLY	-	expression tag	UNP A0A5M5BWR5
С	19	SER	-	expression tag	UNP A0A5M5BWR5
С	20	HIS	-	expression tag	UNP A0A5M5BWR5
С	21	MET	-	expression tag	UNP A0A5M5BWR5
С	22	ALA	-	expression tag	UNP A0A5M5BWR5
С	23	SER	-	expression tag	UNP A0A5M5BWR5
D	1	MET	-	initiating methionine	UNP A0A5M5BWR5
D	2	GLY	-	expression tag	UNP A0A5M5BWR5
D	3	SER	-	expression tag	UNP A0A5M5BWR5
D	4	SER	-	expression tag	UNP A0A5M5BWR5
D	5	HIS	-	expression tag	UNP A0A5M5BWR5
D	6	HIS	-	expression tag	UNP A0A5M5BWR5
D	7	HIS	-	expression tag	UNP A0A5M5BWR5
D	8	HIS	-	expression tag	UNP A0A5M5BWR5
D	9	HIS	-	expression tag	UNP A0A5M5BWR5
D	10	HIS	-	expression tag	UNP A0A5M5BWR5
D	11	SER	-	expression tag	UNP A0A5M5BWR5
D	12	SER	-	expression tag	UNP A0A5M5BWR5
D	13	GLY	-	expression tag	UNP A0A5M5BWR5
D	14	LEU	-	expression tag	UNP A0A5M5BWR5
D	15	VAL	-	expression tag	UNP A0A5M5BWR5
D	16	PRO	-	expression tag	UNP A0A5M5BWR5
D	17	ARG	-	expression tag	UNP A0A5M5BWR5
D	18	GLY	-	expression tag	UNP A0A5M5BWR5
D	19	SER	-	expression tag	UNP A0A5M5BWR5
D	20	HIS	-	expression tag	UNP A0A5M5BWR5
D	21	MET	-	expression tag	UNP A0A5M5BWR5
D	22	ALA	-	expression tag	UNP A0A5M5BWR5
D	23	SER	-	expression tag	UNP A0A5M5BWR5

• Molecule 2 is an oligosaccharide called beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid.




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	Е	4	Total C O 49 24 25	0	0	0
2	F	4	Total C O 49 24 25	0	0	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
2	G	4	Total C 49 24		0	0	0
2	Н	4	Total C 49 24	O 25	0	0	0

• Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	С	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0

• Molecule 4 is water.




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	330	Total O 330 330	0	0
4	В	309	Total O 309 309	0	1
4	С	214	Total O 214 214	0	0
4	D	200	Total O 200 200	0	1



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Alginate lyase family protein





• Molecule 2: beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid

Chain E:

BEM1 BEM2 BEM3 BEM3

• Molecule 2: beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid

Chain F: 100%

BEM1 BEM2 BEM3 BEM4

• Molecule 2: beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid

Chain G: 100%

BEM1 BEM2 BEM3 BEM4

• Molecule 2: beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid-(1-4)-beta-D-mannopyranuronic acid

Chain H: 100%

BEM1 BEM2 BEM3 BEM4



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	197.84Å 89.01Å 146.82Å	Donositon
a, b, c, α , β , γ	90.00° 120.49° 90.00°	Depositor
Resolution (Å)	48.93 - 2.09	Depositor
Resolution (A)	48.93 - 2.09	EDS
% Data completeness	99.4 (48.93-2.09)	Depositor
(in resolution range)	99.3 (48.93-2.09)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.93 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.21_5207	Depositor
D D.	0.206 , 0.248	Depositor
R, R_{free}	0.206 , 0.248	DCC
R_{free} test set	6430 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	36.3	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.35, 36.9	EDS
L-test for twinning ²	$ < L > = 0.48, < L^2> = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13615	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 13.78% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $^{^1 {\}rm Intensities}$ estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, BEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles	
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.36	0/3164	0.52	0/4286
1	В	0.35	0/3180	0.52	0/4307
1	С	0.33	0/3197	0.51	0/4328
1	D	0.32	0/3150	0.50	0/4268
All	All	0.34	0/12691	0.51	0/17189

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3077	0	3063	17	0
1	В	3087	0	3071	23	0
1	С	3101	0	3102	24	0
1	D	3066	0	3042	21	0
2	Е	49	0	27	0	0
2	F	49	0	27	0	0
2	G	49	0	27	0	0
2	Н	49	0	27	0	0
3	A	10	0	0	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	10	0	0	1	0
3	С	5	0	0	0	0
3	D	10	0	0	0	0
4	A	330	0	0	6	0
4	В	309	0	0	12	0
4	С	214	0	0	8	0
4	D	200	0	0	2	0
All	All	13615	0	12386	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:LYS:NZ	4:A:601:HOH:O	2.20	0.75
1:C:315[B]:GLN:NE2	4:C:603:HOH:O	2.20	0.75
1:A:360:ARG:NH1	4:A:603:HOH:O	2.23	0.72
1:C:288:GLN:NE2	4:C:604:HOH:O	2.23	0.70
1:B:152[B]:ASN:ND2	4:B:604:HOH:O	2.24	0.70
1:B:336:ASP:OD1	1:B:377:TYR:OH	2.12	0.68
1:D:276:MET:HE3	1:D:280:ILE:HD11	1.75	0.68
1:B:270:GLN:NE2	3:B:502:SO4:O2	2.28	0.67
1:C:336:ASP:OD1	1:C:377:TYR:OH	2.11	0.67
1:D:356:PHE:HE1	1:D:360:ARG:HH21	1.42	0.66
1:B:47:GLU:OE1	4:B:601:HOH:O	2.14	0.65
1:A:152:ASN:ND2	4:A:609:HOH:O	2.31	0.62
1:B:333:GLN:NE2	4:B:609:HOH:O	2.33	0.60
1:A:54:LEU:HD21	1:A:389:SER:HA	1.84	0.59
1:B:54:LEU:HD21	1:B:389:SER:HA	1.84	0.59
1:C:363[A]:ILE:HD11	1:C:386:LEU:HD11	1.85	0.58
1:A:383:ARG:NH2	4:A:604:HOH:O	2.24	0.58
1:B:360:ARG:NH1	4:B:610:HOH:O	2.34	0.57
1:D:394[A]:GLU:H	1:D:394[A]:GLU:CD	2.13	0.56
1:C:38:LYS:NZ	4:C:607:HOH:O	2.35	0.56
1:B:191:ARG:O	4:B:602:HOH:O	2.18	0.56
1:B:275[B]:LYS:NZ	4:B:620:HOH:O	2.39	0.53
1:A:276:MET:HE1	1:A:331:ALA:N	2.23	0.53
1:D:215:LYS:NZ	4:D:601:HOH:O	2.40	0.53
1:B:262:ASP:OD1	4:B:603:HOH:O	2.19	0.52
1:C:388:TYR:HA	1:C:402:LYS:HB3	1.92	0.51



 $Continued\ from\ previous\ page...$

Atom-1	Atom-2	Interatomic	Clash	
		$\operatorname{distance} (\text{\AA})$	overlap (Å)	
1:C:86:MET:HE3	1:C:118:TYR:HE2	1.75	0.51	
1:B:388:TYR:HA	1:B:402:LYS:HB3	1.93	0.51	
1:C:49:THR:O	1:C:53:GLU:HG3	2.11	0.50	
1:C:191:ARG:O	4:C:602:HOH:O	2.19	0.50	
1:D:107:LYS:HD3	1:D:110:GLU:OE1	2.11	0.50	
1:C:98:LYS:NZ	4:C:606:HOH:O	2.34	0.50	
1:D:49:THR:O	1:D:53:GLU:HG3	2.12	0.50	
1:C:46:LYS:NZ	4:C:601:HOH:O	2.17	0.50	
1:A:336:ASP:OD1	1:A:377:TYR:OH	2.28	0.49	
1:B:26:LEU:O	1:B:200:LYS:HE3	2.14	0.48	
1:C:54:LEU:HD21	1:C:389:SER:HA	1.95	0.48	
1:D:46:LYS:HD3	1:D:46:LYS:HA	1.69	0.47	
1:A:26:LEU:HG	1:A:256:ALA:HB1	1.96	0.47	
1:B:276:MET:SD	1:B:306:LEU:HD13	2.55	0.47	
1:B:387:LYS:HE3	1:B:387:LYS:HB2	1.73	0.47	
1:D:392:ASP:HB3	1:D:394[A]:GLU:OE2	2.16	0.46	
1:B:191:ARG:NH1	4:B:611:HOH:O	2.35	0.46	
1:D:324:PRO:HB3	1:D:330:VAL:HG12	1.98	0.45	
1:C:200[A]:LYS:HE3	1:C:257:TYR:O	2.17	0.45	
1:A:129:ASP:HA	1:A:393:VAL:HG21	1.99	0.45	
1:C:86:MET:HE3	1:C:118:TYR:CE2	2.51	0.45	
1:C:265[A]:ARG:HG2	1:C:318:ILE:HD11	1.99	0.45	
1:A:148:LYS:HG2	4:A:609:HOH:O	2.17	0.44	
1:A:276:MET:HB3	1:A:276:MET:HE2	1.32	0.44	
1:C:360:ARG:HD3	4:C:736:HOH:O	2.17	0.44	
1:D:46:LYS:HB3	1:D:50:ARG:NH1	2.32	0.44	
1:B:387:LYS:HE2	4:B:784:HOH:O	2.17	0.44	
1:C:191:ARG:HD2	4:C:619:HOH:O	2.18	0.44	
1:D:352:GLN:HG3	1:D:354:LYS:O	2.17	0.44	
1:C:65:MET:HG2	1:C:153:HIS:HE1	1.83	0.43	
1:C:276:MET:SD	1:C:306:LEU:HD13	2.58	0.43	
1:D:248:GLU:O	1:D:252:LEU:HG	2.18	0.43	
1:B:260:ARG:NH2	4:B:628:HOH:O	2.50	0.43	
1:D:388:TYR:HA	1:D:402:LYS:HB3	1.99	0.43	
1:A:387:LYS:HE2	1:A:387:LYS:HB2	1.95	0.43	
1:B:275[A]:LYS:HG2	4:B:823:HOH:O	2.18	0.43	
1:D:129:ASP:HA	1:D:393:VAL:HG21	1.99	0.43	
1:C:64:LYS:HA	1:C:64:LYS:HE2	2.01	0.43	
1:A:137:LEU:HD23	1:A:137:LEU:HA	1.74	0.42	
1:B:129:ASP:HA	1:B:393:VAL:HG21	2.01	0.42	
1:D:386:LEU:HD13	1:D:395:THR:HB	2.01	0.42	



Continued from previous page...

Atom-1	Atom-2	$egin{array}{ll} ext{Interatomic} \ ext{distance } (ext{Å}) \end{array}$	Clash overlap (Å)
1:A:344:ASN:ND2	1:A:346:GLU:OE2	2.43	0.42
1:D:26:LEU:HG	1:D:256:ALA:HB1	2.01	0.42
1:D:276:MET:SD	1:D:306:LEU:HD13	2.59	0.42
1:D:246:TRP:CE2	1:D:305:ALA:HB2	2.55	0.42
1:C:195:ALA:O	1:C:198:VAL:HG12	2.20	0.41
1:A:393:VAL:HG13	4:A:720:HOH:O	2.20	0.41
1:C:152:ASN:HD22	1:C:152:ASN:HA	1.69	0.41
1:D:275:LYS:NZ	4:D:616:HOH:O	2.54	0.41
1:B:403:LYS:NZ	4:B:634:HOH:O	2.52	0.41
1:D:332:SER:HB3	1:D:372:LEU:HD21	2.01	0.41
1:A:387:LYS:NZ	1:A:387:LYS:H	2.18	0.41
1:B:386:LEU:HD13	1:B:395:THR:HB	2.03	0.41
1:A:34:LEU:HD23	1:A:34:LEU:HA	1.84	0.41
1:B:25:PRO:HB2	1:B:200:LYS:HG2	2.02	0.41
1:B:137:LEU:HA	1:B:137:LEU:HD23	1.76	0.41
1:C:273:LEU:HD23	1:C:273:LEU:HA	1.90	0.41
1:D:271:SER:C	1:D:274:PRO:HD2	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	382/404~(95%)	374 (98%)	8 (2%)	0	100	100
1	В	384/404~(95%)	375 (98%)	9 (2%)	0	100	100
1	C	386/404~(96%)	378 (98%)	8 (2%)	0	100	100
1	D	380/404 (94%)	372 (98%)	8 (2%)	0	100	100
All	All	$1532/1616\ (95\%)$	1499 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	328/344 (95%)	324 (99%)	4 (1%)	67	74
1	В	330/344 (96%)	330 (100%)	0	100	100
1	С	332/344 (96%)	329 (99%)	3 (1%)	75	82
1	D	326/344 (95%)	325 (100%)	1 (0%)	91	94
All	All	1316/1376 (96%)	1308 (99%)	8 (1%)	86	89

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	LYS
1	A	200[A]	LYS
1	A	200[B]	LYS
1	A	351	LYS
1	С	198	VAL
1	С	275[A]	LYS
1	С	275[B]	LYS
1	D	102	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	232	GLN
1	A	279	GLN
1	В	232	GLN
1	В	344	ASN
1	В	375	GLN
1	С	152	ASN
1	С	358	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Т	Chain	Dan	Link	Вс	ond leng	ths	В	ond ang	les	
Mol	Type	Chain	Res	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BEM	E	1	2	13,13,13	1.07	1 (7%)	18,19,19	1.36	2 (11%)	
2	BEM	Е	2	2	12,12,13	1.05	0	14,17,19	1.35	2 (14%)	
2	BEM	Е	3	2	12,12,13	1.48	2 (16%)	14,17,19	1.66	4 (28%)	
2	BEM	Е	4	2	12,12,13	1.27	2 (16%)	14,17,19	1.27	3 (21%)	
2	BEM	F	1	2	13,13,13	0.99	0	18,19,19	1.44	4 (22%)	
2	BEM	F	2	2	12,12,13	1.24	2 (16%)	14,17,19	1.27	1 (7%)	
2	BEM	F	3	2	12,12,13	1.50	2 (16%)	14,17,19	1.49	2 (14%)	
2	BEM	F	4	2	12,12,13	1.14	1 (8%)	14,17,19	1.18	1 (7%)	
2	BEM	G	1	2	13,13,13	1.04	0	18,19,19	1.40	4 (22%)	
2	BEM	G	2	2	12,12,13	1.10	0	14,17,19	1.21	1 (7%)	
2	BEM	G	3	2	12,12,13	1.44	2 (16%)	14,17,19	1.43	1 (7%)	
2	BEM	G	4	2	12,12,13	1.18	1 (8%)	14,17,19	1.12	1 (7%)	
2	BEM	Н	1	2	13,13,13	0.95	1 (7%)	18,19,19	1.36	2 (11%)	
2	BEM	Н	2	2	12,12,13	1.01	1 (8%)	14,17,19	1.16	0	
2	BEM	Н	3	2	12,12,13	1.29	2 (16%)	14,17,19	1.65	2 (14%)	
2	BEM	Н	4	2	12,12,13	1.03	1 (8%)	14,17,19	1.15	2 (14%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BEM	Ε	1	2	-	0/4/24/24	0/1/1/1
2	BEM	Ε	2	2	-	0/4/21/24	0/1/1/1
2	BEM	E	3	2	-	2/4/21/24	0/1/1/1
2	BEM	Ε	4	2	-	0/4/21/24	0/1/1/1
2	BEM	F	1	2	-	0/4/24/24	0/1/1/1
2	BEM	F	2	2	-	0/4/21/24	0/1/1/1
2	BEM	F	3	2	-	2/4/21/24	0/1/1/1
2	BEM	F	4	2	-	0/4/21/24	0/1/1/1
2	BEM	G	1	2	-	0/4/24/24	0/1/1/1
2	BEM	G	2	2	-	0/4/21/24	0/1/1/1
2	BEM	G	3	2	-	2/4/21/24	0/1/1/1
2	BEM	G	4	2	-	0/4/21/24	0/1/1/1
2	BEM	Н	1	2	-	0/4/24/24	0/1/1/1
2	BEM	Н	2	2	-	0/4/21/24	0/1/1/1
2	BEM	Н	3	2	-	2/4/21/24	0/1/1/1
2	BEM	Н	4	2	-	0/4/21/24	0/1/1/1

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(A)
2	G	3	BEM	O5-C1	-3.21	1.38	1.43
2	F	3	BEM	O5-C1	-3.20	1.38	1.43
2	Е	3	BEM	O5-C1	-2.83	1.39	1.43
2	F	3	BEM	O6B-C6	-2.51	1.22	1.30
2	Н	3	BEM	O5-C1	-2.39	1.39	1.43
2	Е	3	BEM	O6B-C6	-2.39	1.22	1.30
2	Е	4	BEM	O6B-C6	-2.39	1.22	1.30
2	Н	2	BEM	O6B-C6	-2.27	1.23	1.30
2	G	3	BEM	O6B-C6	-2.24	1.23	1.30
2	Н	4	BEM	O6B-C6	-2.23	1.23	1.30
2	Е	1	BEM	O6B-C6	-2.22	1.23	1.30
2	Н	3	BEM	O6B-C6	-2.17	1.23	1.30
2	Е	4	BEM	O5-C5	-2.16	1.39	1.43
2	F	2	BEM	O6B-C6	-2.10	1.23	1.30
2	Н	1	BEM	O6B-C6	-2.06	1.23	1.30
2	G	4	BEM	O6B-C6	-2.02	1.23	1.30
2	F	2	BEM	O5-C1	-2.02	1.40	1.43
2	F	4	BEM	O6B-C6	-2.02	1.23	1.30

All (32) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$Ideal(^{o})$
2	Е	3	BEM	O4-C4-C5	-4.42	99.82	109.74
2	Н	3	BEM	O4-C4-C5	-4.06	100.64	109.74
2	F	3	BEM	O4-C4-C5	-4.04	100.69	109.74
2	G	3	BEM	O4-C4-C5	-3.80	101.22	109.74
2	Н	3	BEM	O5-C1-C2	2.71	114.96	110.77
2	Е	1	BEM	O5-C5-C6	2.64	112.99	105.88
2	G	1	BEM	O5-C5-C6	2.64	112.98	105.88
2	Е	1	BEM	O4-C4-C5	-2.50	104.14	109.74
2	F	1	BEM	O6A-C6-C5	-2.47	111.73	120.81
2	Н	1	BEM	O5-C5-C6	2.45	112.46	105.88
2	F	1	BEM	O4-C4-C5	-2.44	104.26	109.74
2	G	1	BEM	O4-C4-C5	-2.33	104.51	109.74
2	F	1	BEM	O5-C5-C6	2.33	112.14	105.88
2	Н	1	BEM	O4-C4-C5	-2.32	104.54	109.74
2	Е	4	BEM	O6B-C6-O6A	2.31	129.34	124.09
2	G	1	BEM	O1-C1-C2	2.24	115.35	109.03
2	F	4	BEM	O6A-C6-C5	-2.23	112.63	120.81
2	Е	2	BEM	O6A-C6-C5	-2.21	112.70	120.81
2	Е	4	BEM	O6A-C6-C5	-2.17	112.85	120.81
2	Е	4	BEM	O3-C3-C4	2.17	115.36	110.35
2	G	1	BEM	O5-C5-C4	2.16	113.42	109.57
2	G	2	BEM	O6A-C6-C5	-2.14	112.95	120.81
2	Е	2	BEM	O6B-C6-O6A	2.11	128.87	124.09
2	Е	3	BEM	C3-C4-C5	2.10	112.85	109.25
2	G	4	BEM	O6B-C6-O6A	2.10	128.85	124.09
2	Н	4	BEM	C1-C2-C3	2.08	112.22	109.67
2	Е	3	BEM	O5-C1-C2	2.08	113.97	110.77
2	F	2	BEM	O6B-C6-O6A	2.03	128.71	124.09
2	Е	3	BEM	C1-C2-C3	2.03	112.16	109.67
2	F	3	BEM	O5-C1-C2	2.03	113.90	110.77
2	F	1	BEM	O1-C1-C2	2.02	114.72	109.03
2	Н	4	BEM	O6A-C6-C5	-2.00	113.47	120.81

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	Е	3	BEM	C4-C5-C6-O6B
2	Е	3	BEM	C4-C5-C6-O6A
2	F	3	BEM	C4-C5-C6-O6B
2	F	3	BEM	C4-C5-C6-O6A
2	G	3	BEM	C4-C5-C6-O6B
2	G	3	BEM	C4-C5-C6-O6A




Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	Н	3	BEM	C4-C5-C6-O6B
2	Н	3	BEM	C4-C5-C6-O6A


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Chain R		Pos	Link	Bond lengths			Bond angles			
Moi Typ	туре	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	501	-	4,4,4	0.70	0	6,6,6	0.08	0



Mol	Type	Chain	Res	Link	В	Bond lengths			Bond angles		
Moi Type	Chain	rtes	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2		
3	SO4	В	502	-	4,4,4	0.68	0	6,6,6	0.17	0	
3	SO4	D	502	-	4,4,4	0.65	0	6,6,6	0.20	0	
3	SO4	В	501	-	4,4,4	0.61	0	6,6,6	0.21	0	
3	SO4	A	502	-	4,4,4	0.71	0	6,6,6	0.14	0	
3	SO4	D	501	_	4,4,4	0.66	0	6,6,6	0.11	0	
3	SO4	С	501	-	4,4,4	0.66	0	6,6,6	0.12	0	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes	
3	В	502	SO4	1	0	

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	A	381/404 (94%)	0.10	2 (0%) 87 88	16, 34, 50, 60	3 (0%)
1	В	381/404 (94%)	0.16	2 (0%) 87 88	21, 34, 48, 58	5 (1%)
1	С	381/404 (94%)	0.22	3 (0%) 82 83	19, 37, 52, 64	7 (1%)
1	D	380/404 (94%)	0.32	10 (2%) 57 59	21, 40, 56, 63	2 (0%)
All	All	1523/1616 (94%)	0.20	17 (1%) 77 78	16, 36, 53, 64	17 (1%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	353	ILE	2.9
1	D	356	PHE	2.9
1	D	46	LYS	2.7
1	D	24	ALA	2.6
1	С	381	ALA	2.5
1	С	50	ARG	2.5
1	D	76	LEU	2.4
1	A	206	LYS	2.3
1	D	290	LEU	2.3
1	D	373	GLY	2.2
1	D	378	VAL	2.1
1	D	206	LYS	2.1
1	D	348	TRP	2.0
1	A	43	LYS	2.0
1	В	179	LYS	2.0
1	D	26	LEU	2.0
1	В	74	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
2	BEM	Е	1	13/13	0.83	0.11	34,43,49,59	0
2	BEM	F	1	13/13	0.84	0.12	41,51,58,64	0
2	BEM	G	1	13/13	0.84	0.10	40,50,58,63	0
2	BEM	G	4	12/13	0.87	0.12	41,45,53,53	0
2	BEM	G	3	12/13	0.88	0.10	34,35,40,47	0
2	BEM	Н	1	13/13	0.88	0.11	45,51,60,65	0
2	BEM	Е	4	12/13	0.90	0.12	33,38,46,47	0
2	BEM	F	4	12/13	0.90	0.11	39,44,50,50	0
2	BEM	Н	3	12/13	0.90	0.10	35,41,45,53	0
2	BEM	Н	4	12/13	0.90	0.10	43,47,51,51	0
2	BEM	F	3	12/13	0.91	0.10	30,32,36,43	0
2	BEM	G	2	12/13	0.92	0.08	34,37,45,46	0
2	BEM	Е	3	12/13	0.93	0.08	25,31,35,47	0
2	BEM	Н	2	12/13	0.94	0.07	35,40,44,44	0
2	BEM	Е	2	12/13	0.95	0.07	27,30,35,36	0
2	BEM	F	2	12/13	0.96	0.07	30,33,39,43	0


The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around Chain F:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around Chain G:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around Chain H:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
3	SO4	D	501	5/5	0.59	0.14	52,54,59,67	5
3	SO4	В	502	5/5	0.62	0.13	53,57,67,82	5
3	SO4	A	502	5/5	0.74	0.13	45,52,64,78	0
3	SO4	D	502	5/5	0.75	0.19	37,39,47,49	5
3	SO4	A	501	5/5	0.78	0.13	47,57,62,67	0
3	SO4	В	501	5/5	0.84	0.12	40,58,72,88	0
3	SO4	С	501	5/5	0.84	0.11	51,62,71,72	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


















Electron density around SO4 D 502: $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)














6.5 Other polymers (i)

There are no such residues in this entry.

