

wwPDB EM Validation Summary Report (i)

Jun 7, 2025 - 03:53 pm BST

| PDB ID | : | $9 \mathrm{FKB} \ / \ \mathrm{pdb} \ 00009 \mathrm{fkb}$ |
|--------------|---|--|
| EMDB ID | : | EMD-50521 |
| Title | : | Tail of emppty Haloferax tailed virus 1 |
| Authors | : | Zhang, D.; Daum, B.; Isupov, M.N.; McLaren, M. |
| Deposited on | : | 2024-06-03 |
| Resolution | : | 2.96 Å(reported) |
| | | |

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

| EMDB validation analysis | : | 0.0.1.dev118 |
|--------------------------------|---|--|
| MolProbity | : | 4-5-2 with Phenix2.0rc1 |
| Percentile statistics | : | 20231227.v01 (using entries in the PDB archive December 27th 2023) |
| MapQ | : | 1.9.13 |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.43.1 |

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | $egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$ | ${f EM} {f structures} \ (\#{f Entries})$ |
|-----------------------|--|---|
| Clashscore | 210492 | 15764 |
| Ramachandran outliers | 207382 | 16835 |
| Sidechain outliers | 206894 | 16415 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain | |
|-----|---------------|--------|------------------|------|
| 1 | РМ | 141 | 95% | • • |
| 1 | PN | 141 | 94% | 6% • |
| 1 | РО | 141 | 96% | •• |
| 1 | PP | 141 | 96% | •• |
| 1 | \mathbf{PQ} | 141 | 96% | • • |
| 1 | PR | 141 | 96% | |
| 1 | PS | 141 | 96% | |
| 1 | PT | 141 | 96% | • • |



| Mol | Chain | Length | Quality of chain | |
|-----|-------------|--------|------------------|------|
| 1 | PU | 141 | 95% | ••• |
| 1 | $_{\rm PV}$ | 141 | 94% 5 | |
| 1 | PW | 141 | 97% | ••• |
| 1 | РХ | 141 | 96% | •• |
| 2 | Pa | 157 | • 97% | •• |
| 2 | Pb | 157 | 96% | ••• |
| 2 | Pc | 157 | 96% | •• |
| 2 | Pd | 157 | 96% | •• |
| 2 | Pe | 157 | 96% | •• |
| 2 | Pf | 157 | 97% | ••• |
| 3 | AM | 158 | 97% | •• |
| 3 | AN | 158 | 96% | ••• |
| 3 | AO | 158 | 97% | ••• |
| 3 | AP | 158 | 97% | ••• |
| 3 | AQ | 158 | 99% | |
| 3 | AR | 158 | 96% | ••• |
| 3 | B1 | 158 | 96% | ••• |
| 3 | B2 | 158 | 95% | • •• |
| 3 | B3 | 158 | 96% | ••• |
| 3 | B4 | 158 | 95% | • •• |
| 3 | B5 | 158 | 94% | ••• |
| 3 | B6 | 158 | • 96% | ••• |
| 3 | S1 | 158 | 95% | ••• |
| 3 | S2 | 158 | 94% 5 | |
| 3 | SA | 158 | 96% | ••• |



| Mol | Chain | Length | Quality of chain | |
|-----|---------------|--------|------------------|------|
| 3 | SB | 158 | 96% | •• |
| 3 | \mathbf{SC} | 158 | 97% | •• |
| 3 | SD | 158 | 96% | •• |
| 3 | SE | 158 | 95% | • • |
| 3 | SF | 158 | 96% | |
| 3 | SG | 158 | 95% | • • |
| 3 | SH | 158 | 97% | •• |
| 3 | SI | 158 | 94% | •• |
| 3 | SJ | 158 | 97% | |
| 3 | SK | 158 | 97% | |
| 3 | SL | 158 | 97% | |
| 3 | SM | 158 | 95% | • • |
| 3 | SN | 158 | 94% | 5%• |
| 3 | SO | 158 | 94% | 5%• |
| 3 | SP | 158 | 94% | |
| 3 | SQ | 158 | 93% | 6% • |
| 3 | SR | 158 | 94% | |
| 3 | SS | 158 | 96% | |
| 3 | ST | 158 | 95% | |
| 3 | SU | 158 | 96% | |
| 3 | SV | 158 | 97% | |
| 3 | SW | 158 | 94% | |
| 3 | SX | 158 | 96% | |
| 3 | SY | 158 | 97% | |
| 3 | SZ | 158 | 96% | • • |



| Mol | Chain | Length | Quality of chain | |
|-----|---------------------|--------|------------------|------|
| 3 | Sa | 158 | 96% | |
| 3 | Sb | 158 | 96% | |
| 3 | Sc | 158 | 96% | |
| 3 | Sd | 158 | 95% | • • |
| 3 | Se | 158 | 95% | • • |
| 3 | Sf | 158 | 92% | 6% · |
| 3 | Sg | 158 | 95% | • • |
| 3 | Sh | 158 | 92% | 7% • |
| 3 | Si | 158 | 94% | |
| 3 | Sj | 158 | 93% | |
| 3 | Sk | 158 | 96% | |
| 3 | Sl | 158 | 96% | •• |
| 3 | Sm | 158 | 95% | • • |
| 3 | Sn | 158 | 95% | • • |
| 3 | So | 158 | 95% | • • |
| 3 | Sp | 158 | 95% | • • |
| 3 | Sq | 158 | 94% | |
| 3 | Sr | 158 | 95% | • • |
| 3 | \mathbf{Ss} | 158 | 95% | |
| 3 | St | 158 | 95% | • • |
| 3 | Su | 158 | 94% | • • |
| 3 | Sv | 158 | 96% | • • |
| 3 | Sw | 158 | 96% | • • |
| 3 | Sx | 158 | 96% | ••• |
| 3 | Sy | 158 | 97% | |



| Mol | Chain | Length | Quality of chain | |
|-----|-------|--------|------------------|---|
| 3 | Sz | 158 | 97% • | |
| 4 | ВА | 285 | 97% | I |
| 4 | BB | 285 | 98% | • |
| 4 | BC | 285 | • 99% | • |



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 105720 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

| •] | Molecule 1 | is a | protein | called | HK97 | gp6-like | /SPP1 | gp15-like | head-tail | connector. |
|-----|------------|------|---------|--------|------|----------|-------|-----------|-----------|------------|
|-----|------------|------|---------|--------|------|----------|-------|-----------|-----------|------------|

| Mol | Chain | Residues | | At | oms | | | AltConf | Trace |
|-----|-------|----------|---------------|----------|----------|----------|---|---------|-------|
| 1 | PT | 140 | Total 1087 | C 666 | N 184 | O 235 | S 2 | 0 | 0 |
| 1 | PM | 140 | Total 1087 | C 666 | N 184 | 0 235 | S 2 | 0 | 0 |
| 1 | PN | 140 | Total 1087 | C 666 | N 184 | O 235 | ${S \over 2}$ | 0 | 0 |
| 1 | РО | 140 | Total 1087 | C 666 | N 184 | O 235 | ${S \over 2}$ | 0 | 0 |
| 1 | PP | 140 | Total 1087 | C 666 | N 184 | 0 235 | $\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$ | 0 | 0 |
| 1 | PQ | 140 | Total 1087 | C 666 | N 184 | O 235 | ${ m S} { m 2}$ | 0 | 0 |
| 1 | PR | 140 | Total 1087 | C 666 | N 184 | O 235 | $\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$ | 0 | 0 |
| 1 | PS | 140 | Total 1087 | C 666 | N 184 | O 235 | ${ m S}$ 2 | 0 | 0 |
| 1 | PU | 140 | Total 1087 | C 666 | N 184 | O 235 | ${ m S}$ 2 | 0 | 0 |
| 1 | PV | 140 | Total 1087 | C 666 | N 184 | O 235 | ${ m S} { m 2}$ | 0 | 0 |
| 1 | PW | 140 | Total 1087 | C 666 | N 184 | O 235 | ${ m S}$ 2 | 0 | 0 |
| 1 | PX | 140 | Total 1087 | C 666 | N 184 | O 235 | $\begin{bmatrix} S \\ 2 \end{bmatrix}$ | 0 | 0 |

• Molecule 2 is a protein called SPP1 gp17-like tail completion protein.

| Mol | Chain | Residues | | At | oms | AltConf | Trace | | |
|------|-------|----------|-------|-----|-----|---------|-------|---|---|
| 0 | Do | 156 | Total | С | Ν | 0 | S | 0 | 0 |
| | Ta | 150 | 1220 | 753 | 200 | 264 | 3 | 0 | 0 |
| 0 | Dh | 156 | Total | С | Ν | 0 | S | 0 | 0 |
| 2 Pb | 10 | 100 | 1220 | 753 | 200 | 264 | 3 | 0 | 0 |
| 2 Pc | De | 156 | Total | С | Ν | 0 | S | 0 | 0 |
| | Pc | 150 | 1220 | 753 | 200 | 264 | 3 | 0 | 0 |



| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|------|-------|----------|-------|------|-----|-----|--------------|---------|-------|
| 9 | Dd | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 |
| 2 | Iu | 150 | 1220 | 753 | 200 | 264 | 3 | 0 | 0 |
| a D. | Do | 156 | Total | С | Ν | 0 | S | 0 | 0 |
| 2 | re | 150 | 1220 | 753 | 200 | 264 | 3 | 0 | 0 |
| 2 | Df | 156 | Total | С | Ν | 0 | S | 0 | 0 |
| | ΡI | PI | 150 | 1220 | 753 | 200 | 264 | 3 | 0 |

Continued from previous page...

• Molecule 3 is a protein called Tail tube protein.

| Mol | Chain | Residues | | At | oms | | | AltConf | Trace | | | | | |
|-----|---------|----------|-------|------------|-----|-----|--------------|---------|-------|-----|-----|---|--|--|
| 2 | R1 | 156 | Total | С | Ν | Ο | S | 0 | 0 | | | | | |
| 5 | DI | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | B9 | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| 5 | D_{2} | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | B3 | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| | D0 | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | B4 | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| | | 100 | 1196 | 747 | 189 | 259 | 1 | | 0 | | | | | |
| 3 | B5 | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| | D0 | 100 | 1196 | 747 | 189 | 259 | 1 | Ŭ | | | | | | |
| 3 | B6 | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| | 20 | | 1196 | 747 | 189 | 259 | 1 | Ŭ | | | | | | |
| 3 | AM | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | _ | | | | | | |
| 3 | AN | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | AO | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | _ | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | AP | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | AQ | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | Ŭ | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | AR | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | SB | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | <u>747</u> | 189 | 259 | <u> </u> | | | | | | | |
| 3 | SA | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | <u>I</u> | | | | | | | |
| 3 | SC | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | <u>747</u> | 189 | 259 | 1 C | | | | | | | |
| 3 | SD | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | 50 | JU | 5D | SD | SD | | 1196 | 747 | 189 | 259 | 1 | | |



Continued from previous page...

| Mol | Chain | Residues | | At | oms | | | AltConf | Trace | | | | | |
|-----|---------------------|----------|---------------|-----------------|------------|----------|--------------|---------|-------|-----|-----|---|--|--|
| 9 | СĿ | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | | | |
| 3 | SE | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 9 | СĿ | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | | | |
| 5 | ы | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 2 | SC | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | | | |
| 0 | bG | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | SН | 156 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | | | | | |
| 0 | 511 | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | SI | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| 0 | 51 | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | SI | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| 0 | | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | SK | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| 0 | | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | | | |
| 3 | SL | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | | | |
| | | 100 | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | SM | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | SN | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | | | |
| | ~ | 100 | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | SO | 156 | Total | С | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | SP | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | SQ | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | SR | 156 | Total | C | N | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | | | |
| 3 | \mathbf{SS} | 156 | Total | C | N 100 | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | | | | | | | | |
| 3 | ST | 156 | Total | C | N 100 | 0 | S | 0 | 0 | | | | | |
| | | | 1196 | 747 | 189 | 259 | | | | | | | | |
| 3 | SU | 156 | Total | C | N 100 | 0 | S | 0 | 0 | | | | | |
| | | | 1196 TL 1 | $\frac{(4)}{C}$ | 189 N | 259 | 1 | | | | | | | |
| 3 | SV | 156 | | C 747 | IN 100 | 0 | 5 | 0 | 0 | | | | | |
| | | | 1190 Tutul | $\frac{(4)}{C}$ | 189 N | 259 | 1 C | | | | | | | |
| 3 | SW | 156 | 10tal | C 747 | IN 190 | 0 | 5 | 0 | 0 | | | | | |
| | | | 1190 T-1-1 | <u>(4)</u> | 109 NT | 209 | 1 C | | | | | | | |
| 3 | SX | 156 | 10tal | 747 | 1N 100 | 0 050 | С 1 | 0 | 0 | | | | | |
| | | | 1190 Tetal | $\frac{(4)}{C}$ | 189 189 | 239 | 1 C | | | | | | | |
| 3 | SY | 156 | Lotal | | IN 100 | 0 | D 1 | 0 | 0 | | | | | |
| | 51 | 51 | 51 | 5 51 | 51 | 51 | | 1196 | 747 | 189 | 259 | T | | |



Continued from previous page...

| Mol | Chain | Residues | | At | oms | | | AltConf | Trace | | | |
|-------|-------|----------|-------|-------|------|------|--------------|---------|-------|---|---|--|
| 0 | 07 | 150 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 3 | 52 | 190 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 0 | C. | 156 | Total | С | Ν | Ο | S | 0 | 0 | | | |
| 3 | Sa | 190 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 0 | CL | 150 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 3 | 30 | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 9 | C. | Sa | 156 | Total | С | Ν | 0 | S | 0 | 0 | | |
| 3 | SC | 190 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 9 | C.J | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 5 | bu | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 2 | So | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 0 | be | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 2 | Ct | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 5 | 51 | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 3 | Sa | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 0 | ge | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | | | | |
| 3 | Sh | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 0 | 511 | 150 | 1196 | 747 | 189 | 259 | 1 | | | | | |
| 2 | C; | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| 0 | 51 | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 3 | Si | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| 0 | 5J | 100 | 1196 | 747 | 189 | 259 | 1 | U | | | | |
| 3 | Sk | 156 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | | | |
| 0 | DK . | 100 | 1196 | 747 | 189 | 259 | 1 | | 0 | | | |
| 3 | SI | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| 0 | 51 | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | | | | |
| 3 | Sm | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| 0 | | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 3 | Sn | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| 0 | | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | | |
| 3 | So | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| | | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | | | | |
| 3 | Sp | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| | ~Р | 100 | 1196 | 747 | 189 | 259 | 1 | Ŭ | | | | |
| 3 | Sa | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| | ~9 | 100 | 1196 | 747 | 189 | 259 | 1 | Ŭ | | | | |
| 3 | Sr | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| | Sľ | | | 100 | 1196 | 747 | 189 | 259 | 1 | | 0 | |
| 3 | Ss | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | | | |
| | | | 1196 | 747 | 189 | 259 | 1 | | | | | |
| 3 | St | 156 | Total | С | Ν | 0 | S | 0 | 0 | | | |
| ່ວ່ວເ | SL | St | St | St | 100 | 1196 | 747 | 189 | 259 | 1 | | |



| Mol | Chain | Residues | | At | oms | | | AltConf | Trace | |
|------|----------------|----------|-------|-------|-----|-----|--------------|--------------|-------|---|
| 2 | S., | 156 | Total | С | Ν | 0 | S | 0 | 0 | |
| J Du | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | | |
| 3 | Sw | 156 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | |
| 0 | JV. | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | |
| 3 | Sur | C···· | 156 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 |
| 0 | DW. | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | |
| 3 | Sy | 156 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | |
| 0 | - DA | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | |
| 3 | Sw | 156 | Total | С | Ν | 0 | S | 0 | 0 | |
| 0 | Бу | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | |
| 3 | S ₇ | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | |
| 0 | 5Z | 150 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | |
| 3 | S1 | 156 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | |
| 0 | 51 | 100 | 1196 | 747 | 189 | 259 | 1 | 0 | 0 | |
| 3 | 52 | 156 | Total | C | N | Ō | S | 0 | 0 | |
| | 02 | 100 | 1196 | 747 | 189 | 259 | 1 | | | |

• Molecule 4 is a protein called Baseplate to tube adapter protein gp41.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|------|-------|----------|-------|------|-----|-----|---------|-------|
| | | 284 | Total | С | Ν | Ο | 0 | 0 |
| 4 DA | 204 | 2136 | 1332 | 375 | 429 | 0 | | |
| 4 | BB | 284 | Total | С | Ν | Ο | 0 | 0 |
| | 204 | 2136 | 1332 | 375 | 429 | 0 | 0 | |
| 4 | BC | 284 | Total | С | Ν | Ο | 0 | 0 |
| 4 | DU | 204 | 2136 | 1332 | 375 | 429 | 0 | |

• Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

| Mol | Chain | AltConf | | |
|-----|-------|---------|-----------------|---|
| 5 | РТ | 1 | Total Mg 1 1 | 0 |
| 5 | РМ | 1 | Total Mg 1 1 | 0 |
| 5 | PN | 1 | Total Mg 1 1 | 0 |
| 5 | РО | 1 | Total Mg 1 1 | 0 |
| 5 | PP | 1 | Total Mg 1 1 | 0 |
| 5 | PQ | 1 | Total Mg 1 1 | 0 |



Continued from previous page...

| Mol | Chain | Residues | Atoms | AltConf |
|-----|---------------|----------|-----------------|---------|
| 5 | PR | 1 | Total Mg 1 1 | 0 |
| 5 | \mathbf{PS} | 1 | Total Mg 1 1 | 0 |
| 5 | PU | 1 | Total Mg 1 1 | 0 |
| 5 | PV | 1 | Total Mg 1 1 | 0 |
| 5 | PW | 1 | Total Mg 1 1 | 0 |
| 5 | PX | 1 | Total Mg 1 1 | 0 |



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

 \bullet Molecule 1: HK97 gp6-like/SPP1 gp15-like head-tail connector



• Molecule 1: HK97 gp6-like/SPP1 gp15-like head-tail connector



. .

. .

. .



• Molecule 2: SPP1 gp17-like tail completion protein

| Chain Pa: | • | 97% | • |
|-----------|---|-----|---|
| | | | |



• Molecule 2: SPP1 gp17-like tail completion protein

Chain Pb: 96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96% ...
96%

96%

Chain Pc:



• Molecule 2: SPP1 gp17-like tail completion protein

| Ch | ain | Po | d: | | | |
|-----------|-----|-------------------|------|------|--------------------|------|
| MET A2 | M69 | <mark>q101</mark> | L107 | D118 | T1 <mark>36</mark> | A157 |

• Molecule 2: SPP1 gp17-like tail completion protein

Chain Pe:

96%

MET A2 37 113 113 E43 E43 E43 F74 D75 D75 A157

• Molecule 2: SPP1 gp17-like tail completion protein

Chain Pf:

97%



• Molecule 3: Tail tube protein



| Chain B1: | 96% | ••• |
|---|-----|-----|
| MET A2 D22 N62 N15 N15 D130 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain B2: | 95% | |
| MET A2 A2 145 148 148 192 891 891 891 891 802 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain B3: | 96% | |
| MET A2 N11 D130 D130 C167 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain B4: | 95% | |
| MET M2 M2 F5 2 N6 2 N6 2 N6 2 N6 2 N6 2 N6 2 N6 2 N1 15 N1 1 N6 2 N2 15 N6 2 N6 2 N6 2 N6 2 N6 2 N6 2 N6 2 N6 2 | | |
| • Molecule 3: Tail tube protein | | |
| Chain B5: | 94% | |
| MET A2 N11 148 148 148 148 148 8148 8148 8148 | | |
| • Molecule 3: Tail tube protein | | |
| Chain B6: | 96% | |
| MET M2 M2 891 7106 0157 | | |
| • Molecule 3: Tail tube protein | | |
| Chain AM: | 97% | |
| MET A2 A2 134 1155 8156 6157 VAL | | |
| • Molecule 3: Tail tube protein | | |

W O R L D W I D E PROTEIN DATA BANK

| Chain AN: | 96% | • |
|---|-------|---|
| MET V31 K32 R32 L48 L48 L102 G157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain AO: | 97% . | |
| MET A2 P49 VAL VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain AP: | 97% | |
| MET A2 148 148 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain AQ: | 99% | |
| MET A2 G157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain AR: | 96% | |
| MET A2 145 148 148 1102 1102 118 134 0157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SB: | 96% . | |
| MET A2 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SA: | 96% | |
| MET A2 B33 B33 B33 B148 B115 B128 B128 B115 B128 B115 B128 B115 B115 B115 B115 B115 B115 B115 B11 | | |

• Molecule 3: Tail tube protein



| Chain SC: | 97% | |
|---|-----|-----|
| MET A2 D33 148 R115 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SD: | 96% | |
| MET A2 B55 E55 E102 C102 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SE: | 95% | |
| MET A2 13 148 1106 1106 7128 7128 7128 7128 7128 7128 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SF: | 96% | |
| MET A2 A2 A2 B22 B22 B23 B33 C137 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SG: | 95% | · · |
| MET A2 N11 148 110 22 1129 1129 1129 1129 1129 1129 11 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SH: | 97% | |
| MET A2 148 148 148 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SI: | 94% | |
| MET A2 A2 11 F17 59 891 891 8110 8110 8115 702 8115 8115 8115 8115 8115 | | |
| • Molecule 3: Tail tube protein | | |



| Chain SJ: | 97% | ••• |
|---|-----|------|
| MET 42 42 42 44 11 148 148 148 148 148 148 148 148 1 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SK: | 97% | |
| MET A2 A2 A2 A1 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SL: | 97% | |
| MET A2 S91 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SM: | 95% | |
| MET A2 A2 42 44 44 44 44 44 44 44 44 44 44 44 44 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SN: | 94% | 5% • |
| MET A2 A2 A2 A2 B33 B33 B33 B148 B130 B130 B130 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SO: | 94% | 5%• |
| MET A2 22 22 25 25 23 23 23 23 23 23 23 23 24 21 25 21 48 21 48 21 48 21 48 21 48 21 48 21 48 21 28 11 28 20 22 28 11 28 28 11 28 28 28 28 28 28 28 28 28 28 28 28 28 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SP: | 94% | |
| MET A2 111 122 133 133 148 148 148 148 148 148 148 148 148 148 | | |

• Molecule 3: Tail tube protein



| Chain SQ: | 93% | 6% • |
|--|-----|------|
| MET A2 A2 D22 B22 B22 B23 B33 B33 B33 B33 B33 B33 B | | |
| • Molecule 3: Tail tube protein | | |
| Chain SR: | 94% | • • |
| MET 42 42 42 42 42 42 42 42 42 42 42 42 42 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SS: | 96% | |
| MET M2 D22 D23 D23 D23 D23 D23 D23 D23 D23 D2 | | |
| • Molecule 3: Tail tube protein | | |
| Chain ST: | 95% | |
| MET 42 42 133 133 146 147 147 148 148 148 157 0157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SU: | 96% | • • |
| MET A2 D22 D33 D33 D33 C22 C22 C12 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SV: | 97% | ••• |
| MET A2 N62 N62 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain SW: | 94% | • • |
| MET A2 A2 A2 A2 A2 B23 B23 B23 B23 B23 B23 B23 B23 B23 B2 | | |
| • Molecule 3: Tail tube protein | | |



| Chain SX: | 96% | |
|---|-----|--|
| MET 42 825 1102 1102 115 115 115 115 115 115 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SY: | 97% | |
| MET A2 A3 A3 A4 A2 A4 | | |
| • Molecule 3: Tail tube protein | | |
| Chain SZ: | 96% | |
| MET A2 148 148 1102 1102 0157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sa: | 96% | |
| MET A2 D22 B33 B15 L129 C15 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sb: | 96% | |
| MET A2 A2 148 1102 1102 1102 0157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sc: | 96% | |
| MET A2 D22 L102 L102 L102 L129 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sd: | 95% | |
| MET A2 148 148 148 148 148 148 148 115 1129 1129 1129 1129 1129 1129 | | |
| • Molecule 3: Tail tube protein | | |

W O R L D W I D E PROTEIN DATA BANK

| Chain Se: | 95% | |
|---|-----|------|
| MET A2 B33 B33 B33 B33 B33 B33 B33 B330 B330 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sf: | 92% | 6% • |
| MET A2 812 613 613 613 113 1106 1112 1126 11129 11129 11129 11129 11129 11129 11129 11129 11129 11129 11129 11129 11129 11129 11129 11129 11120 1120 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sg: | 95% | |
| MET A2 B33 B33 B33 B33 B33 B33 B33 B33 B130 B130 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sh: | 92% | 7% • |
| MET A2 A2 A2 A1 613 613 613 7106 T106 T106 T106 T106 T129 D130 C112 D130 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Si: | 94% | • • |
| A2 A2 B33 S91 S91 S91 C108 F108 F108 F108 F115 F108 F115 V15 V15 V15 V15 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sj: | 93% | |
| MET A2 A2 A2 D22 D23 D23 D23 D23 D23 D23 D23 D23 D2 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sk: | 96% | • • |
| MET A2 233 233 233 233 233 233 233 2130 2130 | | |

• Molecule 3: Tail tube protein



| Chain SI: | 96% | • • |
|--|-----|-----|
| MET A2 B22 B122 R115 R115 S148 S148 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sm: | 95% | • • |
| MET A2 D22 D33 148 116 R115 D130 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sn: | 95% | • • |
| MET A2 A2 A2 A2 A2 A10 B103 C1125 C1125 C1126 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain So: | 95% | |
| MET A2 B22 B33 B33 B33 B130 B130 C415 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sp: | 95% | |
| MET A2 A2 A2 D22 D22 D23 D33 D33 D33 D33 D33 D33 D3 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sq: | 94% | • • |
| MET A2 N11 D22 D22 D33 D33 D49 D49 D49 D49 D49 D49 D49 D49 D49 D49 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sr: | 95% | |
| MET A2 | | |
| • Molecule 3: Tail tube protein | | |



| Chain Ss: | 95% | |
|---|-----|--|
| MET A2 L27 L27 L27 D33 D33 D33 D33 D33 D33 D33 C148 D49 D49 D49 D49 D49 D49 D49 D49 D49 D49 | | |
| • Molecule 3: Tail tube protein | | |
| Chain St: | 95% | |
| MET A2 A2 A2 148 148 148 148 148 0157 0130 0157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Su: | 94% | |
| MET A2 22 L27 L27 D33 D33 D33 A1 148 N104 N104 N104 C157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sv: | 96% | |
| MET 42 45 45 45 45 45 45 45 45 45 45 45 45 45 | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sw: | 96% | |
| MET A2 A2 H4 148 148 148 148 049 0157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sx: | 96% | |
| MET N2 N1 148 148 0157 VAL | | |
| • Molecule 3: Tail tube protein | | |
| Chain Sy: | 97% | |
| MET A2 M11 D49 C157 VAL | | |

• Molecule 3: Tail tube protein



| Chain Sz: | 97% | ••• |
|--|--|-----|
| MET A2 613 142 1106 0157 VAL | | |
| • Molecule 3: Tail tube pr | rotein | |
| Chain S1: | 95% | • • |
| MET A2 N11 148 E79 E79 E79 D130 D130 VAL | | |
| • Molecule 3: Tail tube pr | otein | |
| Chain S2: | 94% | 5%• |
| MET A2 F17 F17 F17 F17 F17 F17 F17 F17 F17 F17 | C157 | |
| • Molecule 4: Baseplate to | b tube adapter protein gp41 | |
| Chain BA: | 97% | · |
| MET V2 23 620 621 622 125 631 126 631 7145 | G151 S168 K200 D235 P259 P259 P259 | |
| • Molecule 4: Baseplate to | b tube adapter protein gp41 | |
| Chain BB: | 98% | · |
| MET V2 D3 G2 G21 G21 G21 G21 G21 G21 T145 T145 T145 | 1152 1152 1152 1152 1152 1152 1152 1152 1152 1124 1124 1124 1124 1124 1124 1244 12259 | |
| • Molecule 4: Baseplate to | b tube adapter protein gp41 | |
| Chain BC: | 99% | · |
| MET V2 V2 C2 E20 C2 C2 C2 C2 C2 C2 C2 C2 C2 C2 C2 C2 C2 | C1153 | |



4 Experimental information (i)

| Property | Value | Source |
|------------------------------------|---------------------------------------|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 6580 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE | Depositor |
| | CORRECTION | |
| Microscope | TFS KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose $(e^-/\text{\AA}^2)$ | 50, 54.6 | Depositor |
| Minimum defocus (nm) | 800 | Depositor |
| Maximum defocus (nm) | 2000 | Depositor |
| Magnification | Not provided | |
| Image detector | TFS FALCON 4i (4k x 4k), GATAN K3 (6k | Depositor |
| | x 4k) | |
| Maximum map value | 0.073 | Depositor |
| Minimum map value | -0.031 | Depositor |
| Average map value | 0.000 | Depositor |
| Map value standard deviation | 0.002 | Depositor |
| Recommended contour level | 0.0062 | Depositor |
| Map size (Å) | 899.328, 899.328, 899.328 | wwPDB |
| Map dimensions | 768, 768, 768 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 1.171, 1.171, 1.171 | Depositor |



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mal | Chain | Bo | ond lengths | Bond angles | |
|-----|---------|------|---------------|-------------|---------------|
| | Ullaill | RMSZ | # Z > 5 | RMSZ | # Z > 5 |
| 1 | PM | 0.60 | 0/1105 | 1.15 | 1/1492~(0.1%) |
| 1 | PN | 0.60 | 0/1105 | 1.14 | 2/1492~(0.1%) |
| 1 | PO | 0.61 | 0/1105 | 1.14 | 1/1492~(0.1%) |
| 1 | PP | 0.61 | 0/1105 | 1.16 | 2/1492~(0.1%) |
| 1 | PQ | 0.59 | 0/1105 | 1.15 | 1/1492~(0.1%) |
| 1 | PR | 0.60 | 0/1105 | 1.14 | 1/1492~(0.1%) |
| 1 | PS | 0.59 | 0/1105 | 1.14 | 0/1492 |
| 1 | PT | 0.60 | 0/1105 | 1.15 | 1/1492~(0.1%) |
| 1 | PU | 0.60 | 0/1105 | 1.16 | 3/1492~(0.2%) |
| 1 | PV | 0.61 | 0/1105 | 1.14 | 2/1492~(0.1%) |
| 1 | PW | 0.60 | 0/1105 | 1.14 | 1/1492~(0.1%) |
| 1 | РХ | 0.60 | 0/1105 | 1.14 | 1/1492~(0.1%) |
| 2 | Pa | 0.58 | 0/1248 | 1.03 | 1/1709~(0.1%) |
| 2 | Pb | 0.60 | 0/1248 | 1.04 | 1/1709~(0.1%) |
| 2 | Pc | 0.59 | 0/1248 | 1.03 | 1/1709~(0.1%) |
| 2 | Pd | 0.61 | 0/1248 | 1.05 | 1/1709~(0.1%) |
| 2 | Pe | 0.59 | 0/1248 | 1.05 | 1/1709~(0.1%) |
| 2 | Pf | 0.59 | 0/1248 | 1.05 | 0/1709 |
| 3 | AM | 0.60 | 0/1224 | 0.96 | 0/1672 |
| 3 | AN | 0.59 | 0/1224 | 0.91 | 0/1672 |
| 3 | AO | 0.58 | 0/1224 | 0.95 | 0/1672 |
| 3 | AP | 0.59 | 0/1224 | 0.94 | 0/1672 |
| 3 | AQ | 0.59 | 0/1224 | 0.95 | 0/1672 |
| 3 | AR | 0.59 | 0/1224 | 0.90 | 0/1672 |
| 3 | B1 | 0.58 | 0/1224 | 0.96 | 1/1672~(0.1%) |
| 3 | B2 | 0.60 | 0/1224 | 0.96 | 0/1672 |
| 3 | B3 | 0.58 | 0/1224 | 0.96 | 2/1672~(0.1%) |
| 3 | B4 | 0.58 | 0/1224 | 0.93 | 1/1672~(0.1%) |
| 3 | B5 | 0.58 | 0/1224 | 0.94 | 1/1672~(0.1%) |
| 3 | B6 | 0.59 | 0/1224 | 0.94 | 1/1672 (0.1%) |
| 3 | S1 | 0.60 | 0/1224 | 0.95 | 2/1672~(0.1%) |
| 3 | S2 | 0.60 | 1/1224~(0.1%) | 0.99 | 2/1672~(0.1%) |



| Mal | Chain | Bo | ond lengths | Bond angles | |
|-----|---------------------|------|---------------|-------------|---------------|
| | Unam | RMSZ | # Z > 5 | RMSZ | # Z > 5 |
| 3 | SA | 0.60 | 0/1224 | 0.99 | 2/1672~(0.1%) |
| 3 | SB | 0.62 | 0/1224 | 0.96 | 1/1672~(0.1%) |
| 3 | SC | 0.61 | 0/1224 | 0.98 | 1/1672~(0.1%) |
| 3 | SD | 0.62 | 0/1224 | 0.96 | 0/1672 |
| 3 | SE | 0.61 | 0/1224 | 0.98 | 2/1672~(0.1%) |
| 3 | SF | 0.63 | 0/1224 | 0.98 | 2/1672~(0.1%) |
| 3 | SG | 0.63 | 0/1224 | 0.98 | 1/1672~(0.1%) |
| 3 | SH | 0.64 | 0/1224 | 0.95 | 1/1672~(0.1%) |
| 3 | SI | 0.65 | 0/1224 | 0.98 | 1/1672~(0.1%) |
| 3 | SJ | 0.63 | 0/1224 | 0.92 | 0/1672 |
| 3 | SK | 0.64 | 0/1224 | 0.98 | 1/1672~(0.1%) |
| 3 | SL | 0.63 | 0/1224 | 0.94 | 1/1672~(0.1%) |
| 3 | SM | 0.63 | 0/1224 | 0.97 | 1/1672~(0.1%) |
| 3 | SN | 0.63 | 0/1224 | 0.99 | 2/1672~(0.1%) |
| 3 | SO | 0.63 | 0/1224 | 1.00 | 3/1672~(0.2%) |
| 3 | SP | 0.63 | 0/1224 | 0.99 | 2/1672~(0.1%) |
| 3 | SQ | 0.63 | 0/1224 | 0.99 | 3/1672~(0.2%) |
| 3 | SR | 0.64 | 0/1224 | 1.01 | 1/1672~(0.1%) |
| 3 | \mathbf{SS} | 0.61 | 1/1224~(0.1%) | 0.97 | 2/1672~(0.1%) |
| 3 | ST | 0.62 | 0/1224 | 0.98 | 2/1672~(0.1%) |
| 3 | SU | 0.61 | 1/1224~(0.1%) | 0.97 | 2/1672~(0.1%) |
| 3 | SV | 0.61 | 0/1224 | 0.98 | 1/1672~(0.1%) |
| 3 | SW | 0.63 | 1/1224~(0.1%) | 0.97 | 2/1672~(0.1%) |
| 3 | SX | 0.62 | 0/1224 | 1.00 | 2/1672~(0.1%) |
| 3 | SY | 0.63 | 0/1224 | 0.96 | 1/1672~(0.1%) |
| 3 | SZ | 0.61 | 0/1224 | 0.99 | 1/1672~(0.1%) |
| 3 | Sa | 0.64 | 0/1224 | 0.98 | 2/1672~(0.1%) |
| 3 | Sb | 0.62 | 0/1224 | 0.97 | 1/1672~(0.1%) |
| 3 | Sc | 0.64 | 0/1224 | 0.99 | 1/1672~(0.1%) |
| 3 | Sd | 0.62 | 0/1224 | 0.97 | 0/1672 |
| 3 | Se | 0.62 | 0/1224 | 0.99 | 2/1672~(0.1%) |
| 3 | Sf | 0.61 | 0/1224 | 0.99 | 1/1672~(0.1%) |
| 3 | Sg | 0.62 | 0/1224 | 0.99 | 1/1672~(0.1%) |
| 3 | Sh | 0.61 | 0/1224 | 0.98 | 2/1672~(0.1%) |
| 3 | Si | 0.61 | 0/1224 | 1.00 | 2/1672~(0.1%) |
| 3 | Sj | 0.65 | 1/1224~(0.1%) | 0.98 | 2/1672~(0.1%) |
| 3 | Sk | 0.61 | 0/1224 | 0.97 | 2/1672~(0.1%) |
| 3 | Sl | 0.62 | 0/1224 | 0.96 | 1/1672~(0.1%) |
| 3 | Sm | 0.64 | 0/1224 | 0.96 | 3/1672~(0.2%) |
| 3 | Sn | 0.61 | 0/1224 | 0.97 | 1/1672~(0.1%) |
| 3 | So | 0.62 | 0/1224 | 0.96 | 2/1672~(0.1%) |
| 3 | Sp | 0.61 | 0/1224 | 0.96 | 2/1672~(0.1%) |
| 3 | Sq | 0.59 | 0/1224 | 0.97 | 3/1672~(0.2%) |



| Mal | Chain | Bond length | | Bond angles | | |
|-------|-------|-------------|-----------------|-------------|-------------------|--|
| IVIOI | Unam | RMSZ | # Z > 5 | RMSZ | # Z > 5 | |
| 3 | Sr | 0.59 | 0/1224 | 0.98 | 1/1672~(0.1%) | |
| 3 | Ss | 0.60 | 0/1224 | 1.00 | 4/1672~(0.2%) | |
| 3 | St | 0.60 | 0/1224 | 0.97 | 0/1672 | |
| 3 | Su | 0.60 | 0/1224 | 0.99 | 2/1672~(0.1%) | |
| 3 | Sv | 0.60 | 0/1224 | 0.98 | 2/1672~(0.1%) | |
| 3 | Sw | 0.59 | 1/1224~(0.1%) | 0.96 | 1/1672~(0.1%) | |
| 3 | Sx | 0.60 | 1/1224~(0.1%) | 0.97 | 1/1672~(0.1%) | |
| 3 | Sy | 0.60 | 0/1224 | 0.94 | 1/1672~(0.1%) | |
| 3 | Sz | 0.60 | 1/1224~(0.1%) | 0.97 | 0/1672 | |
| 4 | BA | 0.64 | 0/2175 | 1.08 | 3/2970~(0.1%) | |
| 4 | BB | 0.64 | 0/2175 | 1.09 | 3/2970~(0.1%) | |
| 4 | BC | 0.64 | 0/2175 | 1.09 | 0/2970 | |
| All | All | 0.61 | 8/108057~(0.0%) | 1.01 | 115/147420~(0.1%) | |

The worst 5 of 8 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|---------|------|-------------|----------|
| 3 | Sj | 71 | LYS | CE-NZ | 6.70 | 1.69 | 1.49 |
| 3 | Sx | 42 | HIS | CE1-NE2 | 5.62 | 1.38 | 1.32 |
| 3 | S2 | 42 | HIS | CE1-NE2 | 5.57 | 1.38 | 1.32 |
| 3 | SU | 42 | HIS | CE1-NE2 | 5.49 | 1.38 | 1.32 |
| 3 | Sz | 42 | HIS | CE1-NE2 | 5.43 | 1.38 | 1.32 |

The worst 5 of 115 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | $Observed(^{o})$ | $Ideal(^{o})$ |
|-----|-------|-----|------|----------|------|------------------|---------------|
| 3 | Si | 33 | ASP | CA-CB-CG | 7.67 | 120.27 | 112.60 |
| 3 | Sg | 33 | ASP | CA-CB-CG | 7.60 | 120.20 | 112.60 |
| 3 | SA | 33 | ASP | CA-CB-CG | 7.01 | 119.61 | 112.60 |
| 3 | Ss | 33 | ASP | CA-CB-CG | 7.01 | 119.61 | 112.60 |
| 3 | Sb | 33 | ASP | CA-CB-CG | 6.84 | 119.44 | 112.60 |

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|---------------------|-------|----------|----------|---------|--------------|
| 1 | PM | 1087 | 0 | 1018 | 3 | 0 |
| 1 | PN | 1087 | 0 | 1018 | 5 | 0 |
| 1 | PO | 1087 | 0 | 1018 | 3 | 0 |
| 1 | PP | 1087 | 0 | 1018 | 1 | 0 |
| 1 | PQ | 1087 | 0 | 1018 | 2 | 0 |
| 1 | PR | 1087 | 0 | 1018 | 3 | 0 |
| 1 | PS | 1087 | 0 | 1018 | 3 | 0 |
| 1 | PT | 1087 | 0 | 1018 | 3 | 0 |
| 1 | PU | 1087 | 0 | 1018 | 3 | 0 |
| 1 | PV | 1087 | 0 | 1018 | 4 | 0 |
| 1 | PW | 1087 | 0 | 1018 | 0 | 0 |
| 1 | РХ | 1087 | 0 | 1018 | 2 | 0 |
| 2 | Pa | 1220 | 0 | 1118 | 1 | 0 |
| 2 | Pb | 1220 | 0 | 1118 | 3 | 0 |
| 2 | Pc | 1220 | 0 | 1118 | 2 | 0 |
| 2 | Pd | 1220 | 0 | 1118 | 1 | 0 |
| 2 | Pe | 1220 | 0 | 1118 | 0 | 0 |
| 2 | Pf | 1220 | 0 | 1118 | 3 | 0 |
| 3 | AM | 1196 | 0 | 1094 | 2 | 0 |
| 3 | AN | 1196 | 0 | 1094 | 3 | 0 |
| 3 | AO | 1196 | 0 | 1094 | 3 | 0 |
| 3 | AP | 1196 | 0 | 1094 | 2 | 0 |
| 3 | AQ | 1196 | 0 | 1094 | 0 | 0 |
| 3 | AR | 1196 | 0 | 1094 | 6 | 0 |
| 3 | B1 | 1196 | 0 | 1094 | 2 | 0 |
| 3 | B2 | 1196 | 0 | 1094 | 4 | 0 |
| 3 | B3 | 1196 | 0 | 1094 | 3 | 0 |
| 3 | B4 | 1196 | 0 | 1094 | 4 | 0 |
| 3 | B5 | 1196 | 0 | 1094 | 5 | 0 |
| 3 | B6 | 1196 | 0 | 1094 | 2 | 0 |
| 3 | S1 | 1196 | 0 | 1094 | 2 | 0 |
| 3 | S2 | 1196 | 0 | 1094 | 3 | 0 |
| 3 | SA | 1196 | 0 | 1094 | 1 | 0 |
| 3 | SB | 1196 | 0 | 1094 | 3 | 0 |
| 3 | SC | 1196 | 0 | 1094 | 1 | 0 |
| 3 | SD | 1196 | 0 | 1094 | 3 | 0 |
| 3 | SE | 1196 | 0 | 1094 | 2 | 0 |
| 3 | SF | 1196 | 0 | 1094 | 3 | 0 |
| 3 | SG | 1196 | 0 | 1094 | 5 | 0 |
| 3 | SH | 1196 | 0 | 1094 | 1 | 0 |
| 3 | SI | 1196 | 0 | 1094 | 3 | 0 |
| 3 | SJ | 1196 | 0 | 1094 | 3 | 0 |
| 3 | SK | 1196 | 0 | 1094 | 1 | 0 |



| Conti | Continued from previous page | | | | | |
|-------|------------------------------|-------|----------|----------|---------|--------------|
| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
| 3 | SL | 1196 | 0 | 1094 | 2 | 0 |
| 3 | SM | 1196 | 0 | 1094 | 3 | 0 |
| 3 | SN | 1196 | 0 | 1094 | 5 | 0 |
| 3 | SO | 1196 | 0 | 1094 | 4 | 0 |
| 3 | SP | 1196 | 0 | 1094 | 4 | 0 |
| 3 | SQ | 1196 | 0 | 1094 | 4 | 0 |
| 3 | SR | 1196 | 0 | 1094 | 4 | 0 |
| 3 | SS | 1196 | 0 | 1094 | 1 | 0 |
| 3 | ST | 1196 | 0 | 1094 | 2 | 0 |
| 3 | SU | 1196 | 0 | 1094 | 0 | 0 |
| 3 | SV | 1196 | 0 | 1094 | 0 | 0 |
| 3 | SW | 1196 | 0 | 1094 | 2 | 0 |
| 3 | SX | 1196 | 0 | 1094 | 2 | 0 |
| 3 | SY | 1196 | 0 | 1094 | 1 | 0 |
| 3 | SZ | 1196 | 0 | 1094 | 3 | 0 |
| 3 | Sa | 1196 | 0 | 1094 | 1 | 0 |
| 3 | Sb | 1196 | 0 | 1094 | 2 | 0 |
| 3 | Sc | 1196 | 0 | 1094 | 3 | 0 |
| 3 | Sd | 1196 | 0 | 1094 | 4 | 0 |
| 3 | Se | 1196 | 0 | 1094 | 3 | 0 |
| 3 | Sf | 1196 | 0 | 1094 | 6 | 0 |
| 3 | Sg | 1196 | 0 | 1094 | 4 | 0 |
| 3 | Sh | 1196 | 0 | 1094 | 7 | 0 |
| 3 | Si | 1196 | 0 | 1094 | 4 | 0 |
| 3 | Sj | 1196 | 0 | 1094 | 6 | 0 |
| 3 | Sk | 1196 | 0 | 1094 | 2 | 0 |
| 3 | Sl | 1196 | 0 | 1094 | 3 | 0 |
| 3 | Sm | 1196 | 0 | 1094 | 2 | 0 |
| 3 | Sn | 1196 | 0 | 1094 | 3 | 0 |
| 3 | So | 1196 | 0 | 1094 | 2 | 0 |
| 3 | Sp | 1196 | 0 | 1094 | 3 | 0 |
| 3 | Sq | 1196 | 0 | 1094 | 3 | 0 |
| 3 | Sr | 1196 | 0 | 1094 | 4 | 0 |
| 3 | Ss | 1196 | 0 | 1094 | 3 | 0 |
| 3 | St | 1196 | 0 | 1094 | 5 | 0 |
| 3 | Su | 1196 | 0 | 1094 | 4 | 0 |
| 3 | Sv | 1196 | 0 | 1094 | 2 | 0 |
| 3 | Sw | 1196 | 0 | 1094 | 2 | 0 |
| 3 | Sx | 1196 | 0 | 1094 | 2 | 0 |
| 3 | Sy | 1196 | 0 | 1094 | 1 | 0 |
| 3 | Šz | 1196 | 0 | 1094 | 1 | 0 |
| 4 | BA | 2136 | 0 | 2127 | 4 | 0 |

 α ntia J fa



| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|--------|----------|----------|---------|--------------|
| 4 | BB | 2136 | 0 | 2127 | 4 | 0 |
| 4 | BC | 2136 | 0 | 2127 | 3 | 0 |
| 5 | PM | 1 | 0 | 0 | 0 | 0 |
| 5 | PN | 1 | 0 | 0 | 0 | 0 |
| 5 | PO | 1 | 0 | 0 | 0 | 0 |
| 5 | PP | 1 | 0 | 0 | 0 | 0 |
| 5 | PQ | 1 | 0 | 0 | 0 | 0 |
| 5 | PR | 1 | 0 | 0 | 0 | 0 |
| 5 | PS | 1 | 0 | 0 | 0 | 0 |
| 5 | PT | 1 | 0 | 0 | 0 | 0 |
| 5 | PU | 1 | 0 | 0 | 0 | 0 |
| 5 | PV | 1 | 0 | 0 | 0 | 0 |
| 5 | PW | 1 | 0 | 0 | 0 | 0 |
| 5 | PX | 1 | 0 | 0 | 0 | 0 |
| All | All | 105720 | 0 | 97509 | 143 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 143 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|-----------------------------|----------------------|
| 3:Sj:71:LYS:CE | 3:Sj:71:LYS:NZ | 1.69 | 1.50 |
| 1:PS:95:GLN:HB2 | 1:PV:107:SER:HB2 | 1.78 | 0.65 |
| 3:SA:48:ILE:HG12 | 3:SI:11:ASN:HA | 1.79 | 0.65 |
| 2:Pc:69:MET:HG3 | 3:AR:134:TYR:HB3 | 1.85 | 0.59 |
| 3:SE:48:ILE:HG12 | 3:SG:11:ASN:HA | 1.84 | 0.58 |

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Perce | ntiles |
|-----|-------|---------------|-----------|---------|----------|-------|--------|
| 1 | PM | 138/141~(98%) | 133 (96%) | 5 (4%) | 0 | 100 | 100 |
| 1 | PN | 138/141~(98%) | 132 (96%) | 6 (4%) | 0 | 100 | 100 |
| 1 | РО | 138/141~(98%) | 127 (92%) | 11 (8%) | 0 | 100 | 100 |
| 1 | PP | 138/141~(98%) | 130 (94%) | 8 (6%) | 0 | 100 | 100 |
| 1 | PQ | 138/141~(98%) | 132 (96%) | 6 (4%) | 0 | 100 | 100 |
| 1 | PR | 138/141 (98%) | 134 (97%) | 4 (3%) | 0 | 100 | 100 |
| 1 | PS | 138/141~(98%) | 129 (94%) | 9 (6%) | 0 | 100 | 100 |
| 1 | PT | 138/141~(98%) | 135 (98%) | 3 (2%) | 0 | 100 | 100 |
| 1 | PU | 138/141~(98%) | 131 (95%) | 7 (5%) | 0 | 100 | 100 |
| 1 | PV | 138/141~(98%) | 132 (96%) | 6 (4%) | 0 | 100 | 100 |
| 1 | PW | 138/141~(98%) | 132 (96%) | 6 (4%) | 0 | 100 | 100 |
| 1 | PX | 138/141~(98%) | 135 (98%) | 3 (2%) | 0 | 100 | 100 |
| 2 | Pa | 154/157~(98%) | 147 (96%) | 7 (4%) | 0 | 100 | 100 |
| 2 | Pb | 154/157~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 2 | Pc | 154/157~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 2 | Pd | 154/157~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 2 | Pe | 154/157~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 2 | Pf | 154/157~(98%) | 147 (96%) | 7 (4%) | 0 | 100 | 100 |
| 3 | AM | 154/158~(98%) | 153 (99%) | 1 (1%) | 0 | 100 | 100 |
| 3 | AN | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | AO | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | AP | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | AQ | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | AR | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | B1 | 154/158~(98%) | 147 (96%) | 7 (4%) | 0 | 100 | 100 |
| 3 | B2 | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | B3 | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | B4 | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | B5 | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | B6 | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | S1 | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | S2 | 154/158~(98%) | 147 (96%) | 7 (4%) | 0 | 100 | 100 |



| Continued from pr | evious page |
|-------------------|-------------|
|-------------------|-------------|

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Perce | ntiles |
|-----|---------------------|-----------------------------|-----------|---------|----------|-------|--------|
| 3 | SA | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | SB | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | \mathbf{SC} | 154/158~(98%) | 151 (98%) | 3(2%) | 0 | 100 | 100 |
| 3 | SD | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | SE | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | SF | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | SG | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | SH | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | SI | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | SJ | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | SK | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | SL | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | SM | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | SN | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | SO | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | SP | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | SQ | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | SR | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 3 | \mathbf{SS} | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | ST | 154/158~(98%) | 150 (97%) | 4(3%) | 0 | 100 | 100 |
| 3 | SU | 154/158~(98%) | 150 (97%) | 4(3%) | 0 | 100 | 100 |
| 3 | SV | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | SW | 154/158~(98%) | 150 (97%) | 4(3%) | 0 | 100 | 100 |
| 3 | SX | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | SY | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | SZ | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 3 | Sa | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | Sb | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | Sc | $\overline{154/158}~(98\%)$ | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | Sd | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | Se | $154/\overline{158}~(98\%)$ | 150 (97%) | 4 (3%) | 0 | 100 | 100 |



| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Perce | ntiles |
|-----|-------|-------------------|-------------|----------|----------|-------|--------|
| 3 | Sf | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 3 | Sg | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | Sh | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | Si | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | Sj | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 3 | Sk | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | Sl | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | Sm | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 3 | Sn | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | So | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 3 | Sp | 154/158~(98%) | 152 (99%) | 2 (1%) | 0 | 100 | 100 |
| 3 | Sq | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | Sr | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | Ss | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | St | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | Su | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | Sv | 154/158~(98%) | 149 (97%) | 5 (3%) | 0 | 100 | 100 |
| 3 | Sw | 154/158~(98%) | 151 (98%) | 3 (2%) | 0 | 100 | 100 |
| 3 | Sx | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 3 | Sy | 154/158~(98%) | 150 (97%) | 4 (3%) | 0 | 100 | 100 |
| 3 | Sz | 154/158~(98%) | 148 (96%) | 6 (4%) | 0 | 100 | 100 |
| 4 | BA | 282/285~(99%) | 270 (96%) | 12 (4%) | 0 | 100 | 100 |
| 4 | BB | 282/285~(99%) | 266 (94%) | 16 (6%) | 0 | 100 | 100 |
| 4 | BC | 282/285~(99%) | 273 (97%) | 9 (3%) | 0 | 100 | 100 |
| All | All | 13590/13917~(98%) | 13183 (97%) | 407 (3%) | 0 | 100 | 100 |

Continued from previous page...

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.



| Mol | Chain | Analysed | Rotameric | Outliers | Perce | ntiles |
|-----|-------|---------------|------------|----------|-------|--------|
| 1 | PM | 116/117~(99%) | 114 (98%) | 2(2%) | 56 | 76 |
| 1 | PN | 116/117~(99%) | 115 (99%) | 1 (1%) | 75 | 86 |
| 1 | PO | 116/117~(99%) | 116 (100%) | 0 | 100 | 100 |
| 1 | PP | 116/117~(99%) | 115 (99%) | 1 (1%) | 75 | 86 |
| 1 | PQ | 116/117~(99%) | 115 (99%) | 1 (1%) | 75 | 86 |
| 1 | PR | 116/117~(99%) | 115 (99%) | 1 (1%) | 75 | 86 |
| 1 | PS | 116/117~(99%) | 115 (99%) | 1 (1%) | 75 | 86 |
| 1 | PT | 116/117~(99%) | 115 (99%) | 1 (1%) | 75 | 86 |
| 1 | PU | 116/117~(99%) | 113 (97%) | 3 (3%) | 41 | 65 |
| 1 | PV | 116/117~(99%) | 114 (98%) | 2 (2%) | 56 | 76 |
| 1 | PW | 116/117~(99%) | 114 (98%) | 2 (2%) | 56 | 76 |
| 1 | PX | 116/117~(99%) | 115 (99%) | 1 (1%) | 75 | 86 |
| 2 | Pa | 135/136~(99%) | 133 (98%) | 2 (2%) | 60 | 78 |
| 2 | Pb | 135/136~(99%) | 133 (98%) | 2 (2%) | 60 | 78 |
| 2 | Pc | 135/136~(99%) | 132 (98%) | 3 (2%) | 47 | 69 |
| 2 | Pd | 135/136~(99%) | 132 (98%) | 3 (2%) | 47 | 69 |
| 2 | Pe | 135/136~(99%) | 130 (96%) | 5 (4%) | 29 | 54 |
| 2 | Pf | 135/136~(99%) | 133 (98%) | 2 (2%) | 60 | 78 |
| 3 | AM | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | AN | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | AO | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | AP | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | AQ | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | AR | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | B1 | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | B2 | 129/131~(98%) | 126 (98%) | 3 (2%) | 45 | 69 |
| 3 | B3 | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | B4 | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | B5 | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | B6 | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.



| Mol | Chain | Analysed | Rotameric | Outliers | Perce | ntiles |
|-----|---------------------|---------------|------------|----------|-------|--------|
| 3 | S1 | 129/131~(98%) | 127~(98%) | 2(2%) | 58 | 77 |
| 3 | S2 | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SA | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | SB | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | \mathbf{SC} | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SD | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SE | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SF | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | SG | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | SH | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SI | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | SJ | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | SK | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | SL | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | SM | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SN | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SO | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SP | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SQ | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | SR | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | SS | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | ST | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | SU | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SV | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | SW | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SX | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | SY | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 |
| 3 | SZ | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | Sa | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |
| 3 | Sb | 129/131 (98%) | 127 (98%) | 2 (2%) | 58 | 77 |
| 3 | Sc | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 |



| Mol | Chain | Analysed | Rotameric | Outliers | Perce | ntiles | 3 |
|-----|------------------------|-------------------------------|-------------|----------|-------|--------|---|
| 3 | Sd | 129/131~(98%) | 127~(98%) | 2(2%) | 58 | 77 | |
| 3 | Se | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | $\mathbf{S}\mathbf{f}$ | 129/131~(98%) | 127~(98%) | 2(2%) | 58 | 77 | |
| 3 | Sg | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sh | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Si | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sj | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sk | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sl | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sm | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sn | 129/131~(98%) | 127~(98%) | 2 (2%) | 58 | 77 | |
| 3 | So | 129/131~(98%) | 127 (98%) | 2 (2%) | 58 | 77 | |
| 3 | Sp | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sq | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sr | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | \mathbf{Ss} | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 | |
| 3 | St | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Su | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sv | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sw | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sx | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 | |
| 3 | Sy | 129/131~(98%) | 128 (99%) | 1 (1%) | 79 | 88 | |
| 3 | Sz | 129/131~(98%) | 129 (100%) | 0 | 100 | 100 | |
| 4 | BA | $\overline{238/239}\ (100\%)$ | 237 (100%) | 1 (0%) | 89 | 95 | |
| 4 | BB | $\overline{238/239}~(100\%)$ | 237 (100%) | 1 (0%) | 89 | 95 | _ |
| 4 | BC | $\overline{238/239}\ (100\%)$ | 238 (100%) | 0 | 100 | 100 | |
| All | All | 11430/11583~(99%) | 11324 (99%) | 106 (1%) | 74 | 86 | |

5 of 106 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | SN | 48 | ILE |
| 3 | SX | 115 | ARG |

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | Sw | 115 | ARG |
| 3 | SP | 48 | ILE |
| 3 | ST | 87 | THR |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 70 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | Sw | 104 | ASN |
| 3 | S1 | 62 | ASN |
| 4 | BB | 203 | ASN |
| 3 | SC | 104 | ASN |
| 3 | AR | 64 | ASN |

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-50521. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 384



Y Index: 384



Z Index: 384

6.2.2 Raw map



X Index: 384

Y Index: 384



The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 366



Y Index: 403



Z Index: 479

6.3.2 Raw map



X Index: 366

Y Index: 403



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0062. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 6151 nm^3 ; this corresponds to an approximate mass of 5556 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.338 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.338 \AA^{-1}



8.2 Resolution estimates (i)

| $\mathbf{Bosolution} \text{ ostimato } (\mathbf{\hat{\lambda}})$ | Estimation criterion (FSC cut-off) | | |
|--|------------------------------------|-------|----------|
| Resolution estimate (A) | 0.143 | 0.5 | Half-bit |
| Reported by author | 2.96 | - | - |
| Author-provided FSC curve | 2.96 | 3.60 | 3.01 |
| Unmasked-calculated* | 8.46 | 19.05 | 8.61 |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.46 differs from the reported value 2.96 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-50521 and PDB model 9FKB. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.0062 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0062).



9.4 Atom inclusion (i)



At the recommended contour level, 99% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.0062) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|----------------|---------|
| All | 0.9200 | 0.5290 |
| AM | 0.9390 | 0.5520 |
| AN | 0.9370 | 0.5520 |
| AO | 0.9380 | 0.5520 |
| AP | 0.9380 | 0.5530 |
| AQ | 0.9390 | 0.5520 |
| AR | 0.9340 | 0.5490 |
| B1 | 0.9230 | 0.5160 |
| B2 | 0.9120 | 0.5090 |
| B3 | 0.9190 | 0.5180 |
| B4 | 0.9130 | 0.5100 |
| B5 | 0.9180 | 0.5150 |
| B6 | 0.9080 | 0.5080 |
| BA | 0.8100 | 0.3830 |
| BB | 0.8090 | 0.3830 |
| BC | 0.8150 | 0.3840 |
| PM | 0.8170 | 0.4010 |
| PN | 0.8020 | 0.4000 |
| PO | 0.8250 | 0.4010 |
| PP | 0.8240 | 0.3940 |
| PQ | 0.8250 | 0.3990 |
| PR | 0.8280 | 0.3950 |
| PS | 0.8220 | 0.4010 |
| PT | 0.7990 | 0.4060 |
| PU | 0.8260 | 0.4000 |
| PV | 0.8160 | 0.3900 |
| PW | 0.8160 | 0.3980 |
| PX | 0.7990 | 0.4040 |
| Pa | 0.8980 | 0.4970 |
| Pb | 0.9020 | 0.4960 |
| Pc | 0.9020 | 0.4950 |
| Pd | 0.8960 | 0.5040 |
| Pe | 0.8970 | 0.4950 |
| Pf | 0.8970 | 0.4980 |
| S1 | 0.9410 | 0.5470 |



| Chain | Atom inclusion | Q-score |
|-------|----------------|---------|
| S2 | 0.9370 | 0.5440 |
| SA | 0.9540 | 0.5720 |
| SB | 0.9470 | 0.5720 |
| SC | 0.9540 | 0.5740 |
| SD | 0.9520 | 0.5720 |
| SE | 0.9520 | 0.5710 |
| SF | 0.9520 | 0.5760 |
| SG | 0.9620 | 0.5850 |
| SH | 0.9570 | 0.5830 |
| SI | 0.9620 | 0.5830 |
| SJ | 0.9580 | 0.5860 |
| SK | 0.9630 | 0.5830 |
| SL | 0.9590 | 0.5840 |
| SM | 0.9590 | 0.5810 |
| SN | 0.9590 | 0.5790 |
| SO | 0.9570 | 0.5840 |
| SP | 0.9620 | 0.5790 |
| SQ | 0.9600 | 0.5830 |
| SR | 0.9610 | 0.5820 |
| SS | 0.9540 | 0.5790 |
| ST | 0.9560 | 0.5800 |
| SU | 0.9530 | 0.5780 |
| SV | 0.9570 | 0.5790 |
| SW | 0.9540 | 0.5800 |
| SX | 0.9570 | 0.5780 |
| SY | 0.9550 | 0.5770 |
| SZ | 0.9530 | 0.5740 |
| Sa | 0.9570 | 0.5800 |
| Sb | 0.9550 | 0.5740 |
| Sc | 0.9580 | 0.5790 |
| Sd | 0.9490 | 0.5760 |
| Se | 0.9520 | 0.5730 |
| Sf | 0.9510 | 0.5720 |
| Sg | 0.9490 | 0.5740 |
| Sh | 0.9520 | 0.5720 |
| Si | 0.9460 | 0.5720 |
| Sj | 0.9510 | 0.5720 |
| Sk | 0.9530 | 0.5720 |
| Sl | 0.9550 | 0.5750 |
| Sm | 0.9480 | 0.5720 |
| Sn | 0.9520 | 0.5730 |
| So | 0.9520 | 0.5730 |



| Chain | Atom inclusion | Q-score |
|---------------------|----------------|---------|
| Sp | 0.9580 | 0.5750 |
| Sq | 0.9520 | 0.5670 |
| Sr | 0.9470 | 0.5680 |
| Ss | 0.9490 | 0.5650 |
| St | 0.9480 | 0.5640 |
| Su | 0.9540 | 0.5690 |
| Sv | 0.9480 | 0.5660 |
| Sw | 0.9370 | 0.5480 |
| Sx | 0.9340 | 0.5450 |
| Sy | 0.9360 | 0.5480 |
| Sz | 0.9350 | 0.5460 |

