



## wwPDB EM Validation Summary Report ⓘ

Jan 5, 2026 – 02:53 pm GMT

PDB ID : 9FY2 / pdb\_00009fy2  
EMDB ID : EMD-50856  
Title : Structure of CliM-stalled Bacillus subtilis 70S ribosome with empty A-site  
Authors : Gersteuer, F.; Wilson, D.N.  
Deposited on : 2024-07-02  
Resolution : 2.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev129  
Mogul : ?? (???), CSD ??CSD?? (????)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.47

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) | Similar EM resolution<br>(#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|-----------------------------|----------------------------------------------------------|
| Clashscore            | 210492                      | 15764                       | -                                                        |
| Ramachandran outliers | 207382                      | 16835                       | -                                                        |
| Sidechain outliers    | 206894                      | 16415                       | -                                                        |
| RNA backbone          | 6643                        | 2191                        | -                                                        |
| Q-score               | -                           | 25397                       | 4254 ( 1.80 - 2.80 )                                     |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain                                                |
|-----|-------|--------|-----------------------------------------------------------------|
| 1   | 0     | 59     | <div><div></div><div>83%</div><div>10%</div><div>7%</div></div> |
| 2   | 1     | 49     | <div><div></div><div>92%</div><div>6%</div><div></div></div>    |
| 3   | 2     | 44     | <div><div></div><div>93%</div><div>7%</div></div>               |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 4   | 3     | 66     | 92%              |
| 5   | 4     | 37     | 89%              |
| 6   | 6     | 66     | 32%              |
| 7   | B     | 112    | 71%              |
| 8   | C     | 277    | 91%              |
| 9   | D     | 209    | 93%              |
| 10  | E     | 207    | 95%              |
| 11  | F     | 179    | 14%              |
| 12  | G     | 179    | 17%              |
| 13  | J     | 145    | 96%              |
| 14  | K     | 122    | 91%              |
| 15  | L     | 146    | 95%              |
| 16  | M     | 144    | 89%              |
| 17  | N     | 120    | 88%              |
| 18  | O     | 120    | 10%              |
| 19  | P     | 115    | 97%              |
| 20  | Q     | 119    | 97%              |
| 21  | R     | 102    | 98%              |
| 22  | S     | 113    | 89%              |
| 23  | T     | 95     | 93%              |
| 24  | U     | 103    | 10%              |
| 25  | W     | 94     | 80%              |
| 26  | X     | 62     | 92%              |
| 27  | Y     | 66     | 8%               |
| 28  | Z     | 59     | 95%              |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 29  | c     | 218    |                  |
| 30  | e     | 166    |                  |
| 31  | f     | 95     |                  |
| 32  | g     | 156    |                  |
| 33  | h     | 132    |                  |
| 34  | i     | 130    |                  |
| 35  | j     | 102    |                  |
| 36  | k     | 131    |                  |
| 37  | l     | 138    |                  |
| 38  | m     | 121    |                  |
| 39  | n     | 61     |                  |
| 40  | o     | 89     |                  |
| 41  | p     | 90     |                  |
| 42  | q     | 87     |                  |
| 43  | r     | 79     |                  |
| 44  | t     | 88     |                  |
| 45  | v     | 76     |                  |
| 46  | A     | 2928   |                  |
| 47  | b     | 246    |                  |
| 48  | s     | 92     |                  |
| 49  | 5     | 38     |                  |
| 50  | 7     | 6      |                  |
| 51  | a     | 1554   |                  |
| 52  | d     | 200    |                  |

## 2 Entry composition

There are 52 unique types of molecules in this entry. The entry contains 137121 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large ribosomal subunit protein bL32.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 1   | 0     | 55       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 432   | 267 | 87 | 72 | 6 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| 0     | 11      | VAL      | MET    | conflict | UNP O34687 |

- Molecule 2 is a protein called 50S ribosomal protein L33 1.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 2   | 1     | 48       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 403   | 245 | 81 | 74 | 3 |         |       |

- Molecule 3 is a protein called 50S ribosomal protein L34.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 3   | 2     | 44       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 368   | 222 | 89 | 55 | 2 |         |       |

- Molecule 4 is a protein called 50S ribosomal protein L35.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 4   | 3     | 64       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 512   | 321 | 107 | 82 | 2 |         |       |

- Molecule 5 is a protein called 50S ribosomal protein L36.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 5   | 4     | 37       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 297   | 186 | 60 | 46 | 5 |         |       |

- Molecule 6 is a protein called 50S ribosomal protein L31.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 6   | 6     | 46       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 356   | 222 | 63 | 66 | 5 |         |       |

- Molecule 7 is a RNA chain called 5S rRNA.

| Mol | Chain | Residues | Atoms |      |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 7   | B     | 112      | Total | C    | N   | O   | P   | 0       | 0     |
|     |       |          | 2392  | 1068 | 435 | 778 | 111 |         |       |

- Molecule 8 is a protein called Large ribosomal subunit protein uL2.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 8   | C     | 273      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 2093  | 1301 | 412 | 374 | 6 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| C     | 216     | VAL      | ILE    | conflict | UNP P42919 |

- Molecule 9 is a protein called 50S ribosomal protein L3.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 9   | D     | 207      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1575  | 988 | 290 | 292 | 5 |         |       |

- Molecule 10 is a protein called 50S ribosomal protein L4.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 10  | E     | 206      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1567  | 983 | 290 | 292 | 2 |         |       |

- Molecule 11 is a protein called 50S ribosomal protein L5.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 11  | F     | 178      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1405  | 893 | 245 | 260 | 7 |         |       |

- Molecule 12 is a protein called Large ribosomal subunit protein uL6.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 12  | G     | 175      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1342  | 835 | 248 | 257 | 2 |         |       |

- Molecule 13 is a protein called 50S ribosomal protein L13.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 13  | J     | 143      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1131  | 714 | 207 | 205 | 5 |         |       |

- Molecule 14 is a protein called 50S ribosomal protein L14.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 14  | K     | 122      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 921   | 571 | 173 | 173 | 4 |         |       |

- Molecule 15 is a protein called 50S ribosomal protein L15.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15  | L     | 146      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1082  | 671 | 207 | 202 | 2 |         |       |

- Molecule 16 is a protein called 50S ribosomal protein L16.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 16  | M     | 135      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1076  | 690 | 205 | 176 | 5 |         |       |

- Molecule 17 is a protein called 50S ribosomal protein L17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17  | N     | 119      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 954   | 583 | 186 | 181 | 4 |         |       |

- Molecule 18 is a protein called 50S ribosomal protein L18.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 18  | O     | 120      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 913   | 564 | 176 | 172 | 1 |         |       |

- Molecule 19 is a protein called 50S ribosomal protein L19.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 19  | P     | 114      | Total | C   | N   | O   | 0       | 0     |
|     |       |          | 937   | 595 | 184 | 158 |         |       |

- Molecule 20 is a protein called Large ribosomal subunit protein bL20.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20  | Q     | 118      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 950   | 597 | 191 | 158 | 4 |         |       |

- Molecule 21 is a protein called 50S ribosomal protein L21.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 21  | R     | 102      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 795   | 506 | 140 | 148 | 1 |         |       |

- Molecule 22 is a protein called 50S ribosomal protein L22.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 22  | S     | 110      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 850   | 530 | 165 | 151 | 4 |         |       |

- Molecule 23 is a protein called Large ribosomal subunit protein uL23.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 23  | T     | 91       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 733   | 458 | 135 | 137 | 3 |         |       |

- Molecule 24 is a protein called 50S ribosomal protein L24.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 24  | U     | 102      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 770   | 482 | 143 | 141 | 4 |         |       |

- Molecule 25 is a protein called Large ribosomal subunit protein bL27.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 25  | W     | 82       | Total | C   | N   | O   | 0       | 0     |
|     |       |          | 629   | 390 | 123 | 116 |         |       |

- Molecule 26 is a protein called Large ribosomal subunit protein bL28.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 26  | X     | 61       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 467   | 288 | 98 | 79 | 2 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| X     | 33      | VAL      | LEU    | conflict | UNP P37807 |

- Molecule 27 is a protein called 50S ribosomal protein L29.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 27  | Y     | 66       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 540   | 334 | 104 | 100 | 2 |         |       |

- Molecule 28 is a protein called Large ribosomal subunit protein uL30.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 28  | Z     | 58       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 456   | 281 | 89 | 85 | 1 |         |       |

- Molecule 29 is a protein called Small ribosomal subunit protein uS3.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 29  | c     | 204      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 1608  | 1004 | 302 | 299 | 3 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| c     | 148     | ILE      | VAL    | conflict | UNP P21465 |

- Molecule 30 is a protein called 30S ribosomal protein S5.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 30  | e     | 164      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1219  | 767 | 225 | 225 | 2 |         |       |

- Molecule 31 is a protein called 30S ribosomal protein S6.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 31  | f     | 93       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 765   | 482 | 136 | 145 | 2 |         |       |

- Molecule 32 is a protein called Small ribosomal subunit protein uS7.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 32  | g     | 151      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1199  | 751 | 225 | 217 | 6 |         |       |

- Molecule 33 is a protein called 30S ribosomal protein S8.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 33  | h     | 130      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1030  | 650 | 190 | 187 | 3 |         |       |

- Molecule 34 is a protein called Small ribosomal subunit protein uS9.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 34  | i     | 128      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 997   | 618 | 198 | 180 | 1 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| i     | 72      | PHE      | LEU    | conflict | UNP P21470 |

- Molecule 35 is a protein called 30S ribosomal protein S10.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 35  | j     | 98       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 788   | 497 | 144 | 145 | 2 |         |       |

- Molecule 36 is a protein called 30S ribosomal protein S11.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 36  | k     | 115      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 847   | 520 | 166 | 159 | 2 |         |       |

- Molecule 37 is a protein called Small ribosomal subunit protein uS12.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 37  | l     | 134      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1036  | 642 | 208 | 184 | 2 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| 1     | 2       | ALA      | PRO    | conflict | UNP P21472 |

- Molecule 38 is a protein called Small ribosomal subunit protein uS13.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 38  | m     | 117      | Total | C   | N   | O   | 0       | 0     |
|     |       |          | 934   | 573 | 192 | 169 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| m     | 33      | ILE      | VAL    | conflict | UNP P20282 |

- Molecule 39 is a protein called 30S ribosomal protein S14.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 39  | n     | 60       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 498   | 317 | 98 | 78 | 5 |         |       |

- Molecule 40 is a protein called 30S ribosomal protein S15.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 40  | o     | 87       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 730   | 448 | 149 | 132 | 1 |         |       |

- Molecule 41 is a protein called 30S ribosomal protein S16.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 41  | p     | 87       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 691   | 439 | 127 | 123 | 2 |         |       |

- Molecule 42 is a protein called 30S ribosomal protein S17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 42  | q     | 84       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 693   | 438 | 128 | 125 | 2 |         |       |

- Molecule 43 is a protein called 30S ribosomal protein S18.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 43  | r     | 65       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 522   | 334 | 97 | 89 | 2 |         |       |

- Molecule 44 is a protein called 30S ribosomal protein S20.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 44  | t     | 86       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 658   | 402 | 134 | 121 | 1 |         |       |

- Molecule 45 is a RNA chain called P-site tRNA-Phe.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 45  | v     | 76       | Total | C   | N   | O   | P  | 0       | 0     |
|     |       |          | 1622  | 723 | 290 | 533 | 76 |         |       |

- Molecule 46 is a RNA chain called 23S rRNA.

| Mol | Chain | Residues | Atoms |       |       |       |      | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|-------|
| 46  | A     | 2729     | Total | C     | N     | O     | P    | 0       | 0     |
|     |       |          | 58630 | 26158 | 10860 | 18885 | 2727 |         |       |

- Molecule 47 is a protein called 30S ribosomal protein S2.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 47  | b     | 195      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1564  | 996 | 277 | 285 | 6 |         |       |

- Molecule 48 is a protein called Small ribosomal subunit protein uS19.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 48  | s     | 84       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 680   | 435 | 126 | 117 | 2 |         |       |

- Molecule 49 is a protein called Nascent Chain CliM.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 49  | 5     | 38       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 346   | 232 | 56 | 57 | 1 |         |       |

- Molecule 50 is a RNA chain called mRNA.

| Mol | Chain | Residues | Atoms |    |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 50  | 7     | 6        | Total | C  | N  | O  | P | 0       | 0     |
|     |       |          | 123   | 55 | 15 | 47 | 6 |         |       |

- Molecule 51 is a RNA chain called 16S rRNA.

| Mol | Chain | Residues | Atoms |       |      |       |      | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| 51  | a     | 1509     | Total | C     | N    | O     | P    | 0       | 0     |
|     |       |          | 32391 | 14444 | 5959 | 10479 | 1509 |         |       |


- Molecule 52 is a protein called 30S ribosomal protein S4.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 52  | d     | 199      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 1604  | 1013 | 298 | 291 | 2 |         |       |


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Large ribosomal subunit protein bL32




- Molecule 2: 50S ribosomal protein L33 1




- Molecule 3: 50S ribosomal protein L34




- Molecule 4: 50S ribosomal protein L35




- Molecule 5: 50S ribosomal protein L36




- Molecule 6: 50S ribosomal protein L31




- Molecule 7: 5S rRNA




- Molecule 8: Large ribosomal subunit protein uL2




- Molecule 9: 50S ribosomal protein L3




- Molecule 10: 50S ribosomal protein L4




- Molecule 11: 50S ribosomal protein L5



- Molecule 12: Large ribosomal subunit protein uL6



- Molecule 13: 50S ribosomal protein L13

Chain J:  96% ..




- Molecule 14: 50S ribosomal protein L14

Chain K:  91% 9%



- Molecule 15: 50S ribosomal protein L15

Chain L:  95% ..



- Molecule 16: 50S ribosomal protein L16

Chain M:  89% 5% 6%




- Molecule 17: 50S ribosomal protein L17

Chain N:  88% 10% ..




- Molecule 18: 50S ribosomal protein L18

Chain O:  10% 96% ..




- Molecule 19: 50S ribosomal protein L19

Chain P:  97% ...




- Molecule 20: Large ribosomal subunit protein bL20

Chain Q:  97% ..



- Molecule 21: 50S ribosomal protein L21

Chain R:  98% .




- Molecule 22: 50S ribosomal protein L22

Chain S:  89% 7% ..



- Molecule 23: Large ribosomal subunit protein uL23

Chain T:  93% ..



- Molecule 24: 50S ribosomal protein L24

Chain U:  10% 97% ..



- Molecule 25: Large ribosomal subunit protein bL27

Chain W:  80% 7% 13%




- Molecule 26: Large ribosomal subunit protein bL28


Chain X:  92% 6% .




- Molecule 27: 50S ribosomal protein L29



- Molecule 28: Large ribosomal subunit protein uL30




- Molecule 29: Small ribosomal subunit protein uS3



- Molecule 30: 30S ribosomal protein S5




- Molecule 31: 30S ribosomal protein S6




- Molecule 32: Small ribosomal subunit protein uS7








- Molecule 33: 30S ribosomal protein S8





- Molecule 34: Small ribosomal subunit protein uS9




- Molecule 35: 30S ribosomal protein S10




- Molecule 36: 30S ribosomal protein S11




- Molecule 37: Small ribosomal subunit protein uS12




- Molecule 38: Small ribosomal subunit protein uS13




- Molecule 39: 30S ribosomal protein S14




- Molecule 40: 30S ribosomal protein S15





- Molecule 41: 30S ribosomal protein S16




- Molecule 42: 30S ribosomal protein S17




- Molecule 43: 30S ribosomal protein S18




- Molecule 44: 30S ribosomal protein S20







• Molecule 45: P-site tRNA-Phe




• Molecule 46: 23S rRNA









- Molecule 47: 30S ribosomal protein S2




- Molecule 48: Small ribosomal subunit protein uS19



- Molecule 49: Nascent Chain CliM




- Molecule 50: mRNA




- Molecule 51: 16S rRNA





- Molecule 52: 30S ribosomal protein S4





## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|-----------------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, Not provided                     |           |
| Number of particles used             | 368433                                  | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | TFS KRIOS                               | Depositor |
| Voltage (kV)                         | 300                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 1.14                                    | Depositor |
| Minimum defocus (nm)                 | 300                                     | Depositor |
| Maximum defocus (nm)                 | 900                                     | Depositor |
| Magnification                        | Not provided                            |           |
| Image detector                       | GATAN K3 BIOQUANTUM (6k x 4k)           | Depositor |
| Maximum map value                    | 0.060                                   | Depositor |
| Minimum map value                    | -0.016                                  | Depositor |
| Average map value                    | 0.000                                   | Depositor |
| Map value standard deviation         | 0.003                                   | Depositor |
| Recommended contour level            | 0.008                                   | Depositor |
| Map size (Å)                         | 319.104, 319.104, 319.104               | wwPDB     |
| Map dimensions                       | 384, 384, 384                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 0.83100003, 0.83100003, 0.83100003      | Depositor |

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |         | Bond angles |                |
|-----|-------|--------------|---------|-------------|----------------|
|     |       | RMSZ         | # Z  >5 | RMSZ        | # Z  >5        |
| 1   | 0     | 0.64         | 0/439   | 1.16        | 1/584 (0.2%)   |
| 2   | 1     | 0.50         | 0/408   | 0.93        | 0/541          |
| 3   | 2     | 0.65         | 0/371   | 1.05        | 0/483          |
| 4   | 3     | 0.64         | 0/519   | 1.06        | 2/680 (0.3%)   |
| 5   | 4     | 0.52         | 0/300   | 0.99        | 0/393          |
| 6   | 6     | 0.54         | 0/363   | 1.01        | 0/485          |
| 7   | B     | 0.57         | 0/2675  | 1.06        | 13/4170 (0.3%) |
| 8   | C     | 0.59         | 0/2130  | 1.01        | 0/2858         |
| 9   | D     | 0.57         | 0/1597  | 1.00        | 2/2140 (0.1%)  |
| 10  | E     | 0.54         | 0/1586  | 0.98        | 0/2139         |
| 11  | F     | 0.51         | 0/1424  | 1.05        | 0/1910         |
| 12  | G     | 0.52         | 0/1360  | 0.97        | 0/1832         |
| 13  | J     | 0.56         | 0/1154  | 0.96        | 0/1552         |
| 14  | K     | 0.52         | 0/928   | 0.99        | 0/1245         |
| 15  | L     | 0.55         | 0/1094  | 1.01        | 0/1457         |
| 16  | M     | 0.53         | 0/1099  | 1.00        | 0/1468         |
| 17  | N     | 0.57         | 0/961   | 1.16        | 2/1284 (0.2%)  |
| 18  | O     | 0.54         | 0/922   | 1.00        | 0/1236         |
| 19  | P     | 0.53         | 0/950   | 1.01        | 0/1269         |
| 20  | Q     | 0.60         | 0/962   | 1.03        | 0/1277         |
| 21  | R     | 0.48         | 0/806   | 0.90        | 0/1080         |
| 22  | S     | 0.60         | 0/859   | 1.07        | 0/1156         |
| 23  | T     | 0.53         | 0/739   | 1.04        | 0/985          |
| 24  | U     | 0.54         | 0/780   | 0.94        | 0/1043         |
| 25  | W     | 0.54         | 0/637   | 1.06        | 1/846 (0.1%)   |
| 26  | X     | 0.53         | 0/471   | 1.03        | 1/626 (0.2%)   |
| 27  | Y     | 0.46         | 0/541   | 1.06        | 0/718          |
| 28  | Z     | 0.51         | 0/458   | 1.00        | 0/613          |
| 29  | c     | 0.51         | 0/1630  | 1.02        | 0/2193         |
| 30  | e     | 0.52         | 0/1231  | 1.01        | 1/1655 (0.1%)  |
| 31  | f     | 0.46         | 0/776   | 0.96        | 0/1043         |
| 32  | g     | 0.51         | 0/1215  | 1.09        | 0/1629         |

| Mol | Chain | Bond lengths |          | Bond angles |                   |
|-----|-------|--------------|----------|-------------|-------------------|
|     |       | RMSZ         | # Z  >5  | RMSZ        | # Z  >5           |
| 33  | h     | 0.49         | 0/1042   | 0.93        | 0/1397            |
| 34  | i     | 0.54         | 0/1011   | 1.00        | 0/1356            |
| 35  | j     | 0.54         | 0/800    | 1.08        | 1/1077 (0.1%)     |
| 36  | k     | 0.55         | 0/861    | 0.97        | 0/1164            |
| 37  | l     | 0.50         | 0/1052   | 0.92        | 0/1413            |
| 38  | m     | 0.54         | 0/940    | 1.08        | 0/1257            |
| 39  | n     | 0.51         | 0/508    | 1.00        | 0/672             |
| 40  | o     | 0.48         | 0/738    | 1.07        | 0/985             |
| 41  | p     | 0.48         | 0/704    | 0.97        | 0/945             |
| 42  | q     | 0.46         | 0/701    | 0.90        | 0/936             |
| 43  | r     | 0.48         | 0/530    | 1.01        | 0/710             |
| 44  | t     | 0.49         | 0/661    | 1.17        | 0/882             |
| 45  | v     | 0.58         | 0/1812   | 1.07        | 6/2823 (0.2%)     |
| 46  | A     | 0.56         | 0/65622  | 1.20        | 489/102356 (0.5%) |
| 47  | b     | 0.49         | 0/1586   | 1.07        | 0/2130            |
| 48  | s     | 0.52         | 0/696    | 1.05        | 1/931 (0.1%)      |
| 49  | 5     | 0.52         | 0/356    | 1.04        | 0/481             |
| 50  | 7     | 0.66         | 0/135    | 1.13        | 1/207 (0.5%)      |
| 51  | a     | 0.56         | 0/36267  | 1.06        | 152/56571 (0.3%)  |
| 52  | d     | 0.50         | 0/1635   | 1.01        | 0/2196            |
| All | All   | 0.55         | 0/149042 | 1.12        | 673/223079 (0.3%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1   | 0     | 0                   | 2                   |
| 2   | 1     | 0                   | 1                   |
| 3   | 2     | 0                   | 1                   |
| 5   | 4     | 0                   | 1                   |
| 6   | 6     | 0                   | 1                   |
| 8   | C     | 0                   | 7                   |
| 10  | E     | 0                   | 3                   |
| 11  | F     | 0                   | 1                   |
| 12  | G     | 0                   | 1                   |
| 15  | L     | 0                   | 1                   |
| 16  | M     | 0                   | 1                   |
| 17  | N     | 0                   | 3                   |
| 18  | O     | 0                   | 1                   |
| 19  | P     | 0                   | 2                   |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 20  | Q     | 0                   | 1                   |
| 21  | R     | 0                   | 1                   |
| 22  | S     | 0                   | 1                   |
| 26  | X     | 0                   | 1                   |
| 27  | Y     | 0                   | 1                   |
| 30  | e     | 0                   | 2                   |
| 31  | f     | 0                   | 2                   |
| 34  | i     | 0                   | 3                   |
| 35  | j     | 0                   | 1                   |
| 38  | m     | 0                   | 1                   |
| 46  | A     | 0                   | 3                   |
| 47  | b     | 0                   | 1                   |
| 48  | s     | 0                   | 1                   |
| 51  | a     | 0                   | 1                   |
| 52  | d     | 0                   | 2                   |
| All | All   | 0                   | 48                  |

There are no bond length outliers.

The worst 5 of 673 bond angle outliers are listed below:

| Mol | Chain | Res  | Type | Atoms       | Z      | Observed( $^{\circ}$ ) | Ideal( $^{\circ}$ ) |
|-----|-------|------|------|-------------|--------|------------------------|---------------------|
| 46  | A     | 732  | A    | O3'-P-O5'   | -18.09 | 76.87                  | 104.00              |
| 46  | A     | 490  | A    | O3'-P-O5'   | -14.84 | 81.74                  | 104.00              |
| 46  | A     | 1244 | A    | O3'-P-O5'   | 14.61  | 125.91                 | 104.00              |
| 46  | A     | 2904 | A    | C2'-C3'-O3' | 14.52  | 131.28                 | 109.50              |
| 46  | A     | 1363 | G    | O3'-P-O5'   | -12.18 | 85.74                  | 104.00              |

There are no chirality outliers.

5 of 48 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group     |
|-----|-------|-----|------|-----------|
| 1   | 0     | 41  | ARG  | Sidechain |
| 1   | 0     | 6   | ARG  | Sidechain |
| 2   | 1     | 29  | ARG  | Sidechain |
| 3   | 2     | 33  | ARG  | Sidechain |
| 5   | 4     | 19  | ARG  | Sidechain |

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | 0     | 432   | 0        | 454      | 3       | 0            |
| 2   | 1     | 403   | 0        | 414      | 1       | 0            |
| 3   | 2     | 368   | 0        | 410      | 1       | 0            |
| 4   | 3     | 512   | 0        | 564      | 1       | 0            |
| 5   | 4     | 297   | 0        | 342      | 2       | 0            |
| 6   | 6     | 356   | 0        | 350      | 1       | 0            |
| 7   | B     | 2392  | 0        | 1213     | 1       | 0            |
| 8   | C     | 2093  | 0        | 2179     | 10      | 0            |
| 9   | D     | 1575  | 0        | 1642     | 7       | 0            |
| 10  | E     | 1567  | 0        | 1652     | 2       | 0            |
| 11  | F     | 1405  | 0        | 1467     | 2       | 0            |
| 12  | G     | 1342  | 0        | 1388     | 1       | 0            |
| 13  | J     | 1131  | 0        | 1169     | 2       | 0            |
| 14  | K     | 921   | 0        | 977      | 4       | 0            |
| 15  | L     | 1082  | 0        | 1132     | 2       | 0            |
| 16  | M     | 1076  | 0        | 1145     | 3       | 0            |
| 17  | N     | 954   | 0        | 983      | 6       | 0            |
| 18  | O     | 913   | 0        | 947      | 0       | 0            |
| 19  | P     | 937   | 0        | 1008     | 0       | 0            |
| 20  | Q     | 950   | 0        | 1018     | 1       | 0            |
| 21  | R     | 795   | 0        | 838      | 1       | 0            |
| 22  | S     | 850   | 0        | 911      | 4       | 0            |
| 23  | T     | 733   | 0        | 781      | 2       | 0            |
| 24  | U     | 770   | 0        | 825      | 1       | 0            |
| 25  | W     | 629   | 0        | 644      | 3       | 0            |
| 26  | X     | 467   | 0        | 512      | 2       | 0            |
| 27  | Y     | 540   | 0        | 581      | 0       | 0            |
| 28  | Z     | 456   | 0        | 491      | 1       | 0            |
| 29  | c     | 1608  | 0        | 1646     | 0       | 0            |
| 30  | e     | 1219  | 0        | 1300     | 1       | 0            |
| 31  | f     | 765   | 0        | 765      | 0       | 0            |
| 32  | g     | 1199  | 0        | 1256     | 0       | 0            |
| 33  | h     | 1030  | 0        | 1086     | 0       | 0            |
| 34  | i     | 997   | 0        | 1033     | 1       | 0            |
| 35  | j     | 788   | 0        | 832      | 8       | 0            |
| 36  | k     | 847   | 0        | 860      | 1       | 0            |
| 37  | l     | 1036  | 0        | 1091     | 0       | 0            |
| 38  | m     | 934   | 0        | 995      | 0       | 0            |
| 39  | n     | 498   | 0        | 533      | 0       | 0            |
| 40  | o     | 730   | 0        | 759      | 0       | 0            |
| 41  | p     | 691   | 0        | 718      | 1       | 0            |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H  | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|--------|----------|----------|---------|--------------|
| 42  | q     | 693    | 0        | 734      | 1       | 0            |
| 43  | r     | 522    | 0        | 558      | 0       | 0            |
| 44  | t     | 658    | 0        | 715      | 1       | 0            |
| 45  | v     | 1622   | 0        | 820      | 1       | 0            |
| 46  | A     | 58630  | 0        | 29517    | 151     | 0            |
| 47  | b     | 1564   | 0        | 1625     | 2       | 0            |
| 48  | s     | 680    | 0        | 694      | 0       | 0            |
| 49  | 5     | 346    | 0        | 345      | 2       | 0            |
| 50  | 7     | 123    | 0        | 62       | 0       | 0            |
| 51  | a     | 32391  | 0        | 16310    | 51      | 0            |
| 52  | d     | 1604   | 0        | 1638     | 1       | 0            |
| All | All   | 137121 | 0        | 91929    | 248     | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 248 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1          | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|------------------|--------------------------|-------------------|
| 46:A:2806:G:OP2 | 46:A:2810:A:O2'  | 2.07                     | 0.73              |
| 46:A:2231:C:O2' | 46:A:2233:C:OP1  | 2.09                     | 0.70              |
| 46:A:1367:G:H2' | 46:A:1369:C:C5   | 2.26                     | 0.70              |
| 46:A:1887:G:O2' | 46:A:1912:G:N2   | 2.33                     | 0.61              |
| 46:A:1359:G:C2  | 46:A:1368:U:H5'' | 2.35                     | 0.61              |

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed    | Favoured | Allowed | Outliers | Percentiles           |
|-----|-------|-------------|----------|---------|----------|-----------------------|
| 1   | 0     | 53/59 (90%) | 48 (91%) | 5 (9%)  | 0        | <b>100</b> <b>100</b> |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed      | Favoured  | Allowed  | Outliers | Percentiles |     |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 2   | 1     | 46/49 (94%)   | 42 (91%)  | 4 (9%)   | 0        | 100         | 100 |
| 3   | 2     | 42/44 (96%)   | 41 (98%)  | 1 (2%)   | 0        | 100         | 100 |
| 4   | 3     | 62/66 (94%)   | 62 (100%) | 0        | 0        | 100         | 100 |
| 5   | 4     | 35/37 (95%)   | 35 (100%) | 0        | 0        | 100         | 100 |
| 6   | 6     | 44/66 (67%)   | 37 (84%)  | 7 (16%)  | 0        | 100         | 100 |
| 8   | C     | 271/277 (98%) | 261 (96%) | 10 (4%)  | 0        | 100         | 100 |
| 9   | D     | 205/209 (98%) | 199 (97%) | 6 (3%)   | 0        | 100         | 100 |
| 10  | E     | 204/207 (99%) | 199 (98%) | 5 (2%)   | 0        | 100         | 100 |
| 11  | F     | 176/179 (98%) | 159 (90%) | 17 (10%) | 0        | 100         | 100 |
| 12  | G     | 173/179 (97%) | 156 (90%) | 17 (10%) | 0        | 100         | 100 |
| 13  | J     | 141/145 (97%) | 137 (97%) | 4 (3%)   | 0        | 100         | 100 |
| 14  | K     | 120/122 (98%) | 111 (92%) | 9 (8%)   | 0        | 100         | 100 |
| 15  | L     | 144/146 (99%) | 139 (96%) | 4 (3%)   | 1 (1%)   | 19          | 23  |
| 16  | M     | 133/144 (92%) | 125 (94%) | 8 (6%)   | 0        | 100         | 100 |
| 17  | N     | 117/120 (98%) | 108 (92%) | 9 (8%)   | 0        | 100         | 100 |
| 18  | O     | 118/120 (98%) | 109 (92%) | 6 (5%)   | 3 (2%)   | 4           | 3   |
| 19  | P     | 112/115 (97%) | 111 (99%) | 0        | 1 (1%)   | 14          | 17  |
| 20  | Q     | 116/119 (98%) | 113 (97%) | 3 (3%)   | 0        | 100         | 100 |
| 21  | R     | 100/102 (98%) | 99 (99%)  | 1 (1%)   | 0        | 100         | 100 |
| 22  | S     | 108/113 (96%) | 107 (99%) | 1 (1%)   | 0        | 100         | 100 |
| 23  | T     | 89/95 (94%)   | 85 (96%)  | 4 (4%)   | 0        | 100         | 100 |
| 24  | U     | 100/103 (97%) | 92 (92%)  | 8 (8%)   | 0        | 100         | 100 |
| 25  | W     | 80/94 (85%)   | 75 (94%)  | 5 (6%)   | 0        | 100         | 100 |
| 26  | X     | 59/62 (95%)   | 58 (98%)  | 1 (2%)   | 0        | 100         | 100 |
| 27  | Y     | 64/66 (97%)   | 63 (98%)  | 1 (2%)   | 0        | 100         | 100 |
| 28  | Z     | 56/59 (95%)   | 52 (93%)  | 4 (7%)   | 0        | 100         | 100 |
| 29  | c     | 202/218 (93%) | 184 (91%) | 17 (8%)  | 1 (0%)   | 25          | 32  |
| 30  | e     | 162/166 (98%) | 159 (98%) | 3 (2%)   | 0        | 100         | 100 |
| 31  | f     | 91/95 (96%)   | 89 (98%)  | 1 (1%)   | 1 (1%)   | 12          | 13  |
| 32  | g     | 149/156 (96%) | 139 (93%) | 9 (6%)   | 1 (1%)   | 19          | 23  |
| 33  | h     | 128/132 (97%) | 125 (98%) | 3 (2%)   | 0        | 100         | 100 |

*Continued on next page...*

Continued from previous page...

| Mol | Chain | Analysed        | Favoured   | Allowed  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 34  | i     | 126/130 (97%)   | 115 (91%)  | 10 (8%)  | 1 (1%)   | 16          | 20  |
| 35  | j     | 96/102 (94%)    | 87 (91%)   | 8 (8%)   | 1 (1%)   | 13          | 15  |
| 36  | k     | 113/131 (86%)   | 105 (93%)  | 6 (5%)   | 2 (2%)   | 7           | 6   |
| 37  | l     | 132/138 (96%)   | 127 (96%)  | 5 (4%)   | 0        | 100         | 100 |
| 38  | m     | 115/121 (95%)   | 107 (93%)  | 7 (6%)   | 1 (1%)   | 14          | 17  |
| 39  | n     | 58/61 (95%)     | 55 (95%)   | 3 (5%)   | 0        | 100         | 100 |
| 40  | o     | 85/89 (96%)     | 81 (95%)   | 4 (5%)   | 0        | 100         | 100 |
| 41  | p     | 85/90 (94%)     | 82 (96%)   | 3 (4%)   | 0        | 100         | 100 |
| 42  | q     | 82/87 (94%)     | 78 (95%)   | 4 (5%)   | 0        | 100         | 100 |
| 43  | r     | 63/79 (80%)     | 62 (98%)   | 1 (2%)   | 0        | 100         | 100 |
| 44  | t     | 84/88 (96%)     | 81 (96%)   | 3 (4%)   | 0        | 100         | 100 |
| 47  | b     | 191/246 (78%)   | 181 (95%)  | 9 (5%)   | 1 (0%)   | 25          | 32  |
| 48  | s     | 81/92 (88%)     | 73 (90%)   | 7 (9%)   | 1 (1%)   | 11          | 12  |
| 49  | 5     | 36/38 (95%)     | 32 (89%)   | 4 (11%)  | 0        | 100         | 100 |
| 52  | d     | 197/200 (98%)   | 185 (94%)  | 11 (6%)  | 1 (0%)   | 25          | 32  |
| All | All   | 5244/5556 (94%) | 4970 (95%) | 258 (5%) | 16 (0%)  | 38          | 47  |

5 of 16 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 18  | O     | 2   | ILE  |
| 31  | f     | 88  | HIS  |
| 36  | k     | 121 | ASN  |
| 38  | m     | 36  | GLU  |
| 52  | d     | 67  | GLN  |

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed    | Rotameric | Outliers | Percentiles |     |
|-----|-------|-------------|-----------|----------|-------------|-----|
| 1   | 0     | 49/53 (92%) | 49 (100%) | 0        | 100         | 100 |

Continued on next page...

*Continued from previous page...*

| Mol | Chain | Analysed       | Rotameric  | Outliers | Percentiles |     |
|-----|-------|----------------|------------|----------|-------------|-----|
| 2   | 1     | 46/47 (98%)    | 46 (100%)  | 0        | 100         | 100 |
| 3   | 2     | 39/39 (100%)   | 39 (100%)  | 0        | 100         | 100 |
| 4   | 3     | 54/56 (96%)    | 53 (98%)   | 1 (2%)   | 52          | 69  |
| 5   | 4     | 35/35 (100%)   | 35 (100%)  | 0        | 100         | 100 |
| 6   | 6     | 39/55 (71%)    | 38 (97%)   | 1 (3%)   | 41          | 58  |
| 8   | C     | 221/225 (98%)  | 219 (99%)  | 2 (1%)   | 75          | 87  |
| 9   | D     | 168/170 (99%)  | 166 (99%)  | 2 (1%)   | 67          | 81  |
| 10  | E     | 169/170 (99%)  | 166 (98%)  | 3 (2%)   | 54          | 71  |
| 11  | F     | 153/154 (99%)  | 151 (99%)  | 2 (1%)   | 65          | 79  |
| 12  | G     | 148/151 (98%)  | 147 (99%)  | 1 (1%)   | 81          | 90  |
| 13  | J     | 121/123 (98%)  | 121 (100%) | 0        | 100         | 100 |
| 14  | K     | 101/101 (100%) | 97 (96%)   | 4 (4%)   | 27          | 40  |
| 15  | L     | 110/110 (100%) | 107 (97%)  | 3 (3%)   | 40          | 57  |
| 16  | M     | 109/116 (94%)  | 108 (99%)  | 1 (1%)   | 75          | 87  |
| 17  | N     | 99/100 (99%)   | 98 (99%)   | 1 (1%)   | 73          | 85  |
| 18  | O     | 93/93 (100%)   | 91 (98%)   | 2 (2%)   | 47          | 65  |
| 19  | P     | 99/100 (99%)   | 98 (99%)   | 1 (1%)   | 73          | 85  |
| 20  | Q     | 97/98 (99%)    | 96 (99%)   | 1 (1%)   | 73          | 85  |
| 21  | R     | 84/84 (100%)   | 84 (100%)  | 0        | 100         | 100 |
| 22  | S     | 91/93 (98%)    | 88 (97%)   | 3 (3%)   | 33          | 48  |
| 23  | T     | 82/85 (96%)    | 81 (99%)   | 1 (1%)   | 67          | 81  |
| 24  | U     | 86/87 (99%)    | 85 (99%)   | 1 (1%)   | 67          | 81  |
| 25  | W     | 63/74 (85%)    | 62 (98%)   | 1 (2%)   | 58          | 74  |
| 26  | X     | 49/50 (98%)    | 49 (100%)  | 0        | 100         | 100 |
| 27  | Y     | 57/57 (100%)   | 57 (100%)  | 0        | 100         | 100 |
| 28  | Z     | 52/53 (98%)    | 51 (98%)   | 1 (2%)   | 52          | 69  |
| 29  | c     | 167/178 (94%)  | 163 (98%)  | 4 (2%)   | 44          | 61  |
| 30  | e     | 128/130 (98%)  | 127 (99%)  | 1 (1%)   | 79          | 89  |
| 31  | f     | 82/84 (98%)    | 79 (96%)   | 3 (4%)   | 29          | 43  |
| 32  | g     | 127/132 (96%)  | 126 (99%)  | 1 (1%)   | 79          | 89  |
| 33  | h     | 110/112 (98%)  | 108 (98%)  | 2 (2%)   | 54          | 71  |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed        | Rotameric  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 34  | i     | 101/102 (99%)   | 101 (100%) | 0        | 100         | 100 |
| 35  | j     | 89/92 (97%)     | 88 (99%)   | 1 (1%)   | 70          | 83  |
| 36  | k     | 87/100 (87%)    | 86 (99%)   | 1 (1%)   | 70          | 83  |
| 37  | l     | 112/115 (97%)   | 111 (99%)  | 1 (1%)   | 75          | 87  |
| 38  | m     | 100/104 (96%)   | 99 (99%)   | 1 (1%)   | 73          | 85  |
| 39  | n     | 53/54 (98%)     | 53 (100%)  | 0        | 100         | 100 |
| 40  | o     | 82/83 (99%)     | 82 (100%)  | 0        | 100         | 100 |
| 41  | p     | 74/76 (97%)     | 74 (100%)  | 0        | 100         | 100 |
| 42  | q     | 77/80 (96%)     | 77 (100%)  | 0        | 100         | 100 |
| 43  | r     | 56/64 (88%)     | 56 (100%)  | 0        | 100         | 100 |
| 44  | t     | 69/70 (99%)     | 66 (96%)   | 3 (4%)   | 25          | 36  |
| 47  | b     | 167/212 (79%)   | 164 (98%)  | 3 (2%)   | 54          | 71  |
| 48  | s     | 73/81 (90%)     | 72 (99%)   | 1 (1%)   | 62          | 77  |
| 49  | 5     | 38/38 (100%)    | 36 (95%)   | 2 (5%)   | 19          | 28  |
| 52  | d     | 172/173 (99%)   | 169 (98%)  | 3 (2%)   | 56          | 72  |
| All | All   | 4478/4659 (96%) | 4419 (99%) | 59 (1%)  | 64          | 79  |

5 of 59 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 23  | T     | 91  | GLU  |
| 49  | 5     | 100 | ILE  |
| 29  | c     | 53  | LYS  |
| 49  | 5     | 94  | ARG  |
| 44  | t     | 48  | LYS  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 50 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 26  | X     | 23  | ASN  |
| 32  | g     | 86  | GLN  |
| 52  | d     | 115 | ASN  |
| 27  | Y     | 27  | ASN  |
| 29  | c     | 146 | GLN  |

### 5.3.3 RNA ⓘ

| Mol | Chain | Analysed        | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 45  | v     | 75/76 (98%)     | 20 (26%)          | 0               |
| 46  | A     | 2716/2928 (92%) | 418 (15%)         | 91 (3%)         |
| 50  | 7     | 5/6 (83%)       | 2 (40%)           | 0               |
| 51  | a     | 1504/1554 (96%) | 251 (16%)         | 0               |
| 7   | B     | 111/112 (99%)   | 24 (21%)          | 7 (6%)          |
| All | All   | 4411/4676 (94%) | 715 (16%)         | 98 (2%)         |

5 of 715 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 7   | B     | 10  | G    |
| 7   | B     | 12  | U    |
| 7   | B     | 23  | U    |
| 7   | B     | 32  | U    |
| 7   | B     | 33  | U    |

5 of 98 RNA pucker outliers are listed below:

| Mol | Chain | Res  | Type |
|-----|-------|------|------|
| 46  | A     | 1382 | G    |
| 46  | A     | 1691 | A    |
| 46  | A     | 1498 | U    |
| 46  | A     | 1543 | U    |
| 46  | A     | 1887 | G    |

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-50856. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


### 6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 164




Y Index: 156




Z Index: 178


### 6.3.2 Raw map



X Index: 166



Y Index: 156




Z Index: 178


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.008. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_50856\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 887 nm<sup>3</sup>; this corresponds to an approximate mass of 802 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.435  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.435 \text{ \AA}^{-1}$

## 8.2 Resolution estimates [i](#)


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 2.30                               | -    | -        |
| Author-provided FSC curve | 2.33                               | 2.73 | 2.38     |
| Unmasked-calculated*      | 2.53                               | 2.90 | 2.58     |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-50856 and PDB model 9FY2. Per-residue inclusion information can be found in section [3](#) on page [14](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.008 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.008).

## 9.4 Atom inclusion ⓘ



At the recommended contour level, 94% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.008) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion                                                                             | Q-score                                                                                    |
|-------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| All   |  0.9020   |  0.6000   |
| 0     |  0.8930   |  0.6150   |
| 1     |  0.8050   |  0.5810   |
| 2     |  0.9770   |  0.6700   |
| 3     |  0.9520   |  0.6510   |
| 4     |  0.9000   |  0.6210   |
| 5     |  0.7620   |  0.5910   |
| 6     |  0.4500   |  0.4170   |
| 7     |  0.9110   |  0.5770   |
| A     |  0.9710   |  0.6320   |
| B     |  0.9270   |  0.5660   |
| C     |  0.9380   |  0.6500   |
| D     |  0.8930   |  0.6390   |
| E     |  0.8400   |  0.6210   |
| F     |  0.6150  |  0.4830  |
| G     |  0.6110 |  0.5230 |
| J     |  0.9150 |  0.6400 |
| K     |  0.9060 |  0.6400 |
| L     |  0.8450 |  0.6170 |
| M     |  0.9020 |  0.6140 |
| N     |  0.8870 |  0.5990 |
| O     |  0.7010 |  0.5240 |
| P     |  0.8610 |  0.6090 |
| Q     |  0.9140 |  0.6510 |
| R     |  0.8420 |  0.6290 |
| S     |  0.8960 |  0.6310 |
| T     |  0.8240 |  0.5790 |
| U     |  0.7540 |  0.5800 |
| W     |  0.9140 |  0.6210 |
| X     |  0.8170 |  0.5990 |
| Y     |  0.7270 |  0.5480 |
| Z     |  0.8590 |  0.6120 |
| a     |  0.9280 |  0.5790 |
| b     |  0.6150 |  0.5310 |
| c     |  0.6650 |  0.5090 |



*Continued on next page...*

*Continued from previous page...*

| Chain | Atom inclusion                                                                            | Q-score                                                                                   |
|-------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| d     |  0.6880  |  0.5510  |
| e     |  0.8230  |  0.5990  |
| f     |  0.7310  |  0.5760  |
| g     |  0.6170  |  0.4740  |
| h     |  0.8550  |  0.6060  |
| i     |  0.5810  |  0.4540  |
| j     |  0.4940  |  0.4220  |
| k     |  0.7360  |  0.5530  |
| l     |  0.8480  |  0.6070  |
| m     |  0.6710  |  0.4830  |
| n     |  0.8170  |  0.5450  |
| o     |  0.8330  |  0.5960  |
| p     |  0.8120  |  0.5780  |
| q     |  0.7880  |  0.5700  |
| r     |  0.7980  |  0.5930  |
| s     |  0.6290  |  0.4700  |
| t     |  0.7090  |  0.5260  |
| v     |  0.9250 |  0.5730 |