

Jan 20, 2025 – 12:33 pm GMT

PDB ID	:	9G9A
EMDB ID	:	EMD-51145
Title	:	CryoEM structure of Enterococcus italicus Csm-crRNA (3.2 complex)
Authors	:	Jungfer, K.; Jinek, M.
Deposited on	:	2024-07-25
Resolution	:	2.83 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
MolProbity	:	4.02b-467
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{llllllllllllllllllllllllllllllllllll$	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chai	n			
1	А	774	<mark>6%</mark> 72%		20%	8%	-
2	В	140	6%	16%	6 •	19%	
2	С	140	56%	21%	•	24%	
3	D	214	71%		20%	8%	
3	Е	214	• 76%			21% •	
3	F	214	6%		27%	10%	-
4	G	307	77%			21%	•



Mol	Chain	Length		Quality of chain						
5	Н	379	14% 24%	•		72%				
6	R	45	•	36%	16%	44%				



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 15951 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called CRISPR system single-strand-specific deoxyribonuclease Cas10/Csm1 (subtype III-A).

Mol	Chain	Residues		\mathbf{A}	AltConf	Trace			
1	А	712	Total 5700	C 3638	N 943	O 1095	S 24	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-19	MET	-	initiating methionine	UNP E6LHV7
А	-18	HIS	-	expression tag	UNP E6LHV7
А	-17	HIS	-	expression tag	UNP E6LHV7
А	-16	HIS	-	expression tag	UNP E6LHV7
А	-15	HIS	-	expression tag	UNP E6LHV7
А	-14	HIS	-	expression tag	UNP E6LHV7
А	-13	HIS	-	expression tag	UNP E6LHV7
А	-12	HIS	-	expression tag	UNP E6LHV7
А	-11	HIS	-	expression tag	UNP E6LHV7
А	-10	HIS	-	expression tag	UNP E6LHV7
А	-9	HIS	-	expression tag	UNP E6LHV7
А	-8	LEU	-	expression tag	UNP E6LHV7
А	-7	GLU	-	expression tag	UNP E6LHV7
А	-6	VAL	-	expression tag	UNP E6LHV7
А	-5	LEU	-	expression tag	UNP E6LHV7
А	-4	PHE	-	expression tag	UNP E6LHV7
A	-3	GLN	-	expression tag	UNP E6LHV7
A	-2	GLY	-	expression tag	UNP E6LHV7
А	-1	PRO	-	expression tag	UNP E6LHV7
A	0	SER	-	expression tag	UNP E6LHV7

• Molecule 2 is a protein called CRISPR system Cms protein Csm2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	В	113	Total 953	C 623	N 158	0 171	S 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace	
2	С	107	Total 905	C 590	N 151	O 163	S 1	0	0

• Molecule 3 is a protein called CRISPR system Cms endoribonuclease Csm3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2 D	106	Total	С	Ν	0	S	0	0
5 D	190	1521	960	269	289	3	0	0	
3	F	200	Total	С	Ν	0	S	0	0
5 E	209	1613	1016	288	305	4	0	0	
2	Б	102	Total	С	Ν	0	S	0	0
3 F	193	1508	951	268	286	3		U	

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	32	ALA	ASP	engineered mutation	UNP E6LHV5
Е	32	ALA	ASP	engineered mutation	UNP E6LHV5
F	32	ALA	ASP	engineered mutation	UNP E6LHV5

• Molecule 4 is a protein called CRISPR system Cms protein Csm4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	G	302	Total 2380	C 1531	N 390	0 454	${ m S}{ m 5}$	0	0

• Molecule 5 is a protein called CRISPR system Cms protein Csm5.

Mol	Chain	Residues	Atoms			AltConf	Trace		
5	Н	106	Total 838	C 538	N 142	0 155	${ m S} { m 3}$	0	0

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Н	350	LEU	-	expression tag	UNP E6LHV3
Н	351	GLU	-	expression tag	UNP E6LHV3
Н	352	VAL	-	expression tag	UNP E6LHV3
Н	353	LEU	-	expression tag	UNP E6LHV3
Н	354	PHE	-	expression tag	UNP E6LHV3
Н	355	GLN	-	expression tag	UNP E6LHV3



Chain	Residue	Modelled	Actual	Comment	Reference
Н	356	GLY	-	expression tag	UNP E6LHV3
Н	357	PRO	-	expression tag	UNP E6LHV3
Н	358	GLY	-	expression tag	UNP E6LHV3
Н	359	GLY	-	expression tag	UNP E6LHV3
Н	360	GLY	-	expression tag	UNP E6LHV3
Н	361	TRP	-	expression tag	UNP E6LHV3
Н	362	SER	-	expression tag	UNP E6LHV3
Н	363	HIS	-	expression tag	UNP E6LHV3
Н	364	PRO	-	expression tag	UNP E6LHV3
Н	365	GLN	-	expression tag	UNP E6LHV3
Н	366	PHE	-	expression tag	UNP E6LHV3
Н	367	GLU	-	expression tag	UNP E6LHV3
Н	368	LYS	-	expression tag	UNP E6LHV3
Н	369	GLY	-	expression tag	UNP E6LHV3
Н	370	GLY	-	expression tag	UNP E6LHV3
H	371	GLY	-	expression tag	UNP E6LHV3
Н	372	TRP	-	expression tag	UNP E6LHV3
H	373	SER	-	expression tag	UNP E6LHV3
Н	374	HIS	-	expression tag	UNP E6LHV3
Н	375	PRO	-	expression tag	UNP E6LHV3
Н	376	GLN	-	expression tag	UNP E6LHV3
Н	377	PHE	-	expression tag	UNP E6LHV3
Н	378	GLU	-	expression tag	UNP E6LHV3
Н	379	LYS	-	expression tag	UNP E6LHV3

• Molecule 6 is a RNA chain called RNA (30-MER).

Mol	Chain	Residues	Atoms			AltConf	Trace		
6	R	25	Total 533	C 240	N 102	0 167	Р 24	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

 \bullet Molecule 1: CRISPR system single-strand-specific deoxyribonuclease Cas10/Csm1 (subtype III-A)









• Molecule 4: CRISPR system Cms protein Csm4





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	135906	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	45.21	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.004	Depositor
Minimum map value	-0.562	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.093	Depositor
Map size (Å)	312.0, 312.0, 312.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.65, 0.65, 0.65	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.24	0/5806	0.44	0/7829
2	В	0.24	0/968	0.42	0/1298
2	С	0.24	0/920	0.43	0/1233
3	D	0.26	0/1543	0.49	0/2074
3	Е	0.25	0/1638	0.48	0/2202
3	F	0.24	0/1532	0.46	0/2059
4	G	0.26	0/2428	0.45	0/3271
5	Н	0.23	0/851	0.44	0/1142
6	R	0.24	0/597	0.70	0/929
All	All	0.25	0/16283	0.47	0/22037

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5700	0	5692	89	0
2	В	953	0	985	15	0
2	С	905	0	926	18	0
3	D	1521	0	1543	28	0
3	Е	1613	0	1636	34	0
3	F	1508	0	1514	44	0
4	G	2380	0	2372	45	0



	J	1	1 5			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	Н	838	0	862	14	0
6	R	533	0	274	23	0
All	All	15951	0	15804	269	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (269) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:G:191:LYS:HG3	4:G:194:ALA:HB3	1.66	0.78
3:F:5:ILE:HG12	3:F:201:THR:HG22	1.70	0.74
3:F:19:ILE:H	3:F:35:VAL:HG23	1.51	0.74
4:G:287:SER:HB3	4:G:294:VAL:H	1.53	0.72
1:A:278:ARG:NH2	1:A:423:CYS:SG	2.63	0.71
3:E:46:ILE:HB	3:E:101:ALA:HB3	1.72	0.70
2:C:51:LEU:HD21	2:C:130:VAL:HG21	1.72	0.70
3:D:46:ILE:HB	3:D:101:ALA:HB3	1.73	0.69
1:A:6:LEU:HD13	1:A:73:VAL:HB	1.73	0.69
1:A:262:PHE:O	1:A:278:ARG:NH1	2.25	0.67
2:B:60:LYS:NZ	2:B:72:ASP:OD2	2.24	0.67
3:E:141:ARG:NH1	3:E:189:ASN:OD1	2.28	0.67
5:H:137:LEU:HD13	5:H:178:LEU:HG	1.78	0.66
1:A:255:ASP:HB2	1:A:377:LEU:HD21	1.78	0.66
2:B:21:VAL:HG11	2:B:132:TYR:HB3	1.78	0.66
4:G:255:THR:O	4:G:291:ARG:NH1	2.28	0.66
3:D:187:ARG:NH1	6:R:5:G:OP2	2.27	0.65
3:D:208:SER:HA	3:D:211:LEU:HD23	1.77	0.65
4:G:17:VAL:HG23	4:G:197:GLY:HA2	1.78	0.65
4:G:281:GLY:HA3	4:G:299:LYS:HA	1.78	0.65
5:H:145:LYS:NZ	6:R:17:A:OP1	2.29	0.65
4:G:65:PRO:HB3	4:G:126:LEU:HG	1.78	0.65
1:A:436:TYR:HB2	1:A:457:VAL:HG12	1.79	0.65
1:A:493:MET:HA	1:A:563:LYS:HD2	1.78	0.64
3:F:56:ARG:NH2	3:F:72:HIS:O	2.30	0.64
6:R:2:U:H2'	6:R:3:G:H8	1.64	0.63
2:B:113:LYS:HG2	2:B:118:ILE:HG13	1.81	0.62
1:A:599:LEU:HD13	1:A:665:GLU:HG2	1.81	0.62
4:G:61:THR:HA	4:G:224:SER:HB3	1.80	0.62
3:F:46:ILE:HB	3:F:101:ALA:HB3	1.81	0.61
1:A:508:GLN:HB2	1:A:512:SER:HB3	1.82	0.61



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:408:LEU:HD12	4:G:22:LYS:HB3	1.82	0.61
1:A:296:ASP:OD2	1:A:451:ARG:NH2	2.27	0.60
5:H:137:LEU:HD21	5:H:175:PRO:HA	1.82	0.60
1:A:429:ILE:HD12	1:A:457:VAL:HG23	1.82	0.60
2:C:20:VAL:O	2:C:24:ASN:ND2	2.31	0.60
3:F:7:ILE:HG23	3:F:199:ILE:HG12	1.84	0.60
3:F:180:TYR:CG	3:F:185:GLY:HA3	2.37	0.60
1:A:532:ASN:HB3	1:A:535:THR:HB	1.84	0.60
2:C:87:GLU:HA	2:C:90:ARG:HG2	1.84	0.60
1:A:602:ARG:NH1	1:A:606:THR:OG1	2.35	0.59
3:E:130:LEU:HG	3:E:131:THR:HG23	1.83	0.59
3:F:54:LYS:NZ	3:F:180:TYR:O	2.32	0.59
3:F:50:SER:OG	6:R:13:C:OP1	2.17	0.58
1:A:123:LYS:HD2	1:A:612:LYS:HA	1.84	0.58
1:A:194:ASP:HB3	1:A:197:GLN:HG2	1.85	0.58
2:C:40:ASN:O	2:C:43:THR:OG1	2.21	0.58
3:E:62:HIS:HA	3:F:2:TYR:HB3	1.85	0.58
1:A:531:ASP:HB3	1:A:647:LYS:HE3	1.86	0.58
3:F:187:ARG:NH2	6:R:16:A:OP2	2.32	0.58
5:H:9:LYS:HG2	5:H:207:GLU:HG2	1.84	0.58
2:C:88:SER:HB3	2:C:95:ARG:HE	1.69	0.57
2:C:86:TYR:CZ	5:H:27:GLN:HB2	2.38	0.57
5:H:173:ILE:HG22	5:H:177:ASN:HD22	1.69	0.57
2:B:88:SER:O	2:B:95:ARG:NH1	2.38	0.57
3:E:187:ARG:NH1	6:R:11:U:OP2	2.29	0.57
1:A:526:LEU:HD23	1:A:587:LEU:HD13	1.87	0.57
3:D:39:PRO:HA	3:D:42:ARG:HH21	1.70	0.57
3:D:95:ARG:NH1	3:D:165:ASP:OD2	2.38	0.56
2:B:110:VAL:HG22	2:B:118:ILE:HG22	1.87	0.56
1:A:423:CYS:HA	1:A:426:ILE:HB	1.87	0.56
4:G:137:LEU:HD21	6:R:2:U:H1'	1.87	0.56
1:A:627:PRO:HB2	1:A:630:LYS:HB2	1.88	0.56
3:F:186:THR:HB	5:H:145:LYS:HE3	1.88	0.56
1:A:385:TYR:O	4:G:242:TYR:OH	2.23	0.56
3:D:80:LEU:HB3	3:D:85:SER:HB2	1.88	0.56
3:D:170:LYS:HA	3:D:213:ILE:HG23	1.88	0.55
6:R:9:C:H2'	6:R:10:A:H8	1.71	0.55
3:F:45:ILE:HD11	3:F:100:ASP:HB3	1.88	0.55
3:F:124:GLU:OE1	3:F:137:ARG:NH2	2.30	0.55
3:F:7:ILE:HG12	3:F:199:ILE:HG23	1.89	0.55
3:F:5:ILE:HA	3:F:201:THR:HA	1.90	0.54



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:A:70:ASP:OD2	1:A:231:LYS:NZ	2.40	0.53
3:E:180:TYR:CG	3:E:185:GLY:HA3	2.44	0.53
1:A:149:THR:HG22	1:A:151:SER:H	1.73	0.53
3:F:82:LEU:HD21	3:F:165:ASP:HB3	1.90	0.53
1:A:431:ASN:HA	1:A:434:ARG:HD2	1.90	0.53
3:D:81:ARG:NH1	3:D:165:ASP:OD1	2.36	0.53
3:E:43:LEU:HD23	3:E:103:PHE:HB3	1.91	0.53
1:A:119:ASN:ND2	1:A:612:LYS:O	2.40	0.53
1:A:512:SER:O	1:A:574:ARG:NH2	2.41	0.52
3:D:188:GLY:HA2	3:E:99:SER:HA	1.91	0.52
4:G:134:LYS:HA	6:R:1:A:H5"	1.90	0.52
3:D:33:SER:HB2	3:D:139:ILE:HA	1.92	0.52
1:A:338:ILE:HD12	1:A:393:PHE:HZ	1.74	0.52
3:D:186:THR:HG21	3:E:94:SER:HB3	1.92	0.52
1:A:415:SER:OG	1:A:416:GLU:N	2.42	0.52
3:D:59:LEU:HG	3:D:172:ALA:HB2	1.92	0.52
4:G:63:LEU:HD12	4:G:162:LEU:HB3	1.90	0.52
1:A:691:LEU:HD22	1:A:743:ILE:HG23	1.91	0.52
1:A:504:GLU:HG2	1:A:505:THR:HG23	1.91	0.52
3:D:113:LYS:O	3:D:114:LYS:HG2	2.10	0.52
1:A:592:ASP:N	1:A:592:ASP:OD1	2.42	0.52
3:F:180:TYR:HB3	3:F:191:ARG:NH1	2.24	0.52
3:E:130:LEU:HD13	3:F:70:LYS:HB3	1.91	0.52
3:D:99:SER:HA	4:G:195:GLY:HA2	1.93	0.51
3:E:176:LEU:HG	3:E:192:ILE:HD11	1.91	0.51
1:A:164:LEU:HD12	1:A:168:LEU:HD12	1.92	0.51
3:E:17:LEU:HD12	3:E:190:GLY:HA2	1.93	0.51
3:E:56:ARG:NH2	3:E:72:HIS:O	2.43	0.51
1:A:404:CYS:HB3	1:A:414:ILE:HD12	1.92	0.51
4:G:297:TYR:CZ	4:G:299:LYS:HB2	2.46	0.51
3:E:82:LEU:HD22	3:E:96:LEU:HG	1.92	0.51
3:F:137:ARG:HE	3:F:139:ILE:HD11	1.75	0.51
3:F:59:LEU:HD21	3:F:168:ASN:HB3	1.93	0.51
1:A:290:VAL:HG11	1:A:304:LEU:HD22	1.93	0.50
1:A:527:ARG:HD3	1:A:586:PHE:HD2	1.75	0.50
1:A:387:LEU:HD11	4:G:234:VAL:HA	1.93	0.50
1:A:747:VAL:O	1:A:751:ARG:HG2	2.11	0.50
3:F:17:LEU:HD12	3:F:190:GLY:HA2	1.92	0.50
2:C:39:PHE:HB2	2:C:42:LEU:HD23	1.93	0.50
4:G:106:GLU:N	4:G:106:GLU:OE1	2.45	0.50
1:A:144:ALA:O	1:A:146:LYS:NZ	2.37	0.50



	ious puge	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:250:LEU:HD23	1:A:353:ALA:HA	1.92	0.49
6:R:7:G:H1'	6:R:8:A:C8	2.47	0.49
3:D:4:LYS:HB2	3:D:203:VAL:HB	1.94	0.49
3:E:86:SER:OG	6:R:3:G:N2	2.41	0.49
4:G:72:PHE:O	4:G:163:TYR:OH	2.27	0.49
3:D:110:GLU:O	3:D:114:LYS:NZ	2.46	0.49
1:A:118:VAL:HG12	1:A:541:ILE:HG12	1.95	0.49
3:F:187:ARG:HH12	6:R:17:A:H62	1.60	0.49
2:B:102:TYR:HD1	2:B:105:LYS:HD2	1.77	0.49
4:G:18:HIS:ND1	4:G:152:GLY:O	2.41	0.48
4:G:294:VAL:HG13	6:R:-7:A:H3'	1.95	0.48
6:R:-3:G:H2'	6:R:-2:A:H8	1.78	0.48
2:C:87:GLU:HB3	2:C:94:VAL:HG11	1.95	0.48
3:E:191:ARG:NH1	3:F:99:SER:OG	2.46	0.48
1:A:3:LYS:HD3	1:A:218:TYR:CD2	2.48	0.48
1:A:40:LEU:HD22	1:A:55:VAL:HG21	1.96	0.48
3:F:184:GLY:O	3:F:189:ASN:ND2	2.47	0.48
3:D:186:THR:HA	3:E:97:GLN:HA	1.96	0.47
3:D:15:THR:HG22	3:E:102:PHE:HZ	1.80	0.47
4:G:72:PHE:HB3	4:G:98:TYR:HB3	1.96	0.47
2:C:113:LYS:HB3	2:C:118:ILE:HG21	1.96	0.47
2:C:50:LEU:HD21	2:C:87:GLU:HG3	1.95	0.47
1:A:714:ALA:HB2	2:B:135:PHE:HA	1.96	0.47
3:F:191:ARG:HE	5:H:168:SER:HB3	1.80	0.47
5:H:20:SER:HB3	5:H:130:VAL:HA	1.96	0.47
1:A:545:TYR:O	1:A:550:ARG:HG3	2.14	0.47
3:F:187:ARG:NH1	6:R:17:A:H62	2.12	0.47
1:A:463:ALA:HB1	1:A:475:ILE:HD13	1.97	0.47
2:C:133:ALA:HB1	2:C:137:ARG:HH21	1.79	0.47
1:A:399:ALA:HB2	4:G:288:ASP:HB3	1.96	0.47
4:G:9:VAL:HG22	4:G:203:ILE:HG12	1.96	0.47
1:A:267:SER:HB3	4:G:23:ARG:HE	1.80	0.46
3:F:97:GLN:HB2	3:F:153:ILE:HB	1.96	0.46
4:G:235:ASP:OD1	4:G:235:ASP:N	2.48	0.46
3:F:95:ARG:NH1	3:F:157:GLU:HB2	2.29	0.46
4:G:61:THR:HG22	4:G:165:LEU:H	1.80	0.46
2:C:70:SER:HB3	2:C:73:VAL:HG23	1.97	0.46
1:A:528:ALA:HB3	1:A:585:LEU:HD23	1.97	0.46
1:A:511:ALA:O	1:A:514:VAL:HG22	2.16	0.46
1:A:693:LYS:O	1:A:696:GLU:HG3	2.16	0.46
1:A:112:ALA:H	1:A:199:MET:HB2	1.81	0.46



EMD-51145, 9	G9A
--------------	-----

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:E:124:GLU:OE1	3:E:137:ARG:NH2	2.42	0.46
3:F:180:TYR:CD1	3:F:185:GLY:HA3	2.51	0.46
3:F:191:ARG:HH22	5:H:166:SER:HB3	1.80	0.46
1:A:278:ARG:HG2	1:A:426:ILE:HD13	1.98	0.46
1:A:252:VAL:HG21	1:A:316:LEU:HD12	1.97	0.45
3:F:185:GLY:HA2	3:F:189:ASN:O	2.16	0.45
1:A:154:ALA:O	1:A:158:ASN:ND2	2.37	0.45
3:E:12:ASP:OD2	3:E:193:ARG:NH2	2.50	0.45
1:A:182:THR:HG22	1:A:204:TYR:HD1	1.82	0.45
1:A:404:CYS:HB2	1:A:420:CYS:N	2.31	0.45
2:B:57:VAL:HG22	2:B:76:GLU:HB3	1.97	0.45
3:E:95:ARG:O	3:E:155:ASN:ND2	2.49	0.45
3:E:180:TYR:CD1	3:E:185:GLY:HA3	2.52	0.45
2:B:47:LEU:HA	2:B:50:LEU:HD13	1.99	0.45
2:B:50:LEU:HD12	2:B:50:LEU:H	1.81	0.45
1:A:439:PHE:HZ	1:A:478:LYS:HD3	1.82	0.45
2:C:110:VAL:HG13	2:C:118:ILE:HG23	1.98	0.45
1:A:112:ALA:HA	1:A:129:THR:HG22	1.98	0.45
1:A:527:ARG:HD3	1:A:586:PHE:CD2	2.51	0.45
3:E:101:ALA:HB1	3:E:148:PHE:HB3	1.98	0.45
3:F:188:GLY:HA2	5:H:168:SER:HA	1.99	0.45
1:A:183:GLU:O	1:A:187:SER:HB2	2.17	0.44
4:G:61:THR:OG1	4:G:223:LEU:O	2.33	0.44
1:A:470:ASN:OD1	1:A:471:LYS:N	2.50	0.44
3:D:180:TYR:CD1	3:D:185:GLY:HA3	2.53	0.44
2:C:57:VAL:HG22	2:C:76:GLU:HB3	1.99	0.44
1:A:434:ARG:NH1	1:A:506:LYS:O	2.50	0.44
3:F:11:ILE:N	3:F:148:PHE:O	2.35	0.44
4:G:125:ASN:O	4:G:160:SER:OG	2.29	0.44
4:G:35:THR:HG23	6:R:-6:C:H1'	1.99	0.44
6:R:-4:A:H2'	6:R:-3:G:C8	2.52	0.44
2:B:50:LEU:HD23	2:B:84:PHE:CE1	2.52	0.44
2:B:53:LEU:O	2:B:57:VAL:HG23	2.17	0.44
6:R:9:C:H2'	6:R:10:A:C8	2.51	0.44
3:E:31:ILE:HA	3:E:138:GLN:HB2	1.99	0.44
1:A:21:ARG:HA	1:A:107:LYS:HD2	1.99	0.44
1:A:434:ARG:H	1:A:434:ARG:HG2	1.56	0.44
3:F:96:LEU:HD21	3:F:169:ILE:HD11	1.99	0.44
2:B:74:ARG:NH1	2:B:114:ASN:OD1	2.49	0.43
1:A:471:LYS:O	1:A:472:GLU:HG3	2.17	0.43
1:A:526:LEU:HD11	1:A:617:ALA:HB1	1.99	0.43



Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:652:LEU:HB3	1:A:657:LYS:HB3	2.00	0.43
3:D:82:LEU:HD22	3:D:96:LEU:HG	2.00	0.43
4:G:54:LEU:HD22	4:G:58:LEU:HD22	2.00	0.43
2:B:87:GLU:OE2	2:B:90:ARG:NH2	2.45	0.43
1:A:75:TYR:CZ	1:A:230:ARG:HB2	2.53	0.43
4:G:29:HIS:CD2	4:G:30:THR:HG23	2.54	0.43
4:G:141:ASP:OD1	4:G:142:HIS:N	2.51	0.43
1:A:6:LEU:HD23	1:A:218:TYR:HB2	2.01	0.43
3:D:136:PRO:HB3	6:R:7:G:N1	2.34	0.43
3:E:122:LYS:HZ2	3:E:124:GLU:HG2	1.84	0.43
3:F:16:GLY:O	3:F:190:GLY:N	2.52	0.43
4:G:192:ARG:HA	4:G:196:TYR:O	2.19	0.43
3:D:6:ARG:HD2	3:D:8:VAL:HG22	1.99	0.42
3:F:202:VAL:HG13	3:F:203:VAL:HG23	2.01	0.42
4:G:134:LYS:O	4:G:148:PRO:HA	2.18	0.42
4:G:250:PHE:HA	4:G:262:LYS:HA	2.00	0.42
2:C:53:LEU:O	2:C:57:VAL:HG23	2.18	0.42
1:A:413:ASP:OD1	1:A:413:ASP:N	2.51	0.42
3:E:186:THR:HG21	3:F:94:SER:HB3	2.00	0.42
1:A:513:TYR:CD2	1:A:589:GLY:HA2	2.55	0.42
3:D:122:LYS:HD2	3:D:141:ARG:CZ	2.49	0.42
4:G:130:SER:OG	4:G:153:ASN:ND2	2.53	0.42
1:A:526:LEU:HD13	1:A:619:ILE:HG12	2.01	0.42
2:B:104:ASP:OD1	2:B:104:ASP:N	2.51	0.42
2:C:39:PHE:H	2:C:42:LEU:HB2	1.83	0.42
3:F:143:THR:HG23	5:H:133:GLY:HA3	2.01	0.42
5:H:178:LEU:HD23	5:H:178:LEU:HA	1.89	0.42
3:E:96:LEU:HD23	3:E:96:LEU:HA	1.92	0.42
4:G:246:LYS:HG2	4:G:248:THR:HG23	2.02	0.42
1:A:66:SER:HB3	1:A:68:LEU:HG	2.02	0.42
1:A:597:LYS:HA	1:A:597:LYS:HD3	1.85	0.42
4:G:67:ASN:HA	4:G:160:SER:HA	2.02	0.42
1:A:306:TYR:HD2	1:A:555:SER:HB2	1.84	0.42
3:D:53:GLY:HA3	6:R:0:C:H5'	2.02	0.42
3:D:7:ILE:HG23	3:D:199:ILE:HG12	2.00	0.41
1:A:641:LEU:O	1:A:644:ARG:HG2	2.20	0.41
3:D:37:ARG:NH1	3:D:140:GLU:OE2	2.32	0.41
3:F:111:PHE:HD2	3:F:118:TYR:HD1	1.67	0.41
2:C:25:LYS:O	2:C:26:ARG:NH1	2.53	0.41
5:H:25:ARG:HD2	5:H:25:ARG:HA	1.88	0.41
6:R:14:C:H2'	6:R:15:G:C8	2.55	0.41



EMD-51145,	9G9A
------------	------

	A L C	Interatomic	Clash
Atom-1	Atom-1 Atom-2		overlap (Å)
1:A:602:ARG:HD3	1:A:615:PHE:HD2	1.85	0.41
1:A:182:THR:HG23	1:A:186:TRP:CE3	2.56	0.41
1:A:283:GLU:O	1:A:287:GLU:HG2	2.20	0.41
1:A:403:GLU:OE1	4:G:262:LYS:NZ	2.43	0.41
3:E:127:ILE:HD12	6:R:12:U:C5	2.56	0.41
3:F:16:GLY:O	3:F:189:ASN:HB2	2.20	0.41
3:F:176:LEU:HG	3:F:192:ILE:HD11	2.03	0.41
4:G:183:LEU:HA	4:G:186:SER:HB3	2.02	0.41
1:A:297:LEU:HD13	1:A:316:LEU:HD22	2.02	0.41
1:A:390:ILE:HG12	4:G:244:LEU:HD11	2.02	0.41
1:A:530:ILE:HD11	1:A:562:PHE:CE2	2.56	0.41
3:E:69:GLN:HG3	3:E:74:GLN:HB2	2.03	0.41
3:E:145:GLY:HA3	3:F:40:TYR:CE1	2.55	0.41
4:G:36:LEU:HD23	4:G:60:ILE:HD12	2.03	0.41
4:G:126:LEU:HD22	4:G:156:PHE:CD2	2.56	0.41
4:G:180:MET:O	4:G:184:GLN:HG3	2.21	0.41
2:C:41:GLY:H	2:C:93:ALA:HB1	1.86	0.41
1:A:411:ASP:N	1:A:411:ASP:OD1	2.53	0.41
3:E:80:LEU:HB3	3:E:85:SER:HB2	2.02	0.41
3:F:66:ILE:HG12	3:F:69:GLN:HB2	2.03	0.41
1:A:132:PHE:CE1	1:A:152:GLN:HB3	2.56	0.40
1:A:261:ASP:O	1:A:265:ASN:HB2	2.21	0.40
1:A:577:VAL:HG22	1:A:587:LEU:HD23	2.02	0.40
4:G:61:THR:CG2	4:G:165:LEU:H	2.34	0.40
1:A:408:LEU:HD23	1:A:408:LEU:HA	1.87	0.40
3:D:15:THR:HG22	3:E:102:PHE:CZ	2.56	0.40
3:E:96:LEU:HD11	3:E:169:ILE:HG12	2.04	0.40
3:F:15:THR:HG22	3:F:144:ARG:HH21	1.86	0.40
4:G:248:THR:OG1	6:R:-5:G:N7	2.44	0.40
1:A:527:ARG:HG3	1:A:635:THR:HB	2.03	0.40
1:A:695:LEU:O	1:A:699:ARG:HG3	2.22	0.40
3:E:71:MET:HB2	3:E:74:GLN:HG3	2.04	0.40
3:D:122:LYS:HB3	3:D:139:ILE:HG13	2.04	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	700/774~(90%)	683~(98%)	17 (2%)	0	100	100
2	В	107/140~(76%)	107~(100%)	0	0	100	100
2	С	101/140~(72%)	101 (100%)	0	0	100	100
3	D	190/214~(89%)	188~(99%)	2(1%)	0	100	100
3	Е	205/214~(96%)	200 (98%)	5 (2%)	0	100	100
3	F	187/214~(87%)	184 (98%)	3~(2%)	0	100	100
4	G	298/307~(97%)	294 (99%)	4 (1%)	0	100	100
5	Н	98/379~(26%)	98 (100%)	0	0	100	100
All	All	1886/2382~(79%)	1855 (98%)	31 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	634/688~(92%)	614 (97%)	20 (3%)	34 59
2	В	105/128~(82%)	101 (96%)	4 (4%)	28 53
2	С	99/128~(77%)	97~(98%)	2(2%)	50 74
3	D	166/180~(92%)	162 (98%)	4 (2%)	44 69
3	Ε	175/180~(97%)	174 (99%)	1 (1%)	84 92
3	F	165/180~(92%)	163 (99%)	2 (1%)	67 85



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
4	G	257/262~(98%)	253~(98%)	4 (2%)	58 79
5	Н	94/330~(28%)	92~(98%)	2(2%)	48 72
All	All	1695/2076~(82%)	1656 (98%)	39~(2%)	46 70

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	78	TYR
1	А	179	LEU
1	А	219	ASP
1	А	237	TYR
1	А	251	LEU
1	А	355	THR
1	А	365	THR
1	А	404	CYS
1	А	417	ASP
1	А	420	CYS
1	А	432	ASP
1	А	447	VAL
1	А	467	ILE
1	А	472	GLU
1	А	539	LYS
1	А	583	ASP
1	А	608	PHE
1	А	624	VAL
1	А	640	ASP
1	А	650	VAL
2	В	53	LEU
2	В	79	TYR
2	В	90	ARG
2	В	129	LEU
3	D	8	VAL
3	D	100	ASP
3	D	179	ASP
3	D	201	THR
3	Е	119	THR
3	F	141	ARG
3	F	149	ASP
4	G	34	ASP
4	G	86	ASP
4	G	126	LEU



Continued from previous page...

Mol	Chain	Res	Type
4	G	301	PHE
2	С	83	LYS
2	С	86	TYR
5	Н	137	LEU
5	Н	208	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	23	ASN
1	А	480	GLN
1	А	677	GLN
1	А	700	ASN
3	D	92	GLN
3	D	155	ASN
3	Е	87	GLN
3	Е	97	GLN
3	Е	108	GLN
3	Е	174	HIS
3	F	69	GLN
3	F	189	ASN
4	G	46	GLN
4	G	125	ASN
4	G	138	GLN
4	G	184	GLN
4	G	277	GLN
5	Н	7	GLN
5	Н	163	HIS
5	Н	177	ASN

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
6	R	24/45~(53%)	8~(33%)	0

All (8) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	R	-6	С
6	R	-3	G



Continued from previous page...

Mol	Chain	Res	Type	
6	R	0	С	
6	R	1	А	
6	R	6	С	
6	R	7	G	
6	R	12	U	
6	R	13	С	

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-51145. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 240



Y Index: 240



Z Index: 240

6.2.2 Raw map



X Index: 240

Y Index: 240



The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 234





Z Index: 286

6.3.2 Raw map



X Index: 233

Y Index: 227



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.093. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 82 nm^3 ; this corresponds to an approximate mass of 74 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.353 \AA^{-1}



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.353 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	2.83	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.48	4.14	3.54

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.48 differs from the reported value 2.83 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-51145 and PDB model 9G9A. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.093 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.093).



9.4 Atom inclusion (i)



At the recommended contour level, 81% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.



Map-model fit summary (i) 9.5

The table lists the average atom inclusion at the recommended contour level (0.093) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score	1.0
All	0.7640	0.5300	
А	0.7780	0.5430	
В	0.7150	0.4890	
С	0.2830	0.3310	
D	0.9020	0.5860	
E	0.8670	0.5640	
F	0.7850	0.5290	
G	0.8660	0.5800	
Н	0.3690	0.3810	0.0 <0.0
R	0.9080	0.5420	

