



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:46 AM UTC

PDB ID : 9H3I / pdb_00009h3i
Title : trans-aconitate decarboxylase Tad1- wild type
Authors : Zheng, L.; Bang, G.
Deposited on : 2024-10-16
Resolution : 2.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7754 (2.34-2.30)
Clashscore	190562	8383 (2.34-2.30)
Ramachandran outliers	187476	8303 (2.34-2.30)
Sidechain outliers	187428	8303 (2.34-2.30)
RSRZ outliers	180081	7760 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	493	 5% 73% 15% • 12%
1	B	493	 14% 69% 18% • 12%
1	C	493	 6% 75% 13% • 11%
1	D	493	 3% 76% 12% • 11%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 13546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Trans-aconitate decarboxylase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	D	437	3379	2126	596	635	22	0	0	0
1	A	436	3368	2124	593	629	22	0	0	0
1	B	434	3361	2117	592	630	22	0	0	0
1	C	439	3384	2132	595	635	22	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	489	PRO	ARG	conflict	UNP A0A0U2UYC4
A	489	PRO	ARG	conflict	UNP A0A0U2UYC4
B	489	PRO	ARG	conflict	UNP A0A0U2UYC4
C	489	PRO	ARG	conflict	UNP A0A0U2UYC4

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	21	Total	O	0	0
			21	21		
2	A	16	Total	O	0	0
			16	16		
2	B	4	Total	O	0	0
			4	4		
2	C	13	Total	O	0	0
			13	13		

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	155.62Å 164.69Å 208.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.72 – 2.31 49.72 – 2.31	Depositor EDS
% Data completeness (in resolution range)	97.7 (49.72-2.31) 97.8 (49.72-2.31)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.34 (at 2.32Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487, PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.227 , 0.257 0.227 , 0.257	Depositor DCC
R_{free} test set	5721 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	69.1	Xtrriage
Anisotropy	0.324	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13546	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3430	0.48	1/4656 (0.0%)
1	B	0.22	0/3424	0.44	0/4648
1	C	0.24	0/3447	0.44	0/4680
1	D	0.24	0/3442	0.45	0/4672
All	All	0.24	0/13743	0.45	1/18656 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	D	0	2
All	All	0	4

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	467	GLU	CA-CB-CG	5.83	125.75	114.10

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	143	GLU	Peptide
1	A	467	GLU	Peptide
1	D	426	ARG	Sidechain
1	D	463	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3368	0	3329	48	2
1	B	3361	0	3324	61	0
1	C	3384	0	3334	46	2
1	D	3379	0	3337	40	0
2	A	16	0	0	1	0
2	B	4	0	0	1	0
2	C	13	0	0	0	0
2	D	21	0	0	0	0
All	All	13546	0	13324	178	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:ALA:O	1:B:342:ASN:ND2	2.16	0.79
1:D:423:THR:HG21	1:D:460:LYS:HB3	1.68	0.76
1:A:86:VAL:HG23	1:A:261:MET:HE2	1.68	0.76
1:A:219:ARG:NH1	1:A:486:VAL:O	2.20	0.74
1:C:193:MET:HE2	1:C:207:PHE:HA	1.73	0.71
1:A:182:GLU:OE2	1:A:219:ARG:NH2	2.25	0.70
1:A:371:GLN:O	1:A:375:MET:HG3	1.93	0.68
1:D:416:VAL:HG11	1:D:451:LEU:HD21	1.76	0.68
1:B:443:GLN:OE1	1:B:445:ARG:NH2	2.27	0.67
1:A:403:ASN:HA	1:A:406:LEU:HD23	1.77	0.66
1:B:242:GLY:O	2:B:501:HOH:O	2.14	0.66
1:C:416:VAL:HG11	1:C:451:LEU:HD11	1.77	0.66
1:A:364:PRO:HA	1:A:367:ILE:HD12	1.78	0.66
1:B:82:ALA:O	1:B:86:VAL:HG23	1.95	0.66
1:B:174:LEU:O	1:B:178:VAL:HG23	1.96	0.65
1:B:408:LYS:NZ	1:B:444:ASP:OD1	2.23	0.65
1:B:479:CYS:O	1:B:483:ILE:HD12	1.97	0.65
1:C:423:THR:HG21	1:C:461:LEU:HD21	1.78	0.64
1:D:126:VAL:HB	1:D:151:THR:HB	1.79	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:484:ASP:O	1:A:489:PRO:HD3	1.97	0.64
1:C:364:PRO:HA	1:C:367:ILE:HD12	1.80	0.64
1:C:82:ALA:HB1	1:C:261:MET:HG2	1.80	0.63
1:D:463:ARG:NH1	1:D:467:GLU:OE2	2.31	0.63
1:B:478:GLN:HB2	1:C:252:ILE:HD11	1.82	0.62
1:C:126:VAL:HB	1:C:151:THR:HB	1.81	0.61
1:A:175:ASP:O	2:A:501:HOH:O	2.16	0.61
1:D:420:LEU:HD11	1:D:424:LEU:HD12	1.81	0.61
1:A:448:LEU:HD11	1:A:466:LEU:HB3	1.83	0.61
1:D:130:VAL:O	1:D:134:VAL:HG23	2.01	0.61
1:B:412:VAL:HG11	1:B:472:PRO:HA	1.81	0.61
1:D:325:PRO:HG3	1:B:410:LEU:HD13	1.83	0.60
1:A:104:HIS:ND1	1:A:136:ASN:HB3	2.16	0.60
1:B:157:THR:HG21	1:B:235:LEU:HD12	1.83	0.60
1:C:204:PRO:HD3	1:C:411:ILE:HG12	1.84	0.59
1:D:431:ASP:O	1:D:435:GLU:HG2	2.02	0.59
1:A:148:GLY:HA3	1:A:247:LEU:HD21	1.84	0.59
1:B:167:LEU:HD22	1:B:225:LEU:HD21	1.85	0.58
1:C:77:LEU:HD22	1:C:105:CYS:HA	1.85	0.58
1:D:97:ALA:HA	1:D:141:LEU:HD23	1.86	0.58
1:D:139:ASP:HB2	1:D:141:LEU:HD13	1.85	0.58
1:B:364:PRO:HA	1:B:367:ILE:HD12	1.85	0.58
1:B:366:GLU:OE1	1:B:366:GLU:N	2.36	0.58
1:B:165:GLN:O	1:B:168:THR:OG1	2.21	0.57
1:D:329:ASN:O	1:D:331:ILE:N	2.37	0.57
1:A:120:GLU:HA	1:B:57:ILE:HD11	1.87	0.57
1:D:223:GLN:OE1	1:A:230:LYS:NZ	2.29	0.57
1:B:258:LEU:O	1:B:262:LEU:HD22	2.05	0.57
1:A:77:LEU:HD11	1:A:110:ILE:HD11	1.86	0.56
1:A:448:LEU:HD22	1:A:467:GLU:HG2	1.87	0.56
1:B:228:LEU:O	1:B:232:VAL:HG23	2.06	0.56
1:B:87:GLN:OE1	1:B:147:TRP:HB3	2.06	0.56
1:D:412:VAL:HG11	1:D:472:PRO:HA	1.88	0.56
1:B:193:MET:HE1	1:B:302:MET:HE3	1.87	0.55
1:B:206:THR:HG22	1:B:476:LEU:HD12	1.87	0.55
1:A:81:ALA:HB1	1:A:102:VAL:HG22	1.89	0.55
1:C:319:GLY:HA3	1:C:328:ASN:HA	1.88	0.55
1:A:126:VAL:HB	1:A:151:THR:HB	1.89	0.55
1:B:249:ASP:N	1:B:249:ASP:OD1	2.39	0.55
1:D:62:GLN:H	1:D:62:GLN:CD	2.15	0.54
1:A:344:ARG:NH1	1:B:352:ASP:OD2	2.42	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:468:LYS:HD2	1:B:468:LYS:N	2.22	0.53
1:B:481:GLN:OE1	1:B:481:GLN:N	2.38	0.53
1:B:231:ARG:HH12	1:C:227:GLU:CD	2.16	0.52
1:B:218:PHE:O	1:B:222:GLN:HG3	2.09	0.52
1:B:267:ALA:O	1:C:485:ARG:NH1	2.43	0.51
1:D:408:LYS:HB3	1:D:446:PRO:HA	1.91	0.51
1:A:448:LEU:CD1	1:A:466:LEU:HB3	2.40	0.51
1:C:412:VAL:HG11	1:C:472:PRO:HA	1.92	0.51
1:D:420:LEU:HD21	1:D:457:ILE:HG12	1.92	0.51
1:D:314:PHE:O	1:D:315:ILE:HD13	2.12	0.50
1:C:412:VAL:HG12	1:C:475:TYR:HD2	1.77	0.50
1:B:435:GLU:O	1:B:438:ARG:HB2	2.11	0.50
1:B:87:GLN:HA	1:B:92:ILE:HD13	1.92	0.50
1:D:445:ARG:NH2	1:D:449:ASP:HB3	2.26	0.50
1:C:168:THR:O	1:C:172:GLN:HG3	2.12	0.50
1:D:413:SER:O	1:D:417:MET:HG3	2.11	0.50
1:B:268:GLU:O	1:C:485:ARG:HD2	2.12	0.50
1:B:273:THR:HG22	1:B:356:SER:HB3	1.94	0.49
1:D:372:LEU:HB3	1:D:373:PRO:HD3	1.93	0.49
1:A:82:ALA:HB1	1:A:261:MET:HG2	1.94	0.49
1:A:416:VAL:HG11	1:A:451:LEU:HD11	1.95	0.49
1:B:138:LYS:O	1:B:141:LEU:HG	2.13	0.49
1:B:126:VAL:HB	1:B:151:THR:HB	1.96	0.48
1:A:104:HIS:CE1	1:A:136:ASN:HB3	2.48	0.48
1:D:407:SER:HB2	1:D:410:LEU:HB2	1.96	0.48
1:B:282:GLY:HA3	1:B:350:LEU:HD12	1.95	0.48
1:C:139:ASP:HB2	1:C:141:LEU:CD1	2.42	0.48
1:C:276:ASP:O	1:C:280:GLU:HG2	2.14	0.48
1:D:116:LYS:HE3	1:C:51:ALA:HB1	1.96	0.48
1:D:364:PRO:HA	1:D:367:ILE:HD12	1.96	0.48
1:B:415:ALA:HB2	1:B:475:TYR:CD1	2.48	0.47
1:A:424:LEU:HD11	1:A:457:ILE:HG12	1.96	0.47
1:B:163:ILE:HD11	1:B:372:LEU:HD21	1.96	0.47
1:C:97:ALA:HA	1:C:141:LEU:HD23	1.95	0.47
1:D:92:ILE:HD11	1:D:250:GLN:HB3	1.96	0.47
1:D:312:GLU:OE1	1:D:318:ARG:NH2	2.48	0.47
1:B:314:PHE:HD1	1:B:315:ILE:N	2.13	0.47
1:B:316:SER:OG	1:B:317:ASN:N	2.46	0.46
1:A:149:ALA:HB2	1:A:237:PHE:HE1	1.80	0.46
1:A:152:GLN:HA	1:A:155:THR:OG1	2.15	0.46
1:A:318:ARG:NH2	1:A:332:SER:OG	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:LEU:O	1:A:289:THR:OG1	2.26	0.46
1:A:273:THR:HG22	1:A:356:SER:HB3	1.98	0.46
1:C:408:LYS:HB3	1:C:446:PRO:HA	1.97	0.46
1:D:420:LEU:HD12	1:D:420:LEU:O	2.15	0.46
1:B:404:LEU:HD22	1:B:472:PRO:HB2	1.96	0.46
1:A:120:GLU:HG2	1:B:57:ILE:HD11	1.97	0.45
1:B:314:PHE:C	1:B:314:PHE:CD1	2.94	0.45
1:C:139:ASP:HB2	1:C:141:LEU:HD13	1.98	0.45
1:B:56:ASP:OD1	1:B:64:ARG:NH2	2.43	0.45
1:C:461:LEU:HD12	1:C:465:GLU:HG2	1.97	0.45
1:D:426:ARG:NH2	1:A:144:TYR:HE1	2.14	0.45
1:D:463:ARG:O	1:D:467:GLU:HG2	2.16	0.45
1:A:50:SER:C	1:A:52:GLY:H	2.25	0.45
1:A:87:GLN:OE1	1:A:147:TRP:HB3	2.16	0.45
1:A:116:LYS:O	1:A:120:GLU:HG3	2.17	0.45
1:C:127:LEU:O	1:C:131:GLN:HG3	2.16	0.45
1:D:318:ARG:HG2	1:D:331:ILE:HD11	1.99	0.44
1:A:414:GLU:OE1	1:A:475:TYR:OH	2.13	0.44
1:B:272:HIS:CG	1:B:360:ARG:HH21	2.35	0.44
1:C:282:GLY:HA3	1:C:350:LEU:HD12	2.00	0.44
1:D:271:TRP:HA	1:D:274:GLU:OE1	2.17	0.44
1:B:92:ILE:HD12	1:B:92:ILE:H	1.82	0.44
1:C:463:ARG:O	1:C:467:GLU:HG3	2.17	0.44
1:C:193:MET:HE1	1:C:210:LYS:HD2	1.98	0.44
1:A:94:PRO:HB2	1:A:96:ASN:OD1	2.17	0.44
1:A:100:GLU:HB3	1:A:141:LEU:HD23	2.00	0.44
1:D:414:GLU:O	1:D:418:MET:HG3	2.18	0.44
1:A:121:LEU:O	1:B:318:ARG:HA	2.18	0.43
1:B:127:LEU:O	1:B:131:GLN:HG3	2.18	0.43
1:B:213:ARG:HG3	1:C:269:ILE:HD13	1.98	0.43
1:C:460:LYS:C	1:C:461:LEU:HD22	2.43	0.43
1:A:163:ILE:HD11	1:A:372:LEU:HD21	1.99	0.43
1:B:325:PRO:O	1:B:327:LYS:N	2.52	0.43
1:B:94:PRO:HB2	1:B:96:ASN:OD1	2.18	0.43
1:C:227:GLU:O	1:C:230:LYS:HG2	2.19	0.43
1:A:167:LEU:HD13	1:A:225:LEU:HD11	2.00	0.43
1:A:404:LEU:HD22	1:A:472:PRO:HB2	2.00	0.43
1:B:420:LEU:HD21	1:B:457:ILE:HG12	2.00	0.43
1:B:480:SER:HA	1:B:483:ILE:HD12	1.99	0.43
1:C:235:LEU:HD21	1:C:258:LEU:HD23	1.99	0.43
1:C:247:LEU:HD12	1:C:251:GLY:HA2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:313:PRO:HG3	1:D:392:GLY:C	2.44	0.43
1:A:131:GLN:O	1:A:134:VAL:HG22	2.18	0.43
1:A:173:ARG:HA	1:A:173:ARG:HD2	1.61	0.43
1:C:430:HIS:CD2	1:C:430:HIS:C	2.96	0.43
1:D:315:ILE:HB	1:D:318:ARG:HB2	2.01	0.43
1:D:385:ASN:O	1:D:389:VAL:HG23	2.19	0.43
1:A:93:ILE:C	1:A:93:ILE:HD12	2.44	0.42
1:C:417:MET:HE3	1:C:417:MET:HB2	1.86	0.42
1:C:188:HIS:O	1:C:191:VAL:HG12	2.19	0.42
1:A:318:ARG:HG2	1:A:331:ILE:HD11	2.01	0.42
1:B:118:LYS:HD2	1:B:118:LYS:HA	1.88	0.42
1:C:87:GLN:OE1	1:C:147:TRP:HB3	2.20	0.42
1:C:183:HIS:NE2	1:C:187:GLN:OE1	2.53	0.42
1:B:420:LEU:CD1	1:B:461:LEU:HD12	2.49	0.42
1:D:116:LYS:NZ	1:D:120:GLU:OE2	2.41	0.42
1:B:411:ILE:HG23	1:B:412:VAL:HG13	2.01	0.42
1:D:51:ALA:HB1	1:C:116:LYS:HE3	2.01	0.41
1:D:63:MET:HE2	1:D:169:LEU:HD12	2.02	0.41
1:B:271:TRP:HA	1:B:274:GLU:OE1	2.20	0.41
1:C:372:LEU:HD12	1:C:372:LEU:HA	1.91	0.41
1:B:148:GLY:HA3	1:B:247:LEU:HD21	2.01	0.41
1:D:417:MET:HG2	1:D:433:VAL:HB	2.01	0.41
1:A:304:GLN:HG2	1:C:199:LEU:HB3	2.02	0.41
1:B:258:LEU:O	1:B:261:MET:HB2	2.21	0.41
1:B:86:VAL:HG22	1:B:261:MET:HG3	2.02	0.41
1:B:485:ARG:HD2	1:C:268:GLU:O	2.20	0.41
1:C:469:LEU:HD23	1:C:469:LEU:HA	1.95	0.40
1:D:152:GLN:HG2	1:D:272:HIS:HD2	1.86	0.40
1:C:328:ASN:HA	1:C:328:ASN:HD22	1.67	0.40
1:C:462:ASP:OD1	1:C:462:ASP:N	2.54	0.40
1:D:352:ASP:OD2	1:C:344:ARG:NH1	2.54	0.40
1:A:318:ARG:O	1:A:320:SER:N	2.54	0.40
1:C:207:PHE:CZ	1:C:211:MET:HE3	2.56	0.40
1:A:313:PRO:HG3	1:A:392:GLY:C	2.46	0.40
1:A:460:LYS:O	1:A:461:LEU:HD23	2.21	0.40
1:B:156:ASP:O	1:B:160:VAL:HG23	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:GLN:OE1	1:C:250:GLN:NE2[8_545]	2.10	0.10
1:A:427:GLN:NE2	1:C:90:LEU:O[8_545]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	429/493 (87%)	410 (96%)	18 (4%)	1 (0%)	43 53
1	B	429/493 (87%)	412 (96%)	17 (4%)	0	100 100
1	C	433/493 (88%)	414 (96%)	18 (4%)	1 (0%)	43 53
1	D	431/493 (87%)	414 (96%)	16 (4%)	1 (0%)	43 53
All	All	1722/1972 (87%)	1650 (96%)	69 (4%)	3 (0%)	43 53

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	326	GLN
1	D	329	ASN
1	A	142	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	355/404 (88%)	351 (99%)	4 (1%)	65 80
1	B	356/404 (88%)	353 (99%)	3 (1%)	73 85

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	356/404 (88%)	352 (99%)	4 (1%)	65	80
1	D	358/404 (89%)	356 (99%)	2 (1%)	78	88
All	All	1425/1616 (88%)	1412 (99%)	13 (1%)	70	83

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	321	SER
1	D	468	LYS
1	A	86	VAL
1	A	110	ILE
1	A	143	GLU
1	A	466	LEU
1	B	262	LEU
1	B	315	ILE
1	B	485	ARG
1	C	268	GLU
1	C	423	THR
1	C	452	LEU
1	C	463	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	71	ASN
1	D	165	GLN
1	D	190	ASN
1	D	198	ASN
1	D	337	HIS
1	D	394	GLN
1	A	187	GLN
1	A	188	HIS
1	A	401	GLN
1	B	104	HIS
1	B	172	GLN
1	B	478	GLN
1	C	328	ASN
1	C	337	HIS
1	C	384	ASN
1	C	430	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	320:SER	C	323:THR	N	6.43

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	436/493 (88%)	0.61	26 (5%) 27 30	51, 68, 94, 138	0
1	B	434/493 (88%)	1.13	70 (16%) 4 5	55, 81, 109, 122	0
1	C	439/493 (89%)	0.63	28 (6%) 25 28	53, 72, 98, 127	0
1	D	437/493 (88%)	0.48	17 (3%) 43 46	50, 68, 102, 126	0
All	All	1746/1972 (88%)	0.71	141 (8%) 18 20	50, 72, 104, 138	0

All (141) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	324	MET	8.0
1	B	325	PRO	7.7
1	C	324	MET	7.3
1	B	457	ILE	6.3
1	B	319	GLY	6.2
1	A	320	SER	6.1
1	A	325	PRO	6.0
1	B	489	PRO	4.8
1	A	324	MET	4.8
1	D	325	PRO	4.6
1	C	45	PRO	4.5
1	A	462	ASP	4.4
1	A	90	LEU	4.3
1	A	144	TYR	4.3
1	D	327	LYS	4.2
1	A	328	ASN	4.2
1	C	489	PRO	4.2
1	A	489	PRO	4.1
1	A	326	GLN	4.1
1	C	47	LEU	4.1
1	D	321	SER	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	51	ALA	3.9
1	C	320	SER	3.9
1	C	327	LYS	3.9
1	B	105	CYS	3.8
1	B	84	ALA	3.8
1	A	248	GLY	3.8
1	C	251	GLY	3.7
1	B	98	ALA	3.7
1	B	327	LYS	3.7
1	C	46	ASP	3.7
1	B	102	VAL	3.4
1	D	320	SER	3.4
1	D	50	SER	3.4
1	C	319	GLY	3.3
1	A	143	GLU	3.3
1	B	151	THR	3.2
1	B	81	ALA	3.2
1	C	252	ILE	3.1
1	B	240	ALA	3.1
1	B	141	LEU	3.1
1	B	85	ILE	3.1
1	A	323	THR	3.0
1	B	134	VAL	3.0
1	B	93	ILE	3.0
1	C	50	SER	3.0
1	C	141	LEU	3.0
1	B	140	GLY	3.0
1	C	461	LEU	3.0
1	D	455	HIS	3.0
1	A	70	GLN	3.0
1	B	101	ILE	3.0
1	A	149	ALA	2.9
1	D	442	VAL	2.9
1	B	315	ILE	2.9
1	D	489	PRO	2.9
1	A	86	VAL	2.9
1	B	441	PHE	2.9
1	A	315	ILE	2.9
1	A	112	TRP	2.9
1	B	97	ALA	2.8
1	B	135	ALA	2.8
1	C	142	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	144	TYR	2.8
1	B	451	LEU	2.8
1	B	458	ALA	2.8
1	A	441	PHE	2.8
1	B	145	CYS	2.8
1	C	90	LEU	2.8
1	A	51	ALA	2.7
1	D	434	TYR	2.7
1	B	107	VAL	2.7
1	A	314	PHE	2.6
1	C	151	THR	2.6
1	B	79	ILE	2.6
1	A	50	SER	2.6
1	B	412	VAL	2.5
1	B	77	LEU	2.5
1	B	90	LEU	2.5
1	B	133	LEU	2.5
1	B	262	LEU	2.5
1	D	151	THR	2.5
1	B	410	LEU	2.5
1	B	261	MET	2.5
1	B	139	ASP	2.5
1	B	253	ALA	2.5
1	B	83	LEU	2.5
1	B	434	TYR	2.4
1	B	50	SER	2.4
1	B	138	LYS	2.4
1	B	147	TRP	2.4
1	B	418	MET	2.4
1	B	476	LEU	2.4
1	B	94	PRO	2.4
1	D	457	ILE	2.4
1	B	126	VAL	2.4
1	B	467	GLU	2.4
1	B	86	VAL	2.4
1	C	269	ILE	2.4
1	B	142	GLY	2.3
1	C	424	LEU	2.3
1	D	328	ASN	2.3
1	D	51	ALA	2.3
1	B	99	HIS	2.3
1	B	209	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	317	ASN	2.3
1	B	54	LEU	2.3
1	A	318	ARG	2.3
1	B	88	ALA	2.3
1	B	112	TRP	2.3
1	C	452	LEU	2.2
1	C	129	ILE	2.2
1	A	247	LEU	2.2
1	B	118	LYS	2.2
1	B	67	TRP	2.2
1	B	121	LEU	2.2
1	A	147	TRP	2.2
1	B	205	ILE	2.2
1	D	57	ILE	2.1
1	B	237	PHE	2.1
1	B	57	ILE	2.1
1	C	94	PRO	2.1
1	C	419	GLY	2.1
1	D	423	THR	2.1
1	C	440	ALA	2.1
1	B	183	HIS	2.1
1	B	76	TYR	2.1
1	B	125	PRO	2.1
1	B	428	TYR	2.1
1	C	423	THR	2.0
1	A	145	CYS	2.0
1	A	467	GLU	2.0
1	B	456	GLU	2.0
1	C	473	ALA	2.0
1	D	454	ASN	2.0
1	B	420	LEU	2.0
1	C	476	LEU	2.0
1	B	129	ILE	2.0
1	C	106	ARG	2.0
1	B	65	GLU	2.0
1	B	472	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.