



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 8, 2023 – 12:26 am GMT

PDB ID : 1HBM
Title : METHYL-COENZYME M REDUCTASE ENZYME PRODUCT COMPLEX
Authors : Ermler, U.; Grabarse, W.
Deposited on : 2001-04-20
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	549	
1	D	549	
2	B	442	
2	E	442	
3	C	248	
3	F	248	

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 21641 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called METHYL-COENZYME M REDUCTASE I ALPHA SUB-UNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	548	4291	2712	723	836	20	23	13	0
1	D	548	4296	2717	721	838	20	23	16	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	257	MHS	HIS	modified residue	UNP P11558
A	271	AGM	ARG	modified residue	UNP P11558
A	400	MGN	GLN	modified residue	UNP P11558
A	445	GL3	GLY	modified residue	UNP P11558
A	452	SMC	CYS	modified residue	UNP P11558
D	257	MHS	HIS	modified residue	UNP P11558
D	271	AGM	ARG	modified residue	UNP P11558
D	400	MGN	GLN	modified residue	UNP P11558
D	445	GL3	GLY	modified residue	UNP P11558
D	452	SMC	CYS	modified residue	UNP P11558


- Molecule 2 is a protein called METHYL-COENZYME M REDUCTASE I BETA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	442	3347	2115	557	653	22	26	15	0
2	E	442	3339	2115	551	652	21	41	12	0

- Molecule 3 is a protein called METHYL-COENZYME M REDUCTASE I GAMMA SUB-UNIT.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	247	Total 2007	1242	355	398	12	39	5	0
3	F	247	Total 2006	1242	354	398	12	44	5	0

- Molecule 4 is FACTOR 430 (three-letter code: F43) (formula: $C_{42}H_{51}N_6NiO_{13}$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	Ni	O		
4	A	1	Total 62	42	6	1	13	0	0
4	D	1	Total 62	42	6	1	13	0	0

- Molecule 5 is O-PHOSPHONO-N-{(2E)-7-[(2-SULFOETHYL)DITHIO]HEPT-2-ENOYL}-L-THREONINE (three-letter code: SHT) (formula: $C_{13}H_{24}NO_{10}PS_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
5	A	1	Total	C	N	O	P	S	0	0
			28	13	1	10	1	3		
5	D	1	Total	C	N	O	P	S	0	0
			28	13	1	10	1	3		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	E	1	Total C O 6 3 3	0	0

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	4	Total Na 4 4	0	0
7	B	2	Total Na 2 2	0	0
7	D	3	Total Na 3 3	0	0

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total Cl 1 1	0	0
8	E	1	Total Cl 1 1	0	0

- Molecule 9 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	C	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	F	4	Total	Mg	0	0
			4	4		

- Molecule 10 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	D	1	Total	Zn	0	1
			1	1		

- Molecule 11 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	427	Total	O	0	0
			427	427		
11	B	369	Total	O	0	1
			369	369		
11	C	257	Total	O	0	0
			257	257		
11	D	438	Total	O	0	1
			438	438		
11	E	353	Total	O	0	0
			353	353		
11	F	248	Total	O	0	1
			248	248		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: METHYL-COENZYME M REDUCTASE I ALPHA SUBUNIT




- Molecule 1: METHYL-COENZYME M REDUCTASE I ALPHA SUBUNIT




- Molecule 2: METHYL-COENZYME M REDUCTASE I BETA SUBUNIT



- Molecule 2: METHYL-COENZYME M REDUCTASE I BETA SUBUNIT





- Molecule 3: METHYL-COENZYME M REDUCTASE I GAMMA SUBUNIT

Chain C: 91% 7%



- Molecule 3: METHYL-COENZYME M REDUCTASE I GAMMA SUBUNIT

Chain F: 90% 7%



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.00Å 118.30Å 122.80Å 90.00° 92.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.80	Depositor
% Data completeness (in resolution range)	91.8 (10.00-1.80)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	0.08	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.164 , 0.193	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	21641	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SMC, ZN, F43, AGM, GOL, MG, CL, GL3, SHT, MHS, NA, MGN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.77	5/4411 (0.1%)	1.13	23/5986 (0.4%)
1	D	1.12	6/4432 (0.1%)	1.20	30/6015 (0.5%)
2	B	0.82	5/3492 (0.1%)	1.30	31/4724 (0.7%)
2	E	1.54	8/3458 (0.2%)	1.28	26/4682 (0.6%)
3	C	1.16	8/2072 (0.4%)	1.29	19/2790 (0.7%)
3	F	0.82	9/2070 (0.4%)	1.37	14/2789 (0.5%)
All	All	1.07	41/19935 (0.2%)	1.25	143/26986 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	D	0	5
2	B	0	2
2	E	0	4
3	C	0	1
All	All	0	15

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	438	GLU	CG-CD	53.14	2.31	1.51
1	D	355	GLU	CG-CD	45.45	2.20	1.51
2	E	91[A]	GLU	CG-CD	38.62	2.09	1.51
2	E	91[B]	GLU	CG-CD	38.62	2.09	1.51
2	E	83	GLU	CG-CD	30.66	1.98	1.51
1	D	240	LYS	CE-NZ	-29.87	0.74	1.49
2	B	438	GLU	CG-CD	-27.40	1.10	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	127	GLU	CG-CD	-25.84	1.13	1.51
3	C	164	GLU	CG-CD	23.72	1.87	1.51
1	A	240	LYS	CE-NZ	-19.99	0.99	1.49
3	C	212	GLU	CG-CD	-19.92	1.22	1.51
1	A	15	GLU	CB-CG	19.67	1.89	1.52
3	C	197	GLU	CG-CD	-17.40	1.25	1.51
3	F	208	GLU	CB-CG	-15.43	1.22	1.52
3	C	179	LYS	CD-CE	15.41	1.89	1.51
3	C	63	GLU	CB-CG	-15.28	1.23	1.52
1	D	50	LYS	CD-CE	14.21	1.86	1.51
3	C	57	GLU	CB-CG	14.02	1.78	1.52
2	E	5	GLU	CG-CD	-13.87	1.31	1.51
2	E	58	LYS	CG-CD	13.25	1.97	1.52
1	A	12	LYS	CG-CD	-12.89	1.08	1.52
2	B	261	LYS	CG-CD	-11.22	1.14	1.52
3	F	196	ASP	CB-CG	-10.95	1.28	1.51
2	B	98	ASP	CB-CG	-10.75	1.29	1.51
2	B	97	GLU	CB-CG	-10.58	1.32	1.52
2	B	91	GLU	CG-CD	-10.37	1.36	1.51
3	F	164	GLU	CG-CD	10.18	1.67	1.51
1	A	127	GLU	CG-CD	9.31	1.66	1.51
2	E	297	ASP	CB-CG	-9.25	1.32	1.51
3	C	24	GLU	CB-CG	9.17	1.69	1.52
3	F	212	GLU	CB-CG	-8.82	1.35	1.52
1	D	15	GLU	CB-CG	-8.43	1.36	1.52
3	C	208	GLU	CB-CG	-8.39	1.36	1.52
3	F	63	GLU	CB-CG	-8.37	1.36	1.52
2	E	20	GLU	CB-CG	-7.96	1.37	1.52
1	A	21	LYS	CD-CE	7.77	1.70	1.51
3	F	57	GLU	CG-CD	-6.86	1.41	1.51
3	F	10	LYS	CG-CD	-6.63	1.29	1.52
3	F	132	LYS	CG-CD	6.52	1.74	1.52
1	D	186	LYS	CD-CE	6.27	1.67	1.51
3	F	164	GLU	CB-CG	-5.65	1.41	1.52

All (143) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	196	ASP	CB-CG-OD2	29.36	144.72	118.30
2	B	98	ASP	CB-CG-OD2	27.17	142.76	118.30
3	F	196	ASP	CB-CG-OD1	-25.80	95.08	118.30
2	B	98	ASP	CB-CG-OD1	-25.10	95.71	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	60	ASP	CB-CG-OD1	-22.84	97.74	118.30
2	E	91[A]	GLU	CG-CD-OE2	-22.52	73.26	118.30
2	E	91[B]	GLU	CG-CD-OE2	-22.52	73.26	118.30
2	B	98	ASP	CA-CB-CG	-18.23	73.29	113.40
2	E	438	GLU	CB-CG-CD	-13.93	76.59	114.20
1	D	127	GLU	CB-CG-CD	13.45	150.52	114.20
1	A	12	LYS	CB-CG-CD	11.94	142.63	111.60
2	B	97	GLU	CB-CG-CD	-11.63	82.79	114.20
2	E	91[A]	GLU	CB-CG-CD	-11.56	82.99	114.20
2	E	91[B]	GLU	CB-CG-CD	-11.56	82.99	114.20
1	D	127	GLU	CG-CD-OE2	-10.75	96.81	118.30
3	F	60	ASP	CB-CG-OD2	10.56	127.80	118.30
2	E	91[A]	GLU	CG-CD-OE1	10.44	139.18	118.30
2	E	91[B]	GLU	CG-CD-OE1	10.44	139.18	118.30
2	E	297	ASP	CB-CG-OD1	-10.39	108.95	118.30
3	C	126	ARG	NE-CZ-NH1	-10.01	115.30	120.30
3	F	60	ASP	CB-CG-OD1	-10.00	109.30	118.30
2	E	72	ARG	NE-CZ-NH2	9.95	125.27	120.30
1	D	2	ALA	CB-CA-C	-9.74	95.50	110.10
2	B	322	ARG	NE-CZ-NH2	9.73	125.17	120.30
1	D	401	ARG	NE-CZ-NH2	9.55	125.08	120.30
1	A	240	LYS	CD-CE-NZ	9.38	133.27	111.70
2	B	165	PRO	CA-N-CD	-9.35	98.41	111.50
2	E	83	GLU	CB-CG-CD	-9.33	89.01	114.20
1	D	355	GLU	CB-CG-CD	-9.29	89.11	114.20
1	D	270	ARG	NE-CZ-NH2	9.27	124.94	120.30
1	D	209[A]	ARG	CD-NE-CZ	9.08	136.31	123.60
1	D	209[B]	ARG	CD-NE-CZ	9.08	136.31	123.60
2	E	58	LYS	CB-CG-CD	-8.96	88.30	111.60
3	C	120	ARG	NE-CZ-NH1	8.81	124.70	120.30
2	B	165	PRO	N-CA-CB	8.79	113.85	103.30
2	E	165	PRO	N-CA-CB	8.79	113.85	103.30
1	A	127	GLU	CB-CG-CD	-8.58	91.03	114.20
3	C	164	GLU	CB-CG-CD	-8.47	91.32	114.20
2	E	165	PRO	CA-N-CD	-8.39	99.75	111.50
1	A	543	ARG	NE-CZ-NH2	8.38	124.49	120.30
1	D	499	ARG	NE-CZ-NH1	-8.18	116.21	120.30
2	B	97	GLU	CA-CB-CG	-8.15	95.47	113.40
1	D	444	TYR	CB-CG-CD1	-8.06	116.16	121.00
3	C	220	ASP	CB-CG-OD2	8.03	125.52	118.30
2	E	163	ARG	NE-CZ-NH1	-8.02	116.29	120.30
2	E	5	GLU	CG-CD-OE2	-7.95	102.40	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	127	GLU	CG-CD-OE1	7.91	134.12	118.30
2	E	5	GLU	CG-CD-OE1	7.87	134.05	118.30
2	E	193	ARG	NE-CZ-NH1	-7.87	116.36	120.30
1	D	2	ALA	CA-C-O	-7.87	103.57	120.10
2	E	297	ASP	CB-CG-OD2	7.58	125.12	118.30
1	D	499	ARG	NE-CZ-NH2	7.46	124.03	120.30
2	B	275	ARG	NE-CZ-NH2	7.27	123.93	120.30
2	B	297	ASP	CB-CG-OD1	7.20	124.78	118.30
1	A	103	ARG	NE-CZ-NH1	7.15	123.88	120.30
1	A	102	ARG	NE-CZ-NH2	7.09	123.84	120.30
3	C	101	ARG	NE-CZ-NH1	-7.08	116.76	120.30
3	F	61	GLU	CA-CB-CG	7.00	128.79	113.40
2	B	193	ARG	NE-CZ-NH1	-6.93	116.83	120.30
3	C	126	ARG	NE-CZ-NH2	6.86	123.73	120.30
3	C	101	ARG	NE-CZ-NH2	6.85	123.73	120.30
3	C	183	ARG	CD-NE-CZ	6.81	133.13	123.60
2	B	193	ARG	NE-CZ-NH2	6.74	123.67	120.30
3	C	179	LYS	CG-CD-CE	-6.71	91.76	111.90
2	E	283	LYS	CG-CD-CE	6.71	132.02	111.90
2	B	322	ARG	NE-CZ-NH1	-6.64	116.98	120.30
1	A	36	ARG	CD-NE-CZ	6.64	132.89	123.60
1	D	273	ARG	NE-CZ-NH1	-6.64	116.98	120.30
1	D	543	ARG	NE-CZ-NH2	6.63	123.62	120.30
3	C	57	GLU	CB-CG-CD	-6.61	96.36	114.20
1	A	543	ARG	NE-CZ-NH1	-6.59	117.01	120.30
2	B	91	GLU	CG-CD-OE2	-6.54	105.23	118.30
3	C	197	GLU	CB-CG-CD	6.52	131.81	114.20
1	D	177	ASP	CB-CG-OD2	6.49	124.14	118.30
2	B	13	ASP	CB-CG-OD2	6.48	124.13	118.30
2	B	297	ASP	CB-CG-OD2	-6.47	112.47	118.30
3	F	248	LEU	N-CA-C	-6.47	93.54	111.00
2	B	91	GLU	CB-CG-CD	-6.44	96.82	114.20
3	F	217	TYR	CA-CB-CG	6.43	125.62	113.40
3	C	120	ARG	CD-NE-CZ	6.39	132.55	123.60
1	D	241	GLN	CA-CB-CG	6.35	127.37	113.40
1	D	2	ALA	N-CA-C	6.34	128.12	111.00
1	D	444	TYR	CB-CG-CD2	6.32	124.79	121.00
1	D	216	ARG	NE-CZ-NH1	-6.32	117.14	120.30
2	B	164	TYR	CA-C-O	-6.31	106.84	120.10
2	B	163	ARG	NE-CZ-NH1	-6.27	117.17	120.30
2	B	91	GLU	CG-CD-OE1	6.21	130.71	118.30
1	A	183	ASP	CB-CG-OD1	6.17	123.86	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	194	GLU	CB-CG-CD	-6.08	97.78	114.20
2	B	72	ARG	NE-CZ-NH1	-6.05	117.28	120.30
3	C	105	TYR	CB-CG-CD2	6.05	124.63	121.00
1	D	302[A]	ARG	NE-CZ-NH2	5.87	123.23	120.30
1	D	302[B]	ARG	NE-CZ-NH2	5.87	123.23	120.30
3	F	241	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	D	487	GLU	OE1-CD-OE2	-5.80	116.34	123.30
1	D	285	TYR	CB-CG-CD1	-5.75	117.55	121.00
2	E	297	ASP	CA-CB-CG	-5.71	100.83	113.40
1	A	12	LYS	CG-CD-CE	5.71	129.02	111.90
2	B	44	ARG	NE-CZ-NH2	5.70	123.15	120.30
3	C	164	GLU	CG-CD-OE1	-5.70	106.90	118.30
3	F	126	ARG	NE-CZ-NH2	5.62	123.11	120.30
1	A	273	ARG	NE-CZ-NH1	-5.57	117.52	120.30
1	A	499	ARG	NE-CZ-NH2	5.53	123.06	120.30
3	C	60	ASP	OD1-CG-OD2	5.50	133.76	123.30
1	D	521	ASP	CB-CG-OD1	5.49	123.24	118.30
1	D	440	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	A	323	TYR	CB-CG-CD2	-5.48	117.71	121.00
3	C	147	ARG	NE-CZ-NH2	5.48	123.04	120.30
2	E	111	ARG	NE-CZ-NH2	5.46	123.03	120.30
2	E	164	TYR	CA-C-O	-5.46	108.63	120.10
3	F	57	GLU	CB-CG-CD	5.45	128.90	114.20
1	A	51	ARG	NE-CZ-NH1	-5.43	117.58	120.30
1	A	302	ARG	NE-CZ-NH2	5.42	123.01	120.30
1	D	209[A]	ARG	NE-CZ-NH2	5.38	122.99	120.30
1	D	209[B]	ARG	NE-CZ-NH2	5.38	122.99	120.30
1	A	549	ALA	CA-C-O	-5.37	108.82	120.10
3	F	33	ASP	CB-CG-OD2	5.36	123.12	118.30
2	B	278	GLU	CG-CD-OE2	-5.33	107.64	118.30
1	D	240	LYS	CD-CE-NZ	5.32	123.93	111.70
3	F	174	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	D	471	ARG	NE-CZ-NH2	-5.30	117.65	120.30
2	E	31	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	A	209[A]	ARG	CD-NE-CZ	5.29	131.01	123.60
1	A	209[B]	ARG	CD-NE-CZ	5.29	131.01	123.60
2	B	383	ARG	NE-CZ-NH1	-5.29	117.65	120.30
2	B	359	PHE	CB-CG-CD2	5.23	124.46	120.80
3	F	194	GLU	CB-CG-CD	5.20	128.23	114.20
1	A	118	LYS	CD-CE-NZ	5.19	123.65	111.70
2	B	278	GLU	CG-CD-OE1	5.19	128.68	118.30
2	B	322	ARG	CD-NE-CZ	5.18	130.85	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	217	TYR	CA-CB-CG	5.18	123.24	113.40
2	E	322	ARG	CD-NE-CZ	5.17	130.84	123.60
2	E	165	PRO	N-CD-CG	5.16	110.94	103.20
2	B	151	TYR	CB-CG-CD2	-5.13	117.92	121.00
1	A	202	ASP	CB-CG-OD1	5.12	122.91	118.30
1	A	270	ARG	NE-CZ-NH2	5.09	122.85	120.30
3	F	61	GLU	CB-CG-CD	5.08	127.93	114.20
2	B	261	LYS	CB-CG-CD	5.06	124.76	111.60
2	E	72	ARG	CD-NE-CZ	5.05	130.67	123.60
2	B	31[A]	ARG	NE-CZ-NH1	-5.04	117.78	120.30
2	B	31[B]	ARG	NE-CZ-NH1	-5.04	117.78	120.30
3	C	164	GLU	CG-CD-OE2	5.04	128.39	118.30
1	A	84	ASP	CB-CG-OD1	-5.00	113.80	118.30

There are no chirality outliers.

All (15) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	134[A]	GLU	Sidechain
1	A	134[B]	GLU	Sidechain
1	A	241	GLN	Peptide
2	B	164	TYR	Peptide,Mainchain
3	C	60	ASP	Sidechain
1	D	127	GLU	Sidechain
1	D	2	ALA	Mainchain
1	D	241	GLN	Peptide
1	D	383[A]	GLU	Sidechain
1	D	383[B]	GLU	Sidechain
2	E	164	TYR	Peptide,Mainchain
2	E	91[A]	GLU	Sidechain
2	E	91[B]	GLU	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4291	0	4093	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	4296	0	4108	17	0
2	B	3347	0	3331	25	0
2	E	3339	0	3325	22	0
3	C	2007	0	1937	9	0
3	F	2006	0	1937	8	0
4	A	62	0	43	1	0
4	D	62	0	43	1	0
5	A	28	0	21	0	0
5	D	28	0	21	0	0
6	A	24	0	31	5	0
6	B	6	0	8	3	0
6	C	6	0	8	0	0
6	D	24	0	31	1	0
6	E	6	0	8	2	0
7	A	4	0	0	0	0
7	B	2	0	0	0	0
7	D	3	0	0	0	0
8	B	1	0	0	0	0
8	E	1	0	0	0	0
9	C	1	0	0	0	0
9	F	4	0	0	0	0
10	D	1	0	0	0	0
11	A	427	0	0	5	0
11	B	369	0	0	4	0
11	C	257	0	0	2	0
11	D	438	0	0	4	0
11	E	353	0	0	3	0
11	F	248	0	0	0	0
All	All	21641	0	18945	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:236[C]:MET:SD	2:B:236[C]:MET:CE	2.04	1.45
2:B:185[B]:LEU:HD21	2:B:191:ALA:HA	1.62	0.80
2:E:349:PHE:HZ	3:F:248:LEU:HD21	1.57	0.70
2:E:246[A]:MET:CE	2:E:429:LEU:HD12	2.21	0.69
2:B:58[A]:LYS:HE3	2:B:75:ASP:OD1	1.94	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:185[B]:LEU:HD21	2:B:191:ALA:CA	2.25	0.67
2:B:113[A]:LEU:HD13	2:B:418:VAL:HG13	1.77	0.66
11:B:2201:HOH:O	2:E:188:PRO:HD3	1.96	0.66
2:B:236[A]:MET:HB2	3:C:248:LEU:CD1	2.28	0.64
2:B:25:GLU:OE1	6:B:1444:GOL:H32	1.98	0.63
6:A:1554:GOL:H12	11:A:2392:HOH:O	2.00	0.61
2:B:236[B]:MET:HB2	3:C:248:LEU:CD1	2.29	0.61
2:E:349:PHE:CZ	3:F:248:LEU:HD21	2.36	0.61
2:E:246[A]:MET:HE1	2:E:429:LEU:HD12	1.85	0.58
2:E:236[B]:MET:SD	3:F:248:LEU:HD11	2.44	0.57
2:B:185[B]:LEU:CD2	2:B:191:ALA:HA	2.32	0.57
2:B:339:GLU:HB3	3:C:237[A]:ILE:HD13	1.85	0.57
1:A:383[B]:GLU:HG3	11:A:2325:HOH:O	2.04	0.57
1:D:328:VAL:HB	4:D:1550:F43:H9A1	1.86	0.56
1:A:73:GLN:HB2	1:A:80:TYR:CE2	2.40	0.56
2:B:70[B]:MET:HE2	1:D:501:ASP:HB3	1.87	0.56
1:D:172[A]:ILE:HD13	11:D:2119:HOH:O	2.04	0.56
2:E:233[B]:PHE:HD2	2:E:236[B]:MET:HE2	1.71	0.56
2:E:246[A]:MET:HE3	2:E:429:LEU:HD12	1.86	0.56
1:D:315:TYR:HB3	1:D:485:GLN:HE21	1.70	0.55
2:B:202:ALA:HB1	2:B:416:LYS:HB2	1.88	0.55
2:E:233[B]:PHE:CD2	2:E:236[B]:MET:HE2	2.41	0.55
2:E:27:LEU:HD22	2:E:246[B]:MET:SD	2.47	0.54
1:A:315:TYR:HB3	1:A:485:GLN:HE21	1.72	0.54
1:A:328:VAL:HB	4:A:1550:F43:H9A1	1.87	0.54
1:A:154:HIS:CE1	1:A:545:LEU:HD21	2.42	0.54
1:A:256:LYS:O	6:A:1552:GOL:H31	2.08	0.53
2:E:233[B]:PHE:CD2	2:E:236[B]:MET:CE	2.92	0.53
2:E:246[A]:MET:HE3	2:E:429:LEU:CD1	2.39	0.53
2:B:113[A]:LEU:HD13	2:B:418:VAL:CG1	2.40	0.52
2:E:202:ALA:HB1	2:E:416:LYS:HB2	1.92	0.52
1:D:17:SER:OG	1:D:19:GLU:OE2	2.28	0.51
1:D:105[B]:VAL:HG22	1:D:223:THR:HG22	1.94	0.49
2:E:206[A]:LYS:NZ	2:E:400:ASP:O	2.42	0.49
1:D:104:THR:HG21	1:D:209[B]:ARG:HH21	1.78	0.49
1:A:104:THR:HG21	1:A:209[B]:ARG:HH21	1.78	0.48
1:D:187:GLN:HE21	1:D:187:GLN:HA	1.79	0.48
1:A:125:THR:HB	1:A:126:PRO:HD2	1.95	0.48
1:D:356:ASP:HB3	11:D:2313:HOH:O	2.13	0.47
2:B:299:LEU:HB2	3:C:248:LEU:HD23	1.96	0.47
2:B:185[B]:LEU:HD22	2:B:190:TYR:C	2.35	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:TYR:HB3	6:A:1555:GOL:H31	1.97	0.47
2:E:336[B]:ASP:OD1	3:F:103:ARG:NE	2.42	0.46
6:B:1444:GOL:H31	11:B:2369:HOH:O	2.15	0.46
2:B:236[A]:MET:HB2	3:C:248:LEU:HD11	1.98	0.46
2:B:130:ALA:HB3	2:B:131:PRO:CD	2.46	0.45
2:B:70[B]:MET:HE2	1:D:501:ASP:CB	2.46	0.45
2:B:54:GLU:HA	2:B:78:ILE:HD12	1.99	0.45
1:A:2:ALA:HB3	11:A:2002:HOH:O	2.16	0.45
1:A:105[B]:VAL:HG13	1:A:223:THR:CG2	2.47	0.45
2:E:179[B]:LEU:CD1	2:E:195:ILE:HD11	2.46	0.45
3:C:212:GLU:HG3	11:C:2219:HOH:O	2.16	0.45
6:E:1444:GOL:H31	11:E:2353:HOH:O	2.15	0.45
1:D:525[B]:VAL:HG13	11:D:2396:HOH:O	2.16	0.45
1:A:348:TYR:CB	6:A:1555:GOL:H31	2.47	0.45
2:E:277[B]:LEU:HD21	2:E:294:TYR:CE2	2.52	0.45
3:F:117:LEU:HD13	3:F:120:ARG:HG3	1.99	0.44
1:D:516:ASP:HA	6:D:1554:GOL:H32	2.00	0.44
3:F:117:LEU:HD22	3:F:120:ARG:HD3	1.99	0.44
1:A:466[B]:LEU:HD12	2:E:165:PRO:HD2	2.00	0.43
2:B:67:CYS:HB3	1:D:505:PHE:CE1	2.52	0.43
2:E:58:LYS:HG3	11:E:2098:HOH:O	2.18	0.43
1:A:140:MET:HB3	1:A:141:PRO:HD3	2.01	0.43
6:A:1555:GOL:H11	11:A:2008:HOH:O	2.17	0.43
2:B:130:ALA:HB3	2:B:131:PRO:HD3	2.01	0.43
2:B:236[B]:MET:HG3	3:C:248:LEU:HD11	2.00	0.42
1:A:217:THR:HG23	11:D:2140:HOH:O	2.20	0.42
2:B:58[A]:LYS:NZ	2:B:76:LEU:O	2.53	0.42
1:A:186:LYS:NZ	1:A:187:GLN:OE1	2.53	0.42
2:E:430:LYS:O	2:E:434:GLU:HG3	2.20	0.42
2:B:165:PRO:HD2	1:D:466[A]:LEU:HD22	2.02	0.41
1:A:249:GLY:HA3	11:A:2239:HOH:O	2.19	0.41
1:A:267:LEU:HD12	1:A:273:ARG:HB2	2.03	0.41
1:A:332:GLN:HA	1:A:335:THR:OG1	2.18	0.41
3:C:99:TYR:CD2	3:C:116:THR:HG21	2.56	0.41
6:E:1444:GOL:C3	11:E:2353:HOH:O	2.68	0.41
3:C:179:LYS:HG3	11:C:2185:HOH:O	2.19	0.41
2:E:424:GLU:H	2:E:424:GLU:CD	2.24	0.40
1:D:187:GLN:HA	1:D:187:GLN:NE2	2.36	0.40
3:F:211:MET:HE1	3:F:221:GLY:HA2	2.03	0.40
1:D:241:GLN:HB3	1:D:242:ALA:O	2.20	0.40
6:B:1444:GOL:C3	11:B:2369:HOH:O	2.68	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:300:ALA:HB2	3:F:248:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	554/549 (101%)	537 (97%)	16 (3%)	1 (0%)	47	33
1	D	557/549 (102%)	535 (96%)	21 (4%)	1 (0%)	47	33
2	B	456/442 (103%)	447 (98%)	8 (2%)	1 (0%)	47	33
2	E	452/442 (102%)	443 (98%)	8 (2%)	1 (0%)	47	33
3	C	250/248 (101%)	243 (97%)	7 (3%)	0	100	100
3	F	250/248 (101%)	245 (98%)	5 (2%)	0	100	100
All	All	2519/2478 (102%)	2450 (97%)	65 (3%)	4 (0%)	47	33

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	165	PRO
2	E	165	PRO
1	A	325	SER
1	D	325	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	446/434 (103%)	440 (99%)	6 (1%)	69	62
1	D	449/434 (104%)	443 (99%)	6 (1%)	69	62
2	B	357/341 (105%)	354 (99%)	3 (1%)	81	78
2	E	353/341 (104%)	348 (99%)	5 (1%)	67	59
3	C	220/216 (102%)	218 (99%)	2 (1%)	78	75
3	F	220/216 (102%)	215 (98%)	5 (2%)	50	37
All	All	2045/1982 (103%)	2018 (99%)	27 (1%)	67	62

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LYS
1	A	15	GLU
1	A	17	SER
1	A	444	TYR
1	A	450	ASP
1	A	543	ARG
2	B	98	ASP
2	B	126	GLU
2	B	283	LYS
3	C	196	ASP
3	C	248	LEU
1	D	12	LYS
1	D	15	GLU
1	D	84	ASP
1	D	444	TYR
1	D	450	ASP
1	D	543	ARG
2	E	5	GLU
2	E	98	ASP
2	E	126	GLU
2	E	283	LYS
2	E	438	GLU
3	F	10	LYS
3	F	61	GLU
3	F	186	MET
3	F	194	GLU
3	F	208	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	111	HIS
1	A	485	GLN
1	D	111	HIS
1	D	187	GLN
1	D	365	ASN
1	D	485	GLN
2	E	40	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

10 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	MHS	A	257	1	7,11,12	1.85	1 (14%)	6,14,16	1.00	0
1	SMC	D	452	1	5,6,7	0.79	0	2,6,8	0.10	0
1	SMC	A	452	1	5,6,7	0.71	0	2,6,8	0.56	0
1	GL3	A	445	1	2,3,4	2.78	1 (50%)	1,2,4	0.18	0
1	MHS	D	257	1	7,11,12	1.88	1 (14%)	6,14,16	1.28	0
1	MGN	A	400	1	6,9,10	0.41	0	5,12,14	2.36	1 (20%)
1	AGM	D	271	1	10,11,12	0.64	0	6,13,15	0.58	0
1	MGN	D	400	1	6,9,10	0.82	0	5,12,14	2.19	1 (20%)
1	GL3	D	445	1	2,3,4	3.20	1 (50%)	1,2,4	0.16	0
1	AGM	A	271	1	10,11,12	0.86	0	6,13,15	1.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MHS	A	257	1	-	0/5/6/8	0/1/1/1
1	SMC	D	452	1	-	1/3/5/7	-
1	SMC	A	452	1	-	1/3/5/7	-
1	GL3	A	445	1	-	1/1/1/2	-
1	MHS	D	257	1	-	0/5/6/8	0/1/1/1
1	MGN	A	400	1	-	0/7/9/12	-
1	AGM	D	271	1	-	2/10/11/13	-
1	MGN	D	400	1	-	0/7/9/12	-
1	GL3	D	445	1	-	1/1/1/2	-
1	AGM	A	271	1	-	3/10/11/13	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	257	MHS	CM-ND1	4.60	1.58	1.47
1	D	445	GL3	C-S	-4.49	1.65	1.80
1	D	257	MHS	CM-ND1	4.11	1.57	1.47
1	A	445	GL3	C-S	-3.89	1.67	1.80

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	400	MGN	CB2-CA-CB1	-5.01	102.18	111.00
1	D	400	MGN	CB2-CA-CB1	-4.55	102.99	111.00

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	452	SMC	CA-CB-SG-CS
1	D	452	SMC	CA-CB-SG-CS
1	A	445	GL3	S-C-CA-N
1	D	445	GL3	S-C-CA-N
1	A	271	AGM	CE2-CD-NE1-CZ
1	D	271	AGM	CE2-CD-NE1-CZ
1	A	271	AGM	CA-CB-CG-CD
1	A	271	AGM	CE2-CD-CG-CB
1	D	271	AGM	NE1-CD-CG-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 17 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	C	1249	-	5,5,5	0.60	0	5,5,5	0.57	0
6	GOL	B	1444	-	5,5,5	0.80	0	5,5,5	1.30	0
6	GOL	D	1552	-	5,5,5	0.71	0	5,5,5	0.30	0
5	SHT	D	1551	4	26,27,27	2.23	9 (34%)	30,36,36	1.19	2 (6%)
4	F43	A	1550	1,5	61,71,71	3.21	18 (29%)	64,118,118	2.33	25 (39%)
6	GOL	D	1555	-	5,5,5	0.67	0	5,5,5	0.91	0
5	SHT	A	1551	4	26,27,27	2.15	9 (34%)	30,36,36	1.49	4 (13%)
6	GOL	A	1555	-	5,5,5	0.72	0	5,5,5	0.79	0
6	GOL	D	1554	-	5,5,5	0.68	0	5,5,5	0.94	0
6	GOL	E	1444	-	5,5,5	0.84	0	5,5,5	1.38	0
6	GOL	A	1552	7	5,5,5	0.63	0	5,5,5	1.47	1 (20%)
6	GOL	D	1553	7	5,5,5	0.65	0	5,5,5	0.82	0
4	F43	D	1550	1,5	61,71,71	3.45	18 (29%)	64,118,118	2.40	26 (40%)
6	GOL	A	1553	-	5,5,5	0.55	0	5,5,5	1.04	0
6	GOL	A	1554	-	5,5,5	0.69	0	5,5,5	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	C	1249	-	-	2/4/4/4	-
6	GOL	B	1444	-	-	4/4/4/4	-
6	GOL	D	1552	-	-	0/4/4/4	-
5	SHT	D	1551	4	-	3/31/31/31	-
4	F43	A	1550	1,5	-	6/28/185/185	-
6	GOL	D	1555	-	-	2/4/4/4	-
5	SHT	A	1551	4	-	4/31/31/31	-
6	GOL	A	1555	-	-	2/4/4/4	-
6	GOL	D	1554	-	-	0/4/4/4	-
6	GOL	E	1444	-	-	4/4/4/4	-
6	GOL	A	1552	7	-	2/4/4/4	-
6	GOL	D	1553	7	-	0/4/4/4	-
4	F43	D	1550	1,5	-	6/28/185/185	-
6	GOL	A	1553	-	-	2/4/4/4	-
6	GOL	A	1554	-	-	2/4/4/4	-

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1550	F43	NI-NA	17.33	2.26	1.89
4	D	1550	F43	NI-NA	15.88	2.23	1.89
4	D	1550	F43	NI-NB	12.13	2.15	1.89
4	D	1550	F43	NI-ND	7.98	2.06	1.89
4	A	1550	F43	NI-ND	7.37	2.05	1.89
4	A	1550	F43	NI-NB	7.20	2.05	1.89
5	D	1551	SHT	CK1-CK2	6.64	1.49	1.32
5	A	1551	SHT	CK1-CK2	6.43	1.48	1.32
4	D	1550	F43	C4A-NA	-6.16	1.39	1.49
4	D	1550	F43	C6D-C7D	5.99	1.58	1.50
4	A	1550	F43	C4A-NA	-5.85	1.40	1.49
4	A	1550	F43	C6D-C7D	5.49	1.58	1.50
5	D	1551	SHT	OK-CK	4.75	1.33	1.24
5	A	1551	SHT	OK-CK	4.33	1.32	1.24
4	D	1550	F43	C1C-NC	4.24	1.46	1.37
4	D	1550	F43	C9B-C2B	-4.03	1.46	1.54
4	D	1550	F43	CHA-C4D	4.03	1.57	1.53
4	D	1550	F43	CAA-C3A	3.85	1.60	1.53
4	A	1550	F43	CAA-C3A	3.83	1.60	1.53
4	A	1550	F43	CHB-C1B	3.53	1.55	1.53
4	D	1550	F43	C5D-C2D	-3.26	1.47	1.53
4	D	1550	F43	C9D-C3D	-3.26	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1551	SHT	OXT-C	3.23	1.32	1.22
4	A	1550	F43	C9B-C2B	-3.23	1.47	1.54
4	A	1550	F43	C9D-C3D	-3.23	1.47	1.53
5	A	1551	SHT	OS1-SG2	3.15	1.54	1.45
4	A	1550	F43	C1C-NC	3.15	1.44	1.37
5	D	1551	SHT	OXT-C	3.07	1.31	1.22
5	D	1551	SHT	OS1-SG2	3.04	1.54	1.45
5	D	1551	SHT	OS3-SG2	2.94	1.53	1.45
4	A	1550	F43	C5D-C2D	-2.86	1.48	1.53
4	D	1550	F43	CHD-C7D	2.65	1.52	1.46
4	A	1550	F43	C2A-C3A	2.55	1.59	1.54
5	D	1551	SHT	P-O1P	2.52	1.58	1.50
5	D	1551	SHT	CK6-SK	-2.52	1.71	1.82
4	A	1550	F43	CHD-C7D	2.51	1.51	1.46
5	A	1551	SHT	OS3-SG2	2.44	1.52	1.45
5	A	1551	SHT	P-O1P	2.39	1.58	1.50
4	A	1550	F43	OEB-CCB	-2.38	1.22	1.30
4	D	1550	F43	C9A-C2A	2.32	1.58	1.54
5	A	1551	SHT	CK6-SK	-2.31	1.72	1.82
4	D	1550	F43	C2B-C3B	2.27	1.63	1.57
4	D	1550	F43	C8C-C9C	2.27	1.59	1.52
5	D	1551	SHT	CD-SG2	2.25	1.80	1.77
4	D	1550	F43	C4C-NC	2.22	1.38	1.35
4	A	1550	F43	C9A-C2A	2.20	1.58	1.54
5	D	1551	SHT	CK1-CK	2.17	1.52	1.48
4	D	1550	F43	CAB-CBB	2.16	1.59	1.52
5	A	1551	SHT	OS2-SG2	2.16	1.55	1.47
5	A	1551	SHT	CD-SG2	2.13	1.80	1.77
4	A	1550	F43	CHC-C4B	2.13	1.45	1.39
4	A	1550	F43	CHA-C4D	2.10	1.55	1.53
4	D	1550	F43	O7C-C6C	2.05	1.28	1.22
4	A	1550	F43	C8C-C9C	2.05	1.59	1.52

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1550	F43	O7B-C6B-C8B	-6.81	118.28	126.59
4	A	1550	F43	C4A-NA-C1A	6.69	117.07	108.97
4	D	1550	F43	CAB-C3B-C2B	-6.04	106.31	119.09
4	A	1550	F43	CAB-C3B-C2B	-5.85	106.71	119.09
4	D	1550	F43	O8D-C7D-C6D	-5.50	111.84	120.86
4	A	1550	F43	O8D-C7D-C6D	-5.40	112.02	120.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1550	F43	C4B-CHC-C1C	5.08	134.16	125.84
4	A	1550	F43	C2B-C1B-NB	4.84	109.08	101.84
4	A	1550	F43	O7B-C6B-C8B	-4.67	120.89	126.59
4	D	1550	F43	C3D-C4D-ND	4.02	108.59	102.34
4	D	1550	F43	C2B-C1B-NB	3.86	107.61	101.84
4	A	1550	F43	C9B-C2B-C3B	3.85	122.81	112.96
4	A	1550	F43	C3D-C4D-ND	3.81	108.26	102.34
4	A	1550	F43	C3B-C4B-CHC	-3.66	115.41	123.32
4	D	1550	F43	C9B-C2B-C3B	3.52	121.96	112.96
4	D	1550	F43	O7B-C6B-N5B	-3.38	120.74	125.13
5	A	1551	SHT	OS3-SG2-CD	3.35	110.95	106.92
4	D	1550	F43	C4A-NA-C1A	3.32	112.99	108.97
4	A	1550	F43	C4B-CHC-C1C	3.27	131.20	125.84
4	D	1550	F43	O8D-C7D-CHD	3.16	128.13	122.75
4	D	1550	F43	C5C-C2C-C3C	-3.09	107.02	114.94
4	A	1550	F43	C5D-C2D-C1D	3.08	114.59	110.45
4	D	1550	F43	C3A-C4A-NA	3.06	106.95	102.30
4	D	1550	F43	CBB-CAB-C3B	-3.01	106.04	114.73
4	A	1550	F43	C6D-C7D-CHD	2.99	122.58	116.95
4	D	1550	F43	O7A-C6A-N8A	-2.91	114.55	122.50
4	D	1550	F43	C9B-C2B-C8B	-2.88	103.19	110.45
4	A	1550	F43	OCC-CAC-C9C	-2.87	113.85	123.08
5	A	1551	SHT	CK1-CK-N	2.76	119.87	114.56
4	D	1550	F43	C3B-C4B-CHC	-2.76	117.36	123.32
4	D	1550	F43	OCC-CAC-C9C	-2.67	114.51	123.08
4	D	1550	F43	C5A-C6A-N8A	2.66	124.95	116.52
5	D	1551	SHT	O8P-P-O2P	2.64	117.72	107.64
4	D	1550	F43	C9B-C2B-C1B	2.60	118.47	113.47
4	A	1550	F43	C6D-C5D-C2D	2.58	116.68	111.46
6	A	1552	GOL	C3-C2-C1	-2.58	101.68	111.70
4	D	1550	F43	OBC-CAC-C9C	2.57	122.28	114.03
4	A	1550	F43	OBC-CAC-C9C	2.55	122.24	114.03
4	A	1550	F43	C5C-C2C-C3C	-2.54	108.42	114.94
4	D	1550	F43	O8C-C6C-C5C	2.52	122.16	114.07
4	D	1550	F43	C5D-C2D-C1D	2.42	113.71	110.45
4	A	1550	F43	C1C-NC-C4C	2.41	112.70	107.42
4	D	1550	F43	O7C-C6C-C5C	-2.41	115.08	122.80
5	A	1551	SHT	OK-CK-CK1	-2.39	117.57	123.03
4	A	1550	F43	CBB-CAB-C3B	-2.33	108.00	114.73
4	A	1550	F43	O8C-C6C-C5C	2.29	121.40	114.07
4	A	1550	F43	C8C-C3C-C4C	-2.28	104.67	112.19
5	A	1551	SHT	CK5-CK6-SK	2.26	122.28	113.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1550	F43	ODB-CCB-CBB	-2.26	115.83	123.08
4	A	1550	F43	O7A-C6A-C5A	-2.22	114.97	121.99
4	A	1550	F43	C2A-C3A-C4A	-2.20	99.00	102.36
4	D	1550	F43	OBC-CAC-OCC	-2.19	117.84	123.30
4	A	1550	F43	C9B-C2B-C8B	-2.16	104.99	110.45
5	D	1551	SHT	CK3-CK2-CK1	-2.13	121.28	125.85
4	A	1550	F43	C5A-C6A-N8A	2.11	123.21	116.52
4	D	1550	F43	OCD-CAD-C9D	2.11	120.84	114.07
4	A	1550	F43	CAB-CBB-CCB	-2.08	107.00	112.51
4	A	1550	F43	O7B-C6B-N5B	-2.05	122.47	125.13

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1551	SHT	S1-CC-CD-SG2
5	A	1551	SHT	CK5-CK6-SK-S1
5	A	1551	SHT	CK-CK1-CK2-CK3
5	D	1551	SHT	CK5-CK6-SK-S1
6	A	1554	GOL	O1-C1-C2-C3
6	A	1555	GOL	C1-C2-C3-O3
6	B	1444	GOL	O1-C1-C2-C3
6	D	1555	GOL	C1-C2-C3-O3
6	A	1555	GOL	O2-C2-C3-O3
6	E	1444	GOL	O2-C2-C3-O3
4	D	1550	F43	C3A-CAA-CBA-CCA
6	B	1444	GOL	C1-C2-C3-O3
6	E	1444	GOL	O1-C1-C2-C3
6	E	1444	GOL	C1-C2-C3-O3
6	A	1554	GOL	O1-C1-C2-O2
6	B	1444	GOL	O1-C1-C2-O2
6	D	1555	GOL	O2-C2-C3-O3
4	A	1550	F43	C3A-CAA-CBA-CCA
5	D	1551	SHT	CK1-CK2-CK3-CK4
6	A	1553	GOL	O1-C1-C2-O2
6	B	1444	GOL	O2-C2-C3-O3
5	A	1551	SHT	CK1-CK2-CK3-CK4
6	C	1249	GOL	O1-C1-C2-O2
4	A	1550	F43	C2C-C5C-C6C-O8C
6	A	1552	GOL	O2-C2-C3-O3
6	A	1552	GOL	C1-C2-C3-O3
4	D	1550	F43	C2C-C5C-C6C-O7C

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	1550	F43	CAA-CBA-CCA-ODA
4	A	1550	F43	CAA-CBA-CCA-OEA
4	D	1550	F43	CAA-CBA-CCA-OEA
4	D	1550	F43	CAA-CBA-CCA-ODA
5	D	1551	SHT	S1-CC-CD-SG2
4	D	1550	F43	CAB-CBB-CCB-OEB
6	C	1249	GOL	O1-C1-C2-C3
6	E	1444	GOL	O1-C1-C2-O2
4	A	1550	F43	CAB-CBB-CCB-OEB
4	A	1550	F43	CAB-CBB-CCB-ODB
6	A	1553	GOL	O1-C1-C2-C3
4	D	1550	F43	CAB-CBB-CCB-ODB


There are no ring outliers.


8 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1444	GOL	3	0
4	A	1550	F43	1	0
6	A	1555	GOL	3	0
6	D	1554	GOL	1	0
6	E	1444	GOL	2	0
6	A	1552	GOL	1	0
4	D	1550	F43	1	0
6	A	1554	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.