



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 18, 2025 – 03:19 pm GMT

PDB ID : 9HE6  
Title : Unspecific peroxygenase from *Psathyrella aberdarensis* (PabUPO-II)  
Authors : Fernandez-Garcia, A.; Sanz-Aparicio, J.  
Deposited on : 2024-11-13  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	335	<div> <div>2%</div> <div>91%</div> <div>9%</div> </div>
1	B	335	<div> <div>5%</div> <div>90%</div> <div>10%</div> </div>
1	C	335	<div> <div>5%</div> <div>91%</div> <div>9%</div> </div>
2	G	5	<div> <div>40%</div> <div>60%</div> </div>
3	I	7	<div> <div>43%</div> <div>29%</div> <div>29%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	b	2	 50% 50%
4	t	2	 100%
5	c	6	 33% 67%
6	s	4	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	GOL	B	401	-	-	X	-
7	GOL	B	402	-	-	X	-
7	GOL	C	402	-	-	X	-
8	EPE	C	403	-	-	X	-
8	EPE	C	407	-	-	X	-

## 2 Entry composition [i](#)


There are 12 unique types of molecules in this entry. The entry contains 8977 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heme-thiolate peroxidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C	N	O	S	0	5	0
			2618	1663	451	498	6			
1	B	335	Total	C	N	O	S	0	5	0
			2615	1661	448	500	6			
1	C	335	Total	C	N	O	S	0	3	0
			2609	1657	451	495	6			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	G	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	I	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	b	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	t	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	c	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	s	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
8	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 9 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
9	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
9	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 10 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	1	Total	Mg	0	0
			1	1		
10	B	1	Total	Mg	0	0
			1	1		
10	C	1	Total	Mg	0	0
			1	1		

- Molecule 11 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	O	S	0	0
			5	4	1		
11	A	1	Total	O	S	0	0
			5	4	1		
11	A	1	Total	O	S	0	0
			5	4	1		
11	A	1	Total	O	S	0	0
			5	4	1		
11	B	1	Total	O	S	0	0
			5	4	1		
11	B	1	Total	O	S	0	0
			5	4	1		
11	C	1	Total	O	S	0	0
			5	4	1		
11	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	148	Total	O	0	0
			148	148		
12	B	147	Total	O	0	0
			147	147		
12	C	100	Total	O	0	0
			100	100		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Heme-thiolate peroxidase



- Molecule 1: Heme-thiolate peroxidase




- Molecule 1: Heme-thiolate peroxidase



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3:  $\alpha$ -D-mannopyranose-(1-3)-[ $\alpha$ -D-mannopyranose-(1-6)] $\alpha$ -D-mannopyranose-(1-6)-[ $\alpha$ -D-mannopyranose-(1-3)] $\beta$ -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain I: 43% 29% 29%



- Molecule 4: 2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain b: 50% 50%




- Molecule 4: 2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain t: 100%



- Molecule 5:  $\alpha$ -D-mannopyranose-(1-3)- $\alpha$ -D-mannopyranose-(1-6)-[ $\alpha$ -D-mannopyranose-(1-3)] $\beta$ -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain c: 33% 67%



- Molecule 6:  $\alpha$ -D-mannopyranose-(1-3)- $\beta$ -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain s: 100%



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	272.86Å 74.84Å 105.58Å 90.00° 111.61° 90.00°	Depositor
Resolution (Å)	48.43 – 2.30 48.43 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (48.43-2.30) 99.7 (48.43-2.30)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.20 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
R, $R_{free}$	0.194 , 0.222 0.201 , 0.226	Depositor DCC
$R_{free}$ test set	4458 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.2	Xtriage
Anisotropy	0.709	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 39.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.011 for -h-2*k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8977	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, GOL, MAN, MG, NAG, EPE, SO4, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/2714	0.63	0/3710
1	B	0.35	0/2711	0.64	0/3707
1	C	0.36	0/2699	0.63	0/3690
All	All	0.36	0/8124	0.63	0/11107

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2618	0	2463	32	0
1	B	2615	0	2454	35	0
1	C	2609	0	2452	45	0
2	G	61	0	52	0	0
3	I	83	0	70	1	0
4	b	28	0	25	0	0
4	t	28	0	25	0	0
5	c	72	0	61	0	0
6	s	50	0	43	0	0
7	A	24	0	32	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	30	0	40	11	0
7	C	12	0	16	4	0
8	A	60	0	72	15	0
8	B	45	0	54	8	0
8	C	75	0	90	28	0
9	A	43	0	30	1	0
9	B	43	0	30	1	0
9	C	43	0	30	4	0
10	A	1	0	0	0	0
10	B	1	0	0	0	0
10	C	1	0	0	0	0
11	A	20	0	0	0	0
11	B	10	0	0	0	0
11	C	10	0	0	0	0
12	A	148	0	0	3	0
12	B	147	0	0	3	0
12	C	100	0	0	1	0
All	All	8977	0	8039	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:294:HIS:HA	8:C:403:EPE:H31	1.37	1.03
1:C:34:ASN:HD21	7:C:402:GOL:H12	1.21	1.02
1:C:65:PRO:HA	8:C:407:EPE:C3	1.93	0.97
1:B:241:ARG:HH12	7:B:402:GOL:H12	1.32	0.94
1:C:65:PRO:HA	8:C:407:EPE:H31	1.47	0.94
1:C:294:HIS:HA	8:C:403:EPE:C3	1.98	0.92
1:C:34:ASN:ND2	7:C:402:GOL:H12	1.96	0.80
1:A:30:THR:CG2	8:A:405:EPE:H101	2.11	0.80
1:A:30:THR:HG23	8:A:405:EPE:H101	1.62	0.80
1:C:27:PHE:HB2	8:C:405:EPE:H61	1.64	0.79
1:C:34:ASN:HD21	7:C:402:GOL:C1	1.97	0.75
1:C:295:LEU:N	8:C:403:EPE:H32	2.02	0.73
1:C:32:LEU:H	8:C:404:EPE:H71	1.56	0.71
1:C:27:PHE:HB3	8:C:405:EPE:O1S	1.91	0.70
1:C:295:LEU:H	8:C:403:EPE:H32	1.53	0.70
1:C:296:CYS:HB2	8:C:403:EPE:H22	1.74	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:170:ARG:HH12	7:B:401:GOL:H32	1.58	0.67
8:C:407:EPE:H61	12:C:560:HOH:O	1.95	0.66
1:C:14:GLN:HG3	1:C:15:GLY:H	1.61	0.66
1:B:241:ARG:NH1	7:B:402:GOL:H12	2.09	0.65
7:B:402:GOL:C3	12:B:515:HOH:O	2.44	0.65
1:A:318[B]:ARG:NH1	12:A:501:HOH:O	2.29	0.64
1:C:295:LEU:H	8:C:403:EPE:H82	1.63	0.64
1:C:27:PHE:CB	8:C:405:EPE:H61	2.27	0.64
1:C:65:PRO:CA	8:C:407:EPE:H31	2.24	0.64
1:A:169:ASN:O	1:C:318[B]:ARG:NH2	2.32	0.62
1:C:227:THR:HG22	8:C:406:EPE:O2S	2.00	0.62
1:A:295:LEU:H	8:A:404:EPE:H82	1.64	0.61
1:A:48:ILE:HD11	1:A:115:THR:HB	1.82	0.61
1:A:318[B]:ARG:NH2	1:A:345:TYR:O	2.34	0.61
1:A:65:PRO:HA	8:A:408:EPE:H101	1.81	0.60
1:C:27:PHE:HB2	8:C:405:EPE:C6	2.30	0.60
1:B:271:VAL:CG1	1:B:285[B]:GLU:HG3	2.31	0.60
9:B:409:HEM:HBB2	9:B:409:HEM:HHC	1.83	0.59
1:B:296:CYS:SG	8:B:404:EPE:H52	2.42	0.58
1:A:296:CYS:H	8:A:404:EPE:H51	1.67	0.58
1:C:296:CYS:H	8:C:403:EPE:C2	2.16	0.57
7:B:402:GOL:H31	12:B:515:HOH:O	2.02	0.57
9:C:408:HEM:HBB2	9:C:408:HEM:HHC	1.86	0.57
1:B:271:VAL:HG11	1:B:285[B]:GLU:CD	2.24	0.57
1:B:244:ARG:NH1	12:B:501:HOH:O	2.27	0.56
1:A:30:THR:HG21	8:A:405:EPE:H101	1.86	0.56
1:A:77[B]:THR:HG23	12:A:515:HOH:O	2.06	0.56
1:B:66:ARG:HE	8:B:407:EPE:H62	1.70	0.56
1:B:241:ARG:HH12	7:B:402:GOL:C1	2.13	0.55
1:C:65:PRO:HA	8:C:407:EPE:C2	2.37	0.54
1:C:14:GLN:HG3	1:C:15:GLY:N	2.22	0.54
1:B:271:VAL:HG11	1:B:285[B]:GLU:HG3	1.90	0.54
1:B:294:HIS:HA	8:B:404:EPE:C3	2.37	0.53
1:C:296:CYS:H	8:C:403:EPE:H22	1.74	0.53
1:C:66:ARG:H	8:C:407:EPE:H22	1.74	0.53
1:B:193:ILE:HD11	1:B:270:TRP:CH2	2.44	0.52
1:C:27:PHE:CB	8:C:405:EPE:O1S	2.57	0.51
1:C:193:ILE:HD11	1:C:270:TRP:CH2	2.45	0.51
1:C:296:CYS:CB	8:C:403:EPE:H22	2.41	0.51
1:B:332:VAL:HG13	1:B:336:PHE:CD2	2.46	0.50
1:B:209:ALA:O	1:B:213:THR:HG23	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:ILE:HD11	1:A:270:TRP:CH2	2.47	0.50
1:B:43:LEU:HG	7:B:406:GOL:O2	2.12	0.49
1:C:294:HIS:HA	8:C:403:EPE:H32	1.87	0.49
1:A:209:ALA:O	1:A:213:THR:HG23	2.11	0.49
1:B:270:TRP:CZ2	1:B:283:TYR:CZ	3.00	0.49
1:C:209:ALA:O	1:C:213:THR:HG23	2.12	0.49
9:A:409:HEM:HBB2	9:A:409:HEM:HHC	1.95	0.49
1:C:270:TRP:CZ2	1:C:283:TYR:CZ	3.01	0.49
1:A:332:VAL:HG13	1:A:336:PHE:CD2	2.47	0.49
1:B:38:HIS:CE1	8:B:405:EPE:H81	2.47	0.49
1:A:271:VAL:CG1	1:A:285[B]:GLU:HG3	2.42	0.49
1:A:270:TRP:CZ2	1:A:283:TYR:CZ	3.01	0.49
1:B:170:ARG:HH22	7:B:401:GOL:H12	1.78	0.48
9:C:408:HEM:HBC2	9:C:408:HEM:CMC	2.43	0.48
1:B:271:VAL:HG12	1:B:285[B]:GLU:HG3	1.95	0.48
1:B:170:ARG:HH12	7:B:401:GOL:C3	2.26	0.48
1:A:296:CYS:H	8:A:404:EPE:C5	2.27	0.48
1:B:277:ASP:O	1:B:279:GLN:HG3	2.14	0.48
1:A:30:THR:HG23	8:A:405:EPE:C10	2.38	0.47
1:A:31:LYS:HA	8:A:405:EPE:H22	1.95	0.47
3:I:1:NAG:H61	3:I:2:NAG:C7	2.44	0.47
1:B:271:VAL:HG11	1:B:285[B]:GLU:CG	2.45	0.46
1:C:294:HIS:CA	8:C:403:EPE:C3	2.83	0.46
1:B:63:TYR:O	8:B:405:EPE:H62	2.16	0.45
1:A:227:THR:HG22	8:A:406:EPE:O1S	2.17	0.45
1:C:271:VAL:CG1	1:C:285[B]:GLU:HG3	2.46	0.45
1:A:271:VAL:HG11	1:A:285[B]:GLU:CD	2.38	0.44
1:B:170:ARG:HH22	7:B:401:GOL:H32	1.83	0.44
1:A:77[B]:THR:CG2	12:A:515:HOH:O	2.62	0.44
1:B:48:ILE:HD11	1:B:115:THR:HB	1.98	0.44
1:A:65:PRO:CA	8:A:408:EPE:H101	2.47	0.44
9:C:408:HEM:HBC2	9:C:408:HEM:HMC2	1.99	0.44
1:A:296:CYS:HB2	8:A:404:EPE:C6	2.49	0.43
1:A:64:LEU:HD21	1:A:75:ILE:HA	2.00	0.43
1:C:64:LEU:HD21	1:C:75:ILE:HA	2.01	0.43
1:B:64:LEU:HD21	1:B:75:ILE:HA	2.00	0.43
1:C:332:VAL:HG13	1:C:336:PHE:CD2	2.54	0.43
1:B:170:ARG:NH1	7:B:401:GOL:H32	2.31	0.43
1:C:216:PRO:O	1:C:220:PHE:HB2	2.18	0.43
1:A:225:VAL:HG22	8:A:406:EPE:H62	2.00	0.42
1:B:294:HIS:HA	8:B:404:EPE:H31	2.00	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:ARG:HE	8:A:408:EPE:H71	1.85	0.42
1:B:216:PRO:O	1:B:220:PHE:HB2	2.19	0.42
1:A:271:VAL:HG11	1:A:285[B]:GLU:HG3	2.01	0.42
1:A:216:PRO:O	1:A:220:PHE:HB2	2.19	0.42
1:B:270:TRP:CZ2	1:B:283:TYR:CE2	3.07	0.42
1:C:74:GLN:O	1:C:77[B]:THR:HG22	2.21	0.41
9:C:408:HEM:HBB2	9:C:408:HEM:CHC	2.51	0.41
1:C:294:HIS:CA	8:C:403:EPE:H32	2.48	0.41
1:C:296:CYS:HB2	8:C:403:EPE:C2	2.46	0.41
1:B:17:ASP:HA	1:B:18:PRO:HD3	1.93	0.41
1:C:65:PRO:HA	8:C:407:EPE:H22	2.01	0.41
1:A:48:ILE:HD11	1:A:115:THR:CB	2.50	0.41
1:A:270:TRP:CZ2	1:A:283:TYR:CE2	3.08	0.41
1:B:15:GLY:HA3	1:B:316:ILE:CD1	2.51	0.41
1:C:271:VAL:HG11	1:C:285[B]:GLU:HG3	2.03	0.41
1:C:18:PRO:HA	1:C:19:PRO:HD3	1.95	0.41
1:B:38:HIS:HE1	8:B:405:EPE:H81	1.85	0.40
1:B:62:GLY:O	8:B:405:EPE:H92	2.22	0.40
1:C:270:TRP:CZ2	1:C:283:TYR:CE2	3.09	0.40
1:C:27:PHE:CD2	8:C:405:EPE:O1S	2.74	0.40
1:A:250:HIS:NE2	8:A:405:EPE:H72	2.37	0.40
1:B:105:VAL:HG13	1:B:316:ILE:CD1	2.52	0.40
1:C:40:TRP:CB	7:C:402:GOL:H31	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/335 (101%)	330 (98%)	7 (2%)	1 (0%)	37	47
1	B	338/335 (101%)	328 (97%)	9 (3%)	1 (0%)	37	47

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	336/335 (100%)	328 (98%)	8 (2%)	0	100	100
All	All	1012/1005 (101%)	986 (97%)	24 (2%)	2 (0%)	44	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	257	SER
1	B	257	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/274 (102%)	278 (100%)	1 (0%)	89	95
1	B	279/274 (102%)	278 (100%)	1 (0%)	89	95
1	C	277/274 (101%)	276 (100%)	1 (0%)	89	95
All	All	835/822 (102%)	832 (100%)	3 (0%)	89	95

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	137	PHE
1	B	137	PHE
1	C	137	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	34	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

26 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	G	1	1,2	14,14,15	0.43	0	17,19,21	0.96	2 (11%)
2	NAG	G	2	2	14,14,15	0.31	0	17,19,21	0.70	0
2	BMA	G	3	2	11,11,12	0.57	0	15,15,17	1.28	1 (6%)
2	MAN	G	4	2	11,11,12	0.51	0	15,15,17	0.63	0
2	MAN	G	5	2	11,11,12	0.62	0	15,15,17	0.93	1 (6%)
3	NAG	I	1	1,3	14,14,15	0.49	0	17,19,21	1.26	3 (17%)
3	NAG	I	2	3	14,14,15	0.32	0	17,19,21	0.85	1 (5%)
3	BMA	I	3	3	11,11,12	0.35	0	15,15,17	0.76	0
3	MAN	I	4	3	11,11,12	0.57	0	15,15,17	0.61	0
3	MAN	I	5	3	11,11,12	0.46	0	15,15,17	0.69	0
3	MAN	I	6	3	11,11,12	0.55	0	15,15,17	0.78	1 (6%)
3	MAN	I	7	3	11,11,12	0.83	1 (9%)	15,15,17	0.70	1 (6%)
4	NAG	b	1	4,1	14,14,15	0.36	0	17,19,21	1.11	1 (5%)
4	NAG	b	2	4	14,14,15	0.30	0	17,19,21	0.44	0
5	NAG	c	1	5,1	14,14,15	0.26	0	17,19,21	1.03	2 (11%)
5	NAG	c	2	5	14,14,15	0.37	0	17,19,21	1.08	2 (11%)
5	BMA	c	3	5	11,11,12	0.79	0	15,15,17	1.10	2 (13%)
5	MAN	c	4	5	11,11,12	0.56	0	15,15,17	0.89	1 (6%)
5	MAN	c	5	5	11,11,12	0.53	0	15,15,17	0.62	0
5	MAN	c	6	5	11,11,12	0.48	0	15,15,17	0.66	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	s	1	1,6	14,14,15	0.34	0	17,19,21	1.08	1 (5%)
6	NAG	s	2	6	14,14,15	0.37	0	17,19,21	1.15	1 (5%)
6	BMA	s	3	6	11,11,12	0.86	1 (9%)	15,15,17	1.00	1 (6%)
6	MAN	s	4	6	11,11,12	0.84	1 (9%)	15,15,17	0.81	1 (6%)
4	NAG	t	1	4,1	14,14,15	0.39	0	17,19,21	0.72	0
4	NAG	t	2	4	14,14,15	0.45	0	17,19,21	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	G	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	BMA	G	3	2	-	0/2/19/22	0/1/1/1
2	MAN	G	4	2	-	0/2/19/22	0/1/1/1
2	MAN	G	5	2	-	1/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	BMA	I	3	3	-	0/2/19/22	0/1/1/1
3	MAN	I	4	3	-	0/2/19/22	0/1/1/1
3	MAN	I	5	3	-	0/2/19/22	0/1/1/1
3	MAN	I	6	3	-	0/2/19/22	0/1/1/1
3	MAN	I	7	3	-	0/2/19/22	0/1/1/1
4	NAG	b	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	b	2	4	-	0/6/23/26	0/1/1/1
5	NAG	c	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	c	2	5	-	0/6/23/26	0/1/1/1
5	BMA	c	3	5	-	0/2/19/22	0/1/1/1
5	MAN	c	4	5	-	2/2/19/22	0/1/1/1
5	MAN	c	5	5	-	0/2/19/22	0/1/1/1
5	MAN	c	6	5	-	0/2/19/22	0/1/1/1
6	NAG	s	1	1,6	-	3/6/23/26	0/1/1/1
6	NAG	s	2	6	-	0/6/23/26	0/1/1/1
6	BMA	s	3	6	-	0/2/19/22	0/1/1/1
6	MAN	s	4	6	-	0/2/19/22	0/1/1/1
4	NAG	t	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	t	2	4	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	s	4	MAN	O5-C5	2.22	1.47	1.43
6	s	3	BMA	O5-C5	2.14	1.47	1.43
3	I	7	MAN	O5-C5	2.02	1.47	1.43

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	3	BMA	C1-O5-C5	4.36	118.10	112.19
6	s	2	NAG	C1-C2-N2	4.08	117.46	110.49
4	b	1	NAG	C2-N2-C7	3.56	127.97	122.90
3	I	1	NAG	C1-O5-C5	3.39	116.79	112.19
5	c	2	NAG	O5-C1-C2	2.93	115.92	111.29
5	c	1	NAG	C1-O5-C5	2.90	116.12	112.19
5	c	4	MAN	C1-C2-C3	2.72	113.01	109.67
6	s	3	BMA	C1-O5-C5	2.67	115.81	112.19
2	G	5	MAN	C1-O5-C5	2.66	115.80	112.19
5	c	3	BMA	C1-O5-C5	2.40	115.45	112.19
5	c	1	NAG	C1-C2-N2	2.39	114.57	110.49
6	s	1	NAG	C2-N2-C7	2.37	126.28	122.90
6	s	4	MAN	C1-O5-C5	2.31	115.32	112.19
3	I	6	MAN	C1-O5-C5	2.13	115.08	112.19
3	I	1	NAG	C2-N2-C7	-2.12	119.89	122.90
5	c	3	BMA	O3-C3-C4	2.09	115.18	110.35
2	G	1	NAG	O5-C1-C2	-2.09	107.99	111.29
3	I	2	NAG	C1-O5-C5	2.07	115.00	112.19
5	c	2	NAG	C1-O5-C5	2.06	114.98	112.19
2	G	1	NAG	C1-O5-C5	2.04	114.96	112.19
3	I	1	NAG	O5-C5-C6	-2.03	104.02	107.20
3	I	7	MAN	C1-O5-C5	2.02	114.93	112.19

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	1	NAG	C8-C7-N2-C2
2	G	1	NAG	O7-C7-N2-C2
6	s	1	NAG	C8-C7-N2-C2
6	s	1	NAG	O7-C7-N2-C2
2	G	1	NAG	C1-C2-N2-C7
5	c	4	MAN	C4-C5-C6-O6
4	b	1	NAG	O7-C7-N2-C2
2	G	5	MAN	O5-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
6	s	1	NAG	C1-C2-N2-C7
4	b	1	NAG	C8-C7-N2-C2
5	c	4	MAN	O5-C5-C6-O6
4	b	1	NAG	C3-C2-N2-C7


There are no ring outliers.


2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	2	NAG	1	0
3	I	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















## 5.6 Ligand geometry [i](#)

Of 37 ligands modelled in this entry, 3 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	HEM	A	409	1,10	41,50,50	1.19	4 (9%)	45,82,82	1.95	13 (28%)
8	EPE	C	403	-	15,15,15	0.83	1 (6%)	18,20,20	0.94	1 (5%)
11	SO4	B	411	-	4,4,4	0.22	0	6,6,6	0.20	0
8	EPE	B	405	-	15,15,15	1.21	1 (6%)	18,20,20	2.04	1 (5%)
8	EPE	B	407	-	15,15,15	1.07	1 (6%)	18,20,20	1.61	2 (11%)
7	GOL	A	403	-	5,5,5	0.24	0	5,5,5	0.63	0
7	GOL	B	402	-	5,5,5	0.16	0	5,5,5	0.40	0
8	EPE	A	404	-	15,15,15	0.82	1 (6%)	18,20,20	0.71	0
11	SO4	A	412	-	4,4,4	0.25	0	6,6,6	0.26	0
7	GOL	B	408	-	5,5,5	0.27	0	5,5,5	0.47	0
8	EPE	A	406	-	15,15,15	1.15	1 (6%)	18,20,20	0.82	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	GOL	B	406	-	5,5,5	0.19	0	5,5,5	0.55	0
8	EPE	A	405	-	15,15,15	1.18	1 (6%)	18,20,20	1.45	4 (22%)
7	GOL	A	402	-	5,5,5	0.15	0	5,5,5	0.40	0
8	EPE	B	404	-	15,15,15	1.18	1 (6%)	18,20,20	1.38	1 (5%)
8	EPE	C	404	-	15,15,15	1.31	1 (6%)	18,20,20	0.94	1 (5%)
7	GOL	A	401	-	5,5,5	0.17	0	5,5,5	0.42	0
7	GOL	B	401	-	5,5,5	0.16	0	5,5,5	0.38	0
11	SO4	A	411	-	4,4,4	0.27	0	6,6,6	0.13	0
11	SO4	C	410	-	4,4,4	0.15	0	6,6,6	0.24	0
7	GOL	C	402	-	5,5,5	0.11	0	5,5,5	0.49	0
11	SO4	A	413	-	4,4,4	0.37	0	6,6,6	0.21	0
7	GOL	C	401	-	5,5,5	0.14	0	5,5,5	0.47	0
8	EPE	C	407	-	15,15,15	1.18	1 (6%)	18,20,20	1.03	1 (5%)
11	SO4	C	411	-	4,4,4	0.22	0	6,6,6	0.18	0
11	SO4	A	414	-	4,4,4	0.09	0	6,6,6	0.15	0
8	EPE	C	406	-	15,15,15	1.19	1 (6%)	18,20,20	1.32	1 (5%)
11	SO4	B	412	-	4,4,4	0.13	0	6,6,6	0.13	0
8	EPE	A	408	-	15,15,15	1.15	1 (6%)	18,20,20	0.91	0
9	HEM	B	409	1,10	41,50,50	1.31	5 (12%)	45,82,82	1.98	16 (35%)
8	EPE	C	405	-	15,15,15	1.32	1 (6%)	18,20,20	0.87	0
9	HEM	C	408	1,10	41,50,50	1.32	5 (12%)	45,82,82	1.84	14 (31%)
7	GOL	A	407	-	5,5,5	0.21	0	5,5,5	0.44	0
7	GOL	B	403	-	5,5,5	0.26	0	5,5,5	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	HEM	A	409	1,10	-	5/12/54/54	-
8	EPE	C	403	-	-	0/9/19/19	0/1/1/1
8	EPE	B	405	-	-	2/9/19/19	0/1/1/1
8	EPE	B	407	-	-	2/9/19/19	0/1/1/1
7	GOL	A	403	-	-	0/4/4/4	-
7	GOL	B	402	-	-	0/4/4/4	-
8	EPE	A	404	-	-	3/9/19/19	0/1/1/1
7	GOL	B	408	-	-	1/4/4/4	-
8	EPE	A	406	-	-	4/9/19/19	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	B	406	-	-	4/4/4/4	-
8	EPE	A	405	-	-	6/9/19/19	0/1/1/1
7	GOL	A	402	-	-	0/4/4/4	-
8	EPE	B	404	-	-	4/9/19/19	0/1/1/1
8	EPE	C	404	-	-	1/9/19/19	0/1/1/1
7	GOL	A	401	-	-	0/4/4/4	-
7	GOL	B	401	-	-	4/4/4/4	-
7	GOL	C	402	-	-	0/4/4/4	-
7	GOL	C	401	-	-	2/4/4/4	-
8	EPE	C	407	-	-	0/9/19/19	0/1/1/1
8	EPE	C	406	-	-	3/9/19/19	0/1/1/1
8	EPE	A	408	-	-	2/9/19/19	0/1/1/1
9	HEM	B	409	1,10	-	4/12/54/54	-
8	EPE	C	405	-	-	2/9/19/19	0/1/1/1
9	HEM	C	408	1,10	-	3/12/54/54	-
7	GOL	A	407	-	-	0/4/4/4	-
7	GOL	B	403	-	-	0/4/4/4	-

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	404	EPE	O3S-S	4.56	1.63	1.47
8	C	407	EPE	O3S-S	4.42	1.63	1.47
8	B	405	EPE	O3S-S	4.30	1.62	1.47
9	B	409	HEM	C1B-NB	-4.29	1.32	1.40
8	C	405	EPE	O3S-S	4.29	1.62	1.47
8	A	405	EPE	O3S-S	4.27	1.62	1.47
8	C	406	EPE	O3S-S	4.04	1.61	1.47
8	A	408	EPE	O3S-S	3.99	1.61	1.47
8	A	406	EPE	O3S-S	3.94	1.61	1.47
8	B	404	EPE	O3S-S	3.74	1.60	1.47
9	C	408	HEM	C1B-NB	-3.72	1.33	1.40
8	B	407	EPE	O3S-S	3.50	1.60	1.47
9	C	408	HEM	C4D-ND	-3.01	1.35	1.40
8	C	403	EPE	O3S-S	2.95	1.58	1.47
8	A	404	EPE	O3S-S	2.95	1.58	1.47
9	A	409	HEM	C1B-NB	-2.89	1.35	1.40
9	B	409	HEM	C1D-ND	-2.54	1.33	1.38
9	B	409	HEM	C3B-C4B	2.52	1.49	1.44
9	A	409	HEM	CHB-C1B	2.50	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	C	408	HEM	FE-NB	2.47	2.09	1.96
9	C	408	HEM	C1D-ND	-2.32	1.34	1.38
9	B	409	HEM	CHB-C1B	2.29	1.40	1.35
9	A	409	HEM	FE-NB	2.14	2.07	1.96
9	B	409	HEM	FE-NB	2.08	2.07	1.96
9	A	409	HEM	C4D-ND	-2.07	1.36	1.40
9	C	408	HEM	CHB-C1B	2.06	1.40	1.35

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	405	EPE	O3S-S-C10	-7.93	92.95	105.77
8	B	407	EPE	O3S-S-C10	-6.08	95.94	105.77
9	A	409	HEM	CHC-C4B-NB	5.03	129.89	124.43
8	C	406	EPE	O3S-S-C10	-4.94	97.79	105.77
9	A	409	HEM	C1B-NB-C4B	4.56	109.79	105.07
9	B	409	HEM	CHC-C4B-NB	4.51	129.33	124.43
9	B	409	HEM	C1B-NB-C4B	4.40	109.62	105.07
9	A	409	HEM	CHB-C1B-NB	4.24	129.62	124.38
9	C	408	HEM	CHC-C4B-NB	4.19	128.98	124.43
8	B	404	EPE	O3S-S-O2S	-3.61	102.47	111.27
9	B	409	HEM	CHA-C4D-ND	3.54	128.76	124.38
9	B	409	HEM	CHB-C1B-NB	3.42	128.61	124.38
9	C	408	HEM	C1B-NB-C4B	3.42	108.61	105.07
9	C	408	HEM	CHB-C1B-NB	3.38	128.55	124.38
9	B	409	HEM	CHD-C1D-ND	3.28	128.00	124.43
8	A	405	EPE	O3S-S-C10	3.14	110.85	105.77
9	A	409	HEM	CHD-C1D-ND	3.09	127.78	124.43
8	C	407	EPE	O3S-S-C10	-3.09	100.78	105.77
9	C	408	HEM	CHD-C1D-ND	3.08	127.78	124.43
9	A	409	HEM	CAA-CBA-CGA	-3.06	105.17	113.76
9	B	409	HEM	O2D-CGD-CBD	3.02	123.72	114.03
9	C	408	HEM	CAD-CBD-CGD	-3.01	107.13	113.60
8	A	405	EPE	O1S-S-C10	-2.91	103.42	106.92
9	C	408	HEM	CMB-C2B-C1B	2.88	129.42	125.04
9	B	409	HEM	CHA-C4D-C3D	-2.87	119.94	125.33
9	C	408	HEM	CHA-C4D-ND	2.84	127.89	124.38
9	B	409	HEM	CAA-CBA-CGA	-2.75	106.04	113.76
8	A	405	EPE	O2S-S-O1S	2.68	123.22	113.95
9	C	408	HEM	CHA-C4D-C3D	-2.59	120.47	125.33
9	A	409	HEM	CHA-C4D-ND	2.54	127.52	124.38
8	A	405	EPE	O3S-S-O2S	-2.54	105.07	111.27

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	409	HEM	CHA-C4D-C3D	-2.47	120.69	125.33
9	C	408	HEM	O2A-CGA-CBA	2.44	121.88	114.03
9	B	409	HEM	O2A-CGA-CBA	2.39	121.72	114.03
9	B	409	HEM	O1A-CGA-CBA	-2.38	115.44	123.08
9	A	409	HEM	O2A-CGA-CBA	2.37	121.63	114.03
9	B	409	HEM	CHD-C1D-C2D	-2.35	121.31	124.98
9	C	408	HEM	CHD-C1D-C2D	-2.34	121.32	124.98
9	B	409	HEM	CAD-C3D-C4D	2.33	128.73	124.66
9	A	409	HEM	CMA-C3A-C4A	-2.33	124.89	128.46
9	C	408	HEM	CHB-C1B-C2B	-2.32	120.30	126.72
8	B	407	EPE	O3S-S-O2S	2.21	116.69	111.27
8	C	403	EPE	O3S-S-C10	-2.21	102.19	105.77
9	C	408	HEM	CAB-C3B-C2B	-2.18	121.43	128.60
8	C	404	EPE	O3S-S-O1S	-2.18	105.95	111.27
9	A	409	HEM	CHD-C1D-C2D	-2.17	121.59	124.98
9	A	409	HEM	CAD-C3D-C4D	2.15	128.41	124.66
9	B	409	HEM	CMB-C2B-C1B	2.13	128.28	125.04
9	A	409	HEM	O2D-CGD-O1D	-2.12	118.02	123.30
9	A	409	HEM	C4A-C3A-C2A	2.11	108.46	107.00
9	B	409	HEM	CAD-CBD-CGD	-2.10	109.08	113.60
9	C	408	HEM	CBA-CAA-C2A	-2.05	109.12	112.62
9	B	409	HEM	CHB-C1B-C2B	-2.03	121.10	126.72
9	B	409	HEM	O2D-CGD-O1D	-2.03	118.25	123.30
9	C	408	HEM	CAD-C3D-C4D	2.01	128.17	124.66

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	401	GOL	O1-C1-C2-C3
8	A	404	EPE	C10-C9-N1-C2
8	A	405	EPE	C9-C10-S-O1S
8	A	406	EPE	C9-C10-S-O2S
8	A	406	EPE	C9-C10-S-O3S
8	A	408	EPE	C10-C9-N1-C6
8	B	404	EPE	C10-C9-N1-C2
8	B	405	EPE	C10-C9-N1-C6
8	B	407	EPE	S-C10-C9-N1
8	C	405	EPE	S-C10-C9-N1
8	A	404	EPE	C8-C7-N4-C5
8	B	404	EPE	C8-C7-N4-C3
8	B	404	EPE	N4-C7-C8-O8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	A	405	EPE	C9-C10-S-O3S
8	C	406	EPE	C9-C10-S-O3S
7	C	401	GOL	C1-C2-C3-O3
7	B	401	GOL	O1-C1-C2-O2
8	A	406	EPE	C8-C7-N4-C5
8	B	407	EPE	C8-C7-N4-C3
9	B	409	HEM	C2A-CAA-CBA-CGA
8	B	405	EPE	N4-C7-C8-O8
8	A	405	EPE	S-C10-C9-N1
8	A	405	EPE	C10-C9-N1-C2
8	A	405	EPE	C10-C9-N1-C6
8	A	408	EPE	C10-C9-N1-C2
8	B	404	EPE	C10-C9-N1-C6
7	B	406	GOL	O1-C1-C2-O2
7	C	401	GOL	O2-C2-C3-O3
7	B	401	GOL	O2-C2-C3-O3
7	B	406	GOL	O2-C2-C3-O3
7	B	401	GOL	C1-C2-C3-O3
7	B	406	GOL	C1-C2-C3-O3
8	A	404	EPE	C9-C10-S-O1S
8	A	405	EPE	C9-C10-S-O2S
8	A	406	EPE	C9-C10-S-O1S
8	C	406	EPE	C9-C10-S-O1S
8	C	406	EPE	C9-C10-S-O2S
9	C	408	HEM	C2A-CAA-CBA-CGA
9	A	409	HEM	CAA-CBA-CGA-O2A
9	C	408	HEM	CAA-CBA-CGA-O1A
9	B	409	HEM	CAA-CBA-CGA-O2A
9	B	409	HEM	CAA-CBA-CGA-O1A
9	C	408	HEM	CAA-CBA-CGA-O2A
9	A	409	HEM	C2A-CAA-CBA-CGA
9	A	409	HEM	CAA-CBA-CGA-O1A
7	B	406	GOL	O1-C1-C2-C3
7	B	408	GOL	O1-C1-C2-C3
8	C	405	EPE	N4-C7-C8-O8
8	C	404	EPE	S-C10-C9-N1
9	A	409	HEM	CAD-CBD-CGD-O1D
9	A	409	HEM	CAD-CBD-CGD-O2D
9	B	409	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.

19 monomers are involved in 72 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	409	HEM	1	0
8	C	403	EPE	13	0
8	B	405	EPE	4	0
8	B	407	EPE	1	0
7	B	402	GOL	5	0
8	A	404	EPE	4	0
8	A	406	EPE	2	0
7	B	406	GOL	1	0
8	A	405	EPE	6	0
8	B	404	EPE	3	0
8	C	404	EPE	1	0
7	B	401	GOL	5	0
7	C	402	GOL	4	0
8	C	407	EPE	7	0
8	C	406	EPE	1	0
8	A	408	EPE	3	0
9	B	409	HEM	1	0
8	C	405	EPE	6	0
9	C	408	HEM	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




## Ligand HEM B 409




Bond lengths




Bond angles



Torsions



Rings



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	335/335 (100%)	-0.02	6 (1%) 67 68	21, 41, 59, 106	5 (1%)
1	B	335/335 (100%)	0.26	17 (5%) 34 35	23, 45, 67, 116	5 (1%)
1	C	335/335 (100%)	0.48	16 (4%) 36 37	22, 49, 76, 116	3 (0%)
All	All	1005/1005 (100%)	0.24	39 (3%) 44 45	21, 45, 71, 116	13 (1%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	15	GLY	4.3
1	A	14	GLN	4.3
1	C	14	GLN	4.0
1	B	136	THR	3.8
1	B	227	THR	3.8
1	B	316	ILE	3.5
1	B	312	ASN	3.5
1	C	270	TRP	3.4
1	C	278	ASN	3.4
1	B	14	GLN	3.2
1	C	136	THR	3.2
1	C	316	ILE	3.0
1	A	227	THR	2.8
1	B	278	ASN	2.8
1	B	228	ASP	2.8
1	C	284	VAL	2.7
1	C	77[A]	THR	2.7
1	A	278	ASN	2.7
1	B	262[A]	ASP	2.7
1	B	319	ARG	2.6
1	B	77[A]	THR	2.6
1	C	178	LEU	2.5
1	B	348	LEU	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	88	ASN	2.4
1	B	339	CYS	2.4
1	C	194	ALA	2.4
1	B	347	GLN	2.3
1	A	339	CYS	2.3
1	C	135	GLY	2.2
1	C	247	ASP	2.2
1	C	198	GLU	2.1
1	C	269	PRO	2.1
1	B	16	VAL	2.1
1	C	149	PHE	2.1
1	A	316	ILE	2.1
1	C	227	THR	2.1
1	B	17	ASP	2.0
1	B	287	PRO	2.0
1	C	348	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

SUGAR-RSR INFOmissingINFO

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
8	EPE	C	405	15/15	0.51	0.29	58,62,69,77	0
8	EPE	C	407	15/15	0.51	0.26	58,66,71,80	0
8	EPE	C	404	15/15	0.52	0.29	57,65,69,71	0
8	EPE	A	406	15/15	0.58	0.31	63,65,71,71	0
8	EPE	A	405	15/15	0.59	0.29	50,67,75,80	0
8	EPE	B	405	15/15	0.60	0.27	52,57,67,72	0
8	EPE	C	406	15/15	0.62	0.29	60,68,78,79	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
11	SO4	C	410	5/5	0.64	0.19	59,70,85,97	0
11	SO4	A	414	5/5	0.65	0.15	61,72,75,82	0
11	SO4	A	411	5/5	0.68	0.17	66,73,80,90	0
7	GOL	C	401	6/6	0.73	0.18	79,83,85,86	0
8	EPE	A	408	15/15	0.73	0.26	47,63,70,71	0
8	EPE	B	407	15/15	0.75	0.23	54,59,64,67	0
8	EPE	B	404	15/15	0.76	0.21	54,59,68,70	0
7	GOL	B	401	6/6	0.77	0.23	68,71,74,75	0
7	GOL	A	401	6/6	0.77	0.28	58,63,72,75	0
7	GOL	A	407	6/6	0.77	0.19	51,59,64,66	0
11	SO4	B	412	5/5	0.78	0.32	62,67,72,83	0
11	SO4	B	411	5/5	0.78	0.27	55,57,70,85	0
7	GOL	A	402	6/6	0.79	0.27	55,65,71,73	0
7	GOL	B	403	6/6	0.79	0.19	42,51,60,65	0
8	EPE	A	404	15/15	0.80	0.26	45,54,58,59	15
7	GOL	B	408	6/6	0.80	0.21	55,57,61,65	0
8	EPE	C	403	15/15	0.81	0.25	52,53,58,65	15
11	SO4	C	411	5/5	0.81	0.26	55,59,74,78	0
7	GOL	B	402	6/6	0.85	0.22	43,53,55,58	0
11	SO4	A	413	5/5	0.86	0.33	57,66,72,74	0
7	GOL	B	406	6/6	0.87	0.18	48,49,55,56	0
11	SO4	A	412	5/5	0.87	0.23	43,63,71,89	0
7	GOL	A	403	6/6	0.89	0.17	40,47,52,53	0
7	GOL	C	402	6/6	0.89	0.19	51,53,55,67	0
10	MG	B	410	1/1	0.90	0.13	43,43,43,43	0
10	MG	A	410	1/1	0.94	0.11	44,44,44,44	0
10	MG	C	409	1/1	0.94	0.10	59,59,59,59	0
9	HEM	C	408	43/43	0.97	0.08	32,37,48,53	0
9	HEM	A	409	43/43	0.98	0.08	29,34,40,45	0
9	HEM	B	409	43/43	0.98	0.08	30,33,42,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around HEM C 408:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around HEM A 409:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM B 409:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.