

# Full wwPDB X-ray Structure Validation Report (i)

#### Jul 17, 2025 – 01:06 pm BST

PDB ID	:	$9\mathrm{HIZ} \ / \ \mathrm{pdb}\_00009\mathrm{hiz}$
Title	:	Complex of the Nanofitin Sac7d-C3(C24A) with a human IgG1 Fc fragment
Authors	:	Eichinger, A.; Skerra, A.
Deposited on	:	2024-11-27
Resolution	:	2.90  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.44

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} {\rm Whole \ archive} \\ (\#{\rm Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	164625	2335 (2.90-2.90)
Clashscore	180529	2564 (2.90-2.90)
Ramachandran outliers	177936	2514 (2.90-2.90)
Sidechain outliers	177891	2516 (2.90-2.90)
RSRZ outliers	164620	2337 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	217	74%	18%	5%	·
					5,0	
1	В	217	71%	22%	•	•
1	С	217	75%	18%	•	•
1	D	217	76%	17%	·	•
	D			·		
2	R	69	80%	16%		•



Mol	Chain	Length	Quality of chain		
2	S	69	70%	23%	7%
2	Т	69	77%	20%	•
2	U	69	61%	30%	9%



# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 8892 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	200	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	A	209	1669	1061	281	321	6	0	0	0
1	Р	200	Total	al C N O	S	0	0	0		
	D	209	1669	1061	281	321	6	0	0	0
1	C	200	Total	С	Ν	0	S	0	0	0
		209	1669	1061	281	321	6	0	0	0
1 D	200	Total	С	Ν	0	S	0	0	0	
	209	1669	1061	281	321	6	0	0	0	

• Molecule 1 is a protein called Immunoglobulin heavy constant gamma 1.

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Actual Comment	
А	228	MET	-	initiating methionine	UNP P01857
А	229	LYS	-	expression tag	UNP P01857
А	230	HIS	-	expression tag	UNP P01857
А	231	HIS	-	expression tag	UNP P01857
А	232	HIS	-	expression tag	UNP P01857
А	233	HIS	-	expression tag	UNP P01857
А	234	HIS	-	expression tag	UNP P01857
А	235	HIS	-	expression tag	UNP P01857
В	228	MET	-	initiating methionine	UNP P01857
В	229	LYS	-	expression tag	UNP P01857
В	230	HIS	-	expression tag	UNP P01857
В	231	HIS	-	expression tag	UNP P01857
В	232	HIS	-	expression tag	UNP P01857
В	233	HIS	-	expression tag	UNP P01857
В	234	HIS	-	expression tag	UNP P01857
В	235	HIS	-	expression tag	UNP P01857
С	228	MET	-	initiating methionine	UNP P01857
С	229	LYS	-	expression tag	UNP P01857
С	230	HIS	-	expression tag	UNP P01857
С	231	HIS	-	expression tag	UNP P01857
С	232	HIS	-	expression tag	UNP P01857



Chain	Residue	Modelled	Actual	Comment	Reference
С	233	HIS	-	expression tag	UNP P01857
С	234	HIS	-	expression tag	UNP P01857
С	235	HIS	-	expression tag	UNP P01857
D	228	MET	-	initiating methionine	UNP P01857
D	229	LYS	-	expression tag	UNP P01857
D	230	HIS	-	expression tag	UNP P01857
D	231	HIS	-	expression tag	UNP P01857
D	232	HIS	-	expression tag	UNP P01857
D	233	HIS	-	expression tag	UNP P01857
D	234	HIS	-	expression tag	UNP P01857
D	235	HIS	-	expression tag	UNP P01857

• Molecule 2 is a protein called DNA-binding protein 7d.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
0	D	60	Total	С	Ν	0	S	0	0	0
	n	09	554	345	98	110	1	0	0	0
0	C	60	Total	С	Ν	0	S	0	0	0
	G	09	554	345	98	110	1	0		0
0	т	69	Total	С	Ν	0	S	0	0	0
	1		554	345	98	110	1	0	0	0
2 U	60	Total	С	Ν	0	S	0	0	0	
	69	554	345	98	110	1	0	0	0	

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Actual Comment	
R	-2	ASP	-	expression tag	UNP P13123
R	-1	ALA	-	expression tag	UNP P13123
R	0	GLU	-	expression tag	UNP P13123
R	1	PHE	-	expression tag	UNP P13123
R	7	LEU	LYS	engineered mutation	UNP P13123
R	8	LEU	TYR	engineered mutation	UNP P13123
R	9	ASN	LYS	engineered mutation	UNP P13123
R	21	ARG	LYS	engineered mutation	UNP P13123
R	22	ASP	LYS	engineered mutation	UNP P13123
R	24	ALA	TRP	engineered mutation	UNP P13123
R	26	GLN	VAL	engineered mutation	UNP P13123
R	29	ASN	MET	engineered mutation	UNP P13123
R	31	LYS	SER	engineered mutation	UNP P13123
R	33	LEU	THR	engineered mutation	UNP P13123
R	35	ASN	ASP	engineered mutation	UNP P13123



Chain	Residue	Modelled	Actual	Comment	Reference
R	40	TYR	THR	engineered mutation	UNP P13123
R	42	ALA	ARG	engineered mutation	UNP P13123
R	44	ASN	ALA	engineered mutation	UNP P13123
R	46	ASP	SER	engineered mutation	UNP P13123
S	-2	ASP	-	expression tag	UNP P13123
S	-1	ALA	-	expression tag	UNP P13123
S	0	GLU	-	expression tag	UNP P13123
S	1	PHE	-	expression tag	UNP P13123
S	7	LEU	LYS	engineered mutation	UNP P13123
S	8	LEU	TYR	engineered mutation	UNP P13123
S	9	ASN	LYS	engineered mutation	UNP P13123
S	21	ARG	LYS	engineered mutation	UNP P13123
S	22	ASP	LYS	engineered mutation	UNP P13123
S	24	ALA	TRP	engineered mutation	UNP P13123
S	26	GLN	VAL	engineered mutation	UNP P13123
S	29	ASN	MET	engineered mutation	UNP P13123
S	31	LYS	SER	engineered mutation	UNP P13123
S	33	LEU	THR	engineered mutation	UNP P13123
S	35	ASN	ASP	engineered mutation	UNP P13123
S	40	TYR	THR	engineered mutation	UNP P13123
S	42	ALA	ARG	engineered mutation	UNP P13123
S	44	ASN	ALA	engineered mutation	UNP P13123
S	46	ASP	SER	engineered mutation	UNP P13123
Т	-2	ASP	-	expression tag	UNP P13123
Т	-1	ALA	-	expression tag	UNP P13123
Т	0	GLU	-	expression tag	UNP P13123
Т	1	PHE	-	expression tag	UNP P13123
Т	7	LEU	LYS	engineered mutation	UNP P13123
Т	8	LEU	TYR	engineered mutation	UNP P13123
Т	9	ASN	LYS	engineered mutation	UNP P13123
Т	21	ARG	LYS	engineered mutation	UNP P13123
T	22	ASP	LYS	engineered mutation	UNP P13123
Т	24	ALA	TRP	engineered mutation	UNP P13123
Т	26	GLN	VAL	engineered mutation	UNP P13123
Т	29	ASN	MET	engineered mutation	UNP P13123
Т	31	LYS	SER	engineered mutation	UNP P13123
Т	33	LEU	THR	engineered mutation	UNP P13123
Т	35	ASN	ASP	engineered mutation	UNP P13123
Т	40	TYR	THR	engineered mutation	UNP P13123
Т	42	ALA	ARG	engineered mutation	UNP P13123
Т	44	ASN	ALA	engineered mutation	UNP P13123
Т	46	ASP	SER	engineered mutation	UNP P13123



Chain	Residue	Modelled	Actual	Comment	Reference
U	-2	ASP	-	expression tag	UNP P13123
U	-1	ALA	-	expression tag	UNP P13123
U	0	GLU	-	expression tag	UNP P13123
U	1	PHE	-	expression tag	UNP P13123
U	7	LEU	LYS	engineered mutation	UNP P13123
U	8	LEU	TYR	engineered mutation	UNP P13123
U	9	ASN	LYS	engineered mutation	UNP P13123
U	21	ARG	LYS	engineered mutation	UNP P13123
U	22	ASP	LYS	engineered mutation	UNP P13123
U	24	ALA	TRP	engineered mutation	UNP P13123
U	26	GLN	VAL	engineered mutation	UNP P13123
U	29	ASN	MET	engineered mutation	UNP P13123
U	31	LYS	SER	engineered mutation	UNP P13123
U	33	LEU	THR	engineered mutation	UNP P13123
U	35	ASN	ASP	engineered mutation	UNP P13123
U	40	TYR	THR	engineered mutation	UNP P13123
U	42	ALA	ARG	engineered mutation	UNP P13123
U	44	ASN	ALA	engineered mutation	UNP P13123
U	46	ASP	SER	engineered mutation	UNP P13123



MET MET HIS HIS HIS HIS HIS HIS HIS

# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A: 74% 18% 5% MET LYS HIS HIS HIS HIS HIS • Molecule 1: Immunoglobulin heavy constant gamma 1 Chain B: 71% 22% • Molecule 1: Immunoglobulin heavy constant gamma 1 Chain C: 75% 18% • Molecule 1: Immunoglobulin heavy constant gamma 1 Chain D: 76% 17%
- Molecule 1: Immunoglobulin heavy constant gamma 1



#### K338 V348 V349 S354 S354 V369 V412 V412 V412 V412 V413 V413 V413 V433 K433 K433 S444 S444

• Molecule 2: DNA-binding protein 7d





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	68.27Å 136.84Å 69.76Å	Deneriten
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.12^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{oscolution}}(\hat{\mathbf{A}})$	69.76 - 2.90	Depositor
Resolution (A)	69.76 - 2.90	EDS
% Data completeness	$97.0\ (69.76-2.90)$	Depositor
(in resolution range)	$96.5\ (69.76-2.90)$	EDS
R <sub>merge</sub>	0.10	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.68 (at 2.91 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
B B.	0.227 , $0.279$	Depositor
It, It <sub>free</sub>	0.230 , $0.282$	DCC
$R_{free}$ test set	1379 reflections $(5.10\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	72.1	Xtriage
Anisotropy	0.508	Xtriage
Bulk solvent $k_{sol}(e/A^3)$ , $B_{sol}(A^2)$	0.32 , $68.5$	EDS
L-test for $twinning^2$	$< L >=0.52, < L^2>=0.35$	Xtriage
	0.011 for l,k,-h	
Estimated twinning fraction	0.427 for h,-k,-l	Xtriage
	0.022 for l,-k,h	
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8892	wwPDB-VP
Average B, all atoms $(Å^2)$	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.23% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
	Ullalli	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.55	0/1715	1.02	4/2335~(0.2%)
1	В	0.55	0/1715	1.05	3/2335~(0.1%)
1	С	0.55	0/1715	1.02	4/2335~(0.2%)
1	D	0.55	0/1715	1.01	1/2335~(0.0%)
2	R	0.51	0/559	1.04	0/742
2	S	0.54	0/559	1.13	1/742~(0.1%)
2	Т	0.54	0/559	1.14	1/742~(0.1%)
2	U	0.52	0/559	1.12	0/742
All	All	0.55	0/9096	1.05	14/12308~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	2
1	D	0	1
2	R	0	1
2	S	0	1
2	Т	0	1
2	U	0	1
All	All	0	7

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	В	256	THR	CA-CB-OG1	-6.95	99.18	109.60
1	С	256	THR	CA-CB-OG1	-6.92	99.22	109.60
1	А	256	THR	CA-CB-OG1	-6.70	99.56	109.60
2	S	-2	ASP	CA-CB-CG	6.47	119.07	112.60



Continued from previous page								
Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$	
1	D	270	ASP	CA-CB-CG	5.93	118.53	112.60	
1	В	363	VAL	N-CA-CB	-5.93	102.48	112.44	
1	С	271	PRO	N-CA-CB	-5.59	97.38	103.25	
1	А	270	ASP	CA-CB-CG	5.43	118.03	112.60	
1	В	307	THR	CA-CB-OG1	-5.32	101.62	109.60	
1	А	307	THR	CA-CB-OG1	-5.27	101.69	109.60	
1	С	272	GLU	CB-CG-CD	5.27	121.56	112.60	
1	С	307	THR	CA-CB-OG1	-5.22	101.76	109.60	
2	Т	30	VAL	N-CA-CB	-5.20	104.92	111.41	
1	А	393	THR	CA-CB-OG1	-5.17	101.85	109.60	

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	255	ARG	Sidechain
1	В	292	ARG	Sidechain
1	D	292	ARG	Sidechain
2	R	25	ARG	Sidechain
2	S	21	ARG	Sidechain
2	Т	21	ARG	Sidechain
2	U	25	ARG	Sidechain

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1669	0	1638	34	0
1	В	1669	0	1638	36	0
1	С	1669	0	1638	28	0
1	D	1669	0	1638	29	0
2	R	554	0	560	5	0
2	S	554	0	560	14	0
2	Т	554	0	560	7	0
2	U	554	0	560	13	0
All	All	8892	0	8792	156	0





The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:S:38:GLY:HA3	1:C:384:ASN:HD21	1.29	0.92
2:U:60:ARG:HD2	2:U:63:ARG:HH22	1.48	0.78
1:A:350:THR:C	1:A:351:LEU:HD12	2.12	0.74
2:S:38:GLY:HA3	1:C:384:ASN:ND2	2.04	0.73
1:A:277:TRP:CE3	1:A:306:LEU:HD12	2.25	0.71
1:D:290:LYS:HB2	1:D:303:VAL:HG23	1.71	0.71
1:D:277:TRP:CE3	1:D:306:LEU:HD12	2.26	0.70
1:D:240:VAL:HG21	1:D:323:VAL:HG11	1.72	0.70
1:B:252:MET:HB2	1:B:255:ARG:HG3	1.73	0.69
2:R:30:VAL:HG22	2:R:45:VAL:HG12	1.78	0.66
2:S:30:VAL:HG22	2:S:45:VAL:HG12	1.78	0.65
1:B:290:LYS:HG2	1:B:291:PRO:HD2	1.76	0.65
1:A:272:GLU:HA	1:A:292:ARG:NH2	2.11	0.65
2:U:30:VAL:HG22	2:U:45:VAL:HG12	1.80	0.64
2:T:12:GLU:N	2:T:12:GLU:OE1	2.30	0.63
2:U:46:ASP:HB3	2:U:49:ASP:OD1	1.98	0.63
1:D:323:VAL:HG13	1:D:332:ILE:HB	1.81	0.63
1:C:323:VAL:HG13	1:C:332:ILE:HB	1.81	0.62
1:D:420:GLY:HA2	1:D:443:LEU:HG	1.81	0.62
1:A:328:LEU:HD22	1:A:332:ILE:HG13	1.81	0.62
2:R:20:ILE:HB	2:R:57:MET:HE1	1.83	0.60
1:A:418:GLN:HA	1:A:443:LEU:HD13	1.84	0.60
2:U:20:ILE:HB	2:U:57:MET:HE1	1.84	0.59
1:A:322:LYS:HE2	1:A:333:GLU:OE2	2.03	0.59
1:D:306:LEU:HD23	1:D:307:THR:O	2.02	0.59
1:B:353:PRO:CG	1:B:363:VAL:CG1	2.82	0.58
1:D:262:VAL:HG22	1:D:303:VAL:HG12	1.85	0.58
2:T:52:LYS:HE2	2:T:53:GLU:HB2	1.85	0.58
2:U:12:GLU:O	2:U:12:GLU:HG3	2.04	0.58
1:A:406:LEU:C	1:A:406:LEU:HD12	2.29	0.58
1:D:306:LEU:CD2	1:D:307:THR:O	2.52	0.58
1:B:262:VAL:HG22	1:B:303:VAL:HG12	1.86	0.57
2:T:52:LYS:HE2	2:T:53:GLU:CB	2.33	0.57
1:D:406:LEU:C	1:D:406:LEU:HD12	2.30	0.57
1:D:238:PRO:HG2	1:D:328:LEU:HD23	1.87	0.57
1:A:306:LEU:CD2	1:A:307:THR:O	2.53	0.57
1:B:406:LEU:HD12	1:B:406:LEU:C	2.30	0.57



Interatomic Clash						
Atom-1	Atom-2	distance (Å)	overlap (Å)			
1:A:272:GLU:HA	1:A:292:ABG:HH21	1.69	0.57			
1:A:351:LEU:HD12	1:A:351:LEU:N	2.20	0.57			
1:A:306:LEU:HD23	1:A:307:THR:O	2.04	0.56			
1:C:406:LEU:C	1:C:406:LEU:HD12	2.30	0.56			
1:B:353:PRO:HB3	1:B:363:VAL:HG13	1.89	0.55			
2:S:37:ASN:O	1:C:384:ASN:ND2	2.40	0.55			
2:S:20:ILE:HB	2:S:57:MET:HE1	1.89	0.54			
2:T:20:ILE:HB	2:T:57:MET:HE1	1.89	0.54			
1:B:328:LEU:HD23	1:B:329:PRO:HD2	1.90	0.54			
2:U:12:GLU:O	2:U:12:GLU:CG	2.55	0.54			
1:B:263:VAL:HG22	1:B:302:VAL:O	2.08	0.54			
1:D:443:LEU:O	1:D:444:SER:CB	2.56	0.54			
1:C:274:LYS:HE3	1:C:276:ASN:HD21	1.73	0.54			
1:C:294:GLU:OE1	1:C:300:TYR:HE2	1.91	0.53			
1:C:320:LYS:HB2	1:C:335:THR:HG22	1.90	0.52			
1:B:264:VAL:HG21	1:B:301:ARG:NH2	2.24	0.52			
1:A:418:GLN:O	1:A:443:LEU:HD22	2.09	0.51			
2:T:65:LYS:O	2:T:66:LYS:OXT	2.28	0.51			
1:A:354:SER:CB	1:B:349:TYR:HB3	2.40	0.51			
1:D:268:HIS:NE2	1:D:298:SER:O	2.43	0.51			
1:C:294:GLU:HB3	1:C:300:TYR:CE2	2.45	0.51			
1:C:418:GLN:HA	1:C:443:LEU:HD12	1.93	0.51			
1:C:328:LEU:CD1	1:C:332:ILE:HD11	2.41	0.51			
1:D:418:GLN:HA	1:D:443:LEU:HD23	1.92	0.51			
1:A:365:LEU:HD13	1:A:412:VAL:CG1	2.41	0.50			
1:A:252:MET:HB2	1:A:255:ARG:HG3	1.94	0.50			
1:B:264:VAL:HB	1:B:301:ARG:NH1	2.26	0.49			
1:D:328:LEU:CD1	1:D:331:PRO:HA	2.42	0.49			
2:U:29:ASN:OD1	2:U:44:ASN:ND2	2.45	0.49			
1:A:349:TYR:HB3	1:B:354:SER:CB	2.42	0.49			
1:A:290:LYS:HE2	1:A:305:VAL:HG21	1.93	0.49			
1:A:328:LEU:HD13	1:A:331:PRO:HA	1.94	0.49			
2:U:65:LYS:O	2:U:66:LYS:OXT	2.29	0.49			
1:A:265:ASP:HA	1:A:299:THR:OG1	2.12	0.49			
2:R:29:ASN:OD1	2:R:44:ASN:ND2	2.46	0.49			
1:C:268:HIS:HB3	1:C:300:TYR:HE1	1.78	0.49			
1:B:418:GLN:HA	1:B:443:LEU:HD12	1.95	0.48			
2:R:65:LYS:O	2:R:66:LYS:OXT	2.31	0.48			
1:C:263:VAL:HG12	1:C:302:VAL:O	2.14	0.48			
2:S:65:LYS:O	2:S:66:LYS:OXT	2.32	0.48			
1:C:386:GLN:HE21	1:C:386:GLN:HA	1.78	0.47			



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:S:29:ASN:OD1	2:S:44:ASN:ND2	2.48	0.47
2:S:52:LYS:HE3	2:S:53:GLU:CB	2.43	0.47
1:D:265:ASP:HA	1:D:299:THR:OG1	2.15	0.47
1:B:277:TRP:CE3	1:B:306:LEU:HD22	2.49	0.47
1:B:290:LYS:HG2	1:B:291:PRO:CD	2.44	0.47
1:A:268:HIS:NE2	1:A:298:SER:HB3	2.30	0.47
2:S:52:LYS:N	2:S:52:LYS:HD3	2.30	0.47
1:C:328:LEU:HD12	1:C:330:ALA:O	2.15	0.47
1:C:443:LEU:O	1:C:443:LEU:CD2	2.62	0.47
1:C:314:LEU:O	1:C:338:LYS:HE2	2.15	0.47
1:B:443:LEU:CD2	1:B:443:LEU:O	2.63	0.47
1:C:349:TYR:HB3	1:D:354:SER:CB	2.44	0.47
2:T:29:ASN:OD1	2:T:44:ASN:ND2	2.48	0.46
1:C:277:TRP:CE3	1:C:306:LEU:HD22	2.50	0.46
1:B:283:GLU:HG2	1:B:285:HIS:CE1	2.51	0.46
1:A:256:THR:HG23	1:A:256:THR:O	2.15	0.46
1:B:325:ASN:ND2	1:B:328:LEU:O	2.48	0.46
2:S:46:ASP:OD2	2:S:48:LYS:CE	2.63	0.46
1:B:265:ASP:HA	1:B:299:THR:OG1	2.15	0.46
2:R:36:ASP:O	2:R:37:ASN:CG	2.59	0.46
2:U:36:ASP:O	2:U:37:ASN:CG	2.59	0.46
1:D:443:LEU:O	1:D:444:SER:HB2	2.15	0.45
1:A:262:VAL:HG22	1:A:303:VAL:HG22	1.98	0.45
1:A:297:ASN:OD1	1:A:299:THR:HG22	2.16	0.45
1:A:351:LEU:N	1:A:351:LEU:CD1	2.78	0.45
1:C:283:GLU:HG2	1:C:285:HIS:CE1	2.52	0.45
1:B:322:LYS:HD2	1:B:331:PRO:HB3	1.99	0.45
2:T:1:PHE:O	2:T:2:VAL:C	2.60	0.45
2:S:46:ASP:OD2	2:S:48:LYS:HG2	2.16	0.44
1:C:267:SER:HB2	1:C:269:GLU:HG2	1.98	0.44
1:B:314:LEU:O	1:B:338:LYS:HE2	2.18	0.44
2:S:46:ASP:OD2	2:S:48:LYS:HE2	2.17	0.44
1:C:238:PRO:HD2	1:C:328:LEU:HD23	1.98	0.44
1:C:348:VAL:HG12	1:C:439:LYS:HG3	2.00	0.44
1:A:417:TRP:O	1:A:443:LEU:HB2	2.17	0.44
1:B:353:PRO:HG2	1:B:363:VAL:CG1	2.47	0.43
1:C:365:LEU:HD13	1:C:412:VAL:HG22	1.98	0.43
1:D:314:LEU:O	1:D:338:LYS:HE2	2.17	0.43
1:D:320:LYS:HB2	1:D:335:THR:HG22	2.01	0.43
1:B:309:LEU:N	1:B:309:LEU:CD1	2.82	0.43
1:D:240:VAL:CG2	1:D:323:VAL:HG11	2.44	0.43



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:365:LEU:HD13	1:D:412:VAL:HG22	1.99	0.43
1:D:252:MET:HE3	2:U:65:LYS:HB3	1.99	0.43
1:D:271:PRO:O	1:D:292:ARG:NH1	2.51	0.43
1:D:348:VAL:HG12	1:D:439:LYS:HG3	2.00	0.43
1:B:365:LEU:HD13	1:B:412:VAL:HG22	2.00	0.43
1:B:267:SER:HB2	1:B:269:GLU:OE1	2.19	0.43
1:B:240:VAL:O	1:B:334:LYS:HE3	2.19	0.42
1:B:353:PRO:CB	1:B:363:VAL:HG13	2.48	0.42
2:U:2:VAL:HG21	2:U:53:GLU:HG2	2.00	0.42
1:C:296:TYR:CD1	1:C:297:ASN:N	2.87	0.42
1:A:312:ASP:OD1	1:A:317:LYS:HE2	2.20	0.42
1:B:386:GLN:HA	1:B:386:GLN:HE21	1.83	0.42
1:B:443:LEU:O	1:B:443:LEU:HD23	2.20	0.42
1:C:354:SER:CB	1:D:349:TYR:HB3	2.49	0.42
2:U:0:GLU:O	2:U:1:PHE:C	2.63	0.42
1:C:326:LYS:HD3	1:C:327:ALA:N	2.34	0.42
1:B:386:GLN:HA	1:B:386:GLN:NE2	2.34	0.42
1:D:282:VAL:O	1:D:282:VAL:HG23	2.19	0.41
2:U:2:VAL:HG21	2:U:53:GLU:CG	2.50	0.41
1:A:328:LEU:CD1	1:A:331:PRO:HA	2.49	0.41
1:B:355:ARG:HD2	1:B:355:ARG:C	2.45	0.41
1:A:271:PRO:HD2	1:A:272:GLU:CD	2.46	0.41
1:A:306:LEU:CD2	1:A:306:LEU:C	2.94	0.41
1:B:353:PRO:CG	1:B:363:VAL:HG13	2.51	0.41
1:A:365:LEU:HD13	1:A:412:VAL:HG13	2.02	0.41
1:A:328:LEU:HD13	1:A:330:ALA:O	2.21	0.41
1:B:290:LYS:HB3	1:B:303:VAL:HG23	2.02	0.41
1:C:386:GLN:HA	1:C:386:GLN:NE2	2.35	0.41
1:B:365:LEU:HD12	1:B:365:LEU:N	2.35	0.40
1:A:384:ASN:CG	1:A:384:ASN:O	2.64	0.40
1:D:306:LEU:CD2	1:D:306:LEU:C	2.95	0.40
1:D:369:VAL:O	1:D:405:PHE:HA	2.21	0.40
1:A:354:SER:HB2	1:B:349:TYR:HB3	2.03	0.40
1:B:253:ILE:HG23	2:S:24:ALA:HB3	2.02	0.40
2:S:48:LYS:HB3	2:S:48:LYS:NZ	2.37	0.40
1:A:322:LYS:CE	1:A:333:GLU:OE2	2.69	0.40
1:D:365:LEU:HD12	1:D:365:LEU:N	2.37	0.40

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	207/217~(95%)	192 (93%)	15 (7%)	0	100	100
1	В	207/217~(95%)	194 (94%)	13~(6%)	0	100	100
1	С	207/217~(95%)	191~(92%)	16 (8%)	0	100	100
1	D	207/217~(95%)	193~(93%)	14 (7%)	0	100	100
2	R	67/69~(97%)	61 (91%)	6 (9%)	0	100	100
2	S	67/69~(97%)	64 (96%)	3~(4%)	0	100	100
2	Т	67/69~(97%)	61 (91%)	6 (9%)	0	100	100
2	U	67/69~(97%)	61 (91%)	6 (9%)	0	100	100
All	All	1096/1144 (96%)	1017 (93%)	79 (7%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	194/202~(96%)	177 (91%)	17 (9%)	8	26
1	В	194/202~(96%)	173 (89%)	21 (11%)	5	17
1	С	194/202~(96%)	181 (93%)	13 (7%)	13	39
1	D	194/202~(96%)	180 (93%)	14 (7%)	12	35
2	R	58/58~(100%)	52 (90%)	6 (10%)	6	19
2	S	58/58~(100%)	49 (84%)	9 (16%)	2	7



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	Т	58/58~(100%)	53~(91%)	5 (9%)	8 27
2	U	58/58~(100%)	45 (78%)	13 (22%)	1 2
All	All	1008/1040~(97%)	910 (90%)	98 (10%)	6 22

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	254	SER
1	А	266	VAL
1	А	270	ASP
1	А	272	GLU
1	А	274	LYS
1	А	290	LYS
1	А	294	GLU
1	А	296	TYR
1	А	299	THR
1	А	306	LEU
1	А	308	VAL
1	А	324	SER
1	А	326	LYS
1	А	328	LEU
1	А	335	THR
1	А	412	VAL
1	А	443	LEU
1	В	246	LYS
1	В	254	SER
1	В	255	ARG
1	В	266	VAL
1	В	269	GLU
1	В	270	ASP
1	В	274	LYS
1	В	293	GLU
1	В	294	GLU
1	В	297	ASN
1	В	298	SER
1	В	299	THR
1	В	308	VAL
1	В	309	LEU
1	В	322	LYS
1	В	324	SER
1	В	325	ASN



Mol	Chain	Res	Type
1	В	328	LEU
1	В	335	THR
1	В	439	LYS
1	В	443	LEU
2	R	2	VAL
2	R	7	LEU
2	R	30	VAL
2	R	37	ASN
2	R	45	VAL
2	R	58	LEU
2	S	-2	ASP
2	S	2	VAL
2	S	7	LEU
2	S	11	GLU
2	S	30	VAL
2	S	45	VAL
2	S	48	LYS
2	S	52	LYS
2	S	63	ARG
1	С	254	SER
1	С	266	VAL
1	С	269	GLU
1	С	272	GLU
1	С	294	GLU
1	С	295	GLN
1	С	298	SER
1	С	308	VAL
1	С	323	VAL
1	С	324	SER
1	С	326	LYS
1	С	328	LEU
1	С	443	LEU
1	D	266	VAL
1	D	269	GLU
1	D	270	ASP
1	D	294	GLU
1	D	298	SER
1	D	299	THR
1	D	306	LEU
1	D	308	VAL
1	D	323	VAL
1	D	324	SER



Mol	Chain	Res	Type
1	D	326	LYS
1	D	328	LEU
1	D	415	SER
1	D	443	LEU
2	Т	2	VAL
2	Т	7	LEU
2	Т	11	GLU
2	Т	45	VAL
2	Т	52	LYS
2	U	4	VAL
2	U	5	LYS
2	U	7	LEU
2	U	8	LEU
2	U	11	GLU
2	U	20	ILE
2	U	28	LYS
2	U	30	VAL
2	U	37	ASN
2	U	45	VAL
2	U	49	ASP
2	U	58	LEU
2	U	60	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	347	GLN
1	А	418	GLN
1	В	276	ASN
1	В	285	HIS
1	В	325	ASN
1	В	342	GLN
1	В	347	GLN
1	В	386	GLN
2	R	9	ASN
2	R	29	ASN
2	R	37	ASN
2	R	44	ASN
2	S	9	ASN
2	S	44	ASN
1	С	276	ASN
1	С	285	HIS



Mol	Chain	Res	Type
1	С	325	ASN
1	С	384	ASN
1	С	386	GLN
1	D	285	HIS
1	D	347	GLN
1	D	418	GLN
1	D	433	HIS
2	Т	9	ASN
2	Т	37	ASN
2	Т	44	ASN
2	U	29	ASN
2	U	37	ASN
2	U	44	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	209/217~(96%)	-0.74	0 100 100	53, 83, 142, 160	0
1	В	209/217~(96%)	-0.79	1 (0%) 87 84	48, 75, 164, 193	0
1	С	209/217~(96%)	-0.82	0 100 100	46, 71, 157, 200	0
1	D	209/217~(96%)	-1.01	0 100 100	45, 78, 136, 164	0
2	R	69/69~(100%)	-0.95	0 100 100	74, 97, 130, 153	0
2	S	69/69~(100%)	-1.11	0 100 100	53, 71, 113, 128	0
2	Т	69/69~(100%)	-1.23	0 100 100	53, 71, 106, 144	0
2	U	69/69~(100%)	-0.92	0 100 100	76, 100, 136, 150	0
All	All	1112/1144 (97%)	-0.89	1 (0%) 92 92	45, 80, 148, 200	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	327	ALA	2.4

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 6.4 Ligands (i)

There are no ligands in this entry.



## 6.5 Other polymers (i)

There are no such residues in this entry.

