



## wwPDB EM Validation Summary Report ⓘ

Jul 9, 2025 – 01:47 pm BST

PDB ID : 9HWG / pdb\_00009hwg  
EMDB ID : EMD-52449  
Title : Structure of the transcribing Pol II-TCR-RECQL5 complex  
Authors : Zhang, L.; Zhang, S.  
Deposited on : 2025-01-03  
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118  
MolProbity : 4-5-2 with Phenix2.0rc1  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.44


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1970	
2	B	1174	
3	C	275	
4	D	142	
5	E	210	
6	F	127	
7	G	172	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	150	
9	I	125	
10	J	67	
11	K	117	
12	L	58	
13	N	47	
14	O	991	
15	P	45	
16	T	47	
17	a	396	
18	b	1493	
19	c	709	
20	d	1140	
21	e	83	

## 2 Entry composition

There are 23 unique types of molecules in this entry. The entry contains 51212 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1422	Total	C	N	O	S	0	0
			11263	7082	2018	2093	70		

- Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	1131	Total	C	N	O	S	0	0
			9052	5727	1592	1669	64		

- Molecule 3 is a protein called DNA-directed RNA polymerase II subunit RPB3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	260	Total	C	N	O	S	0	0
			2089	1309	359	415	6		

- Molecule 4 is a protein called RNA polymerase II subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	126	Total	C	N	O	S	0	0
			1030	642	175	209	4		

- Molecule 5 is a protein called DNA-directed RNA polymerase II subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	209	Total	C	N	O	S	0	0
			1720	1089	300	323	8		

- Molecule 6 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC2.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	82	Total	C	N	O	S	0	0
			657	418	113	121	5		

- Molecule 7 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	171	Total	C	N	O	S	0	0
			1351	875	219	249	8		

- Molecule 8 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	148	Total	C	N	O	S	0	0
			1186	750	194	237	5		

- Molecule 9 is a protein called DNA-directed RNA polymerase II subunit RPB9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	117	Total	C	N	O	S	0	0
			949	587	169	182	11		

- Molecule 10 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	67	Total	C	N	O	S	0	0
			533	345	90	92	6		

- Molecule 11 is a protein called DNA-directed RNA polymerase II subunit RPB11-a.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	115	Total	C	N	O	S	0	0
			920	593	152	173	2		

- Molecule 12 is a protein called RNA polymerase II, I and III subunit K.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	46	Total	C	N	O	S	0	0
			388	241	75	66	6		

- Molecule 13 is a DNA chain called Non-template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	35	Total	C	N	O	P	0	0
			727	344	142	206	35		

- Molecule 14 is a protein called ATP-dependent DNA helicase Q5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	120	Total	C	N	O	S	0	0
			974	602	187	182	3		

- Molecule 15 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	10	Total	C	N	O	P	0	0
			220	98	45	67	10		

- Molecule 16 is a DNA chain called Template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	T	43	Total	C	N	O	P	0	0
			864	414	144	263	43		

- Molecule 17 is a protein called DNA excision repair protein ERCC-8.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	a	363	Total	C	N	O	S	0	0
			2835	1766	505	545	19		

- Molecule 18 is a protein called DNA excision repair protein ERCC-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	b	519	Total	C	N	O	S	0	0
			4248	2740	742	745	21		

- Molecule 19 is a protein called UV-stimulated scaffold protein A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	c	148	Total	C	N	O	S	0	0
			1215	771	217	223	4		

- Molecule 20 is a protein called DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	d	1094	Total	C	N	O	S	0	0
			8474	5388	1419	1621	46		

- Molecule 21 is a protein called Transcription elongation factor 1 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	e	64	Total	C	N	O	S	0	0
			505	312	81	105	7		

- Molecule 22 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
22	A	2	Total	Zn	0
			2	2	
22	B	1	Total	Zn	0
			1	1	
22	C	1	Total	Zn	0
			1	1	
22	I	2	Total	Zn	0
			2	2	
22	J	1	Total	Zn	0
			1	1	
22	L	1	Total	Zn	0
			1	1	
22	O	1	Total	Zn	0
			1	1	
22	e	1	Total	Zn	0
			1	1	


- Molecule 23 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
23	A	1	Total	Mg	0
			1	1	
23	b	1	Total	Mg	0
			1	1	

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA-directed RNA polymerase subunit














• Molecule 5: DNA-directed RNA polymerase II subunit E



• Molecule 6: DNA-directed RNA polymerases I, II, and III subunit RPABC2




• Molecule 7: DNA-directed RNA polymerase subunit





• Molecule 8: DNA-directed RNA polymerases I, II, and III subunit RPABC3






- Molecule 9: DNA-directed RNA polymerase II subunit RPB9




- Molecule 10: DNA-directed RNA polymerases I, II, and III subunit RPABC5





- Molecule 11: DNA-directed RNA polymerase II subunit RPB11-a




- Molecule 12: RNA polymerase II, I and III subunit K




- Molecule 13: Non-template DNA





- Molecule 14: ATP-dependent DNA helicase Q5









• Molecule 17: DNA excision repair protein ERCC-8









• Molecule 19: UV-stimulated scaffold protein A




• Molecule 20: DNA damage-binding protein 1




G71	E72	S73	L76	L77	F78	F79	L80	T81	A82	K83	Y84	N85	A86	C87	I88	L89	E90	Y91	K92	Q93	S94	G95	E96	S97	I98	D99	I100	I101	I102	G106	N107	N108	Q109	D110	R111	I112	G113	R114	P115	S116	E117	T118	G119	I120	I121	G122	I123	I124	D125	P126	E127	C128	R129	M130	I131	G132	L133			
R134	L135	Y136	D137	G138	L139	F140	K141	V142	I143	P144	L145	D146	R147	A148	N149	K150	E151	L152	K153	A154	F155	N156	I157	R158	L159	E160	E161	L162	H163	V164	I165	D166	V167	K168	F169	L170	Y171	G172	C173	Q174	A175	P176	T177	I178	C179	F180	V181	Y182	Q183	D184	P185	Q186	G187	R188	H189	V190	I191	T192	Y193	
E194	V195	S196	L197	R198	E199	K200	E201	F202	N203	K204	G205	P206	W207	K208	Q209	E210	L211	N212	E213	A214	E215	A216	S217	M218	V219	I220	A221	V222	P223	E224	P225	F226	Q227	G228	A229	I230	I231	I232	G233	Q234	E235	S236	I237	T238	Y239	H240	N241	G242	D243	K244	Y245	L246	A247	I248	A249	P250	E251	I252	I253	
K254	Q255	S256	T257	V258	C260	H261	R262	N263	V264	D265	P266	W267	K268	S269	R270	E271	L272	L273	G274	D275	M276	E277	K278	R279	L280	F281	M282	L283	L284	L285	E286	E288	GLN	MET	ASP	GLY	THR	V295	T296	L297	K298	D299	L300	R301	N302	E303	L304	L305	G306	E307	T308	S309	I310	A311	E312	C313				
L314	T315	Y316	L317	D318	G320	V321	V322	G325	S326	R327	L328	G329	D330	Q331	Q332	L333	V334	K335	L336	N337	V338	D339	S340	N341	E342	Q343	G344	S345	Y346	V347	V348	A349	H350	T352	F353	T354	N355	P358	D361	M362	C363	V364	V365	D366	L367	E368	R369	Q370	G371	Q372	Q374	V376								
T377	C378	S379	G380	A381	F382	G385	S386	G393	T394	G395	L396	H397	E398	H399	A400	S401	L402	D403	L404	P405	G406	L407	K408	G409	L410	W411	P412	L413	R414	S415	D416	P417	M418	R419	E420	T421	D422	D423	T424	V426	L427	S428	F429	V430	G431	Q432	T433	R434	V435	L436	M437	L438	M439	G440	E441	E442				
V443	E444	E445	T446	A447	L448	M449	G450	F451	V452	D453	D454	Q455	T457	F458	F459	C460	G461	N462	V463	A464	H465	Q466	Q467	L468	L469	Q470	I471	T472	S473	A474	S475	V476	R477	L478	V479	S480	Q481	E482	P483	K484	A485	L486	V487	S488	E489	V490	K491	E492	P493	Q494	A495	K496	N497	L498	S499	V500	A501	S502		
C503	N504	S505	S506	Q507	V508	V509	V510	A511	V512	G513	R514	A515	L516	W517	Y518	L519	Q520	I521	H522	P523	E524	E525	L526	R527	Q528	I529	S530	H531	T532	E533	M534	E535	H536	E537	V538	A539	C540	L541	D542	I543	T544	P545	L546	G547	D548	S549	N550	G551	L552	S553	P554	L555	C556	A557	T558	G559	L560	W561	T562	
D563	T564	S565	A566	R567	L568	L569	K570	L571	P572	S573	F574	E575	L576	L577	H578	K579	E580	L582	G583	G584	E585	L586	L587	P588	R589	S590	L591	L592	H593	T594	T595	F596	E597	S598	S599	H600	Y601	L602	L603	C604	A605	L606	G607	D608	G609	A610	L611	F612	Y613	F614	G615	L616	H617	T618	E619	T620	G621	L622		
L623	S624	D625	R626	K627	K628	V629	T630	L631	T632	T633	Q634	P635	T636	V637	L638	R639	T640	F641	R642	S643	L644	S645	T646	T647	N648	V649	F650	A651	C652	S653	D654	R655	P656	T657	V658	I659	S661	R662	N663	H664	K665	L666	V667	F668	S669	N670	V671	N672	L673	K674	E675	N677	V678	N679	C680	P681	L682			
M683	S684	D685	G686	Y687	F688	D689	S690	L691	A692	L693	A694	M695	H696	S697	T698	L699	T700	I701	G702	T703	T704	D705	E706	L707	Q708	K709	L710	H711	R712	R713	F716	L717	Y718	E719	S720	F721	R722	K723	I724	N663	H664	K665	L666	V667	F668	S669	N670	V671	N672	L673	K674	E675	N677	V678	N679	C680	P681	L682		
GLY	G748	T749	T750	A751	R752	R753	F754	S755	A756	S757	T758	Q759	A760	L761	S762	S763	S764	V765	S766	S767	S768	K769	L770	F771	S772	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808	
Q809	M810	E811	Y812	A813	L814	S815	L816	L817	S818	C819	K820	L821	G822	K823	D824	P825	N826	T827	Y828	F829	L830	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
A869	V870	Y871	S872	M873	W874	E875	F876	M877	G878	K879	L880	L881	A882	S883	I884	N885	S886	T887	V888	R889	L890	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
Q868	M810	E811	Y812	A813	L814	S815	L816	L817	S818	C819	K820	L821	G822	K823	D824	P825	N826	T827	Y828	F829	L830	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
A869	V870	Y871	S872	M873	W874	E875	F876	M877	G878	K879	L880	L881	A882	S883	I884	N885	S886	T887	V888	R889	L890	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
Q868	M810	E811	Y812	A813	L814	S815	L816	L817	S818	C819	K820	L821	G822	K823	D824	P825	N826	T827	Y828	F829	L830	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
A869	V870	Y871	S872	M873	W874	E875	F876	M877	G878	K879	L880	L881	A882	S883	I884	N885	S886	T887	V888	R889	L890	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
Q868	M810	E811	Y812	A813	L814	S815	L816	L817	S818	C819	K820	L821	G822	K823	D824	P825	N826	T827	Y828	F829	L830	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
A869	V870	Y871	S872	M873	W874	E875	F876	M877	G878	K879	L880	L881	A882	S883	I884	N885	S886	T887	V888	R889	L890	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
Q868	M810	E811	Y812	A813	L814	S815	L816	L817	S818	C819	K820	L821	G822	K823	D824	P825	N826	T827	Y828	F829	L830	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
A869	V870	Y871	S872	M873	W874	E875	F876	M877	G878	K879	L880	L881	A882	S883	I884	N885	S886	T887	V888	R889	L890	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
Q868	M810	E811	Y812	A813	L814	S815	L816	L817	S818	C819	K820	L821	G822	K823	D824	P825	N826	T827	Y828	F829	L830	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
A869	V870	Y871	S872	M873	W874	E875	F876	M877	G878	K879	L880	L881	A882	S883	I884	N885	S886	T887	V888	R889	L890	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
Q868	M810	E811	Y812	A813	L814	S815	L816	L817	S818	C819	K820	L821	G822	K823	D824	P825	N826	T827	Y828	F829	L830	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800	H803	A804	H805	Q806	F807	THR	SER	L808
A869	V870	Y871	S872	M873	W874	E875	F876	M877	G878	K879	L880	L881	A882	S883	I884	N885	S886	T887	V888	R889	L890	Y891	E892	W893	T894	T895	SER	THR	ALA	PRO	HIS	GLU	THR	SER	THR	E784	E785	V786	E787	H788	H789	N790	L791	T794	D795	T796	S854	D855	K856	F799	L736	E800								





● Molecule 21: Transcription elongation factor 1 homolog



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	19458	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	36.6	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	96000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.912	Depositor
Minimum map value	-0.416	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.029	Depositor
Recommended contour level	0.15	Depositor
Map size ( $\text{\AA}$ )	391.48798, 391.48798, 391.48798	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.8156, 0.8156, 0.8156	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.13	0/11468	0.30	0/15484
2	B	0.17	0/9233	0.38	1/12463 (0.0%)
3	C	0.13	0/2132	0.30	0/2896
4	D	0.39	0/1043	0.81	3/1400 (0.2%)
5	E	0.12	0/1751	0.30	0/2366
6	F	0.12	0/667	0.27	0/901
7	G	0.13	0/1382	0.30	0/1874
8	H	0.11	0/1207	0.26	0/1628
9	I	0.12	0/972	0.31	0/1316
10	J	0.14	0/542	0.30	0/730
11	K	0.14	0/939	0.29	0/1271
12	L	0.14	0/394	0.32	0/524
13	N	0.20	0/817	0.32	0/1258
14	O	0.48	1/989 (0.1%)	0.74	2/1326 (0.2%)
15	P	0.37	0/247	0.35	0/384
16	T	0.29	0/962	0.43	0/1476
17	a	0.25	0/2893	0.49	0/3917
18	b	0.23	0/4351	0.49	0/5876
19	c	0.60	1/1238 (0.1%)	0.64	2/1664 (0.1%)
20	d	0.88	2/8628 (0.0%)	0.83	10/11702 (0.1%)
21	e	0.33	0/515	0.63	0/700
All	All	0.41	4/52370 (0.0%)	0.50	18/71156 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
20	d	0	2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
All	All	0	3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	c	100	PRO	C-N	18.09	1.54	1.33
14	O	519	ASP	C-N	8.89	1.54	1.33
20	d	623	LEU	CG-CD2	-5.74	1.33	1.52
20	d	596	PHE	C-N	5.40	1.40	1.33

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	O	519	ASP	CA-C-N	8.75	130.78	119.84
14	O	519	ASP	C-N-CA	8.75	130.78	119.84
19	c	100	PRO	CA-C-N	8.63	129.27	120.38
19	c	100	PRO	C-N-CA	8.63	129.27	120.38
20	d	705	ASP	N-CA-C	6.07	117.69	111.14

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	538	VAL	Peptide
20	d	596	PHE	Mainchain
20	d	884	ILE	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11263	0	11389	120	0
2	B	9052	0	9087	63	0
3	C	2089	0	2031	18	0
4	D	1030	0	1016	25	0
5	E	1720	0	1737	19	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	F	657	0	684	3	0
7	G	1351	0	1358	35	0
8	H	1186	0	1147	7	0
9	I	949	0	881	17	0
10	J	533	0	553	5	0
11	K	920	0	942	8	0
12	L	388	0	393	8	0
13	N	727	0	394	77	0
14	O	974	0	984	38	0
15	P	220	0	110	0	0
16	T	864	0	488	67	0
17	a	2835	0	2760	74	0
18	b	4248	0	4288	114	0
19	c	1215	0	1235	19	0
20	d	8474	0	8390	150	0
21	e	505	0	463	12	0
22	A	2	0	0	0	0
22	B	1	0	0	0	0
22	C	1	0	0	0	0
22	I	2	0	0	0	0
22	J	1	0	0	0	0
22	L	1	0	0	0	0
22	O	1	0	0	0	0
22	e	1	0	0	0	0
23	A	1	0	0	0	0
23	b	1	0	0	0	0
All	All	51212	0	50330	715	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 715 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
17:a:157:CYS:SG	17:a:173:LEU:HD12	1.42	1.55
1:A:1279:MET:N	14:O:511:GLN:HE22	1.16	1.42
13:N:16:DT:O2	18:b:795:ILE:CD1	1.78	1.32
13:N:16:DT:P	18:b:975:ARG:HE	1.59	1.23
2:B:821:LYS:O	18:b:783:LYS:HE2	1.42	1.20

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1414/1970 (72%)	1379 (98%)	35 (2%)	0	100	100
2	B	1123/1174 (96%)	1085 (97%)	38 (3%)	0	100	100
3	C	256/275 (93%)	251 (98%)	5 (2%)	0	100	100
4	D	124/142 (87%)	118 (95%)	6 (5%)	0	100	100
5	E	207/210 (99%)	204 (99%)	3 (1%)	0	100	100
6	F	80/127 (63%)	79 (99%)	1 (1%)	0	100	100
7	G	169/172 (98%)	156 (92%)	13 (8%)	0	100	100
8	H	146/150 (97%)	145 (99%)	1 (1%)	0	100	100
9	I	115/125 (92%)	114 (99%)	1 (1%)	0	100	100
10	J	65/67 (97%)	65 (100%)	0	0	100	100
11	K	113/117 (97%)	110 (97%)	3 (3%)	0	100	100
12	L	44/58 (76%)	40 (91%)	4 (9%)	0	100	100
14	O	118/991 (12%)	114 (97%)	4 (3%)	0	100	100
17	a	359/396 (91%)	340 (95%)	18 (5%)	1 (0%)	37	68
18	b	511/1493 (34%)	485 (95%)	26 (5%)	0	100	100
19	c	146/709 (21%)	142 (97%)	4 (3%)	0	100	100
20	d	1080/1140 (95%)	1008 (93%)	72 (7%)	0	100	100
21	e	62/83 (75%)	61 (98%)	1 (2%)	0	100	100
All	All	6132/9399 (65%)	5896 (96%)	235 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
17	a	176	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1252/1749 (72%)	1228 (98%)	24 (2%)	52	73
2	B	992/1027 (97%)	968 (98%)	24 (2%)	44	68
3	C	237/252 (94%)	234 (99%)	3 (1%)	65	81
4	D	116/126 (92%)	110 (95%)	6 (5%)	19	47
5	E	191/192 (100%)	189 (99%)	2 (1%)	73	84
6	F	71/111 (64%)	69 (97%)	2 (3%)	38	65
7	G	152/153 (99%)	152 (100%)	0	100	100
8	H	129/131 (98%)	123 (95%)	6 (5%)	22	51
9	I	105/112 (94%)	100 (95%)	5 (5%)	21	50
10	J	56/56 (100%)	55 (98%)	1 (2%)	54	74
11	K	104/106 (98%)	103 (99%)	1 (1%)	73	84
12	L	43/55 (78%)	42 (98%)	1 (2%)	45	69
14	O	104/820 (13%)	101 (97%)	3 (3%)	37	64
17	a	318/348 (91%)	316 (99%)	2 (1%)	84	91
18	b	465/1297 (36%)	464 (100%)	1 (0%)	92	97
19	c	132/608 (22%)	130 (98%)	2 (2%)	60	77
20	d	936/999 (94%)	931 (100%)	5 (0%)	86	93
21	e	59/76 (78%)	57 (97%)	2 (3%)	32	60
All	All	5462/8218 (66%)	5372 (98%)	90 (2%)	58	76

5 of 90 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	E	60	VAL
9	I	72	VAL
6	F	83	LEU
8	H	95	LYS
14	O	498	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 43 such sidechains are listed below:

Mol	Chain	Res	Type
14	O	500	HIS
20	d	261	HIS
14	O	505	ASN
17	a	267	ASN
20	d	467	GLN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
15	P	9/45 (20%)	1 (11%)	0

All (1) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
15	P	10	A

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-52449. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


### 6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 252




Y Index: 246




Z Index: 257


### 6.3.2 Raw map



X Index: 251



Y Index: 247




Z Index: 257

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 342 nm<sup>3</sup>; this corresponds to an approximate mass of 309 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.286  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.286 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.43	4.10	3.60
Unmasked-calculated*	7.21	11.12	7.65

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.21 differs from the reported value 3.5 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-52449 and PDB model 9HWG. Per-residue inclusion information can be found in [section 3](#) on [page 8](#).


### 9.1 Map-model overlay [i](#)



X



Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).













































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 66% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5600	 0.2540
A	 0.7960	 0.3870
B	 0.7950	 0.3950
C	 0.8550	 0.4100
D	 0.2160	 0.1160
E	 0.8270	 0.3620
F	 0.7950	 0.3670
G	 0.2530	 0.1550
H	 0.8380	 0.4100
I	 0.7710	 0.3270
J	 0.8430	 0.4060
K	 0.8510	 0.4090
L	 0.7930	 0.3610
N	 0.5450	 0.1600
O	 0.2790	 0.0940
P	 0.9590	 0.4190
T	 0.7260	 0.2420
a	 0.2730	 0.0900
b	 0.3090	 0.0510
c	 0.0030	 0.0150
d	 0.1310	 0.0440
e	 0.5250	 0.2190

