



wwPDB EM Validation Summary Report ⓘ

Sep 8, 2025 – 06:08 PM JST

PDB ID : 8IDY / pdb_00008idy
EMDB ID : EMD-35371
Title : human nuclear pre-60S ribosomal particle - State F
Authors : Zhang, Y.; Gao, N.
Deposited on : 2023-02-14
Resolution : 3.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev126
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	5	120	
2	6	245	
3	7	163	
4	8	156	
5	9	134	
6	B	403	
7	C	159	









Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	D	427	
9	E	115	
10	F	117	
11	G	266	
12	H	123	
13	I	192	
14	K	105	
15	L	148	
16	M	97	
17	N	178	
18	O	70	
19	P	51	
20	Q	211	
21	S	215	
22	U	204	
23	V	203	
24	W	106	
25	X	92	
26	Z	188	
27	a	196	
28	b	176	
29	c	160	
30	e	140	
31	g	156	
32	h	145	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	i	136	
34	l	137	
35	m	257	
36	n	110	
37	o	288	
38	p	248	
39	r	297	
40	A	731	
41	R	203	
42	J	239	
43	T	99	
44	2	5054	
45	y	165	
46	4	634	
47	d	128	
48	j	125	
49	k	135	
50	Y	184	
51	z	129	
52	t	217	
53	u	687	
54	v	260	

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 155910 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	5	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 2 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	6	244	Total	C	N	O	S	0	0
			1852	1149	318	372	13		

- Molecule 3 is a protein called Probable ribosome biogenesis protein RLP24.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	7	135	Total	C	N	O	S	0	0
			1159	737	225	187	10		

- Molecule 4 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	8	156	Total	C	N	O	P	0	0
			3315	1481	585	1094	155		

- Molecule 5 is a protein called Zinc finger protein 593.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	9	97	Total	C	N	O	S	0	0
			793	484	171	134	4		

- Molecule 6 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	402	Total	C	N	O	S	1	0
			3244	2065	609	556	14		

- Molecule 7 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	93	Total	C	N	O	S	0	0
			764	476	167	117	4		

- Molecule 8 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	358	Total	C	N	O	S	0	0
			2853	1797	570	473	13		

- Molecule 9 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	98	Total	C	N	O	S	0	0
			764	485	135	138	6		

- Molecule 10 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	F	109	Total	C	N	O	S	0	0
			868	544	179	139	6		

- Molecule 11 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	G	241	Total	C	N	O	S	1	0
			1935	1233	374	324	4		

- Molecule 12 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 13 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	I	190	Total	C	N	O	S	0	0
			1518	956	284	272	6		

- Molecule 14 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	102	Total	C	N	O	S	0	0
			832	521	177	129	5		

- Molecule 15 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	147	Total	C	N	O	S	0	0
			1162	736	237	186	3		

- Molecule 16 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 17 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	165	Total	C	N	O	S	0	0
			1319	836	245	233	5		

- Molecule 18 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	O	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 19 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 20 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	210	Total	C	N	O	S	0	0
			1701	1064	352	281	4		

- Molecule 21 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	S	135	Total	C	N	O	S	0	0
			1111	713	213	178	7		

- Molecule 22 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	U	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 23 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	V	201	Total	C	N	O	S	0	0
			1650	1063	321	261	5		

- Molecule 24 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	W	100	Total	C	N	O	S	0	0
			818	512	168	132	6		

- Molecule 25 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	X	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 26 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	187	Total	C	N	O	S	0	0
			1513	944	314	250	5		

- Molecule 27 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	a	148	Total	C	N	O	S	0	0
			1239	772	266	192	9		

- Molecule 28 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	b	176	Total	C	N	O	S	0	0
			1461	930	284	236	11		

- Molecule 29 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	c	155	Total	C	N	O	S	0	0
			1264	801	248	210	5		

- Molecule 30 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	131	Total	C	N	O	S	0	0
			979	618	184	172	5		

- Molecule 31 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	g	118	Total	C	N	O	S	0	0
			967	618	181	167	1		

- Molecule 32 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	h	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 33 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	i	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 34 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	l	125	Total	C	N	O	S	0	0
			1002	622	207	168	5		

- Molecule 35 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	m	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 36 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	n	109	Total	C	N	O	S	0	0
			876	555	174	144	3		

- Molecule 37 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	o	235	Total	C	N	O	S	0	0
			1897	1217	360	316	4		

- Molecule 38 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	p	225	Total	C	N	O	S	1	0
			1878	1207	361	301	9		

- Molecule 39 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	r	293	Total	C	N	O	S	0	0
			2382	1507	434	427	14		

- Molecule 40 is a protein called G Protein Nucleolar 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	A	307	Total	C	N	O	S	0	0
			2460	1576	419	457	8		

- Molecule 41 is a protein called Translation machinery-associated protein 16.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	R	153	Total	C	N	O	S	0	0
			1296	810	248	233	5		

- Molecule 42 is a protein called mRNA turnover protein 4 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	J	223	Total	C	N	O	S	0	0
			1809	1140	309	349	11		

- Molecule 43 is a protein called Leydig cell tumor 10 kDa protein homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	T	44	Total	C	N	O	S	0	0
			343	215	71	56	1		

- Molecule 44 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	2	3641	Total	C	N	O	P	0	0
			77442	34506	14094	25202	3640		

- Molecule 45 is a protein called 60S ribosomal protein L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	y	165	Total	C	N	O	S	0	0
			1250	779	232	234	5		

- Molecule 46 is a protein called GTP-binding protein 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	4	611	Total	C	N	O	S	0	0
			5016	3151	918	920	27		

- Molecule 47 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	d	104	Total	C	N	O	S	0	0
			850	542	149	157	2		

- Molecule 48 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	j	111	Total	C	N	O	S	0	0
			918	578	178	160	2		

- Molecule 49 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	k	129	Total	C	N	O	S	0	0
			1064	673	220	166	5		

- Molecule 50 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Y	167	Total	C	N	O	S	0	0
			1355	848	260	238	9		

- Molecule 51 is a protein called Protein LLP homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	z	67	Total	C	N	O	S	0	0
			581	363	128	88	2		

- Molecule 52 is a protein called 60S ribosomal protein L10a.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	t	212	Total	C	N	O	S	0	0
			1708	1092	308	300	8		


- Molecule 53 is a protein called Protein SDA1 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	u	554	Total	C	N	O	S	0	0
			4536	2890	810	804	32		

- Molecule 54 is a protein called Ribosome biogenesis protein NSA2 homolog.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	v	35	Total	C	N	O	0	0
			316	196	68	52		

- Molecule 55 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					AltConf
55	A	1	Total	C	N	O	P	0
			28	10	5	11	2	

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
56	A	1	Total Mg 1 1	0


- Molecule 57 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
57	A	1	Total K 1 1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: 5S rRNA





- Molecule 2: Eukaryotic translation initiation factor 6




- Molecule 3: Probable ribosome biogenesis protein RLP24




- Molecule 4: 5.8S rRNA




- Molecule 5: Zinc finger protein 593




- Molecule 6: 60S ribosomal protein L3




- Molecule 7: 60S ribosomal protein L29




- Molecule 8: 60S ribosomal protein L4




- Molecule 9: 60S ribosomal protein L30









- Molecule 10: 60S ribosomal protein L34





- Molecule 11: 60S ribosomal protein L7a




- Molecule 12: 60S ribosomal protein L35



- Molecule 13: 60S ribosomal protein L9




- Molecule 14: 60S ribosomal protein L36



- Molecule 15: 60S ribosomal protein L27a






- Molecule 16: 60S ribosomal protein L37

Chain M: 74% 14% 11%



- Molecule 17: 60S ribosomal protein L11

Chain N: 42% 68% 24% 7%



- Molecule 18: 60S ribosomal protein L38

Chain O: 16% 91% 7%




- Molecule 19: 60S ribosomal protein L39

Chain P: 84% 14%




- Molecule 20: 60S ribosomal protein L13


Chain Q: 6% 93% 6%




- Molecule 21: 60S ribosomal protein L14





- Molecule 22: 60S ribosomal protein L15




- Molecule 23: 60S ribosomal protein L13a




- Molecule 24: 60S ribosomal protein L36a



- Molecule 25: 60S ribosomal protein L37a




- Molecule 26: 60S ribosomal protein L18



- Molecule 27: 60S ribosomal protein L19





- Molecule 28: 60S ribosomal protein L18a

Chain b: 91% 9%



- Molecule 29: 60S ribosomal protein L21

Chain c: 88% 8% . .




- Molecule 30: 60S ribosomal protein L23

Chain e: 84% 9% . 6%




- Molecule 31: 60S ribosomal protein L23a

Chain g: 74% . 24%




- Molecule 32: 60S ribosomal protein L26

Chain h: 81% 12% 8%











- Molecule 33: 60S ribosomal protein L27

Chain i: 93% 6% .




Chain 1: 83% 8% 9%








- Molecule 40: G Protein Nucleolar 2





- Molecule 41: Translation machinery-associated protein 16




- Molecule 42: mRNA turnover protein 4 homolog




- Molecule 43: Leydig cell tumor 10 kDa protein homolog




- Molecule 44: 28S rRNA
















• Molecule 45: 60S ribosomal protein L12





• Molecule 46: GTP-binding protein 4






- Molecule 47: 60S ribosomal protein L22




- Molecule 48: 60S ribosomal protein L31





- Molecule 49: 60S ribosomal protein L32




- Molecule 50: 60S ribosomal protein L17




- Molecule 51: Protein LLP homolog





● Molecule 54: Ribosome biogenesis protein NSA2 homolog



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	41193	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.8	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.223	Depositor
Minimum map value	-0.065	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.0365	Depositor
Map size (Å)	548.0, 548.0, 548.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.37, 1.37, 1.37	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMU, B8T, B9H, K, MHG, B8Q, E6G, MG, GDP, OMG, I4U, UR3, P7G, 6MZ, 5MU, BGH, E7G, B8K, 7MG, 1MA, B8H, M7A, B8W, OMC, P4U, B9B, 2MG, A2M, 5MC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	5	0.22	0/2858	0.39	0/4455
2	6	0.30	0/1877	0.71	0/2554
3	7	0.34	0/1181	0.74	2/1563 (0.1%)
4	8	0.24	0/3679	0.43	0/5732
5	9	0.33	0/808	0.85	4/1076 (0.4%)
6	B	0.28	0/3315	0.70	3/4435 (0.1%)
7	C	0.27	0/777	0.70	0/1026
8	D	0.28	0/2907	0.69	4/3905 (0.1%)
9	E	0.30	0/774	0.66	0/1038
10	F	0.26	0/878	0.65	0/1170
11	G	0.33	0/1971	0.71	4/2651 (0.2%)
12	H	0.33	0/1023	0.72	3/1351 (0.2%)
13	I	0.31	0/1537	0.72	3/2066 (0.1%)
14	K	0.27	0/843	0.63	0/1115
15	L	0.23	0/1191	0.55	0/1591
16	M	0.26	0/720	0.70	2/952 (0.2%)
17	N	0.39	0/1341	1.02	4/1793 (0.2%)
18	O	0.32	0/575	0.74	0/761
19	P	0.27	0/454	0.57	0/599
20	Q	0.31	0/1732	0.67	1/2315 (0.0%)
21	S	0.33	0/1133	0.71	0/1516
22	U	0.23	0/1746	0.54	0/2338
23	V	0.28	0/1682	0.60	1/2250 (0.0%)
24	W	0.26	0/831	0.68	2/1095 (0.2%)
25	X	0.26	0/718	0.56	0/953
26	Z	0.24	0/1537	0.56	0/2052
27	a	0.32	0/1255	0.75	2/1662 (0.1%)
28	b	0.25	0/1501	0.55	0/2013
29	c	0.28	0/1291	0.71	3/1725 (0.2%)
30	e	0.27	0/993	0.71	3/1332 (0.2%)
31	g	0.24	0/984	0.51	0/1323

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	h	0.26	0/1132	0.61	0/1504
33	i	0.28	0/1130	0.65	0/1507
34	l	0.27	0/1017	0.63	0/1364
35	m	0.27	0/1936	0.65	2/2596 (0.1%)
36	n	0.24	0/895	0.70	3/1198 (0.3%)
37	o	0.27	0/1935	0.69	0/2596
38	p	0.34	0/1916	0.70	4/2553 (0.2%)
39	r	0.28	0/2428	0.68	2/3252 (0.1%)
40	A	0.28	0/2515	0.59	0/3403
41	R	0.36	0/1317	0.72	2/1757 (0.1%)
42	J	0.34	0/1844	0.74	2/2476 (0.1%)
43	T	0.28	0/345	0.76	0/455
44	2	0.24	5/84533 (0.0%)	0.45	31/131714 (0.0%)
45	y	0.30	0/1269	0.73	0/1712
46	4	0.33	0/5099	0.82	12/6840 (0.2%)
47	d	0.34	0/864	0.85	4/1160 (0.3%)
48	j	0.30	0/933	0.70	0/1256
49	k	0.29	0/1082	0.65	0/1443
50	Y	0.25	0/1383	0.61	1/1856 (0.1%)
51	z	0.36	0/587	0.85	2/767 (0.3%)
52	t	0.26	0/1736	0.64	1/2328 (0.0%)
53	u	0.31	2/4614 (0.0%)	0.66	3/6191 (0.0%)
54	v	0.28	0/321	0.40	0/418
All	All	0.27	7/164943 (0.0%)	0.56	110/240753 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	B	0	1
11	G	0	1
17	N	0	1
20	Q	0	1
29	c	0	1
30	e	0	1
35	m	0	2
36	n	0	1
42	J	0	1
50	Y	0	1
53	u	0	3
All	All	0	14

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	u	668	PHE	CD2-CE2	7.62	1.61	1.38
44	2	4060	U	O3'-P	5.72	1.69	1.61
53	u	668	PHE	CE2-CZ	5.66	1.55	1.38
44	2	4062	A	O3'-P	5.53	1.69	1.61
44	2	4063	U	O5'-C5'	5.41	1.50	1.42

The worst 5 of 110 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	2	4192	A	P-O3'-C3'	-9.59	105.82	120.20
44	2	4062	A	C4'-C3'-O3'	9.38	123.47	109.40
44	2	4200	G	P-O3'-C3'	-9.38	106.14	120.20
44	2	4061	G	C4'-C3'-O3'	9.22	123.22	109.40
44	2	4202	U	P-O3'-C3'	-9.06	106.61	120.20

There are no chirality outliers.

5 of 14 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	B	16	PHE	Peptide
11	G	162	ASP	Peptide
17	N	117	ILE	Peptide
20	Q	154	VAL	Peptide
29	c	80	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	5	2558	0	1296	5	0
2	6	1852	0	1828	12	0
3	7	1159	0	1224	10	0
4	8	3315	0	1685	17	0
5	9	793	0	807	12	0
6	B	3244	0	3389	24	0
7	C	764	0	822	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	D	2853	0	3028	21	0
9	E	764	0	804	4	0
10	F	868	0	963	4	0
11	G	1935	0	2087	14	0
12	H	1015	0	1148	15	0
13	I	1518	0	1601	46	0
14	K	832	0	917	4	0
15	L	1162	0	1213	5	0
16	M	705	0	741	10	0
17	N	1319	0	1356	59	0
18	O	569	0	637	3	0
19	P	444	0	483	6	0
20	Q	1701	0	1818	9	0
21	S	1111	0	1174	4	0
22	U	1701	0	1749	13	0
23	V	1650	0	1794	8	0
24	W	818	0	888	7	0
25	X	708	0	760	4	0
26	Z	1513	0	1628	12	0
27	a	1239	0	1363	9	0
28	b	1461	0	1502	11	0
29	c	1264	0	1337	11	0
30	e	979	0	1039	9	0
31	g	967	0	1040	1	0
32	h	1115	0	1205	13	0
33	i	1107	0	1182	5	0
34	l	1002	0	1068	9	0
35	m	1898	0	1993	19	0
36	n	876	0	912	6	0
37	o	1897	0	2046	12	0
38	p	1878	0	2009	8	0
39	r	2382	0	2410	13	0
40	A	2460	0	2489	14	0
41	R	1296	0	1324	6	0
42	J	1809	0	1783	21	0
43	T	343	0	390	0	0
44	2	77442	0	38788	392	0
45	y	1250	0	1305	9	0
46	4	5016	0	5153	31	0
47	d	850	0	868	5	0
48	j	918	0	964	6	0
49	k	1064	0	1160	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
50	Y	1355	0	1390	2	0
51	z	581	0	656	7	0
52	t	1708	0	1815	12	0
53	u	4536	0	4714	75	0
54	v	316	0	332	57	0
55	A	28	0	12	1	0
56	A	1	0	0	1	0
57	A	1	0	0	0	0
All	All	155910	0	118089	793	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 793 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
44:2:4083:5MU:C5	44:2:4083:5MU:C4	1.79	1.67
44:2:1860:B8H:C5	44:2:1860:B8H:C4	1.82	1.57
44:2:4296:B8H:C5	44:2:4296:B8H:C4	1.82	1.53
44:2:4199:C:N3	53:u:647:LYS:HA	1.30	1.45
44:2:4197:G:C6	53:u:655:ARG:NH2	1.98	1.32

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	6	242/245 (99%)	225 (93%)	17 (7%)	0	100	100
3	7	133/163 (82%)	129 (97%)	4 (3%)	0	100	100
5	9	93/134 (69%)	81 (87%)	12 (13%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	B	401/403 (100%)	376 (94%)	25 (6%)	0	100	100
7	C	89/159 (56%)	87 (98%)	2 (2%)	0	100	100
8	D	356/427 (83%)	331 (93%)	25 (7%)	0	100	100
9	E	96/115 (84%)	92 (96%)	4 (4%)	0	100	100
10	F	107/117 (92%)	104 (97%)	3 (3%)	0	100	100
11	G	240/266 (90%)	229 (95%)	11 (5%)	0	100	100
12	H	120/123 (98%)	116 (97%)	4 (3%)	0	100	100
13	I	188/192 (98%)	178 (95%)	10 (5%)	0	100	100
14	K	100/105 (95%)	95 (95%)	5 (5%)	0	100	100
15	L	145/148 (98%)	135 (93%)	10 (7%)	0	100	100
16	M	84/97 (87%)	78 (93%)	6 (7%)	0	100	100
17	N	163/178 (92%)	140 (86%)	21 (13%)	2 (1%)	11	41
18	O	67/70 (96%)	63 (94%)	4 (6%)	0	100	100
19	P	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
20	Q	208/211 (99%)	195 (94%)	13 (6%)	0	100	100
21	S	133/215 (62%)	127 (96%)	6 (4%)	0	100	100
22	U	201/204 (98%)	192 (96%)	9 (4%)	0	100	100
23	V	199/203 (98%)	193 (97%)	6 (3%)	0	100	100
24	W	98/106 (92%)	94 (96%)	4 (4%)	0	100	100
25	X	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
26	Z	185/188 (98%)	180 (97%)	5 (3%)	0	100	100
27	a	146/196 (74%)	140 (96%)	6 (4%)	0	100	100
28	b	174/176 (99%)	168 (97%)	6 (3%)	0	100	100
29	c	153/160 (96%)	149 (97%)	4 (3%)	0	100	100
30	e	129/140 (92%)	114 (88%)	15 (12%)	0	100	100
31	g	116/156 (74%)	113 (97%)	3 (3%)	0	100	100
32	h	132/145 (91%)	130 (98%)	2 (2%)	0	100	100
33	i	133/136 (98%)	121 (91%)	12 (9%)	0	100	100
34	l	123/137 (90%)	117 (95%)	6 (5%)	0	100	100
35	m	246/257 (96%)	216 (88%)	30 (12%)	0	100	100
36	n	107/110 (97%)	103 (96%)	3 (3%)	1 (1%)	14	49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	o	231/288 (80%)	215 (93%)	16 (7%)	0	100	100
38	p	224/248 (90%)	213 (95%)	11 (5%)	0	100	100
39	r	291/297 (98%)	278 (96%)	13 (4%)	0	100	100
40	A	305/731 (42%)	296 (97%)	8 (3%)	1 (0%)	37	70
41	R	151/203 (74%)	143 (95%)	7 (5%)	1 (1%)	19	54
42	J	221/239 (92%)	209 (95%)	12 (5%)	0	100	100
43	T	42/99 (42%)	42 (100%)	0	0	100	100
45	y	163/165 (99%)	159 (98%)	4 (2%)	0	100	100
46	4	607/634 (96%)	559 (92%)	45 (7%)	3 (0%)	25	61
47	d	102/128 (80%)	94 (92%)	8 (8%)	0	100	100
48	j	109/125 (87%)	103 (94%)	6 (6%)	0	100	100
49	k	127/135 (94%)	121 (95%)	6 (5%)	0	100	100
50	Y	165/184 (90%)	154 (93%)	11 (7%)	0	100	100
51	z	63/129 (49%)	60 (95%)	2 (3%)	1 (2%)	8	34
52	t	210/217 (97%)	201 (96%)	9 (4%)	0	100	100
53	u	546/687 (80%)	515 (94%)	30 (6%)	1 (0%)	44	77
54	v	33/260 (13%)	33 (100%)	0	0	100	100
All	All	8834/10594 (83%)	8338 (94%)	486 (6%)	10 (0%)	50	81

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
17	N	176	PRO
36	n	106	TYR
40	A	160	MET
53	u	326	GLY
17	N	21	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	6	212/213 (100%)	212 (100%)	0	100	100
3	7	126/149 (85%)	126 (100%)	0	100	100
5	9	82/114 (72%)	80 (98%)	2 (2%)	44	74
6	B	349/349 (100%)	349 (100%)	0	100	100
7	C	78/126 (62%)	78 (100%)	0	100	100
8	D	298/348 (86%)	298 (100%)	0	100	100
9	E	83/97 (86%)	83 (100%)	0	100	100
10	F	94/100 (94%)	94 (100%)	0	100	100
11	G	204/223 (92%)	204 (100%)	0	100	100
12	H	109/110 (99%)	109 (100%)	0	100	100
13	I	169/171 (99%)	168 (99%)	1 (1%)	84	93
14	K	86/89 (97%)	86 (100%)	0	100	100
15	L	120/121 (99%)	120 (100%)	0	100	100
16	M	73/80 (91%)	73 (100%)	0	100	100
17	N	138/149 (93%)	138 (100%)	0	100	100
18	O	64/65 (98%)	64 (100%)	0	100	100
19	P	47/48 (98%)	47 (100%)	0	100	100
20	Q	176/177 (99%)	176 (100%)	0	100	100
21	S	115/161 (71%)	115 (100%)	0	100	100
22	U	171/172 (99%)	171 (100%)	0	100	100
23	V	173/174 (99%)	173 (100%)	0	100	100
24	W	88/94 (94%)	88 (100%)	0	100	100
25	X	74/75 (99%)	74 (100%)	0	100	100
26	Z	164/165 (99%)	164 (100%)	0	100	100
27	a	133/175 (76%)	133 (100%)	0	100	100
28	b	157/157 (100%)	157 (100%)	0	100	100
29	c	136/140 (97%)	136 (100%)	0	100	100
30	e	101/107 (94%)	101 (100%)	0	100	100
31	g	106/133 (80%)	106 (100%)	0	100	100
32	h	124/135 (92%)	124 (100%)	0	100	100
33	i	117/118 (99%)	117 (100%)	0	100	100
34	l	109/121 (90%)	109 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
35	m	190/199 (96%)	190 (100%)	0	100	100
36	n	88/89 (99%)	88 (100%)	0	100	100
37	o	208/252 (82%)	208 (100%)	0	100	100
38	p	195/215 (91%)	195 (100%)	0	100	100
39	r	246/250 (98%)	246 (100%)	0	100	100
40	A	272/654 (42%)	272 (100%)	0	100	100
41	R	141/184 (77%)	141 (100%)	0	100	100
42	J	199/214 (93%)	199 (100%)	0	100	100
43	T	37/76 (49%)	37 (100%)	0	100	100
45	y	137/137 (100%)	137 (100%)	0	100	100
46	4	554/574 (96%)	554 (100%)	0	100	100
47	d	94/115 (82%)	94 (100%)	0	100	100
48	j	101/110 (92%)	100 (99%)	1 (1%)	73	88
49	k	115/121 (95%)	115 (100%)	0	100	100
50	Y	147/163 (90%)	147 (100%)	0	100	100
51	z	61/115 (53%)	61 (100%)	0	100	100
52	t	191/196 (97%)	191 (100%)	0	100	100
53	u	509/629 (81%)	509 (100%)	0	100	100
54	v	32/228 (14%)	31 (97%)	1 (3%)	35	68
All	All	7793/9177 (85%)	7788 (100%)	5 (0%)	92	98

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	9	115	ARG
5	9	116	ARG
13	I	93	ARG
48	j	100	ASN
54	v	36	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 95 such sidechains are listed below:

Mol	Chain	Res	Type
38	p	99	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	d	94	ASN
38	p	248	ASN
46	4	64	GLN
49	k	63	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	5	119/120 (99%)	14 (11%)	0
4	8	155/156 (99%)	28 (18%)	0
44	2	3569/5054 (70%)	870 (24%)	22 (0%)
All	All	3843/5330 (72%)	912 (23%)	22 (0%)

5 of 912 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	5	11	A
1	5	22	A
1	5	24	C
1	5	33	U
1	5	40	U

5 of 22 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
44	2	4202	U
44	2	4382	G
44	2	4380	A
44	2	4498	U
44	2	2760	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

78 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection.

RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
44	OMC	2	3909	44	19,22,23	3.01	8 (42%)	26,31,34	1.24	5 (19%)
44	OMG	2	4370	44	18,26,27	2.87	8 (44%)	19,38,41	1.50	5 (26%)
44	1MA	2	4415	44	16,25,26	4.38	5 (31%)	18,37,40	1.67	3 (16%)
44	OMG	2	2424	44	18,26,27	2.87	8 (44%)	19,38,41	1.50	4 (21%)
44	B8K	2	3897	44	24,28,29	3.43	11 (45%)	30,42,45	2.51	11 (36%)
44	A2M	2	2363	44	18,25,26	3.60	8 (44%)	18,36,39	3.40	4 (22%)
44	OMC	2	3701	44	19,22,23	2.99	8 (42%)	26,31,34	0.78	0
44	OMG	2	2364	44	18,26,27	2.85	8 (44%)	19,38,41	1.50	5 (26%)
44	I4U	2	1659	44	21,24,25	3.59	9 (42%)	27,34,37	1.20	1 (3%)
44	A2M	2	1534	44	18,25,26	3.58	8 (44%)	18,36,39	3.56	4 (22%)
44	B9B	2	1574	44	21,28,29	1.95	3 (14%)	23,40,43	6.43	5 (21%)
44	E7G	2	2297	44	24,27,28	4.02	11 (45%)	30,40,43	2.15	10 (33%)
44	M7A	2	4564	44	20,25,26	1.99	3 (15%)	28,37,40	3.87	7 (25%)
44	OMG	2	1625	44	18,26,27	2.91	8 (44%)	19,38,41	1.50	4 (21%)
44	2MG	2	729	44	18,26,27	2.68	6 (33%)	16,38,41	1.42	4 (25%)
44	OMG	2	4870	44	18,26,27	2.87	8 (44%)	19,38,41	1.56	4 (21%)
44	B9B	2	2754	44	21,28,29	2.00	3 (14%)	23,40,43	6.39	5 (21%)
44	A2M	2	3867	44	18,25,26	3.57	8 (44%)	18,36,39	3.45	4 (22%)
44	A2M	2	3723	44	18,25,26	3.56	8 (44%)	18,36,39	3.37	4 (22%)
44	2MG	2	1517	44	18,26,27	2.71	6 (33%)	16,38,41	1.55	4 (25%)
44	A2M	2	1871	44	18,25,26	3.58	8 (44%)	18,36,39	3.47	3 (16%)
44	A2M	2	398	44	18,25,26	3.61	8 (44%)	18,36,39	3.44	4 (22%)
44	OMC	2	4536	44	19,22,23	2.98	8 (42%)	26,31,34	1.13	3 (11%)
44	OMG	2	1316	44	18,26,27	2.85	8 (44%)	19,38,41	1.54	5 (26%)
44	OMG	2	1522	44	18,26,27	2.81	8 (44%)	19,38,41	1.50	5 (26%)
44	B9H	2	2786	44	20,25,26	3.28	5 (25%)	22,35,38	2.40	7 (31%)
44	B8W	2	4129	44	18,26,27	2.11	2 (11%)	21,38,41	2.42	7 (33%)
44	2MG	2	4872	44	18,26,27	2.61	6 (33%)	16,38,41	1.72	4 (25%)
44	E6G	2	4355	44	20,27,28	2.81	3 (15%)	22,39,42	3.26	7 (31%)
44	OMC	2	2861	44	19,22,23	3.06	8 (42%)	26,31,34	1.18	3 (11%)
44	5MU	2	4083	44	19,22,23	7.22	8 (42%)	28,32,35	3.42	10 (35%)
44	A2M	2	2401	44	18,25,26	3.62	8 (44%)	18,36,39	3.37	3 (16%)
44	B8W	2	2380	44	18,26,27	2.09	2 (11%)	21,38,41	2.46	7 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
44	E7G	2	1797	44	24,27,28	4.07	11 (45%)	30,40,43	2.18	9 (30%)
4	OMU	8	14	4,44	19,22,23	2.99	8 (42%)	26,31,34	1.78	5 (19%)
44	OMG	2	4494	44	18,26,27	2.85	8 (44%)	19,38,41	1.45	4 (21%)
44	B8H	2	4296	44	20,22,23	6.62	6 (30%)	21,32,35	2.39	5 (23%)
44	OMG	2	2773	44	18,26,27	2.91	8 (44%)	19,38,41	1.54	5 (26%)
44	B8W	2	4185	44	18,26,27	2.12	2 (11%)	21,38,41	2.49	6 (28%)
44	B8Q	2	1456	44	17,22,23	2.95	5 (29%)	22,32,35	2.30	6 (27%)
44	7MG	2	1605	44	22,26,27	3.82	10 (45%)	29,39,42	1.96	9 (31%)
44	2MG	2	978	44	18,26,27	2.72	6 (33%)	16,38,41	1.38	4 (25%)
44	UR3	2	1866	44	19,22,23	2.95	6 (31%)	26,32,35	2.11	6 (23%)
44	OMU	2	4306	44	19,22,23	3.04	8 (42%)	26,31,34	1.69	4 (15%)
44	P7G	2	3880	44	24,28,29	4.09	11 (45%)	27,41,44	1.47	4 (14%)
44	OMC	2	2365	44	19,22,23	3.00	8 (42%)	26,31,34	0.76	0
44	B8W	2	4529	44	18,26,27	2.13	2 (11%)	21,38,41	2.71	7 (33%)
44	P4U	2	1348	44	21,24,25	3.62	8 (38%)	27,33,36	1.06	1 (3%)
44	A2M	2	3825	44	18,25,26	3.58	8 (44%)	18,36,39	3.38	3 (16%)
44	OMG	2	2050	44	18,26,27	2.83	8 (44%)	19,38,41	1.49	4 (21%)
44	A2M	2	4571	44	18,25,26	3.58	8 (44%)	18,36,39	3.42	4 (22%)
44	A2M	2	1326	44	18,25,26	3.63	8 (44%)	18,36,39	3.53	4 (22%)
44	7MG	2	2522	44	22,26,27	3.73	10 (45%)	29,39,42	1.96	9 (31%)
44	A2M	2	1524	44	18,25,26	3.62	8 (44%)	18,36,39	3.44	4 (22%)
44	B8W	2	4472	44	18,26,27	2.15	2 (11%)	21,38,41	2.59	7 (33%)
44	B9B	2	237	44	21,28,29	2.00	3 (14%)	23,40,43	6.42	5 (21%)
44	OMU	2	4620	44	19,22,23	2.97	8 (42%)	26,31,34	1.69	4 (15%)
44	A2M	2	4523	44	18,25,26	3.57	8 (44%)	18,36,39	3.45	4 (22%)
44	OMG	2	4637	44	18,26,27	2.86	8 (44%)	19,38,41	1.54	4 (21%)
44	BGH	2	3899	44	25,29,30	4.62	17 (68%)	31,43,46	2.59	12 (38%)
44	5MC	2	4335	44	18,22,23	3.59	7 (38%)	26,32,35	1.11	2 (7%)
44	OMG	2	4623	44	18,26,27	2.86	8 (44%)	19,38,41	1.55	5 (26%)
44	B8T	2	4483	44	19,22,23	3.65	8 (42%)	26,31,34	1.31	3 (11%)
44	B8T	2	4671	44	19,22,23	3.59	8 (42%)	26,31,34	0.93	1 (3%)
44	UR3	2	4597	44	19,22,23	2.78	7 (36%)	26,32,35	1.93	4 (15%)
44	OMC	2	3887	44	19,22,23	3.03	8 (42%)	26,31,34	0.83	1 (3%)
44	B8K	2	4690	44	24,28,29	3.42	11 (45%)	30,42,45	2.59	11 (36%)
44	7MG	2	4550	44	22,26,27	3.82	10 (45%)	29,39,42	1.92	8 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
44	UR3	2	4530	44	19,22,23	2.86	6 (31%)	26,32,35	1.28	2 (7%)
44	OMC	2	2804	44	19,22,23	2.91	8 (42%)	26,31,34	1.36	3 (11%)
44	6MZ	2	4220	44	18,25,26	1.87	3 (16%)	16,36,39	3.75	3 (18%)
44	A2M	2	3718	44	18,25,26	3.58	8 (44%)	18,36,39	3.39	4 (22%)
44	OMC	2	3869	44	19,22,23	3.06	8 (42%)	26,31,34	1.56	4 (15%)
44	OMG	2	373	44	18,26,27	2.88	8 (44%)	19,38,41	1.59	5 (26%)
44	B8H	2	1860	44	20,22,23	6.60	6 (30%)	21,32,35	2.36	5 (23%)
44	OMG	2	1883	44	18,26,27	2.90	8 (44%)	19,38,41	1.56	4 (21%)
44	P7G	2	1909	44	24,28,29	4.05	11 (45%)	27,41,44	1.55	3 (11%)
44	MHG	2	4371	44	29,32,33	3.93	11 (37%)	34,46,49	2.37	12 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
44	OMC	2	3909	44	-	1/9/27/28	0/2/2/2
44	OMG	2	4370	44	-	1/5/27/28	0/3/3/3
44	1MA	2	4415	44	-	3/3/25/26	0/3/3/3
44	OMG	2	2424	44	-	2/5/27/28	0/3/3/3
44	B8K	2	3897	44	-	3/11/41/42	0/3/3/3
44	A2M	2	2363	44	-	0/5/27/28	0/3/3/3
44	OMC	2	3701	44	-	4/9/27/28	0/2/2/2
44	OMG	2	2364	44	-	2/5/27/28	0/3/3/3
44	I4U	2	1659	44	-	2/9/29/30	0/2/2/2
44	A2M	2	1534	44	-	1/5/27/28	0/3/3/3
44	B9B	2	1574	44	-	3/7/29/30	0/3/3/3
44	E7G	2	2297	44	-	1/9/39/40	0/3/3/3
44	M7A	2	4564	44	-	0/7/37/38	0/3/3/3
44	OMG	2	1625	44	-	3/5/27/28	0/3/3/3
44	2MG	2	729	44	-	2/5/27/28	0/3/3/3
44	OMG	2	4870	44	-	3/5/27/28	0/3/3/3
44	B9B	2	2754	44	-	2/7/29/30	0/3/3/3
44	A2M	2	3867	44	-	2/5/27/28	0/3/3/3
44	A2M	2	3723	44	-	2/5/27/28	0/3/3/3
44	2MG	2	1517	44	-	0/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
44	A2M	2	1871	44	-	0/5/27/28	0/3/3/3
44	A2M	2	398	44	-	2/5/27/28	0/3/3/3
44	OMC	2	4536	44	-	0/9/27/28	0/2/2/2
44	OMG	2	1316	44	-	0/5/27/28	0/3/3/3
44	OMG	2	1522	44	-	0/5/27/28	0/3/3/3
44	B9H	2	2786	44	-	0/12/47/48	0/2/2/2
44	B8W	2	4129	44	-	2/5/27/28	0/3/3/3
44	2MG	2	4872	44	-	2/5/27/28	0/3/3/3
44	E6G	2	4355	44	-	2/6/28/29	0/3/3/3
44	OMC	2	2861	44	-	0/9/27/28	0/2/2/2
44	5MU	2	4083	44	-	0/7/25/26	0/2/2/2
44	A2M	2	2401	44	-	1/5/27/28	0/3/3/3
44	B8W	2	2380	44	-	2/5/27/28	0/3/3/3
44	E7G	2	1797	44	-	2/9/39/40	0/3/3/3
4	OMU	8	14	4,44	-	1/9/27/28	0/2/2/2
44	OMG	2	4494	44	-	0/5/27/28	0/3/3/3
44	B8H	2	4296	44	-	2/7/25/26	0/2/2/2
44	OMG	2	2773	44	-	0/5/27/28	0/3/3/3
44	B8W	2	4185	44	-	2/5/27/28	0/3/3/3
44	B8Q	2	1456	44	-	0/7/42/43	0/2/2/2
44	7MG	2	1605	44	-	0/7/37/38	0/3/3/3
44	2MG	2	978	44	-	0/5/27/28	0/3/3/3
44	UR3	2	1866	44	-	3/7/25/26	0/2/2/2
44	OMU	2	4306	44	-	0/9/27/28	0/2/2/2
44	P7G	2	3880	44	-	4/10/40/41	0/3/3/3
44	OMC	2	2365	44	-	0/9/27/28	0/2/2/2
44	B8W	2	4529	44	-	0/5/27/28	0/3/3/3
44	P4U	2	1348	44	-	1/10/29/30	0/2/2/2
44	A2M	2	3825	44	-	0/5/27/28	0/3/3/3
44	OMG	2	2050	44	-	0/5/27/28	0/3/3/3
44	A2M	2	4571	44	-	0/5/27/28	0/3/3/3
44	A2M	2	1326	44	-	3/5/27/28	0/3/3/3
44	7MG	2	2522	44	-	0/7/37/38	0/3/3/3
44	A2M	2	1524	44	-	1/5/27/28	0/3/3/3
44	B8W	2	4472	44	-	2/5/27/28	0/3/3/3
44	B9B	2	237	44	-	5/7/29/30	0/3/3/3
44	OMU	2	4620	44	-	0/9/27/28	0/2/2/2
44	A2M	2	4523	44	-	4/5/27/28	0/3/3/3
44	OMG	2	4637	44	-	3/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
44	BGH	2	3899	44	-	1/13/43/44	0/3/3/3
44	5MC	2	4335	44	-	0/7/25/26	0/2/2/2
44	OMG	2	4623	44	-	1/5/27/28	0/3/3/3
44	B8T	2	4483	44	-	0/7/27/28	0/2/2/2
44	B8T	2	4671	44	-	0/7/27/28	0/2/2/2
44	UR3	2	4597	44	-	0/7/25/26	0/2/2/2
44	OMC	2	3887	44	-	1/9/27/28	0/2/2/2
44	B8K	2	4690	44	-	0/11/41/42	0/3/3/3
44	7MG	2	4550	44	-	0/7/37/38	0/3/3/3
44	UR3	2	4530	44	-	0/7/25/26	0/2/2/2
44	OMC	2	2804	44	-	0/9/27/28	0/2/2/2
44	6MZ	2	4220	44	-	1/5/27/28	0/3/3/3
44	A2M	2	3718	44	-	0/5/27/28	0/3/3/3
44	OMC	2	3869	44	-	4/9/27/28	0/2/2/2
44	OMG	2	373	44	-	1/5/27/28	0/3/3/3
44	B8H	2	1860	44	-	2/7/25/26	0/2/2/2
44	OMG	2	1883	44	-	2/5/27/28	0/3/3/3
44	P7G	2	1909	44	-	3/10/40/41	0/3/3/3
44	MHG	2	4371	44	-	3/16/46/47	0/3/3/3

The worst 5 of 574 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
44	2	4083	5MU	C4-C5	20.79	1.79	1.44
44	2	4296	B8H	C6-C5	-16.51	1.11	1.34
44	2	1860	B8H	C6-C5	-16.35	1.12	1.34
44	2	4415	1MA	C2-N3	16.16	1.48	1.29
44	2	4083	5MU	C6-N1	15.93	1.65	1.38

The worst 5 of 380 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	2	1574	B9B	O6-C6-N1	-29.48	94.67	120.12
44	2	237	B9B	O6-C6-N1	-29.29	94.84	120.12
44	2	2754	B9B	O6-C6-N1	-29.20	94.92	120.12
44	2	4564	M7A	C5-C6-N6	13.69	147.13	123.74
44	2	4220	6MZ	C1'-N9-C4	-12.71	104.32	126.64

There are no chirality outliers.

5 of 100 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	8	14	OMU	C1'-C2'-O2'-CM2
44	2	237	B9B	C5-C6-O6-C61
44	2	237	B9B	N1-C6-O6-C61
44	2	237	B9B	C3'-C4'-C5'-O5'
44	2	237	B9B	O4'-C4'-C5'-O5'

There are no ring outliers.

17 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
44	2	2363	A2M	1	0
44	2	1574	B9B	2	0
44	2	729	2MG	1	0
44	2	3723	A2M	1	0
44	2	1871	A2M	1	0
44	2	1316	OMG	1	0
44	2	4872	2MG	2	0
44	2	4083	5MU	2	0
44	2	4296	B8H	1	0
44	2	2050	OMG	1	0
44	2	4571	A2M	1	0
44	2	2522	7MG	1	0
44	2	4620	OMU	2	0
44	2	4637	OMG	1	0
44	2	4623	OMG	1	0
44	2	3718	A2M	1	0
44	2	1860	B8H	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
55	GDP	A	801	57,56	24,30,30	1.20	2 (8%)	30,47,47	1.41	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	GDP	A	801	57,56	-	2/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	A	801	GDP	C6-N1	-3.47	1.32	1.37
55	A	801	GDP	C2'-C1'	-2.22	1.50	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	A	801	GDP	PA-O3A-PB	-3.52	120.74	132.83
55	A	801	GDP	C3'-C2'-C1'	3.26	105.89	100.98
55	A	801	GDP	C8-N7-C5	2.47	107.69	102.99
55	A	801	GDP	O3B-PB-O2B	2.35	116.63	107.64
55	A	801	GDP	C5-C6-N1	2.32	118.05	113.95

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
55	A	801	GDP	PA-O3A-PB-O2B
55	A	801	GDP	PA-O3A-PB-O1B

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
55	A	801	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35371. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206




Y Index: 182




Z Index: 202


6.3.2 Raw map



X Index: 205



Y Index: 189




Z Index: 200


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0365. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1145 nm³; this corresponds to an approximate mass of 1034 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.91	7.10	4.01

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.91 differs from the reported value 3.0 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-35371 and PDB model 8IDY. Per-residue inclusion information can be found in section [3](#) on page [14](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0365 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0365).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0365) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7920	 0.4860
2	 0.8620	 0.4910
4	 0.6540	 0.4620
5	 0.9190	 0.4800
6	 0.7350	 0.5080
7	 0.8090	 0.5400
8	 0.9440	 0.5440
9	 0.5540	 0.4670
A	 0.6590	 0.4950
B	 0.9060	 0.5680
C	 0.7520	 0.4750
D	 0.9290	 0.5640
E	 0.6830	 0.5060
F	 0.8820	 0.5540
G	 0.7040	 0.4800
H	 0.8700	 0.5420
I	 0.8030	 0.5240
J	 0.1120	 0.1850
K	 0.8360	 0.5280
L	 0.9320	 0.5790
M	 0.9660	 0.5810
N	 0.4190	 0.3070
O	 0.6770	 0.4920
P	 0.9760	 0.5780
Q	 0.8420	 0.5250
R	 0.4700	 0.4450
S	 0.8970	 0.5510
T	 0.6060	 0.4370
U	 0.9680	 0.5860
V	 0.9220	 0.5660
W	 0.7290	 0.5170
X	 0.8050	 0.5360
Y	 0.8660	 0.5560
Z	 0.9480	 0.5890
a	 0.8740	 0.5430



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.9330	 0.5780
c	 0.8790	 0.5320
d	 0.7520	 0.5180
e	 0.8800	 0.5480
g	 0.8960	 0.5580
h	 0.8860	 0.5570
i	 0.7600	 0.5220
j	 0.8340	 0.5350
k	 0.9400	 0.5790
l	 0.9250	 0.5640
m	 0.9030	 0.5600
n	 0.9530	 0.5870
o	 0.7650	 0.4980
p	 0.9150	 0.5590
r	 0.6190	 0.4250
t	 0.0010	 0.1380
u	 0.0710	 0.2110
v	 0.0860	 0.2300
y	 0.1120	 0.2100
z	 0.5670	 0.4230