



## wwPDB EM Validation Summary Report ⓘ

Apr 6, 2025 – 01:26 AM JST

PDB ID : 9IP2 / pdb\_00009ip2  
EMDB ID : EMD-60755  
Title : Cryo-EM structure of the RNA-dependent RNA polymerase complex from Marburg virus  
Authors : Li, G.; Du, T.; Wang, J.; Wu, S.; Ru, H.  
Deposited on : 2024-07-10  
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.42


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2757	
2	B	727	
2	C	727	
2	D	727	
2	E	727	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase L,Maltose/maltodextrin-binding periplasmic protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1363	Total	C	N	O	S	0	0
			11040	7105	1872	2011	52		

There are 65 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	489	ALA	LEU	conflict	UNP P31352
A	979	GLY	ARG	conflict	UNP P31352
A	1428	THR	SER	conflict	UNP P31352
A	2332	SER	-	linker	UNP P31352
A	2333	ARG	-	linker	UNP P31352
A	2334	GLU	-	linker	UNP P31352
A	2335	ASN	-	linker	UNP P31352
A	2336	LEU	-	linker	UNP P31352
A	2337	TYR	-	linker	UNP P31352
A	2338	PHE	-	linker	UNP P31352
A	2339	GLN	-	linker	UNP P31352
A	2340	GLY	-	linker	UNP P31352
A	2341	SER	-	linker	UNP P31352
A	2342	GLY	-	linker	UNP P31352
A	2343	TRP	-	linker	UNP P31352
A	2344	SER	-	linker	UNP P31352
A	2345	HIS	-	linker	UNP P31352
A	2346	PRO	-	linker	UNP P31352
A	2347	GLN	-	linker	UNP P31352
A	2348	PHE	-	linker	UNP P31352
A	2349	GLU	-	linker	UNP P31352
A	2350	LYS	-	linker	UNP P31352
A	2351	GLY	-	linker	UNP P31352
A	2352	GLY	-	linker	UNP P31352
A	2353	GLY	-	linker	UNP P31352
A	2354	SER	-	linker	UNP P31352
A	2355	GLY	-	linker	UNP P31352

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	2356	GLY	-	linker	UNP P31352
A	2357	GLY	-	linker	UNP P31352
A	2358	SER	-	linker	UNP P31352
A	2359	GLY	-	linker	UNP P31352
A	2360	GLY	-	linker	UNP P31352
A	2361	SER	-	linker	UNP P31352
A	2362	ALA	-	linker	UNP P31352
A	2363	TRP	-	linker	UNP P31352
A	2364	SER	-	linker	UNP P31352
A	2365	HIS	-	linker	UNP P31352
A	2366	PRO	-	linker	UNP P31352
A	2367	GLN	-	linker	UNP P31352
A	2368	PHE	-	linker	UNP P31352
A	2369	GLU	-	linker	UNP P31352
A	2370	LYS	-	linker	UNP P31352
A	2371	GLY	-	linker	UNP P31352
A	2372	SER	-	linker	UNP P31352
A	2373	ALA	-	linker	UNP P31352
A	2374	SER	-	linker	UNP P31352
A	2375	HIS	-	linker	UNP P31352
A	2376	HIS	-	linker	UNP P31352
A	2377	HIS	-	linker	UNP P31352
A	2378	HIS	-	linker	UNP P31352
A	2379	HIS	-	linker	UNP P31352
A	2380	HIS	-	linker	UNP P31352
A	2381	GLY	-	linker	UNP P31352
A	2382	THR	-	linker	UNP P31352
A	2383	LYS	-	linker	UNP P31352
A	2384	THR	-	linker	UNP P31352
A	2749	GLY	-	expression tag	UNP P0AEX9
A	2750	ASP	-	expression tag	UNP P0AEX9
A	2751	TYR	-	expression tag	UNP P0AEX9
A	2752	LYS	-	expression tag	UNP P0AEX9
A	2753	ASP	-	expression tag	UNP P0AEX9
A	2754	ASP	-	expression tag	UNP P0AEX9
A	2755	ASP	-	expression tag	UNP P0AEX9
A	2756	ASP	-	expression tag	UNP P0AEX9
A	2757	LYS	-	expression tag	UNP P0AEX9

- Molecule 2 is a protein called Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	217	Total 1649	C 1048	N 285	O 308	S 8	0	0
2	C	63	Total 471	C 301	N 80	O 87	S 3	0	0
2	D	32	Total 244	C 156	N 40	O 45	S 3	0	0
2	E	26	Total 201	C 128	N 34	O 36	S 3	0	0

There are 140 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-397	MET	-	initiating methionine	UNP P0AEX9
B	-396	GLY	-	expression tag	UNP P0AEX9
B	-395	SER	-	expression tag	UNP P0AEX9
B	-394	SER	-	expression tag	UNP P0AEX9
B	-393	HIS	-	expression tag	UNP P0AEX9
B	-392	HIS	-	expression tag	UNP P0AEX9
B	-391	HIS	-	expression tag	UNP P0AEX9
B	-390	HIS	-	expression tag	UNP P0AEX9
B	-389	HIS	-	expression tag	UNP P0AEX9
B	-388	HIS	-	expression tag	UNP P0AEX9
B	-387	GLY	-	expression tag	UNP P0AEX9
B	-386	THR	-	expression tag	UNP P0AEX9
B	-385	LYS	-	expression tag	UNP P0AEX9
B	-384	THR	-	expression tag	UNP P0AEX9
B	-19	GLY	-	linker	UNP P0AEX9
B	-18	THR	-	linker	UNP P0AEX9
B	-17	ASP	-	linker	UNP P0AEX9
B	-16	TYR	-	linker	UNP P0AEX9
B	-15	ASP	-	linker	UNP P0AEX9
B	-14	ILE	-	linker	UNP P0AEX9
B	-13	PRO	-	linker	UNP P0AEX9
B	-12	THR	-	linker	UNP P0AEX9
B	-11	THR	-	linker	UNP P0AEX9
B	-10	LEU	-	linker	UNP P0AEX9
B	-9	GLU	-	linker	UNP P0AEX9
B	-8	VAL	-	linker	UNP P0AEX9
B	-7	LEU	-	linker	UNP P0AEX9
B	-6	PHE	-	linker	UNP P0AEX9
B	-5	GLN	-	linker	UNP P0AEX9
B	-4	GLY	-	linker	UNP P0AEX9
B	-3	PRO	-	linker	UNP P0AEX9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	LEU	-	linker	UNP P0AEX9
B	-1	GLY	-	linker	UNP P0AEX9
B	0	SER	-	linker	UNP P0AEX9
B	296	CYS	SER	conflict	UNP P35259
C	-397	MET	-	initiating methionine	UNP P0AEX9
C	-396	GLY	-	expression tag	UNP P0AEX9
C	-395	SER	-	expression tag	UNP P0AEX9
C	-394	SER	-	expression tag	UNP P0AEX9
C	-393	HIS	-	expression tag	UNP P0AEX9
C	-392	HIS	-	expression tag	UNP P0AEX9
C	-391	HIS	-	expression tag	UNP P0AEX9
C	-390	HIS	-	expression tag	UNP P0AEX9
C	-389	HIS	-	expression tag	UNP P0AEX9
C	-388	HIS	-	expression tag	UNP P0AEX9
C	-387	GLY	-	expression tag	UNP P0AEX9
C	-386	THR	-	expression tag	UNP P0AEX9
C	-385	LYS	-	expression tag	UNP P0AEX9
C	-384	THR	-	expression tag	UNP P0AEX9
C	-19	GLY	-	linker	UNP P0AEX9
C	-18	THR	-	linker	UNP P0AEX9
C	-17	ASP	-	linker	UNP P0AEX9
C	-16	TYR	-	linker	UNP P0AEX9
C	-15	ASP	-	linker	UNP P0AEX9
C	-14	ILE	-	linker	UNP P0AEX9
C	-13	PRO	-	linker	UNP P0AEX9
C	-12	THR	-	linker	UNP P0AEX9
C	-11	THR	-	linker	UNP P0AEX9
C	-10	LEU	-	linker	UNP P0AEX9
C	-9	GLU	-	linker	UNP P0AEX9
C	-8	VAL	-	linker	UNP P0AEX9
C	-7	LEU	-	linker	UNP P0AEX9
C	-6	PHE	-	linker	UNP P0AEX9
C	-5	GLN	-	linker	UNP P0AEX9
C	-4	GLY	-	linker	UNP P0AEX9
C	-3	PRO	-	linker	UNP P0AEX9
C	-2	LEU	-	linker	UNP P0AEX9
C	-1	GLY	-	linker	UNP P0AEX9
C	0	SER	-	linker	UNP P0AEX9
C	296	CYS	SER	conflict	UNP P35259
D	-397	MET	-	initiating methionine	UNP P0AEX9
D	-396	GLY	-	expression tag	UNP P0AEX9
D	-395	SER	-	expression tag	UNP P0AEX9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-394	SER	-	expression tag	UNP P0AEX9
D	-393	HIS	-	expression tag	UNP P0AEX9
D	-392	HIS	-	expression tag	UNP P0AEX9
D	-391	HIS	-	expression tag	UNP P0AEX9
D	-390	HIS	-	expression tag	UNP P0AEX9
D	-389	HIS	-	expression tag	UNP P0AEX9
D	-388	HIS	-	expression tag	UNP P0AEX9
D	-387	GLY	-	expression tag	UNP P0AEX9
D	-386	THR	-	expression tag	UNP P0AEX9
D	-385	LYS	-	expression tag	UNP P0AEX9
D	-384	THR	-	expression tag	UNP P0AEX9
D	-19	GLY	-	linker	UNP P0AEX9
D	-18	THR	-	linker	UNP P0AEX9
D	-17	ASP	-	linker	UNP P0AEX9
D	-16	TYR	-	linker	UNP P0AEX9
D	-15	ASP	-	linker	UNP P0AEX9
D	-14	ILE	-	linker	UNP P0AEX9
D	-13	PRO	-	linker	UNP P0AEX9
D	-12	THR	-	linker	UNP P0AEX9
D	-11	THR	-	linker	UNP P0AEX9
D	-10	LEU	-	linker	UNP P0AEX9
D	-9	GLU	-	linker	UNP P0AEX9
D	-8	VAL	-	linker	UNP P0AEX9
D	-7	LEU	-	linker	UNP P0AEX9
D	-6	PHE	-	linker	UNP P0AEX9
D	-5	GLN	-	linker	UNP P0AEX9
D	-4	GLY	-	linker	UNP P0AEX9
D	-3	PRO	-	linker	UNP P0AEX9
D	-2	LEU	-	linker	UNP P0AEX9
D	-1	GLY	-	linker	UNP P0AEX9
D	0	SER	-	linker	UNP P0AEX9
D	296	CYS	SER	conflict	UNP P35259
E	-397	MET	-	initiating methionine	UNP P0AEX9
E	-396	GLY	-	expression tag	UNP P0AEX9
E	-395	SER	-	expression tag	UNP P0AEX9
E	-394	SER	-	expression tag	UNP P0AEX9
E	-393	HIS	-	expression tag	UNP P0AEX9
E	-392	HIS	-	expression tag	UNP P0AEX9
E	-391	HIS	-	expression tag	UNP P0AEX9
E	-390	HIS	-	expression tag	UNP P0AEX9
E	-389	HIS	-	expression tag	UNP P0AEX9
E	-388	HIS	-	expression tag	UNP P0AEX9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-387	GLY	-	expression tag	UNP P0AEX9
E	-386	THR	-	expression tag	UNP P0AEX9
E	-385	LYS	-	expression tag	UNP P0AEX9
E	-384	THR	-	expression tag	UNP P0AEX9
E	-19	GLY	-	linker	UNP P0AEX9
E	-18	THR	-	linker	UNP P0AEX9
E	-17	ASP	-	linker	UNP P0AEX9
E	-16	TYR	-	linker	UNP P0AEX9
E	-15	ASP	-	linker	UNP P0AEX9
E	-14	ILE	-	linker	UNP P0AEX9
E	-13	PRO	-	linker	UNP P0AEX9
E	-12	THR	-	linker	UNP P0AEX9
E	-11	THR	-	linker	UNP P0AEX9
E	-10	LEU	-	linker	UNP P0AEX9
E	-9	GLU	-	linker	UNP P0AEX9
E	-8	VAL	-	linker	UNP P0AEX9
E	-7	LEU	-	linker	UNP P0AEX9
E	-6	PHE	-	linker	UNP P0AEX9
E	-5	GLN	-	linker	UNP P0AEX9
E	-4	GLY	-	linker	UNP P0AEX9
E	-3	PRO	-	linker	UNP P0AEX9
E	-2	LEU	-	linker	UNP P0AEX9
E	-1	GLY	-	linker	UNP P0AEX9
E	0	SER	-	linker	UNP P0AEX9
E	296	CYS	SER	conflict	UNP P35259

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
3	A	1	Total	Zn	0
			1	1	



### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RNA-directed RNA polymerase L,Maltose/maltodextrin-binding periplasmic protein










- Molecule 2: Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35



THR	PHE	ASP	ALA	PHE	LEU	GLY	VAL	VAL	PRO	PRO	VAL	VAL	ILE	ARG	VAL	LYS	ASN	PHE	GLN	THR	THR	VAL	VAL	PRO	ARG	ARG	PRO	PRO	GLN	CYS	GLY	LYS	SER	SER	LEU	ARG	ARG	THR	GLU	GLY	GLN	GLY	GLU	THR	ARG	ALA	ALA	LEU	LEU	LYS	ILE
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 2: Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35

Chain E:  96%

GLN	VAL	PHE	GLY	ALA	ASN	PRO	LEU	GLU	LYS	LEU	TYR	LYS	ARG	ARG	LYS	PRO	PRO	GLY	LYS	GLY	THR	VAL	GLY	LEU	GLN	CYS	SER	PRO	CYS	LEU	MET	LYS	SER	LYS	ALA	THR	THR	SER	THR	THR	ASP	ASP	ILE	ILE	TRP	TRP	ASP	ASP	GLN	LEU	LEU	ILE	VAL	VAL	LYS	ARG	THR	THR	ALA	ASP	ASN	ASN	ARG	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ALA	PHE	LEU	GLY	VAL	VAL	PRO	PRO	VAL	ILE	ARG	VAL	LYS	ASN	PHE	THR	THR	VAL	PRO	ARG	PRO	CYS	GLN	LYS	SER	LEU	ARG	ALA	VAL	PRO	PRO	ASN	PRO	THR	THR	ILE	ASP	LYS	GLY	TRP	VAL	TVR	SER	SER	GLU	GLN	GLY	GLU	THR	ARG	ALA	LEU	LEU	LYS	ILE
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	319722	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	52.52	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.513	Depositor
Minimum map value	-1.361	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.052	Depositor
Recommended contour level	0.225	Depositor
Map size (Å)	272.32, 272.32, 272.32	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.851, 0.851, 0.851	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.60	3/11316 (0.0%)	0.79	17/15345 (0.1%)
2	B	0.45	0/1684	0.65	2/2283 (0.1%)
2	C	0.53	1/481 (0.2%)	0.78	1/652 (0.2%)
2	D	0.42	0/246	0.72	0/329
2	E	0.51	0/202	0.92	1/267 (0.4%)
All	All	0.58	4/13929 (0.0%)	0.78	21/18876 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	700	CYS	CB-SG	-5.90	1.72	1.81
1	A	892	CYS	CB-SG	-5.16	1.73	1.81
2	C	135	VAL	CB-CG2	-5.07	1.42	1.52
1	A	825	CYS	CB-SG	-5.02	1.73	1.81

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1241	LEU	CB-CG-CD2	-14.48	86.39	111.00
1	A	737	LYS	CD-CE-NZ	-9.40	90.07	111.70
1	A	26	ARG	CG-CD-NE	-8.97	92.95	111.80
2	C	113	MET	CB-CG-SD	-8.82	85.94	112.40
2	E	127	MET	CA-CB-CG	8.26	127.35	113.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11040	0	10944	154	0
2	B	1649	0	1679	13	0
2	C	471	0	479	5	0
2	D	244	0	264	12	0
2	E	201	0	216	10	0
3	A	1	0	0	0	0
All	All	13606	0	13582	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 187 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:609:LEU:CD1	1:A:623:GLU:HG3	1.66	1.24
1:A:609:LEU:HD13	1:A:623:GLU:HG3	1.28	1.11
1:A:539:GLU:OE2	1:A:662:LYS:O	1.71	1.05
1:A:1040:ARG:NH1	1:A:1246:GLU:OE1	1.96	0.99
1:A:609:LEU:HD11	1:A:623:GLU:HG3	1.52	0.92

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1349/2757 (49%)	1288 (96%)	60 (4%)	1 (0%)	48 73

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	215/727 (30%)	211 (98%)	4 (2%)	0	100	100
2	C	61/727 (8%)	60 (98%)	1 (2%)	0	100	100
2	D	30/727 (4%)	29 (97%)	1 (3%)	0	100	100
2	E	24/727 (3%)	24 (100%)	0	0	100	100
All	All	1679/5665 (30%)	1612 (96%)	66 (4%)	1 (0%)	50	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	544	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1225/2455 (50%)	1224 (100%)	1 (0%)	92	98
2	B	179/603 (30%)	179 (100%)	0	100	100
2	C	49/603 (8%)	49 (100%)	0	100	100
2	D	28/603 (5%)	28 (100%)	0	100	100
2	E	22/603 (4%)	22 (100%)	0	100	100
All	All	1503/4867 (31%)	1502 (100%)	1 (0%)	92	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	509	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1188	ASN

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	155	HIS
2	C	161	GLN
2	B	173	GLN
1	A	1156	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-60755. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 155




Y Index: 173




Z Index: 132


### 6.3.2 Raw map



X Index: 155



Y Index: 173




Z Index: 139


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.225. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_60755\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 74  $\text{nm}^3$ ; this corresponds to an approximate mass of 67 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.370 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.370 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	2.67	2.98	2.70
Unmasked-calculated*	3.14	3.60	3.19

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.14 differs from the reported value 2.7 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-60755 and PDB model 9IP2. Per-residue inclusion information can be found in section [3](#) on page [9](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.225 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.225).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.225) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8560	<div></div> 0.6050
A	<div></div> 0.8750	<div></div> 0.6110
B	<div></div> 0.8100	<div></div> 0.5900
C	<div></div> 0.7930	<div></div> 0.5870
D	<div></div> 0.5770	<div></div> 0.4850
E	<div></div> 0.6970	<div></div> 0.5500

