

# Full wwPDB X-ray Structure Validation Report (i)

Jul 8, 2025 – 12:12 PM JST

PDB ID : 9IQI / pdb 00009iqi

Title : Structure of oleate hydratase mutant - V135A/L212V from Staphylococcus

aureus in the complex with FAD

Authors : Xue, S.; Feng, T.

Deposited on : 2024-07-12

Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 2.0rc1

EDS: 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.006 (Gargrove)

Density-Fitness : 1.0.12

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.44

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
$R_{free}$	164625	2124 (2.46-2.42)
Clashscore	180529	2259 (2.46-2.42)
Ramachandran outliers	177936	2244 (2.46-2.42)
Sidechain outliers	177891	2244 (2.46-2.42)
RSRZ outliers	164620	2124 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	592	90%	10	%
1	В	592	84%	13%	-
1	С	592	84%	15%	



# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 14557 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Oleate hydratase.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	592	Total	С	N	О	S	0	0	0
1	A	392	4765	3035	787	921	22	U		
1	В	577	Total	С	N	О	S	0	0	0
1	Б	311	4662	2971	770	900	21	0		
1	С	592	Total	С	N	О	S	0	0	0
1		392	4765	3035	787	921	22	U		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	expression tag	UNP A0A0D6GJV1
A	135	ALA	VAL	engineered mutation	UNP A0A0D6GJV1
A	212	VAL	LEU	engineered mutation	UNP A0A0D6GJV1
В	0	HIS	-	expression tag	UNP A0A0D6GJV1
В	135	ALA	VAL	engineered mutation	UNP A0A0D6GJV1
В	212	VAL	LEU	engineered mutation	UNP A0A0D6GJV1
С	0	HIS	-	expression tag	UNP A0A0D6GJV1
С	135	ALA	VAL	engineered mutation	UNP A0A0D6GJV1
С	212	VAL	LEU	engineered mutation	UNP A0A0D6GJV1

• Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf			
9	Λ	1	Total	С	N	О	Р	0	0	
	A	1	53	27	9	15	2	U	U	
9	C	1	Total	С	N	О	Р	0	0	
		1	53	27	9	15	2	U	U	

#### • Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	100	Total O 100 100	0	0
3	В	89	Total O 89 89	0	0
3	С	70	Total O 70 70	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Oleate hydratase







# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	188.48Å 109.81Å 118.32Å	Donogitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 116.61° 90.00°	Depositor
Resolution (Å)	39.53 - 2.44	Depositor
Resolution (A)	39.53 - 2.44	EDS
% Data completeness	97.8 (39.53-2.44)	Depositor
(in resolution range)	98.6 (39.53-2.44)	EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.86 (at 2.45Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
D D	0.201 , 0.235	Depositor
$R, R_{free}$	0.202 , $0.235$	DCC
$R_{free}$ test set	3987 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.2	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.35, 37.3	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	14557	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles	
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	A	0.11	0/4875	0.29	0/6607
1	В	0.12	0/4769	0.30	0/6462
1	С	0.12	0/4875	0.32	0/6607
All	All	0.12	0/14519	0.31	0/19676

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4765	0	4641	35	0
1	В	4662	0	4536	46	0
1	С	4765	0	4641	60	0
2	A	53	0	31	1	0
2	С	53	0	31	1	0
3	A	100	0	0	0	0
3	В	89	0	0	0	0
3	С	70	0	0	1	0
All	All	14557	0	13880	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clash score for this structure is 5.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A	A. 0	Interatomic	Clash
Atom-1	Atom-2	${\rm distance} \ (\mathring{\rm A})$	overlap (Å)
1:B:579:THR:HG22	1:B:581:ILE:H	1.46	0.80
1:B:15:LYS:NZ	1:C:117:GLU:OE1	2.22	0.71
1:B:28:ILE:HD12	1:B:250:VAL:HG21	1.75	0.68
1:C:32:LEU:HD12	1:C:511:SER:HB2	1.76	0.67
1:C:128:GLU:HG3	1:C:129:LYS:HG3	1.79	0.64
1:C:0:HIS:N	3:C:702:HOH:O	2.31	0.63
1:C:63:GLY:O	1:C:78:ARG:NH2	2.31	0.63
1:C:147:ILE:O	1:C:151:LEU:HD22	2.00	0.62
1:C:28:ILE:HD13	1:C:250:VAL:HG11	1.82	0.62
1:C:447:THR:HA	1:C:450:ILE:HG12	1.82	0.61
1:C:64:SER:HA	1:C:78:ARG:HH21	1.68	0.59
1:C:81:ARG:HH21	1:C:225:GLN:H	1.51	0.58
1:A:28:ILE:HD12	1:A:250:VAL:HG21	1.84	0.58
1:A:403:PRO:HB2	1:A:406:GLU:HG3	1.85	0.58
1:B:186:MET:HE3	1:B:215:PHE:HE1	1.68	0.57
1:A:271:ARG:HB3	1:A:276:GLU:OE1	2.04	0.57
1:C:32:LEU:HD22	1:C:233:MET:HE1	1.85	0.57
1:B:81:ARG:HA	1:B:81:ARG:HE	1.71	0.56
1:A:90:LEU:HA	1:A:512:VAL:HG11	1.88	0.55
1:B:81:ARG:HG3	1:B:225:GLN:HG3	1.87	0.55
1:A:82:GLU:HB3	1:A:218:LEU:HD13	1.88	0.55
1:C:302:ASN:O	1:C:433:ASN:ND2	2.29	0.55
1:C:159:GLU:H	1:C:159:GLU:CD	2.15	0.54
1:A:559:THR:HB	1:A:565:GLN:HB3	1.89	0.53
1:B:440:LEU:HD23	1:B:443:LEU:HD12	1.91	0.53
1:C:18:GLU:OE2	1:C:19:ASN:HB2	2.08	0.53
1:B:439:TRP:CE2	1:B:443:LEU:HD11	2.43	0.53
1:B:90:LEU:HA	1:B:512:VAL:HG11	1.90	0.52
1:C:79:GLY:HA2	1:C:410:TRP:CE2	2.45	0.52
1:A:250:VAL:HG22	1:A:269:ILE:HG22	1.92	0.52
1:B:573:LEU:HD21	1:B:591:LEU:HD21	1.91	0.52
1:A:32:LEU:HD12	1:A:233:MET:HE1	1.92	0.51
1:B:260:SER:O	1:B:487:GLN:HG2	2.11	0.51
1:B:21:GLU:OE1	1:B:21:GLU:N	2.40	0.51
1:B:534:ASN:HD21	1:C:534:ASN:HD21	1.59	0.50
1:C:225:GLN:OE1	1:C:225:GLN:N	2.43	0.50
1:C:79:GLY:HA2	1:C:410:TRP:CZ2	2.46	0.50
1:A:149:GLU:OE2	1:A:171:SER:OG	2.21	0.50



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
		${ m distance} \; ({ m \AA})$	overlap (Å)
1:C:276:GLU:HG2	1:C:277:SER:H	1.76	0.50
1:C:82:GLU:HB3	1:C:218:LEU:HD22	1.93	0.50
1:C:319:TRP:CD2	1:C:332:PRO:HB3	2.46	0.50
1:A:222:LYS:HD3	1:A:223:TYR:CZ	2.46	0.50
1:B:295:GLU:OE1	1:B:315:SER:N	2.44	0.50
1:A:319:TRP:CD2	1:A:332:PRO:HB3	2.47	0.49
1:A:40:PHE:CE2	1:A:516:MET:HB2	2.47	0.49
1:C:157:ASN:HB3	1:C:159:GLU:OE1	2.12	0.49
1:B:320:LYS:NZ	1:B:333:ASP:OD1	2.42	0.49
1:B:81:ARG:HA	1:B:81:ARG:NE	2.28	0.49
1:C:178:ASN:HA	1:C:181:ILE:HD12	1.94	0.49
1:B:571:GLY:O	1:B:575:LYS:HG3	2.12	0.49
1:C:354:ASN:O	1:C:358:ILE:HG12	2.13	0.49
1:B:27:LEU:HD23	1:B:287:PHE:HB2	1.95	0.49
1:A:32:LEU:HB2	1:A:65:LEU:HD11	1.94	0.48
1:A:313:GLY:O	1:A:317:THR:OG1	2.22	0.48
1:C:27:LEU:HD13	1:C:54:ILE:HG12	1.96	0.48
1:A:32:LEU:HD23	1:A:511:SER:HB2	1.95	0.47
1:B:583:SER:O	1:B:587:GLU:HG3	2.15	0.47
1:A:14:PRO:HB3	1:A:527:ARG:HB2	1.97	0.47
1:C:14:PRO:HB3	1:C:527:ARG:HB2	1.97	0.47
1:C:209:ILE:HG21	1:C:545:ALA:HA	1.96	0.47
1:A:81:ARG:HB2	1:A:225:GLN:CD	2.39	0.47
1:C:64:SER:HB2	2:C:601:FAD:H4'	1.97	0.47
1:C:87:PHE:CG	1:C:509:GLU:HB2	2.51	0.46
1:C:267:ILE:HG22	1:C:269:ILE:HG23	1.98	0.46
1:C:267:ILE:HG13	1:C:280:LEU:HD11	1.97	0.46
1:C:451:GLU:OE2	1:C:455:LYS:NZ	2.36	0.46
1:A:372:GLY:HA2	1:A:396:GLN:O	2.15	0.46
1:B:391:PHE:HA	1:B:410:TRP:O	2.16	0.46
1:C:346:VAL:HA	1:C:463:VAL:O	2.16	0.45
1:B:563:LYS:HA	1:B:566:LYS:HB3	1.97	0.45
1:C:90:LEU:HA	1:C:512:VAL:HG11	1.98	0.45
1:C:269:ILE:HD12	1:C:271:ARG:HB2	1.99	0.45
1:C:194:SER:HB2	1:C:474:THR:HA	1.97	0.45
1:B:539:LEU:HD21	1:C:539:LEU:HD21	1.98	0.45
1:C:350:SER:HB2	1:C:460:THR:HG23	1.98	0.45
1:A:387:TRP:HB3	1:A:413:ALA:HB1	1.98	0.45
1:A:21:GLU:H	1:A:21:GLU:CD	2.25	0.45
1:B:437:GLN:HG2	1:B:450:ILE:HG22	1.99	0.45
1:A:389:MET:HE1	1:A:438:GLU:HG3	1.98	0.44



 $Continued\ from\ previous\ page...$ 

Continuea from prev		Interatomic	Clash
Atom-1	Atom-2	${\rm distance} \ (\mathring{\rm A})$	overlap (Å)
1:B:209:ILE:HD13	1:B:548:GLU:HB2	1.98	0.44
1:A:147:ILE:O	1:A:151:LEU:HG	2.18	0.44
1:C:32:LEU:HD23	1:C:65:LEU:CD1	2.48	0.44
1:C:387:TRP:HB3	1:C:413:ALA:HB1	2.00	0.43
1:C:437:GLN:HG2	1:C:450:ILE:HG22	1.99	0.43
1:B:5:TYR:HE2	1:C:533:ILE:HD11	1.83	0.43
1:B:5:TYR:CE2	1:C:533:ILE:HD11	2.53	0.43
1:C:121:TYR:O	1:C:367:ARG:NH2	2.49	0.43
1:B:465:MET:HB2	1:B:468:ILE:HB	2.00	0.43
1:C:73:LYS:HB2	1:C:461:ILE:HD11	2.00	0.43
1:B:145:THR:O	1:B:149:GLU:HG3	2.17	0.43
1:C:369:PRO:HB2	1:C:407:ILE:HG21	2.01	0.43
1:B:194:SER:HB2	1:B:474:THR:HA	2.01	0.43
1:B:534:ASN:ND2	1:C:534:ASN:HD21	2.16	0.43
1:B:87:PHE:CG	1:B:509:GLU:HB2	2.54	0.42
1:A:341:LYS:HE3	1:A:341:LYS:HB2	1.84	0.42
1:A:64:SER:HB2	2:A:601:FAD:H3'	2.02	0.42
1:A:389:MET:HE2	1:A:389:MET:HB2	1.92	0.42
1:C:230:VAL:O	1:C:234:VAL:HG23	2.19	0.42
1:A:27:LEU:HD13	1:A:54:ILE:HG12	2.01	0.42
1:C:183:TRP:CZ2	1:C:201:TYR:HB3	2.54	0.42
1:A:267:ILE:HB	1:A:278:ILE:HB	2.02	0.42
1:B:319:TRP:CD2	1:B:332:PRO:HB3	2.53	0.42
1:C:70:MET:C	1:C:72:LEU:H	2.27	0.42
1:B:1:MET:HE1	1:B:517:GLU:HG2	2.01	0.42
1:B:346:VAL:HA	1:B:463:VAL:O	2.20	0.42
1:A:254:LYS:HG2	1:A:266:GLU:HB3	2.02	0.42
1:B:159:GLU:OE1	1:B:159:GLU:N	2.48	0.42
1:B:357:ILE:HD11	1:B:453:LEU:HB3	2.02	0.42
1:A:562:SER:HB3	1:A:565:GLN:OE1	2.19	0.41
1:B:117:GLU:OE2	1:C:15:LYS:NZ	2.49	0.41
1:B:440:LEU:HA	1:B:443:LEU:HD12	2.02	0.41
1:C:250:VAL:HA	1:C:269:ILE:HG22	2.03	0.41
1:A:47:MET:HE3	1:A:47:MET:HB2	1.78	0.41
1:A:87:PHE:CG	1:A:509:GLU:HB2	2.56	0.41
1:C:70:MET:HG2	1:C:72:LEU:HD23	2.02	0.41
1:A:90:LEU:HD12	1:A:512:VAL:HG21	2.02	0.41
1:A:182:TYR:O	1:A:186:MET:HG2	2.19	0.41
1:B:224:ASN:ND2	1:B:227:GLU:HG3	2.35	0.41
1:B:237:LEU:HD22	1:B:242:VAL:HG21	2.03	0.41
1:B:82:GLU:HB3	1:B:218:LEU:HD13	2.02	0.41



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${f distance}({ m \AA})$	overlap (Å)
1:B:471:TYR:CZ	1:B:496:ASN:HB2	2.56	0.41
1:B:540:ARG:HB3	1:B:588:HIS:CE1	2.56	0.41
1:C:183:TRP:HZ2	1:C:201:TYR:HB3	1.85	0.41
1:B:342:LYS:HG3	1:B:417:ASP:OD2	2.21	0.41
1:C:20:VAL:HG21	1:C:45:GLY:O	2.21	0.41
1:C:77:VAL:HG22	1:C:81:ARG:HH12	1.86	0.40
1:A:81:ARG:HG2	1:A:225:GLN:HG2	2.03	0.40
1:B:334:LYS:HE2	1:B:334:LYS:HB3	1.79	0.40
1:C:199:ARG:HA	1:C:202:LEU:HD12	2.03	0.40
1:C:90:LEU:HD12	1:C:512:VAL:HG21	2.04	0.40
1:C:535:SER:HB2	1:C:541:VAL:HG11	2.04	0.40
1:C:539:LEU:HA	1:C:539:LEU:HD23	1.83	0.40
1:A:334:LYS:HB3	1:A:334:LYS:HE2	1.90	0.40
1:B:471:TYR:CE1	1:B:496:ASN:HB2	2.57	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	590/592~(100%)	563 (95%)	27 (5%)	0	100	100
1	В	573/592 (97%)	556 (97%)	17 (3%)	0	100	100
1	С	590/592 (100%)	563 (95%)	26 (4%)	1 (0%)	44	53
All	All	1753/1776 (99%)	1682 (96%)	70 (4%)	1 (0%)	48	60

#### All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	67	GLY



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	525/527~(100%)	519 (99%)	6 (1%)	70 80
1	В	514/527~(98%)	506 (98%)	8 (2%)	58 71
1	С	525/527 (100%)	514 (98%)	11 (2%)	48 62
All	All	1564/1581 (99%)	1539 (98%)	25 (2%)	58 71

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	SER
1	A	212	VAL
1	A	320	LYS
1	A A A	470	SER
1	A	535	SER
1	A	574	LYS
1	В	24	SER
1	В	84	GLU
1	В	212	VAL
1	В	248	VAL
1	В	295	GLU
1	В	347	SER
1	В	506	PHE
1	В	535	SER
1	С	73	LYS
1	С	77	VAL
1	С	84	GLU
1	С	103	ASP
1	С	239	SER
1	С	277	SER
1	С	315	SER
1	С	355	LYS
1	С	427	ILE
1	C C C C C C C C C	506	PHE
1	С	535	SER



Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	HIS
1	A	283	ASN
1	A	394	ASN
1	A	398	GLN
1	A	521	GLN
1	A	552	HIS
1	В	176	ASN
1	В	243	GLN
1	В	394	ASN
1	В	487	GLN
1	В	521	GLN
1	C C C	46	GLN
1	С	132	GLN
1	С	243	GLN
1	С	337	GLN
1	C	394	ASN
1	С	496	ASN
1	C C C	534	ASN
1		552	HIS
1	С	553	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trunc	Chain	Des	Timle	Bo	ond leng	ths	В	ond ang	les
MIOI	Type	Chain	Res	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2
2	FAD	A	601	-	53,58,58	0.40	0	68,89,89	0.48	1 (1%)
2	FAD	С	601	-	53,58,58	0.41	0	68,89,89	0.49	2 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	601	-	-	16/30/50/50	0/6/6/6
2	FAD	С	601	-	-	6/30/50/50	0/6/6/6

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
2	С	601	FAD	C5A-C6A-N6A	2.27	123.80	120.35
2	A	601	FAD	C5A-C6A-N6A	2.16	123.64	120.35
2	С	601	FAD	P-O3P-PA	-2.05	125.80	132.83

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FAD	C5B-O5B-PA-O2A
2	A	601	FAD	O4B-C4B-C5B-O5B
2	A	601	FAD	C3B-C4B-C5B-O5B
2	A	601	FAD	N10-C1'-C2'-O2'
2	A	601	FAD	N10-C1'-C2'-C3'
2	A	601	FAD	C2'-C3'-C4'-O4'
2	A	601	FAD	O3'-C3'-C4'-O4'
2	A	601	FAD	O3'-C3'-C4'-C5'
2	A	601	FAD	C3'-C4'-C5'-O5'
2	A	601	FAD	O4'-C4'-C5'-O5'



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	601	FAD	C5'-O5'-P-O1P
2	С	601	FAD	C5B-O5B-PA-O3P
2	С	601	FAD	C3B-C4B-C5B-O5B
2	С	601	FAD	O4B-C4B-C5B-O5B
2	A	601	FAD	C2'-C3'-C4'-C5'
2	A	601	FAD	C5B-O5B-PA-O3P
2	A	601	FAD	C5'-O5'-P-O3P
2	С	601	FAD	PA-O3P-P-O2P
2	A	601	FAD	C5B-O5B-PA-O1A
2	A	601	FAD	C5'-O5'-P-O2P
2	С	601	FAD	C5B-O5B-PA-O1A
2	С	601	FAD	C4'-C5'-O5'-P


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	FAD	1	0
2	С	601	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\# \mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	A	592/592~(100%)	0.04	10 (1%) 69 70	35, 47, 69, 90	2 (0%)
1	В	577/592 (97%)	0.07	9 (1%) 70 72	37, 48, 71, 100	2 (0%)
1	С	592/592~(100%)	0.17	25 (4%) 41 41	36, 53, 77, 112	2 (0%)
All	All	1761/1776 (99%)	0.09	44 (2%) 58 60	35, 49, 73, 112	6 (0%)

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
1	С	80	GLY	6.5	
1	С	71	PRO	5.4	
1	В	78	ARG	4.8	
1	С	72	LEU	4.4	
1	В	80	GLY	4.0	
1	A	72	LEU	4.0	
1	С	70	MET	3.9	
1	С	79	GLY	3.9	
1	С	66	ASP	3.8	
1	С	69	ASN	3.7	
1	С	81	ARG	3.7	
1	С	78	ARG	3.6	
1	С	73	LYS	3.6	
1	A	80	GLY	3.5	
1	С	65	LEU	3.3	
1	С	67	GLY	3.3	
1	A	60	LYS	3.1	
1	С	74	GLY	3.0	
1	A	59	PRO	3.0	
1	С	58	LEU	2.9	
1	С	59	PRO	2.8	
1	В	564	MET	2.8	
1	В	247	ASP	2.7	



Continued from previous page...

Mol	Mol Chain		Type	RSRZ
1	A	69	ASN	2.4
1	В	246	TYR	2.4
1	С	76	VAL	2.4
1	A	61	ALA	2.4
1	С	30	SER	2.3
1	В	559	THR	2.3
1	С	77	VAL	2.3
1	С	33	ALA	2.3
1	С	64	SER	2.3
1	A	30	SER	2.3
1	С	246	TYR	2.1
1	В	335	PHE	2.1
1	A	18	GLU	2.1
1	В	274	ASN	2.1
1	С	358	ILE	2.1
1	С	60	LYS	2.1
1	A	564	MET	2.1
1	В	79	GLY	2.0
1	С	461	ILE	2.0
1	С	247	ASP	2.0
1	A	71	PRO	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.


### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
2	FAD	С	601	53/53	0.66	0.17	52,73,80,82	0
2	FAD	A	601	53/53	0.72	0.15	49,65,71,79	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







# 6.5 Other polymers (i)

There are no such residues in this entry.

