



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 8, 2025 – 12:16 PM JST

PDB ID : 9IQJ / pdb\_00009iqj  
Title : Structure of oleate hydratase mutant L151V from *Staphylococcus aureus* in the complex with linoleic acid  
Authors : Xue, S.; Feng, T.  
Deposited on : 2024-07-12  
Resolution : 1.64 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 2.0rc1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.006 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.44

i




## X-RAY DIFFRACTION

A.

Metric	Percentile Banks	Value
--------	------------------	-------



<b>Metric</b>	<b>Whole archive (#Entries)</b>	<b>Similar resolution (#Entries, resolution range(Å))</b>
R <sub>free</sub>	164625	1015 (1.64-1.64)
Clashscore	180529	1093 (1.64-1.64)
Ramachandran outliers	177936	1077 (1.64-1.64)
Sidechain outliers	177891	1077 (1.64-1.64)
RSRZ outliers	164620	1015 (1.64-1.64)

Mol	Chain	Length	Quality of chain
1	A	592	 <div> <div></div> <div>2%</div> <div>91%</div> <div>7%</div> <div>.</div> </div>
1	B	592	 <div> <div></div> <div>4%</div> <div>90%</div> <div>8%</div> <div>.</div> </div>
1	C	592	 <div> <div></div> <div>4%</div> <div>90%</div> <div>8%</div> <div>.</div> </div>

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PEG	A	602	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16460 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Oleate hydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	582	Total	C	N	O	S	0	0	0
			4707	3004	776	905	22			
1	B	580	Total	C	N	O	S	0	0	0
			4693	2995	773	903	22			
1	C	580	Total	C	N	O	S	0	3	0
			4715	3009	776	907	23			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	expression tag	UNP A0A0D6GJV1
A	151	VAL	LEU	engineered mutation	UNP A0A0D6GJV1
B	0	HIS	-	expression tag	UNP A0A0D6GJV1
B	151	VAL	LEU	engineered mutation	UNP A0A0D6GJV1
C	0	HIS	-	expression tag	UNP A0A0D6GJV1
C	151	VAL	LEU	engineered mutation	UNP A0A0D6GJV1

- Molecule 2 is LINOLEIC ACID (CCD ID: EIC) (formula: C<sub>18</sub>H<sub>32</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	18	2		
2	B	1	Total	C	O	0	0
			20	18	2		
2	C	1	Total	C	O	0	0
			20	18	2		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		
3	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	791	Total	O	0	0
			791	791		
5	B	748	Total	O	0	0
			748	748		
5	C	712	Total	O	0	0
			712	712		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Oleate hydratase



#### • Molecule 1: Oleate hydratase



#### • Molecule 1: Oleate hydratase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	189.35Å 114.11Å 119.11Å 90.00° 117.04° 90.00°	Depositor
Resolution (Å)	37.82 – 1.64 37.82 – 1.64	Depositor EDS
% Data completeness (in resolution range)	99.3 (37.82-1.64) 99.8 (37.82-1.64)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.37 (at 1.64Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.156 , 0.177 0.158 , 0.158	Depositor DCC
$R_{free}$ test set	13632 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	14.6	Xtriage
Anisotropy	0.750	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 43.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	16460	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EIC, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.32	0/4815	0.55	2/6524 (0.0%)
1	B	0.32	0/4801	0.54	0/6506
1	C	0.31	0/4823	0.56	2/6535 (0.0%)
All	All	0.32	0/14439	0.55	4/19565 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	577	LYS	CA-C-N	-5.56	107.65	121.60
1	A	577	LYS	C-N-CA	-5.56	107.65	121.60
1	C	516	MET	CB-CA-C	-5.39	102.35	110.92
1	C	196	MET	CB-CA-C	-5.35	101.95	110.84

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	578	GLY	Peptide
1	A	81	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4707	0	4603	35	0
1	B	4693	0	4585	38	0
1	C	4715	0	4607	34	0
2	A	20	0	31	1	0
2	B	20	0	31	0	0
2	C	20	0	31	1	0
3	A	7	0	10	4	0
3	B	14	0	20	3	0
3	C	7	0	10	2	0
4	C	6	0	8	0	0
5	A	791	0	0	10	1
5	B	748	0	0	10	3
5	C	712	0	0	9	1
All	All	16460	0	13936	106	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:VAL:H	3:A:602:PEG:H22	1.22	0.99
1:A:534:ASN:HD21	1:B:534:ASN:HD21	1.13	0.96
1:B:564:MET:HE3	1:B:565:GLN:HG3	1.59	0.85
1:A:113:TRP:O	1:A:117:GLU:HG3	1.83	0.78
1:C:225:GLN:HG3	1:C:229:LEU:HD12	1.70	0.74
1:C:556:ARG:NH1	5:C:705:HOH:O	2.20	0.74
1:A:366:LYS:NZ	5:A:702:HOH:O	2.21	0.73
1:C:551:ASP:OD1	5:C:701:HOH:O	2.06	0.72
1:A:254:LYS:NZ	5:A:703:HOH:O	2.25	0.70
1:B:113:TRP:O	1:B:117:GLU:HG3	1.95	0.67
1:C:23:LYS:O	1:C:51:LYS:HE2	1.95	0.65
1:B:266:GLU:OE2	1:B:277:SER:OG	2.13	0.65
1:A:140:PHE:CE1	1:A:212:LEU:HD23	2.32	0.64
1:B:40:PHE:CE2	1:B:516:MET:HB2	2.34	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:ARG:HD3	1:B:508:THR:HG21	1.80	0.63
1:A:72:LEU:N	5:A:710:HOH:O	2.31	0.62
1:C:113:TRP:O	1:C:117:GLU:HG3	2.00	0.62
1:A:250:VAL:N	3:A:602:PEG:H22	2.05	0.61
1:B:394:ASN:ND2	5:B:707:HOH:O	2.31	0.61
1:A:82:GLU:HG2	1:A:218:LEU:HD13	1.81	0.61
1:B:563:LYS:HE2	1:B:563:LYS:H	1.66	0.60
1:B:140:PHE:CE1	1:B:212:LEU:HD23	2.37	0.59
1:C:455:LYS:NZ	5:C:711:HOH:O	2.34	0.59
1:C:82:GLU:CD	1:C:82:GLU:H	2.10	0.59
1:C:139:ASP:HB3	5:C:701:HOH:O	2.02	0.59
1:A:535:SER:HB3	5:B:705:HOH:O	2.03	0.59
1:A:0:HIS:N	5:A:712:HOH:O	2.36	0.58
1:A:212:LEU:HB2	2:A:601:EIC:H1O1	1.86	0.58
1:B:554:ASP:OD1	1:B:557:GLU:HG3	2.04	0.58
1:B:548:GLU:OE1	1:B:552:HIS:HE1	1.88	0.57
1:A:48:GLU:OE2	5:A:701:HOH:O	2.18	0.57
1:A:447:THR:HA	1:A:450:ILE:HD12	1.86	0.57
1:B:132:GLN:NE2	5:B:711:HOH:O	2.35	0.57
1:C:249:LYS:HA	3:C:602:PEG:H21	1.87	0.56
1:B:162:ASP:OD1	1:B:477:ILE:HD12	2.06	0.56
1:C:245:GLU:OE2	5:C:704:HOH:O	2.18	0.56
1:B:78:ARG:HH22	3:B:603:PEG:H31	1.71	0.55
3:B:603:PEG:H22	5:B:760:HOH:O	2.07	0.54
1:A:539:LEU:HD21	1:B:539:LEU:HD21	1.89	0.54
1:C:266:GLU:OE2	1:C:277:SER:OG	2.24	0.54
1:B:158:GLU:HG3	1:B:196:MET:HG3	1.89	0.53
1:A:249:LYS:NZ	5:A:720:HOH:O	2.42	0.51
1:C:575:LYS:NZ	5:C:712:HOH:O	2.35	0.51
1:C:225:GLN:NE2	5:C:719:HOH:O	2.43	0.50
1:A:112:TYR:CZ	1:A:116:LYS:HE3	2.46	0.50
1:A:534:ASN:ND2	1:B:534:ASN:HD21	1.95	0.49
1:A:158:GLU:HG3	1:A:196:MET:HG3	1.94	0.49
1:B:28:ILE:HD12	1:B:250:VAL:HG21	1.94	0.49
1:C:206:VAL:HA	2:C:601:EIC:H141	1.94	0.49
1:B:81:ARG:HD3	1:B:508:THR:CG2	2.42	0.49
1:B:508:THR:HG23	5:B:830:HOH:O	2.13	0.48
1:B:564:MET:HE3	1:B:565:GLN:CG	2.39	0.48
1:B:550:ASN:O	1:B:553:GLN:HG3	2.13	0.48
1:C:394:ASN:ND2	5:C:722:HOH:O	2.44	0.48
1:C:254:LYS:HA	1:C:254:LYS:HE2	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:560:LYS:O	1:C:561:ASP:HB2	2.12	0.48
1:A:82:GLU:HG3	1:A:220:PHE:CZ	2.49	0.47
1:A:294:THR:HG22	1:A:465:MET:CE	2.44	0.47
1:B:77:VAL:HG23	1:B:410:TRP:CD1	2.48	0.47
1:C:186:MET:HE3	1:C:215:PHE:HE1	1.78	0.47
1:A:148:LYS:NZ	5:A:716:HOH:O	2.39	0.47
1:C:420:GLY:O	1:C:424:LYS:HD2	2.14	0.47
1:C:32[B]:LEU:HD22	1:C:233:MET:HE1	1.96	0.47
1:B:471:TYR:CE1	1:B:496:ASN:HB2	2.50	0.47
1:B:235:GLU:HG2	5:B:725:HOH:O	2.14	0.47
1:B:13:ARG:HD2	5:B:1263:HOH:O	2.15	0.46
3:B:602:PEG:H11	3:B:602:PEG:H32	1.33	0.45
1:B:452:ASP:HB2	5:B:1282:HOH:O	2.16	0.45
1:C:563:LYS:HA	1:C:563:LYS:HD3	1.72	0.45
3:A:602:PEG:H21	3:A:602:PEG:H41	1.45	0.45
1:A:517:GLU:HG2	1:A:529:ILE:HD13	1.98	0.45
1:A:297:SER:OG	1:A:465:MET:HG2	2.17	0.44
1:C:311:GLU:HG2	5:C:1298:HOH:O	2.17	0.44
1:B:299:TYR:CD1	1:B:463:VAL:HG22	2.52	0.44
1:A:266:GLU:HG2	1:A:279:LYS:HD3	1.99	0.44
1:A:248:VAL:HG22	1:A:271:ARG:HG3	2.00	0.44
1:B:556:ARG:NH1	5:B:730:HOH:O	2.48	0.44
1:B:389:MET:SD	5:B:1305:HOH:O	2.62	0.43
1:A:225:GLN:HG3	5:A:717:HOH:O	2.18	0.43
1:C:564:MET:HG3	1:C:565:GLN:H	1.83	0.43
1:A:387:TRP:HB2	5:A:1336:HOH:O	2.18	0.43
1:A:87:PHE:CG	1:A:509:GLU:HB2	2.54	0.43
1:C:112:TYR:CZ	1:C:116:LYS:HE3	2.54	0.43
1:A:254:LYS:HG2	5:A:1002:HOH:O	2.19	0.43
1:C:471:TYR:CE1	1:C:496:ASN:HB2	2.54	0.42
1:A:471:TYR:CE1	1:A:496:ASN:HB2	2.54	0.42
1:B:186:MET:HE3	1:B:215:PHE:HE1	1.84	0.42
1:C:1[A]:MET:HE2	1:C:1[A]:MET:HB2	1.97	0.42
1:A:534:ASN:HD21	1:B:534:ASN:ND2	1.96	0.42
1:C:182:TYR:O	1:C:186:MET:HG2	2.19	0.42
1:C:320:LYS:HZ2	1:C:320:LYS:HG3	1.68	0.42
1:C:250:VAL:H	3:C:602:PEG:H12	1.85	0.42
1:A:250:VAL:H	3:A:602:PEG:C2	2.10	0.41
1:B:81:ARG:NH1	1:B:508:THR:HG22	2.35	0.41
1:B:266:GLU:OE2	1:B:279:LYS:HE3	2.20	0.41
1:A:78:ARG:HB2	1:A:81:ARG:HH11	1.84	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:403:PRO:HG2	1:C:406:GLU:CD	2.46	0.41
1:A:82:GLU:HG3	1:A:220:PHE:CE1	2.55	0.41
1:B:563:LYS:O	1:B:567:LEU:HD12	2.21	0.41
1:B:77:VAL:HG21	1:B:410:TRP:HB2	2.03	0.41
1:B:87:PHE:CG	1:B:509:GLU:HB2	2.56	0.41
1:C:355:LYS:HA	1:C:355:LYS:HD3	1.88	0.41
1:C:577:LYS:O	1:C:577:LYS:HD2	2.21	0.41
1:C:140:PHE:CE1	1:C:212:LEU:HD23	2.56	0.40
1:C:560:LYS:HE2	1:C:560:LYS:HB3	1.88	0.40
1:B:471:TYR:CZ	1:B:496:ASN:HB2	2.56	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1467:HOH:O	5:B:1397:HOH:O[4_556]	2.18	0.02
5:B:1105:HOH:O	5:B:1251:HOH:O[4_546]	2.18	0.02
5:B:1304:HOH:O	5:C:975:HOH:O[4_556]	2.19	0.01

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	578/592 (98%)	567 (98%)	11 (2%)	0	100	100
1	B	576/592 (97%)	565 (98%)	11 (2%)	0	100	100
1	C	579/592 (98%)	565 (98%)	13 (2%)	1 (0%)	44	26
All	All	1733/1776 (98%)	1697 (98%)	35 (2%)	1 (0%)	48	29

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	561	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	521/528 (99%)	520 (100%)	1 (0%)	92	87
1	B	520/528 (98%)	518 (100%)	2 (0%)	89	83
1	C	523/528 (99%)	521 (100%)	2 (0%)	89	83
All	All	1564/1584 (99%)	1559 (100%)	5 (0%)	91	86

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	506	PHE
1	B	84	GLU
1	B	506	PHE
1	C	84	GLU
1	C	506	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	437	GLN
1	A	489	GLN
1	A	524	ASN
1	A	534	ASN
1	A	552	HIS
1	B	130	GLN
1	B	243	GLN
1	B	274	ASN
1	B	331	ASN
1	B	394	ASN
1	B	433	ASN
1	B	437	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	524	ASN
1	B	552	HIS
1	B	553	GLN
1	C	225	GLN
1	C	243	GLN
1	C	331	ASN
1	C	398	GLN
1	C	487	GLN
1	C	489	GLN
1	C	521	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	PEG	A	602	-	6,6,6	0.09	0	5,5,5	0.15	0
3	PEG	B	602	-	6,6,6	0.24	0	5,5,5	0.31	0
3	PEG	C	602	-	6,6,6	0.13	0	5,5,5	0.16	0
2	EIC	C	601	-	19,19,19	0.66	0	19,19,19	0.89	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	EIC	B	601	-	19,19,19	0.62	0	19,19,19	0.53	0
2	EIC	A	601	-	19,19,19	0.56	0	19,19,19	0.58	0
4	GOL	C	603	-	5,5,5	0.82	0	5,5,5	1.17	0
3	PEG	B	603	-	6,6,6	0.21	0	5,5,5	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	A	602	-	-	2/4/4/4	-
3	PEG	B	602	-	-	4/4/4/4	-
3	PEG	C	602	-	-	4/4/4/4	-
2	EIC	C	601	-	-	5/17/17/17	-
2	EIC	B	601	-	-	7/17/17/17	-
2	EIC	A	601	-	-	10/17/17/17	-
4	GOL	C	603	-	-	3/4/4/4	-
3	PEG	B	603	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	603	GOL	C1-C2-C3-O3
3	B	602	PEG	C1-C2-O2-C3
3	A	602	PEG	C4-C3-O2-C2
3	C	602	PEG	C4-C3-O2-C2
3	B	602	PEG	O2-C3-C4-O4
3	B	603	PEG	O1-C1-C2-O2
2	A	601	EIC	C4-C5-C6-C7
2	C	601	EIC	C4-C5-C6-C7
2	C	601	EIC	C14-C15-C16-C17
4	C	603	GOL	O2-C2-C3-O3
2	A	601	EIC	C15-C16-C17-C18
2	A	601	EIC	C14-C15-C16-C17
2	A	601	EIC	C9-C10-C11-C12

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	601	EIC	C9-C10-C11-C12
2	B	601	EIC	C10-C11-C12-C13
2	A	601	EIC	C2-C3-C4-C5
3	B	603	PEG	C4-C3-O2-C2
3	C	602	PEG	C1-C2-O2-C3
3	C	602	PEG	O1-C1-C2-O2
3	C	602	PEG	O2-C3-C4-O4
3	B	602	PEG	C4-C3-O2-C2
2	A	601	EIC	C1-C2-C3-C4
4	C	603	GOL	O1-C1-C2-C3
2	B	601	EIC	C6-C7-C8-C9
3	B	603	PEG	O2-C3-C4-O4
3	A	602	PEG	O2-C3-C4-O4
2	A	601	EIC	C5-C6-C7-C8
2	A	601	EIC	O1-C1-C2-C3
3	B	602	PEG	O1-C1-C2-O2
2	C	601	EIC	C6-C7-C8-C9
2	A	601	EIC	O2-C1-C2-C3
2	B	601	EIC	O2-C1-C2-C3
2	B	601	EIC	C14-C15-C16-C17
2	B	601	EIC	C12-C13-C14-C15
2	B	601	EIC	O1-C1-C2-C3
2	C	601	EIC	C12-C13-C14-C15
2	A	601	EIC	C7-C8-C9-C10
2	C	601	EIC	O2-C1-C2-C3


There are no ring outliers.


6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	PEG	4	0
3	B	602	PEG	1	0
3	C	602	PEG	2	0
2	C	601	EIC	1	0
2	A	601	EIC	1	0
3	B	603	PEG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	582/592 (98%)	-0.34	11 (1%) 66 70	9, 16, 29, 44	0
1	B	580/592 (97%)	-0.17	25 (4%) 40 44	10, 15, 36, 58	0
1	C	580/592 (97%)	-0.21	21 (3%) 46 49	8, 16, 33, 64	3 (0%)
All	All	1742/1776 (98%)	-0.24	57 (3%) 49 53	8, 16, 32, 64	3 (0%)

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	80	GLY	6.6
1	C	567	LEU	5.8
1	B	29	GLY	5.5
1	C	72	LEU	5.0
1	A	578	GLY	4.8
1	B	80	GLY	4.7
1	C	30	SER	4.3
1	A	72	LEU	4.2
1	B	567	LEU	4.0
1	B	564	MET	3.7
1	B	72	LEU	3.7
1	B	58	LEU	3.5
1	A	30	SER	3.5
1	C	562	SER	3.5
1	B	30	SER	3.5
1	B	259	THR	3.4
1	A	80	GLY	3.3
1	B	246	TYR	3.2
1	C	578	GLY	3.1
1	A	73	LYS	3.0
1	B	79	GLY	3.0
1	C	564	MET	2.9
1	B	563	LYS	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	258	THR	2.9
1	B	257	VAL	2.9
1	C	561	ASP	2.9
1	B	59	PRO	2.8
1	C	568	ALA	2.8
1	A	61	ALA	2.7
1	B	571	GLY	2.7
1	B	486	HIS	2.7
1	B	573	LEU	2.6
1	A	74	GLY	2.6
1	B	272	ASN	2.5
1	C	565	GLN	2.5
1	B	568	ALA	2.5
1	C	551	ASP	2.4
1	A	79	GLY	2.4
1	A	81	ARG	2.4
1	B	570	ALA	2.4
1	C	575	LYS	2.3
1	C	556	ARG	2.3
1	C	573	LEU	2.3
1	B	28	ILE	2.2
1	C	560	LYS	2.2
1	C	577	LYS	2.2
1	C	569	LEU	2.2
1	C	574	LYS	2.1
1	C	576	ILE	2.1
1	A	159	GLU	2.1
1	B	0	HIS	2.0
1	C	559	THR	2.0
1	A	563	LYS	2.0
1	B	260	SER	2.0
1	B	562	SER	2.0
1	B	57	GLU	2.0
1	C	571	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	PEG	B	603	7/7	0.55	0.23	24,28,43,46	0
3	PEG	B	602	7/7	0.74	0.17	22,29,33,37	0
2	EIC	C	601	20/20	0.74	0.17	24,29,40,43	0
2	EIC	B	601	20/20	0.75	0.16	23,27,36,38	0
2	EIC	A	601	20/20	0.76	0.16	25,30,39,46	0
3	PEG	A	602	7/7	0.83	0.14	23,28,36,39	0
3	PEG	C	602	7/7	0.86	0.12	26,26,31,33	0
4	GOL	C	603	6/6	0.86	0.12	26,29,29,33	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around EIC C 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around EIC B 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around EIC A 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.