

# wwPDB X-ray Structure Validation Summary Report (i)

#### Aug 25, 2025 – 12:48 PM JST

PDB ID : 9JAV / pdb 00009jav

Title : Crystal structure of NAD-dependent methanol dehydrogenase 2 from Bacillus

methanolicus MGA3 in complex with NAD+

Authors : Kong, X.D.; Ma, B.D.

Deposited on : 2024-08-25

Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 2.0rc1

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.006 (Gargrove)

Density-Fitness : 1.0.12

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.45.1

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Menic	(# Entries)	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
$R_{free}$	164625	3775 (2.60-2.60)
Clashscore	180529	4181 (2.60-2.60)
Ramachandran outliers	177936	4129 (2.60-2.60)
Sidechain outliers	177891	4129 (2.60-2.60)
RSRZ outliers	164620	3775 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	393	83%	14%	<del>.</del>
1	В	393	79%	18%	
1	С	393	82%	15%	
1	D	393	77%	18%	•••
1	Е	393	76%	20%	•••
1	F	393	83%	13%	•••





Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	G	393	78%	19%	
1	Н	393	70%	26%	•••
1	I	393	79%	19%	
1	J	393	71%	26%	



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 30037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called NAD-dependent methanol dehydrogenase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	384	Total	С	N	О	S	0	0	0
1	Λ	304	2847	1802	481	550	14	0	U	
1	В	384	Total	$\mathbf{C}$	N	O	S	0	0	
1	Б	904	2847	1802	481	550	14	0	U	U
1	С	384	Total	$\mathbf{C}$	N	O	S	0	0	
	C	904	2847	1802	481	550	14	0	0	U
1	D	384	Total	$\mathbf{C}$	N	O	S	0	0	
1	D	904	2847	1802	481	550	14	0	0	U
1	E	384	Total	$\mathbf{C}$	N	O	S	0	0	
1	Ш	904	2847	1802	481	550	14	O	0	U
1	F	384	Total	$\mathbf{C}$	N	O	S	0	0	
1	1	904	2847	1802	481	550	14	0		U
1	G	384	Total	$\mathbf{C}$	N	O	S	0	0	
1	u u	904	2847	1802	481	550	14	0	0	U
1	Н	384	Total	$\mathbf{C}$	N	O	S	0	0	
1	11	904	2847	1802	481	550	14	0	0	U
1	I	384	Total	С	N	O	S	0	0	
1	1	004	2847	1802	481	550	14		U	U
1	J	384	Total	$\mathbf{C}$	N	O	S	0	0	0
1	9	004	2847	1802	481	550	14			

There are 230 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	THR	LYS	conflict	UNP I3E2P9
A	9	PHE	TYR	conflict	UNP I3E2P9
A	30	ASP	GLY	conflict	UNP I3E2P9
A	46	GLY	SER	conflict	UNP I3E2P9
A	54	SER	ALA	$\operatorname{conflict}$	UNP I3E2P9
A	55	SER	GLY	conflict	UNP I3E2P9
A	59	ALA	GLU	conflict	UNP I3E2P9
A	65	SER	ALA	conflict	UNP I3E2P9
A	118	LYS	THR	conflict	UNP I3E2P9



 $Continued\ from\ previous\ page...$ 

Λ	Residue	Modelled	Actual	Comment	Reference
A	130	GLU	LYS	conflict	UNP I3E2P9
A	285	VAL	ILE	conflict	UNP I3E2P9
A	289	TYR	HIS	conflict	UNP I3E2P9
A	320	ASP	GLU	conflict	UNP I3E2P9
A	334	LYS	ARG	conflict	UNP I3E2P9
A	361	LYS	ASN	conflict	UNP I3E2P9
A	386	LEU	-	expression tag	UNP I3E2P9
A	387	GLU	-	expression tag	UNP I3E2P9
A	388	HIS	_	expression tag	UNP I3E2P9
A	389	HIS	_	expression tag	UNP I3E2P9
A	390	HIS	_	expression tag	UNP I3E2P9
A	391	HIS	-	expression tag	UNP I3E2P9
A	392	HIS	-	expression tag	UNP I3E2P9
A	393	HIS	-	expression tag	UNP I3E2P9
В	2	THR	LYS	conflict	UNP I3E2P9
В	9	PHE	TYR	conflict	UNP I3E2P9
В	30	ASP	GLY	conflict	UNP I3E2P9
В	46	GLY	SER	conflict	UNP I3E2P9
В	54	SER	ALA	conflict	UNP I3E2P9
В	55	SER	GLY	conflict	UNP I3E2P9
В	59	ALA	GLU	conflict	UNP I3E2P9
В	65	SER	ALA	conflict	UNP I3E2P9
В	118	LYS	THR	conflict	UNP I3E2P9
В	130	GLU	LYS	conflict	UNP I3E2P9
В	285	VAL	ILE	conflict	UNP I3E2P9
В	289	TYR	HIS	conflict	UNP I3E2P9
В	320	ASP	GLU	conflict	UNP I3E2P9
В	334	LYS	ARG	conflict	UNP I3E2P9
В	361	LYS	ASN	conflict	UNP I3E2P9
В	386	LEU	-	expression tag	UNP I3E2P9
В	387	GLU	-	expression tag	UNP I3E2P9
В	388	HIS	-	expression tag	UNP I3E2P9
В	389	HIS	_	expression tag	UNP I3E2P9
В	390	HIS	-	expression tag	UNP I3E2P9
В	391	HIS	-	expression tag	UNP I3E2P9
В	392	HIS	-	expression tag	UNP I3E2P9
В	393	HIS	-	expression tag	UNP I3E2P9
С	2	THR	LYS	conflict	UNP I3E2P9
С	9	PHE	TYR	conflict	UNP I3E2P9
С	30	ASP	GLY	conflict	UNP I3E2P9
С	46	GLY	SER	conflict	UNP I3E2P9
С	54	SER	ALA	conflict	UNP I3E2P9



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled  Modelled	Actual	Comment	Reference
С	55	SER	GLY	conflict	UNP I3E2P9
С	59	ALA	GLU	conflict	UNP I3E2P9
С	65	SER	ALA	conflict	UNP I3E2P9
С	118	LYS	THR	conflict	UNP I3E2P9
С	130	GLU	LYS	conflict	UNP I3E2P9
С	285	VAL	ILE	conflict	UNP I3E2P9
С	289	TYR	HIS	conflict	UNP I3E2P9
С	320	ASP	GLU	conflict	UNP I3E2P9
С	334	LYS	ARG	conflict	UNP I3E2P9
С	361	LYS	ASN	conflict	UNP I3E2P9
С	386	LEU	_	expression tag	UNP I3E2P9
С	387	GLU	_	expression tag	UNP I3E2P9
С	388	HIS	-	expression tag	UNP I3E2P9
С	389	HIS	_	expression tag	UNP I3E2P9
С	390	HIS	-	expression tag	UNP I3E2P9
С	391	HIS	_	expression tag	UNP I3E2P9
С	392	HIS	-	expression tag	UNP I3E2P9
С	393	HIS	_	expression tag	UNP I3E2P9
D	2	THR	LYS	conflict	UNP I3E2P9
D	9	PHE	TYR	conflict	UNP I3E2P9
D	30	ASP	GLY	conflict	UNP I3E2P9
D	46	GLY	SER	conflict	UNP I3E2P9
D	54	SER	ALA	conflict	UNP I3E2P9
D	55	SER	GLY	conflict	UNP I3E2P9
D	59	ALA	GLU	conflict	UNP I3E2P9
D	65	SER	ALA	conflict	UNP I3E2P9
D	118	LYS	THR	conflict	UNP I3E2P9
D	130	GLU	LYS	conflict	UNP I3E2P9
D	285	VAL	ILE	conflict	UNP I3E2P9
D	289	TYR	HIS	conflict	UNP I3E2P9
D	320	ASP	GLU	conflict	UNP I3E2P9
D	334	LYS	ARG	conflict	UNP I3E2P9
D	361	LYS	ASN	conflict	UNP I3E2P9
D	386	LEU	-	expression tag	UNP I3E2P9
D	387	GLU	-	expression tag	UNP I3E2P9
D	388	HIS	-	expression tag	UNP I3E2P9
D	389	HIS	-	expression tag	UNP I3E2P9
D	390	HIS	-	expression tag	UNP I3E2P9
D	391	HIS	-	expression tag	UNP I3E2P9
D	392	HIS	-	expression tag	UNP I3E2P9
D	393	HIS	-	expression tag	UNP I3E2P9
Е	2	THR	LYS	conflict	UNP I3E2P9



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
Е	9	PHE	TYR	conflict	UNP I3E2P9
Е	30	ASP	GLY	conflict	UNP I3E2P9
Е	46	GLY	SER	conflict	UNP I3E2P9
Е	54	SER	ALA	conflict	UNP I3E2P9
Ε	55	SER	GLY	conflict	UNP I3E2P9
Ε	59	ALA	GLU	conflict	UNP I3E2P9
Ε	65	SER	ALA	conflict	UNP I3E2P9
Ε	118	LYS	THR	conflict	UNP I3E2P9
Ε	130	GLU	LYS	conflict	UNP I3E2P9
Ε	285	VAL	ILE	conflict	UNP I3E2P9
E	289	TYR	HIS	conflict	UNP I3E2P9
Е	320	ASP	GLU	conflict	UNP I3E2P9
Е	334	LYS	ARG	conflict	UNP I3E2P9
Е	361	LYS	ASN	conflict	UNP I3E2P9
Е	386	LEU	-	expression tag	UNP I3E2P9
Ε	387	GLU	-	expression tag	UNP I3E2P9
E	388	HIS	-	expression tag	UNP I3E2P9
E	389	HIS	_	expression tag	UNP I3E2P9
E	390	HIS	_	expression tag	UNP I3E2P9
Ε	391	HIS	-	expression tag	UNP I3E2P9
Ε	392	HIS	-	expression tag	UNP I3E2P9
Ε	393	HIS	-	expression tag	UNP I3E2P9
F	2	THR	LYS	conflict	UNP I3E2P9
F	9	PHE	TYR	conflict	UNP I3E2P9
F	30	ASP	GLY	conflict	UNP I3E2P9
F	46	GLY	SER	conflict	UNP I3E2P9
F	54	SER	ALA	conflict	UNP I3E2P9
F	55	SER	GLY	conflict	UNP I3E2P9
F	59	ALA	GLU	conflict	UNP I3E2P9
F	65	SER	ALA	conflict	UNP I3E2P9
F	118	LYS	THR	conflict	UNP I3E2P9
F	130	GLU	LYS	conflict	UNP I3E2P9
F	285	VAL	ILE	conflict	UNP I3E2P9
F	289	TYR	HIS	conflict	UNP I3E2P9
F	320	ASP	GLU	conflict	UNP I3E2P9
F	334	LYS	ARG	conflict	UNP I3E2P9
F	361	LYS	ASN	conflict	UNP I3E2P9
F	386	LEU	-	expression tag	UNP I3E2P9
F	387	GLU	-	expression tag	UNP I3E2P9
F	388	HIS	-	expression tag	UNP I3E2P9
F	389	HIS	-	expression tag	UNP I3E2P9
F	390	HIS	-	expression tag	UNP I3E2P9



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled  Modelled	Actual	Comment	Reference
F	391	HIS	-	expression tag	UNP I3E2P9
F	392	HIS	-	expression tag	UNP I3E2P9
F	393	HIS	-	expression tag	UNP I3E2P9
G	2	THR	LYS	conflict	UNP I3E2P9
G	9	PHE	TYR	conflict	UNP I3E2P9
G	30	ASP	GLY	conflict	UNP I3E2P9
G	46	GLY	SER	conflict	UNP I3E2P9
G	54	SER	ALA	conflict	UNP I3E2P9
G	55	SER	GLY	conflict	UNP I3E2P9
G	59	ALA	GLU	conflict	UNP I3E2P9
G	65	SER	ALA	conflict	UNP I3E2P9
G	118	LYS	THR	conflict	UNP I3E2P9
G	130	GLU	LYS	conflict	UNP I3E2P9
G	285	VAL	ILE	conflict	UNP I3E2P9
G	289	TYR	HIS	conflict	UNP I3E2P9
G	320	ASP	GLU	conflict	UNP I3E2P9
G	334	LYS	ARG	conflict	UNP I3E2P9
G	361	LYS	ASN	conflict	UNP I3E2P9
G	386	LEU	_	expression tag	UNP I3E2P9
G	387	GLU	-	expression tag	UNP I3E2P9
G	388	HIS	-	expression tag	UNP I3E2P9
G	389	HIS	-	expression tag	UNP I3E2P9
G	390	HIS	-	expression tag	UNP I3E2P9
G	391	HIS	-	expression tag	UNP I3E2P9
G	392	HIS	-	expression tag	UNP I3E2P9
G	393	HIS	-	expression tag	UNP I3E2P9
Н	2	THR	LYS	conflict	UNP I3E2P9
Н	9	PHE	TYR	conflict	UNP I3E2P9
Н	30	ASP	GLY	conflict	UNP I3E2P9
Н	46	GLY	SER	conflict	UNP I3E2P9
Н	54	SER	ALA	conflict	UNP I3E2P9
Н	55	SER	GLY	conflict	UNP I3E2P9
Н	59	ALA	GLU	conflict	UNP I3E2P9
Н	65	SER	ALA	conflict	UNP I3E2P9
Н	118	LYS	THR	conflict	UNP I3E2P9
Н	130	GLU	LYS	conflict	UNP I3E2P9
Н	285	VAL	ILE	conflict	UNP I3E2P9
Н	289	TYR	HIS	conflict	UNP I3E2P9
Н	320	ASP	GLU	conflict	UNP I3E2P9
Н	334	LYS	ARG	conflict	UNP I3E2P9
Н	361	LYS	ASN	conflict	UNP I3E2P9
Н	386	LEU	-	expression tag	UNP I3E2P9



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled  Modelled	Actual	Comment	Reference
Н	387	GLU	_	expression tag	UNP I3E2P9
Н	388	HIS	_	expression tag	UNP I3E2P9
Н	389	HIS	_	expression tag	UNP I3E2P9
Н	390	HIS	_	expression tag	UNP I3E2P9
Н	391	HIS	-	expression tag	UNP I3E2P9
Н	392	HIS	-	expression tag	UNP I3E2P9
Н	393	HIS	_	expression tag	UNP I3E2P9
I	2	THR	LYS	conflict	UNP I3E2P9
I	9	PHE	TYR	conflict	UNP I3E2P9
I	30	ASP	GLY	conflict	UNP I3E2P9
I	46	GLY	SER	conflict	UNP I3E2P9
I	54	SER	ALA	conflict	UNP I3E2P9
I	55	SER	GLY	conflict	UNP I3E2P9
I	59	ALA	GLU	conflict	UNP I3E2P9
I	65	SER	ALA	conflict	UNP I3E2P9
I	118	LYS	THR	conflict	UNP I3E2P9
I	130	GLU	LYS	conflict	UNP I3E2P9
I	285	VAL	ILE	conflict	UNP I3E2P9
I	289	TYR	HIS	conflict	UNP I3E2P9
I	320	ASP	GLU	conflict	UNP I3E2P9
I	334	LYS	ARG	conflict	UNP I3E2P9
I	361	LYS	ASN	conflict	UNP I3E2P9
I	386	LEU	-	expression tag	UNP I3E2P9
I	387	GLU	-	expression tag	UNP I3E2P9
I	388	HIS	-	expression tag	UNP I3E2P9
I	389	HIS	-	expression tag	UNP I3E2P9
I	390	HIS	-	expression tag	UNP I3E2P9
I	391	HIS	-	expression tag	UNP I3E2P9
I	392	HIS	-	expression tag	UNP I3E2P9
I	393	HIS	-	expression tag	UNP I3E2P9
J	2	THR	LYS	conflict	UNP I3E2P9
J	9	PHE	TYR	conflict	UNP I3E2P9
J	30	ASP	GLY	conflict	UNP I3E2P9
J	46	GLY	SER	conflict	UNP I3E2P9
J	54	SER	ALA	conflict	UNP I3E2P9
J	55	SER	GLY	conflict	UNP I3E2P9
J	59	ALA	GLU	conflict	UNP I3E2P9
J	65	SER	ALA	conflict	UNP I3E2P9
J	118	LYS	THR	conflict	UNP I3E2P9
J	130	GLU	LYS	conflict	UNP I3E2P9
J	285	VAL	ILE	conflict	UNP I3E2P9
J	289	TYR	HIS	conflict	UNP I3E2P9



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
J	320	ASP	GLU	$\operatorname{conflict}$	UNP I3E2P9
J	334	LYS	ARG	$\operatorname{conflict}$	UNP I3E2P9
J	361	LYS	ASN	conflict	UNP I3E2P9
J	386	LEU	-	expression tag	UNP I3E2P9
J	387	GLU	-	expression tag	UNP I3E2P9
J	388	HIS	1	expression tag	UNP I3E2P9
J	389	HIS	-	expression tag	UNP I3E2P9
J	390	HIS	-	expression tag	UNP I3E2P9
J	391	HIS	-	expression tag	UNP I3E2P9
J	392	HIS	_	expression tag	UNP I3E2P9
J	393	HIS	-	expression tag	UNP I3E2P9

• Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mn 1 1	0	0
2	В	1	Total Mn 1 1	0	0
2	С	1	Total Mn 1 1	0	0
2	D	1	Total Mn 1 1	0	0
2	Е	1	Total Mn 1 1	0	0
2	F	1	Total Mn 1 1	0	0
2	G	1	Total Mn 1 1	0	0
2	Н	1	Total Mn 1 1	0	0
2	I	1	Total Mn 1 1	0	0
2	J	1	Total Mn 1 1	0	0

• Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
3	A	1	Total	С	N	О	Р	0	0
3	A	1	44	21	7	14	2	0	0
3	В	1	Total	С	N	О	Р	0	0
3	Б	1	44	21	7	14	2	U	0
3	С	1	Total	С	N	О	Р	0	0
3		1	44	21	7	14	2	0	U
3	D	1	Total	С	N	О	Р	0	0
9	ט	1	44	21	7	14	2	0	0
3	Е	1	Total	С	N	О	Р	0	0
9	l Li	1	44	21	7	14	2	0	
3	F	1	Total	С	N	О	Р	0	0
3	I.	1	44	21	7	14	2	U	U
3	Н	1	Total	С	N	О	Р	0	0
	11	1	44	21	7	14	2	U	U
3	J	1	Total	С	N	О	Р	0	0
	J	1	44	21	7	14	2	U	

• Molecule 4 is ADENOSINE-5-DIPHOSPHORIBOSE (CCD ID: APR) (formula:  $C_{15}H_{23}N_5O_{14}P_2$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
4	C	1	Total	С	N	О	Р	0	0
4	G	1	36	15	5	14	2	U	0
4	т	1	Total	С	N	О	Р	0	0
4	1	1	36	15	5	14	2	U	0

#### • Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	205	Total O 205 205	0	0
5	В	154	Total O 154 154	0	0
5	С	171	Total O 171 171	0	0
5	D	116	Total O 116 116	0	0
5	Е	81	Total O 81 81	0	0
5	F	108	Total O 108 108	0	0
5	G	110	Total O 110 110	0	0
5	Н	61	Total O 61 61	0	0
5	I	56	Total O 56 56	0	0
5	J	71	Total O 71 71	0	0



## 3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NAD-dependent methanol dehydrogenase







• Molecule 1: NAD-dependent methanol dehydrogenase




• Molecule 1: NAD-dependent methanol dehydrogenase



• Molecule 1: NAD-dependent methanol dehydrogenase




• Molecule 1: NAD-dependent methanol dehydrogenase









• Molecule 1: NAD-dependent methanol dehydrogenase



• Molecule 1: NAD-dependent methanol dehydrogenase



• Molecule 1: NAD-dependent methanol dehydrogenase









# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	83.52Å 204.10Å 258.07Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	59.92 - 2.60	Depositor
resolution (A)	59.92 - 2.60	EDS
% Data completeness	99.9 (59.92-2.60)	Depositor
(in resolution range)	100.0 (59.92-2.60)	EDS
$R_{merge}$	0.24	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.84  (at  2.61Å)	Xtriage
Refinement program	PHENIX (1.21.2_5419: ???)	Depositor
$R, R_{free}$	0.175 , $0.240$	Depositor
it, it free	0.177 , $0.238$	DCC
$R_{free}$ test set	6822  reflections  (5.00%)	wwPDB-VP
Wilson B-factor $(A^2)$	44.1	Xtriage
Anisotropy	0.485	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.36, 61.5	EDS
L-test for twinning <sup>2</sup>	$ < L > = 0.51, < L^2> = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	30037	wwPDB-VP
Average B, all atoms $(Å^2)$	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, NAD, APR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
MIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.46	0/2892	0.61	0/3920	
1	В	0.47	0/2892	0.66	1/3920 (0.0%)	
1	С	0.46	0/2892	0.65	$1/3920 \ (0.0\%)$	
1	D	0.46	0/2892	0.67	0/3920	
1	Е	0.42	0/2892	0.60	0/3920	
1	F	0.40	0/2892	0.57	0/3920	
1	G	0.41	0/2892	0.59	0/3920	
1	Н	0.41	0/2892	0.61	0/3920	
1	I	0.39	0/2892	0.58	0/3920	
1	J	0.40	0/2892	0.60	1/3920 (0.0%)	
All	All	0.43	0/28920	0.61	$3/39200 \ (0.0\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
1	Е	0	2
1	Н	0	1
All	All	0	4

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\operatorname{Ideal}(^{o})$
1	В	72	PRO	N-CA-C	-5.42	102.43	111.26
1	J	260	GLY	CA-C-O	-5.34	118.54	122.23
1	С	260	GLY	CA-C-O	-5.13	118.89	122.22



There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	159	ARG	Sidechain
1	Е	159	ARG	Sidechain
1	Е	58	ARG	Sidechain
1	Н	159	ARG	Sidechain

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2847	0	2898	40	0
1	В	2847	0	2898	52	0
1	С	2847	0	2898	39	0
1	D	2847	0	2898	63	0
1	E	2847	0	2898	56	0
1	F	2847	0	2898	43	0
1	G	2847	0	2898	51	0
1	Н	2847	0	2898	73	0
1	I	2847	0	2898	45	0
1	J	2847	0	2898	71	0
2	A	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Е	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	Н	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
3	A	44	0	26	3	0
3	В	44	0	26	1	0
3	С	44	0	26	2	0
3	D	44	0	26	3	0
3	Ε	44	0	26	1	0
3	F	44	0	26	2	0



Q 1: 1	C		
Continued	trom	nremous	naae
Continueu	110116	predidus	paye.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	Н	44	0	26	2	0
3	J	44	0	26	2	0
4	G	36	0	21	0	0
4	I	36	0	21	0	0
5	A	205	0	0	4	0
5	В	154	0	0	3	0
5	С	171	0	0	2	0
5	D	116	0	0	1	0
5	Ε	81	0	0	0	0
5	F	108	0	0	3	0
5	G	110	0	0	1	0
5	Н	61	0	0	1	0
5	I	56	0	0	0	0
5	J	71	0	0	1	0
All	All	30037	0	29230	512	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 512 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
1:J:211:THR:HG22	1:J:213:ILE:H	1.28	0.98
1:D:211:THR:HG22	1:D:213:ILE:H	1.22	0.97
1:F:211:THR:HG22	1:F:213:ILE:H	1.25	0.95
1:H:35:LYS:HD3	1:H:63:GLU:HB3	1.49	0.94
1:C:216:ALA:HB2	1:D:220:GLN:HG3	1.55	0.88

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	382/393~(97%)	369 (97%)	12 (3%)	1 (0%)	37	59
1	В	382/393~(97%)	361 (94%)	19 (5%)	2 (0%)	25	47
1	$\mathbf{C}$	382/393~(97%)	368 (96%)	12 (3%)	2 (0%)	25	47
1	D	382/393 (97%)	361 (94%)	19 (5%)	2 (0%)	25	47
1	E	382/393~(97%)	365 (96%)	16 (4%)	1 (0%)	37	59
1	F	382/393 (97%)	376 (98%)	6 (2%)	0	100	100
1	G	382/393~(97%)	366 (96%)	14 (4%)	2 (0%)	25	47
1	Н	382/393~(97%)	354 (93%)	24 (6%)	4 (1%)	13	29
1	I	382/393~(97%)	362 (95%)	17 (4%)	3 (1%)	16	34
1	J	382/393~(97%)	362 (95%)	17 (4%)	3 (1%)	16	34
All	All	3820/3930 (97%)	3644 (95%)	156 (4%)	20 (0%)	25	47

5 of 20 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	117	GLY
1	J	114	ALA
1	D	117	GLY
1	G	117	GLY
1	Н	117	GLY

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percei	ntiles
1	A	$299/308\ (97\%)$	296 (99%)	3 (1%)	73	88
1	В	299/308~(97%)	292 (98%)	7 (2%)	45	71
1	С	299/308~(97%)	294 (98%)	5 (2%)	56	78
1	D	299/308~(97%)	290 (97%)	9 (3%)	36	63
1	Е	299/308 (97%)	291 (97%)	8 (3%)	40	66
1	F	299/308~(97%)	293 (98%)	6 (2%)	50	74



Continued	trom	mmoninonic	maaa
COHABABACA		DIEUIUU	DUIUE
0 0 1000100000			

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	299/308~(97%)	291 (97%)	8 (3%)	40	66
1	Н	299/308~(97%)	288 (96%)	11 (4%)	29	55
1	Ι	299/308 (97%)	295 (99%)	4 (1%)	65	84
1	J	299/308 (97%)	290 (97%)	9 (3%)	36	63
All	All	2990/3080 (97%)	2920 (98%)	70 (2%)	45	71

5 of 70 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	26	THR
1	I	71	GLU
1	J	157	THR
1	Е	159	ARG
1	D	386	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
1	Е	90	ASN
1	Е	283	ASN
1	J	115	ASN
1	Е	279	HIS
1	F	249	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



### 5.6 Ligand geometry (i)

Of 20 ligands modelled in this entry, 10 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Во	ond leng	ths	Bond angles			
MIOI	Type	Chain	rtes	nes	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAD	С	402	-	42,48,48	0.69	1 (2%)	50,73,73	0.70	1 (2%)	
3	NAD	D	402	-	42,48,48	0.70	2 (4%)	50,73,73	0.72	1 (2%)	
3	NAD	F	402	-	42,48,48	0.69	1 (2%)	50,73,73	0.72	1 (2%)	
4	APR	G	402	-	34,39,39	0.62	0	40,60,60	0.74	1 (2%)	
4	APR	I	402	-	34,39,39	0.62	0	40,60,60	0.66	1 (2%)	
3	NAD	Н	402	-	42,48,48	0.68	1 (2%)	50,73,73	0.74	1 (2%)	
3	NAD	A	402	-	42,48,48	0.69	2 (4%)	50,73,73	0.73	1 (2%)	
3	NAD	J	402	-	42,48,48	0.68	1 (2%)	50,73,73	0.75	1 (2%)	
3	NAD	В	402	-	42,48,48	0.68	1 (2%)	50,73,73	0.72	1 (2%)	
3	NAD	Е	402	-	42,48,48	0.68	1 (2%)	50,73,73	0.73	1 (2%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	С	402	-	-	9/26/62/62	0/5/5/5
3	NAD	D	402	-	-	10/26/62/62	0/5/5/5
3	NAD	F	402	-	-	9/26/62/62	0/5/5/5
4	APR	G	402	-	-	4/18/54/54	0/4/4/4
4	APR	I	402	-	-	4/18/54/54	0/4/4/4
3	NAD	Н	402	-	-	9/26/62/62	0/5/5/5
3	NAD	A	402	-	-	9/26/62/62	0/5/5/5
3	NAD	J	402	-	-	14/26/62/62	0/5/5/5
3	NAD	В	402	-	-	9/26/62/62	0/5/5/5
3	NAD	Е	402	-	-	7/26/62/62	0/5/5/5



The worst	5	of	10	bond	length	outliers	are	listed	below:
TITO WOLDS	$\mathbf{\mathcal{I}}$	OI	10	Olia	10115011	Outiloid	COL	IIDUCA	DOIOW.

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(\text{\AA})$
3	D	402	NAD	C2N-N1N	2.44	1.37	1.35
3	F	402	NAD	C2N-N1N	2.44	1.37	1.35
3	С	402	NAD	C2N-N1N	2.43	1.37	1.35
3	Н	402	NAD	C2N-N1N	2.38	1.37	1.35
3	В	402	NAD	C2N-N1N	2.35	1.37	1.35

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
4	G	402	APR	C5-C6-N6	2.39	123.99	120.35
3	Ε	402	NAD	C5A-C6A-N6A	2.33	123.90	120.35
3	Н	402	NAD	C5A-C6A-N6A	2.31	123.86	120.35
3	С	402	NAD	C5A-C6A-N6A	2.27	123.81	120.35
3	В	402	NAD	C5A-C6A-N6A	2.27	123.81	120.35

There are no chirality outliers.

5 of 84 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	NAD	C5D-O5D-PN-O1N
3	A	402	NAD	O4D-C1D-N1N-C2N
3	A	402	NAD	O4D-C1D-N1N-C6N
3	A	402	NAD	C2D-C1D-N1N-C2N
3	A	402	NAD	C2D-C1D-N1N-C6N

There are no ring outliers.

8 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	С	402	NAD	2	0
3	D	402	NAD	3	0
3	F	402	NAD	2	0
3	Н	402	NAD	2	0
3	A	402	NAD	3	0
3	J	402	NAD	2	0
3	В	402	NAD	1	0
3	Е	402	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will





also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




































## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	A	384/393 (97%)	-0.84	1 (0%) 90 88	21, 33, 47, 64	0
1	В	384/393 (97%)	-0.60	4 (1%) 79 75	19, 36, 68, 85	0
1	С	384/393 (97%)	-0.65	1 (0%) 90 88	21, 36, 59, 79	0
1	D	384/393 (97%)	-0.31	9 (2%) 61 55	23, 42, 78, 97	0
1	E	384/393 (97%)	-0.17	9 (2%) 61 55	30, 50, 77, 97	0
1	F	384/393 (97%)	-0.51	1 (0%) 90 88	26, 45, 66, 79	0
1	G	384/393 (97%)	-0.44	1 (0%) 90 88	29, 45, 67, 81	0
1	Н	384/393 (97%)	0.00	7 (1%) 67 62	32, 57, 94, 113	0
1	I	384/393 (97%)	-0.02	3 (0%) 82 79	36, 61, 90, 97	0
1	J	384/393 (97%)	-0.03	9 (2%) 61 55	32, 53, 98, 108	0
All	All	3840/3930 (97%)	-0.36	45 (1%) 76 72	19, 45, 85, 113	0

The worst 5 of 45 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	164	ALA	4.2
1	D	143	GLY	3.8
1	G	143	GLY	3.8
1	Е	124	GLY	3.7
1	J	119	ILE	3.5

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}({ ext{\AA}}^2)$	Q < 0.9
3	NAD	Е	402	44/44	0.91	0.10	46,57,67,72	0
4	APR	I	402	36/36	0.92	0.09	50,60,68,73	0
3	NAD	Н	402	44/44	0.93	0.09	48,54,70,76	0
4	APR	G	402	36/36	0.94	0.08	39,46,57,69	0
3	NAD	J	402	44/44	0.94	0.09	43,54,65,70	0
3	NAD	D	402	44/44	0.95	0.08	34,44,55,60	0
3	NAD	F	402	44/44	0.95	0.08	34,44,53,58	0
3	NAD	В	402	44/44	0.96	0.07	27,36,48,52	0
3	NAD	С	402	44/44	0.96	0.07	28,33,45,49	0
3	NAD	A	402	44/44	0.96	0.07	28,33,45,50	0
2	MN	Е	401	1/1	0.97	0.04	55,55,55,55	0
2	MN	С	401	1/1	0.98	0.03	36,36,36,36	0
2	MN	В	401	1/1	0.98	0.02	36,36,36,36	0
2	MN	D	401	1/1	0.99	0.03	46,46,46,46	0
2	MN	A	401	1/1	0.99	0.01	33,33,33,33	0
2	MN	G	401	1/1	0.99	0.02	46,46,46,46	0
2	MN	Н	401	1/1	0.99	0.03	62,62,62,62	0
2	MN	I	401	1/1	0.99	0.06	62,62,62,62	0
2	MN	F	401	1/1	1.00	0.01	46,46,46,46	0
2	MN	J	401	1/1	1.00	0.02	53,53,53,53	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




# Electron density around NAD E 402:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around APR I 402:

 $2 \text{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\text{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












#### Electron density around NAD H 402:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around APR G 402:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












# Electron density around NAD J 402:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










## Electron density around NAD D 402:

 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












# Electron density around NAD F 402:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










## Electron density around NAD B 402:

 $2 \mathrm{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












## Electron density around NAD C 402:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










## Electron density around NAD A 402:


 $2 \mathrm{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)




















# Electron density around MN B 401: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)























# Electron density around MN I 401: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)









# 6.5 Other polymers (i)

There are no such residues in this entry.

