

### Apr 27, 2025 – 03:50 AM JST

PDB I	[D	:	$9 JCZ / pdb_{00009 jcz}$
EMDB I	[D	:	EMD-61378
Tit	tle	:	Cryo-EM structure of human TauT in presence of taurine, determined in an
			inward-facing occluded conformation
Autho	$\operatorname{ors}$	:	Qu, Q.; Chao, Y.; Zhou, Z.
Deposited of	on	:	2024-08-30
Resolutio	on	:	2.64  Å(reported)
Thi	s is	a I	Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	FAILED
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	FAILED
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.42

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain		
1	А	606	75%	11%	13%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	TAU	А	711	-	Х	-	-



# 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 4364 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Sodium- and chloride-dependent taurine transporter.

Mol	Chain	Residues	Atoms				AltConf	Trace	
1	А	525	Total 4170	C 2795	N 634	O 709	S 32	1	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	583	SER	-	expression tag	UNP P31641
А	584	ARG	-	expression tag	UNP P31641
А	585	LEU	-	expression tag	UNP P31641
А	586	GLU	-	expression tag	UNP P31641
А	587	GLU	-	expression tag	UNP P31641
А	588	GLU	-	expression tag	UNP P31641
А	589	LEU	-	expression tag	UNP P31641
А	590	ARG	-	expression tag	UNP P31641
А	591	ARG	-	expression tag	UNP P31641
А	592	ARG	-	expression tag	UNP P31641
A	593	THR	-	expression tag	UNP P31641
A	594	GLU	-	expression tag	UNP P31641
А	595	PRO	-	expression tag	UNP P31641
А	596	GLY	-	expression tag	UNP P31641
А	597	LEU	-	expression tag	UNP P31641
A	598	ARG	-	expression tag	UNP P31641
А	599	SER	-	expression tag	UNP P31641
A	600	ARG	_	expression tag	UNP P31641
А	601	LEU	-	expression tag	UNP P31641
А	602	GLU	-	expression tag	UNP P31641
A	603	VAL	-	expression tag	UNP P31641
А	604	LEU	-	expression tag	UNP P31641
A	605	PHE	-	expression tag	UNP P31641
A	606	GLN	-	expression tag	UNP P31641

• Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:  $C_8H_{15}NO_6$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	AltConf
2	А	1	Total C N O 14 8 1 5	0
2	А	1	Total         C         N         O           14         8         1         5	0
2	А	1	Total         C         N         O           14         8         1         5	0

• Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
3	А	2	Total Na 2 2	0

• Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
4	А	1	Total Cl 1 1	0

• Molecule 5 is CHOLESTEROL HEMISUCCINATE (CCD ID: Y01) (formula:  $C_{31}H_{50}O_4$ ).





Mol	Chain	Residues	Atoms	AltConf
5	Δ	1	Total C O	0
0	Л	1	35  31  4	0
5	Λ	1	Total C O	0
0	Л	1	35  31  4	0
5	Δ	1	Total C O	0
0	Π	1	35  31  4	0
5	Λ	1	Total C O	0
0	Л	1	35  31  4	0

• Molecule 6 is 2-AMINOETHANESULFONIC ACID (CCD ID: TAU) (formula: C<sub>2</sub>H<sub>7</sub>NO<sub>3</sub>S) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				AltConf	
6	А	1	Total	С	Ν	0	S	0
Ŭ		-	7	2	1	3	1	Ŭ

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	AltConf
7	А	2	Total O 2 2	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sodium- and chloride-dependent taurine transporter





# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	228401	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor



# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: Y01, NA, NAG, TAU, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond	angles
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.26	0/4306	0.44	0/5870

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4170	0	4139	43	0
2	А	42	0	39	0	0
3	А	2	0	0	0	0
4	А	1	0	0	1	0
5	А	140	0	196	9	0
6	А	7	0	6	1	0
7	А	2	0	0	3	0
All	All	4364	0	4380	48	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic	Clash
110111-1	1100111-2	distance (Å)	overlap (Å)
1:A:337:SER:OG	4:A:705:CL:CL	2.39	0.78
1:A:60:GLY:HA2	1:A:398:LEU:HB3	1.75	0.67
1:A:164:HIS:N	1:A:167:ASN:OD1	2.30	0.63
5:A:709:Y01:HAU2	5:A:709:Y01:HAO1	1.85	0.59
1:A:110:ILE:HD11	1:A:128:VAL:HG21	1.85	0.58
1:A:168:THR:HG22	1:A:170:HIS:H	1.67	0.58
1:A:414:LEU:HD22	5:A:708:Y01:HAK1	1.86	0.57
5:A:707:Y01:HAN2	5:A:708:Y01:HAB3	1.87	0.56
6:A:711:TAU:H1C2	7:A:801:HOH:O	2.05	0.55
1:A:303:ALA:HB3	1:A:309:MET:HE2	1.89	0.55
1:A:66:ARG:HA	1:A:69:TYR:CE1	2.41	0.54
1:A:97:LEU:HD21	1:A:479:ILE:HG13	1.91	0.53
1:A:139:ILE:HD13	1:A:228:TRP:CE2	2.46	0.50
1:A:567:GLN:NE2	5:A:706:Y01:OAF	2.42	0.50
1:A:438:ILE:HG21	5:A:708:Y01:HAC3	1.92	0.50
1:A:123:ILE:HG23	1:A:471:VAL:HG13	1.93	0.50
1:A:306:LEU:HD21	7:A:801:HOH:O	2.12	0.50
1:A:48:ILE:HG13	1:A:52:LEU:HD23	1.94	0.48
1:A:129:VAL:HG22	5:A:707:Y01:HAC2	1.95	0.47
1:A:97:LEU:O	1:A:101:ILE:HG12	2.15	0.47
1:A:361:ASP:OD1	1:A:534:LYS:NZ	2.46	0.47
1:A:478:VAL:HA	1:A:482:ILE:HD13	1.97	0.47
1:A:306:LEU:CD2	7:A:801:HOH:O	2.63	0.46
1:A:507:SER:HA	1:A:511:ILE:HD13	1.98	0.46
1:A:557:VAL:HB	1:A:558:PRO:HD3	1.97	0.46
1:A:61:LEU:O	1:A:65:TRP:HB3	2.16	0.46
1:A:219:ASP:OD1	1:A:220:LEU:N	2.50	0.44
1:A:423:ARG:O	1:A:424:LYS:HE2	2.17	0.44
1:A:162:CYS:HB3	1:A:194:PRO:HB3	2.00	0.44
1:A:139:ILE:HG23	1:A:224:LEU:HD11	1.99	0.43
1:A:391:PHE:CE1	1:A:395:LEU:HD11	2.53	0.43
1:A:431:PHE:HZ	5:A:708:Y01:HAK2	1.83	0.43
1:A:58:PHE:CE2	1:A:333:ASN:HB2	2.53	0.43
1:A:284:ARG:HG3	1:A:290:VAL:HG21	2.01	0.43
1:A:304:ILE:HG22	1:A:305:CYS:SG	2.58	0.43
1:A:122:GLY:HA2	1:A:125:TYR:HD2	1.84	0.42
1:A:260:LEU:HD11	1:A:391:PHE:CE2	2.55	0.42
1:A:352:ALA:HA	1:A:362:VAL:HG21	2.01	0.42
1:A:512:THR:HB	1:A:513:PRO:HD3	2.00	0.42
1:A:89:GLY:O	1:A:507:SER:OG	2.34	0.42
5:A:709:Y01:HAO1	5:A:709:Y01:CAU	2.49	0.42
1:A:109:GLY:HA2	1:A:310:THR:HG21	2.00	0.41

Continued on next page...



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:492:ILE:O	1:A:496:ILE:HG12	2.20	0.41
5:A:709:Y01:HAP1	5:A:709:Y01:HAC1	1.75	0.41
1:A:260:LEU:HD11	1:A:391:PHE:CD2	2.56	0.40
1:A:422:LEU:O	1:A:424:LYS:HG2	2.21	0.40
1:A:70:LEU:HD23	1:A:70:LEU:HA	1.86	0.40
1:A:442:LEU:HA	1:A:442:LEU:HD23	1.85	0.40

Continued from previous page...

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	А	522/606~(86%)	507~(97%)	15 (3%)	0	100 100	

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Rotameric		Outliers	Percentiles
1	А	447/523~(86%)	447 (100%)	0	100 100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:



Mol	Chain	Res	Type
1	А	403	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain Real		Bog Link Bond lengths			B	ond ang	les		
	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	А	701	1	14,14,15	0.22	0	17,19,21	0.40	0
5	Y01	А	709	-	38,38,38	0.18	0	57,57,57	0.40	0
5	Y01	А	707	-	38,38,38	0.64	2(5%)	$57,\!57,\!57$	0.60	2 (3%)
2	NAG	А	702	1	14,14,15	0.77	1 (7%)	17,19,21	0.91	1 (5%)
5	Y01	А	708	-	38,38,38	0.15	0	57,57,57	0.27	0
2	NAG	А	710	1	$14,\!14,\!15$	0.22	0	17,19,21	0.42	0
6	TAU	А	711	3	6,6,6	0.45	0	6,8,8	5.03	5 (83%)
5	Y01	А	706	-	38,38,38	0.64	2 (5%)	57,57,57	0.60	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	А	701	1	-	1/6/23/26	0/1/1/1
5	Y01	А	709	-	-	11/19/77/77	0/4/4/4
5	Y01	А	707	-	-	11/19/77/77	0/4/4/4
2	NAG	А	702	1	-	2/6/23/26	0/1/1/1
5	Y01	А	708	-	-	4/19/77/77	0/4/4/4
2	NAG	А	710	1	-	0/6/23/26	0/1/1/1
6	TAU	A	711	3	-	4/4/4/4	-
5	Y01	А	706	-	-	4/19/77/77	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	А	707	Y01	OAF-CAX	2.75	1.31	1.22
5	А	706	Y01	OAF-CAX	2.72	1.31	1.22
5	А	706	Y01	OAH-CAX	-2.66	1.21	1.30
5	А	707	Y01	OAH-CAX	-2.65	1.21	1.30
2	А	702	NAG	O5-C1	2.40	1.47	1.43

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms Z		$Observed(^{o})$	$Ideal(^{o})$
6	А	711	TAU	O2-S-C2	6.56	116.37	105.77
6	А	711	TAU	O2-S-O1	-6.52	95.34	111.27
6	А	711	TAU	O3-S-C2	5.52	113.56	106.92
6	А	711	TAU	O1-S-C2	5.28	113.27	106.92
2	А	702	NAG	C1-O5-C5	3.55	117.00	112.19
5	А	707	Y01	OAF-CAX-CAL	-3.03	113.36	123.08
5	А	706	Y01	OAF-CAX-CAL	-3.01	113.41	123.08
5	А	707	Y01	OAH-CAX-CAL	2.85	123.19	114.03
5	А	706	Y01	OAH-CAX-CAL	2.82	123.11	114.03
6	А	711	TAU	O2-S-O3	-2.72	104.63	111.27

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	706	Y01	CAR-CBC-OAW-CAY
5	А	708	Y01	CAR-CBC-OAW-CAY
5	А	709	Y01	CAO-CBB-CBE-CBI
5	А	709	Y01	CAV-CBC-OAW-CAY
6	А	711	TAU	N1-C1-C2-S

Continued on next page...



Mol	Chain	Res	Type	Atoms
6	А	711	TAU	C1-C2-S-O1
6	А	711	TAU	C1-C2-S-O2
5	А	709	Y01	CAM-CAY-OAW-CBC
5	А	709	Y01	CAO-CBB-CBE-CAP
5	А	709	Y01	CAJ-CAO-CBB-CBE
2	А	702	NAG	O5-C5-C6-O6
5	А	707	Y01	CAJ-CAO-CBB-CBE
5	А	709	Y01	OAG-CAY-OAW-CBC
2	А	702	NAG	C4-C5-C6-O6
5	А	709	Y01	CAJ-CAO-CBB-CAC
5	А	709	Y01	CAC-CBB-CBE-CAP
5	А	706	Y01	CAM-CAY-OAW-CBC
5	А	707	Y01	CAM-CAY-OAW-CBC
5	А	707	Y01	CAO-CAJ-CAN-CBA
5	А	706	Y01	OAG-CAY-OAW-CBC
5	А	707	Y01	OAG-CAY-OAW-CBC
5	А	707	Y01	CAJ-CAO-CBB-CAC
5	А	708	Y01	CAM-CAY-OAW-CBC
5	А	708	Y01	OAG-CAY-OAW-CBC
2	А	701	NAG	O5-C5-C6-O6
5	А	709	Y01	CAC-CBB-CBE-CBI
5	А	706	Y01	CAO-CAJ-CAN-CBA
6	А	711	TAU	C1-C2-S-O3
5	А	707	Y01	CAO-CBB-CBE-CAP
5	А	707	Y01	CAO-CBB-CBE-CBI
5	А	708	Y01	CAL-CAM-CAY-OAW
5	А	707	Y01	CAC-CBB-CBE-CBI
5	А	707	Y01	CAM-CAL-CAX-OAF
5	Α	707	Y01	CAM-CAL-CAX-OAH
5	А	707	Y01	CAC-CBB-CBE-CAP
5	A	709	Y01	CAM-CAL-CAX-OAF
5	А	709	Y01	CAM-CAL-CAX-OAH

Continued from previous page...

There are no ring outliers.

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	А	709	Y01	3	0
5	А	707	Y01	2	0
5	А	708	Y01	4	0
6	А	711	TAU	1	0
5	А	706	Y01	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

