W O R L D W I D E

wwPDB

P R O T E I N   D A T A   B A N K

wwPDB EM Validation Summary Report (i)

Jul 13, 2025 – 12:14 AM JST

|		
PDB ID	:	9JQQ / pdb_00009jqq
EMDB ID	:	EMD-61736
Title	:	Cryo-EM structure of the HMBPP-primed BTN3A1-BTN3A2-BTN2A1 complex
Authors	:	Zhang, M.; Wang, Y.Q.; Xiao, J.Y.
Deposited on	:	2024-09-28
Resolution	:	3.26 Å(reported)

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Clashscore		12
Ramachandran outliers		0.1%
Sidechain outliers		0.3%

Worse　　　　　　　　　　　　　*Better*

▌ Percentile relative to all structures
▯ Percentile relative to all EM structures

Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	A	527	66%　　24%　　10%
2	B	318	60%　　31%　　9%
3	E	532	65%　　22%　　13%
3	F	532	64%　　23%　　13%
4	C	2	100%
4	D	2	100%
4	G	2	100%

2 Entry composition ⓘ

There are 6 unique types of molecules in this entry. The entry contains 13654 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Butyrophilin subfamily 3 member A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	476	3773	2404	653	700	16	0	0

There are 43 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	485	GLY	-	expression tag	UNP O00481
A	486	GLY	-	expression tag	UNP O00481
A	487	GLY	-	expression tag	UNP O00481
A	488	GLY	-	expression tag	UNP O00481
A	489	SER	-	expression tag	UNP O00481
A	490	GLY	-	expression tag	UNP O00481
A	491	GLY	-	expression tag	UNP O00481
A	492	GLY	-	expression tag	UNP O00481
A	493	GLY	-	expression tag	UNP O00481
A	494	SER	-	expression tag	UNP O00481
A	495	GLY	-	expression tag	UNP O00481
A	496	GLY	-	expression tag	UNP O00481
A	497	GLY	-	expression tag	UNP O00481
A	498	GLY	-	expression tag	UNP O00481
A	499	SER	-	expression tag	UNP O00481
A	500	TRP	-	expression tag	UNP O00481
A	501	SER	-	expression tag	UNP O00481
A	502	HIS	-	expression tag	UNP O00481
A	503	PRO	-	expression tag	UNP O00481
A	504	GLN	-	expression tag	UNP O00481
A	505	PHE	-	expression tag	UNP O00481
A	506	GLU	-	expression tag	UNP O00481
A	507	LYS	-	expression tag	UNP O00481
A	508	GLY	-	expression tag	UNP O00481
A	509	GLY	-	expression tag	UNP O00481
A	510	GLY	-	expression tag	UNP O00481
A	511	SER	-	expression tag	UNP O00481
A	512	GLY	-	expression tag	UNP O00481

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	513	GLY	-	expression tag	UNP O00481
A	514	GLY	-	expression tag	UNP O00481
A	515	SER	-	expression tag	UNP O00481
A	516	GLY	-	expression tag	UNP O00481
A	517	GLY	-	expression tag	UNP O00481
A	518	SER	-	expression tag	UNP O00481
A	519	ALA	-	expression tag	UNP O00481
A	520	TRP	-	expression tag	UNP O00481
A	521	SER	-	expression tag	UNP O00481
A	522	HIS	-	expression tag	UNP O00481
A	523	PRO	-	expression tag	UNP O00481
A	524	GLN	-	expression tag	UNP O00481
A	525	PHE	-	expression tag	UNP O00481
A	526	GLU	-	expression tag	UNP O00481
A	527	LYS	-	expression tag	UNP O00481

- Molecule 2 is a protein called Butyrophilin subfamily 3 member A2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	290	2233	1416	378	429	10	0	0

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	306	GLY	-	expression tag	UNP P78410
B	307	GLY	-	expression tag	UNP P78410
B	308	GLY	-	expression tag	UNP P78410
B	309	GLY	-	expression tag	UNP P78410
B	310	SER	-	expression tag	UNP P78410
B	311	ASP	-	expression tag	UNP P78410
B	312	TYR	-	expression tag	UNP P78410
B	313	LYS	-	expression tag	UNP P78410
B	314	ASP	-	expression tag	UNP P78410
B	315	ASP	-	expression tag	UNP P78410
B	316	ASP	-	expression tag	UNP P78410
B	317	ASP	-	expression tag	UNP P78410
B	318	LYS	-	expression tag	UNP P78410

- Molecule 3 is a protein called Butyrophilin subfamily 2 member A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	463	Total 3750	C 2388	N 655	O 686	S 21	0	0
3	F	465	Total 3743	C 2376	N 659	O 687	S 21	0	0

There are 66 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	500	GLY	-	expression tag	UNP Q7KYR7
E	501	GLY	-	expression tag	UNP Q7KYR7
E	502	GLY	-	expression tag	UNP Q7KYR7
E	503	GLY	-	expression tag	UNP Q7KYR7
E	504	SER	-	expression tag	UNP Q7KYR7
E	505	TRP	-	expression tag	UNP Q7KYR7
E	506	SER	-	expression tag	UNP Q7KYR7
E	507	HIS	-	expression tag	UNP Q7KYR7
E	508	PRO	-	expression tag	UNP Q7KYR7
E	509	GLN	-	expression tag	UNP Q7KYR7
E	510	PHE	-	expression tag	UNP Q7KYR7
E	511	GLU	-	expression tag	UNP Q7KYR7
E	512	LYS	-	expression tag	UNP Q7KYR7
E	513	GLY	-	expression tag	UNP Q7KYR7
E	514	GLY	-	expression tag	UNP Q7KYR7
E	515	GLY	-	expression tag	UNP Q7KYR7
E	516	SER	-	expression tag	UNP Q7KYR7
E	517	GLY	-	expression tag	UNP Q7KYR7
E	518	GLY	-	expression tag	UNP Q7KYR7
E	519	GLY	-	expression tag	UNP Q7KYR7
E	520	SER	-	expression tag	UNP Q7KYR7
E	521	GLY	-	expression tag	UNP Q7KYR7
E	522	GLY	-	expression tag	UNP Q7KYR7
E	523	SER	-	expression tag	UNP Q7KYR7
E	524	ALA	-	expression tag	UNP Q7KYR7
E	525	TRP	-	expression tag	UNP Q7KYR7
E	526	SER	-	expression tag	UNP Q7KYR7
E	527	HIS	-	expression tag	UNP Q7KYR7
E	528	PRO	-	expression tag	UNP Q7KYR7
E	529	GLN	-	expression tag	UNP Q7KYR7
E	530	PHE	-	expression tag	UNP Q7KYR7
E	531	GLU	-	expression tag	UNP Q7KYR7
E	532	LYS	-	expression tag	UNP Q7KYR7
F	500	GLY	-	expression tag	UNP Q7KYR7
F	501	GLY	-	expression tag	UNP Q7KYR7

Continued on next page...

W O R L D W I D E
PDB
PROTEIN DATA BANK

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	502	GLY	-	expression tag	UNP Q7KYR7
F	503	GLY	-	expression tag	UNP Q7KYR7
F	504	SER	-	expression tag	UNP Q7KYR7
F	505	TRP	-	expression tag	UNP Q7KYR7
F	506	SER	-	expression tag	UNP Q7KYR7
F	507	HIS	-	expression tag	UNP Q7KYR7
F	508	PRO	-	expression tag	UNP Q7KYR7
F	509	GLN	-	expression tag	UNP Q7KYR7
F	510	PHE	-	expression tag	UNP Q7KYR7
F	511	GLU	-	expression tag	UNP Q7KYR7
F	512	LYS	-	expression tag	UNP Q7KYR7
F	513	GLY	-	expression tag	UNP Q7KYR7
F	514	GLY	-	expression tag	UNP Q7KYR7
F	515	GLY	-	expression tag	UNP Q7KYR7
F	516	SER	-	expression tag	UNP Q7KYR7
F	517	GLY	-	expression tag	UNP Q7KYR7
F	518	GLY	-	expression tag	UNP Q7KYR7
F	519	GLY	-	expression tag	UNP Q7KYR7
F	520	SER	-	expression tag	UNP Q7KYR7
F	521	GLY	-	expression tag	UNP Q7KYR7
F	522	GLY	-	expression tag	UNP Q7KYR7
F	523	SER	-	expression tag	UNP Q7KYR7
F	524	ALA	-	expression tag	UNP Q7KYR7
F	525	TRP	-	expression tag	UNP Q7KYR7
F	526	SER	-	expression tag	UNP Q7KYR7
F	527	HIS	-	expression tag	UNP Q7KYR7
F	528	PRO	-	expression tag	UNP Q7KYR7
F	529	GLN	-	expression tag	UNP Q7KYR7
F	530	PHE	-	expression tag	UNP Q7KYR7
F	531	GLU	-	expression tag	UNP Q7KYR7
F	532	LYS	-	expression tag	UNP Q7KYR7

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	C	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	2	Total 28	C 16	N 2	O 10	0	0
4	G	2	Total 28	C 16	N 2	O 10	0	0

- Molecule 5 is (2E)-4-hydroxy-3-methylbut-2-en-1-yl trihydrogen diphosphate (CCD ID: H6P) (formula: $C_5H_{12}O_8P_2$) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total 15	C 5	O 8	P 2	0

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).

| Mol	Chain	Residues	Atoms				AltConf
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	E	1	Total	C	N	O	0
			14	8	1	5	
6	E	1	Total	C	N	O	0
			14	8	1	5	
6	F	1	Total	C	N	O	0
			14	8	1	5	

3   Residue-property plots ⓘ

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Butyrophilin subfamily 3 member A1

Chain A:

• Molecule 2: Butyrophilin subfamily 3 member A2

Chain B:

• Molecule 3: Butyrophilin subfamily 2 member A1

Chain E:

- Molecule 3: Butyrophilin subfamily 2 member A1

Chain F:

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc
opyranose

Chain G: 100%

NAG1
NAG2

4 Experimental information ⓘ

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	264215	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	60.0	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor

5   Model quality ⓘ

5.1   Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, H6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	0.16	0/3864	0.37	0/5234
2	B	0.17	0/2275	0.51	0/3079
3	E	0.15	0/3831	0.36	1/5177 (0.0%)
3	F	0.15	0/3821	0.37	0/5161
All	All	0.16	0/13791	0.39	1/18651 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	E	35	GLU	N-CA-C	5.01	117.16	110.35

There are no chirality outliers.

There are no planarity outliers.

5.2   Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3773	0	3732	95	0
2	B	2233	0	2228	80	0
3	E	3750	0	3732	91	0
3	F	3743	0	3734	88	0
4	C	28	0	25	0	0
4	D	28	0	25	0	0

Continued on next page...

W O R L D W I D E
wwPDB
PROTEIN DATA BANK

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	G	28	0	25	0	0
5	A	15	0	9	4	0
6	B	14	0	13	0	0
6	E	28	0	26	0	0
6	F	14	0	13	0	0
All	All	13654	0	13562	331	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 331 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:148:ILE:HD12	2:B:193:ILE:HD12	1.56	0.88
3:E:264:ILE:HD13	3:E:267:LYS:HZ1	1.43	0.84
1:A:18:ASP:HA	1:A:85:HIS:HA	1.61	0.82
3:F:227:VAL:HG12	3:F:231:MET:HE2	1.61	0.81
2:B:198:LEU:HB3	2:B:200:LEU:HD23	1.66	0.76

There are no symmetry-related clashes.

5.3　Torsion angles ⓘ

5.3.1　Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	468/527 (89%)	444 (95%)	24 (5%)	0	100	100
2	B	286/318 (90%)	263 (92%)	23 (8%)	0	100	100
3	E	447/532 (84%)	421 (94%)	26 (6%)	0	100	100
3	F	451/532 (85%)	423 (94%)	27 (6%)	1 (0%)	44	71
All	All	1652/1909 (86%)	1551 (94%)	100 (6%)	1 (0%)	50	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	F	406	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/434 (94%)	405 (100%)	1 (0%)	92	95
2	B	237/258 (92%)	237 (100%)	0	100	100
3	E	417/463 (90%)	414 (99%)	3 (1%)	81	87
3	F	415/463 (90%)	415 (100%)	0	100	100
All	All	1475/1618 (91%)	1471 (100%)	4 (0%)	90	94

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	334	GLN
3	E	24	HIS
3	E	40	ARG
3	E	48	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	244	GLN
1	A	345	ASN
2	B	48	ASN
3	E	275	GLN
3	F	275	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#|Z| > 2$	Counts	RMSZ	$\#|Z| > 2$
4	NAG	C	1	4,3	14,14,15	0.25	0	17,19,21	0.43	0
4	NAG	C	2	4	14,14,15	0.32	0	17,19,21	0.49	0
4	NAG	D	1	4,3	14,14,15	0.53	0	17,19,21	0.54	0
4	NAG	D	2	4	14,14,15	0.22	0	17,19,21	0.55	0
4	NAG	G	1	4,3	14,14,15	0.20	0	17,19,21	0.58	0
4	NAG	G	2	4	14,14,15	0.58	0	17,19,21	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1	4,3	-	2/6/23/26	0/1/1/1
4	NAG	C	2	4	-	2/6/23/26	0/1/1/1
4	NAG	D	1	4,3	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	1/6/23/26	0/1/1/1
4	NAG	G	1	4,3	-	4/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 13 torsion outliers are listed below:

| Mol	Chain	Res	Type	Atoms
4	D	1	NAG	O5-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
4	G	1	NAG	C8-C7-N2-C2
4	G	1	NAG	O7-C7-N2-C2
4	G	2	NAG	C8-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain C

Bond lengths

Bond angles

Torsions

Rings

Oligosaccharide Chain D

Bond lengths

Bond angles

Torsions

Rings

Oligosaccharide Chain G

Bond lengths

Bond angles

Torsions

Rings

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#|Z| > 2$	Counts	RMSZ	$\#|Z| > 2$
6	NAG	F	601	3	14,14,15	0.23	0	17,19,21	0.54	0
6	NAG	B	401	2	14,14,15	0.20	0	17,19,21	0.42	0
6	NAG	E	602	3	14,14,15	0.37	0	17,19,21	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#|Z| > 2	Counts	RMSZ	#|Z| > 2
5	H6P	A	601	-	11,14,14	0.81	0	13,20,20	1.28	1 (7%)
6	NAG	E	601	3	14,14,15	0.26	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	F	601	3	-	2/6/23/26	0/1/1/1
6	NAG	B	401	2	-	2/6/23/26	0/1/1/1
6	NAG	E	602	3	-	1/6/23/26	0/1/1/1
5	H6P	A	601	-	-	4/15/15/15	-
6	NAG	E	601	3	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
5	A	601	H6P	O20-P17-O18	2.24	116.19	107.64

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	601	H6P	P13-O16-P17-O20
6	B	401	NAG	C4-C5-C6-O6
6	F	601	NAG	O5-C5-C6-O6
6	E	601	NAG	O5-C5-C6-O6
6	B	401	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	601	H6P	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand H6P A 601

Bond lengths   Bond angles

Torsions   Rings

5.7   Other polymers ⓘ

There are no such residues in this entry.

5.8   Polymer linkage issues ⓘ

There are no chain breaks in this entry.