

wwPDB X-ray Structure Validation Summary Report (i)

Feb 10, 2025 - 01:29 PM JST

PDB ID	:	9K2C
Title	:	Structure of ClpP from Staphylococcus aureus in complex with ZY1
Authors	:	Li, J.H.; Wu, W.; Zhang, T.; Yang, CG.
Deposited on		
Resolution	:	1.98 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \textbf{Whole archive} \\ (\#\textbf{Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	164625	1356 (1.98-1.98)
Clashscore	180529	1437 (1.98-1.98)
Ramachandran outliers	177936	1426 (1.98-1.98)
Sidechain outliers	177891	1426 (1.98-1.98)
RSRZ outliers	164620	1356 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	203	83%	5% • 11%
1	В	203	<mark>6%</mark> 82%	9% 8%
1	С	203	80%	9% • 10%
1	D	203	<u>6%</u> 82%	6% 12%
1	Е	203	5% 82%	6% • 11%
1	F	203	6% 82%	6% • 11%



Mol	Chain	Length	Quality of chain	
1	G	203	6% 82%	5% 12%
1	Н	203	4% 85%	• 10%
1	Ι	203	4% 81%	8% 10%
1	J	203	6% 82%	9% 8%
1	K	203	81%	7% • 11%
1	L	203	8%79%	8% • 12%
1	М	203	6%	8% 11%
1	Ν	203	6% 78%	9% • 11%



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 21198 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	181	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	101	1389	877	235	271	6	0	0	0
1	В	186	Total	С	Ν	Ο	S	0	0	0
1	D	160	1404	886	239	273	6	0	0	0
1	С	183	Total	С	Ν	Ο	\mathbf{S}	0	1	0
	U	105	1405	887	238	273	7	0	T	0
1	D	179	Total	С	Ν	Ο	S	0	0	0
	D	115	1380	871	234	269	6	0	0	0
1	Е	180	Total	С	Ν	0	S	0	0	0
	Ľ	100	1381	871	234	270	6	0	0	0
1	F	180	Total	С	Ν	Ο	S	0	0	0
	I.	100	1385	874	235	270	6	0	0	0
1	G	179	Total	С	Ν	Ο	S	0	1	0
	G	119	1373	867	232	267	7	0	I	0
1	Н	182	Total	С	Ν	0	S	0	0	0
	11	162	1398	883	236	273	6	0	0	0
1	Ι	182	Total	С	Ν	0	S	0	0	0
	1	162	1398	883	237	272	6	0	0	0
1	J	187	Total	С	Ν	0	S	0	1	0
	0	107	1455	916	252	280	7	0	T	0
1	K	181	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	17	101	1393	879	235	273	6	0	0	0
1	L	179	Total	С	Ν	Ο	S	0	0	0
		113	1378	869	234	269	6			U
1	М	180	Total	С	Ν	0	S	0	0	0
	111	100	1378	868	235	269	6			U
1	N	180	Total	С	Ν	0	S	0	0	0
	1 1	100	1381	871	234	270	6	U	0	U

• Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit.

There are 112 discrepancies between the modelled and reference sequences:

A 196 LEU - expression tag UNP A7WZR9	(Chain	Residue	Modelled	Actual	Comment	Reference
		А	196	LEU	-	expression tag	UNP A7WZR9



Chain	Residue	vious page Modelled	Actual	Comment	Reference
A	197	GLU	-	expression tag	UNP A7WZR9
A	198	HIS	-	expression tag	UNP A7WZR9
A	199	HIS	-	expression tag	UNP A7WZR9
A	200	HIS	-	expression tag	UNP A7WZR9
A	201	HIS	-	expression tag	UNP A7WZR9
A	202	HIS	-	expression tag	UNP A7WZR9
A	203	HIS	-	expression tag	UNP A7WZR9
В	196	LEU	_	expression tag	UNP A7WZR9
В	197	GLU	_	expression tag	UNP A7WZR9
В	198	HIS	-	expression tag	UNP A7WZR9
В	199	HIS	-	expression tag	UNP A7WZR9
В	200	HIS	-	expression tag	UNP A7WZR9
В	201	HIS	-	expression tag	UNP A7WZR9
В	202	HIS	-	expression tag	UNP A7WZR9
В	203	HIS	-	expression tag	UNP A7WZR9
С	196	LEU	-	expression tag	UNP A7WZR9
С	197	GLU	-	expression tag	UNP A7WZR9
С	198	HIS	-	expression tag	UNP A7WZR9
С	199	HIS	-	expression tag	UNP A7WZR9
С	200	HIS	-	expression tag	UNP A7WZR9
С	201	HIS	-	expression tag	UNP A7WZR9
С	202	HIS	_	expression tag	UNP A7WZR9
С	203	HIS	-	expression tag	UNP A7WZR9
D	196	LEU	-	expression tag	UNP A7WZR9
D	197	GLU	-	expression tag	UNP A7WZR9
D	198	HIS	-	expression tag	UNP A7WZR9
D	199	HIS	-	expression tag	UNP A7WZR9
D	200	HIS	-	expression tag	UNP A7WZR9
D	201	HIS	-	expression tag	UNP A7WZR9
D	202	HIS	-	expression tag	UNP A7WZR9
D	203	HIS	-	expression tag	UNP A7WZR9
Е	196	LEU	-	expression tag	UNP A7WZR9
E	197	GLU	-	expression tag	UNP A7WZR9
E	198	HIS	-	expression tag	UNP A7WZR9
Е	199	HIS	-	expression tag	UNP A7WZR9
E	200	HIS	-	expression tag	UNP A7WZR9
E	201	HIS	-	expression tag	UNP A7WZR9
E	202	HIS	-	expression tag	UNP A7WZR9
E	203	HIS	-	expression tag	UNP A7WZR9
F	196	LEU	-	expression tag	UNP A7WZR9
F	197	GLU	-	expression tag	UNP A7WZR9
F	198	HIS	-	expression tag	UNP A7WZR9




Chain	Residue	Modelled	Actual	Comment	Reference
F	199	HIS	-	expression tag	UNP A7WZR9
F	200	HIS	-	expression tag	UNP A7WZR9
F	201	HIS	-	expression tag	UNP A7WZR9
F	202	HIS	-	expression tag	UNP A7WZR9
F	203	HIS	-	expression tag	UNP A7WZR9
G	196	LEU	-	expression tag	UNP A7WZR9
G	197	GLU	-	expression tag	UNP A7WZR9
G	198	HIS	-	expression tag	UNP A7WZR9
G	199	HIS	-	expression tag	UNP A7WZR9
G	200	HIS	-	expression tag	UNP A7WZR9
G	201	HIS	-	expression tag	UNP A7WZR9
G	202	HIS	-	expression tag	UNP A7WZR9
G	203	HIS	-	expression tag	UNP A7WZR9
Н	196	LEU	-	expression tag	UNP A7WZR9
Н	197	GLU	-	expression tag	UNP A7WZR9
Н	198	HIS	-	expression tag	UNP A7WZR9
Н	199	HIS	-	expression tag	UNP A7WZR9
Н	200	HIS	-	expression tag	UNP A7WZR9
Н	201	HIS	-	expression tag	UNP A7WZR9
Н	202	HIS	-	expression tag	UNP A7WZR9
Н	203	HIS	-	expression tag	UNP A7WZR9
Ι	196	LEU	-	expression tag	UNP A7WZR9
Ι	197	GLU	-	expression tag	UNP A7WZR9
Ι	198	HIS	-	expression tag	UNP A7WZR9
Ι	199	HIS	-	expression tag	UNP A7WZR9
Ι	200	HIS	-	expression tag	UNP A7WZR9
Ι	201	HIS	-	expression tag	UNP A7WZR9
Ι	202	HIS	-	expression tag	UNP A7WZR9
Ι	203	HIS	-	expression tag	UNP A7WZR9
J	196	LEU	-	expression tag	UNP A7WZR9
J	197	GLU	-	expression tag	UNP A7WZR9
J	198	HIS	-	expression tag	UNP A7WZR9
J	199	HIS	-	expression tag	UNP A7WZR9
J	200	HIS	-	expression tag	UNP A7WZR9
J	201	HIS	-	expression tag	UNP A7WZR9
J	202	HIS	-	expression tag	UNP A7WZR9
J	203	HIS	-	expression tag	UNP A7WZR9
K	196	LEU	-	expression tag	UNP A7WZR9
K	197	GLU	-	expression tag	UNP A7WZR9
K	198	HIS	_	expression tag	UNP A7WZR9
K	199	HIS	-	expression tag	UNP A7WZR9
		HIS		expression tag	UNP A7WZR9



Chain	ed from pre Residue			Reference	
K	201	HIS	-	expression tag	UNP A7WZR9
K	202	HIS	_	expression tag	UNP A7WZR9
K	203	HIS	_	expression tag	UNP A7WZR9
L	196	LEU	-	expression tag	UNP A7WZR9
L	197	GLU	-	expression tag	UNP A7WZR9
L	198	HIS	-	expression tag	UNP A7WZR9
L	199	HIS	-	expression tag	UNP A7WZR9
L	200	HIS	-	expression tag	UNP A7WZR9
L	201	HIS	-	expression tag	UNP A7WZR9
L	202	HIS	-	expression tag	UNP A7WZR9
L	203	HIS	-	expression tag	UNP A7WZR9
М	196	LEU	-	expression tag	UNP A7WZR9
М	197	GLU	-	expression tag	UNP A7WZR9
М	198	HIS	-	expression tag	UNP A7WZR9
М	199	HIS	-	expression tag	UNP A7WZR9
М	200	HIS	-	expression tag	UNP A7WZR9
М	201	HIS	-	expression tag	UNP A7WZR9
М	202	HIS	-	expression tag	UNP A7WZR9
М	203	HIS	-	expression tag	UNP A7WZR9
N	196	LEU	-	expression tag	UNP A7WZR9
N	197	GLU	-	expression tag	UNP A7WZR9
N	198	HIS	-	expression tag	UNP A7WZR9
N	199	HIS	-	expression tag	UNP A7WZR9
N	200	HIS	-	expression tag	UNP A7WZR9
N	201	HIS	-	expression tag	UNP A7WZR9
N	202	HIS	-	expression tag	UNP A7WZR9
N	203	HIS	-	expression tag	UNP A7WZR9

• Molecule 2 is (6 {S},9 {a} {S})-6-(1 {H}-imidazol-5-ylmethyl)-8-(naphthalen-1-ylmethyl) -4,7-bis(oxidanylidene)- {N}-(phenylmethyl)-3,6,9,9 {a}-tetrahydro-2 {H}-pyrazino[1,2-a]pyrimidine-1-carboxamide (three-letter code: A1EEF) (formula: $C_{30}H_{30}N_6O_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total C N O	0	0
	A	1	39 30 6 3	0	0
2	В	1	Total C N O	0	0
	D	1	39 30 6 3	0	0
2	С	1	Total C N O	0	0
		1	39 30 6 3	Ŭ	0
2	D	1	Total C N O	0	0
		-	39 30 6 3		
2	Е	1	Total C N O	0	0
			<u>39</u> <u>30</u> <u>6</u> <u>3</u>		_
2	F	1	Total C N O	0	0
			39 30 6 3		
2	G	1	Total C N O	0	0
			39 30 6 3 Total C N O		
2	Н	1	Total C N O 39 30 6 3	0	0
			39 50 0 3 Total C N O		
2	Ι	1	$39 \ 30 \ 6 \ 3$	0	0
			Total C N O		
2	J	1	39 30 6 3	0	0
			Total C N O		
2	Κ	1	39 30 6 3	0	0
			Total C N O		
2	L	1	39 30 6 3	0	0
	м	1	Total C N O	0	0
2	М	1	39 30 6 3	0	0
2	Ν	1	Total C N O	0	0
	IN		39 30 6 3	U	U




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Mg 1 1	0	0
3	В	1	Total Mg 1 1	0	0
3	С	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0
3	Е	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0
3	G	1	Total Mg 1 1	0	0
3	Н	1	Total Mg 1 1	0	0
3	Ι	1	Total Mg 1 1	0	0
3	J	1	Total Mg 1 1	0	0
3	Κ	1	Total Mg 1 1	0	0
3	L	1	Total Mg 1 1	0	0
3	М	1	Total Mg 1 1	0	0
3	Ν	1	Total Mg 1 1	0	0

• Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

• Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	Н	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	Ι	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	J	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	K	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	L	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
4	М	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
4	Ν	1	Total 8	С 6	O 2	0	0

• Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	107	Total O 107 107	0	0
5	В	99	Total O 99 99	0	0
5	С	85	Total O 85 85	0	0
5	D	58	Total O 58 58	0	0
5	Е	58	Total O 58 58	0	0
5	F	62	Total O 62 62	0	0
5	G	83	Total O 83 83	0	0
5	Н	78	Total O 78 78	0	0
5	Ι	83	Total O 83 83	0	0
5	J	79	Total O 79 79	0	0
5	К	54	$\begin{array}{cc} \text{Total} & \text{O} \\ 54 & 54 \end{array}$	0	0
5	L	49	Total O 49 49	0	0
5	М	57	Total O 57 57	0	0
5	Ν	68	Total O 68 68	0	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ATP-dependent Clp protease proteolytic subunit












• Molecule 1: ATP-dependent Clp protease proteolytic subunit





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	94.70Å 126.01Å 145.80Å	Depositor
a, b, c, α , β , γ	90.00° 93.91° 90.00°	Depositor
Resolution (Å)	29.90 - 1.98	Depositor
Resolution (A)	29.90 - 1.98	EDS
% Data completeness	91.9 (29.90-1.98)	Depositor
(in resolution range)	92.2 (29.90-1.98)	EDS
R _{merge}	0.09	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.95 (at 1.98 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0415	Depositor
D D.	0.205 , 0.227	Depositor
R, R_{free}	0.212 , 0.234	DCC
R_{free} test set	11623 reflections (4.88%)	wwPDB-VP
Wilson B-factor $(Å^2)$	24.7	Xtriage
Anisotropy	0.269	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.38 , 37.6	EDS
L-test for twinning ²	$ \langle L \rangle = 0.49, \langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	21198	wwPDB-VP
Average B, all atoms $(Å^2)$	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, A1EEF, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
1VIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.28	0/1407	0.54	0/1901	
1	В	0.28	0/1422	0.53	0/1925	
1	С	0.28	0/1426	0.51	0/1925	
1	D	0.27	0/1398	0.50	0/1887	
1	Ε	0.27	0/1399	0.50	0/1890	
1	F	0.27	0/1403	0.50	0/1894	
1	G	0.28	0/1394	0.52	0/1884	
1	Н	0.27	0/1416	0.52	0/1912	
1	Ι	0.28	0/1416	0.53	0/1912	
1	J	0.29	0/1480	0.51	0/1995	
1	Κ	0.27	0/1411	0.50	0/1906	
1	L	0.27	0/1396	0.50	0/1884	
1	М	0.27	0/1395	0.49	0/1883	
1	Ν	0.28	0/1399	0.51	0/1890	
All	All	0.28	0/19762	0.51	0/26688	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1389	0	1398	5	0
1	В	1404	0	1397	12	0
1	С	1405	0	1416	12	0
1	D	1380	0	1396	5	0
1	Е	1381	0	1390	5	0
1	F	1385	0	1398	6	0
1	G	1373	0	1379	6	0
1	Н	1398	0	1412	4	0
1	Ι	1398	0	1414	7	0
1	J	1455	0	1449	7	0
1	K	1393	0	1402	8	0
1	L	1378	0	1389	7	0
1	М	1378	0	1391	6	0
1	Ν	1381	0	1387	14	0
2	А	39	0	0	0	0
2	В	39	0	0	0	0
2	С	39	0	0	2	0
2	D	39	0	0	1	0
2	Е	39	0	0	0	0
2	F	39	0	0	1	0
2	G	39	0	0	1	0
2	Н	39	0	0	0	0
2	Ι	39	0	0	0	0
2	J	39	0	0	0	0
2	Κ	39	0	0	0	0
2	L	39	0	0	2	0
2	М	39	0	0	2	0
2	Ν	39	0	0	1	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	Н	1	0	0	0	0
3	Ι	1	0	0	0	0
3	J	1	0	0	0	0
3	Κ	1	0	0	0	0
3	L	1	0	0	0	0
3	М	1	0	0	0	0
3	Ν	1	0	0	0	0
4	А	8	0	14	0	0



Mol	Chain	n previous	H(model)	H(added)	Clashes	Symm-Clashes
4	B	16	. ,	28		
			0		0	0
4	C	8	0	14	1	0
4	D	8	0	14	0	0
4	E	8	0	14	0	0
4	F	8	0	14	2	0
4	G	8	0	14	1	0
4	Н	8	0	14	1	0
4	Ι	8	0	14	0	0
4	J	8	0	14	0	0
4	Κ	8	0	14	0	0
4	L	8	0	14	0	0
4	М	8	0	14	0	0
4	Ν	8	0	14	1	0
5	А	107	0	0	1	0
5	В	99	0	0	1	0
5	С	85	0	0	0	0
5	D	58	0	0	0	0
5	Е	58	0	0	0	0
5	F	62	0	0	1	0
5	G	83	0	0	0	0
5	Н	78	0	0	0	0
5	Ι	83	0	0	1	0
5	J	79	0	0	0	0
5	K	54	0	0	0	0
5	L	49	0	0	0	0
5	М	57	0	0	0	0
5	N	68	0	0	0	0
All	All	21198	0	19828	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 81 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:29:ILE:HG22	1:N:31:MET:CE	2.18	0.73
1:N:29:ILE:HG22	1:N:31:MET:HE3	1.74	0.68
1:K:29:ILE:HG22	1:K:31:MET:CE	2.26	0.65
1:I:141:ASN:HB3	5:I:480:HOH:O	1.99	0.62
1:A:173:ASN:ND2	5:A:401:HOH:O	2.34	0.60



There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	177/203~(87%)	175~(99%)	2(1%)	0	100	100
1	В	182/203~(90%)	180 (99%)	2(1%)	0	100	100
1	\mathbf{C}	180/203~(89%)	178 (99%)	2(1%)	0	100	100
1	D	175/203~(86%)	173 (99%)	2(1%)	0	100	100
1	Ε	176/203~(87%)	174 (99%)	2(1%)	0	100	100
1	F	176/203~(87%)	174 (99%)	2 (1%)	0	100	100
1	G	176/203~(87%)	174 (99%)	2 (1%)	0	100	100
1	Н	178/203~(88%)	176 (99%)	2 (1%)	0	100	100
1	Ι	178/203~(88%)	175 (98%)	3(2%)	0	100	100
1	J	182/203~(90%)	179 (98%)	3 (2%)	0	100	100
1	Κ	177/203~(87%)	174 (98%)	3(2%)	0	100	100
1	L	175/203~(86%)	174 (99%)	1 (1%)	0	100	100
1	М	176/203~(87%)	174 (99%)	2 (1%)	0	100	100
1	Ν	176/203~(87%)	174 (99%)	2 (1%)	0	100	100
All	All	2484/2842~(87%)	2454 (99%)	30 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	А	149/171~(87%)	142~(95%)	7~(5%)	22	11
1	В	147/171~(86%)	139~(95%)	8 (5%)	18	8
1	С	150/171~(88%)	139~(93%)	11 (7%)	11	4
1	D	149/171~(87%)	139~(93%)	10 (7%)	13	5
1	Е	148/171~(86%)	140~(95%)	8 (5%)	18	8
1	F	149/171~(87%)	139~(93%)	10 (7%)	13	5
1	G	147/171~(86%)	140 (95%)	7 (5%)	21	10
1	Н	150/171~(88%)	144 (96%)	6 (4%)	27	16
1	Ι	150/171~(88%)	141 (94%)	9 (6%)	16	6
1	J	156/171~(91%)	143 (92%)	13 (8%)	9	2
1	K	150/171~(88%)	139 (93%)	11 (7%)	11	4
1	L	148/171~(86%)	135 (91%)	13 (9%)	8	2
1	М	148/171 (86%)	139 (94%)	9 (6%)	15	6
1	Ν	148/171 (86%)	140 (95%)	8 (5%)	18	8
All	All	2089/2394~(87%)	1959 (94%)	130 (6%)	15	6

 $5~{\rm of}~130$ residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	М	85	LYS
1	М	166	GLN
1	F	95	MET
1	F	85	LYS
1	М	182	GLU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 77 such side chains are listed below:

Mol	Chain	Res	Type
1	Κ	166	GLN
1	N	52	GLN
1	L	82	GLN
1	М	82	GLN
1	Ν	166	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 43 ligands modelled in this entry, 14 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Turne	Chain	Res	Link	Bo	Bond lengths		В	ond ang	les
	Type	Unam	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
4	MPD	D	303	-	7,7,7	0.13	0	9,10,10	0.39	0
4	MPD	М	303	-	7,7,7	0.09	0	9,10,10	0.33	0
2	A1EEF	L	301	-	38,44,44	0.24	0	47,62,62	0.48	0
2	A1EEF	G	301	-	38,44,44	0.27	0	47,62,62	0.51	0
2	A1EEF	D	301	-	38,44,44	0.25	0	47,62,62	0.47	0
4	MPD	J	303	-	7,7,7	0.10	0	$9,\!10,\!10$	0.27	0
2	A1EEF	М	301	-	38,44,44	0.25	0	47,62,62	0.51	0
4	MPD	F	303	-	7,7,7	0.13	0	9,10,10	0.45	0
4	MPD	В	303	-	7,7,7	0.13	0	9,10,10	0.47	0
2	A1EEF	С	301	-	38,44,44	0.25	0	47,62,62	0.49	0
4	MPD	Е	303	-	7,7,7	0.12	0	9,10,10	0.37	0
2	A1EEF	Н	301	-	38,44,44	0.27	0	47,62,62	0.51	0
2	A1EEF	F	301	-	38,44,44	0.24	0	47,62,62	0.49	0
4	MPD	Κ	303	-	7,7,7	0.11	0	9,10,10	0.39	0
2	A1EEF	Ν	301	-	38,44,44	0.25	0	47,62,62	0.52	0
4	MPD	Ι	303	-	7,7,7	0.12	0	9,10,10	0.39	0
4	MPD	С	303	-	7,7,7	0.13	0	9,10,10	0.36	0
4	MPD	G	303	-	7,7,7	0.11	0	9,10,10	0.39	0
2	A1EEF	Е	301	-	38,44,44	0.27	0	47,62,62	0.51	0
4	MPD	А	303	-	7,7,7	0.12	0	$9,\!10,\!10$	0.38	0
2	A1EEF	А	301	-	38,44,44	0.26	0	47,62,62	0.48	0
2	A1EEF	J	301	_	38,44,44	0.26	0	47,62,62	0.48	0



Mal	Mol Type Chain Res		Link	Bond lengths			Bond angles			
IVIOI	Type	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
2	A1EEF	В	301	-	38,44,44	0.28	0	47,62,62	0.55	0
4	MPD	L	303	-	7,7,7	0.11	0	$9,\!10,\!10$	0.35	0
4	MPD	N	303	-	7,7,7	0.10	0	9,10,10	0.37	0
2	A1EEF	K	301	-	38,44,44	0.27	0	47,62,62	0.49	0
4	MPD	В	304	-	7,7,7	0.12	0	$9,\!10,\!10$	0.43	0
4	MPD	Н	303	-	7,7,7	0.12	0	9,10,10	0.40	0
2	A1EEF	Ι	301	-	38,44,44	0.27	0	47,62,62	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	D	303	-	-	0/5/5/5	-
4	MPD	М	303	-	-	0/5/5/5	-
2	A1EEF	L	301	-	-	1/17/50/50	0/6/6/6
2	A1EEF	G	301	-	-	3/17/50/50	0/6/6/6
2	A1EEF	D	301	-	-	0/17/50/50	0/6/6/6
4	MPD	J	303	-	-	0/5/5/5	-
2	A1EEF	М	301	-	-	1/17/50/50	0/6/6/6
4	MPD	F	303	-	-	3/5/5/5	-
4	MPD	В	303	-	-	0/5/5/5	-
2	A1EEF	С	301	-	-	2/17/50/50	0/6/6/6
4	MPD	Е	303	-	-	0/5/5/5	-
2	A1EEF	Н	301	-	-	1/17/50/50	0/6/6/6
2	A1EEF	F	301	-	-	1/17/50/50	0/6/6/6
4	MPD	K	303	-	_	0/5/5/5	-
2	A1EEF	Ν	301	-	-	3/17/50/50	0/6/6/6
4	MPD	Ι	303	-	-	0/5/5/5	-
4	MPD	С	303	-	-	0/5/5/5	-
4	MPD	G	303	-	-	0/5/5/5	-
2	A1EEF	Е	301	-	-	3/17/50/50	0/6/6/6
4	MPD	А	303	-	-	0/5/5/5	-
2	A1EEF	А	301	-	-	3/17/50/50	0/6/6/6
2	A1EEF	J	301	-	-	1/17/50/50	0/6/6/6
2	A1EEF	В	301	-	-	3/17/50/50	0/6/6/6
4	MPD	L	303	-	-	0/5/5/5	-
4	MPD	N	303	-	-	0/5/5/5	-
2	A1EEF	K	301	-	-	0/17/50/50	0/6/6/6
4	MPD	В	304	-	_	0/5/5/5	-



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	Н	303	-	-	0/5/5/5	-
2	A1EEF	Ι	301	-	-	0/17/50/50	0/6/6/6

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	301	A1EEF	C08-C09-C10-N11
2	А	301	A1EEF	N07-C08-C09-C10
2	В	301	A1EEF	C08-C09-C10-N11
2	В	301	A1EEF	N07-C08-C09-C10
2	С	301	A1EEF	N07-C08-C09-C10

There are no ring outliers.


12 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	L	301	A1EEF	2	0
2	G	301	A1EEF	1	0
2	D	301	A1EEF	1	0
2	М	301	A1EEF	2	0
4	F	303	MPD	2	0
2	С	301	A1EEF	2	0
2	F	301	A1EEF	1	0
2	Ν	301	A1EEF	1	0
4	С	303	MPD	1	0
4	G	303	MPD	1	0
4	Ν	303	MPD	1	0
4	Н	303	MPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and




any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















Rings




Torsions































































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9	
1	А	181/203~(89%)	0.13	9~(4%)	35	46	15, 20, 32, 50	0
1	В	186/203~(91%)	0.17	12~(6%)	26	37	16, 20, 34, 54	0
1	С	183/203~(90%)	0.35	11 (6%)	29	39	16, 23, 35, 44	1 (0%)
1	D	179/203~(88%)	0.57	12 (6%)	25	35	23, 28, 41, 51	0
1	Е	180/203~(88%)	0.62	11 (6%)	28	39	23, 29, 42, 56	0
1	F	180/203~(88%)	0.48	13 (7%)	23	32	21, 28, 41, 54	0
1	G	179/203~(88%)	0.32	12 (6%)	25	35	15, 22, 36, 56	2 (1%)
1	Н	182/203~(89%)	0.20	8 (4%)	39	51	17, 20, 32, 58	0
1	Ι	182/203~(89%)	0.12	8 (4%)	39	51	16, 20, 32, 47	0
1	J	187/203~(92%)	0.44	13 (6%)	24	33	18, 24, 40, 50	1 (0%)
1	K	181/203~(89%)	0.80	14 (7%)	21	30	25, 31, 44, 56	0
1	L	179/203~(88%)	0.90	17 (9%)	15	22	24, 31, 42, 50	0
1	М	180/203~(88%)	0.68	12 (6%)	25	35	20, 30, 41, 63	0
1	Ν	180/203~(88%)	0.36	12 (6%)	25	35	18, 24, 37, 53	0
All	All	2539/2842~(89%)	0.44	164 (6%)	26	37	15, 26, 39, 63	4 (0%)

The worst 5 of 164 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	6	THR	5.5
1	D	18	TYR	5.4
1	J	8	ILE	5.4
1	М	3	LEU	5.3
1	Н	8	ILE	5.2



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	A1EEF	G	301	39/39	0.67	0.21	48,53,72,73	0
2	A1EEF	С	301	39/39	0.75	0.18	46,49,70,70	0
2	A1EEF	F	301	39/39	0.78	0.16	47,53,68,69	0
2	A1EEF	Ν	301	39/39	0.78	0.18	43,49,69,71	0
2	A1EEF	М	301	39/39	0.79	0.16	52,56,71,72	0
2	A1EEF	J	301	39/39	0.80	0.16	39,45,66,67	0
2	A1EEF	D	301	39/39	0.81	0.16	47,50,64,65	0
4	MPD	G	303	8/8	0.81	0.14	35,36,38,40	0
4	MPD	В	303	8/8	0.82	0.17	41,42,43,44	0
2	A1EEF	L	301	39/39	0.82	0.16	51,55,65,66	0
2	A1EEF	Ι	301	39/39	0.84	0.13	31,34,52,53	0
4	MPD	В	304	8/8	0.85	0.12	32,34,35,36	0
2	A1EEF	Κ	301	39/39	0.85	0.14	41,48,60,61	0
4	MPD	Н	303	8/8	0.85	0.14	31,32,34,35	0
4	MPD	Е	303	8/8	0.86	0.16	45,47,48,50	0
2	A1EEF	А	301	39/39	0.86	0.12	33,37,57,60	0
2	A1EEF	Н	301	39/39	0.86	0.12	34,36,51,53	0
4	MPD	Ι	303	8/8	0.86	0.15	30,33,34,35	0
4	MPD	Κ	303	8/8	0.86	0.15	41,43,44,45	0
4	MPD	D	303	8/8	0.87	0.14	37,39,41,44	0
2	A1EEF	Е	301	39/39	0.87	0.12	43,44,57,57	0
4	MPD	L	303	8/8	0.87	0.15	43,45,46,46	0
4	MPD	F	303	8/8	0.88	0.15	42,43,46,48	0
4	MPD	J	303	8/8	0.88	0.12	33,35,37,37	0
4	MPD	С	303	8/8	0.89	0.11	35,38,39,39	0
3	MG	Е	302	1/1	0.89	0.24	50,50,50,50	0
3	MG	L	302	1/1	0.90	0.22	51,51,51,51	0

Continued on next page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MPD	А	303	8/8	0.90	0.11	32,33,33,34	0
4	MPD	N	303	8/8	0.90	0.12	34,35,38,39	0
3	MG	F	302	1/1	0.91	0.10	42,42,42,42	0
2	A1EEF	В	301	39/39	0.91	0.10	26,28,45,46	0
4	MPD	М	303	8/8	0.92	0.11	37,39,41,41	0
3	MG	М	302	1/1	0.95	0.10	47,47,47,47	0
3	MG	D	302	1/1	0.95	0.10	44,44,44,44	0
3	MG	Н	302	1/1	0.95	0.07	$35,\!35,\!35,\!35$	0
3	MG	С	302	1/1	0.95	0.08	36, 36, 36, 36	0
3	MG	N	302	1/1	0.96	0.08	41,41,41,41	0
3	MG	В	302	1/1	0.96	0.14	36,36,36,36	0
3	MG	J	302	1/1	0.97	0.11	43,43,43,43	0
3	MG	Ι	302	1/1	0.98	0.06	29,29,29,29	0
3	MG	G	302	1/1	0.98	0.09	36,36,36,36	0
3	MG	K	302	1/1	0.98	0.11	48,48,48,48	0
3	MG	А	302	1/1	0.99	0.07	31,31,31,31	0


Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





































































































































































































6.5 Other polymers (i)

There are no such residues in this entry.

