



wwPDB EM Validation Summary Report ⓘ

Sep 16, 2025 – 02:49 PM JST

PDB ID : 9L2E / pdb_00009l2e
EMDB ID : EMD-62773
Title : Structure of SARM1 bound to M1 in the intermediate state 2
Authors : Huang, Y.; Zhang, J.; Zheng, S.; Wang, X.
Deposited on : 2024-12-17
Resolution : 2.46 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev126
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	732	 13% 6% 81%
1	B	732	 12% 6% 81%
1	C	732	 13% 6% 81%
1	D	732	 13% 6% 81%
1	E	732	 13% 6% 81%
1	F	732	 13% 6% 81%
1	G	732	 13% 6% 81%
1	H	732	 12% 7% 81%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD(+) hydrolase SARM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	B	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	C	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	D	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	E	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	F	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	G	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	H	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	725	ASP	-	expression tag	UNP Q6SZW1
A	726	TYR	-	expression tag	UNP Q6SZW1
A	727	LYS	-	expression tag	UNP Q6SZW1
A	728	ASP	-	expression tag	UNP Q6SZW1
A	729	ASP	-	expression tag	UNP Q6SZW1
A	730	ASP	-	expression tag	UNP Q6SZW1
A	731	ASP	-	expression tag	UNP Q6SZW1
A	732	LYS	-	expression tag	UNP Q6SZW1
B	725	ASP	-	expression tag	UNP Q6SZW1
B	726	TYR	-	expression tag	UNP Q6SZW1
B	727	LYS	-	expression tag	UNP Q6SZW1
B	728	ASP	-	expression tag	UNP Q6SZW1
B	729	ASP	-	expression tag	UNP Q6SZW1
B	730	ASP	-	expression tag	UNP Q6SZW1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	731	ASP	-	expression tag	UNP Q6SZW1
B	732	LYS	-	expression tag	UNP Q6SZW1
C	725	ASP	-	expression tag	UNP Q6SZW1
C	726	TYR	-	expression tag	UNP Q6SZW1
C	727	LYS	-	expression tag	UNP Q6SZW1
C	728	ASP	-	expression tag	UNP Q6SZW1
C	729	ASP	-	expression tag	UNP Q6SZW1
C	730	ASP	-	expression tag	UNP Q6SZW1
C	731	ASP	-	expression tag	UNP Q6SZW1
C	732	LYS	-	expression tag	UNP Q6SZW1
D	725	ASP	-	expression tag	UNP Q6SZW1
D	726	TYR	-	expression tag	UNP Q6SZW1
D	727	LYS	-	expression tag	UNP Q6SZW1
D	728	ASP	-	expression tag	UNP Q6SZW1
D	729	ASP	-	expression tag	UNP Q6SZW1
D	730	ASP	-	expression tag	UNP Q6SZW1
D	731	ASP	-	expression tag	UNP Q6SZW1
D	732	LYS	-	expression tag	UNP Q6SZW1
E	725	ASP	-	expression tag	UNP Q6SZW1
E	726	TYR	-	expression tag	UNP Q6SZW1
E	727	LYS	-	expression tag	UNP Q6SZW1
E	728	ASP	-	expression tag	UNP Q6SZW1
E	729	ASP	-	expression tag	UNP Q6SZW1
E	730	ASP	-	expression tag	UNP Q6SZW1
E	731	ASP	-	expression tag	UNP Q6SZW1
E	732	LYS	-	expression tag	UNP Q6SZW1
F	725	ASP	-	expression tag	UNP Q6SZW1
F	726	TYR	-	expression tag	UNP Q6SZW1
F	727	LYS	-	expression tag	UNP Q6SZW1
F	728	ASP	-	expression tag	UNP Q6SZW1
F	729	ASP	-	expression tag	UNP Q6SZW1
F	730	ASP	-	expression tag	UNP Q6SZW1
F	731	ASP	-	expression tag	UNP Q6SZW1
F	732	LYS	-	expression tag	UNP Q6SZW1
G	725	ASP	-	expression tag	UNP Q6SZW1
G	726	TYR	-	expression tag	UNP Q6SZW1
G	727	LYS	-	expression tag	UNP Q6SZW1
G	728	ASP	-	expression tag	UNP Q6SZW1
G	729	ASP	-	expression tag	UNP Q6SZW1
G	730	ASP	-	expression tag	UNP Q6SZW1
G	731	ASP	-	expression tag	UNP Q6SZW1
G	732	LYS	-	expression tag	UNP Q6SZW1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	725	ASP	-	expression tag	UNP Q6SZW1
H	726	TYR	-	expression tag	UNP Q6SZW1
H	727	LYS	-	expression tag	UNP Q6SZW1
H	728	ASP	-	expression tag	UNP Q6SZW1
H	729	ASP	-	expression tag	UNP Q6SZW1
H	730	ASP	-	expression tag	UNP Q6SZW1
H	731	ASP	-	expression tag	UNP Q6SZW1
H	732	LYS	-	expression tag	UNP Q6SZW1

[illegible]

Chain C: 13% 6% 81%

[illegible]

- Molecule 1: NAD(+) hydrolase SARM1



GLU	ASP	LYS	LEU	ILE	GLN	SER	VAL	MET	GLY	ALA	ARG	PHE	VAL	VAL	LEU	ASN	THR	THR	ASP	ASP	ASP	ASP	LYS
GLU	PRO	GLN	VAL	LEU	PRO	GLU	ASP	MET	GLN	ALA	VAL	LEU	THR	PHE	ASN	GLY	ILE	LYS	TRP	GLY	HIS	ALA	GLU
THR	ASP	TYR	LYS	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP

● Molecule 1: NAD(+) hydrolase SARM1



MET	VAL	LEU	THR	LEU	LEU	SER	LEU	SER	LEU	TYR	GLY	ARG	PHE	ALA	GLU	ASP	ALA	MET	SER	GLY	PRO	GLY	ALA	GLU
VAL	GLN	ASP	ALA	GLY	GLY	ASP	ALA	ALA	LEU	PRO	GLU	LEU	GLN	ALA	SER	GLU	ALA	LEU	LYS	THR	LEU	ARG	ALA	GLU
ARG	LEU	GLY	GLY	GLY	ASP	LEU	LEU	LEU	LEU	ARG	GLY	GLN	ALA	ALA	GLU	PRO	GLY	LEU	GLY	THR	LEU	GLY	ALA	GLU
ALA	ARG	SER	VAL	ALA	GLY	ILE	LEU	GLY	GLY	MET	GLY	PHE	GLY	HIS	SER	GLY	GLU	THR	CYS	GLN	ARG	GLY	ALA	GLU
VAL	GLN	ARG	ARG	MET	VAL	GLY	LYS	THR	LEU	ALA	PHE	LEU	GLY	GLY	LEU	ASP	ALA	ALA	LEU	SER	GLY	ALA	GLU	VAL
ALA	SER	LEU	ASP	PRO	GLY	ARG	PHE	GLY	GLY	CYS	GLY	ASP	ALA	GLY	LEU	ASP	ALA	THR	LEU	GLY	GLY	ALA	GLU	VAL
LYS	THR	LYS	VAL	PHE	SER	ASP	ILE	GLY	GLY	ILE	GLY	SER	LEU	LYS	GLY	LEU	VAL	THR	SER	GLN	THR	LEU	GLY	VAL
C430	E431	S432	F433	R434	E435	Q436	D441	L442	L443	L444	R445	T447	E448	L451	D454	L455	G456	M457	R458	S459	G460	I461	T462	R463
E543	E544	M545	LEU	HIS	SER	PRO	GLY	THR	CYS	THR	GLY	ASN	PRO	GLY	LEU	GLY	ILE	PHE	ILE	TYR	CYS	MET	ARG	ASN
PHE	GLY	ASP	LYS	LEU	ILE	GLN	SER	VAL	ALA	ARG	ASN	GLY	THR	ASP	GLY	LEU	LYS	LEU	VAL	THR	LEU	GLY	GLY	GLY
PRO	GLY	PRO	GLN	VAL	GLY	ASP	GLY	VAL	GLY	ILE	LYS	THR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
PRO	THR	ASP	TYR	LYS	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP

● Molecule 1: NAD(+) hydrolase SARM1



MET	VAL	LEU	THR	LEU	LEU	SER	LEU	SER	LEU	TYR	GLY	ARG	PHE	ALA	GLU	ASP	ALA	MET	SER	GLY	PRO	GLY	ALA	GLU
VAL	LEU	LEU	THR	LEU	LEU	SER	LEU	SER	LEU	TYR	GLY	ARG	PHE	ALA	GLU	ASP	ALA	MET	SER	GLY	PRO	GLY	ALA	GLU
THR	ASP	TYR	LYS	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP

- Molecule 1: NAD(+) hydrolase SARM1

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	244752	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	52.73	Depositor
Minimum defocus (nm)	710	Depositor
Maximum defocus (nm)	2240	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	10.088	Depositor
Minimum map value	-6.713	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.169	Depositor
Recommended contour level	1.48	Depositor
Map size (Å)	323.2, 323.2, 323.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.808, 0.808, 0.808	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/1154	0.35	0/1554
1	B	0.16	0/1154	0.35	0/1554
1	C	0.16	0/1154	0.35	0/1554
1	D	0.16	0/1154	0.35	0/1554
1	E	0.16	0/1154	0.35	0/1554
1	F	0.16	0/1154	0.35	0/1554
1	G	0.16	0/1154	0.35	0/1554
1	H	0.16	0/1154	0.35	0/1554
All	All	0.16	0/9232	0.35	0/12432

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1133	0	1115	34	0
1	B	1133	0	1115	35	0
1	C	1133	0	1115	37	0
1	D	1133	0	1115	34	0
1	E	1133	0	1115	33	0
1	F	1133	0	1115	31	0
1	G	1133	0	1115	33	0
1	H	1133	0	1115	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	9064	0	8920	258	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 258 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:459:SER:HB3	1:D:462:THR:HB	1.63	0.81
1:B:459:SER:HB3	1:B:462:THR:HB	1.63	0.81
1:F:459:SER:HB3	1:F:462:THR:HB	1.63	0.81
1:H:459:SER:HB3	1:H:462:THR:HB	1.63	0.80
1:A:459:SER:HB3	1:A:462:THR:HB	1.63	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	137/732 (19%)	135 (98%)	2 (2%)	0	100	100
1	B	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	C	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	D	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	E	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	F	137/732 (19%)	133 (97%)	4 (3%)	0	100	100
1	G	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	H	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
All	All	1096/5856 (19%)	1072 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/598 (21%)	121 (98%)	3 (2%)	44	60
1	B	124/598 (21%)	122 (98%)	2 (2%)	58	72
1	C	124/598 (21%)	122 (98%)	2 (2%)	58	72
1	D	124/598 (21%)	122 (98%)	2 (2%)	58	72
1	E	124/598 (21%)	122 (98%)	2 (2%)	58	72
1	F	124/598 (21%)	122 (98%)	2 (2%)	58	72
1	G	124/598 (21%)	122 (98%)	2 (2%)	58	72
1	H	124/598 (21%)	121 (98%)	3 (2%)	44	60
All	All	992/4784 (21%)	974 (98%)	18 (2%)	54	68

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	462	THR
1	H	494	LEU
1	H	462	THR
1	D	462	THR
1	G	446	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	500	GLN
1	E	478	ASN
1	H	478	ASN
1	G	478	ASN
1	G	500	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-62773. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 217




Y Index: 183




Z Index: 178


6.3.2 Raw map



X Index: 156



Y Index: 156




Z Index: 192


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.48. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 39 nm^3 ; this corresponds to an approximate mass of 35 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.407 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.407 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.46	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.94	3.34	2.97

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.94 differs from the reported value 2.46 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-62773 and PDB model 9L2E. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.48 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.48).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.48) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8020	0.6130
A	0.8030	0.6120
B	0.8020	0.6120
C	0.7990	0.6100
D	0.8000	0.6140
E	0.8030	0.6150
F	0.8010	0.6140
G	0.8030	0.6130
H	0.8030	0.6130

1.0

0.0

<0.0