



wwPDB EM Validation Summary Report ⓘ

Mar 16, 2026 – 06:51 PM JST

PDB ID : 9MBP / pdb_00009mbp
EMDB ID : EMD-63776
Title : Substrate-engaged human 26S proteasome bound to midnolin with RPT1 at top of spiral staircase
Authors : Zhu, C.; Qin, L.; Liang, L.
Deposited on : 2025-03-17
Resolution : 2.75 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	10570 (2.25 - 3.25)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	U	953	
2	V	533	
3	W	456	
4	X	422	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	Y	389	 61% 35% ..
6	Z	324	 60% 26% 12%
7	a	376	 57% 38% ..
8	b	377	 25% 23% .. 49%
9	c	309	 58% 31% 7%
10	d	349	 5% 31% 38% 28%
11	e	70	 6% 27% 27% 43%
12	A	433	 68% 25% 5%
13	B	440	 69% 21% 8%
14	C	398	 75% 23% ..
15	D	418	 64% 25% 9%
16	E	403	 10% 55% 36% 5%
17	F	439	 9% 61% 27% 10%
18	v	14	 86% 14%
19	G	245	 82% 15% .
19	g	245	 77% 21% .
20	H	233	 79% 18% ..
20	h	233	 82% 17% .
21	I	260	 79% 16% 5%
21	i	260	 83% 12% ..
22	J	247	 85% 14% .
22	j	247	 77% 17% ..
23	K	240	82% 14% .
23	k	240	78% 16% 5%
24	L	268	76% 12% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
24	l	268	 71% 18% 11%
25	M	254	 76% 17% 6%
25	m	254	 78% 16% 6%
26	N	238	 74% 9% 17%
26	n	238	 74% 9% 17%
27	O	276	 69% 10% 20%
27	o	276	 69% 10% 20%
28	P	204	 83% 17%
28	p	204	 86% 13%
29	Q	201	 89% 10%
29	q	201	 86% 12%
30	R	262	 65% 11% 23%
30	r	262	 69% 7% 23%
31	S	240	 82% 7% 11%
31	s	240	 80% 9% 11%
32	T	263	 71% 10% 18%
32	t	263	 78% 18%
33	f	468	 6% 92%
34	u	908	 67% 24% 8%

2 Entry composition [i](#)

There are 39 unique types of molecules in this entry. The entry contains 105160 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S proteasome non-ATPase regulatory subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	U	845	6595	4186	1120	1245	44	0	0

- Molecule 2 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	V	480	3852	2444	684	710	14	0	0

- Molecule 3 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	W	452	3667	2314	631	697	25	0	0

- Molecule 4 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	X	380	3009	1918	509	570	12	0	0

- Molecule 5 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	Y	378	3115	1987	533	578	17	0	0

- Molecule 6 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	Z	286	2281	1457	392	427	5	0	0

- Molecule 7 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	a	373	2995	1911	510	559	15	0	0

- Molecule 8 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	b	191	1454	908	261	277	8	0	0

- Molecule 9 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	c	287	2260	1430	389	422	19	0	0

- Molecule 10 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	d	253	2078	1348	340	381	9	0	0

- Molecule 11 is a protein called 26S proteasome complex subunit SEM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	e	40	334	200	55	77	2	0	0

- Molecule 12 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	A	413	3229	2034	566	611	18	0	0

- Molecule 13 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	B	405	3162	1994	538	615	15	0	0

- Molecule 14 is a protein called 26S proteasome regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	C	396	3105	1954	558	576	17	0	0

- Molecule 15 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	D	380	3040	1923	524	580	13	0	0

- Molecule 16 is a protein called Proteasome 26S subunit, ATPase 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	E	381	3031	1903	542	569	17	0	0

- Molecule 17 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	F	395	3098	1951	533	596	18	0	0

- Molecule 18 is a protein called substrate peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
18	v	14	70	42	14	14	0	0

- Molecule 19 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	G	237	1809	1151	302	343	13	0	0
19	g	240	1830	1163	306	348	13	0	0

- Molecule 20 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	H	231	1726	1097	293	331	5	0	0
20	h	232	1727	1096	292	334	5	0	0

- Molecule 21 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	I	248	Total	C	N	O	S	0	0
			1895	1195	324	368	8		
21	i	250	Total	C	N	O	S	0	0
			1912	1204	329	371	8		

- Molecule 22 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	J	247	Total	C	N	O	S	0	0
			1844	1148	331	360	5		
22	j	239	Total	C	N	O	S	0	0
			1704	1056	308	335	5		

- Molecule 23 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	K	230	Total	C	N	O	S	0	0
			1746	1096	286	353	11		
23	k	228	Total	C	N	O	S	0	0
			1722	1080	284	348	10		

- Molecule 24 is a protein called Isoform Long of Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	L	238	Total	C	N	O	S	0	0
			1850	1159	334	346	11		
24	l	238	Total	C	N	O	S	0	0
			1850	1159	334	346	11		

- Molecule 25 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	M	240	Total	C	N	O	S	0	0
			1856	1178	314	353	11		
25	m	240	Total	C	N	O	S	0	0
			1862	1181	317	353	11		

- Molecule 26 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	N	197	Total	C	N	O	S	0	0
			1482	928	253	289	12		
26	n	197	Total	C	N	O	S	0	0
			1482	928	253	289	12		

- Molecule 27 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	O	220	Total	C	N	O	S	0	0
			1643	1033	280	318	12		
27	o	220	Total	C	N	O	S	0	0
			1643	1033	280	318	12		

- Molecule 28 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	P	204	Total	C	N	O	S	0	0
			1591	1013	265	294	19		
28	p	204	Total	C	N	O	S	0	0
			1591	1013	265	294	19		

- Molecule 29 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Q	199	Total	C	N	O	S	0	0
			1570	1006	265	290	9		
29	q	199	Total	C	N	O	S	0	0
			1574	1009	266	290	9		

- Molecule 30 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	R	201	Total	C	N	O	S	0	0
			1548	974	273	292	9		
30	r	201	Total	C	N	O	S	0	0
			1548	974	273	292	9		

- Molecule 31 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	S	213	Total	C	N	O	S	0	0
			1641	1036	282	313	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	s	213	1641	1036	282	313	10	0	0

- Molecule 32 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	T	215	1667	1052	285	318	12	0	0
32	t	215	1673	1055	288	318	12	0	0

- Molecule 33 is a protein called Midnolin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	f	39	331	196	80	54	1	0	0


- Molecule 34 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	u	832	6439	4072	1090	1232	45	0	0

- Molecule 35 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
35	c	1	Total	Zn	0
			1	1	

- Molecule 36 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
36	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
36	B	1	Total	C	N	O	P	0
			31	10	5	13	3	
36	C	1	Total	C	N	O	P	0
			31	10	5	13	3	
36	F	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 37 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
37	A	1	Total	Mg	0
			1	1	
37	B	1	Total	Mg	0
			1	1	
37	C	1	Total	Mg	0
			1	1	
37	D	1	Total	Mg	0
			1	1	
37	F	1	Total	Mg	0
			1	1	

- Molecule 38 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf	
38	D	1	Total	C	N	O	P	0
			27	10	5	10	2	
38	E	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 39 is N-[(benzyloxy)carbonyl]-L-leucyl-N-[(2S)-4-methyl-1-oxopentan-2-yl]-L-leucinamide (CCD ID: LDZ) (formula: $C_{26}H_{41}N_3O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
39	N	1	Total	C	N	O	0
			34	26	3	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
39	O	1	Total 34	C 26	N 3	O 5	0
39	R	1	Total 34	C 26	N 3	O 5	0
39	n	1	Total 34	C 26	N 3	O 5	0
39	o	1	Total 34	C 26	N 3	O 5	0
39	r	1	Total 34	C 26	N 3	O 5	0

• Molecule 2: 26S proteasome non-ATPase regulatory subunit 3




• Molecule 3: 26S proteasome non-ATPase regulatory subunit 12







• Molecule 4: 26S proteasome non-ATPase regulatory subunit 11




• Molecule 5: 26S proteasome non-ATPase regulatory subunit 6




• Molecule 6: 26S proteasome non-ATPase regulatory subunit 7







• Molecule 16: Proteasome 26S subunit, ATPase 6



• Molecule 17: 26S proteasome regulatory subunit 6A








• Molecule 18: substrate peptide




• Molecule 19: Proteasome subunit alpha type-6





• Molecule 19: Proteasome subunit alpha type-6




• Molecule 20: Proteasome subunit alpha type-2




• Molecule 20: Proteasome subunit alpha type-2





• Molecule 21: Proteasome subunit alpha type-4



• Molecule 21: Proteasome subunit alpha type-4



• Molecule 22: Proteasome subunit alpha type-7




• Molecule 22: Proteasome subunit alpha type-7






• Molecule 23: Proteasome subunit alpha type-5



• Molecule 23: Proteasome subunit alpha type-5



• Molecule 24: Isoform Long of Proteasome subunit alpha type-1



• Molecule 24: Isoform Long of Proteasome subunit alpha type-1




• Molecule 25: Proteasome subunit alpha type-3





• Molecule 25: Proteasome subunit alpha type-3



• Molecule 26: Proteasome subunit beta type-6



• Molecule 26: Proteasome subunit beta type-6



• Molecule 27: Proteasome subunit beta type-7




• Molecule 27: Proteasome subunit beta type-7







• Molecule 28: Proteasome subunit beta type-3




• Molecule 28: Proteasome subunit beta type-3




• Molecule 29: Proteasome subunit beta type-2




• Molecule 29: Proteasome subunit beta type-2





• Molecule 30: Proteasome subunit beta type-5




• Molecule 30: Proteasome subunit beta type-5




• Molecule 31: Proteasome subunit beta type-1




• Molecule 31: Proteasome subunit beta type-1




• Molecule 32: Proteasome subunit beta type-4



• Molecule 32: Proteasome subunit beta type-4



• Molecule 33: Midnolin



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	40572	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	29.637	Depositor
Minimum map value	-16.829	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.997	Depositor
Recommended contour level	2	Depositor
Map size (Å)	510.0, 510.0, 510.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, LDZ, ATP, ZN, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	U	0.24	0/6710	0.54	2/9074 (0.0%)
2	V	0.20	0/3929	0.56	1/5309 (0.0%)
3	W	0.26	0/3713	0.59	3/4988 (0.1%)
4	X	0.30	0/3053	0.50	1/4115 (0.0%)
5	Y	0.18	0/3173	0.48	0/4273
6	Z	0.19	0/2324	0.51	0/3150
7	a	0.23	0/3053	0.52	1/4133 (0.0%)
8	b	0.32	0/1474	0.59	2/1996 (0.1%)
9	c	0.33	0/2302	0.63	3/3110 (0.1%)
10	d	0.28	0/2122	0.64	2/2864 (0.1%)
11	e	0.21	0/338	0.66	0/450
12	A	0.26	0/3283	0.51	1/4433 (0.0%)
13	B	0.18	0/3208	0.46	2/4327 (0.0%)
14	C	0.19	0/3146	0.44	3/4226 (0.1%)
15	D	0.17	0/3090	0.42	0/4168
16	E	0.15	0/3077	0.42	0/4141
17	F	0.22	0/3137	0.47	0/4223
18	v	1.10	0/69	1.52	0/95
19	G	0.18	0/1842	0.41	1/2500 (0.0%)
19	g	0.15	0/1863	0.34	0/2527
20	H	0.27	0/1762	0.47	0/2394
20	h	0.15	0/1764	0.31	0/2399
21	I	0.29	0/1925	0.46	1/2606 (0.0%)
21	i	0.16	0/1942	0.37	0/2628
22	J	0.16	0/1869	0.37	0/2531
22	j	0.15	0/1728	0.37	0/2358
23	K	0.17	0/1772	0.33	0/2397
23	k	0.15	0/1747	0.33	0/2364
24	L	0.16	0/1885	0.33	0/2552
24	l	0.15	0/1885	0.34	0/2552
25	M	0.27	0/1891	0.47	0/2552
25	m	0.19	0/1897	0.41	0/2559

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
26	N	0.17	0/1508	0.34	0/2040
26	n	0.18	0/1508	0.35	0/2040
27	O	0.19	0/1670	0.39	0/2265
27	o	0.17	0/1670	0.41	0/2265
28	P	0.18	0/1620	0.36	0/2184
28	p	0.17	0/1620	0.35	0/2184
29	Q	0.17	0/1603	0.35	0/2174
29	q	0.17	0/1607	0.37	0/2178
30	R	0.18	0/1579	0.36	0/2134
30	r	0.16	0/1579	0.31	0/2134
31	S	0.17	0/1671	0.35	0/2253
31	s	0.17	0/1671	0.33	0/2253
32	T	0.18	0/1700	0.36	0/2305
32	t	0.17	0/1706	0.33	0/2312
33	f	0.12	0/331	0.31	0/436
34	u	0.15	0/6548	0.39	0/8864
All	All	0.21	0/106564	0.45	23/144015 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	W	0	1
12	A	0	1
25	M	0	2
All	All	0	4

There are no bond length outliers.

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	B	43	PRO	CA-N-CD	-10.43	97.39	112.00
1	U	119	PRO	CA-N-CD	-10.40	97.43	112.00
13	B	435	PRO	CA-N-CD	-9.68	98.45	112.00
12	A	75	PRO	CA-N-CD	-9.07	99.31	112.00
4	X	341	PRO	CA-N-CD	-8.35	100.31	112.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
12	A	312	ARG	Sidechain
25	M	183	GLU	Mainchain
25	M	187	ARG	Sidechain
3	W	65	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	U	6595	0	6648	239	0
2	V	3852	0	3893	182	0
3	W	3667	0	3786	218	0
4	X	3009	0	3113	92	0
5	Y	3115	0	3120	107	0
6	Z	2281	0	2312	93	0
7	a	2995	0	3012	125	0
8	b	1454	0	1501	83	0
9	c	2260	0	2276	110	0
10	d	2078	0	2107	169	0
11	e	334	0	294	19	0
12	A	3229	0	3263	89	0
13	B	3162	0	3224	78	0
14	C	3105	0	3219	70	0
15	D	3040	0	3076	81	0
16	E	3031	0	3103	117	0
17	F	3098	0	3187	111	0
18	v	70	0	69	1	0
19	G	1809	0	1781	22	0
19	g	1830	0	1807	30	0
20	H	1726	0	1646	33	0
20	h	1727	0	1619	25	0
21	I	1895	0	1833	28	0
21	i	1912	0	1851	23	0
22	J	1844	0	1747	19	0
22	j	1704	0	1517	31	0
23	K	1746	0	1695	19	0
23	k	1722	0	1673	24	0
24	L	1850	0	1822	18	0
24	l	1850	0	1822	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
25	M	1856	0	1816	28	0
25	m	1862	0	1827	25	0
26	N	1482	0	1450	10	0
26	n	1482	0	1450	12	0
27	O	1643	0	1644	22	0
27	o	1643	0	1644	20	0
28	P	1591	0	1609	21	0
28	p	1591	0	1609	16	0
29	Q	1570	0	1547	13	0
29	q	1574	0	1558	17	0
30	R	1548	0	1499	20	0
30	r	1548	0	1499	13	0
31	S	1641	0	1618	10	0
31	s	1641	0	1618	13	0
32	T	1667	0	1628	14	0
32	t	1673	0	1639	5	0
33	f	331	0	361	12	0
34	u	6439	0	6456	161	0
35	c	1	0	0	0	0
36	A	31	0	12	0	0
36	B	31	0	12	1	0
36	C	31	0	12	0	0
36	F	31	0	12	0	0
37	A	1	0	0	0	0
37	B	1	0	0	0	0
37	C	1	0	0	0	0
37	D	1	0	0	0	0
37	F	1	0	0	0	0
38	D	27	0	12	2	0
38	E	27	0	12	1	0
39	N	34	0	41	1	0
39	O	34	0	41	3	0
39	R	34	0	41	4	0
39	n	34	0	41	3	0
39	o	34	0	41	3	0
39	r	34	0	41	4	0
All	All	105160	0	104806	2526	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 2526 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:d:218:GLY:CA	10:d:222:TYR:HA	1.64	1.25
6:Z:16:LEU:HD13	9:c:216:MET:CE	1.73	1.16
10:d:218:GLY:HA3	10:d:222:TYR:HA	1.22	1.16
10:d:186:TYR:HB2	10:d:221:ASN:HB2	1.36	1.07
6:Z:16:LEU:CD1	9:c:216:MET:HE2	1.85	1.05

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	U	839/953 (88%)	745 (89%)	86 (10%)	8 (1%)	13	23
2	V	478/533 (90%)	421 (88%)	56 (12%)	1 (0%)	44	63
3	W	448/456 (98%)	407 (91%)	39 (9%)	2 (0%)	30	47
4	X	378/422 (90%)	358 (95%)	16 (4%)	4 (1%)	12	21
5	Y	376/389 (97%)	334 (89%)	40 (11%)	2 (0%)	25	41
6	Z	284/324 (88%)	250 (88%)	31 (11%)	3 (1%)	12	21
7	a	371/376 (99%)	326 (88%)	41 (11%)	4 (1%)	12	21
8	b	189/377 (50%)	166 (88%)	20 (11%)	3 (2%)	8	13
9	c	285/309 (92%)	238 (84%)	43 (15%)	4 (1%)	9	16
10	d	249/349 (71%)	194 (78%)	48 (19%)	7 (3%)	4	6
11	e	36/70 (51%)	26 (72%)	8 (22%)	2 (6%)	1	1
12	A	411/433 (95%)	365 (89%)	41 (10%)	5 (1%)	11	19
13	B	403/440 (92%)	359 (89%)	40 (10%)	4 (1%)	13	23
14	C	394/398 (99%)	361 (92%)	29 (7%)	4 (1%)	13	23
15	D	378/418 (90%)	345 (91%)	28 (7%)	5 (1%)	10	17
16	E	379/403 (94%)	330 (87%)	44 (12%)	5 (1%)	10	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
17	F	391/439 (89%)	352 (90%)	35 (9%)	4 (1%)	13	23
18	v	12/14 (86%)	10 (83%)	2 (17%)	0	100	100
19	G	235/245 (96%)	226 (96%)	7 (3%)	2 (1%)	14	26
19	g	238/245 (97%)	227 (95%)	11 (5%)	0	100	100
20	H	229/233 (98%)	216 (94%)	12 (5%)	1 (0%)	30	47
20	h	230/233 (99%)	224 (97%)	5 (2%)	1 (0%)	30	47
21	I	246/260 (95%)	228 (93%)	17 (7%)	1 (0%)	30	47
21	i	248/260 (95%)	230 (93%)	17 (7%)	1 (0%)	30	47
22	J	245/247 (99%)	230 (94%)	11 (4%)	4 (2%)	8	13
22	j	237/247 (96%)	213 (90%)	23 (10%)	1 (0%)	30	47
23	K	226/240 (94%)	219 (97%)	7 (3%)	0	100	100
23	k	224/240 (93%)	212 (95%)	12 (5%)	0	100	100
24	L	236/268 (88%)	231 (98%)	5 (2%)	0	100	100
24	l	236/268 (88%)	227 (96%)	9 (4%)	0	100	100
25	M	238/254 (94%)	230 (97%)	7 (3%)	1 (0%)	30	47
25	m	238/254 (94%)	223 (94%)	14 (6%)	1 (0%)	30	47
26	N	195/238 (82%)	189 (97%)	5 (3%)	1 (0%)	25	41
26	n	195/238 (82%)	187 (96%)	8 (4%)	0	100	100
27	O	218/276 (79%)	212 (97%)	5 (2%)	1 (0%)	25	41
27	o	218/276 (79%)	201 (92%)	17 (8%)	0	100	100
28	P	202/204 (99%)	194 (96%)	8 (4%)	0	100	100
28	p	202/204 (99%)	191 (95%)	11 (5%)	0	100	100
29	Q	197/201 (98%)	184 (93%)	13 (7%)	0	100	100
29	q	197/201 (98%)	187 (95%)	10 (5%)	0	100	100
30	R	199/262 (76%)	196 (98%)	1 (0%)	2 (1%)	13	23
30	r	199/262 (76%)	195 (98%)	4 (2%)	0	100	100
31	S	211/240 (88%)	207 (98%)	3 (1%)	1 (0%)	25	41
31	s	211/240 (88%)	206 (98%)	5 (2%)	0	100	100
32	T	213/263 (81%)	206 (97%)	7 (3%)	0	100	100
32	t	213/263 (81%)	205 (96%)	8 (4%)	0	100	100
33	f	37/468 (8%)	37 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
34	u	826/908 (91%)	803 (97%)	23 (3%)	0	100	100
All	All	13340/15341 (87%)	12323 (92%)	932 (7%)	85 (1%)	24	36

5 of 85 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	U	41	SER
1	U	173	VAL
1	U	875	PHE
3	W	45	GLU
3	W	375	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	U	722/816 (88%)	694 (96%)	28 (4%)	27	48
2	V	414/459 (90%)	401 (97%)	13 (3%)	35	56
3	W	412/416 (99%)	392 (95%)	20 (5%)	21	38
4	X	327/362 (90%)	314 (96%)	13 (4%)	27	47
5	Y	334/344 (97%)	322 (96%)	12 (4%)	30	51
6	Z	257/295 (87%)	246 (96%)	11 (4%)	25	44
7	a	333/336 (99%)	313 (94%)	20 (6%)	16	29
8	b	166/312 (53%)	157 (95%)	9 (5%)	18	34
9	c	252/267 (94%)	229 (91%)	23 (9%)	7	13
10	d	226/293 (77%)	213 (94%)	13 (6%)	17	31
11	e	38/63 (60%)	37 (97%)	1 (3%)	41	63
12	A	348/372 (94%)	338 (97%)	10 (3%)	37	59
13	B	352/385 (91%)	344 (98%)	8 (2%)	45	67
14	C	340/346 (98%)	332 (98%)	8 (2%)	44	65
15	D	333/366 (91%)	319 (96%)	14 (4%)	25	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
16	E	333/353 (94%)	315 (95%)	18 (5%)	18	34
17	F	340/379 (90%)	326 (96%)	14 (4%)	26	46
19	G	191/209 (91%)	191 (100%)	0	100	100
19	g	194/209 (93%)	185 (95%)	9 (5%)	23	41
20	H	169/190 (89%)	161 (95%)	8 (5%)	22	40
20	h	167/190 (88%)	163 (98%)	4 (2%)	44	65
21	I	191/220 (87%)	190 (100%)	1 (0%)	86	92
21	i	193/220 (88%)	188 (97%)	5 (3%)	41	63
22	J	179/210 (85%)	172 (96%)	7 (4%)	27	48
22	j	152/210 (72%)	140 (92%)	12 (8%)	10	18
23	K	189/202 (94%)	185 (98%)	4 (2%)	48	69
23	k	186/202 (92%)	179 (96%)	7 (4%)	28	49
24	L	198/229 (86%)	195 (98%)	3 (2%)	60	76
24	l	198/229 (86%)	193 (98%)	5 (2%)	42	64
25	M	192/211 (91%)	188 (98%)	4 (2%)	48	69
25	m	193/211 (92%)	187 (97%)	6 (3%)	35	56
26	N	154/180 (86%)	150 (97%)	4 (3%)	41	63
26	n	154/180 (86%)	151 (98%)	3 (2%)	52	71
27	O	177/227 (78%)	174 (98%)	3 (2%)	56	74
27	o	177/227 (78%)	174 (98%)	3 (2%)	56	74
28	P	173/173 (100%)	170 (98%)	3 (2%)	56	74
28	p	173/173 (100%)	168 (97%)	5 (3%)	37	59
29	Q	164/171 (96%)	160 (98%)	4 (2%)	44	65
29	q	165/171 (96%)	163 (99%)	2 (1%)	67	81
30	R	153/201 (76%)	148 (97%)	5 (3%)	33	55
30	r	153/201 (76%)	148 (97%)	5 (3%)	33	55
31	S	174/198 (88%)	172 (99%)	2 (1%)	70	83
31	s	174/198 (88%)	173 (99%)	1 (1%)	84	90
32	T	175/214 (82%)	168 (96%)	7 (4%)	27	47
32	t	176/214 (82%)	174 (99%)	2 (1%)	70	83
33	f	34/377 (9%)	34 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	u	702/763 (92%)	690 (98%)	12 (2%)	56	74
All	All	11197/12974 (86%)	10826 (97%)	371 (3%)	35	55

5 of 371 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
17	F	356	MET
32	T	155	GLU
20	H	133	SER
25	M	174	THR
20	h	77	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 116 such sidechains are listed below:

Mol	Chain	Res	Type
17	F	434	ASN
34	u	118	ASN
29	Q	24	ASN
34	u	53	GLN
29	q	101	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 6 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
39	LDZ	n	301	-	33,34,34	0.52	1 (3%)	42,44,44	1.55	3 (7%)
36	ATP	A	501	37	26,33,33	0.65	0	31,52,52	0.73	2 (6%)
36	ATP	F	501	37	26,33,33	0.62	0	31,52,52	0.80	2 (6%)
39	LDZ	R	301	-	33,34,34	0.18	0	42,44,44	0.45	1 (2%)
36	ATP	C	501	37	26,33,33	0.64	0	31,52,52	0.76	2 (6%)
38	ADP	E	401	-	24,29,29	0.95	1 (4%)	29,45,45	1.51	4 (13%)
39	LDZ	o	301	-	33,34,34	0.48	0	42,44,44	0.84	2 (4%)
39	LDZ	r	301	-	33,34,34	0.48	0	42,44,44	0.64	1 (2%)
36	ATP	B	501	37	26,33,33	0.64	0	31,52,52	0.74	1 (3%)
38	ADP	D	501	37	24,29,29	0.92	1 (4%)	29,45,45	1.50	4 (13%)
39	LDZ	O	301	-	33,34,34	0.37	0	42,44,44	1.51	2 (4%)
39	LDZ	N	301	-	33,34,34	0.42	0	42,44,44	0.71	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
39	LDZ	n	301	-	-	21/38/39/39	0/1/1/1
36	ATP	A	501	37	-	5/18/38/38	0/3/3/3
36	ATP	F	501	37	-	5/18/38/38	0/3/3/3
39	LDZ	R	301	-	-	10/38/39/39	0/1/1/1
36	ATP	C	501	37	-	3/18/38/38	0/3/3/3
38	ADP	E	401	-	-	5/12/32/32	0/3/3/3
39	LDZ	o	301	-	-	17/38/39/39	0/1/1/1
39	LDZ	r	301	-	-	7/38/39/39	0/1/1/1
36	ATP	B	501	37	-	5/18/38/38	0/3/3/3
38	ADP	D	501	37	-	2/12/32/32	0/3/3/3
39	LDZ	O	301	-	-	17/38/39/39	0/1/1/1
39	LDZ	N	301	-	-	6/38/39/39	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	E	401	ADP	C5-C4	2.50	1.47	1.40
38	D	501	ADP	C5-C4	2.34	1.47	1.40
39	n	301	LDZ	C17-N16	-2.11	1.43	1.46

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	O	301	LDZ	C17-N16-C15	8.05	138.00	123.15
39	n	301	LDZ	C14-N13-C12	7.81	138.41	121.67
38	E	401	ADP	C3'-C2'-C1'	3.83	106.74	100.98
38	E	401	ADP	PA-O3A-PB	-3.77	119.90	132.83
38	D	501	ADP	C3'-C2'-C1'	3.71	106.56	100.98

There are no chirality outliers.

5 of 103 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
36	A	501	ATP	PB-O3B-PG-O3G
36	A	501	ATP	C5'-O5'-PA-O1A
36	B	501	ATP	C5'-O5'-PA-O3A
36	C	501	ATP	C5'-O5'-PA-O3A
36	F	501	ATP	C5'-O5'-PA-O1A


There are no ring outliers.


9 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
39	n	301	LDZ	3	0
39	R	301	LDZ	4	0
38	E	401	ADP	1	0
39	o	301	LDZ	3	0
39	r	301	LDZ	4	0
36	B	501	ATP	1	0
38	D	501	ADP	2	0
39	O	301	LDZ	3	0
39	N	301	LDZ	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-63776. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 327



Y Index: 330




Z Index: 255


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 2.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3329 nm^3 ; this corresponds to an approximate mass of 3007 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.364\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-63776 and PDB model 9MBP. Per-residue inclusion information can be found in section [3](#) on page [14](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2).

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9250	 0.5020
A	 0.9250	 0.5040
B	 0.9260	 0.5200
C	 0.9450	 0.5380
D	 0.9410	 0.5300
E	 0.7980	 0.3780
F	 0.8250	 0.4170
G	 0.9790	 0.6080
H	 0.9840	 0.6210
I	 0.9740	 0.5930
J	 0.9470	 0.5760
K	 0.9840	 0.6210
L	 0.9910	 0.6320
M	 0.9820	 0.6150
N	 0.9890	 0.6380
O	 0.9850	 0.6250
P	 0.9910	 0.6320
Q	 0.9940	 0.6360
R	 0.9940	 0.6410
S	 0.9940	 0.6400
T	 0.9930	 0.6390
U	 0.9090	 0.4150
V	 0.7530	 0.2940
W	 0.8310	 0.3150
X	 0.9060	 0.4260
Y	 0.9000	 0.4040
Z	 0.9190	 0.4360
a	 0.8600	 0.3410
b	 0.7700	 0.2930
c	 0.8980	 0.4320
d	 0.8230	 0.3520
e	 0.7700	 0.2610
f	 0.5890	 0.1430
g	 0.9900	 0.6020
h	 0.9810	 0.6000



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.9680	 0.5600
j	 0.9500	 0.5200
k	 0.9650	 0.5660
l	 0.9880	 0.5980
m	 0.9780	 0.5950
n	 0.9930	 0.6320
o	 0.9820	 0.6160
p	 0.9920	 0.6360
q	 0.9900	 0.6310
r	 0.9930	 0.6320
s	 0.9950	 0.6380
t	 0.9910	 0.6330
u	 0.9120	 0.3900
v	 0.9430	 0.5640