

Mar 6, 2025 – 10:14 AM EST

PDB ID	:	9MJ5
EMDB ID	:	EMD-48312
Title	:	Catalytic domain of human DNA polymerase alpha in complex with DNA and
		RPA
Authors	:	Baranovskiy, A.G.; Morstadt, L.M.; Romero, E.E.; Babayeva, N.D.; Tahirov,
		T.H.
Deposited on	:	2024-12-13
Resolution	:	3.50 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev117
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.4

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	121	64%	30%	
2	В	236	67%	20%	• 12%
3	С	179	82%		17% •
4	Р	11	64%	36%	
5	S	910	85%		10% •
6	Т	35	60%	29%	11%



2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 11919 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Replication protein A 14 kDa subunit.

Mol	Chain	Residues	Atoms			AltConf	Trace		
1	А	118	Total 924	C 595	N 150	0 172	S 7	0	0

• Molecule 2 is a protein called Replication protein A 32 kDa subunit.

Mol	Chain	Residues	Atoms			AltConf	Trace		
2	В	208	Total 1615	C 1016	N 276	0 314	S 9	0	0

• Molecule 3 is a protein called Replication protein A 70 kDa DNA-binding subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace	
3	С	179	Total 1474	C 925	N 255	O 283	S 11	0	0

• Molecule 4 is DNA/RNA hybrid called RNA-DNA primer (11-mer).

Mol	Chain	Residues	Atoms			AltConf	Trace		
4	Р	11	Total 231	C 105	N 44	O 72	Р 10	0	0

• Molecule 5 is a protein called DNA polymerase alpha catalytic subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace	
5	S	873	Total 7008	$\begin{array}{c} \mathrm{C} \\ 4507 \end{array}$	N 1174	O 1286	S 41	0	0

• Molecule 6 is a DNA chain called DNA template (35-mer).

Mol	Chain	Residues	Atoms				AltConf	Trace	
6	Т	31	Total 637	C 303	N 120	0 183	Р 31	0	0



• Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
7	С	1	Total Zn 1 1	0

• Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
8	S	1	Total Mg 1 1	0

• Molecule 9 is 2'-DEOXYCYTIDINE-5'-TRIPHOSPHATE (three-letter code: DCP) (formula: $C_9H_{16}N_3O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
0	C	1	Total	С	Ν	Ο	Р	0
9	G	1	28	9	3	13	3	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Replication protein A 14 kDa subunit













4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	18529	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose $(e^-/\text{\AA}^2)$	60	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	39.672	Depositor
Minimum map value	-21.875	Depositor
Average map value	0.002	Depositor
Map value standard deviation	1.012	Depositor
Recommended contour level	4	Depositor
Map size (Å)	324.0, 324.0, 324.0	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles ($^{\circ}$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.72, 0.72, 0.72	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, DCP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		Bond lengths		ond angles
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.28	0/943	0.59	0/1274
2	В	0.26	0/1644	0.52	1/2234~(0.0%)
3	С	0.28	0/1501	0.55	0/2020
4	Р	0.31	0/258	0.77	0/400
5	S	0.26	0/7152	0.47	0/9664
6	Т	0.53	0/715	0.90	0/1101
All	All	0.29	0/12213	0.54	1/16693~(0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	247	ASP	CB-CG-OD2	5.35	123.12	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	924	0	929	29	0
2	В	1615	0	1609	35	0
3	С	1474	0	1426	20	0
4	Р	231	0	120	3	0



Mol	Chain	Non-H	${ m H}({ m model})$	H(added)	Clashes	Symm-Clashes	
5	S	7008	0	7152	45	0	
6	Т	637	0	349	10	0	
7	С	1	0	0	0	0	
8	S	1	0	0	0	0	
9	S	28	0	12	0	0	
All	All	11919	0	11597	129	0	

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A + 1	A + 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
3:C:448:VAL:HA	3:C:453:LEU:HD23	1.67	0.76	
1:A:9:ARG:HH21	2:B:97:MET:HA	1.53	0.74	
5:S:858:LEU:HD23	5:S:1041:ASP:HB3	1.70	0.73	
5:S:1237:THR:HG22	5:S:1243:PRO:HB3	1.72	0.71	
2:B:66:ILE:HG23	2:B:69:VAL:HB	1.77	0.67	
3:C:497:LEU:HD12	3:C:506:GLU:HG2	1.78	0.66	
3:C:586:ARG:HH12	6:T:11:DC:H2"	1.60	0.65	
5:S:856:ILE:HB	5:S:1044:PHE:HB2	1.78	0.65	
2:B:128:VAL:HG22	2:B:146:ILE:HD12	1.80	0.64	
3:C:548:GLY:HA2	3:C:551:LYS:HE2	1.80	0.63	
2:B:145:LYS:HD3	3:C:567:PHE:HB2	1.80	0.63	
5:S:485:GLU:O	5:S:489:MET:HG2	1.99	0.62	
3:C:451:GLU:OE1	3:C:453:LEU:HD22	2.00	0.62	
2:B:91:VAL:HG12	2:B:105:ARG:HD3	1.82	0.61	
5:S:587:SER:HB2	5:S:612:ALA:HB3	1.83	0.59	
1:A:43:LEU:HD12	1:A:44:SER:H	1.67	0.58	
5:S:715:ILE:HG22	5:S:716:LEU:HD12	1.85	0.57	
2:B:167:MET:O	2:B:171:LYS:HG3	2.04	0.57	
1:A:17:LEU:HD23	1:A:17:LEU:H	1.69	0.57	
1:A:99:TYR:O	1:A:103:VAL:HG23	2.04	0.57	
2:B:46:ILE:HG22	2:B:73:GLN:HB2	1.87	0.56	
2:B:126:VAL:HG12	2:B:148:PRO:HA	1.88	0.56	
5:S:465:PRO:HD2	5:S:468:LEU:HD13	1.88	0.55	
5:S:843:LEU:HD23	5:S:984:LEU:HD23	1.89	0.54	
1:A:34:ILE:HD13	1:A:41:PHE:HD2	1.72	0.54	
5:S:497:CYS:HB2	5:S:530:LYS:HB2	1.90	0.53	
1:A:28:VAL:HG23	1:A:68:GLU:HB3	1.91	0.53	
2:B:157:THR:O	2:B:161:GLU:HG2	2.09	0.53	



	ous puge	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:96:LEU:HD12	1:A:99:TYR:HB3	1.91	0.53	
1:A:32:GLU:HB2	1:A:42:ILE:HG23	1.91	0.52	
1:A:113:TYR:HE1	2:B:50:THR:HG21	1.74	0.52	
5:S:417:PHE:HA	5:S:421:ILE:HD12	1.92	0.52	
1:A:17:LEU:HD12	1:A:77:ALA:HB1	1.91	0.52	
5:S:353:TYR:HE2	6:T:19:DA:H2'	1.74	0.52	
5:S:677:SER:HB3	6:T:21:DA:H2	1.74	0.51	
6:T:14:DA:N3	6:T:14:DA:H2'	2.25	0.51	
6:T:31:DC:H2"	6:T:32:DA:H8	1.75	0.51	
3:C:550:LEU:HD12	3:C:550:LEU:H	1.75	0.51	
5:S:855:PHE:O	5:S:856:ILE:HD13	2.11	0.51	
5:S:858:LEU:HD12	5:S:1007:MET:HG2	1.92	0.51	
5:S:701:ILE:HD13	5:S:715:ILE:HD11	1.93	0.51	
1:A:30:ARG:HH12	1:A:65:GLY:HA2	1.77	0.50	
1:A:59:LEU:HD12	1:A:61:GLU:H	1.77	0.49	
1:A:9:ARG:NH2	2:B:97:MET:HA	2.25	0.49	
5:S:378:VAL:HG22	5:S:518:ALA:HB3	1.95	0.49	
5:S:1122:ASN:OD1	5:S:1128:VAL:HG13	2.13	0.49	
6:T:21:DA:C8	6:T:21:DA:H5'	2.47	0.49	
3:C:579:GLU:HG2	3:C:588:LYS:HE2	1.95	0.49	
5:S:622:PHE:O	5:S:626:VAL:HG12	2.13	0.48	
2:B:46:ILE:HD12	2:B:46:ILE:O	2.14	0.48	
2:B:128:VAL:HG22	2:B:146:ILE:CD1	2.43	0.48	
2:B:143:ALA:HB1	2:B:146:ILE:HD11	1.96	0.48	
1:A:4:MET:HE1	1:A:72:ARG:HB2	1.96	0.47	
5:S:439:TYR:CZ	5:S:441:PHE:HB2	2.49	0.47	
5:S:868:ILE:HD11	5:S:983:ILE:HD12	1.96	0.47	
3:C:578:VAL:HG22	3:C:587:ILE:HG12	1.95	0.47	
5:S:1071:LYS:HE3	5:S:1071:LYS:HB2	1.59	0.47	
2:B:51:ILE:HG21	2:B:102:MET:HB2	1.97	0.47	
5:S:544:MET:HB3	5:S:560:MET:HG2	1.96	0.47	
2:B:104:VAL:HG13	2:B:141:LEU:HB3	1.97	0.46	
5:S:769:THR:HG21	5:S:776:MET:HB2	1.96	0.46	
1:A:43:LEU:HD12	1:A:44:SER:N	2.29	0.46	
1:A:115:LEU:HD23	1:A:115:LEU:H	1.80	0.46	
2:B:130:GLY:HA2	2:B:144:PHE:CD2	2.51	0.46	
2:B:64:PHE:HD2	2:B:132:LEU:HD21	1.80	0.46	
5:S:1114:LYS:O	5:S:1117:ILE:HG22	2.16	0.45	
2:B:152:MET:HB3	2:B:155:PHE:CE2	2.52	0.45	
2:B:168:VAL:HA	2:B:171:LYS:NZ	2.31	0.45	
5:S:984:LEU:HD22	5:S:1003:THR:HA	1.98	0.45	

Continued from previous page...



	tus page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:79:ILE:HB	2:B:125:TYR:CE1	2.52	0.45	
1:A:106:ILE:HD12	1:A:113:TYR:CD2	2.52	0.45	
3:C:499:ARG:HH21	3:C:504:ASP:HA	1.81	0.45	
1:A:113:TYR:CE1	2:B:50:THR:HG21	2.52	0.45	
5:S:934:LEU:HD23	5:S:934:LEU:HA	1.85	0.45	
1:A:66:ILE:HB	1:A:87:PHE:HB2	1.99	0.44	
5:S:408:ILE:HD12	5:S:408:ILE:HA	1.81	0.44	
1:A:97:GLY:O	1:A:101:GLU:HG2	2.18	0.44	
2:B:59:LEU:HD13	2:B:64:PHE:CE1	2.53	0.44	
5:S:488:LEU:HD23	5:S:488:LEU:HA	1.88	0.44	
6:T:25:DG:H2'	6:T:26:DC:C6	2.52	0.44	
1:A:53:ILE:HG21	1:A:69:VAL:HG21	1.99	0.44	
5:S:381:LYS:HD2	5:S:519:MET:HE3	2.00	0.44	
4:P:3:C:H2'	4:P:4:U:C6	2.53	0.43	
2:B:94:ILE:HD12	2:B:94:ILE:HA	1.90	0.43	
3:C:553:LYS:HE3	3:C:553:LYS:HB2	1.83	0.43	
2:B:156:THR:O	2:B:159:ILE:HG22	2.18	0.43	
1:A:100:ASN:O	1:A:104:LYS:HG3	2.18	0.43	
5:S:634:ILE:HB	5:S:690:ILE:HD13	2.01	0.43	
4:P:8:G:OP1	5:S:1138:ALA:HB3	2.19	0.43	
1:A:34:ILE:HA	1:A:41:PHE:HB3	2.00	0.43	
5:S:742:LEU:HD12	5:S:742:LEU:HA	1.81	0.42	
1:A:43:LEU:HB2	1:A:53:ILE:HD11	2.00	0.42	
2:B:51:ILE:H	2:B:51:ILE:HG13	1.65	0.42	
5:S:1234:LEU:HD23	5:S:1234:LEU:HA	1.84	0.42	
2:B:105:ARG:HH12	6:T:18:DT:H3	1.68	0.42	
3:C:459:PRO:HB3	3:C:577:LYS:HB2	2.01	0.42	
3:C:577:LYS:HB3	3:C:588:LYS:NZ	2.34	0.42	
5:S:576:LYS:HE2	5:S:576:LYS:HB3	1.89	0.42	
5:S:677:SER:HB3	6:T:21:DA:C2	2.55	0.42	
3:C:516:LEU:HD12	3:C:517:SER:H	1.84	0.42	
6:T:10:DA:H2"	6:T:11:DC:C5	2.55	0.42	
5:S:762:LEU:HB2	5:S:763:PRO:HD3	2.02	0.42	
2:B:139:LYS:HA	2:B:139:LYS:HD3	1.88	0.41	
2:B:160:LEU:HB3	3:C:606:LEU:HD13	2.02	0.41	
1:A:57:GLU:HG2	1:A:58:PRO:HD2	2.03	0.41	
2:B:93:LYS:HD3	2:B:93:LYS:HA	1.63	0.41	
3:C:488:LYS:HG3	3:C:502:LYS:HB2	2.02	0.41	
5:S:577:PRO:HA	5:S:578:PRO:HD3	1.89	0.41	
1:A:41:PHE:CE1	1:A:53:ILE:HB	2.55	0.41	
1:A:59:LEU:HD12	1:A:60:ASP:N	2.35	0.41	

Continued from previous page.



	bus puge	.	
Atom-1	Atom-2	Interatomic	Clash
	At0111-2	distance (Å)	overlap (Å)
5:S:738:LEU:HD12	5:S:738:LEU:HA	1.85	0.41
5:S:977:THR:O	5:S:981:ARG:HG3	2.20	0.41
2:B:149:LEU:HD23	2:B:149:LEU:HA	1.82	0.41
5:S:731:MET:HB3	5:S:737:GLN:HB3	2.02	0.41
2:B:79:ILE:HD12	2:B:125:TYR:HE1	1.85	0.41
3:C:477:MET:HG3	3:C:551:LYS:NZ	2.36	0.41
5:S:799:ASN:HD22	5:S:910:ILE:HD11	1.86	0.41
3:C:592:MET:SD	3:C:592:MET:N	2.94	0.41
3:C:595:LYS:HA	3:C:595:LYS:HD3	1.90	0.41
2:B:61:ASP:O	2:B:62:GLU:HG3	2.21	0.40
5:S:1227:ILE:HD13	5:S:1227:ILE:HA	1.86	0.40
1:A:5:MET:HA	1:A:9:ARG:NH1	2.36	0.40
1:A:117:ILE:HG12	2:B:55:LEU:HD11	2.04	0.40
2:B:228:GLN:HA	2:B:231:LYS:HE2	2.04	0.40
4:P:2:C:H2'	4:P:3:C:C6	2.57	0.40
5:S:433:LYS:HE2	5:S:433:LYS:HB3	1.83	0.40
5:S:570:LEU:HG	5:S:766:LEU:HD22	2.04	0.40
5:S:918:LEU:HD23	5:S:918:LEU:HA	1.87	0.40
3:C:444:THR:O	3:C:448:VAL:HG23	2.21	0.40

Continued from previous page.

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	116/121~(96%)	116 (100%)	0	0	100	100
2	В	204/236~(86%)	198 (97%)	6 (3%)	0	100	100
3	С	177/179~(99%)	172 (97%)	5(3%)	0	100	100
5	S	867/910~(95%)	825 (95%)	41 (5%)	1 (0%)	48	79
All	All	1364/1446~(94%)	1311 (96%)	52 (4%)	1 (0%)	50	79



All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	S	589	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	103/106~(97%)	95~(92%)	8 (8%)	10 34
2	В	186/205~(91%)	180~(97%)	6 (3%)	34 62
3	С	162/162~(100%)	154~(95%)	8 (5%)	21 50
5	S	784/815~(96%)	758~(97%)	26 (3%)	33 61
All	All	1235/1288~(96%)	1187 (96%)	48 (4%)	30 56

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	4	MET
1	А	11	ARG
1	А	22	ASP
1	А	27	PHE
1	А	41	PHE
1	А	68	GLU
1	A	109	PHE
1	А	115	LEU
2	В	72	SER
2	В	102	MET
2	В	131	HIS
2	В	152	MET
2	В	236	HIS
2	В	262	ASP
3	С	457	ASP
3	С	473	LYS
3	С	507	PHE
3	С	514	MET
3	С	550	LEU



Mol	Chain	Res	Type
3	С	592	MET
3	С	600	ARG
3	С	606	LEU
5	S	369	SER
5	S	412	ASP
5	S	596	TYR
5	S	609	VAL
5	S	632	ASP
5	S	635	VAL
5	S	669	ASN
5	S	731	MET
5	S	732	TYR
5	S	748	ASP
5	S	788	ASN
5	S	790	PHE
5	S	797	TYR
5	S	855	PHE
5	S	935	ASN
5	S	946	GLN
5	S	954	ASN
5	S	957	TYR
5	S	990	MET
5	S	1004	ASP
5	S	1020	LYS
5	S	1068	TYR
5	S	1127	SER
5	S	1131	SER
5	S	1231	ASP
5	S	1241	LEU

Continued from previous page...

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
3	С	564	ASN
5	S	549	ASN
5	S	1111	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Link Bond lengths			Bond angles			
	туре	Ullaili	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	DCP	S	1302	8	28,29,29	0.36	0	41,45,45	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	DCP	S	1302	8	-	2/22/34/34	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	S	1302	DCP	PB-O3B-PG-O3G
9	S	1302	DCP	PB-O3B-PG-O1G

There are no ring outliers.



No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-48312. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)

6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 225

Y Index: 225





The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 225

Y Index: 233

Z Index: 164

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 180 nm^3 ; this corresponds to an approximate mass of 163 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.286 \AA^{-1}



8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-48312 and PDB model 9MJ5. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 4.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4).



9.4 Atom inclusion (i)



At the recommended contour level, 97% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9630	0.4360
А	0.9800	0.3210
В	0.9500	0.3830
С	0.9880	0.3210
Р	0.9910	0.4740
S	0.9580	0.4940
Т	0.9640	0.3600

