

wwPDB X-ray Structure Validation Summary Report (i)

May 29, 2024 – 10:15 am BST

PDB ID : 5MKC

Title: Crystal structure of the RrgA Jo.In complex

Authors: Bonnet, J.; Cartannaz, J.; Tourcier, G.; Contreras-Martel, C.; Kleman, J.P.;

Fenel, D.; Schoehn, G.; Morlot, C.; Vernet, T.; Di Guilmi, A.M.

Deposited on : 2016-12-03

Resolution : 2.04 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.4, CSD as541be (2020)

Xtriage (Phenix) : 1.13 EDS : 2.36.2

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(\mathring{\rm A})}) \end{array}$
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	232	85%	• • 11%
1	В	232	7% 85%	•• 11%
1	С	232	85%	•• 11%
1	D	232	85%	•• 11%
1	Е	232	9%	• 11%



Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	F	232	7% 85%	•• 11%



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 10949 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Cell wall surface anchor family protein (Jo), Cell wall surface anchor family protein (In).

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	Trace
1	Α	A 207	Total	С	N	О	S	0	2	0
1	A	201	1644	1026	280	337	1		2	0
1	В	206	Total	С	N	О	S	0	1	0
1	Ъ	200	1633	1017	279	336	1		1	0
1	С	206	Total	С	N	О	S	0	2	0
1		200	1638	1022	280	335	1	U		0
1	D	207	Total	С	N	О	S	0	2	0
1	D	201	1646	1026	281	338	1		2	
1	E	207	Total	С	N	О	S	0	1	0
1		207	1642	1022	281	338	1		1	0
1	F	F 207	Total	С	N	О	S	0	1	0
1	I.	201	1642	1022	281	338	1		1	

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	128	MET	-	initiating methionine	UNP A0A0Y1GQ57
A	129	GLY	-	expression tag	UNP A0A0Y1GQ57
A	130	SER	-	expression tag	UNP A0A0Y1GQ57
A	131	SER	-	expression tag	UNP A0A0Y1GQ57
A	132	HIS	-	expression tag	UNP A0A0Y1GQ57
A	133	HIS	-	expression tag	UNP A0A0Y1GQ57
A	134	HIS	-	expression tag	UNP A0A0Y1GQ57
A	135	HIS	-	expression tag	UNP A0A0Y1GQ57
A	136	HIS	-	expression tag	UNP A0A0Y1GQ57
A	137	HIS	-	expression tag	UNP A0A0Y1GQ57
A	138	SER	-	expression tag	UNP A0A0Y1GQ57
A	139	GLN	-	expression tag	UNP A0A0Y1GQ57
A	140	ASP	-	expression tag	UNP A0A0Y1GQ57
A	141	PRO	-	expression tag	UNP A0A0Y1GQ57
A	584	MET		linker	UNP A0A0Y1GQ57
A	585	ALA	-	linker	UNP A0A0Y1GQ57



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
A	586	ASP	-	linker	UNP A0A0Y1GQ57
A	587	LEU	-	linker	UNP A0A0Y1GQ57
В	128	MET	-	initiating methionine	UNP A0A0Y1GQ57
В	129	GLY	-	expression tag	UNP A0A0Y1GQ57
В	130	SER	-	expression tag	UNP A0A0Y1GQ57
В	131	SER	-	expression tag	UNP A0A0Y1GQ57
В	132	HIS	-	expression tag	UNP A0A0Y1GQ57
В	133	HIS	-	expression tag	UNP A0A0Y1GQ57
В	134	HIS	-	expression tag	UNP A0A0Y1GQ57
В	135	HIS	_	expression tag	UNP A0A0Y1GQ57
В	136	HIS	-	expression tag	UNP A0A0Y1GQ57
В	137	HIS	-	expression tag	UNP A0A0Y1GQ57
В	138	SER	_	expression tag	UNP A0A0Y1GQ57
В	139	GLN	-	expression tag	UNP A0A0Y1GQ57
В	140	ASP	-	expression tag	UNP A0A0Y1GQ57
В	141	PRO	-	expression tag	UNP A0A0Y1GQ57
В	584	MET	-	linker	UNP A0A0Y1GQ57
В	585	ALA	-	linker	UNP A0A0Y1GQ57
В	586	ASP	-	linker	UNP A0A0Y1GQ57
В	587	LEU	-	linker	UNP A0A0Y1GQ57
С	128	MET	-	initiating methionine	UNP A0A0Y1GQ57
С	129	GLY	-	expression tag	UNP A0A0Y1GQ57
С	130	SER	-	expression tag	UNP A0A0Y1GQ57
С	131	SER	-	expression tag	UNP A0A0Y1GQ57
С	132	HIS	_	expression tag	UNP A0A0Y1GQ57
С	133	HIS	-	expression tag	UNP A0A0Y1GQ57
С	134	HIS	-	expression tag	UNP A0A0Y1GQ57
С	135	HIS	-	expression tag	UNP A0A0Y1GQ57
С	136	HIS	-	expression tag	UNP A0A0Y1GQ57
С	137	HIS	-	expression tag	UNP A0A0Y1GQ57
С	138	SER	-	expression tag	UNP A0A0Y1GQ57
С	139	GLN	-	expression tag	UNP A0A0Y1GQ57
С	140	ASP	-	expression tag	UNP A0A0Y1GQ57
С	141	PRO	-	expression tag	UNP A0A0Y1GQ57
С	584	MET	-	linker	UNP A0A0Y1GQ57
С	585	ALA	-	linker	UNP A0A0Y1GQ57
С	586	ASP	-	linker	UNP A0A0Y1GQ57
С	587	LEU	-	linker	UNP A0A0Y1GQ57
D	128	MET	_	initiating methionine	UNP A0A0Y1GQ57
D	129	GLY	-	expression tag	UNP A0A0Y1GQ57
D	130	SER	-	expression tag	UNP A0A0Y1GQ57
D	131	SER	-	expression tag	UNP A0A0Y1GQ57



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	132	HIS	-	expression tag	UNP A0A0Y1GQ57
D	133	HIS	-	expression tag	UNP A0A0Y1GQ57
D	134	HIS	-	expression tag	UNP A0A0Y1GQ57
D	135	HIS	-	expression tag	UNP A0A0Y1GQ57
D	136	HIS	-	expression tag	UNP A0A0Y1GQ57
D	137	HIS	-	expression tag	UNP A0A0Y1GQ57
D	138	SER	-	expression tag	UNP A0A0Y1GQ57
D	139	GLN	-	expression tag	UNP A0A0Y1GQ57
D	140	ASP	-	expression tag	UNP A0A0Y1GQ57
D	141	PRO	-	expression tag	UNP A0A0Y1GQ57
D	584	MET	-	linker	UNP A0A0Y1GQ57
D	585	ALA	-	linker	UNP A0A0Y1GQ57
D	586	ASP	-	linker	UNP A0A0Y1GQ57
D	587	LEU	-	linker	UNP A0A0Y1GQ57
Е	128	MET	-	initiating methionine	UNP A0A0Y1GQ57
Е	129	GLY	-	expression tag	UNP A0A0Y1GQ57
Е	130	SER	-	expression tag	UNP A0A0Y1GQ57
Е	131	SER	-	expression tag	UNP A0A0Y1GQ57
Е	132	HIS	-	expression tag	UNP A0A0Y1GQ57
Е	133	HIS	-	expression tag	UNP A0A0Y1GQ57
Е	134	HIS	-	expression tag	UNP A0A0Y1GQ57
Е	135	HIS	-	expression tag	UNP A0A0Y1GQ57
Е	136	HIS	-	expression tag	UNP A0A0Y1GQ57
Е	137	HIS	-	expression tag	UNP A0A0Y1GQ57
Е	138	SER	-	expression tag	UNP A0A0Y1GQ57
Е	139	GLN	-	expression tag	UNP A0A0Y1GQ57
Е	140	ASP	-	expression tag	UNP A0A0Y1GQ57
Е	141	PRO	-	expression tag	UNP A0A0Y1GQ57
Е	584	MET	-	linker	UNP A0A0Y1GQ57
Е	585	ALA	-	linker	UNP A0A0Y1GQ57
Е	586	ASP	-	linker	UNP A0A0Y1GQ57
Е	587	LEU	-	linker	UNP A0A0Y1GQ57
F	128	MET	-	initiating methionine	UNP A0A0Y1GQ57
F	129	GLY	-	expression tag	UNP A0A0Y1GQ57
F	130	SER	-	expression tag	UNP A0A0Y1GQ57
F	131	SER	-	expression tag	UNP A0A0Y1GQ57
F	132	HIS	-	expression tag	UNP A0A0Y1GQ57
F	133	HIS	-	expression tag	UNP A0A0Y1GQ57
F	134	HIS	-	expression tag	UNP A0A0Y1GQ57
F	135	HIS	-	expression tag	UNP A0A0Y1GQ57
F	136	HIS	-	expression tag	UNP A0A0Y1GQ57
F	137	HIS	-	expression tag	UNP A0A0Y1GQ57



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
F	138	SER	-	expression tag	UNP A0A0Y1GQ57
F	139	GLN	-	expression tag	UNP A0A0Y1GQ57
F	140	ASP	-	expression tag	UNP A0A0Y1GQ57
F	141	PRO	-	expression tag	UNP A0A0Y1GQ57
F	584	MET	-	linker	UNP A0A0Y1GQ57
F	585	ALA	-	linker	UNP A0A0Y1GQ57
F	586	ASP	-	linker	UNP A0A0Y1GQ57
F	587	LEU	-	linker	UNP A0A0Y1GQ57

 \bullet Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: $\mathrm{O_4S}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	В	1	Total O S 5 4 1	0	0
2	В	1	Total O S 5 4 1	0	0
2	С	1	Total O S 5 4 1	0	0
2	С	1	Total O S 5 4 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total O S	0	0
	D	1	5 4 1	U	U
2	D	1	Total O S	0	0
	D	1	5 4 1	0	U
2	D	1	Total O S	0	0
	D	1	5 4 1	0	U
2	E	1	Total O S	0	0
	П	1	5 4 1	0	U
2	E	1	Total O S	0	0
	П	1	5 4 1	Ů,	Ŭ
2	F	1	Total O S	0	0
	1	1	5 4 1	· ·	Ŭ
2	F	1	Total O S	0	0
	1	1	5 4 1		9
$\frac{1}{2}$	F	1	Total O S	0	0
	I.	1	5 4 1		

• Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ni 1 1	0	0
3	D	1	Total Ni 1 1	0	0
3	F	1	Total Ni 1 1	0	0

• Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	С	1	Total Ca 1 1	0	0
4	Е	1	Total Ca 1 1	0	0
4	F	1	Total Ca 1 1	0	0

• Molecule 5 is water.

\mathbf{Mol}	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	197	Total O 197 197	0	0



Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	120	Total O 120 120	0	0
5	С	191	Total O 191 191	0	0
5	D	198	Total O 198 198	0	0
5	Е	146	Total O 146 146	0	0
5	F	171	Total O 171 171	0	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cell wall surface anchor family protein (Jo), Cell wall surface anchor family protein (In)




• Molecule 1: Cell wall surface anchor family protein (Jo), Cell wall surface anchor family protein (In)



• Molecule 1: Cell wall surface anchor family protein (Jo), Cell wall surface anchor family protein (In)




• Molecule 1: Cell wall surface anchor family protein (Jo), Cell wall surface anchor family protein (In)






• Molecule 1: Cell wall surface anchor family protein (Jo), Cell wall surface anchor family protein (In)



• Molecule 1: Cell wall surface anchor family protein (Jo), Cell wall surface anchor family protein (In)





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	132.54Å 134.57Å 144.47Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.90 - 2.04	Depositor
resolution (A)	45.90 - 2.04	EDS
% Data completeness	94.0 (45.90-2.04)	Depositor
(in resolution range)	94.0 (45.90-2.04)	EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.63 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
D.D.	0.213 , 0.243	Depositor
R, R_{free}	0.225 , 0.256	DCC
R_{free} test set	3898 reflections $(2.54%)$	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtriage
Anisotropy	0.208	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.34 , 45.0	EDS
L-test for twinning ²	$< L > = 0.49, < L^2> = 0.32$	Xtriage
Estimated twinning fraction	0.012 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10949	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.66% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NI, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		Bond lengths		Bond angles	
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.52	0/1678	0.69	0/2278	
1	В	0.44	0/1664	0.65	0/2258	
1	С	0.49	0/1672	0.68	0/2269	
1	D	0.55	0/1680	0.71	0/2280	
1	Е	0.48	0/1673	0.66	0/2270	
1	F	0.49	0/1673	0.68	0/2270	
All	All	0.50	0/10040	0.68	0/13625	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1644	0	1607	6	0
1	В	1633	0	1589	6	0
1	С	1638	0	1602	5	0
1	D	1646	0	1606	5	0
1	Е	1642	0	1597	4	0
1	F	1642	0	1597	4	0
2	A	15	0	0	1	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	В	10	0	0	1	0
2	С	10	0	0	1	0
2	D	15	0	0	1	0
2	Е	10	0	0	0	0
2	F	15	0	0	0	0
3	A	1	0	0	0	0
3	D	1	0	0	0	0
3	F	1	0	0	0	0
4	С	1	0	0	0	0
4	Е	1	0	0	0	0
4	F	1	0	0	0	0
5	A	197	0	0	0	0
5	В	120	0	0	1	0
5	С	191	0	0	0	1
5	D	198	0	0	0	0
5	Е	146	0	0	0	0
5	F	171	0	0	0	1
All	All	10949	0	9598	29	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 29 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{aligned} & ext{Interatomic} \ & ext{distance} \ & ext{(Å)} \end{aligned}$	$egin{aligned} ext{Clash} \ ext{overlap } (ext{Å}) \end{aligned}$
1:D:162:LYS:NZ	2:D:803:SO4:O4	2.06	0.88
1:C:173:LYS:NZ	1:C:720:ASP:OD1	2.39	0.56
1:B:720:ASP:OD1	1:B:720:ASP:C	2.47	0.53
1:F:595:ASN:HB3	1:F:704:GLU:HG2	1.90	0.52
1:F:704:GLU:HG3	1:F:705:VAL:N	2.24	0.51

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
5:C:1050:HOH:O	5:F:986:HOH:O[2_555]	1.94	0.26



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	205/232~(88%)	203 (99%)	2 (1%)	0	100	100
1	В	203/232 (88%)	200 (98%)	3 (2%)	0	100	100
1	\mathbf{C}	204/232 (88%)	202 (99%)	2 (1%)	0	100	100
1	D	205/232~(88%)	204 (100%)	1 (0%)	0	100	100
1	E	204/232 (88%)	201 (98%)	3 (2%)	0	100	100
1	F	204/232 (88%)	201 (98%)	3 (2%)	0	100	100
All	All	1225/1392 (88%)	1211 (99%)	14 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	185/206 (90%)	182 (98%)	3 (2%)	62 59
1	В	183/206 (89%)	179 (98%)	4 (2%)	52 46
1	С	184/206 (89%)	181 (98%)	3 (2%)	62 59
1	D	185/206 (90%)	181 (98%)	4 (2%)	52 46
1	E	184/206 (89%)	181 (98%)	3 (2%)	62 59
1	F	184/206 (89%)	178 (97%)	6 (3%)	38 31
All	All	1105/1236 (89%)	1082 (98%)	23 (2%)	53 48

5 of 23 residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	Е	144	GLN
1	F	144	GLN
1	Е	695	ASN
1	F	162	LYS
1	В	695	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	144	GLN
1	Е	144	GLN
1	F	689	ASN
1	F	144	GLN
1	С	707	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 21 ligands modelled in this entry, 6 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol Type		Clasica	Dag	T inle	Bond lengths			Bond angles		
IVIOI	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	803	-	4,4,4	0.36	0	6,6,6	0.20	0
2	SO4	С	801	-	4,4,4	0.35	0	6,6,6	0.09	0
2	SO4	D	803	-	4,4,4	0.36	0	6,6,6	0.26	0
2	SO4	Е	801	-	4,4,4	0.41	0	6,6,6	0.27	0
2	SO4	В	802	-	4,4,4	0.39	0	6,6,6	0.17	0
2	SO4	F	803	-	4,4,4	0.34	0	6,6,6	0.19	0
2	SO4	A	802	-	4,4,4	0.37	0	6,6,6	0.14	0
2	SO4	F	801	3	4,4,4	0.37	0	6,6,6	0.21	0
2	SO4	С	802	-	4,4,4	0.36	0	6,6,6	0.09	0
2	SO4	D	801	3	4,4,4	0.43	0	6,6,6	0.20	0
2	SO4	A	801	3	4,4,4	0.43	0	6,6,6	0.41	0
2	SO4	F	802	-	4,4,4	0.39	0	6,6,6	0.14	0
2	SO4	Е	802	-	4,4,4	0.32	0	6,6,6	0.25	0
2	SO4	D	802	-	4,4,4	0.39	0	6,6,6	0.12	0
2	SO4	В	801	-	4,4,4	0.41	0	6,6,6	0.13	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	803	SO4	1	0
2	D	803	SO4	1	0
2	В	802	SO4	1	0
2	С	802	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(A^2)$	Q<0.9
1	A	207/232~(89%)	0.11	5 (2%) 59 63	31, 41, 74, 132	0
1	В	206/232 (88%)	0.49	17 (8%) 11 11	35, 59, 94, 122	0
1	С	206/232 (88%)	0.02	7 (3%) 45 49	33, 47, 78, 113	0
1	D	207/232 (89%)	0.01	7 (3%) 45 49	32, 42, 74, 119	0
1	E	207/232 (89%)	0.64	20 (9%) 7 8	37, 55, 95, 126	0
1	F	207/232 (89%)	0.39	17 (8%) 11 12	32, 47, 83, 128	0
All	All	1240/1392 (89%)	0.28	73 (5%) 22 24	31, 48, 89, 132	0

The worst 5 of 73 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	721	VAL	11.4
1	Е	705	VAL	9.6
1	В	705	VAL	6.9
1	F	144	GLN	5.8
1	F	705	VAL	5.5

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
2	SO4	В	801	5/5	0.82	0.22	88,100,108,119	0
4	CA	Ε	803	1/1	0.87	0.25	101,101,101,101	0
2	SO4	D	802	5/5	0.90	0.26	69,91,116,132	0
2	SO4	A	802	5/5	0.90	0.29	68,82,127,138	0
2	SO4	Ε	801	5/5	0.91	0.19	67,82,102,104	0
2	SO4	F	801	5/5	0.91	0.24	76,77,130,139	0
2	SO4	С	801	5/5	0.91	0.37	89,94,124,155	0
2	SO4	В	802	5/5	0.92	0.13	70,95,97,104	0
4	CA	С	803	1/1	0.93	0.20	80,80,80,80	0
2	SO4	F	802	5/5	0.93	0.18	70,84,96,122	0
2	SO4	D	803	5/5	0.94	0.12	79,81,87,88	0
2	SO4	F	803	5/5	0.95	0.10	84,88,93,109	0
3	NI	A	804	1/1	0.95	0.16	113,113,113,113	0
2	SO4	D	801	5/5	0.96	0.16	44,64,84,106	0
2	SO4	Ε	802	5/5	0.96	0.17	71,90,117,128	0
2	SO4	A	803	5/5	0.96	0.14	72,75,85,103	0
2	SO4	С	802	5/5	0.96	0.13	77,85,91,110	0
4	CA	F	805	1/1	0.96	0.16	86,86,86,86	0
3	NI	F	804	1/1	0.97	0.10	107,107,107,107	0
3	NI	D	804	1/1	0.97	0.10	97,97,97,97	0
2	SO4	A	801	5/5	0.98	0.12	50,53,63,68	0

6.5 Other polymers (i)

There are no such residues in this entry.

