



wwPDB EM Validation Summary Report ⓘ

Dec 20, 2025 – 03:52 PM EST

PDB ID : 9N70 / pdb_00009n70
EMDB ID : EMD-49080
Title : SSU processome maturation and disassembly, State E
Authors : Buzovetsky, O.; Klinge, S.
Deposited on : 2025-02-05
Resolution : 5.17 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev129
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	687 (4.67 - 5.67)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L0	700	
2	L1	1810	
3	L2	333	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	L3	146	
5	L4	261	
6	L5	225	
7	L6	236	
8	L7	190	
9	L8	200	
10	L9	197	
11	LC	143	
12	LD	156	
13	LE	130	
14	LF	135	
15	LG	67	
16	LH	896	
17	LI	713	
18	LJ	513	
19	LK	575	
20	LL	643	
21	LM	1769	
22	LN	776	
23	LO	923	
24	LP	440	
25	LQ	943	
26	LR	817	
27	LS	594	
28	LT	939	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	LU	489	
30	LV	707	
31	LW	554	
32	LX	1056	
32	LY	1056	
33	LZ	183	
34	NA	593	
35	NB	610	
36	NC	357	
37	ND	214	
38	NF	151	
39	NG	137	
40	NH	1237	
41	NI	297	
42	NM	255	
43	NN	534	
44	NQ	82	
45	NS	1267	
46	NV	733	
47	OA	1729	
48	OH	143	
49	OU	152	
50	SA	504	
51	SB	511	
52	SC	327	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
52	SD	327	
53	SE	126	
53	SF	126	
54	SG	573	
55	SH	367	
56	SI	1183	
57	SJ	252	
57	SK	252	
58	SL	189	
59	SM	290	
60	SP	2493	
61	SQ	217	
62	SR	145	
63	SS	899	
64	ST	810	
65	SU	552	
66	SW	274	
67	SY	250	
68	SZ	483	

2 Entry composition [i](#)

There are 68 unique types of molecules in this entry. The entry contains 162545 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5'ETS rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	L0	64	Total	C	N	O	P	0	0
			1370	612	247	447	64		

- Molecule 2 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L1	1252	Total	C	N	O	P	0	0
			26727	11947	4790	8738	1252		

- Molecule 3 is a RNA chain called *Saccharomyces cerevisiae* U3a gene for small nucleolar RNA U3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L2	155	Total	C	N	O	P	0	0
			3289	1471	573	1090	155		

- Molecule 4 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	L3	97	Total	C	N	O	0	0
			485	291	97	97		

- Molecule 5 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	L4	244	Total	C	N	O	0	0
			1221	733	244	244		

- Molecule 6 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	L5	206	Total	C	N	O	0	0
			1040	628	206	206		

- Molecule 7 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	L6	206	Total	C	N	O	0	0
			1029	617	206	206		

- Molecule 8 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	L7	178	Total	C	N	O	0	0
			903	547	178	178		

- Molecule 9 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	L8	170	Total	C	N	O	0	0
			843	503	170	170		

- Molecule 10 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	L9	181	Total	C	N	O	0	0
			914	552	181	181		

- Molecule 11 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
11	LC	128	Total	C	N	O	0	0
			642	386	128	128		

- Molecule 12 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	LD	137	Total	C	N	O	0	0
			693	419	137	137		

- Molecule 13 is a protein called 40S ribosomal protein S22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
13	LE	129	Total	C	N	O	0	0
			640	382	129	129		

- Molecule 14 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	LF	130	Total	C	N	O	0	0
			647	387	130	130		

- Molecule 15 is a protein called 40S ribosomal protein S28-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	LG	62	Total	C	N	O	0	0
			309	185	62	62		

- Molecule 16 is a protein called NET1-associated nuclear protein 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	LH	802	Total	C	N	O	0	0
			4014	2410	802	802		

- Molecule 17 is a protein called U3 small nucleolar RNA-associated protein 8.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	LI	600	Total	C	N	O	0	0
			3027	1827	600	600		

- Molecule 18 is a protein called U3 small nucleolar RNA-associated protein 15.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	LJ	476	Total	C	N	O	0	0
			2394	1442	476	476		

- Molecule 19 is a protein called U3 small nucleolar RNA-associated protein 9.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	LK	132	Total	C	N	O	0	0
			664	400	132	132		

- Molecule 20 is a protein called U3 small nucleolar RNA-associated protein 5.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	LL	487	Total	C	N	O	0	0
			2440	1466	487	487		

- Molecule 21 is a protein called U3 small nucleolar RNA-associated protein 10.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	LM	1613	Total	C	N	O	0	0
			8115	4889	1613	1613		

- Molecule 22 is a protein called U3 small nucleolar RNA-associated protein 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	LN	663	Total	C	N	O	0	0
			3315	1989	663	663		

- Molecule 23 is a protein called Periodic tryptophan protein 2.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	LO	792	Total	C	N	O	0	0
			3958	2374	792	792		

- Molecule 24 is a protein called U3 small nucleolar RNA-associated protein 6.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	LP	379	Total	C	N	O	0	0
			1901	1143	379	379		

- Molecule 25 is a protein called U3 small nucleolar RNA-associated protein 12.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	LQ	816	Total	C	N	O	0	0
			4068	2436	816	816		

- Molecule 26 is a protein called U3 small nucleolar RNA-associated protein 13.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	LR	793	Total	C	N	O	0	0
			3962	2376	793	793		

- Molecule 27 is a protein called U3 small nucleolar RNA-associated protein 18.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	LS	454	Total	C	N	O	0	0
			2279	1371	454	454		

- Molecule 28 is a protein called U3 small nucleolar RNA-associated protein 21.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	LT	871	Total	C	N	O	0	0
			4347	2605	871	871		

- Molecule 29 is a protein called Protein SOF1.

Mol	Chain	Residues	Atoms				AltConf	Trace
29	LU	454	Total	C	N	O	0	0
			2274	1366	454	454		

- Molecule 30 is a protein called Ribosome biogenesis protein ENP2.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	LV	405	Total	C	N	O	0	0
			2029	1219	405	405		

- Molecule 31 is a protein called U3 small nucleolar RNA-associated protein 7.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	LW	459	Total	C	N	O	0	0
			2304	1386	459	459		

- Molecule 32 is a protein called RNA cytidine acetyltransferase.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	LX	842	Total	C	N	O	0	0
			4253	2569	842	842		
32	LY	846	Total	C	N	O	0	0
			4274	2582	846	846		

- Molecule 33 is a protein called U3 small nucleolar ribonucleoprotein protein IMP3.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	LZ	160	Total	C	N	O	0	0
			808	488	160	160		

- Molecule 34 is a protein called U3 small nucleolar RNA-associated protein MPP10.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	NA	296	Total	C	N	O	0	0
			1491	899	296	296		

- Molecule 35 is a protein called Something about silencing protein 10.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	NB	231	Total	C	N	O	0	0
			1159	697	231	231		

- Molecule 36 is a protein called U3 small nucleolar ribonucleoprotein protein LCP5.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	NC	115	Total	C	N	O	0	0
			575	345	115	115		

- Molecule 37 is a protein called Bud site selection protein 21.

Mol	Chain	Residues	Atoms				AltConf	Trace
37	ND	59	Total	C	N	O	0	0
			297	179	59	59		

- Molecule 38 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	NF	141	Total	C	N	O	0	0
			711	429	141	141		

- Molecule 39 is a protein called 40S ribosomal protein S14-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	NG	127	Total	C	N	O	0	0
			630	376	127	127		

- Molecule 40 is a protein called U3 small nucleolar RNA-associated protein 22.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	NH	1077	Total	C	N	O	0	0
			5443	3289	1077	1077		

- Molecule 41 is a protein called Ribosomal RNA-processing protein 7.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	NI	240	Total	C	N	O	0	0
			1210	730	240	240		

- Molecule 42 is a protein called Small ribosomal subunit protein eS1A.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	NM	237	Total	C	N	O	0	0
			1183	709	237	237		

- Molecule 43 is a protein called Protein BFR2.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	NN	267	Total	C	N	O	0	0
			1341	807	267	267		

- Molecule 44 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	NQ	79	Total	C	N	O	0	0
			398	240	79	79		

- Molecule 45 is a protein called Probable ATP-dependent RNA helicase DHR1.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	NS	844	Total	C	N	O	0	0
			4268	2580	844	844		

- Molecule 46 is a protein called Exosome complex exonuclease RRP6.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	NV	8	Total	C	N	O	0	0
			39	23	8	8		

- Molecule 47 is a protein called rRNA biogenesis protein RRP5.

Mol	Chain	Residues	Atoms				AltConf	Trace
47	OA	14	Total	C	N	O	0	0
			69	41	14	14		

- Molecule 48 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	OH	120	Total	C	N	O	0	0
			594	354	120	120		

- Molecule 49 is a protein called Ubiquitin-40S ribosomal protein S31.

Mol	Chain	Residues	Atoms				AltConf	Trace
49	OU	56	Total	C	N	O	0	0
			278	166	56	56		

- Molecule 50 is a protein called Nucleolar protein 56.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	SA	384	Total	C	N	O	1	0
			1924	1154	385	385		

- Molecule 51 is a protein called Nucleolar protein 58.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	SB	433	Total	C	N	O	0	0
			2161	1295	433	433		

- Molecule 52 is a protein called rRNA 2'-O-methyltransferase fibrillarin.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	SC	238	Total	C	N	O	0	0
			1198	722	238	238		
52	SD	238	Total	C	N	O	0	0
			1198	722	238	238		

- Molecule 53 is a protein called 13 kDa ribonucleoprotein-associated protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	SE	121	Total	C	N	O	0	0
			615	373	121	121		
53	SF	121	Total	C	N	O	0	0
			615	373	121	121		

- Molecule 54 is a protein called Ribosomal RNA-processing protein 9.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	SG	459	Total	C	N	O	0	0
			2290	1372	459	459		

- Molecule 55 is a protein called RNA 3'-terminal phosphate cyclase-like protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	SH	360	Total	C	N	O	0	0
			1801	1081	360	360		

- Molecule 56 is a protein called Ribosome biogenesis protein BMS1.

Mol	Chain	Residues	Atoms				AltConf	Trace
56	SI	790	Total	C	N	O	0	0
			3990	2410	790	790		

- Molecule 57 is a protein called Ribosomal RNA small subunit methyltransferase NEP1.

Mol	Chain	Residues	Atoms				AltConf	Trace
57	SJ	213	Total	C	N	O	0	0
			1074	648	213	213		
57	SK	229	Total	C	N	O	0	0
			1160	702	229	229		

- Molecule 58 is a protein called rRNA-processing protein FCF1.

Mol	Chain	Residues	Atoms				AltConf	Trace
58	SL	148	Total	C	N	O	0	0
			751	455	148	148		

- Molecule 59 is a protein called U3 small nucleolar ribonucleoprotein protein IMP4.

Mol	Chain	Residues	Atoms				AltConf	Trace
59	SM	247	Total	C	N	O	0	0
			1243	749	247	247		

- Molecule 60 is a protein called U3 small nucleolar RNA-associated protein 20.

Mol	Chain	Residues	Atoms				AltConf	Trace
60	SP	2185	Total	C	N	O	0	0
			10989	6619	2185	2185		

- Molecule 61 is a protein called rRNA-processing protein FCF2.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	SQ	117	Total	C	N	O	0	0
			592	358	117	117		

- Molecule 62 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
62	SR	95	Total	C	N	O	0	0
			476	286	95	95		

- Molecule 63 is a protein called U3 small nucleolar RNA-associated protein 14.

Mol	Chain	Residues	Atoms				AltConf	Trace
63	SS	225	Total	C	N	O	1	0
			1145	695	225	225		

- Molecule 64 is a protein called Nucleolar complex protein 14.

Mol	Chain	Residues	Atoms				AltConf	Trace
64	ST	540	Total	C	N	O	0	0
			2727	1647	540	540		

- Molecule 65 is a protein called Nucleolar complex protein 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
65	SU	532	Total	C	N	O	0	0
			2703	1639	532	532		

- Molecule 66 is a protein called Pre-rRNA-processing protein PNO1.

Mol	Chain	Residues	Atoms				AltConf	Trace
66	SW	219	Total	C	N	O	0	0
			1104	666	219	219		

- Molecule 67 is a protein called U3 small nucleolar RNA-associated protein 11.

Mol	Chain	Residues	Atoms				AltConf	Trace
67	SY	122	Total	C	N	O	0	0
			611	367	122	122		


- Molecule 68 is a protein called Essential nuclear protein 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
68	SZ	259	Total	C	N	O	0	0
			1314	796	259	259		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 5'ETS rRNA





• Molecule 2: 18S rRNA







- Molecule 3: *Saccharomyces cerevisiae* U3a gene for small nucleolar RNA U3a





- Molecule 4: 40S ribosomal protein S18-A





- Molecule 5: 40S ribosomal protein S4-A





- Molecule 6: 40S ribosomal protein S5




- Molecule 7: 40S ribosomal protein S6-A





- Molecule 8: 40S ribosomal protein S7-A









• Molecule 9: 40S ribosomal protein S8-A





• Molecule 10: 40S ribosomal protein S9-A




• Molecule 11: 40S ribosomal protein S16-A




• Molecule 12: 40S ribosomal protein S11-A




- Molecule 13: 40S ribosomal protein S22-A




- Molecule 14: 40S ribosomal protein S24-A




- Molecule 15: 40S ribosomal protein S28-A






- Molecule 16: NET1-associated nuclear protein 1






• Molecule 17: U3 small nucleolar RNA-associated protein 8






• Molecule 18: U3 small nucleolar RNA-associated protein 15


Chain LJ: 49%
92% 7%









- Molecule 22: U3 small nucleolar RNA-associated protein 4





- Molecule 23: Periodic tryptophan protein 2








• Molecule 24: U3 small nucleolar RNA-associated protein 6




• Molecule 25: U3 small nucleolar RNA-associated protein 12








• Molecule 26: U3 small nucleolar RNA-associated protein 13




• Molecule 27: U3 small nucleolar RNA-associated protein 18






- Molecule 28: U3 small nucleolar RNA-associated protein 21

Chain LT: 6% 90% 7%




- Molecule 29: Protein SOF1


Chain LU: 91% 7%





- Molecule 30: Ribosome biogenesis protein ENP2

Chain LV: 25% 57% 43%








- Molecule 31: U3 small nucleolar RNA-associated protein 7





- Molecule 32: RNA cytidine acetyltransferase






• Molecule 32: RNA cytidine acetyltransferase








• Molecule 33: U3 small nucleolar ribonucleoprotein protein IMP3




- Molecule 34: U3 small nucleolar RNA-associated protein MPP10




- Molecule 35: Something about silencing protein 10






- Molecule 36: U3 small nucleolar ribonucleoprotein protein LCP5





- Molecule 37: Bud site selection protein 21







• Molecule 41: Ribosomal RNA-processing protein 7



• Molecule 42: Small ribosomal subunit protein eS1A



• Molecule 43: Protein BFR2










































- Molecule 46: Exosome complex exonuclease RRP6

[illegible]


- Chain OA:  99%

GLU	GLU	GLU	SER	ASP	MET
PRO	ASP	VAL	LEU	VAL	ALA
ALA	ALA	LEU	LEU	LEU	VAL
SER	SER	GLY	GLY	SER	SER
VAL	TYR	GLY	GLN	PHE	THR
ASN	GLU	ILE	ILE	ASN	LYS
ILE	SER	SER	SER	GLU	ARG
TYR	SER	ALA	ALA	SER	LYS
ASP	ASP	ILE	ILE	VAL	ASP
ASP	ASP	THR	THR	LYS	ARG
GLU	GLU	LYS	LYS	ALA	GLU
ASP	ASP	GLN	GLN	SER	ASP
LEU	GLU	ASP	ASP	GLU	PHE
VAL	LEU	LEU	LEU	PRO	LEU
LYS	LYS	CYS	CYS	ALA	LEU
LYS	ASP	ILE	ILE	SER	SER
THR	LYS	THR	THR	ARG	ARG
THR	SER	PHE	PHE	PRO	GLU
SER	SER	THR	THR	LEU	ASP
ILE	ASN	ASP	ASP	SER	SER
GLN	GLU	GLY	GLY	LYS	LYS
GLN	GLU	ILE	ILE	LYS	LYS
CYS	PRO	ALA	ALA	LYS	GLN
VAL	VAL	ASN	SER	LYS	GLN
LYS	LEU	GLY	GLY	THR	PRO
SER	ARG	TYR	TYR	THR	SER
THR	ARG	VAL	VAL	LYS	THR
ILE	TYR	ASN	ASN	LYS	SER
GLU	PHE	LEU	LEU	SER	SER
ASP	ASP	HIS	THR	THR	LEU
HIS	ILE	HIS	HIS	SER	VAL
GLY	ILE	ILE	ILE	LYS	ARG
ALA	GLY	ILE	ILE	LYS	ASN
THR	GLN	GLN	THR	ASN	ASN
LEU	LEU	TRP	GLU	SER	THR
LEU	LEU	LEU	GLU	GLU	GLU
VAL	ARG	PHE	PHE	ALA	GLU
GLY	CYS	THR	THR	SER	VAL
LEU	SER	SER	ASP	SER	SER
PRO	VAL	ILE	ILE	ALA	PHE
GLY	ILE	GLY	LEU	ASN	PRO
ALA	GLU	GLU	ASP	ALA	ALA
THR	THR	LYS	GLU	GLY	LEU
PHE	THR	ASN	ASP	ASP	THR
GLY	GLY	LYS	SER	GLU	GLY
THR	SER	THR	LEU	ILE	PRO
ILE	LEU	LYS	ASP	GLU	LEU
ILE	ILE	ILE	ASP	ARG	SER
ALA	LEU	LEU	GLU	ALA	ALA
ALA	GLU	ASP	ASP	ALA	ALA
LYS	PRO	PRO	MET	GLY	LEU
LYS	SER	ASP	ASP	LEU	THR
ASN	THR	SER	SER	ILE	PRO
PHE	LYS	ASP	ASP	GLU	LEU
GLY	GLY	THR	THR	GLU	GLU
ASN	SER	ASN	ASP	VAL	LEU
GLU	LYS	LYS	ALA	PHE	GLN
GLU	LYS	LYS	ASP	LYS	VAL
LEU	ARG	GLU	GLU	THR	ALA
LEU	ILE	LYS	LYS	LEU	ASN
PRO	GLU	GLU	SER	LYS	GLU
GLY	LEU	SER	THR	ASN	ALA
ALA	THR	ILE	VAL	GLY	SER





- Molecule 48: 40S ribosomal protein S12




Chain OH:




- Molecule 49: Ubiquitin-40S ribosomal protein S31




Chain OU:



- Molecule 50: Nucleolar protein 56





Chain SA:





[illegible]



- Molecule 51: Nucleolar protein 58




- Molecule 52: rRNA 2'-O-methyltransferase fibrillar




- Molecule 52: rRNA 2'-O-methyltransferase fibrillar










- Molecule 53: 13 kDa ribonucleoprotein-associated protein




- Molecule 53: 13 kDa ribonucleoprotein-associated protein




- Molecule 54: Ribosomal RNA-processing protein 9








• Molecule 57: Ribosomal RNA small subunit methyltransferase NEP1






• Molecule 57: Ribosomal RNA small subunit methyltransferase NEP1














- Molecule 58: rRNA-processing protein FCF1




- Molecule 59: U3 small nucleolar ribonucleoprotein protein IMP4



- Molecule 60: U3 small nucleolar RNA-associated protein 20






THR	VAL	ILE	Q2256	T2195	L2130	D2066	S1994	D1925	I1781
VAL	ILE	MET	S2196	S2197	P2131	N2067	R1995	F1926	M1782
ALA	ASP	ASP	V2197	G2198	K2132	L2068	Q1996	S1927	R1784
GLY	SER	VAL	W2199	E2199	L2133	Q2069	G1997	E1928	N1795
GLU	GLY	GLY	S2199	E2200	E2134	T2072	L1998	E1929	M1786
GLY	GLN	THR	H2201	E2201	N2135	E2073	A1999	S1930	Q1786
LEU	LEU	THR	Q2202	K2136	D2137	S2074	F2000	S1931	M1787
LYS	LYS	GLY	W2203	Q2202	D2137	G2075	N2001	E1932	K1788
ILE	ILE	THR	D2204	W2203	E2134	T2072	F2002	F1933	L1789
SER	SER	THR	L2205	V2206	E2142	V2079	L2003	I1934	S1790
THR	THR	THR	S2208	V2207	E2145	M2080	K2004	K1935	E1791
ALA	ALA	ALA	A2209	W2207	A2146	E2081	A2005	N1936	L1792
THR	THR	THR	L2210	V2207	A2147	L2082	L2006	C1937	L1797
VAL	VAL	VAL	N2211	W2207	A2148	I2083	V2007	A1938	L1798
ARG	ARG	ARG	T2212	V2207	L2149	N2084	S2008	R1939	G1799
ALA	ALA	ALA	F2213	W2207	K2150	L2085	H2010	V1947	L1800
VAL	VAL	VAL	S2214	V2206	Q2151	T2088	I2011	S1948	S1804
GLU	GLU	GLU	S2215	W2206	V2152	K2089	M2012	P1949	D1805
GLY	GLY	GLY	Y2216	V2206	D2153	A2090	L2013	S1950	S1806
ILE	ILE	ILE	M2217	V2216	S2156	N2091	P2014	T1951	E1807
HIS	HIS	HIS	E2218	Y2216	F2157	P2092	E2015	S1952	S1808
GLY	GLY	GLY	A2219	Y2216	L2158	A2093	L2016	S1953	E1809
ARG	ARG	ARG	L2220	A2219	N2159	L2094	Y2017	E1954	
ALA	ALA	ALA	E2221	T2220	L2160	L2095	D2018	L1955	
SER	SER	SER	S2222	E2221	S2096	S2097	I2019	C1956	
ASN	ASN	ASN	Y2223	S2222	K2097	L2098	A2020	Q1957	
GLY	GLY	GLY	V2224	Y2223	L2162	S2099	D2021	G1959	
LYS	LYS	LYS	K2225	H2226	R2163	S2100	L1960	K1961	
LEU	LEU	LEU	H2226	G2227	T2164	S2101	I2026	F1962	
ASN	ASN	ASN	F2227	V2167	F2103	F2102	M2027	L1963	
LYS	LYS	LYS	K2229	V2168	L2104	L2104	H2031	I1967	
ASP	ASP	ASP	D2230	L2169	A2105	A2105	S2032	R1968	
LEU	LEU	LEU	I2231	K2170	L2106	L2106	K2033	F1898	
GLN	GLN	GLN	W2232	S2171	V2107	N2108	E2034	H1899	
VAL	VAL	VAL	D2232	T2172	W2109	S2109	I2035	D1971	
SER	SER	SER	D2233	G2173	S2110	S2110	R2036	S1972	
ASP	ASP	ASP	G2234	F2174	F2111	F2111	D2037	T1973	
PHE	PHE	PHE	I2235	E2175	D2112	D2112	V2038	L1903	
THR	THR	THR	I2236	H2176	N2113	N2113	S2039	L1904	
ASN	ASN	ASN	T2237	T2177	D2114	D2114	R2040	L1905	
LYS	LYS	LYS	C2238	L2180	A2115	A2115	L2047	E1906	
VAL	VAL	VAL	L2239	D2181	F2116	F2116	M2048	L1907	
GLY	GLY	GLY		E2182	R2117	R2117	E2049	A1978	
VAL	VAL	VAL		L2183	C2118	C2118	W2050	L1979	
LYS	LYS	LYS		A2184	R2119	R2119	D2051	S1980	
GLN	GLN	GLN		L2185	E2120	E2120	Q2052	V1981	
				K2186	M2121	M2121	S2053	G1984	
				R2187	A2122	A2122	K2054	L1985	
				T2187	S2123	S2123	E2058	V1986	
				Q2248	V2124	V2124	K2059	L1987	
				S2249	L2125	L2125	Q2060	I1919	
				A2250	I2126	I2126	M2064	T1920	
				A2251	T2127	T2127	V2065	L1921	
				N2252	L2192	L2192		I1922	
				V2254	S2193	S2193		R1923	
				H2255	D2194	D2194		L1924	


● Molecule 61: rRNA-processing protein FCF2




MET	ASP	GLN	SER	VAL	GLU	ASP	LEU	PHE	GLY	ALA	ARG	ASP	ALA	SER	SER	LEU	GLU	VAL	LYS	ASN	VAL	LEU	PRO	SER	ALA	LYS	GLU	GLN	GLU	VAL	ASN	GLY	ILE	ASN	ASN	ASP	ASN	D102	L106	D110	D111	N112	R115	E116	D120	L121	A128	A129	L130	A148	D155
K61	L62	F63	K64	L65	E66	T67	A71	L72	A73	N74	LYS	LYS	LYS	LYS	LYS	LYS	ASN	VAL	VAL	LEU	PRO	SER	VAL	VAL	GLU	THR	GLU	ASP	GLN	GLU	GLN	GLU	VAL	ASN	ASN	ASP	ASN	D102	L106	D110	D111	N112	R115	E116	D120	L121	A128	A129	L130	A148	D155













• Molecule 64: Nucleolar complex protein 14





- Molecule 65: Nucleolar complex protein 4





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	9125	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	25000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	4.999	Depositor
Minimum map value	0.000	Depositor
Average map value	0.117	Depositor
Map value standard deviation	0.204	Depositor
Recommended contour level	1.1	Depositor
Map size (Å)	535.75195, 535.75195, 535.75195	wwPDB
Map dimensions	504, 504, 504	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.063, 1.063, 1.063	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L0	0.10	0/1529	0.26	0/2372
2	L1	0.11	0/29890	0.27	0/46541
3	L2	0.11	0/3669	0.25	0/5700
4	L3	0.13	0/484	0.32	0/672
5	L4	0.15	0/1232	0.39	0/1719
6	L5	0.20	0/1046	0.45	0/1464
7	L6	0.15	0/1035	0.35	0/1442
8	L7	0.18	0/911	0.47	0/1276
9	L8	0.13	0/845	0.34	0/1174
10	L9	0.18	0/922	0.47	0/1290
11	LC	0.19	0/647	0.44	0/903
12	LD	0.14	0/700	0.37	0/980
13	LE	0.20	0/642	0.50	0/893
14	LF	0.16	0/649	0.40	0/904
15	LG	0.18	0/310	0.46	0/430
16	LH	0.16	0/4025	0.44	0/5613
17	LI	0.15	0/3042	0.39	0/4250
18	LJ	0.13	0/2410	0.35	0/3370
19	LK	0.13	0/667	0.35	0/933
20	LL	0.12	0/2448	0.33	0/3415
21	LM	0.35	2/8150 (0.0%)	0.52	7/11410 (0.1%)
22	LN	0.13	0/3326	0.37	0/4637
23	LO	0.13	0/3976	0.34	0/5552
24	LP	0.14	0/1907	0.35	0/2667
25	LQ	0.13	0/4080	0.33	0/5689
26	LR	0.13	0/3980	0.33	0/5555
27	LS	0.14	0/2288	0.34	0/3188
28	LT	0.15	0/4367	0.36	1/6091 (0.0%)
29	LU	0.15	0/2284	0.42	0/3190
30	LV	0.15	0/2041	0.38	0/2851
31	LW	0.16	0/2322	0.42	0/3243
32	LX	0.24	2/4287 (0.0%)	0.46	6/5997 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	LY	0.24	1/4310 (0.0%)	0.42	3/6033 (0.0%)
33	LZ	0.15	0/812	0.41	0/1136
34	NA	0.12	0/1492	0.30	0/2075
35	NB	0.12	0/1162	0.34	0/1618
36	NC	0.11	0/576	0.26	0/801
37	ND	0.20	0/298	0.39	0/416
38	NF	0.14	0/717	0.34	0/1003
39	NG	0.13	0/634	0.31	0/881
40	NH	0.12	0/5489	0.31	0/7686
41	NI	0.12	0/1214	0.35	0/1695
42	NM	0.15	0/1185	0.37	0/1651
43	NN	0.09	0/1343	0.26	0/1873
44	NQ	0.15	0/401	0.42	0/560
45	NS	0.18	0/4309	0.43	0/6037
46	NV	0.16	0/38	0.34	0/51
47	OA	0.10	0/68	0.36	0/93
48	OH	0.11	0/595	0.31	0/827
49	OU	0.09	0/278	0.26	0/386
50	SA	0.12	0/1931	0.31	0/2693
51	SB	0.13	0/2168	0.32	0/3028
52	SC	0.16	0/1210	0.39	0/1689
52	SD	0.13	0/1210	0.36	0/1689
53	SE	0.15	0/621	0.33	0/871
53	SF	0.18	0/621	0.42	0/871
54	SG	0.15	0/2301	0.41	1/3208 (0.0%)
55	SH	0.15	0/1817	0.38	0/2536
56	SI	0.14	0/4026	0.37	0/5632
57	SJ	0.12	0/1080	0.34	0/1508
57	SK	0.18	0/1170	0.46	1/1639 (0.1%)
58	SL	0.22	0/759	0.44	0/1064
59	SM	0.16	0/1251	0.40	1/1749 (0.1%)
60	SP	0.13	0/11042	0.34	0/15458
61	SQ	0.14	0/595	0.40	0/832
62	SR	0.20	0/479	0.48	0/666
63	SS	0.15	0/1150	0.42	0/1604
64	ST	0.13	0/2739	0.32	0/3828
65	SU	0.27	1/2726 (0.0%)	0.43	3/3825 (0.1%)
66	SW	0.13	0/1111	0.34	0/1550
67	SY	0.20	0/609	0.49	0/846
68	SZ	0.13	0/1326	0.33	0/1859
All	All	0.16	6/166974 (0.0%)	0.36	23/238878 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
13	LE	0	1
28	LT	0	2
45	NS	0	3
56	SI	0	1
All	All	0	7

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	LM	939	ASN	C-N	20.51	1.59	1.33
21	LM	940	LYS	N-CA	18.32	1.68	1.46
32	LY	218	PRO	CG-CD	-12.24	1.09	1.50
65	SU	292	PRO	CG-CD	-11.90	1.10	1.50
32	LX	550	PRO	CG-CD	-8.50	1.21	1.50

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	LM	939	ASN	CA-C-N	17.09	153.09	121.81
21	LM	939	ASN	C-N-CA	17.09	153.09	121.81
32	LY	218	PRO	N-CD-CG	-15.60	79.80	103.20
65	SU	292	PRO	N-CD-CG	-15.33	80.21	103.20
32	LX	550	PRO	N-CD-CG	-10.88	86.88	103.20

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
13	LE	50	PHE	Peptide
28	LT	848	GLU	Peptide
28	LT	855	PHE	Peptide
45	NS	249	ARG	Peptide
45	NS	845	MET	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L0	1370	0	692	3	0
2	L1	26727	0	13468	66	0
3	L2	3289	0	1667	13	0
4	L3	485	0	220	0	0
5	L4	1221	0	609	3	0
6	L5	1040	0	519	2	0
7	L6	1029	0	512	1	0
8	L7	903	0	450	2	0
9	L8	843	0	427	1	0
10	L9	914	0	464	3	0
11	LC	642	0	328	0	0
12	LD	693	0	336	0	0
13	LE	640	0	307	0	0
14	LF	647	0	319	1	0
15	LG	309	0	145	2	0
16	LH	4014	0	1812	3	0
17	LI	3027	0	1390	1	0
18	LJ	2394	0	1161	3	0
19	LK	664	0	299	0	0
20	LL	2440	0	1139	1	0
21	LM	8115	0	3739	45	0
22	LN	3315	0	1518	8	0
23	LO	3958	0	1889	5	0
24	LP	1901	0	836	3	0
25	LQ	4068	0	1900	8	0
26	LR	3962	0	1883	8	0
27	LS	2279	0	1110	3	0
28	LT	4347	0	2073	12	0
29	LU	2274	0	1064	5	0
30	LV	2029	0	947	1	0
31	LW	2304	0	1146	14	0
32	LX	4253	0	2078	5	0
32	LY	4274	0	2096	11	0
33	LZ	808	0	370	1	0
34	NA	1491	0	701	3	0
35	NB	1159	0	548	1	0
36	NC	575	0	274	1	0
37	ND	297	0	132	2	0
38	NF	711	0	360	1	0
39	NG	630	0	341	2	0
40	NH	5443	0	2602	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
41	NI	1210	0	565	1	0
42	NM	1183	0	553	7	0
43	NN	1341	0	623	1	0
44	NQ	398	0	200	0	0
45	NS	4268	0	2083	11	0
46	NV	39	0	16	0	0
47	OA	69	0	34	0	0
48	OH	594	0	298	1	0
49	OU	278	0	135	0	0
50	SA	1924	0	946	1	0
51	SB	2161	0	1090	3	0
52	SC	1198	0	625	1	0
52	SD	1198	0	625	4	0
53	SE	615	0	331	1	0
53	SF	615	0	331	2	0
54	SG	2290	0	1099	4	0
55	SH	1801	0	897	1	0
56	SI	3990	0	1966	5	0
57	SJ	1074	0	514	1	0
57	SK	1160	0	570	2	0
58	SL	751	0	377	0	0
59	SM	1243	0	602	3	0
60	SP	10989	0	5019	15	0
61	SQ	592	0	278	1	0
62	SR	476	0	237	2	0
63	SS	1145	0	565	0	0
64	ST	2727	0	1271	1	0
65	SU	2703	0	1302	1	0
66	SW	1104	0	544	1	0
67	SY	611	0	265	3	0
68	SZ	1314	0	649	1	0
All	All	162545	0	78481	306	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 306 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
21:LM:940:LYS:N	21:LM:940:LYS:CA	1.68	1.56
2:L1:1524:A:N3	2:L1:1590:G:O2'	2.12	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L1:443:C:O2	2:L1:445:A:N6	2.14	0.80
52:SD:198:GLU:O	52:SD:222:GLU:N	2.15	0.80
2:L1:1108:G:OP2	2:L1:1108:G:N2	2.13	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	L3	91/146 (62%)	91 (100%)	0	0	100	100
5	L4	242/261 (93%)	238 (98%)	4 (2%)	0	100	100
6	L5	202/225 (90%)	198 (98%)	4 (2%)	0	100	100
7	L6	202/236 (86%)	198 (98%)	4 (2%)	0	100	100
8	L7	174/190 (92%)	170 (98%)	4 (2%)	0	100	100
9	L8	166/200 (83%)	163 (98%)	3 (2%)	0	100	100
10	L9	179/197 (91%)	176 (98%)	3 (2%)	0	100	100
11	LC	126/143 (88%)	121 (96%)	5 (4%)	0	100	100
12	LD	135/156 (86%)	132 (98%)	3 (2%)	0	100	100
13	LE	127/130 (98%)	126 (99%)	1 (1%)	0	100	100
14	LF	128/135 (95%)	124 (97%)	4 (3%)	0	100	100
15	LG	60/67 (90%)	58 (97%)	2 (3%)	0	100	100
16	LH	782/896 (87%)	761 (97%)	21 (3%)	0	100	100
17	LI	582/713 (82%)	572 (98%)	10 (2%)	0	100	100
18	LJ	470/513 (92%)	462 (98%)	8 (2%)	0	100	100
19	LK	130/575 (23%)	130 (100%)	0	0	100	100
20	LL	475/643 (74%)	463 (98%)	12 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	LM	1597/1769 (90%)	1552 (97%)	45 (3%)	0	100	100
22	LN	649/776 (84%)	635 (98%)	14 (2%)	0	100	100
23	LO	786/923 (85%)	769 (98%)	17 (2%)	0	100	100
24	LP	375/440 (85%)	372 (99%)	3 (1%)	0	100	100
25	LQ	806/943 (86%)	791 (98%)	15 (2%)	0	100	100
26	LR	785/817 (96%)	768 (98%)	17 (2%)	0	100	100
27	LS	441/594 (74%)	437 (99%)	4 (1%)	0	100	100
28	LT	861/939 (92%)	849 (99%)	12 (1%)	0	100	100
29	LU	448/489 (92%)	442 (99%)	6 (1%)	0	100	100
30	LV	401/707 (57%)	389 (97%)	12 (3%)	0	100	100
31	LW	453/554 (82%)	445 (98%)	8 (2%)	0	100	100
32	LX	826/1056 (78%)	813 (98%)	13 (2%)	0	100	100
32	LY	834/1056 (79%)	821 (98%)	13 (2%)	0	100	100
33	LZ	156/183 (85%)	155 (99%)	1 (1%)	0	100	100
34	NA	278/593 (47%)	276 (99%)	2 (1%)	0	100	100
35	NB	221/610 (36%)	219 (99%)	2 (1%)	0	100	100
36	NC	111/357 (31%)	111 (100%)	0	0	100	100
37	ND	57/214 (27%)	56 (98%)	1 (2%)	0	100	100
38	NF	139/151 (92%)	137 (99%)	2 (1%)	0	100	100
39	NG	125/137 (91%)	120 (96%)	5 (4%)	0	100	100
40	NH	1063/1237 (86%)	1052 (99%)	11 (1%)	0	100	100
41	NI	232/297 (78%)	225 (97%)	7 (3%)	0	100	100
42	NM	231/255 (91%)	228 (99%)	3 (1%)	0	100	100
43	NN	257/534 (48%)	256 (100%)	1 (0%)	0	100	100
44	NQ	77/82 (94%)	76 (99%)	1 (1%)	0	100	100
45	NS	836/1267 (66%)	826 (99%)	10 (1%)	0	100	100
46	NV	6/733 (1%)	6 (100%)	0	0	100	100
47	OA	12/1729 (1%)	12 (100%)	0	0	100	100
48	OH	118/143 (82%)	118 (100%)	0	0	100	100
49	OU	54/152 (36%)	54 (100%)	0	0	100	100
50	SA	379/504 (75%)	372 (98%)	7 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	SB	431/511 (84%)	422 (98%)	9 (2%)	0	100	100
52	SC	234/327 (72%)	230 (98%)	4 (2%)	0	100	100
52	SD	234/327 (72%)	229 (98%)	5 (2%)	0	100	100
53	SE	119/126 (94%)	117 (98%)	2 (2%)	0	100	100
53	SF	119/126 (94%)	116 (98%)	3 (2%)	0	100	100
54	SG	453/573 (79%)	445 (98%)	8 (2%)	0	100	100
55	SH	358/367 (98%)	345 (96%)	13 (4%)	0	100	100
56	SI	776/1183 (66%)	763 (98%)	13 (2%)	0	100	100
57	SJ	207/252 (82%)	204 (99%)	3 (1%)	0	100	100
57	SK	225/252 (89%)	221 (98%)	4 (2%)	0	100	100
58	SL	146/189 (77%)	139 (95%)	7 (5%)	0	100	100
59	SM	243/290 (84%)	241 (99%)	2 (1%)	0	100	100
60	SP	2167/2493 (87%)	2138 (99%)	29 (1%)	0	100	100
61	SQ	113/217 (52%)	112 (99%)	1 (1%)	0	100	100
62	SR	91/145 (63%)	89 (98%)	2 (2%)	0	100	100
63	SS	213/899 (24%)	208 (98%)	5 (2%)	0	100	100
64	ST	524/810 (65%)	513 (98%)	11 (2%)	0	100	100
65	SU	524/552 (95%)	519 (99%)	5 (1%)	0	100	100
66	SW	211/274 (77%)	205 (97%)	6 (3%)	0	100	100
67	SY	114/250 (46%)	108 (95%)	6 (5%)	0	100	100
68	SZ	255/483 (53%)	250 (98%)	5 (2%)	0	100	100
All	All	25642/36313 (71%)	25179 (98%)	463 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	L3	2/129 (2%)	2 (100%)	0	100	100
5	L4	12/222 (5%)	12 (100%)	0	100	100
6	L5	8/191 (4%)	8 (100%)	0	100	100
7	L6	8/201 (4%)	8 (100%)	0	100	100
8	L7	10/170 (6%)	10 (100%)	0	100	100
9	L8	4/161 (2%)	4 (100%)	0	100	100
10	L9	9/166 (5%)	9 (100%)	0	100	100
11	LC	6/119 (5%)	6 (100%)	0	100	100
12	LD	8/137 (6%)	8 (100%)	0	100	100
13	LE	3/111 (3%)	3 (100%)	0	100	100
14	LF	3/113 (3%)	3 (100%)	0	100	100
15	LG	2/60 (3%)	2 (100%)	0	100	100
16	LH	21/826 (2%)	21 (100%)	0	100	100
17	LI	24/657 (4%)	24 (100%)	0	100	100
18	LJ	19/454 (4%)	19 (100%)	0	100	100
19	LK	4/533 (1%)	4 (100%)	0	100	100
20	LL	14/574 (2%)	14 (100%)	0	100	100
21	LM	43/1633 (3%)	43 (100%)	0	100	100
22	LN	18/713 (2%)	18 (100%)	0	100	100
23	LO	21/811 (3%)	21 (100%)	0	100	100
24	LP	8/414 (2%)	8 (100%)	0	100	100
25	LQ	17/832 (2%)	17 (100%)	0	100	100
26	LR	22/719 (3%)	22 (100%)	0	100	100
27	LS	21/528 (4%)	21 (100%)	0	100	100
28	LT	25/819 (3%)	25 (100%)	0	100	100
29	LU	13/443 (3%)	13 (100%)	0	100	100
30	LV	14/636 (2%)	14 (100%)	0	100	100
31	LW	21/480 (4%)	21 (100%)	0	100	100
32	LX	42/934 (4%)	42 (100%)	0	100	100
32	LY	42/934 (4%)	42 (100%)	0	100	100
33	LZ	6/172 (4%)	6 (100%)	0	100	100
34	NA	10/535 (2%)	10 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
35	NB	8/538 (2%)	8 (100%)	0	100	100
36	NC	3/315 (1%)	3 (100%)	0	100	100
37	ND	2/196 (1%)	2 (100%)	0	100	100
38	NF	7/128 (6%)	7 (100%)	0	100	100
39	NG	5/105 (5%)	5 (100%)	0	100	100
40	NH	53/1125 (5%)	53 (100%)	0	100	100
41	NI	8/274 (3%)	8 (100%)	0	100	100
42	NM	5/224 (2%)	5 (100%)	0	100	100
43	NN	7/482 (2%)	7 (100%)	0	100	100
44	NQ	4/71 (6%)	4 (100%)	0	100	100
45	NS	45/1140 (4%)	45 (100%)	0	100	100
48	OH	2/119 (2%)	2 (100%)	0	100	100
49	OU	1/135 (1%)	1 (100%)	0	100	100
50	SA	10/435 (2%)	10 (100%)	0	100	100
51	SB	8/433 (2%)	8 (100%)	0	100	100
52	SC	14/240 (6%)	14 (100%)	0	100	100
52	SD	14/240 (6%)	14 (100%)	0	100	100
53	SE	7/104 (7%)	7 (100%)	0	100	100
53	SF	7/104 (7%)	7 (100%)	0	100	100
54	SG	14/503 (3%)	14 (100%)	0	100	100
55	SH	17/312 (5%)	17 (100%)	0	100	100
56	SI	43/1039 (4%)	43 (100%)	0	100	100
57	SJ	9/222 (4%)	9 (100%)	0	100	100
57	SK	12/222 (5%)	12 (100%)	0	100	100
58	SL	9/169 (5%)	9 (100%)	0	100	100
59	SM	10/258 (4%)	10 (100%)	0	100	100
60	SP	62/2307 (3%)	62 (100%)	0	100	100
61	SQ	5/200 (2%)	5 (100%)	0	100	100
62	SR	5/120 (4%)	5 (100%)	0	100	100
63	SS	14/807 (2%)	14 (100%)	0	100	100
64	ST	20/732 (3%)	20 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
65	SU	27/506 (5%)	27 (100%)	0	100	100
66	SW	11/238 (5%)	11 (100%)	0	100	100
67	SY	2/234 (1%)	2 (100%)	0	100	100
68	SZ	14/424 (3%)	14 (100%)	0	100	100
All	All	964/30128 (3%)	964 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	L0	59/700 (8%)	16 (27%)	0
2	L1	1232/1810 (68%)	232 (18%)	4 (0%)
3	L2	149/333 (44%)	22 (14%)	0
All	All	1440/2843 (50%)	270 (18%)	4 (0%)

5 of 270 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	L0	9	G
1	L0	14	U
1	L0	16	A
1	L0	17	A
1	L0	23	G

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	L1	248	U
2	L1	345	U
2	L1	1568	C
2	L1	1600	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
27	SEP	LS	128	27	3,4,10	0.70	0	2,4,14	0.79	0
63	SEP	SS	738	63	3,4,10	0.71	0	2,4,14	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
27	SEP	LS	128	27	-	0/1/2/10	-
63	SEP	SS	738	63	-	0/1/2/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-49080. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 252



Y Index: 252




Z Index: 252


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 273



Y Index: 222




Z Index: 317


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1298 nm³; this corresponds to an approximate mass of 1172 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.193 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-49080 and PDB model 9N70. Per-residue inclusion information can be found in [section 3](#) on [page 16](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 61% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5690	 0.2440
L0	 0.7020	 0.2160
L1	 0.6440	 0.2290
L2	 0.6240	 0.2250
L3	 0.0000	 -0.0440
L4	 0.6080	 0.2530
L5	 0.8520	 0.3400
L6	 0.8020	 0.2860
L7	 0.6400	 0.2650
L8	 0.4600	 0.1820
L9	 0.7230	 0.3450
LC	 0.8010	 0.3660
LD	 0.3300	 0.1480
LE	 0.7920	 0.3580
LF	 0.8660	 0.3060
LG	 0.8960	 0.4050
LH	 0.5770	 0.2760
LI	 0.0610	 0.0690
LJ	 0.4470	 0.1410
LK	 0.3000	 0.1920
LL	 0.5690	 0.2930
LM	 0.6080	 0.2000
LN	 0.6660	 0.2280
LO	 0.8310	 0.3850
LP	 0.7150	 0.2870
LQ	 0.6590	 0.2940
LR	 0.7690	 0.3180
LS	 0.7750	 0.3870
LT	 0.8380	 0.3800
LU	 0.8670	 0.3960
LV	 0.5190	 0.2310
LW	 0.7420	 0.3290
LX	 0.4820	 0.2240
LY	 0.2560	 0.1340
LZ	 0.6990	 0.3240



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
NA	 0.5870	 0.2720
NB	 0.2890	 0.1540
NC	 0.0090	 0.0610
ND	 0.0200	 0.1120
NF	 0.8140	 0.3230
NG	 0.6750	 0.3380
NH	 0.6610	 0.3260
NI	 0.4910	 0.2740
NM	 0.8130	 0.3660
NN	 0.0780	 0.1050
NQ	 0.8420	 0.3550
NS	 0.4570	 0.2580
NV	 0.0000	 -0.0520
OA	 0.0000	 0.2140
OH	 0.0000	 -0.0300
OU	 0.0000	 -0.0690
SA	 0.7820	 0.3270
SB	 0.5620	 0.2510
SC	 0.7730	 0.4030
SD	 0.1310	 0.1200
SE	 0.7710	 0.3340
SF	 0.7400	 0.3830
SG	 0.6410	 0.2880
SH	 0.7250	 0.3580
SI	 0.7170	 0.3560
SJ	 0.0310	 0.0250
SK	 0.0770	 0.0130
SL	 0.7460	 0.4020
SM	 0.6730	 0.3570
SP	 0.4980	 0.1910
SQ	 0.5130	 0.2860
SR	 0.7860	 0.4230
SS	 0.5570	 0.3160
ST	 0.1180	 0.0440
SU	 0.0040	 0.0070
SW	 0.6290	 0.3100
SY	 0.2730	 0.2220
SZ	 0.0150	 0.0060