

Jun 5, 2025 – 02:53 PM EDT

PD	B ID	:	$9\mathrm{NPX} / \mathrm{pdb}_{00009\mathrm{npx}}$
EMD	B ID	:	EMD-49635
1	Title	:	SARS-CoV-2 nsp1 bound to the Rhinolophus lepidus 40S ribosomal subunit
			(local refinement of the 40S body)
Aut	thors	:	Gen, R.; Seattle Structural Genomics Center for Infectious Disease (SSGCID);
			Veesler, D.
Deposite	ed on	:	2025-03-11
Resolu	ution	:	2.10 Å(reported)
Г	This is	a l	Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev118
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4-5-2 with Phenix2.0rc1
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM\ structures}\ (\#{ m Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	293	67% 8%	25%
2	D	263	91%	8% •
3	F	249	88%	5% 7%
4	Н	208	90%	9% •
5	Ι	194	83%	9% 8%
6	М	151	87%	12% •
7	Ν	151	85%	•• 12%



Mol	Chain	Length		(Quality of	chain		
8	Р	130			89%			10% •
9	R	135	37%	•		6	1%	
10	V	84			95%			5%
11	W	143			91%			7% •
12	Х	130			92%			5% •
13	Z	115		759	%		10%	5 15%
14	a	84			92%			6% •
15	f	25		8	80%			8% 12%
16	h	295		64%		6%		29%
17	j	180	• 16% •			82%		
18	k	113	10%	%	•		54%	
19	G	194	—		84%			11% 6%
20	Κ	158			82%			7% 11%
21	е	61		69%			10%	21%
22	С	264		72%			10%	18%
23	i	1869	36%		20%	•	41%	
24	В	243	17% •			82%		



2 Entry composition (i)

There are 28 unique types of molecules in this entry. The entry contains 48314 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues		Ate	AltConf	Trace			
1	А	220	Total 1679	C 1089	N 288	O 293	S 9	0	0

• Molecule 2 is a protein called 40S ribosomal protein S4, X isoform.

Mol	Chain	Residues		Ate	AltConf	Trace			
2	D	260	Total 2024	C 1297	N 378	0 341	S 8	0	0

• Molecule 3 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues		At	AltConf	Trace			
3	F	231	Total 1724	C 1086	N 346	0 287	${ m S}{ m 5}$	0	0

• Molecule 4 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues		At	oms	AltConf	Trace		
4	Н	205	Total 1574	C 991	N 314	O 265	${S \atop 4}$	0	0

• Molecule 5 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues		At	oms	AltConf	Trace		
5	Ι	179	Total 1460	C 935	N 294	0 229	${ m S} { m 2}$	0	0

• Molecule 6 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues		At	oms	AltConf	Trace		
6	М	149	Total 1161	C 750	N 220	0 190	S 1	0	0



• Molecule 7 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues		At	oms	AltConf	Trace		
7	Ν	133	Total 971	C 596	N 194	0 175	S 6	0	0

• Molecule 8 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues		At	oms	AltConf	Trace		
8	Р	129	Total 1029	$\begin{array}{c} \mathrm{C} \\ 657 \end{array}$	N 193	0 173	S 6	0	0

• Molecule 9 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
9	R	52	Total 362	C 234	N 61	O 65	${S \over 2}$	0	0

• Molecule 10 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues		At	oms			AltConf	Trace
10	V	84	Total 627	C 388	N 115	0 119	${ m S}{ m 5}$	0	0

• Molecule 11 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues		At	oms			AltConf	Trace
11	W	140	Total 1079	C 682	N 214	0 180	${ m S} { m 3}$	0	0

• Molecule 12 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues		At	oms	AltConf	Trace		
12	Х	125	Total 970	C 613	N 191	0 161	${ m S}{ m 5}$	0	0

• Molecule 13 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues		At	oms			AltConf	Trace
13	Ζ	98	Total 740	C 467	N 151	0 117	${S \atop 5}$	0	0

• Molecule 14 is a protein called 40S ribosomal protein S27.



Mol	Chain	Residues		At	oms			AltConf	Trace
14	a	82	Total 592	C 373	N 111	O 105	${ m S} { m 3}$	0	0

• Molecule 15 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
15	f	22	Total 186	C 114	N 48	O 22	${ m S} { m 2}$	0	0

• Molecule 16 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues		Ate	AltConf	Trace			
16	h	208	Total 1595	C 1019	N 285	O 283	S 8	0	0

• Molecule 17 is a protein called Host translation inhibitor nsp1.

Mol	Chain	Residues		Ato	\mathbf{ms}	Atoms					
17	j	32	Total 253	C 155	N 46	O 51	S 1	0	0		

• Molecule 18 is a protein called Eukaryotic translation initiation factor 1.

Mol	Chain	Residues		Ato	\mathbf{ms}			AltConf	Trace
18	k	52	Total 309	C 186	N 64	0 58	S 1	0	0

• Molecule 19 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace	
10	С	192	Total	С	Ν	Ο	0	0
19	G	165	1304	846	249	209	0	0

• Molecule 20 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms			AltConf	Trace		
20	K	140	Total 1131	C 721	N 212	0 192	${f S}{f 6}$	0	0

• Molecule 21 is a protein called 40S ribosomal protein S30.



Mol	Chain	Residues	Atoms			AltConf	Trace		
21	е	48	Total 368	C 225	N 84	O 58	S 1	0	0

• Molecule 22 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms			AltConf	Trace		
22	С	217	Total 1693	C 1078	N 310	0 291	S 14	0	0

• Molecule 23 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms			AltConf	Trace		
23	i	1095	Total 23450	C 10491	N 4246	O 7618	Р 1095	0	0

• Molecule 24 is a protein called 40S ribosomal protein uS3, RPS3.

Mol	Chain	Residues	Atoms			AltConf	Trace		
24	В	44	Total 322	C 204	N 61	O 53	${S \atop 4}$	0	0

• Molecule 25 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
25	F	1	Total Mg 1 1	0
25	i	56	$\begin{array}{cc} {\rm Total} & {\rm Mg} \\ 56 & 56 \end{array}$	0

• Molecule 26 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
26	Ν	1	Total K 1 1	0
26	Ζ	1	Total K 1 1	0
26	i	11	Total K 11 11	0

• Molecule 27 is ZINC ION (CCD ID: ZN) (formula: Zn).



Mol	Chain	Residues	Atoms	AltConf
27	Ζ	1	Total Zn 1 1	0

• Molecule 28 is water.

Mol	Chain	Residues	Atoms	AltConf
28	А	21	Total O 21 21	0
28	D	37	Total O 37 37	0
28	F	8	Total O 8 8	0
28	Н	22	TotalO2222	0
28	Ι	40	Total O 40 40	0
28	М	18	Total O 18 18	0
28	Ν	16	Total O 16 16	0
28	Р	27	TotalO2727	0
28	V	7	Total O 7 7	0
28	W	28	TotalO2828	0
28	Х	13	Total O 13 13	0
28	Z	22	TotalO2222	0
28	a	6	Total O 6 6	0
28	f	5	$\begin{array}{ccc} \text{Total} & \text{O} \\ 5 & 5 \end{array}$	0
28	h	4	TotalO44	0
28	j	3	TotalO33	0
28	G	2	TotalO22	0
28	K	32	TotalO3232	0
28	е	6	Total O 6 6	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
28	С	14	Total O 14 14	0
28	i	1309	Total O 1309 1309	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 40S ribosomal protein S2





MET P2 G33 G33 F3 F3 F5 D67 P67	R80 L81 E103 E107 C111 C1123 L127 R127	H134 1136 8160 8163 8163 8163 8163 8163 8163 8170	K180 GLY GLY GLY GLY GLY ALA ALA ALA ALA ALA ALA ALA ASP ASP ASP	GLU ASP ASP
• Molecule 6: 40S	5 ribosomal protein	n S13		
Chain M:		87%		12% •
MET 62 83 16 16 16 16 10 31 10 32 10 33	K34 E35 E35 E35 E35 E35 F65 F66 F66 F66 K93 K94	R99 D110 R114 E119 E119 V150	ALA	
• Molecule 7: 40S	5 ribosomal protein	n S14		
Chain N:		85%		12%
MET ALA PRO ARG CLY CLY GLU CLY CLU CLY GLU GLU GLU GLU	VAL ILE SER LEU GLY GLY F34 F34 F34 F34	q113 1135 1138 1138 1138		
• Molecule 8: 405	5 ribosomal protein	n S15a		
Chain P:		89%		10% •
MET V2 R3 R3 C30 S31 M42 R42	D80 183 183 183 183 183 183 113 113 113 113			
• Molecule 9: 405	5 ribosomal protein	n S17		
Chain R:	37% ••		61%	
MET GLY GLY ARG ARG ARG LYS LYS LYS LYS LYS ALA ALA	ARG VAL TLE TLE GLU CVS CVAL TVR TVR TVR TVR TVR ASN ASN	PHE HIS HIS ASN ASN ANG CYS CYS GLU GLU	ILE ALA TLE TLE TLE PRO SER LYS LYS LYS LASN LYS TLEU ASN TLE	ALA GLY TYR VAL THR HIS LEU MET LYS ARG
11.E CLM CLM CLM CLM CLY PRO PRO PRO PRO PRO PRO PRO PRO PRO PRO	GLU GLU GLU GLU GLU GLU ARG ARG ARG ARG ARG ARG X129 VI116	R132 ALA VAL		
• Molecule 10: 40)S ribosomal protei	in S21		
Chain V:		95%		5%
ACE0 K16 A30 N35 R60 R60 R60				
• Molecule 11: 40)S ribosomal protei	in S23		
Chain W:		91%		7% •
MET G2 C2 L7 K54 K54 S64 S64 L66 L66	K68 L91 F105 K124 K124 S129 P141 P141 SER			
• Molecule 12: 40)S ribosomal protei	in S24		



Chain X:	92%		5% •
MET ASN ASN ASN ASN ASP 14 F 12 F 12 R16 R12 R21	L28 F60 LYS LYS LYS		
• Molecule 13: 40	0S ribosomal protein S26		
Chain Z:	75%	10%	15%
MET T2 K3 K3 R28 R28 V45 V45	W50 W50 K70 K70 H65 H92 ARG ALA ALA ALA ALA ALA ALA ALA ALA ALA AL	PRO PRO LYS PRO MET	
• Molecule 14: 4	0S ribosomal protein S27		
Chain a:	92%		6% •
MET P2 B34 K70 K70 K82 K82	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
• Molecule 15: 60	0S ribosomal protein L41		
Chain f:	80%	8%	12%
M1 R11 722 ARG SER LYS			
• Molecule 16: 40	0S ribosomal protein SA		
Chain h:	- 64%	6% 29%	, 0
ACE1 436 138 138 853 853 869 869	1// R80 199 199 126 136 136 136 137 142 136 137 142 136 136 137 142 137 142 137 142 137 142 137 142 142 142	E208 ELU TLF CLU CLU CLU GLU GLU GLU GLU GLU CLY S	ALA VAL THR LYS GLU GLU GLU GLN TRP THR
ALA PRO ALA ALA PRO GLU CHE ALA ALA ALA ALA ALA CLN CLN	ALA ALA ASP ASP ASP ALA GLU GLU VAL ALA ALA ALA ALA ALA ALA ALA ALA ALA	SER ALA ALA ALA PRO ALA ALA ALA ALA ALA	THR ALA GLN ALA ALA ALA ALA CLU VAL CLY THR THR THR
GLU SER			
• Molecule 17: H	lost translation inhibitor nsp1		
Chain j: 16%	• 82	%	
MET GLU SER LEU VAL PRO GLY ASN CLU CYS THR	HIS VAL SER CALN SER CALN CALN PRO PRO ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP	GLU GLU VAL LEU SER SER GLU ALA GLN HIS CLU HIS LEU LEU ASP	GLY THR CYS GLY LEU VAL CLU VAL CLU CLU CLU CLU VAL VAL
LEU PRO GLN GLN GLU GLU VAL VAL LYS LYS	SARG ARG ARD ALA ARD ALA ARG ALA ALA VAL CUU VAL CUU VAL CUU VAL CUU CUU CUU CUU CUU CUU CUU CUU CUU CU	GLN TYR GLY ARG SER SER GLY CLU CLU CLU CLU CLU CLU	PRO HIS VAL GLV GLV TLE PRO VAL ALA ALA ARG ARG LYS
VAL LEU LEU LEU ARG ARG ARA ALA ALA ALA ALA CV C	HIT HIT CLY CLY ALA ASP ASP ASP IEU LEU LEU ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP	6179 617	
	W O R I		











νυυ	000	שטע	50	5 5 5	000	5 0 0	2 10 1	ьυ	00	00	×∙	A D	n	C	U P.SII	A	0MG A	5 5		4 U -	A	5	5 5	ల ల	5:		U ⊲	: ២ (50.	d P	υυ	IJ
A G	nn	5 4 3	A C	A U	A A	A A	G UMG	ыU	U	D	A .	5 0	0	ບບ	U U	Å	G A	D D	- D 0	יסכי	თ თ	5 5	50	D U	υ.	A D	5 5		001	ם כ	AC	A
000	A		d C	ບ∢ເ	500	900	יםני	50	n c	A C	יטנ	υÞ	Ā	0 5	00		90	A G		0 0	00	00	, D	A A	00	00	5 1	• D 7	P 4 ·	C A	ບບ	υ
A U	00;	0 U 4	D U	9 9 5	A H	500		ს ს	A U	D	, U ·	A	n	U A	n	00	ບບ	D A		P C	A D	IJ <	4 U	G7M A	A 	n n	00	о U .	¥ ت :	U A	A G	n
ა იი	იი:	o U ⊲	U	ح ت ت) D =	o ಅ र	ელ 	n	D A	D H	A 2M	A G	ñ	ບບ	C	0.0	ບບ	n c	U U	01692 G1693	C1698	A1699	C1703	C1704 C1705	G1706	01100 C1708	G1709 C1710	U1711	C1713	01/14 A1715	C1716	A1719
n n	G A	0 G G1727	G1736	61737	01/40 U1741	G1744	G1748	G1749 C1750	<mark>C1751</mark> C		5 U 8	ບບ	50	უ ლ	DÜ	0 10 1	ບ ບ	00	A N	5 5 5	<u>ט</u> ט	υυ	מכ	ლ ლ	00	. 5	A G	0 2	C1785	01/86 G1787	U1797	C1798
G1799 A1800 A1801	C1802 U1803	01004 61805	U1808 A	00	0 4 0	A A	G1816 G1817	A1818 A1819	G1820 U1821	A1822	A P P P P P P P P P P P P P P P P P P P	A G1826		G1829 U1830	A1831 A1832		A1835 G1836	G1837 U1838	U1839	N1842	G1843 U1844	A1845	0 10 10	G1849 A1850	A1851	U1854	G1855 C1856	G1857	00010	G1861 G1862	A1863 U1864	C1865
A1869																																
• M	oleo	cule	24	: 40	\mathbf{S}	rib	os	om	nal	р	ot	eiı	n١	uS	3,	RI	PS	3														
Cha	in l	3: -		17%		·											8	2%											_			
MET ALA VAL	GLN	LYS	ARG LYS	PHE VAL	ASP	ILE	LYS	ALA GLU	LEU ASN	GLU		THR ARG	GLU	ALA	GLU ASP	GLY	TYR SER	GLY VAL	GLU	ARG	VAL THR	PRO TUD	ARG	THR GLU	ILE	ILE I	LEU ALA	THR	THR	ASN	VAL LEU	GLY
GLU GLU	ARG ARG	ARG GLU	LEU THR	ALA VAL	GLN	ARG	GLY	PHE PRO	GLU GLY	SER	GLU	LEU TYR	ALA	GLU	VAL AT.A	THR	GLY	LEU CYS	ALA	ALA	GLN ALA	GLU	LEU	ARG TYR	LYS	DEU LEU	GL Y GL Y	L113	R117	V138	L142	-
Q145	MET	HIS SER	ASP PRO	VAL ASN	TYR TYR	VAL ASP	THR ALA	VAL ARG	SIH	LEU	LEU ARG	GLN GLN	VAL	GLY	TLE	VAL	LYS ILE	MET	PRO	TRP ASP	PRO SFP	GLY	LYS ILE	GLY	LYS	LYS PRO	LEU	ASP	HIS VAL	SER TLE	VAL GLU	PRO
LYS ASP GLU	LEU	THR	PRO ILE	GLU	LYS	GLY	PRO	GLU PRO	PRO ALA	MET	GLN	PRO VAL	PRO	ALA																		



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	120566	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	30.70	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 $(6k \ge 4k)$	Depositor
Maximum map value	0.318	Depositor
Minimum map value	-0.063	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.035	Depositor
Map size (Å)	424.448, 424.448, 424.448	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.829, 0.829, 0.829	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ACE, MA6, K, A2M, OMC, OMG, IAS, 6MZ, OMU, 4AC, PSU, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles				
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5			
1	А	0.17	0/1716	0.30	0/2325			
2	D	0.18	0/2066	0.30	0/2788			
3	F	0.15	0/1747	0.26	0/2347			
4	Н	0.16	0/1602	0.28	0/2154			
5	Ι	0.16	0/1485	0.27	0/1988			
6	М	0.15	0/1185	0.27	0/1599			
7	Ν	0.15	0/975	0.28	0/1309			
8	Р	0.19	0/1046	0.28	0/1401			
9	R	0.09	0/368	0.22	0/503			
10	V	0.15	0/632	0.27	0/849			
11	W	0.16	0/1097	0.28	0/1467			
12	Х	0.16	0/987	0.27	0/1320			
13	Ζ	0.16	0/753	0.28	0/1015			
14	а	0.14	0/603	0.25	0/816			
15	f	0.15	0/187	0.29	0/242			
16	h	0.14	0/1627	0.25	0/2216			
17	j	0.15	0/258	0.34	0/348			
18	k	0.10	0/308	0.22	0/415			
19	G	0.13	0/1323	0.25	0/1791			
20	Κ	0.18	0/1151	0.27	0/1543			
21	е	0.17	0/370	0.31	0/485			
22	С	0.15	0/1719	0.27	0/2306			
23	i	0.23	0/24757	0.28	0/38563			
24	В	0.10	0/324	0.17	0/429			
All	All	0.20	0/48286	0.27	0/70219			

There are no bond length outliers. There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1679	0	1743	13	0
2	D	2024	0	2102	13	0
3	F	1724	0	1750	10	0
4	Н	1574	0	1556	12	0
5	Ι	1460	0	1564	11	0
6	М	1161	0	1216	12	0
7	Ν	971	0	979	3	0
8	Р	1029	0	1076	10	0
9	R	362	0	331	2	0
10	V	627	0	611	3	0
11	W	1079	0	1139	6	0
12	Х	970	0	982	3	0
13	Ζ	740	0	770	8	0
14	a	592	0	560	3	0
15	f	186	0	201	2	0
16	h	1595	0	1591	9	0
17	j	253	0	222	2	0
18	k	309	0	200	3	0
19	G	1304	0	1270	14	0
20	K	1131	0	1174	5	0
21	е	368	0	394	5	0
22	С	1693	0	1713	13	0
23	i	23450	0	11891	214	0
24	В	322	0	342	2	0
25	F	1	0	0	0	0
25	i	56	0	0	0	0
26	N	1	0	0	0	0
26	Ζ	1	0	0	0	0
26	i	11	0	0	0	0
27	Ζ	1	0	0	0	0
28	А	21	0	0	0	0
28	С	14	0	0	0	0
28	D	37	0	0	0	0
28	F	8	0	0	0	0
28	G	2	0	0	0	0
28	Н	22	0	0	0	0
28	Ι	40	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	K	32	0	0	0	0
28	М	18	0	0	0	0
28	Ν	16	0	0	0	0
28	Р	27	0	0	1	0
28	V	7	0	0	0	0
28	W	28	0	0	0	0
28	Х	13	0	0	0	0
28	Ζ	22	0	0	1	0
28	a	6	0	0	0	0
28	е	6	0	0	0	0
28	f	5	0	0	0	0
28	h	4	0	0	0	0
28	i	1309	0	0	0	0
28	j	3	0	0	0	0
All	All	48314	0	35377	332	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All	(332)	close	$\operatorname{contacts}$	within	the same	asymmetric	unit	are	listed	below,	sorted	by	their	clash
mag	nitud	e.												

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
23:i:925:G:H1	23:i:1017:U:H3	1.27	0.82
8:P:2:VAL:N	23:i:1091:C:HO2'	1.79	0.81
23:i:928:G:H1	23:i:1013:U:H3	1.31	0.75
23:i:874:G:H2'	23:i:875:A:H8	1.54	0.72
13:Z:3:LYS:NZ	13:Z:8:ASN:OD1	2.24	0.70
23:i:981:A:H2'	23:i:982:G:C8	2.26	0.70
23:i:857:U:H2'	23:i:858:A:C8	2.28	0.67
8:P:80:ASP:OD1	8:P:124:LYS:NZ	2.26	0.67
23:i:1714:U:H2'	23:i:1715:A:C8	2.30	0.66
20:K:91:ASP:HB3	20:K:104:LYS:HE2	1.79	0.64
3:F:140:ARG:NH1	23:i:170:A:OP2	2.32	0.63
23:i:928:G:H2'	23:i:929:G:C8	2.34	0.62
19:G:19:PHE:HZ	19:G:60:ILE:HD12	1.63	0.62
23:i:640:A:H2'	23:i:641:A:C8	2.36	0.61
16:h:108:PHE:HB2	16:h:136:GLU:HG2	1.83	0.61
19:G:7:LYS:NZ	19:G:40:LEU:O	2.33	0.61
23:i:1030:A:H2'	23:i:1031:A2M:H8	1.83	0.61
1:A:65:LYS:HE3	1:A:273:LEU:HD13	1.83	0.61
4:H:22:HIS:HB3	23:i:433:A:H5"	1.84	0.60



	sus puge	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
16:h:36:GLN:O	16:h:53:ARG:NH1	2.33	0.59
23:i:797:OMC:H2'	23:i:798:G:C8	2.37	0.58
23:i:1705:C:H2'	23:i:1706:G:C8	2.37	0.58
23:i:1856:C:H2'	23:i:1857:G:C8	2.39	0.58
23:i:554:A:O2'	23:i:556:U:OP2	2.21	0.58
23:i:145:G:H2'	23:i:146:G:C8	2.38	0.58
23:i:942:G:H2'	23:i:943:U:C6	2.40	0.57
7:N:34:PHE:HB3	7:N:41:PHE:HB2	1.87	0.57
23:i:107:A:H2'	23:i:108:G:C8	2.39	0.57
8:P:3:ARG:HD3	8:P:6:VAL:HG12	1.86	0.56
22:C:124:HIS:HA	22:C:137:LEU:O	2.05	0.56
3:F:2:LYS:NZ	23:i:156:G:OP1	2.31	0.56
23:i:191:A:H3'	23:i:192:C:H5"	1.88	0.56
23:i:1797:U:H2'	23:i:1798:C:C6	2.41	0.56
23:i:16:G:H2'	23:i:17:C:C6	2.41	0.55
1:A:252:THR:OG1	1:A:254:ASP:OD1	2.22	0.55
23:i:1713:C:H2'	23:i:1714:U:C6	2.41	0.55
23:i:528:A:H2'	23:i:529:A:H8	1.71	0.55
23:i:190:G:O2'	23:i:209:A:N6	2.40	0.55
23:i:996:A:H2'	23:i:997:A:C8	2.42	0.55
22:C:136:ARG:HB2	22:C:218:LEU:HD11	1.88	0.55
8:P:91:ASN:ND2	28:P:201:HOH:O	2.39	0.55
21:e:110:MET:HE3	21:e:114:ARG:HH12	1.72	0.55
23:i:118:C:H1'	23:i:445:A:C5	2.43	0.54
23:i:1798:C:H2'	23:i:1799:G:O4'	2.07	0.54
6:M:64:ARG:NH1	23:i:919:A:OP2	2.38	0.54
23:i:528:A:H2'	23:i:529:A:C8	2.41	0.54
23:i:1845:A:H2'	23:i:1846:G:C8	2.43	0.54
5:I:40:LYS:NZ	23:i:641:A:OP1	2.36	0.54
23:i:1712:A:H2'	23:i:1713:C:C6	2.42	0.53
11:W:54:LYS:HE2	11:W:91:LEU:HG	1.90	0.53
23:i:1007:C:H2'	23:i:1008:A:C8	2.43	0.53
22:C:47:THR:OG1	22:C:65:ARG:NH1	2.42	0.53
23:i:1113:A:H2'	23:i:1114:U:C6	2.43	0.53
3:F:1:MET:HE2	3:F:106:LEU:HB2	1.90	0.53
5:I:136:ARG:HD3	5:I:160:SER:HA	1.91	0.53
23:i:12:U:H2'	23:i:13:C:C6	2.43	0.53
23:i:809:A:H2'	23:i:810:A:O4'	2.09	0.53
23:i:1088:U:H4'	23:i:1089:G:OP2	2.09	0.53
2:D:106:LYS:NZ	23:i:847:A:O2'	2.42	0.52
23:i:1819:A:H2'	23:i:1820:G:C8	2.44	0.52



	had pagemi	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
23:i:1201:U:H2'	23:i:1202:U:C6	2.44	0.52
23:i:29:G:H2'	23:i:30:C:C6	2.44	0.52
1:A:191:VAL:HG11	1:A:236:PHE:HA	1.92	0.52
20:K:128:VAL:HG12	20:K:142:VAL:HA	1.91	0.52
16:h:37:TYR:OH	16:h:57:LYS:NZ	2.40	0.52
23:i:1856:C:H2'	23:i:1857:G:H8	1.75	0.52
12:X:12:PHE:HZ	12:X:21:LYS:HD3	1.75	0.52
2:D:11:ARG:HA	2:D:28:ALA:HB2	1.92	0.51
4:H:5:ARG:NE	23:i:379:C:O2	2.40	0.51
22:C:134:LEU:HB3	22:C:219:LYS:HB2	1.92	0.51
23:i:1203:G:H2'	23:i:1204:A:C8	2.45	0.51
5:I:103:GLU:O	5:I:107:GLU:HG2	2.09	0.51
23:i:495:U:H2'	23:i:496:C:O4'	2.10	0.51
19:G:19:PHE:CZ	19:G:60:ILE:HD12	2.45	0.51
22:C:33:VAL:HG12	22:C:44:ILE:HD12	1.92	0.51
1:A:257:LYS:O	10:V:16:LYS:NZ	2.36	0.51
7:N:113:GLN:HE21	13:Z:46:GLU:H	1.59	0.51
23:i:15:U:H2'	23:i:16:G:O4'	2.11	0.51
4:H:98:LYS:HB3	23:i:377:G:H5'	1.92	0.51
16:h:77:ILE:HG12	16:h:99:ILE:HB	1.93	0.51
23:i:1736:G:H2'	23:i:1737:G:C8	2.45	0.51
19:G:114:GLN:HE22	23:i:874:G:H21	1.58	0.51
23:i:1098:C:H2'	23:i:1099:G:C8	2.46	0.50
20:K:18:GLN:HG2	20:K:33:LEU:HD11	1.93	0.50
23:i:115:U:H2'	23:i:116:OMU:C6	2.42	0.50
23:i:367:U:H4'	23:i:371:A:C8	2.46	0.50
23:i:1706:G:H2'	23:i:1707:U:H6	1.76	0.50
23:i:57:U:OP1	23:i:504:G:O2'	2.26	0.50
23:i:656:G:H5'	23:i:662:G:N2	2.26	0.50
4:H:57:ALA:HB2	4:H:183:GLY:HA2	1.94	0.50
8:P:91:ASN:HD21	23:i:2:A:H61	1.60	0.50
23:i:563:G:O2'	23:i:564:A:H8	1.95	0.50
23:i:952:G:H2'	23:i:953:C:C6	2.47	0.50
14:a:67:THR:OG1	14:a:70:LYS:O	2.28	0.49
23:i:629:A:O2'	23:i:631:U:OP1	2.30	0.49
23:i:1010:G:H2'	23:i:1011:A:C8	2.47	0.49
4:H:184:ARG:NH2	23:i:218:PSU:O4	2.45	0.49
21:e:117:VAL:HG11	23:i:552:G:H5'	1.94	0.49
23:i:573:U:O2	23:i:576:A2M:H8	2.12	0.49
23:i:1101:U:H2'	23:i:1102:G:C8	2.48	0.49
4:H:113:TYR:OH	4:H:156:ALA:O	2.23	0.49



	hi a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
23:i:1736:G:H2'	23:i:1737:G:H8	1.77	0.49
23:i:17:C:H2'	23:i:18:C:C6	2.47	0.49
23:i:51:U:H2'	23:i:52:G:C8	2.48	0.49
23:i:106:C:H2'	23:i:107:A:H8	1.78	0.49
9:R:116:ASN:OD1	9:R:116:ASN:N	2.46	0.49
23:i:1712:A:H2'	23:i:1713:C:H6	1.78	0.49
3:F:162:LEU:HB3	23:i:67:C:C5	2.48	0.49
23:i:674:C:H2'	23:i:675:U:C6	2.48	0.49
23:i:1836:G:OP1	23:i:1839:U:H4'	2.13	0.49
6:M:55:ARG:HD3	23:i:1017:U:H5'	1.94	0.48
23:i:99:A2M:O5'	23:i:99:A2M:H8	2.14	0.48
23:i:563:G:O2'	23:i:564:A:H5"	2.14	0.48
2:D:97:GLU:OE1	2:D:113:ARG:NH1	2.37	0.48
14:a:34:ASP:O	14:a:79:PHE:HA	2.13	0.48
16:h:137:ALA:HB1	16:h:142:LEU:HB3	1.94	0.48
2:D:124:CYS:HB3	2:D:141:THR:HB	1.94	0.48
2:D:175:PHE:HE2	2:D:198:ARG:HD2	1.79	0.48
8:P:30:CYS:SG	8:P:31:SER:N	2.85	0.48
19:G:69:LEU:HD22	19:G:96:ALA:HB2	1.94	0.48
2:D:107:GLY:HA2	2:D:189:LEU:HG	1.95	0.48
3:F:183:ARG:NH1	23:i:317:C:OP2	2.34	0.48
13:Z:2:THR:N	23:i:1199:A:OP1	2.46	0.48
23:i:614:C:H2'	23:i:626:G:C8	2.48	0.48
23:i:575:A:H2'	23:i:576:A2M:O4'	2.14	0.48
1:A:165:VAL:HG21	1:A:217:ALA:HB1	1.96	0.48
6:M:33:VAL:HG21	6:M:66:VAL:HG11	1.96	0.48
13:Z:28:ARG:NH2	28:Z:301:HOH:O	2.41	0.47
20:K:136:LYS:HB2	23:i:385:G:H3'	1.96	0.47
6:M:25:TRP:CD2	14:a:82:LYS:HD3	2.49	0.47
23:i:96:C:H2'	23:i:97:U:C6	2.50	0.47
23:i:874:G:H2'	23:i:875:A:C8	2.41	0.47
5:I:53:ILE:HD13	5:I:81:LEU:HD21	1.96	0.47
11:W:66:ILE:HD12	21:e:78:GLY:HA2	1.96	0.47
22:C:123:ALA:HB2	22:C:165:ARG:HG3	1.96	0.47
18:k:67:PHE:CE1	18:k:92:ASN:HB3	2.50	0.47
2:D:11:ARG:HD3	2:D:21:ASP:O	2.14	0.47
5:I:127:ARG:HD3	21:e:105:ARG:HD3	1.96	0.47
19:G:44:ASN:H	19:G:68:GLN:HE22	1.61	0.47
23:i:121:OMU:HM23	23:i:121:OMU:H1'	1.60	0.47
23:i:963:A:H2'	23:i:964:A:C8	2.50	0.47
6:M:31:ASP:O	6:M:35:GLU:HG2	2.14	0.47



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
23:i:28:U:H2'	23:i:29:G:H8	1.79	0.47
23:i:527:C:H2'	23:i:528:A:H8	1.80	0.47
23:i:443:U:H2'	23:i:444:G:O4'	2.15	0.47
23:i:1189:A:H2'	23:i:1190:A:C8	2.50	0.47
23:i:1845:A:H2'	23:i:1846:G:H8	1.79	0.47
4:H:101:ILE:HD12	4:H:190:LEU:HD11	1.96	0.46
23:i:320:G:H2'	23:i:321:C:C6	2.50	0.46
1:A:116:THR:OG1	1:A:119:GLY:O	2.17	0.46
22:C:168:MET:HG2	22:C:197:ILE:HG21	1.97	0.46
23:i:420:G:O2'	23:i:660:C:N3	2.46	0.46
23:i:352:U:H2'	23:i:353:C:C6	2.51	0.46
3:F:162:LEU:HD11	3:F:172:LYS:HD2	1.97	0.46
23:i:562:U:H2'	23:i:563:G:C8	2.51	0.46
23:i:1010:G:H2'	23:i:1011:A:H8	1.79	0.46
23:i:1164:G:O2'	23:i:1165:G:H5'	2.15	0.46
3:F:2:LYS:HD3	3:F:15:LEU:HD21	1.97	0.46
23:i:416:U:H2'	23:i:417:C:O4'	2.16	0.46
1:A:183:LYS:HA	1:A:195:LEU:O	2.15	0.46
4:H:106:SER:HB3	4:H:171:LEU:HG	1.98	0.46
5:I:134:HIS:ND1	5:I:163:SER:OG	2.40	0.46
23:i:559:G:O2'	23:i:560:A:H5"	2.16	0.46
23:i:1119:A:H2'	23:i:1120:U:C6	2.51	0.46
23:i:1139:C:H2'	23:i:1140:G:O4'	2.16	0.46
23:i:441:C:H2'	23:i:442:C:C6	2.51	0.46
23:i:533:A:H2'	23:i:534:G:H8	1.81	0.46
7:N:135:ILE:O	23:i:943:U:O2'	2.34	0.46
23:i:17:C:O2'	23:i:1194:A:N1	2.43	0.46
23:i:801:U:H2'	23:i:802:A:H8	1.81	0.46
23:i:964:A:H2'	23:i:965:U:C6	2.50	0.46
23:i:1148:A:H4'	23:i:1149:A:O4'	2.17	0.46
23:i:980:A:H2'	23:i:981:A:C8	2.51	0.45
23:i:1025:U:H2'	23:i:1026:C:O4'	2.16	0.45
23:i:1084:A:OP1	23:i:1858:G:O2'	2.28	0.45
23:i:1821:U:H2'	23:i:1822:A:C8	2.51	0.45
23:i:5:U:H2'	23:i:6:G:H8	1.82	0.45
23:i:1854:U:H2'	23:i:1855:G:H8	1.82	0.45
10:V:30:ALA:O	10:V:60:ARG:HD3	2.16	0.45
23:i:159:A2M:HM'3	23:i:159:A2M:H1'	1.63	0.45
23:i:878:G:H1	23:i:908:A:H61	1.63	0.45
23:i:1817:G:H2'	23:i:1818:A:C8	2.51	0.45
6:M:110:ASP:O	6:M:114:ARG:HG2	2.17	0.45



	jue page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
13:Z:44:ILE:HD12	13:Z:65:PRO:HG2	1.99	0.45
23:i:530:U:H2'	23:i:531:A:H8	1.81	0.45
5:I:33:GLY:HA3	21:e:112:TYR:CG	2.52	0.45
6:M:9:LYS:HE3	23:i:1092:G:OP2	2.17	0.45
19:G:40:LEU:HD11	19:G:79:LEU:HD11	1.99	0.45
20:K:111:VAL:HG12	20:K:140:PHE:HB2	1.97	0.45
23:i:568:C:H2'	23:i:569:A:O4'	2.17	0.45
23:i:858:A:H2'	23:i:859:G:H8	1.82	0.45
23:i:940:U:H2'	23:i:941:C:C6	2.51	0.45
23:i:1199:A:H2'	23:i:1200:A:C8	2.52	0.45
8:P:42:MET:HE1	19:G:146:VAL:HG12	1.98	0.45
23:i:520:A:O2'	23:i:825:A:N3	2.42	0.45
23:i:634:A:H2'	23:i:635:G:C8	2.52	0.45
23:i:1714:U:H2'	23:i:1715:A:H8	1.80	0.45
13:Z:88:SER:O	13:Z:92:ARG:HG3	2.17	0.44
23:i:116:OMU:HM23	23:i:116:OMU:H1'	1.72	0.44
23:i:639:C:H2'	23:i:640:A:C8	2.52	0.44
23:i:1713:C:H2'	23:i:1714:U:H6	1.79	0.44
16:h:184:ARG:HD3	16:h:191:ARG:HG2	1.99	0.44
23:i:30:C:O2'	23:i:596:U:OP1	2.34	0.44
23:i:664:A:O2'	23:i:670:A:N1	2.45	0.44
23:i:1715:A:H2'	23:i:1716:C:H6	1.83	0.44
1:A:185:THR:OG1	23:i:1155:U:OP1	2.34	0.44
23:i:1101:U:H2'	23:i:1102:G:H8	1.83	0.44
11:W:68:LYS:HB3	11:W:91:LEU:HD22	1.99	0.44
17:j:152:ASP:HA	24:B:117:ARG:HH21	1.83	0.44
23:i:1036:A:H4'	23:i:1855:G:N2	2.33	0.44
13:Z:37:LYS:HG2	13:Z:70:LYS:HE2	2.00	0.44
17:j:173:LEU:C	17:j:175:ARG:H	2.25	0.44
23:i:99:A2M:HM'3	23:i:99:A2M:H1'	1.86	0.44
23:i:626:G:N3	23:i:626:G:H2'	2.33	0.44
23:i:329:G:H3'	23:i:330:G:H8	1.82	0.44
23:i:530:U:H2'	23:i:531:A:C8	2.53	0.44
8:P:77:PRO:HB2	11:W:7:LEU:HG	2.00	0.43
19:G:45:ILE:HG22	19:G:64:VAL:HG12	1.99	0.43
23:i:517:OMC:H2'	23:i:518:G:O4'	2.18	0.43
23:i:533:A:H2'	23:i:534:G:C8	2.53	0.43
23:i:804:U:H2'	23:i:805:U:C6	2.53	0.43
23:i:1692:PSU:H2'	23:i:1693:G:C8	2.53	0.43
1:A:72:ASP:OD2	1:A:272:HIS:NE2	2.43	0.43
16:h:80:ARG:O	16:h:84:GLN:HG3	2.18	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
23:i:551:U:H2'	23:i:552:G:C8	2.53	0.43
23:i:1711:U:H2'	23:i:1712:A:H8	1.83	0.43
2:D:20:LEU:HD21	2:D:46:ILE:HD12	2.00	0.43
22:C:104:ASP:OD1	22:C:105:LEU:N	2.51	0.43
4:H:4:SER:OG	4:H:6:ASP:OD2	2.28	0.43
23:i:958:G:H2'	23:i:959:G:C8	2.53	0.43
19:G:135:PHE:CG	19:G:136:PRO:HA	2.54	0.43
23:i:382:C:H2'	23:i:383:G:H8	1.84	0.43
23:i:433:A:H2'	23:i:434:G:C8	2.54	0.43
23:i:1711:U:H2'	23:i:1712:A:C8	2.54	0.43
23:i:1786:U:H2'	23:i:1787:G:H8	1.82	0.43
23:i:223:C:H2'	23:i:224:A:C8	2.54	0.43
23:i:634:A:H2'	23:i:635:G:H8	1.84	0.43
2:D:27:PHE:O	23:i:495:U:O2'	2.35	0.43
3:F:164:LYS:NZ	23:i:68:A:OP2	2.50	0.43
6:M:87:ASP:OD1	6:M:87:ASP:N	2.52	0.43
19:G:99:ARG:HH12	23:i:913:A:P	2.41	0.43
23:i:84:A:N3	23:i:150:A:O2'	2.47	0.43
23:i:332:G:O2'	23:i:333:G:H5'	2.19	0.43
16:h:69:GLU:OE1	16:h:69:GLU:N	2.51	0.43
23:i:943:U:C2	23:i:944:A:C8	3.07	0.43
23:i:1748:G:H2'	23:i:1749:G:H8	1.84	0.43
6:M:4:MET:HG2	6:M:5:HIS:CD2	2.54	0.43
2:D:45:ILE:HG13	2:D:61:VAL:HG21	2.01	0.42
5:I:111:GLN:HE21	5:I:123:ILE:HG13	1.84	0.42
18:k:68:ALA:HB1	23:i:1707:U:O2	2.18	0.42
23:i:116:OMU:O5'	23:i:116:OMU:H6	2.19	0.42
23:i:206:G:H2'	23:i:207:G:C8	2.53	0.42
24:B:138:VAL:HG12	24:B:142:LEU:HD21	2.00	0.42
8:P:86:LEU:HD21	8:P:113:HIS:HB2	2.01	0.42
23:i:160:U:O2'	23:i:162:C:OP2	2.33	0.42
23:i:472:C:H4'	23:i:474:G:OP1	2.18	0.42
23:i:1705:C:H2'	23:i:1706:G:H8	1.84	0.42
23:i:1801:A:H2'	23:i:1802:C:H6	1.84	0.42
3:F:98:ARG:NH2	3:F:103:ASP:OD1	2.52	0.42
3:F:133:LEU:HD22	23:i:65:C:C2	2.53	0.42
6:M:94:LYS:HG2	6:M:118:ILE:HD13	2.01	0.42
22:C:94:LYS:HD2	22:C:94:LYS:HA	1.81	0.42
23:i:1740:C:H2'	23:i:1741:U:C6	2.53	0.42
15:f:17:ARG:NH2	23:i:1173:A:OP1	2.52	0.42
23:i:106:C:H2'	23:i:107:A:C8	2.54	0.42



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
5:I:67:ASP:HB3	5:I:70:ARG:HB3	2.00	0.42	
23:i:344:U:H2'	23:i:345:U:C6	2.54	0.42	
23:i:945:U:H2'	23:i:946:U:C6	2.54	0.42	
23:i:1037:G:H4'	23:i:1845:A:H4'	2.00	0.42	
18:k:70:ASN:OD1	18:k:71:GLY:N	2.51	0.42	
19:G:100:ILE:HG12	19:G:125:VAL:HG21	2.02	0.42	
23:i:1708:C:C2	23:i:1709:G:C8	3.08	0.42	
2:D:182:MET:HE3	2:D:192:ILE:HD11	2.01	0.42	
23:i:1118:C:H2'	23:i:1119:A:O4'	2.20	0.42	
1:A:267:GLN:HE22	10:V:35:ASN:HD21	1.67	0.42	
4:H:170:LYS:HE2	4:H:170:LYS:HB3	1.91	0.42	
8:P:83:LEU:HD23	8:P:83:LEU:HA	1.90	0.42	
1:A:271:ASP:O	1:A:274:VAL:HG12	2.20	0.41	
6:M:93:LYS:HB3	6:M:93:LYS:HE2	1.78	0.41	
22:C:231:LEU:HD12	22:C:231:LEU:HA	1.82	0.41	
23:i:320:G:H2'	23:i:321:C:H6	1.85	0.41	
23:i:418:A:H2'	23:i:419:G:C8	2.55	0.41	
23:i:851:C:H5"	23:i:852:G:H5'	2.02	0.41	
23:i:158:A:H2'	23:i:159:A2M:O4'	2.20	0.41	
11:W:64:SER:OG	23:i:615:C:OP2	2.33	0.41	
4:H:33:ALA:HA	23:i:379:C:H5'	2.02	0.41	
23:i:186:C:H2'	23:i:187:G:H8	1.86	0.41	
5:I:80:ARG:NH1	23:i:818:A:OP1	2.38	0.41	
16:h:126:ASP:HB3	16:h:129:ALA:HB3	2.02	0.41	
23:i:1819:A:H2'	23:i:1820:G:H8	1.82	0.41	
19:G:46:THR:N	19:G:63:PHE:O	2.53	0.41	
23:i:99:A2M:H2'	23:i:100:U:O4'	2.20	0.41	
23:i:948:C:H2'	23:i:949:G:H8	1.86	0.41	
23:i:1189:A:H2'	23:i:1190:A:H8	1.85	0.41	
23:i:1831:A:H2'	23:i:1832:6MZ:H8	2.02	0.41	
23:i:321:C:H2'	23:i:322:C:C6	2.55	0.41	
23:i:1181:A:H2'	23:i:1182:A:C8	2.56	0.41	
2:D:66:MET:HG3	23:i:502:C:O4'	2.20	0.41	
23:i:5:U:H2'	23:i:6:G:C8	2.56	0.41	
23:i:301:A:H2'	23:i:302:A:O4'	2.20	0.41	
13:Z:46:GLU:O	13:Z:50:VAL:HG23	2.21	0.41	
22:C:99:ASN:OD1	22:C:100:PHE:N	2.51	0.41	
23:i:349:A:H2'	23:i:350:C:C6	2.56	0.41	
23:i:398:A:OP1	23:i:399:C:O2'	2.32	0.41	
23:i:462:OMC:H1'	23:i:462:OMC:HM23	1.86	0.41	
23:i:601:OMG:HM23	23:i:601:OMG:H1'	1.65	0.41	



	jue puge	Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
23:i:848:U:H2'	23:i:849:A:H8	1.86	0.41
23:i:1043:G:H2'	23:i:1044:G:O4'	2.21	0.41
23:i:1706:G:H2'	23:i:1707:U:C6	2.55	0.41
22:C:146:ARG:HB2	22:C:149:GLN:HB2	2.03	0.41
23:i:51:U:H2'	23:i:52:G:H8	1.85	0.41
23:i:929:G:H2'	23:i:930:C:O4'	2.21	0.41
1:A:125:LYS:HG3	1:A:143:CYS:HB2	2.02	0.40
2:D:21:ASP:HB2	23:i:829:C:OP1	2.20	0.40
12:X:6:THR:OG1	12:X:28:LEU:HB2	2.20	0.40
15:f:11:ARG:HH12	23:i:1844:U:P	2.44	0.40
22:C:103:MET:HE1	22:C:212:VAL:O	2.21	0.40
23:i:28:U:H2'	23:i:29:G:C8	2.55	0.40
6:M:99:ARG:NH2	6:M:119:GLU:OE2	2.42	0.40
9:R:129:LYS:NZ	23:i:1126:G:OP2	2.49	0.40
23:i:468:A2M:H2'	23:i:469:A:O4'	2.21	0.40
1:A:207:ALA:HB2	23:i:4:C:H4'	2.03	0.40
5:I:170:PRO:HB3	5:I:174:LYS:HG2	2.02	0.40
11:W:124:LYS:HG2	11:W:129:SER:HA	2.03	0.40
12:X:60:PHE:O	23:i:571:U:O2'	2.39	0.40
19:G:63:PHE:HA	19:G:95:ILE:O	2.21	0.40
4:H:197:PHE:CZ	4:H:201:LYS:HE3	2.57	0.40
23:i:115:U:O2'	23:i:381:C:O2	2.33	0.40
23:i:204:G:H2'	23:i:205:G:H8	1.86	0.40
23:i:509:OMG:H1'	23:i:509:OMG:HM23	1.89	0.40
23:i:293:C:H2'	23:i:293:C:O2	2.22	0.40
23:i:639:C:H2'	23:i:640:A:H8	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	218/293~(74%)	217 (100%)	1 (0%)	0	100	100
2	D	258/263~(98%)	254 (98%)	4 (2%)	0	100	100
3	F	229/249~(92%)	227 (99%)	2 (1%)	0	100	100
4	Н	203/208~(98%)	203 (100%)	0	0	100	100
5	Ι	177/194~(91%)	174 (98%)	3 (2%)	0	100	100
6	М	147/151~(97%)	146 (99%)	1 (1%)	0	100	100
7	N	129/151~(85%)	126 (98%)	3 (2%)	0	100	100
8	Р	127/130~(98%)	125 (98%)	2 (2%)	0	100	100
9	R	50/135~(37%)	50 (100%)	0	0	100	100
10	V	82/84~(98%)	82 (100%)	0	0	100	100
11	W	138/143~(96%)	137 (99%)	1 (1%)	0	100	100
12	Х	123/130~(95%)	123 (100%)	0	0	100	100
13	Z	96/115~(84%)	96 (100%)	0	0	100	100
14	a	80/84~(95%)	75 (94%)	5 (6%)	0	100	100
15	f	20/25~(80%)	20 (100%)	0	0	100	100
16	h	206/295~(70%)	204 (99%)	2 (1%)	0	100	100
17	j	30/180~(17%)	27 (90%)	3 (10%)	0	100	100
18	k	46/113 (41%)	45 (98%)	1 (2%)	0	100	100
19	G	177/194 (91%)	176 (99%)	1 (1%)	0	100	100
20	K	136/158~(86%)	134 (98%)	2 (2%)	0	100	100
21	e	44/61~(72%)	44 (100%)	0	0	100	100
22	С	213/264 (81%)	213 (100%)	0	0	100	100
24	В	42/243~(17%)	42 (100%)	0	0	100	100
All	All	2971/3863 (77%)	2940 (99%)	31 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	179/223~(80%)	178~(99%)	1 (1%)	84	89
2	D	212/225~(94%)	212 (100%)	0	100	100
3	F	160/218~(73%)	160 (100%)	0	100	100
4	Н	147/180~(82%)	147~(100%)	0	100	100
5	Ι	151/168~(90%)	151 (100%)	0	100	100
6	М	117/131~(89%)	117 (100%)	0	100	100
7	Ν	95/118 (80%)	94 (99%)	1 (1%)	70	77
8	Р	111/113 (98%)	111 (100%)	0	100	100
9	R	33/121~(27%)	32~(97%)	1 (3%)	36	40
10	V	63/67~(94%)	63 (100%)	0	100	100
11	W	110/115~(96%)	108 (98%)	2 (2%)	54	61
12	Х	94/112 (84%)	93~(99%)	1 (1%)	70	77
13	Ζ	75/98~(76%)	75 (100%)	0	100	100
14	a	57/76~(75%)	57~(100%)	0	100	100
15	f	15/24~(62%)	15 (100%)	0	100	100
16	h	161/240~(67%)	160 (99%)	1 (1%)	84	89
17	j	26/151~(17%)	26 (100%)	0	100	100
18	k	13/96~(14%)	13 (100%)	0	100	100
19	G	113/174~(65%)	113 (100%)	0	100	100
20	К	122/142~(86%)	120 (98%)	2 (2%)	58	65
21	е	34/49~(69%)	34 (100%)	0	100	100
22	С	$\overline{176/231}\ (76\%)$	174 (99%)	2 (1%)	70	77
24	В	32/202~(16%)	32 (100%)	0	100	100
All	All	$22\overline{96/3274}\ (70\%)$	2285 (100%)	11 (0%)	85	91

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	248	TYR
7	Ν	113	GLN
9	R	116	ASN
11	W	17	ARG
11	W	105	PHE
12	Х	16	ARG
16	h	38	ILE



Continued from previous page...

Mol	Chain	Res	Type
20	Κ	8	ARG
20	Κ	141	ASN
22	С	43	ASN
22	С	225	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	267	GLN
2	D	214	ASN
3	F	70	HIS
3	F	163	ASN
4	Н	111	GLN
4	Н	116	HIS
4	Н	146	GLN
6	М	58	HIS
6	М	69	ASN
6	М	90	HIS
7	Ν	113	GLN
8	Р	91	ASN
8	Р	120	HIS
9	R	127	ASN
10	V	2	GLN
10	V	21	ASN
11	W	87	ASN
12	Х	89	HIS
13	Ζ	86	ASN
14	a	65	GLN
16	h	36	GLN
16	h	84	GLN
16	h	113	GLN
19	G	68	GLN
19	G	76	GLN
19	G	114	GLN
19	G	162	GLN
20	K	19	ASN
22	C	76	ASN
22	C	92	GLN
22	С	159	GLN
22	C	163	GLN



5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
23	i	1076/1869~(57%)	129 (11%)	0

All (129) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
23	i	17	С
23	i	23	G
23	i	33	G
23	i	41	G
23	i	46	А
23	i	56	G
23	i	64	А
23	i	65	С
23	i	67	С
23	i	68	А
23	i	79	А
23	i	99	A2M
23	i	103	А
23	i	113	G
23	i	114	G
23	i	115	U
23	i	126	G
23	i	130	G
23	i	131	С
23	i	143	U
23	i	155	G
23	i	168	С
23	i	178	С
23	i	182	С
23	i	184	G
23	i	192	С
23	i	224	A
23	i	309	G
23	i	312	G
23	i	319	С
23	i	330	G
23	i	333	G
23	i	335	G
23	i	351	G
23	i	362	С
23	i	364	А



Mol	Chain	Res	Type
23	i	369	С
23	i	385	G
23	i	386	С
23	i	400	С
23	i	409	С
23	i	421	G
23	i	448	A
23	i	449	A
23	i	450	С
23	i	467	G
23	i	471	G
23	i	472	С
23	i	474	G
23	i	482	G
23	i	487	U
23	i	492	С
23	i	516	А
23	i	559	G
23	i	560	A
23	i	563	G
23	i	576	A2M
23	i	588	G
23	i	591	U
23	i	604	А
23	i	607	U
23	i	608	С
23	i	614	С
23	i	628	А
23	i	629	А
23	i	631	U
23	i	643	А
23	i	644	OMG
23	i	655	A
23	i	660	С
23	i	668	A2M
23	i	669	A
23	i	671	А
23	i	672	A
23	i	673	G
23	i	683	OMG
23	i	799	OMU
23	i	811	А



Mol	Chain	Res	Type
23	i	821	G
23	i	822	PSU
23	i	830	А
23	i	834	С
23	i	847	А
23	i	870	А
23	i	873	G
23	i	874	G
23	i	878	G
23	i	913	А
23	i	920	А
23	i	922	A
23	i	933	G
23	i	943	U
23	i	978	G
23	i	990	А
23	i	992	А
23	i	1017	U
23	i	1023	А
23	i	1061	U
23	i	1062	А
23	i	1083	А
23	i	1085	С
23	i	1126	G
23	i	1130	G
23	i	1133	А
23	i	1144	A
23	i	1153	С
23	i	1154	U
23	i	1157	G
23	i	1171	G
23	i	1195	А
23	i	1203	G
23	i	1207	G
23	i	1698	С
$\overline{23}$	i	1699	A
23	i	1744	G
23	i	1805	G
23	i	1829	G
23	i	1831	A
23	i	1835	A
23	i	1836	G



Mol	Chain	Res	Type
23	i	1838	U
23	i	1849	G
23	i	1851	MA6
23	i	1861	G
23	i	1862	G
23	i	1863	А
23	i	1864	U
23	i	1865	С
23	i	1869	А

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

63 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bos	Link	B	Bond lengths			Bond angles			
WIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2		
23	OMG	i	644	23	19,26,27	1.19	3 (15%)	21,38,41	0.85	1 (4%)		
23	PSU	i	1692	23	18,21,22	4.71	8 (44%)	21,30,33	2.03	5 (23%)		
23	A2M	i	159	23	18,25,26	1.24	2 (11%)	20,36,39	1.80	6 (30%)		
23	OMU	i	1804	23	19,22,23	0.76	0	25,31,34	1.32	4 (16%)		
23	PSU	i	572	23	18,21,22	4.72	8 (44%)	21,30,33	2.05	6 (28%)		
23	PSU	i	119	23	18,21,22	4.67	8 (44%)	21,30,33	1.92	5 (23%)		
23	OMG	i	509	$25,\!23$	19,26,27	1.19	2 (10%)	21,38,41	0.85	1 (4%)		
23	MA6	i	1850	23	19,26,27	1.70	3 (15%)	18,38,41	3.27	4 (22%)		
23	A2M	i	99	$25,\!23$	18,25,26	1.29	2 (11%)	20,36,39	1.91	5 (25%)		
23	PSU	i	218	23	18,21,22	4.71	8 (44%)	21,30,33	1.92	6 (28%)		
23	A2M	i	468	23	18,25,26	1.33	2 (11%)	20,36,39	2.05	6 (30%)		
23	PSU	i	105	23	18,21,22	4.72	8 (44%)	21,30,33	2.01	5 (23%)		
23	PSU	i	1046	23	18,21,22	4.72	8 (44%)	21,30,33	1.98	6 (28%)		
23	PSU	i	406	23	18,21,22	4.70	8 (44%)	21,30,33	2.04	5 (23%)		



Mal	Turne	Chain	Dec	Link	B	ond leng	gths	Bond angles		
WIOI	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
23	4AC	i	1842	23	21,24,25	3.38	10 (47%)	28,34,37	1.03	4 (14%)
23	PSU	i	815	23	18,21,22	4.70	8 (44%)	21,30,33	2.03	5 (23%)
23	PSU	i	822	23	18,21,22	4.72	9 (50%)	21,30,33	2.09	6 (28%)
23	OMC	i	462	23	19,22,23	0.81	1 (5%)	25,31,34	1.11	4 (16%)
23	PSU	i	1174	23	18,21,22	4.70	8 (44%)	21,30,33	2.01	5 (23%)
23	PSU	i	1136	23	18,21,22	4.71	8 (44%)	21,30,33	2.06	6 (28%)
23	A2M	i	27	25,23	18,25,26	1.30	2 (11%)	20,36,39	1.89	6 (30%)
23	OMG	i	436	23	19,26,27	1.21	3 (15%)	21,38,41	0.82	1 (4%)
23	PSU	i	649	23	18,21,22	4.72	8 (44%)	21,30,33	2.02	5 (23%)
23	MA6	i	1851	23	19,26,27	1.65	3 (15%)	18,38,41	3.44	4 (22%)
23	OMU	i	116	23	19,22,23	0.68	0	25,31,34	1.17	3 (12%)
23	OMG	i	683	23	19,26,27	1.20	2 (10%)	21,38,41	0.82	1 (4%)
23	OMC	i	174	23	19,22,23	0.78	1 (5%)	25,31,34	1.17	4 (16%)
23	OMU	i	428	23	19,22,23	0.66	0	25,31,34	1.26	4 (16%)
23	A2M	i	590	23	18,25,26	1.30	2 (11%)	20,36,39	2.20	6 (30%)
23	PSU	i	863	23	18,21,22	4.70	8 (44%)	21,30,33	2.02	5 (23%)
23	PSU	i	1045	23	18,21,22	4.71	8 (44%)	21,30,33	1.98	5 (23%)
23	A2M	i	484	23	18,25,26	1.21	1 (5%)	20,36,39	1.75	6 (30%)
23	PSU	i	1177	23	18,21,22	4.72	8 (44%)	21,30,33	1.98	5 (23%)
23	PSU	i	814	23	18,21,22	4.70	8 (44%)	21,30,33	1.93	5 (23%)
23	PSU	i	609	23	18,21,22	4.72	8 (44%)	21,30,33	2.04	5 (23%)
23	PSU	i	36	23	18,21,22	4.70	8 (44%)	21,30,33	2.03	6 (28%)
7	IAS	Ν	138	7	6,7,8	1.13	0	3,8,10	2.08	1 (33%)
23	A2M	i	576	23	18,25,26	1.25	2 (11%)	20,36,39	1.87	5 (25%)
23	OMU	i	354	23	19,22,23	0.65	0	25,31,34	1.32	5 (20%)
23	PSU	i	651	23	18,21,22	4.69	8 (44%)	21,30,33	2.05	5 (23%)
23	A2M	i	166	23	18,25,26	1.30	2 (11%)	20,36,39	2.02	6 (30%)
23	OMG	i	601	23	19,26,27	1.17	2 (10%)	21,38,41	0.83	1 (4%)
23	OMC	i	797	23	19,22,23	0.99	2(10%)	25,31,34	1.09	2 (8%)
23	PSU	i	866	23	18,21,22	4.75	8 (44%)	21,30,33	2.05	5 (23%)
23	PSU	i	1004	23	18,21,22	4.72	8 (44%)	21,30,33	2.01	5 (23%)
23	A2M	i	1031	23	18,25,26	1.27	2 (11%)	20,36,39	1.93	6 (30%)
23	PSU	i	1081	23	18,21,22	4.73	9 (50%)	21,30,33	1.99	6 (28%)
23	6MZ	i	1832	25,26,23	17,25,26	1.60	4 (23%)	15,36,39	2.73	5 (33%)
23	PSU	i	1056	23	18,21,22	4.73	8 (44%)	21,30,33	2.01	6 (28%)



Mol	Type	Chain	Bos	Link	B	ond leng	gths	Bond angles		
WIOI	Type	Ullalli	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
23	OMU	i	121	23	19,22,23	0.56	0	$25,\!31,\!34$	1.21	3 (12%)
23	OMC	i	517	23	19,22,23	0.78	1 (5%)	25,31,34	1.14	4 (16%)
23	PSU	i	109	23	18,21,22	4.71	8 (44%)	21,30,33	2.02	6 (28%)
23	A2M	i	668	$25,\!23$	18,25,26	1.37	3 (16%)	20,36,39	1.96	6 (30%)
23	OMC	i	1703	23	19,22,23	0.80	1 (5%)	25,31,34	1.15	4 (16%)
23	OMU	i	799	23	19,22,23	0.79	1 (5%)	25,31,34	1.25	4 (16%)
23	PSU	i	681	23	18,21,22	4.67	8 (44%)	21,30,33	1.98	5 (23%)
23	OMU	i	172	23	19,22,23	0.59	0	25,31,34	1.36	4 (16%)
23	PSU	i	966	23	18,21,22	4.75	8 (44%)	21,30,33	1.98	5 (23%)
23	PSU	i	34	23	18,21,22	4.70	8 (44%)	21,30,33	2.00	5 (23%)
23	OMU	i	627	23	19,22,23	0.68	1 (5%)	25,31,34	1.31	4 (16%)
23	PSU	i	93	23	18,21,22	4.70	8 (44%)	21,30,33	1.94	5 (23%)
23	PSU	i	686	23	18,21,22	4.73	8 (44%)	21,30,33	2.04	5 (23%)
23	A2M	i	512	23	18,25,26	1.30	2 (11%)	20,36,39	1.98	5 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	OMG	i	644	23	-	4/5/27/28	0/3/3/3
23	PSU	i	1692	23	-	0/7/25/26	0/2/2/2
23	A2M	i	159	23	-	1/5/27/28	0/3/3/3
23	OMU	i	1804	23	-	0/9/27/28	0/2/2/2
23	PSU	i	572	23	-	0/7/25/26	0/2/2/2
23	PSU	i	119	23	-	0/7/25/26	0/2/2/2
23	OMG	i	509	$25,\!23$	-	0/5/27/28	0/3/3/3
23	MA6	i	1850	23	-	0/7/29/30	0/3/3/3
23	A2M	i	99	$25,\!23$	-	2/5/27/28	0/3/3/3
23	PSU	i	218	23	-	0/7/25/26	0/2/2/2
23	A2M	i	468	23	-	0/5/27/28	0/3/3/3
23	PSU	i	105	23	-	0/7/25/26	0/2/2/2
23	PSU	i	1046	23	-	0/7/25/26	0/2/2/2
23	PSU	i	406	23	-	0/7/25/26	0/2/2/2
23	4AC	i	1842	23	-	0/11/29/30	0/2/2/2
23	PSU	i	815	23	-	0/7/25/26	0/2/2/2
23	PSU	i	822	23	-	0/7/25/26	0/2/2/2
23	OMC	i	462	23	-	0/9/27/28	0/2/2/2



001000	100000 1101		ve page.	••			
Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	PSU	i	1174	23	-	0/7/25/26	0/2/2/2
23	PSU	i	1136	23	-	0/7/25/26	0/2/2/2
23	A2M	i	27	25,23	-	0/5/27/28	0/3/3/3
23	OMG	i	436	23	-	0/5/27/28	0/3/3/3
23	PSU	i	649	23	-	0/7/25/26	0/2/2/2
23	MA6	i	1851	23	-	1/7/29/30	0/3/3/3
23	OMU	i	116	23	-	0/9/27/28	0/2/2/2
23	OMG	i	683	23	-	2/5/27/28	0/3/3/3
23	OMC	i	174	23	-	0/9/27/28	0/2/2/2
23	OMU	i	428	23	-	4/9/27/28	0/2/2/2
23	A2M	i	590	23	_	0/5/27/28	0/3/3/3
23	PSU	i	863	23	-	0/7/25/26	0/2/2/2
23	PSU	i	1045	23	-	0/7/25/26	0/2/2/2
23	A2M	i	484	23	-	0/5/27/28	0/3/3/3
23	PSU	i	1177	23	-	0/7/25/26	0/2/2/2
23	PSU	i	814	23	-	0/7/25/26	0/2/2/2
23	PSU	i	609	23	-	0/7/25/26	0/2/2/2
23	PSU	i	36	23	-	0/7/25/26	0/2/2/2
7	IAS	Ν	138	7	-	0/7/7/8	-
23	A2M	i	576	23	-	2/5/27/28	0/3/3/3
23	OMU	i	354	23	-	0/9/27/28	0/2/2/2
23	PSU	i	651	23	-	0/7/25/26	0/2/2/2
23	A2M	i	166	23	-	0/5/27/28	0/3/3/3
23	OMG	i	601	23	-	1/5/27/28	0/3/3/3
23	OMC	i	797	23	-	1/9/27/28	0/2/2/2
23	PSU	i	866	23	-	0/7/25/26	0/2/2/2
23	PSU	i	1004	23	-	0/7/25/26	0/2/2/2
23	A2M	i	1031	23	-	0/5/27/28	0/3/3/3
23	PSU	i	1081	23	-	1/7/25/26	0/2/2/2
23	6MZ	i	1832	25,26,23	-	0/5/27/28	0/3/3/3
23	PSU	i	1056	23	-	0/7/25/26	0/2/2/2
23	OMU	i	121	23	-	1/9/27/28	0/2/2/2
23	OMC	i	517	23	-	0/9/27/28	0/2/2/2
23	PSU	1	109	23	-	0/7/25/26	0/2/2/2
23	A2M	i	668	25,23	-	2/5/27/28	0/3/3/3
23	OMC	i	1703	23	-	0/9/27/28	0/2/2/2
23	OMU	i	799	23	-	0/9/27/28	0/2/2/2
23	PSU	i	681	23	-	0/7/25/26	0/2/2/2
23	OMU	i	172	23	-	0/9/27/28	0/2/2/2
23	PSU	i	966	23	-	0/7/25/26	0/2/2/2
23	PSU	i	34	23	-	$\pm 0/7/25/26$	$\pm 0/2/2/2$



001000	nuca ji oi	n preceda	page.				
Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings
23	OMU	i	627	23	-	0/9/27/28	0/2/2/2
23	PSU	i	93	23	-	0/7/25/26	0/2/2/2
23	PSU	i	686	23	-	0/7/25/26	0/2/2/2
23	A2M	i	512	23	-	0/5/27/28	0/3/3/3

All (296) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	866	PSU	C6-C5	12.62	1.49	1.35
23	i	966	PSU	C6-C5	12.60	1.49	1.35
23	i	609	PSU	C6-C5	12.58	1.49	1.35
23	i	649	PSU	C6-C5	12.56	1.49	1.35
23	i	572	PSU	C6-C5	12.55	1.49	1.35
23	i	1177	PSU	C6-C5	12.54	1.49	1.35
23	i	686	PSU	C6-C5	12.53	1.49	1.35
23	i	822	PSU	C6-C5	12.51	1.49	1.35
23	i	105	PSU	C6-C5	12.51	1.49	1.35
23	i	1004	PSU	C6-C5	12.51	1.49	1.35
23	i	1081	PSU	C6-C5	12.49	1.49	1.35
23	i	109	PSU	C6-C5	12.49	1.49	1.35
23	i	1046	PSU	C6-C5	12.49	1.49	1.35
23	i	406	PSU	C6-C5	12.48	1.49	1.35
23	i	1692	PSU	C6-C5	12.48	1.49	1.35
23	i	814	PSU	C6-C5	12.47	1.49	1.35
23	i	651	PSU	C6-C5	12.47	1.49	1.35
23	i	36	PSU	C6-C5	12.47	1.49	1.35
23	i	1056	PSU	C6-C5	12.47	1.49	1.35
23	i	815	PSU	C6-C5	12.45	1.49	1.35
23	i	34	PSU	C6-C5	12.44	1.49	1.35
23	i	1174	PSU	C6-C5	12.44	1.49	1.35
23	i	863	PSU	C6-C5	12.43	1.49	1.35
23	i	218	PSU	C6-C5	12.42	1.49	1.35
23	i	93	PSU	C6-C5	12.41	1.49	1.35
23	i	1136	PSU	C6-C5	12.40	1.49	1.35
23	i	1045	PSU	C6-C5	12.40	1.49	1.35
23	i	681	PSU	C6-C5	12.37	1.49	1.35
23	i	119	PSU	C6-C5	12.34	1.49	1.35
23	i	1045	PSU	C2-N1	9.83	1.49	1.36
23	i	866	PSU	C2-N1	9.80	1.49	1.36
23	i	1056	PSU	C2-N1	9.80	1.49	1.36
23	i	1136	PSU	C2-N1	9.78	1.49	1.36
23	i	1046	PSU	C2-N1	9.75	1.49	1.36



COIIII	пией јгоп	ι ριευιί	rus puye.	••			
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	34	PSU	C2-N1	9.75	1.49	1.36
23	i	1177	PSU	C2-N1	9.75	1.49	1.36
23	i	686	PSU	C2-N1	9.74	1.49	1.36
23	i	93	PSU	C2-N1	9.74	1.49	1.36
23	i	814	PSU	C2-N1	9.74	1.49	1.36
23	i	649	PSU	C2-N1	9.73	1.49	1.36
23	i	105	PSU	C2-N1	9.72	1.49	1.36
23	i	966	PSU	C2-N1	9.72	1.49	1.36
23	i	863	PSU	C2-N1	9.71	1.49	1.36
23	i	1081	PSU	C2-N1	9.70	1.49	1.36
23	i	572	PSU	C2-N1	9.68	1.49	1.36
23	i	1692	PSU	C2-N1	9.67	1.49	1.36
23	i	36	PSU	C2-N1	9.66	1.49	1.36
23	i	1174	PSU	C2-N1	9.66	1.49	1.36
23	i	651	PSU	C2-N1	9.66	1.49	1.36
23	i	609	PSU	C2-N1	9.66	1.49	1.36
23	i	1004	PSU	C2-N1	9.65	1.49	1.36
23	i	815	PSU	C2-N1	9.64	1.49	1.36
23	i	218	PSU	C2-N1	9.61	1.49	1.36
23	i	406	PSU	C2-N1	9.60	1.49	1.36
23	i	109	PSU	C2-N1	9.59	1.49	1.36
23	i	681	PSU	C2-N1	9.58	1.49	1.36
23	i	822	PSU	C2-N1	9.58	1.49	1.36
23	i	119	PSU	C2-N1	9.51	1.49	1.36
23	i	866	PSU	C2-N3	8.47	1.51	1.37
23	i	686	PSU	C2-N3	8.43	1.51	1.37
23	i	609	PSU	C2-N3	8.40	1.51	1.37
23	i	1004	PSU	C2-N3	8.40	1.51	1.37
23	i	966	PSU	C2-N3	8.39	1.51	1.37
23	i	1056	PSU	C2-N3	8.37	1.51	1.37
23	i	822	PSU	C2-N3	8.37	1.51	1.37
23	i	1692	PSU	C2-N3	8.36	1.51	1.37
23	i	406	PSU	C2-N3	8.36	1.51	1.37
23	i	815	PSU	C2-N3	8.35	1.51	1.37
23	i	1174	PSU	C2-N3	8.35	1.51	1.37
23	i	572	PSU	C2-N3	8.34	1.51	1.37
23	i	1046	PSU	C2-N3	8.34	1.51	1.37
23	i	218	PSU	C2-N3	8.32	1.51	1.37
23	i	105	PSU	C2-N3	8.30	1.51	1.37
23	i	36	PSU	C2-N3	8.30	1.51	1.37
23	i	119	PSU	C2-N3	8.30	1.51	1.37
23	i	109	PSU	C2-N3	8.30	1.51	1.37



COIIII	<i>nucu 11011</i>	i previe	ius puye.	••			
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	863	PSU	C2-N3	8.29	1.51	1.37
23	i	651	PSU	C2-N3	8.29	1.51	1.37
23	i	34	PSU	C2-N3	8.29	1.51	1.37
23	i	1136	PSU	C2-N3	8.29	1.51	1.37
23	i	649	PSU	C2-N3	8.28	1.51	1.37
23	i	1177	PSU	C2-N3	8.27	1.51	1.37
23	i	93	PSU	C2-N3	8.26	1.51	1.37
23	i	1045	PSU	C2-N3	8.26	1.51	1.37
23	i	1081	PSU	C2-N3	8.23	1.51	1.37
23	i	681	PSU	C2-N3	8.23	1.51	1.37
23	i	814	PSU	C2-N3	8.20	1.51	1.37
23	i	1842	4AC	C4-N3	7.30	1.45	1.32
23	i	1842	4AC	C2-N3	6.22	1.48	1.36
23	i	1842	4AC	C6-C5	6.21	1.49	1.35
23	i	218	PSU	C6-N1	5.74	1.45	1.36
23	i	105	PSU	C6-N1	5.73	1.45	1.36
23	i	866	PSU	C6-N1	5.72	1.45	1.36
23	i	572	PSU	C6-N1	5.71	1.45	1.36
23	i	93	PSU	C6-N1	5.70	1.45	1.36
23	i	609	PSU	C6-N1	5.70	1.45	1.36
23	i	1045	PSU	C6-N1	5.70	1.45	1.36
23	i	1056	PSU	C6-N1	5.69	1.45	1.36
23	i	966	PSU	C6-N1	5.67	1.45	1.36
23	i	109	PSU	C6-N1	5.67	1.45	1.36
23	i	406	PSU	C6-N1	5.66	1.45	1.36
23	i	1004	PSU	C6-N1	5.66	1.45	1.36
23	i	1136	PSU	C6-N1	5.66	1.45	1.36
23	i	119	PSU	C6-N1	5.65	1.45	1.36
23	i	1174	PSU	C6-N1	5.65	1.45	1.36
23	i	1046	PSU	C6-N1	5.63	1.45	1.36
23	i	863	PSU	C6-N1	5.63	1.45	1.36
23	i	1177	PSU	C6-N1	5.63	1.45	1.36
23	i	34	PSU	C6-N1	5.63	1.45	1.36
23	i	686	PSU	C6-N1	5.63	1.45	1.36
23	i	814	PSU	C6-N1	5.61	1.45	1.36
23	i	1081	PSU	C6-N1	5.61	1.45	1.36
23	i	815	PSU	C6-N1	5.61	1.45	1.36
23	i	36	PSU	C6-N1	5.60	1.45	1.36
23	i	1692	PSU	C6-N1	5.58	1.45	1.36
23	i	651	PSU	C6-N1	5.58	1.45	1.36
23	i	681	PSU	C6-N1	5.58	1.45	1.36
23	i	649	PSU	C6-N1	5.56	1.45	1.36



OOnu	naca jion	i previe	rus puye.	••			
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	822	PSU	C6-N1	5.55	1.45	1.36
23	i	1842	4AC	C7-N4	5.06	1.47	1.37
23	i	1842	4AC	C4-N4	5.03	1.47	1.39
23	i	1832	6MZ	C6-C5	-4.61	1.37	1.44
23	i	1851	MA6	C6-N6	4.59	1.48	1.37
23	i	1850	MA6	C6-N6	4.45	1.47	1.37
23	i	966	PSU	C4-N3	4.26	1.46	1.38
23	i	109	PSU	C4-N3	4.18	1.46	1.38
23	i	866	PSU	C4-N3	4.15	1.46	1.38
23	i	218	PSU	C4-N3	4.15	1.46	1.38
23	i	1004	PSU	C4-N3	4.14	1.46	1.38
23	i	815	PSU	C4-N3	4.13	1.46	1.38
23	i	814	PSU	C4-N3	4.12	1.46	1.38
23	i	649	PSU	C4-N3	4.11	1.46	1.38
23	i	1174	PSU	C4-N3	4.10	1.46	1.38
23	i	1046	PSU	C4-N3	4.10	1.46	1.38
23	i	119	PSU	C4-N3	4.10	1.46	1.38
23	i	1177	PSU	C4-N3	4.09	1.46	1.38
23	i	572	PSU	C4-N3	4.09	1.46	1.38
23	i	1136	PSU	C4-N3	4.09	1.46	1.38
23	i	822	PSU	C4-N3	4.08	1.46	1.38
23	i	1056	PSU	C4-N3	4.08	1.46	1.38
23	i	686	PSU	C4-N3	4.08	1.46	1.38
23	i	36	PSU	C4-N3	4.08	1.46	1.38
23	i	1692	PSU	C4-N3	4.07	1.46	1.38
23	i	93	PSU	C4-N3	4.06	1.46	1.38
23	i	651	PSU	C4-N3	4.06	1.46	1.38
23	i	681	PSU	C4-N3	4.06	1.46	1.38
23	i	34	PSU	C4-N3	4.05	1.46	1.38
23	i	1045	PSU	C4-N3	4.05	1.46	1.38
23	i	863	PSU	C4-N3	4.05	1.46	1.38
23	i	406	PSU	C4-N3	4.05	1.46	1.38
23	i	1081	PSU	C4-N3	4.04	1.46	1.38
23	i	609	PSU	C4-N3	4.03	1.46	1.38
23	i	105	PSU	C4-N3	4.03	1.46	1.38
23	i	1850	MA6	C6-C5	-3.97	1.38	1.44
23	i	1842	4AC	C2-N1	3.89	1.48	1.40
23	i	1842	4AC	C5-C4	3.87	1.49	1.41
23	i	1851	MA6	C6-C5	-3.64	1.39	1.44
23	i	512	A2M	O5'-C5'	-3.46	1.34	1.44
23	i	668	A2M	O5'-C5'	-3.45	1.34	1.44
23	i	27	A2M	05'-C5'	-3.44	1.34	1.44



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	218	PSU	O4-C4	-3.40	1.17	1.23
23	i	468	A2M	O5'-C5'	-3.39	1.34	1.44
23	i	36	PSU	O4-C4	-3.39	1.17	1.23
23	i	863	PSU	O4-C4	-3.38	1.17	1.23
23	i	1692	PSU	O4-C4	-3.38	1.17	1.23
23	i	681	PSU	O4-C4	-3.37	1.17	1.23
23	i	1081	PSU	O4-C4	-3.37	1.17	1.23
23	i	166	A2M	O5'-C5'	-3.37	1.34	1.44
23	i	99	A2M	O5'-C5'	-3.37	1.34	1.44
23	i	484	A2M	O5'-C5'	-3.36	1.34	1.44
23	i	1031	A2M	O5'-C5'	-3.36	1.34	1.44
23	i	109	PSU	O4-C4	-3.35	1.17	1.23
23	i	686	PSU	O4-C4	-3.34	1.17	1.23
23	i	93	PSU	O4-C4	-3.33	1.17	1.23
23	i	649	PSU	O4-C4	-3.33	1.17	1.23
23	i	406	PSU	O4-C4	-3.33	1.17	1.23
23	i	1046	PSU	O4-C4	-3.33	1.17	1.23
23	i	1136	PSU	O4-C4	-3.33	1.17	1.23
23	i	105	PSU	O4-C4	-3.32	1.17	1.23
23	i	814	PSU	O4-C4	-3.32	1.17	1.23
23	i	1045	PSU	O4-C4	-3.32	1.17	1.23
23	i	119	PSU	O4-C4	-3.31	1.17	1.23
23	i	572	PSU	O4-C4	-3.31	1.17	1.23
23	i	822	PSU	O4-C4	-3.31	1.17	1.23
23	i	815	PSU	O4-C4	-3.30	1.17	1.23
23	i	651	PSU	O4-C4	-3.29	1.17	1.23
23	i	1056	PSU	O4-C4	-3.29	1.17	1.23
23	i	1004	PSU	O4-C4	-3.28	1.17	1.23
23	i	34	PSU	O4-C4	-3.28	1.17	1.23
23	i	1174	PSU	O4-C4	-3.28	1.17	1.23
23	i	609	PSU	O4-C4	-3.28	1.17	1.23
23	i	590	A2M	O5'-C5'	-3.25	1.34	1.44
23	i	1177	PSU	O4-C4	-3.25	1.17	1.23
23	i	966	PSU	O4-C4	-3.24	1.17	1.23
23	i	866	PSU	O4-C4	-3.22	1.17	1.23
23	i	576	A2M	O5'-C5'	-3.21	1.34	1.44
23	i	159	A2M	O5'-C5	-3.17	1.34	1.44
23	i	1842	4AC	C6-N1	3.13	1.45	1.38
23	i	683	OMG	C8-N7	-3.12	1.29	1.34
23	i	509	OMG	C8-N7	-3.06	1.30	1.34
23	i	436	OMG	C8-N7	-3.06	1.30	1.34
$2\overline{3}$	i	644	OMG	C8-N7	-3.05	1.30	1.34



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	601	OMG	C8-N7	-3.04	1.30	1.34
23	i	1842	4AC	O2-C2	-2.94	1.18	1.23
23	i	218	PSU	C1'-C5	2.89	1.56	1.50
23	i	1081	PSU	C1'-C5	2.88	1.56	1.50
23	i	1850	MA6	C2-N3	2.83	1.36	1.32
23	i	1046	PSU	C1'-C5	2.78	1.56	1.50
23	i	109	PSU	C1'-C5	2.77	1.56	1.50
23	i	822	PSU	C1'-C5	2.76	1.56	1.50
23	i	966	PSU	C1'-C5	2.75	1.56	1.50
23	i	105	PSU	C1'-C5	2.74	1.56	1.50
23	i	406	PSU	O2-C2	-2.74	1.17	1.23
23	i	1056	PSU	C1'-C5	2.73	1.56	1.50
23	i	93	PSU	C1'-C5	2.73	1.56	1.50
23	i	863	PSU	O2-C2	-2.73	1.17	1.23
23	i	105	PSU	O2-C2	-2.72	1.17	1.23
23	i	681	PSU	O2-C2	-2.72	1.17	1.23
23	i	1081	PSU	O2-C2	-2.72	1.17	1.23
23	i	649	PSU	O2-C2	-2.72	1.17	1.23
23	i	1177	PSU	C1'-C5	2.71	1.56	1.50
23	i	814	PSU	C1'-C5	2.71	1.56	1.50
23	i	1692	PSU	C1'-C5	2.71	1.56	1.50
23	i	609	PSU	O2-C2	-2.70	1.17	1.23
23	i	36	PSU	O2-C2	-2.70	1.17	1.23
23	i	1136	PSU	C1'-C5	2.70	1.56	1.50
23	i	686	PSU	O2-C2	-2.70	1.17	1.23
23	i	119	PSU	C1'-C5	2.69	1.56	1.50
23	i	109	PSU	O2-C2	-2.69	1.17	1.23
23	i	822	PSU	O2-C2	-2.69	1.17	1.23
23	i	34	PSU	C1'-C5	2.69	1.56	1.50
23	i	1004	PSU	O2-C2	-2.69	1.17	1.23
23	i	1045	PSU	C1'-C5	2.69	1.56	1.50
23	i	34	PSU	O2-C2	-2.69	1.17	1.23
23	i	572	PSU	O2-C2	-2.69	1.17	1.23
23	i	1046	PSU	O2-C2	-2.68	1.17	1.23
23	i	814	PSU	O2-C2	-2.67	1.17	1.23
23	i	1004	PSU	C1'-C5	2.67	1.56	1.50
23	i	863	PSU	C1'-C5	2.67	1.56	1.50
23	i	815	PSU	O2-C2	-2.67	1.17	1.23
23	i	668	A2M	O4'-C4'	-2.67	1.39	1.45
23	i	119	PSU	O2-C2	-2.67	1.17	1.23
23	i	1136	PSU	O2-C2	-2.67	1.17	1.23
$2\overline{3}$	i	93	PSU	O2-C2	$-2.\overline{66}$	1.17	1.23



Continued from previous page							
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	1177	PSU	O2-C2	-2.66	1.17	1.23
23	i	649	PSU	C1'-C5	2.66	1.56	1.50
23	i	1045	PSU	O2-C2	-2.66	1.17	1.23
23	i	1692	PSU	O2-C2	-2.66	1.17	1.23
23	i	681	PSU	C1'-C5	2.66	1.56	1.50
23	i	1174	PSU	C1'-C5	2.65	1.56	1.50
23	i	966	PSU	O2-C2	-2.65	1.17	1.23
23	i	651	PSU	O2-C2	-2.65	1.17	1.23
23	i	1174	PSU	O2-C2	-2.64	1.17	1.23
23	i	406	PSU	C1'-C5	2.64	1.56	1.50
23	i	609	PSU	C1'-C5	2.64	1.56	1.50
23	i	36	PSU	C1'-C5	2.63	1.56	1.50
23	i	572	PSU	C1'-C5	2.63	1.56	1.50
23	i	686	PSU	C1'-C5	2.61	1.56	1.50
23	i	866	PSU	C1'-C5	2.61	1.56	1.50
23	i	1056	PSU	O2-C2	-2.61	1.17	1.23
23	i	815	PSU	C1'-C5	2.61	1.56	1.50
23	i	436	OMG	C5-C6	-2.60	1.42	1.47
23	i	576	A2M	C1'-N9	-2.59	1.43	1.49
23	i	218	PSU	O2-C2	-2.58	1.17	1.23
23	i	866	PSU	O2-C2	-2.58	1.17	1.23
23	i	683	OMG	C5-C6	-2.58	1.42	1.47
23	i	651	PSU	C1'-C5	2.57	1.56	1.50
23	i	797	OMC	C2-N1	2.56	1.45	1.40
23	i	644	OMG	C5-C6	-2.54	1.42	1.47
23	i	797	OMC	C4-N4	2.54	1.40	1.33
23	i	468	A2M	C1'-N9	-2.53	1.43	1.49
23	i	509	OMG	C5-C6	-2.52	1.42	1.47
23	i	1832	6MZ	C2-N3	2.48	1.35	1.32
23	i	601	OMG	C5-C6	-2.48	1.42	1.47
23	i	668	A2M	C1'-N9	-2.47	1.43	1.49
23	i	512	A2M	C1'-N9	-2.38	1.44	1.49
23	i	99	A2M	C1'-N9	-2.34	1.44	1.49
23	i	1842	4AC	O7-C7	-2.33	1.18	1.23
23	i	1081	PSU	O4'-C1'	-2.32	1.40	1.43
23	i	1851	MA6	C2-N3	2.31	1.35	1.32
23	i	822	PSU	04'-C1'	-2.30	1.40	1.43
23	i	1031	A2M	C1'-N9	-2.29	1.44	1.49
23	i	166	A2M	C1'-N9	-2.27	1.44	1.49
23	i	27	A2M	C1'-N9	-2.25	1.44	1.49
23	i	462	OMC	C4-N4	2.21	1.39	1.33
23	i	174	OMC	C4-N4	2.18	1.39	1.33



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	i	590	A2M	O4'-C4'	-2.15	1.40	1.45
23	i	627	OMU	C4-N3	2.13	1.42	1.38
23	i	1703	OMC	C4-N4	2.11	1.39	1.33
23	i	1832	6MZ	C6-N1	-2.11	1.31	1.34
23	i	159	A2M	C1'-N9	-2.10	1.44	1.49
23	i	517	OMC	C4-N4	2.06	1.38	1.33
23	i	799	OMU	C2-N1	2.05	1.41	1.38
23	i	1832	6MZ	C2-N1	2.03	1.37	1.33
23	i	644	OMG	C5-C4	-2.02	1.38	1.43
23	i	436	OMG	C5-C4	-2.01	1.38	1.43

All (289) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	1851	MA6	N1-C6-N6	-11.78	103.22	116.83
23	i	1850	MA6	N1-C6-N6	-10.55	104.64	116.83
23	i	590	A2M	C4'-O4'-C1'	-6.53	103.94	109.92
23	i	1832	6MZ	N3-C2-N1	-6.33	120.08	128.67
23	i	1850	MA6	N3-C2-N1	-6.28	120.14	128.67
23	i	1851	MA6	N3-C2-N1	-6.10	120.39	128.67
23	i	1832	6MZ	C9-N6-C6	-5.46	117.79	122.85
23	i	1850	MA6	C1'-N9-C4	5.16	135.71	126.64
23	i	609	PSU	C4-N3-C2	-4.96	119.54	126.37
23	i	468	A2M	C4'-O4'-C1'	-4.95	105.39	109.92
23	i	1692	PSU	C4-N3-C2	-4.94	119.56	126.37
23	i	651	PSU	C4-N3-C2	-4.94	119.57	126.37
23	i	815	PSU	C4-N3-C2	-4.94	119.57	126.37
23	i	572	PSU	C4-N3-C2	-4.93	119.58	126.37
23	i	105	PSU	C4-N3-C2	-4.93	119.58	126.37
23	i	93	PSU	C4-N3-C2	-4.93	119.59	126.37
23	i	863	PSU	C4-N3-C2	-4.92	119.59	126.37
23	i	686	PSU	C4-N3-C2	-4.92	119.60	126.37
23	i	866	PSU	C4-N3-C2	-4.92	119.60	126.37
23	i	1136	PSU	C4-N3-C2	-4.91	119.61	126.37
23	i	649	PSU	C4-N3-C2	-4.91	119.61	126.37
23	i	406	PSU	C4-N3-C2	-4.90	119.62	126.37
23	i	1174	PSU	C4-N3-C2	-4.90	119.62	126.37
23	i	1081	PSU	C4-N3-C2	-4.88	119.65	126.37
23	i	109	PSU	C4-N3-C2	-4.87	119.66	126.37
23	i	36	PSU	C4-N3-C2	-4.86	119.67	126.37
23	i	1056	PSU	C4-N3-C2	-4.86	119.68	126.37
23	i	34	PSU	C4-N3-C2	-4.86	119.68	126.37



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	681	PSU	C4-N3-C2	-4.86	119.68	126.37
23	i	1046	PSU	C4-N3-C2	-4.85	119.69	126.37
23	i	1045	PSU	C4-N3-C2	-4.85	119.69	126.37
23	i	1004	PSU	C4-N3-C2	-4.82	119.73	126.37
23	i	1177	PSU	C4-N3-C2	-4.82	119.73	126.37
23	i	822	PSU	C4-N3-C2	-4.79	119.78	126.37
23	i	966	PSU	C4-N3-C2	-4.77	119.81	126.37
23	i	166	A2M	C4'-O4'-C1'	-4.77	105.56	109.92
23	i	814	PSU	C4-N3-C2	-4.75	119.82	126.37
23	i	218	PSU	C4-N3-C2	-4.75	119.83	126.37
23	i	119	PSU	C4-N3-C2	-4.72	119.87	126.37
23	i	1851	MA6	C1'-N9-C4	4.64	134.80	126.64
23	i	651	PSU	N1-C2-N3	4.63	120.05	115.17
23	i	822	PSU	N1-C2-N3	4.61	120.03	115.17
23	i	866	PSU	N1-C2-N3	4.57	119.99	115.17
23	i	609	PSU	N1-C2-N3	4.56	119.98	115.17
23	i	815	PSU	N1-C2-N3	4.56	119.97	115.17
23	i	105	PSU	N1-C2-N3	4.55	119.96	115.17
23	i	1174	PSU	N1-C2-N3	4.55	119.96	115.17
23	i	1692	PSU	N1-C2-N3	4.54	119.96	115.17
23	i	572	PSU	N1-C2-N3	4.54	119.95	115.17
23	i	686	PSU	N1-C2-N3	4.54	119.95	115.17
23	i	1136	PSU	N1-C2-N3	4.54	119.95	115.17
23	i	109	PSU	N1-C2-N3	4.53	119.95	115.17
23	i	406	PSU	N1-C2-N3	4.53	119.94	115.17
23	i	649	PSU	N1-C2-N3	4.52	119.94	115.17
23	i	36	PSU	N1-C2-N3	4.52	119.93	115.17
23	i	34	PSU	N1-C2-N3	4.49	119.90	115.17
23	i	512	A2M	C4'-O4'-C1'	-4.48	105.82	109.92
23	i	863	PSU	N1-C2-N3	4.47	119.88	115.17
23	i	1004	PSU	N1-C2-N3	4.47	119.88	115.17
23	i	966	PSU	N1-C2-N3	4.46	119.87	115.17
23	i	681	PSU	N1-C2-N3	4.46	119.87	115.17
23	i	1046	PSU	N1-C2-N3	4.45	119.86	115.17
23	i	1081	PSU	N1-C2-N3	4.42	119.83	115.17
23	i	1177	PSU	N1-C2-N3	4.41	119.82	115.17
23	i	119	PSU	N1-C2-N3	4.39	119.80	115.17
23	i	1056	PSU	N1-C2-N3	4.39	119.80	115.17
23	i	1045	PSU	N1-C2-N3	4.37	119.78	115.17
23	i	99	A2M	C4'-O4'-C1'	-4.37	105.92	109.92
23	i	93	PSU	N1-C2-N3	4.37	119.77	115.17
23	i	814	PSU	N1-C2-N3	4.34	119.75	115.17

Continued from previous page...



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	1031	A2M	C4'-O4'-C1'	-4.33	105.96	109.92
23	i	218	PSU	N1-C2-N3	4.24	119.64	115.17
23	i	27	A2M	C4'-O4'-C1'	-4.15	106.12	109.92
23	i	1832	6MZ	C1'-N9-C4	-4.01	119.59	126.64
23	i	1832	6MZ	C2-N1-C6	3.95	119.66	116.60
23	i	512	A2M	C1'-N9-C4	-3.88	119.83	126.64
23	i	668	A2M	C1'-N9-C4	-3.85	119.88	126.64
23	i	468	A2M	C1'-N9-C4	-3.79	119.98	126.64
23	i	668	A2M	C4'-O4'-C1'	-3.79	106.46	109.92
23	i	576	A2M	C1'-N9-C4	-3.78	119.99	126.64
23	i	166	A2M	C1'-N9-C4	-3.61	120.30	126.64
23	i	1136	PSU	C6-C5-C4	3.59	120.59	118.17
23	i	576	A2M	C4'-O4'-C1'	-3.57	106.65	109.92
23	i	1031	A2M	C1'-N9-C4	-3.55	120.40	126.64
23	i	27	A2M	C1'-N9-C4	-3.53	120.44	126.64
23	i	484	A2M	C1'-N9-C4	-3.51	120.47	126.64
23	i	822	PSU	C6-N1-C2	-3.46	119.48	122.69
7	N	138	IAS	OD1-CG-CB	-3.46	115.32	125.38
23	i	166	A2M	C3'-C2'-C1'	-3.43	96.24	102.81
23	i	572	PSU	C6-C5-C4	3.42	120.48	118.17
23	i	159	A2M	C1'-N9-C4	-3.40	120.66	126.64
23	i	468	A2M	C3'-C2'-C1'	-3.40	96.29	102.81
23	i	866	PSU	C6-C5-C4	3.40	120.47	118.17
23	i	512	A2M	C3'-C2'-C1'	-3.40	96.30	102.81
23	i	651	PSU	C6-C5-C4	3.40	120.47	118.17
23	i	406	PSU	C6-C5-C4	3.38	120.45	118.17
23	i	1056	PSU	C6-C5-C4	3.38	120.45	118.17
23	i	99	A2M	C3'-C2'-C1'	-3.36	96.38	102.81
23	i	1850	MA6	C2-N1-C6	3.36	120.13	116.84
23	i	576	A2M	O3'-C3'-C2'	3.34	120.53	111.19
23	i	686	PSU	C6-C5-C4	3.32	120.42	118.17
23	i	468	A2M	O3'-C3'-C2'	3.32	120.49	111.19
23	i	822	PSU	C6-C5-C4	3.32	120.42	118.17
23	i	166	A2M	O3'-C3'-C2'	3.32	120.48	111.19
23	i	1703	OMC	C5-C4-N3	3.32	126.91	121.32
23	i	1174	PSU	C6-N1-C2	-3.32	119.61	122.69
23	i	36	PSU	C6-C5-C4	3.31	120.41	118.17
23	i	109	PSU	C6-N1-C2	-3.31	119.62	122.69
23	i	1031	A2M	C3'-C2'-C1'	-3.30	96.48	102.81
23	i	966	PSU	C6-N1-C2	-3.29	119.63	122.69
23	i	815	PSU	C6-C5-C4	3.29	120.40	118.17
23	i	1046	PSU	C6-N1-C2	-3.28	119.65	122.69



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	36	PSU	C6-N1-C2	-3.28	119.65	122.69
23	i	609	PSU	C6-C5-C4	3.27	120.38	118.17
23	i	649	PSU	C6-N1-C2	-3.26	119.67	122.69
23	i	866	PSU	C6-N1-C2	-3.26	119.67	122.69
23	i	119	PSU	C6-N1-C2	-3.25	119.67	122.69
23	i	99	A2M	C1'-N9-C4	-3.25	120.93	126.64
23	i	1004	PSU	C6-N1-C2	-3.25	119.67	122.69
23	i	609	PSU	C6-N1-C2	-3.25	119.68	122.69
23	i	863	PSU	C6-N1-C2	-3.24	119.69	122.69
23	i	686	PSU	C6-N1-C2	-3.23	119.69	122.69
23	i	651	PSU	C6-N1-C2	-3.23	119.69	122.69
23	i	1692	PSU	C6-C5-C4	3.23	120.35	118.17
23	i	105	PSU	C6-N1-C2	-3.21	119.71	122.69
23	i	590	A2M	O3'-C3'-C2'	3.21	120.17	111.19
23	i	815	PSU	C6-N1-C2	-3.21	119.71	122.69
23	i	681	PSU	C6-N1-C2	-3.20	119.72	122.69
23	i	34	PSU	C6-N1-C2	-3.19	119.73	122.69
23	i	1851	MA6	C2-N1-C6	3.19	119.97	116.84
23	i	1692	PSU	C6-N1-C2	-3.16	119.75	122.69
23	i	484	A2M	O3'-C3'-C2'	3.16	120.03	111.19
23	i	512	A2M	O3'-C3'-C2'	3.16	120.02	111.19
23	i	863	PSU	C6-C5-C4	3.15	120.30	118.17
23	i	34	PSU	C6-C5-C4	3.15	120.30	118.17
23	i	1136	PSU	C6-N1-C2	-3.14	119.77	122.69
23	i	517	OMC	C5-C4-N3	3.14	126.61	121.32
23	i	174	OMC	C5-C4-N3	3.14	126.61	121.32
23	i	1004	PSU	C6-C5-C4	3.14	120.29	118.17
23	i	99	A2M	O3'-C3'-C2'	3.14	119.96	111.19
23	i	572	PSU	C6-N1-C2	-3.12	119.79	122.69
23	i	1177	PSU	C6-N1-C2	-3.11	119.80	122.69
23	i	159	A2M	O3'-C3'-C2'	3.11	119.89	111.19
23	i	590	A2M	C1'-N9-C4	-3.11	121.18	126.64
23	i	406	PSU	C6-N1-C2	-3.11	119.81	122.69
23	i	1045	PSU	C6-C5-C4	3.10	120.27	118.17
23	i	1056	PSU	C6-N1-C2	-3.10	119.81	122.69
23	i	159	A2M	C4'-O4'-C1'	-3.09	107.09	109.92
23	i	462	OMC	C5-C4-N3	3.09	126.52	121.32
23	i	814	PSU	C6-N1-C2	-3.07	119.84	122.69
23	i	797	OMC	C5-C4-N3	3.07	126.50	121.32
23	i	1174	PSU	C6-C5-C4	3.07	120.25	118.17
23	i	218	PSU	C6-N1-C2	-3.07	119.84	122.69
23	i	966	PSU	C6-C5-C4	3.06	120.24	118.17



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	1177	PSU	C6-C5-C4	3.06	120.24	118.17
23	i	105	PSU	C6-C5-C4	3.03	120.22	118.17
23	i	1045	PSU	C6-N1-C2	-3.03	119.88	122.69
23	i	109	PSU	C6-C5-C4	3.01	120.20	118.17
23	i	1081	PSU	C6-N1-C2	-2.99	119.91	122.69
23	i	27	A2M	C3'-C2'-C1'	-2.99	97.08	102.81
23	i	668	A2M	O3'-C3'-C2'	2.99	119.54	111.19
23	i	93	PSU	C6-N1-C2	-2.98	119.93	122.69
23	i	649	PSU	C6-C5-C4	2.98	120.18	118.17
23	i	1031	A2M	O3'-C3'-C2'	2.98	119.52	111.19
23	i	681	PSU	C6-C5-C4	2.96	120.17	118.17
23	i	627	OMU	C4-N3-C2	-2.94	122.96	126.61
23	i	172	OMU	C4-N3-C2	-2.93	122.97	126.61
23	i	576	A2M	C3'-C2'-C1'	-2.92	97.22	102.81
23	i	814	PSU	C6-C5-C4	2.91	120.14	118.17
23	i	428	OMU	C4-N3-C2	-2.90	123.02	126.61
23	i	1832	6MZ	C6-C5-C4	2.90	120.75	117.68
23	i	1046	PSU	C6-C5-C4	2.90	120.13	118.17
23	i	27	A2M	O3'-C3'-C2'	2.86	119.19	111.19
23	i	1004	PSU	O2-C2-N1	-2.85	119.85	122.79
23	i	1804	OMU	C4-N3-C2	-2.82	123.11	126.61
23	i	1081	PSU	C6-C5-C4	2.82	120.08	118.17
23	i	822	PSU	O2-C2-N1	-2.79	119.91	122.79
23	i	116	OMU	C4-N3-C2	-2.79	123.16	126.61
23	i	93	PSU	C6-C5-C4	2.75	120.03	118.17
23	i	109	PSU	O2-C2-N1	-2.75	119.95	122.79
23	i	406	PSU	O2-C2-N1	-2.73	119.97	122.79
23	i	174	OMC	C4-N3-C2	-2.73	115.97	120.26
23	i	354	OMU	C4-N3-C2	-2.72	123.23	126.61
23	i	590	A2M	O4'-C1'-C2'	2.71	111.23	106.61
23	i	1692	PSU	O2-C2-N1	-2.71	119.99	122.79
23	i	121	OMU	C4-N3-C2	-2.71	123.25	126.61
23	i	668	A2M	O4'-C1'-C2'	2.70	111.20	106.61
23	i	1703	OMC	C4-N3-C2	-2.68	116.04	120.26
23	i	218	PSU	C6-C5-C4	2.68	119.98	118.17
23	i	517	OMC	C4-N3-C2	-2.65	116.08	120.26
23	i	799	OMU	C4-N3-C2	-2.65	123.33	126.61
23	i	462	OMC	C4-N3-C2	-2.64	116.11	120.26
23	i	649	PSU	O2-C2-N1	-2.63	120.07	122.79
23	i	866	PSU	O2-C2-N1	-2.63	120.08	122.79
23	i	686	PSU	O2-C2-N1	-2.62	120.08	122.79
23	i	36	PSU	O2-C2-N1	-2.62	120.09	122.79



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	119	PSU	C6-C5-C4	2.62	119.94	118.17
23	i	966	PSU	O2-C2-N1	-2.62	120.09	122.79
23	i	572	PSU	O2-C2-N1	-2.61	120.09	122.79
23	i	609	PSU	O2-C2-N1	-2.61	120.10	122.79
23	i	797	OMC	C4-N3-C2	-2.58	116.20	120.26
23	i	119	PSU	O2-C2-N1	-2.56	120.14	122.79
23	i	34	PSU	O2-C2-N1	-2.56	120.14	122.79
23	i	1174	PSU	O2-C2-N1	-2.56	120.14	122.79
23	i	1136	PSU	O2-C2-N1	-2.55	120.15	122.79
23	i	815	PSU	O2-C2-N1	-2.55	120.16	122.79
23	i	1177	PSU	O2-C2-N1	-2.55	120.16	122.79
23	i	1056	PSU	O2-C2-N1	-2.55	120.16	122.79
23	i	651	PSU	O2-C2-N1	-2.52	120.19	122.79
23	i	1045	PSU	O2-C2-N1	-2.52	120.19	122.79
23	i	681	PSU	O2-C2-N1	-2.51	120.20	122.79
23	i	863	PSU	O2-C2-N1	-2.50	120.21	122.79
23	i	172	OMU	CM2-O2'-C2'	-2.49	108.08	114.47
23	i	590	A2M	C4-C5-N7	2.48	111.96	109.34
23	i	509	OMG	O6-C6-C5	2.48	129.24	124.32
23	i	822	PSU	O4'-C1'-C2'	2.47	108.57	105.15
23	i	1081	PSU	O2-C2-N1	-2.47	120.24	122.79
23	i	1046	PSU	O2-C2-N1	-2.46	120.25	122.79
23	i	105	PSU	O2-C2-N1	-2.45	120.26	122.79
23	i	601	OMG	O6-C6-C5	2.43	129.13	124.32
23	i	484	A2M	O4'-C1'-C2'	2.42	110.73	106.61
23	i	512	A2M	C4-C5-N7	2.41	111.89	109.34
23	i	799	OMU	C6-C5-C4	2.40	122.60	119.53
23	i	644	OMG	O6-C6-C5	2.40	129.08	124.32
23	i	121	OMU	O4-C4-N3	-2.40	115.80	119.27
23	i	814	PSU	O2-C2-N1	-2.39	120.32	122.79
23	i	799	OMU	O4-C4-N3	-2.39	115.80	119.27
23	i	99	A2M	C4-C5-N7	2.39	111.86	109.34
23	i	627	OMU	CM2-O2'-C2'	-2.38	108.36	114.47
23	i	218	PSU	O2-C2-N1	-2.38	120.34	122.79
23	i	668	A2M	C4-C5-N7	2.37	111.84	109.34
23	i	1804	OMU	O4-C4-N3	-2.37	115.83	119.27
23	i	1804	OMU	C6-C5-C4	2.37	122.56	119.53
23	i	166	A2M	C4-C5-N7	2.37	111.84	109.34
23	i	1842	4AC	N4-C4-N3	2.35	117.69	113.87
23	i	1842	4AC	C6-C5-C4	2.35	119.83	117.00
23	i	428	OMU	CM2-O2'-C2'	-2.35	108.45	114.47
23	i	172	OMU	O4-C4-N3	-2.34	115.88	119.27



Continued	from	mromione	naao
Commueu	jiom	previous	page

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	159	A2M	O4'-C1'-C2'	2.34	110.59	106.61
23	i	27	A2M	C4-C5-N7	2.34	111.81	109.34
23	i	484	A2M	C4'-O4'-C1'	-2.33	107.79	109.92
23	i	93	PSU	O2-C2-N1	-2.33	120.39	122.79
23	i	683	OMG	O6-C6-C5	2.33	128.94	124.32
23	i	1804	OMU	CM2-O2'-C2'	-2.32	108.51	114.47
23	i	576	A2M	C4-C5-N7	2.32	111.79	109.34
23	i	627	OMU	O4-C4-N3	-2.31	115.92	119.27
23	i	159	A2M	C4-C5-N7	2.31	111.78	109.34
23	i	354	OMU	O4-C4-N3	-2.31	115.93	119.27
23	i	1031	A2M	C4-C5-N7	2.30	111.77	109.34
23	i	484	A2M	C4-C5-N7	2.29	111.76	109.34
23	i	159	A2M	C3'-C2'-C1'	-2.28	98.44	102.81
23	i	468	A2M	C4-C5-N7	2.27	111.74	109.34
23	i	174	OMC	C5-C6-N1	-2.27	118.15	121.84
23	i	428	OMU	O4-C4-N3	-2.26	116.00	119.27
23	i	354	OMU	C6-C5-C4	2.23	122.38	119.53
23	i	436	OMG	O6-C6-C5	2.20	128.68	124.32
23	i	172	OMU	C6-C5-C4	2.18	122.33	119.53
23	i	627	OMU	C6-C5-C4	2.18	122.33	119.53
23	i	668	A2M	C2'-C1'-N9	2.17	117.39	112.56
23	i	517	OMC	C5-C6-N1	-2.16	118.33	121.84
23	i	468	A2M	O4'-C1'-C2'	2.16	110.28	106.61
23	i	428	OMU	C6-C5-C4	2.16	122.29	119.53
23	i	116	OMU	C6-C5-C4	2.15	122.29	119.53
23	i	218	PSU	O4'-C1'-C2'	2.15	108.13	105.15
23	i	1842	4AC	CM7-C7-N4	2.14	118.72	115.27
23	i	1031	A2M	O4'-C1'-C2'	2.14	110.25	106.61
23	i	121	OMU	C6-C5-C4	2.14	122.26	119.53
23	i	354	OMU	CM2-O2'-C2'	-2.13	109.02	114.47
23	i	590	A2M	C3'-C2'-C1'	-2.12	98.75	102.81
23	i	1136	PSU	O4'-C1'-C2'	2.12	108.08	105.15
23	i	166	A2M	O4'-C1'-C2'	2.11	110.21	106.61
23	i	1703	OMC	N4-C4-N3	-2.10	114.14	117.91
23	i	1081	PSU	O4'-C1'-C2'	2.10	108.06	105.15
23	i	116	OMU	O4-C4-N3	-2.10	116.23	119.27
23	i	109	PSU	O4'-C1'-C2'	2.10	108.05	105.15
23	i	$2\overline{7}$	A2M	O4'-C1'-C2'	2.09	110.17	106.61
23	i	462	OMC	C5-C6-N1	-2.08	118.45	121.84
23	i	572	PSU	O4'-C1'-C2'	2.08	108.03	105.15
23	i	517	OMC	N4-C4-N3	-2.05	$114.2\overline{4}$	117.91
23	i	174	OMC	N4-C4-N3	-2.04	114.25	117.91



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
23	i	1703	OMC	C5-C6-N1	-2.04	118.52	121.84
23	i	354	OMU	N3-C2-N1	2.04	117.55	114.89
23	i	36	PSU	O4'-C1'-C2'	2.04	107.97	105.15
23	i	484	A2M	O4'-C4'-C3'	2.03	109.18	105.15
23	i	1046	PSU	O4'-C1'-C2'	2.03	107.95	105.15
23	i	799	OMU	O4-C4-C5	2.01	128.64	125.16
23	i	1056	PSU	O4'-C1'-C2'	2.01	107.94	105.15
23	i	462	OMC	N4-C4-N3	-2.01	114.31	117.91
23	i	1842	4AC	C5-C4-N3	-2.00	119.47	122.60

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
23	i	121	OMU	C1'-C2'-O2'-CM2
23	i	159	A2M	C1'-C2'-O2'-CM'
23	i	601	OMG	C1'-C2'-O2'-CM2
23	i	644	OMG	O4'-C4'-C5'-O5'
23	i	644	OMG	C1'-C2'-O2'-CM2
23	i	797	OMC	C1'-C2'-O2'-CM2
23	i	576	A2M	C3'-C4'-C5'-O5'
23	i	683	OMG	C3'-C4'-C5'-O5'
23	i	576	A2M	O4'-C4'-C5'-O5'
23	i	644	OMG	C3'-C4'-C5'-O5'
23	i	428	OMU	C2'-C1'-N1-C6
23	i	668	A2M	O4'-C4'-C5'-O5'
23	i	668	A2M	C3'-C4'-C5'-O5'
23	i	683	OMG	O4'-C4'-C5'-O5'
23	i	428	OMU	C2'-C1'-N1-C2
23	i	428	OMU	O4'-C1'-N1-C6
23	i	99	A2M	O4'-C4'-C5'-O5'
23	i	428	OMU	O4'-C1'-N1-C2
23	i	1851	MA6	C4'-C5'-O5'-P
23	i	644	OMG	C4'-C5'-O5'-P
23	i	1081	PSU	C4'-C5'-O5'-P
23	i	99	A2M	C3'-C4'-C5'-O5'

All (22) torsion outliers are listed below:

There are no ring outliers.

15 monomers are involved in 21 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
23	i	1692	PSU	1	0
23	i	159	A2M	2	0
23	i	509	OMG	1	0
23	i	99	A2M	3	0
23	i	218	PSU	1	0
23	i	468	A2M	1	0
23	i	462	OMC	1	0
23	i	116	OMU	3	0
23	i	576	A2M	2	0
23	i	601	OMG	1	0
23	i	797	OMC	1	0
23	i	1031	A2M	1	0
23	i	1832	6MZ	1	0
23	i	121	OMU	1	0
23	i	517	OMC	1	0

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 71 ligands modelled in this entry, 71 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-49635. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 256





Z Index: 256

6.2.2 Raw map



X Index: 256

Y Index: 256



The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 249



Y Index: 255



Z Index: 246

6.3.2 Raw map



X Index: 249

Y Index: 255



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.035. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 489 nm^3 ; this corresponds to an approximate mass of 442 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.476 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.476 \AA^{-1}



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)			
resolution estimate (A)	0.143	0.5	Half-bit	
Reported by author	2.10	-	-	
Author-provided FSC curve	2.06	2.43	2.12	
Unmasked-calculated*	2.88	3.31	2.92	

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.88 differs from the reported value 2.1 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-49635 and PDB model 9NPX. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.035 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.035).



9.4 Atom inclusion (i)



At the recommended contour level, 97% of all backbone atoms, 98% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.035) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score		
All	0.9750	0.6540		
А	0.9700	0.6710		
В	0.8110	0.5620		
С	0.9520	0.6460		
D	0.9820	0.6710		
F	0.9590	0.6290		
G	0.8880	0.6080		
Н	0.9810	0.6540		
Ι	0.9710	0.6700		
K	0.9790	0.6760		
М	0.9680	0.6570		
N	0.9630	0.6520		
Р	0.9770	0.6830		
R	0.8440	0.6130		
V	0.9610	0.6630		
W	0.9780	0.6780		
Х	0.9780	0.6640		
Z	0.9850	0.6700		
a	0.9670	0.6550		
е	0.9720	0.6650		
f	0.9650	0.6500		
h	0.9760	0.6600		
i	0.9920	0.6530		
j	0.9270	0.6630		
k	0.6750	0.5900		

