wwPDB X-ray Structure Validation Summary Report (i)

Jan 6, 2026 – 01:45 PM EST

PDB ID	:	9NRR / pdb_00009nrr
Title	:	Crystal structure of the H5 influenza virus hemagglutinin from A/duck/France/161108h/2016 (H5N8) clade 2.3.4.4b
Authors	:	Zhu, X.; Wilson, I.A.
Deposited on	:	2025-03-14
Resolution	:	1.94 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.47

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1306 (1.94-1.94)
Clashscore	180529	1400 (1.94-1.94)
Ramachandran outliers	177936	1387 (1.94-1.94)
Sidechain outliers	177891	1387 (1.94-1.94)
RSRZ outliers	164620	1306 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	5% 89% 7%
1	C	329	4% 91% 6%
1	E	329	5% 90% 8%
2	B	181	6% 84% 9% 7%
2	D	181	6% 85% 8% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	181	4% 90% 5% 5%
3	G	5	100%
4	H	3	33% 67%
5	I	3	67% 33%
5	L	3	100%
6	J	4	100%
7	K	2	50% 50%
8	M	3	33% 67%
9	N	4	25% 75%

2 Entry composition (i)

There are 14 unique types of molecules in this entry. The entry contains 14217 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin HA1 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	0	0
			2537	1605	442	476	14			
1	C	323	Total	C	N	O	S	0	0	0
			2555	1619	444	478	14			
1	E	322	Total	C	N	O	S	0	0	0
			2545	1609	443	479	14			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	8	ASP	-	expression tag	UNP A0A6M2RJB8
A	9	PRO	-	expression tag	UNP A0A6M2RJB8
A	10	GLY	-	expression tag	UNP A0A6M2RJB8
C	8	ASP	-	expression tag	UNP A0A6M2RJB8
C	9	PRO	-	expression tag	UNP A0A6M2RJB8
C	10	GLY	-	expression tag	UNP A0A6M2RJB8
E	8	ASP	-	expression tag	UNP A0A6M2RJB8
E	9	PRO	-	expression tag	UNP A0A6M2RJB8
E	10	GLY	-	expression tag	UNP A0A6M2RJB8

- Molecule 2 is a protein called Hemagglutinin HA2 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	169	Total	C	N	O	S	0	0	0
			1378	855	240	275	8			
2	D	169	Total	C	N	O	S	0	0	0
			1378	855	240	275	8			
2	F	172	Total	C	N	O	S	0	0	0
			1399	866	246	279	8			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	175	SER	-	expression tag	UNP A0A6M2RJB8
B	176	GLY	-	expression tag	UNP A0A6M2RJB8
B	177	ARG	-	expression tag	UNP A0A6M2RJB8
B	178	LEU	-	expression tag	UNP A0A6M2RJB8
B	179	VAL	-	expression tag	UNP A0A6M2RJB8
B	180	PRO	-	expression tag	UNP A0A6M2RJB8
B	181	ARG	-	expression tag	UNP A0A6M2RJB8
D	175	SER	-	expression tag	UNP A0A6M2RJB8
D	176	GLY	-	expression tag	UNP A0A6M2RJB8
D	177	ARG	-	expression tag	UNP A0A6M2RJB8
D	178	LEU	-	expression tag	UNP A0A6M2RJB8
D	179	VAL	-	expression tag	UNP A0A6M2RJB8
D	180	PRO	-	expression tag	UNP A0A6M2RJB8
D	181	ARG	-	expression tag	UNP A0A6M2RJB8
F	175	SER	-	expression tag	UNP A0A6M2RJB8
F	176	GLY	-	expression tag	UNP A0A6M2RJB8
F	177	ARG	-	expression tag	UNP A0A6M2RJB8
F	178	LEU	-	expression tag	UNP A0A6M2RJB8
F	179	VAL	-	expression tag	UNP A0A6M2RJB8
F	180	PRO	-	expression tag	UNP A0A6M2RJB8
F	181	ARG	-	expression tag	UNP A0A6M2RJB8

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	G	5	61	34	2	25	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
4	H	3	Total C N O 38 22 2 14	0	0	0

- Molecule 5 is an oligosaccharide called alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
5	I	3	Total C N O 38 22 2 14	0	0	0
5	L	3	Total C N O 38 22 2 14	0	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
6	J	4	Total C N O 50 28 2 20	0	0	0

- Molecule 7 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
7	K	2	Total C N O 24 14 1 9	0	0	0

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	M	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 9 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	N	4	Total	C	N	O	0	0	0
			49	28	2	19			

- Molecule 10 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			4	2	2		
10	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total C O 4 2 2	0	0
10	A	1	Total C O 4 2 2	0	0
10	A	1	Total C O 4 2 2	0	0
10	A	1	Total C O 4 2 2	0	0
10	B	1	Total C O 4 2 2	0	0
10	B	1	Total C O 4 2 2	0	0
10	C	1	Total C O 4 2 2	0	0
10	C	1	Total C O 4 2 2	0	0
10	C	1	Total C O 4 2 2	0	0
10	C	1	Total C O 4 2 2	0	0
10	C	1	Total C O 4 2 2	0	0
10	C	1	Total C O 4 2 2	0	0
10	D	1	Total C O 4 2 2	0	0
10	E	1	Total C O 4 2 2	0	0
10	E	1	Total C O 4 2 2	0	0
10	E	1	Total C O 4 2 2	0	0
10	E	1	Total C O 4 2 2	0	0
10	E	1	Total C O 4 2 2	0	0
10	E	1	Total C O 4 2 2	0	0
10	E	1	Total C O 4 2 2	0	0
10	F	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	F	1	Total C O 4 2 2	0	0
10	F	1	Total C O 4 2 2	0	0

- Molecule 11 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	1	Total O S 5 4 1	0	0
11	A	1	Total O S 5 4 1	0	0
11	B	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	C	1	Total O S 5 4 1	0	0
11	D	1	Total O S 5 4 1	0	0
11	D	1	Total O S 5 4 1	0	0
11	E	1	Total O S 5 4 1	0	0
11	E	1	Total O S 5 4 1	0	0
11	E	1	Total O S 5 4 1	0	0
11	E	1	Total O S 5 4 1	0	0
11	E	1	Total O S 5 4 1	0	0
11	E	1	Total O S 5 4 1	0	0

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 13 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	E	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	E	1	Total C O 7 4 3	0	0

- Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	A	390	Total O 390 390	0	0
14	B	187	Total O 187 187	0	0
14	C	416	Total O 416 416	0	0
14	D	146	Total O 146 146	0	0
14	E	433	Total O 433 433	0	0
14	F	238	Total O 238 238	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Hemagglutinin HA1 chain

Chain A:



• Molecule 1: Hemagglutinin HA1 chain

Chain C:



• Molecule 1: Hemagglutinin HA1 chain

Chain E:



• Molecule 2: Hemagglutinin HA2 chain

Chain B:



• Molecule 2: Hemagglutinin HA2 chain

Chain D:



• Molecule 2: Hemagglutinin HA2 chain

Chain F:



• Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:

• Molecule 5: alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

• Molecule 5: alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:



• Molecule 6: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:



• Molecule 7: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:

• Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:



• Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	95.38Å 171.60Å 226.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.56 – 1.94 45.56 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.8 (45.56-1.94) 99.8 (45.56-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$< I/\sigma(I) >$ [1]	1.40 (at 1.95Å)	Xtriage
Refinement program	PHENIX (1.21rc1_5127: ???)	Depositor
R, R_{free}	0.167 , 0.188 0.167 , 0.188	Depositor DCC
R_{free} test set	13571 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å^2)	29.8	Xtriage
Anisotropy	0.264	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 58.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	14217	wwPDB-VP
Average B, all atoms (Å^2)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, SO4, FUC, MAN, BMA, NAG, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.28	0/2599	0.49	0/3533
1	C	0.32	0/2620	0.51	0/3564
1	E	0.33	0/2607	0.51	0/3545
2	B	0.27	0/1404	0.42	0/1887
2	D	0.23	0/1404	0.41	0/1887
2	F	0.27	0/1425	0.43	0/1914
All	All	0.29	0/12059	0.48	0/16330

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2537	0	2492	22	0
1	C	2555	0	2509	19	0
1	E	2545	0	2495	23	0
2	B	1378	0	1282	12	0
2	D	1378	0	1282	11	0
2	F	1399	0	1303	7	0
3	G	61	0	52	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	H	38	0	34	0	0
5	I	38	0	34	1	0
5	L	38	0	34	0	0
6	J	50	0	43	0	0
7	K	24	0	22	0	0
8	M	39	0	34	0	0
9	N	49	0	43	1	0
10	A	24	0	36	1	0
10	B	8	0	12	1	0
10	C	24	0	36	5	0
10	D	4	0	6	2	0
10	E	28	0	42	4	0
10	F	12	0	18	2	0
11	A	55	0	0	1	0
11	B	5	0	0	0	0
11	C	50	0	0	1	0
11	D	10	0	0	0	0
11	E	30	0	0	1	0
12	E	14	0	13	0	0
13	E	14	0	20	5	0
14	A	390	0	0	5	0
14	B	187	0	0	2	0
14	C	416	0	0	7	0
14	D	146	0	0	0	0
14	E	433	0	0	6	0
14	F	238	0	0	2	0
All	All	14217	0	11842	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 92 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:72:ASN:H	10:F:201:EDO:H11	1.47	0.78
1:A:77:ASP:HB2	1:A:80:ILE:HD11	1.73	0.71
1:C:69:TRP:HD1	10:C:405:EDO:H21	1.55	0.71
1:A:80:ILE:HG22	1:A:81:ARG:H	1.55	0.71
1:E:8:ASP:N	14:E:704:HOH:O	2.23	0.70

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/329 (96%)	309 (98%)	8 (2%)	0	100	100
1	C	321/329 (98%)	310 (97%)	11 (3%)	0	100	100
1	E	318/329 (97%)	308 (97%)	10 (3%)	0	100	100
2	B	167/181 (92%)	164 (98%)	3 (2%)	0	100	100
2	D	167/181 (92%)	165 (99%)	2 (1%)	0	100	100
2	F	170/181 (94%)	169 (99%)	1 (1%)	0	100	100
All	All	1460/1530 (95%)	1425 (98%)	35 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/294 (97%)	283 (99%)	3 (1%)	73	68
1	C	288/294 (98%)	286 (99%)	2 (1%)	81	79
1	E	287/294 (98%)	284 (99%)	3 (1%)	73	68
2	B	146/154 (95%)	146 (100%)	0	100	100
2	D	146/154 (95%)	144 (99%)	2 (1%)	62	55
2	F	148/154 (96%)	148 (100%)	0	100	100
All	All	1301/1344 (97%)	1291 (99%)	10 (1%)	79	76

5 of 10 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	81	ARG
1	E	283	THR
1	E	297	ILE
1	C	283	THR
1	C	297	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 15 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	222	GLN
1	E	40	GLN
2	D	25	HIS
2	F	50	ASN
2	D	95	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

27 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	NAG	G	1	1,3	14,14,15	0.80	0	17,19,21	1.02	1 (5%)
3	NAG	G	2	3	14,14,15	0.72	0	17,19,21	1.14	3 (17%)
3	BMA	G	3	3	11,11,12	0.82	0	15,15,17	1.56	2 (13%)
3	MAN	G	4	3	11,11,12	0.68	0	15,15,17	1.07	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
3	MAN	G	5	3	11,11,12	0.65	0	15,15,17	1.43	1 (6%)
4	NAG	H	1	1,4	14,14,15	0.72	0	17,19,21	0.97	1 (5%)
4	NAG	H	2	4	14,14,15	0.73	0	17,19,21	0.88	1 (5%)
4	FUC	H	3	4	10,10,11	0.73	0	14,14,16	0.97	0
5	NAG	I	1	2,5	14,14,15	0.88	1 (7%)	17,19,21	1.45	2 (11%)
5	FUC	I	2	5	10,10,11	0.80	0	14,14,16	1.03	0
5	NAG	I	3	5	14,14,15	0.71	0	17,19,21	0.79	0
6	NAG	J	1	6,1	14,14,15	0.77	0	17,19,21	1.43	1 (5%)
6	NAG	J	2	6	14,14,15	0.65	0	17,19,21	1.59	4 (23%)
6	BMA	J	3	6	11,11,12	0.84	0	15,15,17	1.49	3 (20%)
6	MAN	J	4	6	11,11,12	0.69	0	15,15,17	1.33	1 (6%)
7	NAG	K	1	7,1	14,14,15	0.75	0	17,19,21	1.07	1 (5%)
7	FUC	K	2	7	10,10,11	0.74	0	14,14,16	1.03	0
5	NAG	L	1	2,5	14,14,15	0.69	0	17,19,21	1.08	2 (11%)
5	FUC	L	2	5	10,10,11	0.66	0	14,14,16	1.24	1 (7%)
5	NAG	L	3	5	14,14,15	0.70	0	17,19,21	0.87	1 (5%)
8	NAG	M	1	1,8	14,14,15	0.74	0	17,19,21	1.18	1 (5%)
8	NAG	M	2	8	14,14,15	0.66	0	17,19,21	0.99	0
8	BMA	M	3	8	11,11,12	0.77	0	15,15,17	1.48	1 (6%)
9	NAG	N	1	2,9	14,14,15	0.76	0	17,19,21	0.80	0
9	NAG	N	2	9	14,14,15	0.71	0	17,19,21	0.98	0
9	BMA	N	3	9	11,11,12	0.80	0	15,15,17	1.90	2 (13%)
9	FUC	N	4	9	10,10,11	0.70	0	14,14,16	1.14	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	BMA	G	3	3	-	1/2/19/22	0/1/1/1
3	MAN	G	4	3	-	0/2/19/22	0/1/1/1
3	MAN	G	5	3	-	0/2/19/22	0/1/1/1
4	NAG	H	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	H	2	4	-	2/6/23/26	0/1/1/1
4	FUC	H	3	4	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	I	1	2,5	-	0/6/23/26	0/1/1/1
5	FUC	I	2	5	-	-	0/1/1/1
5	NAG	I	3	5	-	1/6/23/26	0/1/1/1
6	NAG	J	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	J	2	6	-	2/6/23/26	0/1/1/1
6	BMA	J	3	6	-	2/2/19/22	0/1/1/1
6	MAN	J	4	6	-	0/2/19/22	0/1/1/1
7	NAG	K	1	7,1	-	0/6/23/26	0/1/1/1
7	FUC	K	2	7	-	-	0/1/1/1
5	NAG	L	1	2,5	-	0/6/23/26	0/1/1/1
5	FUC	L	2	5	-	-	0/1/1/1
5	NAG	L	3	5	-	2/6/23/26	0/1/1/1
8	NAG	M	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	M	2	8	-	2/6/23/26	0/1/1/1
8	BMA	M	3	8	-	0/2/19/22	0/1/1/1
9	NAG	N	1	2,9	-	1/6/23/26	0/1/1/1
9	NAG	N	2	9	-	2/6/23/26	0/1/1/1
9	BMA	N	3	9	-	1/2/19/22	0/1/1/1
9	FUC	N	4	9	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	I	1	NAG	C1-C2	2.11	1.55	1.52

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
9	N	3	BMA	C1-O5-C5	5.67	119.78	112.19
6	J	2	NAG	C1-O5-C5	4.77	118.58	112.19
6	J	1	NAG	C1-O5-C5	4.49	118.20	112.19
3	G	5	MAN	C1-O5-C5	4.38	118.06	112.19
8	M	3	BMA	C1-O5-C5	4.09	117.66	112.19

There are no chirality outliers.

5 of 18 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	L	3	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	H	2	NAG	O5-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
9	N	2	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	I	1	NAG	1	0
9	N	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



Oligosaccharide Chain H



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain I



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain L



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain J



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain K



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain M



Bond lengths



Bond angles



Torsions



Rings



5.6 Ligand geometry (i)

58 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
10	EDO	E	603	-	3,3,3	0.29	0	2,2,2	0.25	0
11	SO4	C	409	-	4,4,4	0.74	0	6,6,6	0.18	0
11	SO4	A	416	-	4,4,4	0.69	0	6,6,6	0.09	0
11	SO4	C	408	-	4,4,4	0.69	0	6,6,6	0.09	0
13	PEG	E	610	-	6,6,6	0.24	0	5,5,5	0.45	0
10	EDO	F	201	-	3,3,3	0.27	0	2,2,2	0.26	0
10	EDO	E	602	-	3,3,3	0.24	0	2,2,2	0.36	0
11	SO4	A	408	-	4,4,4	0.70	0	6,6,6	0.12	0
10	EDO	E	605	-	3,3,3	0.25	0	2,2,2	0.29	0
10	EDO	C	406	-	3,3,3	0.29	0	2,2,2	0.15	0
10	EDO	A	406	-	3,3,3	0.26	0	2,2,2	0.35	0
10	EDO	E	604	-	3,3,3	0.26	0	2,2,2	0.33	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
10	EDO	C	402	-	3,3,3	0.24	0	2,2,2	0.32	0
10	EDO	F	203	-	3,3,3	0.24	0	2,2,2	0.28	0
11	SO4	A	413	-	4,4,4	0.70	0	6,6,6	0.07	0
10	EDO	F	202	-	3,3,3	0.25	0	2,2,2	0.29	0
10	EDO	E	608	-	3,3,3	0.25	0	2,2,2	0.19	0
10	EDO	B	202	-	3,3,3	0.25	0	2,2,2	0.36	0
11	SO4	E	615	-	4,4,4	0.67	0	6,6,6	0.34	0
10	EDO	A	404	-	3,3,3	0.26	0	2,2,2	0.24	0
11	SO4	E	613	-	4,4,4	0.71	0	6,6,6	0.08	0
11	SO4	C	413	-	4,4,4	0.69	0	6,6,6	0.14	0
10	EDO	C	401	-	3,3,3	0.25	0	2,2,2	0.22	0
10	EDO	A	405	-	3,3,3	0.24	0	2,2,2	0.30	0
10	EDO	A	401	-	3,3,3	0.21	0	2,2,2	0.46	0
11	SO4	A	412	-	4,4,4	0.69	0	6,6,6	0.07	0
12	NAG	E	601	1	14,14,15	0.64	0	17,19,21	1.18	1 (5%)
11	SO4	A	407	-	4,4,4	0.70	0	6,6,6	0.22	0
10	EDO	C	405	-	3,3,3	0.29	0	2,2,2	0.16	0
11	SO4	C	416	-	4,4,4	0.66	0	6,6,6	0.10	0
11	SO4	A	414	-	4,4,4	0.67	0	6,6,6	0.15	0
13	PEG	E	609	-	6,6,6	0.31	0	5,5,5	0.78	0
11	SO4	D	302	-	4,4,4	0.70	0	6,6,6	0.08	0
10	EDO	A	402	-	3,3,3	0.26	0	2,2,2	0.19	0
10	EDO	C	404	-	3,3,3	0.24	0	2,2,2	0.33	0
11	SO4	C	407	-	4,4,4	0.67	0	6,6,6	0.31	0
11	SO4	C	415	-	4,4,4	0.71	0	6,6,6	0.14	0
11	SO4	E	614	-	4,4,4	0.72	0	6,6,6	0.07	0
11	SO4	C	410	-	4,4,4	0.90	0	6,6,6	0.61	0
11	SO4	C	414	-	4,4,4	0.69	0	6,6,6	0.07	0
11	SO4	A	417	-	4,4,4	0.74	0	6,6,6	0.18	0
10	EDO	C	403	-	3,3,3	0.27	0	2,2,2	0.15	0
11	SO4	E	612	-	4,4,4	0.69	0	6,6,6	0.10	0
11	SO4	E	611	-	4,4,4	0.69	0	6,6,6	0.12	0
10	EDO	D	301	-	3,3,3	0.24	0	2,2,2	0.33	0
10	EDO	B	201	-	3,3,3	0.24	0	2,2,2	0.07	0
11	SO4	B	203	-	4,4,4	0.71	0	6,6,6	0.12	0
11	SO4	A	415	-	4,4,4	0.69	0	6,6,6	0.26	0
11	SO4	C	411	-	4,4,4	0.73	0	6,6,6	0.45	0
11	SO4	A	410	-	4,4,4	0.71	0	6,6,6	0.08	0
10	EDO	E	607	-	3,3,3	0.27	0	2,2,2	0.40	0
11	SO4	A	409	-	4,4,4	0.72	0	6,6,6	0.13	0
11	SO4	D	303	-	4,4,4	0.70	0	6,6,6	0.10	0
10	EDO	E	606	-	3,3,3	0.25	0	2,2,2	0.29	0
10	EDO	A	403	-	3,3,3	0.26	0	2,2,2	0.16	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
11	SO4	A	411	-	4,4,4	0.70	0	6,6,6	0.09	0
11	SO4	C	412	-	4,4,4	0.72	0	6,6,6	0.28	0
11	SO4	E	616	-	4,4,4	0.73	0	6,6,6	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	EDO	E	603	-	-	0/1/1/1	-
13	PEG	E	610	-	-	2/4/4/4	-
10	EDO	F	201	-	-	0/1/1/1	-
10	EDO	E	602	-	-	0/1/1/1	-
10	EDO	E	605	-	-	0/1/1/1	-
10	EDO	C	406	-	-	1/1/1/1	-
10	EDO	A	406	-	-	0/1/1/1	-
10	EDO	E	604	-	-	0/1/1/1	-
10	EDO	C	402	-	-	1/1/1/1	-
10	EDO	F	203	-	-	0/1/1/1	-
10	EDO	F	202	-	-	1/1/1/1	-
10	EDO	E	608	-	-	1/1/1/1	-
10	EDO	B	202	-	-	1/1/1/1	-
10	EDO	A	404	-	-	1/1/1/1	-
10	EDO	C	401	-	-	0/1/1/1	-
10	EDO	A	405	-	-	0/1/1/1	-
10	EDO	A	401	-	-	1/1/1/1	-
12	NAG	E	601	1	-	0/6/23/26	0/1/1/1
10	EDO	C	405	-	-	0/1/1/1	-
13	PEG	E	609	-	-	2/4/4/4	-
10	EDO	A	402	-	-	1/1/1/1	-
10	EDO	C	404	-	-	0/1/1/1	-
10	EDO	C	403	-	-	1/1/1/1	-
10	EDO	D	301	-	-	0/1/1/1	-
10	EDO	B	201	-	-	0/1/1/1	-
10	EDO	E	607	-	-	0/1/1/1	-
10	EDO	E	606	-	-	0/1/1/1	-
10	EDO	A	403	-	-	1/1/1/1	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
12	E	601	NAG	C1-O5-C5	3.91	117.43	112.19

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	E	609	PEG	C4-C3-O2-C2
13	E	609	PEG	O1-C1-C2-O2
13	E	610	PEG	O1-C1-C2-O2
10	C	403	EDO	O1-C1-C2-O2
10	E	608	EDO	O1-C1-C2-O2

There are no ring outliers.

15 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	E	610	PEG	2	0
10	F	201	EDO	1	0
10	E	602	EDO	2	0
10	E	605	EDO	1	0
10	C	406	EDO	2	0
10	F	203	EDO	1	0
11	E	613	SO4	1	0
10	C	405	EDO	3	0
13	E	609	PEG	3	0
10	A	402	EDO	1	0
11	C	410	SO4	1	0
10	D	301	EDO	2	0
10	B	201	EDO	1	0
11	A	415	SO4	1	0
10	E	607	EDO	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	321/329 (97%)	-0.05	17 (5%)	33	37	20, 34, 59, 126	0
1	C	323/329 (98%)	-0.14	12 (3%)	45	50	16, 31, 60, 117	0
1	E	322/329 (97%)	-0.13	18 (5%)	31	35	17, 30, 54, 123	0
2	B	169/181 (93%)	0.20	10 (5%)	29	32	21, 38, 81, 123	0
2	D	169/181 (93%)	0.45	11 (6%)	26	29	22, 48, 76, 101	0
2	F	172/181 (95%)	-0.08	8 (4%)	37	41	22, 35, 53, 74	0
All	All	1476/1530 (96%)	-0.00	76 (5%)	34	38	16, 35, 66, 126	0

The worst 5 of 76 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	6	ILE	10.3
2	D	6	ILE	9.9
2	D	173	ILE	9.3
1	A	81	ARG	8.7
1	A	80	ILE	8.7

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	NAG	H	2	14/15	0.32	0.19	94,119,131,137	0
5	FUC	L	2	10/11	0.35	0.22	121,139,141,143	0
8	BMA	M	3	11/12	0.44	0.16	111,140,148,150	0
4	FUC	H	3	10/11	0.53	0.20	95,117,124,127	0
7	FUC	K	2	10/11	0.57	0.20	92,106,118,119	0
9	BMA	N	3	11/12	0.57	0.15	87,97,111,113	0
5	NAG	L	3	14/15	0.68	0.20	104,123,129,135	0
8	NAG	M	2	14/15	0.69	0.17	50,103,117,137	0
5	NAG	I	3	14/15	0.70	0.18	89,105,114,117	0
3	MAN	G	4	11/12	0.71	0.18	84,91,103,103	0
3	NAG	G	2	14/15	0.73	0.20	50,64,73,76	0
7	NAG	K	1	14/15	0.73	0.16	79,93,98,99	0
5	NAG	I	1	14/15	0.73	0.18	36,84,103,105	0
4	NAG	H	1	14/15	0.78	0.14	72,98,114,122	0
5	FUC	I	2	10/11	0.78	0.20	74,97,103,103	0
5	NAG	L	1	14/15	0.79	0.16	72,109,120,134	0
9	FUC	N	4	10/11	0.79	0.16	73,83,87,90	0
3	BMA	G	3	11/12	0.83	0.15	68,74,91,92	0
8	NAG	M	1	14/15	0.83	0.15	50,66,79,98	0
3	MAN	G	5	11/12	0.83	0.20	41,69,77,87	0
6	BMA	J	3	11/12	0.85	0.13	42,53,65,77	0
6	NAG	J	1	14/15	0.90	0.13	38,48,60,62	0
3	NAG	G	1	14/15	0.92	0.11	29,45,58,66	0
6	MAN	J	4	11/12	0.93	0.12	37,44,57,80	0
6	NAG	J	2	14/15	0.94	0.11	38,46,62,68	0
9	NAG	N	1	14/15	0.94	0.10	35,56,59,68	0
9	NAG	N	2	14/15	0.95	0.08	47,58,81,81	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain G:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain H:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain I:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain L:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain J:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain K:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain M:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain N:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
11	SO4	A	409	5/5	0.44	0.21	91,111,132,142	0
11	SO4	C	408	5/5	0.52	0.15	79,107,134,137	0
11	SO4	A	408	5/5	0.55	0.15	100,105,111,135	0
11	SO4	A	415	5/5	0.67	0.21	78,85,106,117	0
11	SO4	C	410	5/5	0.67	0.20	42,44,57,91	0
11	SO4	A	413	5/5	0.71	0.13	86,91,123,125	0
11	SO4	D	302	5/5	0.72	0.15	77,107,125,135	0
11	SO4	D	303	5/5	0.73	0.15	81,100,110,117	0
11	SO4	A	414	5/5	0.74	0.16	69,90,117,128	0
11	SO4	C	415	5/5	0.75	0.16	60,90,97,117	0
11	SO4	A	412	5/5	0.75	0.10	91,110,132,135	0
11	SO4	B	203	5/5	0.75	0.14	76,92,100,112	0
10	EDO	E	608	4/4	0.76	0.24	52,69,77,83	0
11	SO4	A	410	5/5	0.76	0.12	72,91,122,125	0
10	EDO	A	402	4/4	0.76	0.30	50,55,68,83	0
12	NAG	E	601	14/15	0.76	0.15	74,79,93,98	0
11	SO4	E	614	5/5	0.78	0.17	84,85,98,112	0
11	SO4	C	413	5/5	0.79	0.12	73,80,105,122	0
10	EDO	C	403	4/4	0.79	0.27	45,53,67,72	0
11	SO4	E	613	5/5	0.80	0.12	69,88,114,115	0
10	EDO	C	405	4/4	0.80	0.25	43,60,62,66	0
10	EDO	F	202	4/4	0.80	0.20	66,72,77,78	0
11	SO4	E	611	5/5	0.81	0.14	45,77,110,126	0
11	SO4	C	416	5/5	0.81	0.14	57,70,89,93	0
11	SO4	A	417	5/5	0.81	0.16	57,71,93,107	0
11	SO4	A	411	5/5	0.81	0.14	87,88,112,115	0
10	EDO	B	201	4/4	0.84	0.24	55,68,73,75	0
11	SO4	C	409	5/5	0.84	0.14	42,60,73,83	0
11	SO4	E	612	5/5	0.85	0.10	104,105,120,134	0
10	EDO	E	605	4/4	0.85	0.21	54,68,68,76	0
10	EDO	B	202	4/4	0.86	0.19	56,57,59,67	0
11	SO4	C	412	5/5	0.86	0.15	32,63,70,70	0
10	EDO	D	301	4/4	0.87	0.19	54,57,58,71	0
10	EDO	C	404	4/4	0.87	0.16	55,70,73,78	0
10	EDO	C	401	4/4	0.88	0.17	43,45,64,72	0
10	EDO	A	405	4/4	0.88	0.17	47,55,69,73	0
11	SO4	C	414	5/5	0.88	0.12	50,65,80,85	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
10	EDO	E	604	4/4	0.88	0.20	42,50,65,74	0
10	EDO	A	406	4/4	0.88	0.20	36,43,44,68	0
10	EDO	E	606	4/4	0.88	0.17	61,61,63,73	0
10	EDO	E	607	4/4	0.89	0.19	38,41,43,61	0
10	EDO	F	203	4/4	0.89	0.15	57,63,63,70	0
11	SO4	A	416	5/5	0.89	0.11	42,83,94,95	0
10	EDO	A	401	4/4	0.89	0.17	37,43,49,53	0
10	EDO	F	201	4/4	0.89	0.19	41,57,62,79	0
13	PEG	E	609	7/7	0.89	0.17	29,37,53,72	0
10	EDO	A	404	4/4	0.90	0.20	32,56,62,76	0
10	EDO	E	602	4/4	0.91	0.16	35,43,54,55	0
13	PEG	E	610	7/7	0.91	0.17	36,46,57,60	0
10	EDO	C	402	4/4	0.92	0.15	38,38,65,66	0
10	EDO	A	403	4/4	0.94	0.17	33,35,36,43	0
11	SO4	E	616	5/5	0.95	0.17	32,34,45,49	0
11	SO4	C	407	5/5	0.95	0.10	50,59,78,78	0
11	SO4	C	411	5/5	0.97	0.14	33,34,42,48	0
11	SO4	A	407	5/5	0.97	0.08	44,51,63,68	0
10	EDO	E	603	4/4	0.97	0.07	28,28,30,31	0
11	SO4	E	615	5/5	0.97	0.09	42,42,50,65	0
10	EDO	C	406	4/4	0.98	0.06	27,30,31,36	0

6.5 Other polymers (i)

There are no such residues in this entry.