

Full wwPDB X-ray Structure Validation Report (i)

Jul 7, 2025 – 04:12 PM EDT

PDB ID	:	$9NY7 / pdb_{00009ny7}$
Title	:	Crystal structure of the ribose operon repressor, RbsR, bound to ribose
Authors	:	Wells, M.L.; Lu, C.; Sultanov, D.; Weber, K.C.; Gong, Z.; Glasgow, A.
Deposited on	:	2025-03-26
Resolution	:	2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.44

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R_{free}	164625	3436 (2.08-2.04)		
Clashscore	180529	3661 (2.08-2.04)		
Ramachandran outliers	177936	3649 (2.08-2.04)		
Sidechain outliers	177891	3649 (2.08-2.04)		
RSRZ outliers	164620	3436 (2.08-2.04)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	330	69%	12% • • 15%
1	В	330	10%	18% ••
1	С	330	2% 73%	10% • 16%
1	D	330	66%	15% • 17%
1	Е	330	3% 73%	10% • 15%



Mol	Chain	Length	Quality of chain			
			5%			
1	\mathbf{F}	330	70%	10%	•	17%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	RIP	Ε	401	-	-	Х	-



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 13879 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	270	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	A	219	2190	1372	383	420	15	0	0	0
1	В	396	Total	С	Ν	Ο	S	0	0	0
1	D	520	2539	1590	444	489	16	0	0	0
1	С	278	Total	С	Ν	Ο	S	0	1	0
1		210	2190	1372	383	420	15	0	1	U
1	Л	973	Total	С	Ν	Ο	S	0	1	0
1	D	215	2149	1346	374	414	15	0	I	0
1	F	270	Total	С	Ν	Ο	S	0	0	0
1		219	2190	1372	383	420	15	0	0	0
1	F	973	Total	С	Ν	Ο	S	0	0	0
	Г	213	2140	1341	372	412	15	0	0	

• Molecule 1 is a protein called Ribose operon repressor.

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	SER	-	expression tag	UNP P0ACQ0
В	1	SER	-	expression tag	UNP P0ACQ0
С	1	SER	-	expression tag	UNP P0ACQ0
D	1	SER	-	expression tag	UNP P0ACQ0
Е	1	SER	-	expression tag	UNP P0ACQ0
F	1	SER	-	expression tag	UNP P0ACQ0

• Molecule 2 is beta-D-ribopyranose (CCD ID: RIP) (formula: C₅H₁₀O₅) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total C O 10 5 5	0	0
2	В	1	$\begin{array}{c cccc} 10 & 0 & 0 \\ \hline Total & C & O \\ 10 & 5 & 5 \end{array}$	0	0
2	С	1	$\begin{array}{c cccc} 10 & 0 & 0 \\ \hline Total & C & O \\ 10 & 5 & 5 \end{array}$	0	0
2	D	1	Total C O 10 5 5	0	0
2	Е	1	Total C O 10 5 5	0	0
2	F	1	Total C O 10 5 5	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	82	TotalO8282	0	0
3	В	74	Total O 74 74	0	0
3	С	103	Total O 103 103	0	0
3	D	44	Total O 44 44	0	0
3	Ε	69	Total O 69 69	0	0
3	F	49	$\begin{array}{cc} \text{Total} & \text{O} \\ 49 & 49 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Ribose operon repressor

Y273 D274 K293 K293 K317 L324 L324 L324 L324

• Molecule 1: Ribose operon repressor





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	177.46Å 87.35Å 130.94Å	Depositor
a, b, c, α , β , γ	90.00° 100.38° 90.00°	Depositor
Bosolution (Å)	33.82 - 2.07	Depositor
Resolution (A)	33.82 - 2.07	EDS
% Data completeness	61.4(33.82-2.07)	Depositor
(in resolution range)	61.6(33.82-2.07)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.59 (at 2.06 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8	Depositor
B B.	0.191 , 0.234	Depositor
II, II, <i>free</i>	0.201 , 0.240	DCC
R_{free} test set	6023 reflections $(4.95%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	26.2	Xtriage
Anisotropy	0.180	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.36 , 51.4	EDS
L-test for twinning ²	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13879	wwPDB-VP
Average B, all atoms $(Å^2)$	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 39.86 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.9824e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: RIP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.68	3/2230~(0.1%)	0.93	6/3024~(0.2%)	
1	В	0.66	0/2582	0.93	2/3500~(0.1%)	
1	С	0.71	2/2230~(0.1%)	0.92	4/3024~(0.1%)	
1	D	0.67	2/2189~(0.1%)	0.90	2/2970~(0.1%)	
1	Е	0.67	2/2230~(0.1%)	0.92	2/3024~(0.1%)	
1	F	0.64	1/2180~(0.0%)	0.89	1/2958~(0.0%)	
All	All	0.67	10/13641~(0.1%)	0.92	$17/18500 \ (0.1\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	8
1	В	0	5
1	С	0	4
1	D	0	6
1	Е	0	7
1	F	0	5
All	All	0	35

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	С	112	MET	SD-CE	-12.00	1.49	1.79
1	D	157	ILE	CG1-CD1	-9.51	1.14	1.51
1	А	64	MET	SD-CE	-8.34	1.58	1.79
1	F	305	ILE	CG1-CD1	-7.14	1.24	1.51
1	Е	112	MET	SD-CE	6.15	1.95	1.79
1	С	64	MET	SD-CE	-6.09	1.64	1.79



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	112	MET	SD-CE	-5.81	1.65	1.79
1	Е	157	ILE	CG1-CD1	-5.19	1.31	1.51
1	D	64	MET	SD-CE	-5.18	1.66	1.79
1	А	133	ILE	CG1-CD1	-5.04	1.32	1.51

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	D	100	ASP	CA-CB-CG	7.42	120.02	112.60
1	А	57	ASN	CA-CB-CG	-6.72	105.88	112.60
1	А	102	GLN	N-CA-C	-6.22	97.56	110.80
1	В	127	HIS	CA-CB-CG	5.85	119.65	113.80
1	В	244	THR	N-CA-C	-5.81	99.05	108.52
1	Е	244	THR	N-CA-C	-5.71	99.21	108.52
1	А	230	ARG	CB-CA-C	-5.69	101.35	110.79
1	С	140	VAL	N-CA-C	5.60	112.66	107.56
1	С	187	LEU	CB-CA-C	-5.37	101.56	110.68
1	А	244	THR	N-CA-C	5.35	119.91	113.17
1	F	244	THR	N-CA-C	5.34	119.95	113.38
1	С	222	PHE	CA-CB-CG	5.32	119.12	113.80
1	D	244	THR	N-CA-C	5.30	119.90	113.38
1	А	140	VAL	N-CA-C	5.25	112.33	107.56
1	Е	220	PHE	CA-CB-CG	5.11	118.91	113.80
1	С	244	THR	N-CA-C	5.07	119.61	113.38
1	А	222	PHE	CA-CB-CG	5.03	118.83	113.80

There are no chirality outliers.

All (35) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	115	ARG	Sidechain
1	А	131	ARG	Sidechain
1	А	195	ARG	Sidechain
1	А	205	ARG	Sidechain
1	А	230	ARG	Sidechain
1	А	52	ARG	Sidechain
1	А	79	ARG	Sidechain
1	А	83	ARG	Sidechain
1	В	103	ARG	Sidechain
1	В	115	ARG	Sidechain
1	В	195	ARG	Sidechain
1	В	230	ARG	Sidechain



Mol	Chain	Res	Type	Group
1	В	52	ARG	Sidechain
1	С	115	ARG	Sidechain
1	С	193	ARG	Sidechain
1	С	195	ARG	Sidechain
1	С	317	ARG	Sidechain
1	D	115	ARG	Sidechain
1	D	193	ARG	Sidechain
1	D	195	ARG	Sidechain
1	D	207	GLY	Peptide
1	D	317	ARG	Sidechain
1	D	83	ARG	Sidechain
1	Е	115	ARG	Sidechain
1	Е	195	ARG	Sidechain
1	Е	230	ARG	Sidechain
1	Е	238	ARG	Sidechain
1	Е	52	ARG	Sidechain
1	Е	79	ARG	Sidechain
1	Е	83	ARG	Sidechain
1	F	195	ARG	Sidechain
1	F	230	ARG	Sidechain
1	F	317	ARG	Sidechain
1	F	83	ARG	Sidechain
1	F	88	ARG	Sidechain

Continued from previous page...

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2190	0	2178	30	0
1	В	2539	0	2542	43	0
1	С	2190	0	2177	15	0
1	D	2149	0	2126	35	0
1	Е	2190	0	2178	35	0
1	F	2140	0	2119	31	0
2	А	10	0	10	0	0
2	В	10	0	10	0	0
2	C	10	0	10	0	0
2	D	10	0	10	2	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	Е	10	0	10	7	0
2	F	10	0	10	5	0
3	А	82	0	0	0	0
3	В	74	0	0	2	0
3	С	103	0	0	1	0
3	D	44	0	0	1	0
3	Е	69	0	0	3	0
3	F	49	0	0	0	0
All	All	13879	0	13380	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:124:THR:O	1:E:126:THR:N	1.85	1.07
1:F:307:ARG:HH21	1:F:313:LEU:HD23	1.16	1.04
1:A:130:SER:O	1:A:133:ILE:HD13	1.55	1.04
1:E:195:ARG:HH22	2:E:401:RIP:H3	1.35	0.91
1:F:195:ARG:HH22	2:F:401:RIP:H3	1.38	0.89
1:F:274:ASP:OD1	2:F:401:RIP:O2	1.90	0.88
1:E:125:GLU:O	1:E:126:THR:OG1	1.97	0.82
1:B:126:THR:O	1:B:127:HIS:ND1	2.13	0.81
1:E:67:THR:HG21	1:E:124:THR:HG23	1.63	0.81
1:E:274:ASP:OD1	2:E:401:RIP:O2	1.98	0.80
1:E:195:ARG:NH2	2:E:401:RIP:H3	1.98	0.78
1:D:157:ILE:CD1	1:D:300:ALA:HA	2.15	0.77
1:A:106:ARG:HH11	1:A:106:ARG:HG3	1.49	0.77
1:F:307:ARG:HH21	1:F:313:LEU:CD2	1.97	0.74
1:E:67:THR:HG21	1:E:124:THR:CG2	2.17	0.74
1:A:93:VAL:HG13	1:B:93:VAL:HG13	1.69	0.74
1:E:124:THR:C	1:E:126:THR:N	2.46	0.72
1:D:58:GLN:HG3	1:D:117:ASP:OD2	1.90	0.71
1:E:124:THR:C	1:E:126:THR:H	1.97	0.71
1:D:82:GLU:CD	1:D:92:LEU:HD23	2.15	0.70
1:A:99:GLY:O	1:A:100:ASP:HB2	1.92	0.68
1:E:125:GLU:C	1:E:127:HIS:H	2.02	0.68
1:D:157:ILE:HD13	1:D:300:ALA:HA	1.75	0.67
1:D:82:GLU:OE2	1:D:92:LEU:HD23	1.94	0.67
1:B:106:ARG:HH11	1:B:106:ARG:HG2	1.60	0.66



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:195:ARG:HH12	2:E:401:RIP:H2	1.61	0.65
1:E:326:GLU:OE1	3:E:501:HOH:O	2.15	0.65
1:A:102:GLN:O	1:A:104:MET:N	2.28	0.65
1:F:195:ARG:NH2	2:F:401:RIP:H3	2.10	0.65
1:B:26:ARG:NH2	1:B:153:ASP:OD2	2.31	0.64
1:A:101:GLU:C	1:A:102:GLN:O	2.37	0.62
1:D:296:LEU:HD23	1:D:320:LEU:HD13	1.81	0.62
1:D:201:ALA:O	1:D:204:LYS:HG2	2.00	0.62
1:A:91:SER:CB	1:B:110:THR:HG21	2.30	0.62
1:E:238:ARG:HH11	1:E:238:ARG:HG2	1.65	0.61
1:C:244:THR:HG21	1:C:250:ALA:HB2	1.83	0.61
1:F:106:ARG:HG3	1:F:106:ARG:HH11	1.66	0.61
1:B:125:GLU:HG2	1:B:186:PRO:HG2	1.84	0.60
1:D:73:PHE:CD2	2:D:401:RIP:H4	2.37	0.60
1:F:64:MET:HE1	1:F:81:VAL:HG21	1.82	0.60
1:E:195:ARG:HH22	2:E:401:RIP:C3	2.13	0.60
1:D:64:MET:HE3	1:D:145:MET:CE	2.32	0.59
1:A:193:ARG:HH11	1:A:193:ARG:HB3	1.68	0.59
1:A:91:SER:HB2	1:B:110:THR:HG21	1.85	0.58
1:F:317:ARG:HG2	1:F:317:ARG:O	2.01	0.58
1:A:128:GLN:OE1	1:A:129:PRO:HD2	2.03	0.58
1:E:125:GLU:C	1:E:126:THR:HG1	2.08	0.58
1:F:307:ARG:NH2	1:F:313:LEU:HD23	2.02	0.58
1:E:124:THR:O	1:E:125:GLU:C	2.45	0.58
1:B:177:HIS:HE1	3:B:556:HOH:O	1.86	0.57
1:F:244:THR:HG21	1:F:250:ALA:HB2	1.86	0.57
1:F:128:GLN:OE1	1:F:150:PHE:HB2	2.05	0.56
1:F:189:LYS:NZ	2:F:401:RIP:H51	2.20	0.56
1:A:244:THR:O	1:A:249:MET:HE3	2.05	0.56
1:B:238:ARG:HD3	1:B:239:PRO:HD2	1.87	0.56
1:E:126:THR:HA	1:E:147:TRP:CZ2	2.40	0.56
1:C:76:GLU:OE1	1:C:293:LYS:HE3	2.06	0.56
1:F:103:ARG:HH11	1:F:103:ARG:HG3	1.71	0.56
1:A:130:SER:O	1:A:133:ILE:CD1	2.42	0.56
1:A:131:ARG:NH2	1:A:134:MET:HG3	2.21	0.56
1:B:10:LEU:HD12	1:B:43:LEU:CD1	2.36	0.56
1:B:4:MET:HE1	1:B:19:SER:HA	1.88	0.55
1:B:41:LYS:O	1:B:42:GLU:CB	2.54	0.55
1:D:131:ARG:HA	1:D:134:MET:HE2	1.88	0.55
1:D:244:THR:HG21	1:D:250:ALA:HB2	1.88	0.55
1:D:64:MET:HE3	1:D:145:MET:HE1	1.88	0.55



	lous page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:244:THR:O	1:F:249:MET:HE3	2.07	0.55
1:C:244:THR:O	1:C:249:MET:HE3	2.07	0.55
1:A:100:ASP:O	1:A:101:GLU:HB2	2.06	0.54
1:F:88:ARG:NH2	1:F:298:GLU:OE2	2.39	0.54
1:D:244:THR:O	1:D:249:MET:HE3	2.07	0.54
1:C:88:ARG:HH22	1:C:302:ASP:HB2	1.73	0.54
1:D:100:ASP:CG	1:D:101:GLU:H	2.16	0.54
1:E:125:GLU:C	1:E:127:HIS:N	2.67	0.53
1:A:112:MET:HE2	1:A:137:TYR:HB2	1.91	0.53
1:F:88:ARG:HH22	1:F:302:ASP:HB2	1.73	0.53
1:E:124:THR:OG1	1:E:125:GLU:N	2.41	0.52
1:D:86:PHE:C	1:D:86:PHE:CD1	2.87	0.52
1:E:101:GLU:HB2	1:E:127:HIS:CE1	2.45	0.52
1:B:20:HIS:CE1	1:B:26:ARG:HD3	2.44	0.51
1:B:112:MET:HE3	1:B:137:TYR:HB2	1.92	0.51
1:E:238:ABG:HD3	3:E:505:HOH:O	2.12	0.50
1:B:10:LEU:HD12	1:B:43:LEU:HD13	1.93	0.50
1:F:88:ARG:HH21	1:F:298:GLU:CD	2.20	0.50
1:E:67:THR:CG2	1:E:124:THR:HG23	2.39	0.50
1:B:32:ILE:O	1:B:36:VAL:HG23	2.12	0.49
1:B:226:PHE:CZ	1:B:230:ARG:HD3	2.48	0.49
1:C:136:ARG:HD3	1:D:215:GLU:O	2.12	0.49
1:F:189:LYS:HG2	1:F:191:PRO:HD2	1.95	0.49
1:B:64:MET:HB3	1:B:94:LEU:HD23	1.94	0.48
1:F:84:SER:OG	1:F:298:GLU:OE1	2.31	0.48
1:C:189:LYS:HG2	1:C:191:PRO:HD2	1.95	0.48
1:D:157:ILE:HD13	1:D:300:ALA:CA	2.44	0.48
1:A:106:ARG:HG3	1:A:106:ARG:NH1	2.21	0.48
1:E:195:ARG:HH12	2:E:401:RIP:C2	2.26	0.48
1:F:84:SER:OG	1:F:298:GLU:HA	2.13	0.48
1:A:103:ARG:NH2	1:B:82:GLU:OE2	2.37	0.48
1:D:64:MET:HB3	1:D:94:LEU:HD23	1.96	0.48
1:D:90:TYR:CZ	1:D:305:ILE:HD12	2.49	0.48
1:B:21:VAL:HG11	1:B:36:VAL:HB	1.95	0.48
1:D:316:GLN:HA	3:D:526:HOH:O	2.13	0.48
1:F:244:THR:HG22	1:F:246:ASN:O	2.14	0.48
1:A:189:LYS:HG2	1:A:191:PRO:HD2	1.95	0.47
1:B:67:THR:HG21	1:B:124:THR:HG23	1.96	0.47
1:A:187:LEU:H	1:A:187:LEU:CD2	2.26	0.47
1:C:97:THR:OG1	1:C:104:MET:HG2	2.13	0.47
1:E:99:GLY:O	1:E:100:ASP:HB3	2.14	0.47



	louo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:189:LYS:HG2	1:B:191:PRO:HD2	1.95	0.47
1:F:189:LYS:HZ3	2:F:401:RIP:H51	1.79	0.47
1:A:193:ARG:HB3	1:A:193:ARG:NH1	2.30	0.47
1:A:132:GLU:O	1:A:136:ARG:HG2	2.14	0.47
1:C:244:THR:HG22	1:C:246:ASN:O	2.15	0.47
1:C:98:GLU:OE1	3:C:501:HOH:O	2.20	0.46
1:A:100:ASP:O	1:A:101:GLU:CB	2.62	0.46
1:D:244:THR:HG22	1:D:246:ASN:O	2.14	0.46
1:D:74:TYR:OH	2:D:401:RIP:H51	2.16	0.46
1:D:120:LEU:HB3	1:D:145:MET:HE2	1.97	0.46
1:D:88:ARG:HD2	1:D:301:ILE:HG22	1.97	0.46
1:B:41:LYS:O	1:B:42:GLU:HB3	2.15	0.46
1:B:124:THR:O	1:B:127:HIS:CG	2.69	0.46
1:E:64:MET:HB3	1:E:94:LEU:HD23	1.96	0.46
1:E:238:ARG:HG2	1:E:238:ARG:NH1	2.31	0.46
1:A:187:LEU:H	1:A:187:LEU:HD23	1.81	0.46
1:F:64:MET:HB3	1:F:94:LEU:HD23	1.98	0.46
1:B:104:MET:HE1	1:B:127:HIS:HB3	1.98	0.45
1:E:189:LYS:HG2	1:E:191:PRO:HD2	1.97	0.45
1:F:97:THR:OG1	1:F:104:MET:HG2	2.17	0.45
1:A:187:LEU:HD23	1:A:187:LEU:N	2.32	0.45
1:B:131:ARG:NH2	1:B:150:PHE:O	2.49	0.45
1:E:60:HIS:HE1	3:E:503:HOH:O	2.00	0.45
1:A:306:HIS:ND1	1:A:313:LEU:HD22	2.32	0.44
1:B:8:ALA:HB2	1:B:18:VAL:HG21	1.99	0.44
1:D:189:LYS:HG2	1:D:191:PRO:HD2	2.00	0.44
1:E:189:LYS:HZ3	2:E:401:RIP:H51	1.82	0.43
1:F:104:MET:HE1	1:F:125:GLU:HB2	1.99	0.43
1:B:21:VAL:HG21	1:B:36:VAL:HG21	2.00	0.43
1:F:130:SER:O	1:F:134:MET:HG3	2.18	0.43
1:E:99:GLY:O	1:E:100:ASP:CB	2.66	0.43
1:F:273:TYR:O	1:F:274:ASP:CB	2.66	0.43
1:C:131:ARG:HA	1:C:134:MET:HE2	2.01	0.43
1:D:273:TYR:O	1:D:274:ASP:CB	2.67	0.43
1:B:125:GLU:CD	1:B:186:PRO:HG2	2.44	0.43
1:B:125:GLU:CG	1:B:186:PRO:HG2	2.48	0.43
1:D:97:THR:OG1	1:D:104:MET:HG2	2.18	0.43
1:A:131:ARG:NE	1:A:131:ARG:HA	2.33	0.42
1:D:100:ASP:O	1:D:104:MET:HE2	2.19	0.42
1:D:162:LEU:C	1:D:162:LEU:HD23	2.44	0.42
1:A:273:TYR:O	1:A:274:ASP:CB	2.66	0.42



	1.5	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:126:THR:HA	1:E:147:TRP:CH2	2.54	0.42
1:E:273:TYR:O	1:E:274:ASP:CB	2.67	0.42
1:C:273:TYR:O	1:C:274:ASP:CB	2.67	0.42
1:A:97:THR:OG1	1:A:104:MET:HG2	2.20	0.42
1:B:273:TYR:O	1:B:274:ASP:CB	2.66	0.42
1:D:64:MET:HG2	1:D:66:ILE:HG23	2.02	0.42
1:B:10:LEU:HD12	1:B:43:LEU:HD11	2.01	0.42
1:D:90:TYR:CE2	1:D:305:ILE:HD12	2.54	0.42
1:A:315:GLN:OE1	1:A:317:ARG:NH1	2.53	0.42
1:C:112:MET:HE2	1:C:137:TYR:HB2	2.02	0.42
1:D:64:MET:CE	1:D:145:MET:HE1	2.49	0.42
1:F:130:SER:O	1:F:133:ILE:HG22	2.20	0.42
1:B:306:HIS:ND1	1:B:313:LEU:HD22	2.35	0.42
1:C:212:ASP:OD1	1:E:138:PRO:HD2	2.20	0.42
1:D:64:MET:HE3	1:D:145:MET:HE3	2.02	0.41
1:B:29:SER:HB3	1:B:32:ILE:CD1	2.50	0.41
1:B:125:GLU:O	1:B:147:TRP:CZ2	2.73	0.41
1:B:65:LEU:HD12	1:B:95:CYS:HB3	2.01	0.41
1:B:125:GLU:O	1:B:147:TRP:HZ2	2.03	0.41
1:B:134:MET:HE1	1:B:150:PHE:CZ	2.55	0.41
1:E:142:THR:O	1:E:154:SER:OG	2.38	0.41
1:C:100:ASP:O	1:C:104:MET:HE2	2.21	0.41
1:D:107:ASN:O	1:D:110:THR:OG1	2.33	0.41
1:A:112:MET:CE	1:A:137:TYR:CB	2.99	0.41
1:B:142:THR:O	1:B:154:SER:OG	2.39	0.41
1:D:65:LEU:HD12	1:D:95:CYS:HB3	2.02	0.41
1:B:264:VAL:HA	1:B:265:PRO:HA	1.91	0.41
1:F:244:THR:HG21	1:F:250:ALA:CA	2.51	0.41
1:B:97:THR:OG1	1:B:104:MET:HG2	2.21	0.40
1:F:59:THR:HG23	1:F:61:THR:HB	2.02	0.40
1:B:104:MET:HE2	1:B:129:PRO:HG3	2.03	0.40
1:C:187:LEU:HD11	1:E:133:ILE:HD11	2.02	0.40
1:B:60:HIS:HE1	3:B:530:HOH:O	2.05	0.40
1:F:175:LYS:HA	1:F:175:LYS:HD2	1.97	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	277/330~(84%)	268 (97%)	4 (1%)	5 (2%)	7 2
1	В	322/330~(98%)	309~(96%)	10 (3%)	3 (1%)	14 7
1	С	277/330~(84%)	271 (98%)	5 (2%)	1 (0%)	30 23
1	D	272/330~(82%)	265~(97%)	6 (2%)	1 (0%)	30 23
1	Е	277/330~(84%)	267 (96%)	7 (2%)	3 (1%)	12 4
1	F	271/330 (82%)	266 (98%)	4 (2%)	1 (0%)	30 23
All	All	1696/1980~(86%)	1646 (97%)	36~(2%)	14 (1%)	16 8

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	100	ASP
1	А	103	ARG
1	В	42	GLU
1	Е	125	GLU
1	Е	129	PRO
1	А	101	GLU
1	А	102	GLN
1	А	274	ASP
1	В	274	ASP
1	С	274	ASP
1	D	274	ASP
1	Е	274	ASP
1	F	274	ASP
1	В	53	SER

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	240/280~(86%)	230~(96%)	10 (4%)	25 19
1	В	278/280~(99%)	270~(97%)	8 (3%)	37 32
1	С	240/280~(86%)	231~(96%)	9 (4%)	28 22
1	D	235/280~(84%)	228~(97%)	7 (3%)	36 31
1	Е	240/280~(86%)	234~(98%)	6 (2%)	42 38
1	F	234/280~(84%)	225~(96%)	9 (4%)	28 22
All	All	1467/1680~(87%)	1418 (97%)	49 (3%)	33 27

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	60	HIS
1	А	77	LEU
1	А	119	LEU
1	А	133	ILE
1	А	136	ARG
1	А	142	THR
1	А	144	MET
1	А	314	GLN
1	А	321	THR
1	А	324	LEU
1	В	10	LEU
1	В	44	ASN
1	В	60	HIS
1	В	66	ILE
1	В	82	GLU
1	В	167	LEU
1	В	223	ASN
1	В	324	LEU
1	С	60	HIS
1	С	77	LEU
1	С	114	LYS
1	С	142	THR
1	С	144	MET
1	С	153	ASP
1	С	154	SER
1	С	244	THR
1	С	324	LEU



Mol	Chain	Res	Type
1	D	115	ARG
1	D	139	THR
1	D	151	ASP
1	D	244	THR
1	D	299	LEU
1	D	323	ILE
1	D	324	LEU
1	Е	60	HIS
1	Е	66	ILE
1	Е	212	ASP
1	Е	298	GLU
1	Е	323	ILE
1	Е	324	LEU
1	F	60	HIS
1	F	139	THR
1	F	140	VAL
1	F	230	ARG
1	F	244	THR
1	F	298	GLU
1	F	299	LEU
1	F	306	HIS
1	F	324	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	60	HIS
1	А	96	ASN
1	А	105	ASN
1	А	177	HIS
1	В	60	HIS
1	В	177	HIS
1	В	316	GLN
1	С	107	ASN
1	D	102	GLN
1	D	177	HIS
1	D	310	GLN
1	Е	60	HIS
1	Е	96	ASN
1	Е	127	HIS
1	Е	158	GLN
1	Е	223	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	Е	319	GLN
1	F	105	ASN
1	F	177	HIS
1	F	235	HIS
1	F	255	GLN
1	F	259	GLN
1	F	290	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dog	Tink	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
IVIOI	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	RIP	В	401	-	10,10,10	0.16	0	14,14,14	0.63	0
2	RIP	F	401	-	10,10,10	0.28	0	14,14,14	0.77	0
2	RIP	Е	401	-	10,10,10	0.59	0	14,14,14	1.34	2 (14%)
2	RIP	А	401	-	10,10,10	0.33	0	14,14,14	0.86	0
2	RIP	С	401	-	10,10,10	0.24	0	14,14,14	0.48	0
2	RIP	D	401	-	10,10,10	0.39	0	14,14,14	0.65	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RIP	В	401	-	-	-	0/1/1/1
2	RIP	F	401	-	-	-	0/1/1/1
2	RIP	Е	401	-	-	-	0/1/1/1
2	RIP	А	401	-	-	-	0/1/1/1
2	RIP	С	401	-	-	-	0/1/1/1
2	RIP	D	401	-	-	-	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Е	401	RIP	C5-C4-C3	2.91	113.88	109.64
2	Е	401	RIP	O1-C1-C2	2.14	115.18	108.98

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	401	RIP	5	0
2	Е	401	RIP	7	0
2	D	401	RIP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(A^2)$	Q<0.9
1	А	279/330~(84%)	-0.02	13 (4%) 37 39	14, 31, 101, 134	0
1	В	326/330~(98%)	0.27	32 (9%) 14 15	15, 37, 97, 150	0
1	С	278/330~(84%)	-0.19	6 (2%) 62 63	9, 28, 77, 124	1 (0%)
1	D	273/330~(82%)	0.52	34 (12%) 9 9	10, 52, 115, 140	1 (0%)
1	Е	279/330~(84%)	-0.05	9 (3%) 50 52	15, 32, 79, 123	0
1	F	273/330~(82%)	0.35	17 (6%) 28 28	16, 46, 108, 123	0
All	All	1708/1980~(86%)	0.15	111 (6%) 26 27	9, 36, 104, 150	2(0%)

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	13	VAL	5.1
1	В	129	PRO	4.6
1	С	129	PRO	4.6
1	Е	150	PHE	4.4
1	F	139	THR	4.4
1	В	11	ALA	4.2
1	В	127	HIS	4.1
1	В	47	PRO	3.8
1	А	150	PHE	3.7
1	А	137	TYR	3.6
1	В	150	PHE	3.4
1	А	99	GLY	3.4
1	Ε	99	GLY	3.3
1	В	125	GLU	3.3
1	F	129	PRO	3.2
1	F	131	ARG	3.2
1	В	52	ARG	3.1
1	В	126	THR	3.1
1	Е	127	HIS	3.0



9N	Y	7

Continued from previous page							
Mol	Chain	Res	Type	RSRZ			
1	В	12	GLY	3.0			
1	F	138	PRO	3.0			
1	F	119	LEU	3.0			
1	А	139	THR	2.9			
1	В	7	VAL	2.9			
1	В	39	ALA	2.9			
1	Ε	129	PRO	2.8			
1	F	312	THR	2.8			
1	F	111	LEU	2.8			
1	F	133	ILE	2.8			
1	В	102	GLN	2.8			
1	D	131	ARG	2.8			
1	A	126	THR	2.8			
1	E	149	PRO	2.8			
1	D	134	MET	2.7			
1	D	149	PRO	2.7			
1	В	43	LEU	2.7			
1	С	187	LEU	2.7			
1	В	34	ALA	2.7			
1	D	139	THR	2.7			
1	F	134	MET	2.7			
1	А	52	ARG	2.7			
1	D	133	ILE	2.7			
1	А	187	LEU	2.6			
1	В	10	LEU	2.6			
1	D	61	THR	2.6			
1	Е	126	THR	2.6			
1	D	305	ILE	2.6			
1	В	31	ALA	2.6			
1	D	150	PHE	2.6			
1	D	309	THR	2.6			
1	D	129	PRO	2.6			
1	D	140	VAL	2.5			
1	В	70	THR	2.5			
1	D	126	THR	2.5			
1	С	127	HIS	2.5			
1	В	36	VAL	2.5			
1	В	35	LYS	2.5			
1	D	142	THR	2.5			
1	F	59	THR	2.5			
1	D	135	GLN	2.5			
1	А	129	PRO	2.5			



Mol	Chain	Res	Type	RSRZ
1	D	82	GLU	2.5
1	D	162	LEU	2.5
1	D	109	GLU	2.4
1	D	137	TYR	2.4
1	В	38	ALA	2.4
1	С	53	SER	2.4
1	В	32	ILE	2.4
1	D	108	LEU	2.4
1	F	60	HIS	2.4
1	D	58	GLN	2.4
1	В	236	PRO	2.4
1	В	45	TYR	2.4
1	В	99	GLY	2.4
1	D	86	PHE	2.4
1	А	133	ILE	2.4
1	F	108	LEU	2.3
1	D	127	HIS	2.3
1	F	136	ARG	2.3
1	F	150	PHE	2.3
1	В	40	ILE	2.3
1	F	317	ARG	2.3
1	А	53	SER	2.3
1	D	130	SER	2.3
1	D	312	THR	2.3
1	D	152	GLY	2.3
1	С	57	ASN	2.3
1	В	46	ALA	2.3
1	Е	70	THR	2.3
1	Е	217	THR	2.3
1	В	41	LYS	2.2
1	D	95	CYS	2.2
1	В	149	PRO	2.2
1	В	18	VAL	2.2
1	F	140	VAL	2.2
1	A	313	LEU	2.2
1	С	151	ASP	2.1
1	D	151	ASP	2.1
1	F	135	GLN	2.1
1	D	204	LYS	2.1
1	D	148	ALA	2.1
1	D	96	ASN	2.1
1	D	111	LEU	2.1



Mol	Chain	Res	Type	RSRZ
1	D	313	LEU	2.1
1	Е	237	LEU	2.1
1	А	138	PRO	2.1
1	D	138	PRO	2.1
1	D	299	LEU	2.1
1	В	22	ILE	2.1
1	А	149	PRO	2.0
1	В	9	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q<0.9
2	RIP	F	401	10/10	0.92	0.09	$29,\!36,\!57,\!57$	0
2	RIP	Ε	401	10/10	0.94	0.07	$17,\!22,\!32,\!35$	0
2	RIP	D	401	10/10	0.94	0.08	$21,\!41,\!50,\!58$	0
2	RIP	С	401	10/10	0.97	0.05	$13,\!17,\!19,\!21$	0
2	RIP	А	401	10/10	0.98	0.05	13,22,33,34	0
2	RIP	В	401	10/10	0.98	0.04	14,17,23,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

























6.5 Other polymers (i)

There are no such residues in this entry.

