



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 06:10 PM UTC

PDB ID : 9OVJ / pdb\_00009ovj  
Title : Structure of human SHOC2 in complex with a small molecule inhibitor (R)-5  
Authors : Dhembhi, A.; Hauseman, Z.J.; King, D.  
Deposited on : 2025-05-30  
Resolution : 2.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	5070 (2.70-2.66)
Clashscore	190562	5409 (2.70-2.66)
Ramachandran outliers	187476	5324 (2.70-2.66)
Sidechain outliers	187428	5324 (2.70-2.66)
RSRZ outliers	180081	5070 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	505	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	A1CF1	A	601	-	X	-	-

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 4033 atoms, of which 20 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Leucine-rich repeat protein SHOC-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	497	3916	2478	674	746	18	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	78	GLY	-	expression tag	UNP Q9UQ13
A	79	PRO	-	expression tag	UNP Q9UQ13

- Molecule 2 is (2R)-{2-[(4-chloro[1,1'-biphenyl]-3-yl)methoxy]phenyl}[(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)amino]acetic acid (CCD ID: A1CF1) (formula: C<sub>28</sub>H<sub>21</sub>ClN<sub>2</sub>O<sub>5</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Cl	H	N			O
2	A	1	56	28	1	20	2	5	0	0

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total K 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	60	Total O 60 60	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Leucine-rich repeat protein SHOC-2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	37.84Å 70.14Å 199.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.58 – 2.68 40.58 – 2.68	Depositor EDS
% Data completeness (in resolution range)	100.0 (40.58-2.68) 100.0 (40.58-2.68)	Depositor EDS
$R_{merge}$	0.22	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.31 (at 2.69Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.194 , 0.275 0.195 , 0.272	Depositor DCC
$R_{free}$ test set	770 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	43.3	Xtrriage
Anisotropy	0.349	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 29.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4033	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1CF1, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.37	0/3973	0.56	1/5384 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	349	GLY	N-CA-C	-5.51	104.41	110.96

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3916	0	4078	131	1
2	A	36	20	0	4	0
3	A	1	0	0	0	0
4	A	60	0	0	1	0
All	All	4013	20	4078	131	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:456:GLU:HG2	1:A:477:VAL:HG12	1.58	0.85
1:A:245:VAL:HG22	1:A:268:LEU:HD23	1.63	0.79
1:A:272:GLU:HG2	1:A:295:ARG:NH1	1.97	0.79
1:A:457:GLU:OE2	1:A:480:ASN:ND2	2.16	0.77
1:A:456:GLU:HG2	1:A:477:VAL:CG1	2.15	0.76
1:A:361:ASN:OD1	1:A:363:GLU:HG2	1.85	0.75
1:A:149:MET:HE3	1:A:172:ARG:HD2	1.68	0.74
1:A:328:SER:OG	1:A:352:SER:HB2	1.89	0.72
1:A:254:PRO:O	1:A:257:ILE:HG22	1.90	0.71
1:A:548:ILE:HD12	1:A:548:ILE:H	1.55	0.71
1:A:338:LEU:HD12	1:A:362:MET:CE	2.21	0.70
1:A:173:MET:HE1	1:A:175:ASP:HB2	1.75	0.69
1:A:338:LEU:HD12	1:A:362:MET:HE3	1.75	0.69
1:A:245:VAL:HG23	1:A:245:VAL:O	1.92	0.68
1:A:128:LEU:HD11	1:A:130:LEU:HD21	1.75	0.67
1:A:547:SER:HB2	1:A:549:GLU:OE1	1.95	0.67
1:A:448:ARG:HD2	1:A:471:LYS:NZ	2.12	0.65
1:A:383:LYS:HG2	1:A:406:GLU:HB2	1.79	0.64
1:A:394:LEU:HD13	1:A:398:PHE:CE2	2.33	0.64
1:A:88:ALA:O	1:A:92:LYS:HG3	1.98	0.63
1:A:175:ASP:OD1	1:A:177:ARG:HG2	1.98	0.63
1:A:182:ARG:HH11	1:A:182:ARG:HG3	1.64	0.63
1:A:355:SER:OG	1:A:356:THR:HG22	2.00	0.62
1:A:382:SER:HA	1:A:404:MET:HA	1.82	0.61
1:A:496:LEU:HB3	1:A:516:LEU:CD1	2.30	0.61
1:A:94:LEU:HD21	1:A:107:LEU:HD11	1.83	0.61
1:A:303:LEU:HD12	1:A:306:CYS:SG	2.42	0.59
1:A:304:ALA:HB2	1:A:326:LEU:HD12	1.85	0.59
1:A:231:PRO:HB2	1:A:233:GLU:HG2	1.83	0.59
1:A:480:ASN:HA	1:A:503:GLU:O	2.04	0.57
1:A:316:ASN:C	1:A:316:ASN:HD22	2.13	0.57
1:A:223:ARG:HD2	1:A:224:GLU:OE2	2.05	0.56
1:A:488:ARG:O	1:A:512:GLU:HG3	2.06	0.56
1:A:200:ARG:HD3	1:A:223:ARG:CG	2.36	0.55
1:A:418:PRO:HB2	1:A:420:ASP:OD1	2.06	0.55
1:A:86:SER:H	1:A:89:GLU:CD	2.15	0.55
1:A:339:ALA:HB1	1:A:363:GLU:HG3	1.88	0.55
1:A:231:PRO:O	1:A:234:ILE:HG22	2.07	0.53
1:A:200:ARG:CD	1:A:223:ARG:HG3	2.38	0.53
1:A:511:GLU:O	1:A:536:GLU:HG3	2.09	0.53
1:A:268:LEU:HB2	1:A:291:LEU:HD23	1.90	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324:GLU:O	1:A:325:SER:HB2	2.09	0.52
1:A:374:ILE:HD12	1:A:374:ILE:N	2.25	0.52
1:A:325:SER:O	1:A:326:LEU:C	2.52	0.51
1:A:272:GLU:HG2	1:A:295:ARG:HH11	1.74	0.51
1:A:303:LEU:O	1:A:303:LEU:HG	2.09	0.51
1:A:209:LYS:HD3	1:A:233:GLU:CD	2.35	0.51
1:A:448:ARG:HD2	1:A:471:LYS:HZ1	1.76	0.50
1:A:95:ASN:HA	1:A:98:ARG:HG2	1.93	0.50
1:A:200:ARG:HD3	1:A:223:ARG:HG3	1.93	0.50
1:A:291:LEU:HB2	1:A:314:LEU:HD23	1.92	0.50
1:A:269:GLN:OE1	1:A:292:ARG:NH1	2.32	0.50
1:A:244:ASP:HB2	2:A:601:A1CF1:CL1	2.49	0.49
1:A:316:ASN:C	1:A:316:ASN:ND2	2.71	0.49
1:A:413:GLN:HA	1:A:436:LEU:HD23	1.94	0.49
1:A:461:GLU:O	1:A:462:SER:HB3	2.13	0.49
1:A:189:TYR:CZ	1:A:208:GLU:HB2	2.49	0.48
1:A:293:TYR:OH	1:A:340:ARG:NH2	2.46	0.48
1:A:512:GLU:H	1:A:512:GLU:CD	2.21	0.48
1:A:165:LEU:HD22	1:A:168:LEU:HD22	1.95	0.48
1:A:548:ILE:HD12	1:A:548:ILE:N	2.25	0.48
1:A:420:ASP:OD1	1:A:420:ASP:N	2.46	0.48
1:A:153:LEU:HD22	1:A:158:LEU:HD11	1.96	0.47
1:A:206:THR:HG21	1:A:208:GLU:OE1	2.14	0.47
1:A:292:ARG:HD2	2:A:601:A1CF1:C7	2.44	0.47
1:A:354:PHE:HB3	1:A:357:ILE:HD11	1.97	0.47
1:A:357:ILE:HD12	1:A:357:ILE:O	2.14	0.47
1:A:357:ILE:HD13	1:A:381:LEU:HD13	1.95	0.47
1:A:267:ASP:HB2	2:A:601:A1CF1:C27	2.44	0.47
1:A:521:GLU:HG2	1:A:545:ILE:HD12	1.95	0.47
1:A:397:ASP:O	1:A:400:THR:HG23	2.14	0.46
1:A:200:ARG:CD	1:A:223:ARG:CG	2.93	0.46
1:A:482:GLN:HB2	1:A:505:LEU:HD12	1.97	0.46
1:A:168:LEU:HB3	1:A:171:LEU:HB2	1.98	0.46
1:A:546:MET:HE2	1:A:565:PRO:HB3	1.98	0.46
1:A:574:MET:HA	1:A:579:ARG:HB3	1.98	0.46
1:A:350:GLY:O	1:A:353:GLN:HG3	2.16	0.46
1:A:456:GLU:H	1:A:456:GLU:HG3	1.27	0.45
1:A:496:LEU:HB3	1:A:516:LEU:HD11	1.98	0.45
1:A:496:LEU:HB3	1:A:516:LEU:HD12	1.98	0.45
1:A:120:LYS:HB3	1:A:141:GLU:HB3	1.99	0.45
1:A:173:MET:O	1:A:173:MET:HG3	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:TYR:O	1:A:130:LEU:HD23	2.16	0.45
1:A:287:SER:HA	1:A:309:LEU:HA	1.98	0.45
1:A:245:VAL:CG2	1:A:268:LEU:HD23	2.40	0.45
1:A:570:GLN:HG3	1:A:574:MET:HE2	1.98	0.45
1:A:264:THR:HA	1:A:286:LEU:HA	1.99	0.45
1:A:316:ASN:ND2	1:A:316:ASN:O	2.40	0.45
1:A:209:LYS:HA	1:A:233:GLU:HG3	1.99	0.44
1:A:260:CYS:O	1:A:283:LEU:HD22	2.17	0.44
1:A:322:LEU:HD13	1:A:326:LEU:HD23	2.00	0.44
1:A:335:SER:HA	1:A:359:SER:O	2.18	0.44
1:A:434:ASN:HA	1:A:457:GLU:HB3	1.98	0.44
1:A:550:ASN:ND2	4:A:703:HOH:O	2.51	0.44
1:A:549:GLU:O	1:A:550:ASN:HB2	2.18	0.43
1:A:223:ARG:NH2	2:A:601:A1CF1:O2	2.51	0.43
1:A:394:LEU:HD13	1:A:398:PHE:CD2	2.52	0.43
1:A:165:LEU:HD22	1:A:168:LEU:CD2	2.49	0.43
1:A:85:SER:HA	1:A:89:GLU:OE1	2.18	0.43
1:A:173:MET:CE	1:A:175:ASP:HB2	2.46	0.43
1:A:138:LEU:HD12	1:A:138:LEU:HA	1.69	0.43
1:A:108:SER:O	1:A:110:ARG:HG3	2.19	0.42
1:A:499:LEU:HD12	1:A:499:LEU:HA	1.74	0.42
1:A:122:LEU:HD12	1:A:122:LEU:N	2.34	0.42
1:A:187:VAL:HG23	1:A:190:ARG:NH2	2.34	0.42
1:A:200:ARG:HD3	1:A:223:ARG:HG2	2.01	0.42
1:A:209:LYS:C	1:A:211:ILE:H	2.27	0.42
1:A:411:THR:HG22	1:A:411:THR:O	2.20	0.41
1:A:172:ARG:C	1:A:194:LEU:HD23	2.45	0.41
1:A:557:PRO:O	1:A:561:VAL:HG12	2.20	0.41
1:A:398:PHE:O	1:A:424:LEU:HD21	2.21	0.41
1:A:301:ARG:HA	1:A:323:PRO:HG3	2.03	0.41
1:A:161:LEU:HB3	1:A:165:LEU:HD12	2.03	0.41
1:A:369:LYS:NZ	1:A:369:LYS:HB3	2.35	0.41
1:A:471:LYS:HD2	1:A:472:ASP:OD1	2.20	0.41
1:A:209:LYS:O	1:A:211:ILE:N	2.53	0.41
1:A:209:LYS:C	1:A:211:ILE:N	2.77	0.41
1:A:388:ASP:HA	1:A:411:THR:O	2.20	0.41
1:A:125:LEU:HD23	1:A:125:LEU:HA	1.85	0.41
1:A:196:THR:HG22	1:A:198:TYR:CE2	2.56	0.41
1:A:248:ASN:C	1:A:271:ASN:OD1	2.64	0.41
1:A:305:LYS:HD3	1:A:305:LYS:HA	1.83	0.41
1:A:158:LEU:HD23	1:A:158:LEU:HA	1.90	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:PHE:HB3	1:A:357:ILE:CG1	2.51	0.40
1:A:292:ARG:HG2	1:A:293:TYR:HD1	1.86	0.40
1:A:230:LEU:HD23	1:A:230:LEU:HA	1.90	0.40
1:A:87:ASN:O	1:A:91:ILE:HD12	2.21	0.40
1:A:90:VAL:O	1:A:94:LEU:HG	2.20	0.40
1:A:182:ARG:HG3	1:A:182:ARG:NH1	2.32	0.40
1:A:276:LEU:HB2	1:A:300:PRO:CG	2.51	0.40
1:A:327:LEU:HB2	1:A:353:GLN:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:LYS:NZ	1:A:183:GLU:OE2[1_455]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	495/505 (98%)	444 (90%)	51 (10%)	0	<b>100</b> <b>100</b>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	462/468 (99%)	419 (91%)	43 (9%)	8 19

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	GLU
1	A	114	ILE
1	A	118	SER
1	A	168	LEU
1	A	173	MET
1	A	182	ARG
1	A	200	ARG
1	A	222	ILE
1	A	223	ARG
1	A	224	GLU
1	A	233	GLU
1	A	234	ILE
1	A	236	GLU
1	A	245	VAL
1	A	257	ILE
1	A	262	GLN
1	A	292	ARG
1	A	295	ARG
1	A	315	GLU
1	A	316	ASN
1	A	324	GLU
1	A	328	SER
1	A	340	ARG
1	A	348	VAL
1	A	352	SER
1	A	356	THR
1	A	357	ILE
1	A	369	LYS
1	A	374	ILE
1	A	398	PHE
1	A	416	LYS
1	A	420	ASP
1	A	456	GLU
1	A	467	ILE
1	A	471	LYS
1	A	494	THR
1	A	512	GLU
1	A	533	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	536	GLU
1	A	548	ILE
1	A	561	VAL
1	A	574	MET
1	A	579	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	178	HIS
1	A	270	HIS
1	A	442	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	A1CF1	A	601	-	40,40,40	4.65	37 (92%)	54,56,56	1.16	5 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1CF1	A	601	-	-	7/21/21/21	0/5/5/5

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	A1CF1	C7-N2	11.82	1.45	1.35
2	A	601	A1CF1	C11-C10	7.31	1.48	1.39
2	A	601	A1CF1	C2-C1	5.69	1.60	1.53
2	A	601	A1CF1	C9-C3	5.66	1.48	1.39
2	A	601	A1CF1	C5-C4	5.58	1.47	1.38
2	A	601	A1CF1	C4-C3	5.50	1.48	1.39
2	A	601	A1CF1	C27-C26	5.40	1.47	1.38
2	A	601	A1CF1	C12-C11	5.39	1.48	1.38
2	A	601	A1CF1	C22-C21	5.28	1.47	1.38
2	A	601	A1CF1	C18-C17	5.21	1.47	1.39
2	A	601	A1CF1	C24-C25	5.07	1.47	1.38
2	A	601	A1CF1	C13-C14	4.87	1.47	1.38
2	A	601	A1CF1	C28-C17	4.68	1.46	1.39
2	A	601	A1CF1	C13-C12	4.62	1.48	1.38
2	A	601	A1CF1	C27-C28	4.61	1.48	1.38
2	A	601	A1CF1	C24-C23	4.52	1.48	1.38
2	A	601	A1CF1	O3-C7	4.48	1.42	1.38
2	A	601	A1CF1	C21-C20	4.43	1.48	1.39
2	A	601	A1CF1	C18-C19	4.37	1.47	1.39
2	A	601	A1CF1	C15-C10	4.34	1.47	1.39
2	A	601	A1CF1	C23-C22	4.30	1.47	1.38
2	A	601	A1CF1	C14-C15	4.26	1.48	1.39
2	A	601	A1CF1	C25-C20	4.22	1.47	1.39
2	A	601	A1CF1	C9-C8	4.19	1.46	1.39
2	A	601	A1CF1	O4-C7	4.14	1.29	1.21
2	A	601	A1CF1	C26-C19	3.99	1.47	1.39
2	A	601	A1CF1	O2-C1	3.93	1.43	1.30
2	A	601	A1CF1	C28-CL1	3.51	1.81	1.73
2	A	601	A1CF1	C5-C6	3.46	1.46	1.39
2	A	601	A1CF1	C16-C17	3.36	1.59	1.50
2	A	601	A1CF1	C3-N1	3.32	1.45	1.39
2	A	601	A1CF1	C2-N1	3.14	1.52	1.44
2	A	601	A1CF1	C8-N2	2.95	1.44	1.38
2	A	601	A1CF1	O5-C15	2.92	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	A1CF1	C10-C2	2.58	1.57	1.52
2	A	601	A1CF1	O3-C6	2.38	1.42	1.38
2	A	601	A1CF1	O1-C1	2.16	1.28	1.22

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	A1CF1	O3-C7-N2	-3.03	106.40	108.20
2	A	601	A1CF1	O3-C7-O4	2.71	125.67	121.98
2	A	601	A1CF1	C6-O3-C7	2.51	108.51	107.00
2	A	601	A1CF1	O2-C1-C2	2.46	119.73	113.62
2	A	601	A1CF1	C11-C10-C2	2.15	124.85	120.68

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	A1CF1	O2-C1-C2-N1
2	A	601	A1CF1	O5-C16-C17-C28
2	A	601	A1CF1	C11-C10-C2-C1
2	A	601	A1CF1	C15-C10-C2-C1
2	A	601	A1CF1	O1-C1-C2-N1
2	A	601	A1CF1	O2-C1-C2-C10
2	A	601	A1CF1	C17-C16-O5-C15


There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	A1CF1	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	497/505 (98%)	-0.28	0 <b>100</b> <b>100</b>	31, 39, 51, 80	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	A1CF1	A	601	36/36	0.89	0.10	30,40,56,65	0
3	K	A	602	1/1	0.96	0.06	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.