



wwPDB X-ray Structure Validation Summary Report i

Jan 6, 2026 – 02:01 PM EST

PDB ID : 9P4D / pdb_00009p4d
Title : Crystal Structure of Engineered glutamine binding protein and a Gd-DOTA ligand - Gln bound
Authors : Bruchs, A.T.; Wilson, C.A.; Boggs, D.G.; Fatima, S.; Bridwell-Rabb, J.; Olshansky, L.
Deposited on : 2025-06-16
Resolution : 2.57 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4456 (2.60-2.56)
Clashscore	180529	4905 (2.60-2.56)
Ramachandran outliers	177936	4847 (2.60-2.56)
Sidechain outliers	177891	4847 (2.60-2.56)
RSRZ outliers	164620	4456 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain				
			3%	81%	15%	•	
1	E	229					
1	F	229	3%	83%	13%	•	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	A1C21	A	305[B]	-	X	-	-
5	A1C21	B	305[A]	-	X	-	-
5	A1C21	B	305[B]	-	X	-	-
5	A1C21	C	307[B]	-	X	-	-

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 11492 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amino acid ABC transporter substrate-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	229	Total	C	N	O	S	0	1	0
			1785	1140	295	345	5			
1	B	224	Total	C	N	O	S	0	2	0
			1758	1125	289	339	5			
1	C	225	Total	C	N	O	S	0	1	0
			1761	1127	290	339	5			
1	D	224	Total	C	N	O	S	0	1	0
			1752	1121	288	338	5			
1	E	221	Total	C	N	O	S	0	1	0
			1729	1107	285	332	5			
1	F	219	Total	C	N	O	S	0	1	0
			1712	1097	282	328	5			

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP C3THM2
A	-1	ASN	-	expression tag	UNP C3THM2
A	0	ALA	-	expression tag	UNP C3THM2
A	23	ILE	LYS	engineered mutation	UNP C3THM2
A	72	CYS	THR	engineered mutation	UNP C3THM2
B	-2	SER	-	expression tag	UNP C3THM2
B	-1	ASN	-	expression tag	UNP C3THM2
B	0	ALA	-	expression tag	UNP C3THM2
B	23	ILE	LYS	engineered mutation	UNP C3THM2
B	72	CYS	THR	engineered mutation	UNP C3THM2
C	-2	SER	-	expression tag	UNP C3THM2
C	-1	ASN	-	expression tag	UNP C3THM2
C	0	ALA	-	expression tag	UNP C3THM2
C	23	ILE	LYS	engineered mutation	UNP C3THM2
C	72	CYS	THR	engineered mutation	UNP C3THM2
D	-2	SER	-	expression tag	UNP C3THM2
D	-1	ASN	-	expression tag	UNP C3THM2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	0	ALA	-	expression tag	UNP C3THM2
D	23	ILE	LYS	engineered mutation	UNP C3THM2
D	72	CYS	THR	engineered mutation	UNP C3THM2
E	-2	SER	-	expression tag	UNP C3THM2
E	-1	ASN	-	expression tag	UNP C3THM2
E	0	ALA	-	expression tag	UNP C3THM2
E	23	ILE	LYS	engineered mutation	UNP C3THM2
E	72	CYS	THR	engineered mutation	UNP C3THM2
F	-2	SER	-	expression tag	UNP C3THM2
F	-1	ASN	-	expression tag	UNP C3THM2
F	0	ALA	-	expression tag	UNP C3THM2
F	23	ILE	LYS	engineered mutation	UNP C3THM2
F	72	CYS	THR	engineered mutation	UNP C3THM2

- Molecule 2 is GLUTAMINE (CCD ID: GLN) (formula: C₅H₁₀N₂O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	5	2	3		
2	B	1	Total	C	N	O	0	0
			10	5	2	3		
2	C	1	Total	C	N	O	0	0
			10	5	2	3		
2	D	1	Total	C	N	O	0	0
			10	5	2	3		
2	E	1	Total	C	N	O	0	0
			10	5	2	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	F	1	Total C N O 10 5 2 3	0	0

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 4-oxo-4-[(2-{2-[4,7,10-tris(carboxymethyl)-1,4,7,10-tetraazacyclododecan-1-yl]acetamido}ethyl)amino]butanoic acid (CCD ID: A1C21) (formula: $C_{22}H_{38}N_6O_{10}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	N	O	
			76	44	12	20	0
5	B	1	Total	C	N	O	
			76	44	12	20	0
5	C	1	Total	C	N	O	
			76	44	12	20	0
5	D	1	Total	C	N	O	
			76	44	12	20	0
5	E	1	Total	C	N	O	
			76	44	12	20	0
5	F	1	Total	C	N	O	
			76	44	12	20	0

- Molecule 6 is GADOLINIUM ION (CCD ID: GD3) (formula: Gd) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Gd		
			2	2	0	1
6	B	1	Total	Gd		
			2	2	0	1
6	C	1	Total	Gd		
			2	2	0	1
6	D	1	Total	Gd		
			2	2	0	1
6	E	1	Total	Gd		
			2	2	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	F	1	Total Gd 2 2	0	1

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O S 5 4 1	0	1
7	B	1	Total O S 5 4 1	0	1
7	B	1	Total O S 5 4 1	0	1
7	C	1	Total O S 5 4 1	0	1
7	C	1	Total O S 5 4 1	0	1
7	D	1	Total O S 5 4 1	0	1

- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	71	Total O 71 71	0	4
8	B	65	Total O 65 65	0	9

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	C	91	Total O 91 91	0	3
8	D	56	Total O 56 56	0	1
8	E	27	Total O 27 27	0	2
8	F	33	Total O 33 33	0	2


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Amino acid ABC transporter substrate-binding protein




- Molecule 1: Amino acid ABC transporter substrate-binding protein



- Molecule 1: Amino acid ABC transporter substrate-binding protein



- Molecule 1: Amino acid ABC transporter substrate-binding protein



- Molecule 1: Amino acid ABC transporter substrate-binding protein



Diagram illustrating the sequence of SBR, ASN, ALA, D2, K3, V7, F13, F18, D22, F27, E44, 154, P55, V62, D63, L64, G68, D73, E74, R75, L91, D100, S103, V104, K105, Y123, I128, K129, T130, K131, D32, N38, M144, N149, H156, D157, and T158.

- Molecule 1: Amino acid ABC transporter substrate-binding protein



SER	ASN	ALA	ALA	ASP	LYS	K4	V7	A8	W32	I54	P55	Q58	W61	D63	L64	I71	C72	D73	R75	K76	F81	L91	D100	V104	L107	V112	T118	V121	A124	I128	L146	G147	T148	M149	A153	H156	D157	T158
-----	-----	-----	-----	-----	-----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

I161	D178	S179	I180	E181	A182	Q183	G222	G222	THR	GLU	PRO	LYS
------	------	------	------	------	------	------	------	------	-----	-----	-----	-----

4 Data and refinement statistics i

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	221.44Å 221.44Å 79.56Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	38.50 – 2.57 38.50 – 2.57	Depositor EDS
% Data completeness (in resolution range)	99.6 (38.50-2.57) 99.6 (38.50-2.57)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.72 (at 2.58Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419+SVN	Depositor
R , R_{free}	0.211 , 0.234 0.211 , 0.234	Depositor DCC
R_{free} test set	3551 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	52.1	Xtriage
Anisotropy	0.452	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 53.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.015 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11492	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL, GD3, A1C21, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.80	0/1817	1.15	0/2453
1	B	0.83	0/1793	1.19	0/2421
1	C	0.82	0/1793	1.19	0/2420
1	D	0.79	0/1784	1.14	0/2409
1	E	0.82	0/1760	1.17	0/2375
1	F	0.83	0/1743	1.20	0/2353
All	All	0.81	0/10690	1.17	0/14431

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1785	0	1787	30	0
1	B	1758	0	1758	19	0
1	C	1761	0	1763	17	0
1	D	1752	0	1750	22	0
1	E	1729	0	1730	26	0
1	F	1712	0	1713	16	0
2	A	10	0	7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	10	0	7	0	0
2	C	10	0	7	1	0
2	D	10	0	7	0	0
2	E	10	0	7	0	0
2	F	10	0	7	0	0
3	A	12	0	9	0	0
3	B	4	0	3	0	0
3	C	16	0	12	0	0
3	E	4	0	3	0	0
3	F	4	0	3	0	0
4	A	6	0	8	0	0
4	B	12	0	16	0	0
4	C	6	0	8	0	0
4	D	6	0	8	0	0
4	E	12	0	16	0	0
4	F	12	0	16	0	0
5	A	76	0	0	4	0
5	B	76	0	0	6	0
5	C	76	0	0	4	0
5	D	76	0	0	6	0
5	E	76	0	0	2	0
5	F	76	0	0	1	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
6	C	2	0	0	0	0
6	D	2	0	0	0	0
6	E	2	0	0	0	0
6	F	2	0	0	0	0
7	A	5	0	0	0	0
7	B	10	0	0	0	0
7	C	10	0	0	0	0
7	D	5	0	0	0	0
8	A	71	0	0	2	0
8	B	65	0	0	0	0
8	C	91	0	0	0	0
8	D	56	0	0	3	0
8	E	27	0	0	0	0
8	F	33	0	0	0	0
All	All	11492	0	10645	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 134 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:GLU:HG2	5:B:305[B]:A1C21:C6	2.07	0.85
1:A:-2:SER:HB3	5:D:303[A]:A1C21:C10	2.21	0.70
1:B:122:ASP:OD2	5:B:305[B]:A1C21:C12	2.42	0.66
5:C:307[A]:A1C21:C4	5:C:307[A]:A1C21:O15	2.43	0.66
5:F:304[B]:A1C21:O3	5:F:304[B]:A1C21:O15	2.14	0.66

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	228/229 (100%)	222 (97%)	6 (3%)	0	100 100
1	B	224/229 (98%)	221 (99%)	3 (1%)	0	100 100
1	C	224/229 (98%)	218 (97%)	6 (3%)	0	100 100
1	D	223/229 (97%)	218 (98%)	5 (2%)	0	100 100
1	E	220/229 (96%)	214 (97%)	6 (3%)	0	100 100
1	F	218/229 (95%)	215 (99%)	3 (1%)	0	100 100
All	All	1337/1374 (97%)	1308 (98%)	29 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/188 (100%)	189 (100%)	0	100	100
1	B	187/188 (100%)	187 (100%)	0	100	100
1	C	187/188 (100%)	187 (100%)	0	100	100
1	D	186/188 (99%)	186 (100%)	0	100	100
1	E	183/188 (97%)	183 (100%)	0	100	100
1	F	181/188 (96%)	181 (100%)	0	100	100
All	All	1113/1128 (99%)	1113 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	ASN
1	A	184	GLN
1	C	184	GLN
1	D	156	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 55 ligands modelled in this entry, 12 are monoatomic - leaving 43 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ACT	C	303	-	3,3,3	1.11	0	3,3,3	0.79	0
7	SO4	B	308[A]	-	4,4,4	0.35	0	6,6,6	0.07	0
3	ACT	C	305	-	3,3,3	1.07	0	3,3,3	0.84	0
2	GLN	F	301	-	8,9,9	0.85	1 (12%)	8,11,11	0.62	0
2	GLN	A	301	-	8,9,9	0.91	1 (12%)	8,11,11	0.59	0
5	A1C21	D	303[B]	6	38,38,38	2.50	10 (26%)	48,48,48	3.43	25 (52%)
7	SO4	C	309[A]	-	4,4,4	0.36	0	6,6,6	0.07	0
5	A1C21	A	305[B]	6	38,38,38	2.79	18 (47%)	48,48,48	3.56	30 (62%)
3	ACT	B	302	-	3,3,3	1.02	0	3,3,3	0.83	0
3	ACT	E	403	-	3,3,3	1.06	0	3,3,3	0.83	0
2	GLN	C	301	-	8,9,9	0.72	0	8,11,11	0.13	0
4	GOL	B	303	-	5,5,5	0.08	0	5,5,5	0.32	0
4	GOL	B	304	-	5,5,5	0.09	0	5,5,5	0.29	0
5	A1C21	D	303[A]	6	38,38,38	2.27	6 (15%)	48,48,48	3.30	25 (52%)
5	A1C21	F	304[A]	6	38,38,38	2.33	8 (21%)	48,48,48	3.20	26 (54%)
7	SO4	C	310[B]	-	4,4,4	0.35	0	6,6,6	0.08	0
5	A1C21	A	305[A]	6	38,38,38	2.28	8 (21%)	48,48,48	2.75	19 (39%)
7	SO4	B	307[B]	-	4,4,4	0.35	0	6,6,6	0.08	0
7	SO4	D	305[B]	-	4,4,4	0.35	0	6,6,6	0.08	0
5	A1C21	B	305[B]	6	38,38,38	2.81	13 (34%)	48,48,48	4.03	26 (54%)
4	GOL	E	404	-	5,5,5	0.08	0	5,5,5	0.30	0
5	A1C21	B	305[A]	6	38,38,38	2.78	15 (39%)	48,48,48	3.97	34 (70%)
3	ACT	A	302	-	3,3,3	1.13	0	3,3,3	0.72	0
5	A1C21	C	307[B]	6	38,38,38	2.95	19 (50%)	48,48,48	3.83	33 (68%)
4	GOL	F	303	-	5,5,5	0.08	0	5,5,5	0.33	0
3	ACT	A	307	-	3,3,3	1.00	0	3,3,3	0.85	0
7	SO4	A	308[B]	-	4,4,4	0.36	0	6,6,6	0.07	0
3	ACT	C	302	-	3,3,3	1.18	0	3,3,3	0.76	0
4	GOL	F	302	-	5,5,5	0.08	0	5,5,5	0.28	0
5	A1C21	C	307[A]	6	38,38,38	2.49	13 (34%)	48,48,48	3.11	22 (45%)
2	GLN	B	301	-	8,9,9	0.93	1 (12%)	8,11,11	0.43	0
2	GLN	E	402	-	8,9,9	0.88	1 (12%)	8,11,11	0.55	0
4	GOL	C	304	-	5,5,5	0.08	0	5,5,5	0.33	0
5	A1C21	E	405[B]	6	38,38,38	2.64	13 (34%)	48,48,48	2.99	21 (43%)
5	A1C21	E	405[A]	6	38,38,38	2.39	9 (23%)	48,48,48	3.18	24 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	D	302	-	5,5,5	0.07	0	5,5,5	0.29	0
5	A1C21	F	304[B]	6	38,38,38	2.30	10 (26%)	48,48,48	2.61	12 (25%)
3	ACT	F	306	-	3,3,3	1.08	0	3,3,3	0.76	0
2	GLN	D	301	-	8,9,9	0.92	1 (12%)	8,11,11	0.44	0
3	ACT	C	306	-	3,3,3	1.09	0	3,3,3	0.82	0
4	GOL	A	304	-	5,5,5	0.08	0	5,5,5	0.30	0
3	ACT	A	303	-	3,3,3	1.05	0	3,3,3	0.85	0
4	GOL	E	401	-	5,5,5	0.08	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLN	F	301	-	-	0/9/9/9	-
2	GLN	A	301	-	-	0/9/9/9	-
5	A1C21	D	303[B]	6	-	17/48/48/48	0/1/1/1
5	A1C21	A	305[B]	6	-	22/48/48/48	1/1/1/1
2	GLN	C	301	-	-	2/9/9/9	-
4	GOL	B	303	-	-	0/4/4/4	-
4	GOL	B	304	-	-	0/4/4/4	-
5	A1C21	D	303[A]	6	-	16/48/48/48	0/1/1/1
5	A1C21	F	304[A]	6	-	13/48/48/48	0/1/1/1
5	A1C21	A	305[A]	6	-	13/48/48/48	0/1/1/1
5	A1C21	B	305[B]	6	-	22/48/48/48	0/1/1/1
4	GOL	E	404	-	-	0/4/4/4	-
5	A1C21	B	305[A]	6	-	20/48/48/48	0/1/1/1
5	A1C21	C	307[B]	6	-	23/48/48/48	0/1/1/1
4	GOL	F	303	-	-	0/4/4/4	-
4	GOL	F	302	-	-	0/4/4/4	-
5	A1C21	C	307[A]	6	-	15/48/48/48	0/1/1/1
2	GLN	B	301	-	-	0/9/9/9	-
4	GOL	C	304	-	-	0/4/4/4	-
2	GLN	E	402	-	-	0/9/9/9	-
5	A1C21	E	405[B]	6	-	18/48/48/48	0/1/1/1
5	A1C21	E	405[A]	6	-	20/48/48/48	0/1/1/1
4	GOL	D	302	-	-	0/4/4/4	-
5	A1C21	F	304[B]	6	-	11/48/48/48	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLN	D	301	-	-	0/9/9/9	-
4	GOL	A	304	-	-	0/4/4/4	-
4	GOL	E	401	-	-	0/4/4/4	-

The worst 5 of 147 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	307[B]	A1C21	C14-N13	8.11	1.52	1.33
5	B	305[B]	A1C21	C14-N13	7.50	1.51	1.33
5	A	305[B]	A1C21	C09-N10	7.46	1.51	1.33
5	B	305[A]	A1C21	C14-N13	7.37	1.50	1.33
5	B	305[A]	A1C21	C09-N10	7.36	1.50	1.33

The worst 5 of 297 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	305[B]	A1C21	C04-C08-C09	-15.49	80.78	112.67
5	C	307[A]	A1C21	C14-C41-N4	-10.73	88.47	113.41
5	D	303[B]	A1C21	C08-C09-N10	8.78	132.34	116.34
5	D	303[A]	A1C21	C10-N1-C8	-8.25	92.02	111.91
5	E	405[A]	A1C21	O6-C9-O01	-8.15	102.38	123.33

There are no chirality outliers.

5 of 212 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	305[A]	A1C21	O2-C01-C02-N2
5	A	305[A]	A1C21	O7-C01-C02-N2
5	A	305[A]	A1C21	C05-C04-C08-C09
5	A	305[B]	A1C21	C9-C10-N1-C8
5	B	305[A]	A1C21	C05-C04-C08-C09

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	305[B]	A1C21	C1-C2-C3-C4-C5-C6-C7-C8-N1-N2-N3-N4

11 monomers are involved in 24 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	303[B]	A1C21	2	0



Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	305[B]	A1C21	2	0
2	C	301	GLN	1	0
5	D	303[A]	A1C21	4	0
5	A	305[A]	A1C21	2	0
5	B	305[B]	A1C21	4	0
5	B	305[A]	A1C21	2	0
5	C	307[B]	A1C21	1	0
5	C	307[A]	A1C21	3	0
5	E	405[A]	A1C21	2	0
5	F	304[B]	A1C21	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	229/229 (100%)	0.14	7 (3%) 51 47	29, 47, 74, 121	1 (0%)
1	B	224/229 (97%)	0.20	5 (2%) 62 58	28, 51, 77, 106	2 (0%)
1	C	225/229 (98%)	0.13	4 (1%) 67 64	31, 47, 68, 118	1 (0%)
1	D	224/229 (97%)	0.14	5 (2%) 62 58	29, 51, 74, 114	1 (0%)
1	E	221/229 (96%)	0.45	8 (3%) 46 42	32, 62, 85, 100	1 (0%)
1	F	219/229 (95%)	0.47	7 (3%) 50 46	41, 64, 90, 105	1 (0%)
All	All	1342/1374 (97%)	0.25	36 (2%) 56 52	28, 55, 82, 121	7 (0%)

The worst 5 of 36 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	12	ALA	4.8
1	A	170	ASN	4.5
1	A	-2	SER	4.3
1	B	224	GLU	4.3
1	C	226	LYS	4.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	SO4	B	307[B]	5/5	0.19	0.34	84,88,103,105	5
5	A1C21	B	305[B]	38/38	0.34	0.37	70,132,157,159	38
5	A1C21	B	305[A]	38/38	0.34	0.37	65,140,156,157	38
5	A1C21	D	303[B]	38/38	0.47	0.31	79,139,152,154	38
5	A1C21	D	303[A]	38/38	0.47	0.31	64,134,152,155	38
5	A1C21	A	305[B]	38/38	0.62	0.31	74,135,155,156	38
5	A1C21	A	305[A]	38/38	0.62	0.31	76,138,155,156	38
7	SO4	C	309[A]	5/5	0.62	0.24	72,73,89,91	5
3	ACT	A	303	4/4	0.64	0.22	69,80,87,90	0
5	A1C21	C	307[A]	38/38	0.67	0.28	78,125,146,147	38
5	A1C21	C	307[B]	38/38	0.67	0.28	84,135,146,148	38
3	ACT	C	306	4/4	0.67	0.21	80,81,83,86	0
4	GOL	B	303	6/6	0.68	0.33	65,72,79,84	0
5	A1C21	E	405[B]	38/38	0.76	0.26	65,87,94,97	38
4	GOL	F	302	6/6	0.76	0.19	72,82,92,98	0
5	A1C21	E	405[A]	38/38	0.76	0.26	76,86,94,97	38
4	GOL	B	304	6/6	0.78	0.20	66,70,79,84	0
3	ACT	C	303	4/4	0.79	0.20	55,70,75,76	0
3	ACT	E	403	4/4	0.79	0.16	62,76,83,96	0
4	GOL	E	404	6/6	0.79	0.15	74,85,88,89	0
4	GOL	A	304	6/6	0.79	0.18	58,71,74,87	0
5	A1C21	F	304[B]	38/38	0.80	0.33	78,87,92,94	38
3	ACT	A	302	4/4	0.80	0.17	74,76,77,82	0
5	A1C21	F	304[A]	38/38	0.80	0.33	76,87,93,94	38
4	GOL	F	303	6/6	0.81	0.14	75,83,92,95	0
3	ACT	A	307	4/4	0.81	0.26	73,82,88,88	0
3	ACT	C	302	4/4	0.81	0.22	65,75,78,82	0
4	GOL	E	401	6/6	0.82	0.20	47,66,76,80	0
4	GOL	C	304	6/6	0.82	0.23	63,71,73,76	0
4	GOL	D	302	6/6	0.83	0.17	64,70,84,88	0
6	GD3	B	306[B]	1/1	0.84	0.10	226,226,226,226	1
3	ACT	C	305	4/4	0.84	0.14	60,77,78,97	0
7	SO4	B	308[A]	5/5	0.84	0.18	65,74,80,82	5
6	GD3	B	306[A]	1/1	0.84	0.10	206,206,206,206	1
7	SO4	C	310[B]	5/5	0.84	0.18	73,90,92,97	5
6	GD3	C	308[A]	1/1	0.85	0.09	236,236,236,236	1
6	GD3	C	308[B]	1/1	0.85	0.09	207,207,207,207	1


Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ACT	F	306	4/4	0.86	0.21	71,73,75,80	0
7	SO4	A	308[B]	5/5	0.86	0.25	71,77,94,96	5
3	ACT	B	302	4/4	0.88	0.17	71,72,82,82	0
7	SO4	D	305[B]	5/5	0.88	0.18	62,75,81,86	5
2	GLN	F	301	10/10	0.89	0.13	50,67,72,78	0
6	GD3	D	304[A]	1/1	0.91	0.07	227,227,227,227	1
6	GD3	D	304[B]	1/1	0.91	0.07	240,240,240,240	1
6	GD3	F	305[A]	1/1	0.92	0.08	127,127,127,127	1
6	GD3	F	305[B]	1/1	0.92	0.08	122,122,122,122	1
2	GLN	C	301	10/10	0.94	0.09	37,40,43,44	0
2	GLN	E	402	10/10	0.94	0.10	46,57,66,69	0
6	GD3	A	306[B]	1/1	0.95	0.06	209,209,209,209	1
2	GLN	D	301	10/10	0.95	0.09	42,46,50,54	0
6	GD3	A	306[A]	1/1	0.95	0.06	221,221,221,221	1
2	GLN	B	301	10/10	0.96	0.10	37,43,44,49	0
2	GLN	A	301	10/10	0.96	0.08	34,40,47,53	0
6	GD3	E	406[A]	1/1	0.98	0.04	102,102,102,102	1
6	GD3	E	406[B]	1/1	0.98	0.04	113,113,113,113	1


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


























Electron density around GD3 B 306 (B):


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)
































6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.