



wwPDB EM Validation Summary Report ⓘ

Feb 14, 2026 – 04:33 PM EST

PDB ID : 9PGM / pdb_00009pgm
EMDB ID : EMD-71635
Title : In situ structure of the human mitoribosome in the P-E state from TACO1-knockout cells
Authors : Wang, S.; Xiong, Y.; Zhang, Y.
Deposited on : 2025-07-08
Resolution : 3.18 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev131
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	14470 (2.68 - 3.68)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	188	
2	1	65	
3	2	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	188	
5	4	103	
6	5	423	
7	6	380	
8	7	338	
9	8	206	
10	9	137	
11	A	1561	
12	D	305	
13	E	348	
14	F	311	
15	H	267	
16	I	261	
17	J	192	
18	K	178	
19	L	145	
20	M	296	
21	N	251	
22	O	175	
23	P	180	
24	Q	292	
25	R	149	
26	S	205	
27	T	206	
28	U	153	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	W	148	78% 22%
30	X	256	91% 5% 5%
31	Y	250	72% 28%
32	Z	161	75% 24%
33	z	325	66% 16% 22%
34	V	216	89% 6% 5%
35	b	215	68% 30%
36	d	306	17% 73% 11% 15%
37	e	279	18% 77% 9% 15%
38	g	166	78% 19%
39	h	158	69% 30%
40	i	128	75% 24%
41	j	123	5% 76% 24%
42	k	112	8% 85% 6% 9%
43	l	138	14% 56% 41%
44	m	128	27% 64% 8% 28%
45	n	43	56% 100%
46	o	102	90% 8%
47	q	222	17% 69% 10% 20%
48	r	196	75% 8% 17%
49	t	198	15% 21% 77%
49	u	198	11% 13% 84%
50	c	332	83% 14%
51	f	212	10% 66% 8% 26%
52	p	206	11% 67% 29%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	s	439	82% 6% 12% 5%
54	AB	296	74% 24% 5%
55	AC	167	68% 11% 21% 9%
56	AD	430	74% 6% 20% 12%
57	AE	125	86% 12% 6%
58	AF	242	78% 8% 14% 9%
59	AG	396	77% 6% 17% 13%
60	AH	201	60% 9% 30% 14%
61	AJ	138	72% 6% 22% 9%
62	AK	128	65% 14% 21% 7%
63	AL	257	65% 32% 9%
64	AM	137	72% 15% 13% 23%
65	AN	130	78% 7% 15% 8%
66	AO	258	68% 7% 25% 21%
67	AP	142	63% 5% 32% 9%
68	AR	360	74% 8% 18% 35%
69	AS	190	67% 29% 15%
70	AT	173	88% 9% 9%
71	AU	205	81% 14% 16%
72	AV	414	71% 17% 13% 59%
73	AW	187	45% 8% 47% 5%
74	AZ	106	85% 9% 6% 17%
75	A0	217	82% 17% 43%
76	A1	323	79% 7% 14% 21%
77	A3	199	33% 65% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
78	Az	34	
79	AY	395	
80	AA	954	
81	AI	194	
82	OX	435	
83	a	142	
84	Ax	71	
85	Ay	76	
86	A4	689	
87	AX	398	
88	A2	118	
89	AQ	87	
90	B	72	

2 Entry composition

There are 101 unique types of molecules in this entry. The entry contains 179960 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	110	898	554	176	162	6	0	0

- Molecule 2 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	56	464	296	89	77	2	0	0

- Molecule 3 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	46	377	233	83	60	1	0	0

- Molecule 4 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	95	832	539	162	128	3	0	0

- Molecule 5 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	38	342	217	72	49	4	0	0

- Molecule 6 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	5	394	3210	2073	560	566	11	0	0

- Molecule 7 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	6	354	2948	1881	525	533	9	0	0

- Molecule 8 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	7	294	2390	1529	405	438	18	0	0

- Molecule 9 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	8	157	1327	844	235	246	2	0	0

- Molecule 10 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	9	124	997	644	170	181	2	0	0

- Molecule 11 is a RNA chain called 16S mitochondrial rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
11	A	1558	33070	14843	5963	10706	1558	0	0

- Molecule 12 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	D	238	1859	1157	376	317	9	0	0

- Molecule 13 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	E	305	2406	1545	418	432	11	0	0

- Molecule 14 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	F	252	Total	C	N	O	S	0	0
			2031	1305	370	350	6		

- Molecule 15 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	H	202	Total	C	N	O	S	0	0
			1661	1067	304	286	4		

- Molecule 16 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	I	181	Total	C	N	O	S	0	0
			1446	932	260	244	10		

- Molecule 17 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	J	175	Total	C	N	O	S	0	0
			1330	847	237	244	2		

- Molecule 18 is a protein called Large ribosomal subunit protein uL13m.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	K	178	Total	C	N	O	S	0	0
			1455	936	259	253	7		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	179	ACE	-	acetylation	UNP H2QWN0
K	310	TYR	ASP	conflict	UNP H2QWN0

- Molecule 19 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	L	115	Total	C	N	O	S	0	0
			890	559	171	155	5		

- Molecule 20 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	M	291	2327	1483	430	408	6	0	0

- Molecule 21 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	N	222	1786	1143	326	307	10	0	0

- Molecule 22 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	O	154	1259	792	241	219	7	0	0

- Molecule 23 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	P	144	1173	733	224	211	5	0	0

- Molecule 24 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Q	239	1990	1277	353	351	9	0	0

- Molecule 25 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	R	140	1154	732	231	187	4	0	0

- Molecule 26 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	S	161	1293	835	227	227	4	0	0

- Molecule 27 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	T	166	Total	C	N	O	S	0	0
			1369	875	254	233	7		

- Molecule 28 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	U	152	Total	C	N	O	S	0	0
			1248	786	234	225	3		

- Molecule 29 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	W	116	Total	C	N	O	S	0	0
			904	577	171	153	3		

- Molecule 30 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	244	Total	C	N	O	S	0	0
			2044	1322	352	365	5		

- Molecule 31 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Y	181	Total	C	N	O	S	0	0
			1556	995	298	259	4		

- Molecule 32 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Z	122	Total	C	N	O	S	0	0
			996	636	186	171	3		

- Molecule 33 is a protein called Large ribosomal subunit protein uL1m.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	z	252	Total	C	N	O	S	0	0
			2027	1304	336	381	6		

- Molecule 34 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	V	205	Total	C	N	O	S	0	0
			1676	1068	298	302	8		

- Molecule 35 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	150	Total	C	N	O	S	0	0
			1193	742	231	217	3		

- Molecule 36 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	d	259	Total	C	N	O	S	0	0
			2124	1357	369	384	14		

- Molecule 37 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	e	238	Total	C	N	O	S	0	0
			1931	1222	339	364	6		

- Molecule 38 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	134	Total	C	N	O	S	0	0
			1113	719	193	199	2		

- Molecule 39 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	110	Total	C	N	O	S	0	0
			895	568	156	168	3		

- Molecule 40 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	97	Total	C	N	O	S	0	0
			828	532	165	127	4		

- Molecule 41 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	94	Total	C	N	O	S	0	0
			745	463	144	136	2		

- Molecule 42 is a protein called Large ribosomal subunit protein mL53.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	102	Total	C	N	O	S	0	0
			774	479	148	142	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	113	ACE	-	acetylation	UNP Q96EL3

- Molecule 43 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	l	82	Total	C	N	O	S	0	0
			688	437	120	128	3		

- Molecule 44 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	m	92	Total	C	N	O	S	0	0
			791	488	159	142	2		

- Molecule 45 is a protein called Nascent polypeptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	n	43	Total	C	N	O	0	0
			215	129	43	43		

- Molecule 46 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	o	94	Total	C	N	O	S	0	0
			798	501	165	129	3		

- Molecule 47 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	q	177	1495	929	292	269	5	0	0

- Molecule 48 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	r	162	1322	839	252	223	8	0	0

- Molecule 49 is a protein called 39S ribosomal protein L12, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
49	t	46	354	228	56	70	0	0
49	u	32	257	168	40	49	0	0

- Molecule 50 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	c	286	2299	1470	397	423	9	0	0

- Molecule 51 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	f	157	1252	799	207	242	4	0	0

- Molecule 52 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	p	147	1205	748	228	225	4	0	0

- Molecule 53 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	s	385	3148	2018	558	558	14	0	0

- Molecule 54 is a protein called 28S ribosomal protein S2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	AB	225	1828	1164	331	323	10	0	0

- Molecule 55 is a protein called 28S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	AC	132	1083	699	195	185	4	0	0

- Molecule 56 is a protein called 28S ribosomal protein S5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	AD	343	2731	1713	518	487	13	0	0

- Molecule 57 is a protein called 28S ribosomal protein S6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	AE	122	972	614	177	177	4	0	0

- Molecule 58 is a protein called 28S ribosomal protein S7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	AF	208	1725	1104	312	298	11	0	0

- Molecule 59 is a protein called 28S ribosomal protein S9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	AG	327	2688	1710	477	487	14	0	0

- Molecule 60 is a protein called 28S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	AH	140	1152	745	194	210	3	0	0

- Molecule 61 is a protein called 28S ribosomal protein S12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	AJ	108	839	521	169	143	6	0	0

- Molecule 62 is a protein called 28S ribosomal protein S14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	AK	101	862	537	179	141	5	0	0

- Molecule 63 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	AL	174	1453	925	270	251	7	0	0

- Molecule 64 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	AM	119	942	594	185	157	6	0	0

- Molecule 65 is a protein called 28S ribosomal protein S17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	AN	110	868	562	156	147	3	0	0

- Molecule 66 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	AO	193	1592	1014	294	277	7	0	0

- Molecule 67 is a protein called 28S ribosomal protein S18c, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	AP	97	781	501	134	138	8	0	0

- Molecule 68 is a protein called 28S ribosomal protein S22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	AR	295	2409	1533	413	455	8	0	0

- Molecule 69 is a protein called 28S ribosomal protein S23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	AS	135	1111	716	198	196	1	0	0

- Molecule 70 is a protein called 28S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	AT	168	1371	877	239	244	11	0	0

- Molecule 71 is a protein called 28S ribosomal protein S26, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	AU	176	1488	916	301	267	4	0	0

- Molecule 72 is a protein called 28S ribosomal protein S27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	AV	362	2969	1904	495	558	12	0	0

- Molecule 73 is a protein called 28S ribosomal protein S28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	AW	100	789	498	141	146	4	0	0

- Molecule 74 is a protein called 28S ribosomal protein S33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	AZ	100	839	534	153	148	4	0	0

- Molecule 75 is a protein called Small ribosomal subunit protein mS34.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	A0	215	Total	C	N	O	S	0	0
			1787	1130	339	313	5		

- Molecule 76 is a protein called 28S ribosomal protein S35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	A1	279	Total	C	N	O	S	0	0
			2265	1435	387	432	11		

- Molecule 77 is a protein called Aurora kinase A-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	A3	70	Total	C	N	O	S	0	0
			625	401	134	89	1		

- Molecule 78 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Az	34	Total	C	N	O	P	0	0
			719	324	123	238	34		

- Molecule 79 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	AY	119	Total	C	N	O	S	0	0
			1010	654	166	188	2		

- Molecule 80 is a RNA chain called 12S mitochondrial rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	AA	954	Total	C	N	O	P	0	0
			20260	9088	3647	6571	954		

- Molecule 81 is a protein called 28S ribosomal protein S11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	AI	137	Total	C	N	O	S	0	0
			1019	641	193	181	4		

- Molecule 82 is a protein called Mitochondrial inner membrane protein OXA1L.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	OX	55	Total	C	N	O	S	0	0
			468	292	93	81	2		

- Molecule 83 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	a	103	Total	C	N	O	S	0	0
			865	543	155	162	5		

- Molecule 84 is a RNA chain called P/P-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	Ax	71	Total	C	N	O	P	0	0
			1498	673	264	491	70		

- Molecule 85 is a RNA chain called E/E-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	Ay	70	Total	C	N	O	P	0	0
			1483	665	261	487	70		

- Molecule 86 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
86	A4	588	Total	C	N	O	S	0	0
			4768	3053	808	879	28		

- Molecule 87 is a protein called 28S ribosomal protein S29, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
87	AX	352	Total	C	N	O	S	0	0
			2849	1822	499	517	11		

- Molecule 88 is a protein called Small ribosomal subunit protein mS37.

Mol	Chain	Residues	Atoms					AltConf	Trace
88	A2	118	Total	C	N	O	S	0	0
			935	579	182	166	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A2	119	ACE	-	acetylation	UNP Q96BP2

- Molecule 89 is a protein called Small ribosomal subunit protein bS21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
89	AQ	87	744	460	150	126	8	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AQ	88	ACE	-	acetylation	UNP P82921
AQ	137	ARG	CYS	variant	UNP P82921

- Molecule 90 is a RNA chain called mitochondrial tRNAVal.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
90	B	72	1524	685	269	498	72	0	0

- Molecule 91 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
91	0	1	Total 1	Zn 1	0
91	4	1	Total 1	Zn 1	0
91	AO	1	Total 1	Zn 1	0

- Molecule 92 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		AltConf
92	6	1	Total 1	K 1	0
92	A	29	Total 29	K 29	0
92	D	1	Total 1	K 1	0
92	M	2	Total 2	K 2	0
92	N	1	Total 1	K 1	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
92	W	1	Total K 1 1	0
92	o	1	Total K 1 1	0
92	AA	18	Total K 18 18	0

- Molecule 93 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	AltConf
93	A	1	Total C N 10 7 3	0
93	A	1	Total C N 10 7 3	0
93	A	1	Total C N 10 7 3	0
93	A	1	Total C N 10 7 3	0
93	A	1	Total C N 10 7 3	0
93	AG	1	Total C N 10 7 3	0
93	AA	1	Total C N 10 7 3	0

- Molecule 94 is 1,4-DIAMINOBTUTANE (CCD ID: PUT) (formula: $C_4H_{12}N_2$).




Mol	Chain	Residues	Atoms			AltConf
94	A	1	Total	C	N	0
			6	4	2	

- Molecule 95 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
95	A	137	Total	Mg	0
			137	137	
95	D	2	Total	Mg	0
			2	2	
95	E	1	Total	Mg	0
			1	1	
95	g	1	Total	Mg	0
			1	1	
95	AB	1	Total	Mg	0
			1	1	
95	AK	1	Total	Mg	0
			1	1	
95	A3	1	Total	Mg	0
			1	1	
95	AA	59	Total	Mg	0
			59	59	
95	AX	1	Total	Mg	0
			1	1	

- Molecule 96 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe₂S₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
96	r	1	Total	Fe	S	0
			4	2	2	
96	AP	1	Total	Fe	S	0
			4	2	2	
96	AT	1	Total	Fe	S	0
			4	2	2	

- Molecule 97 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
97	AA	1	44	21	7	14	2	0

- Molecule 98 is SPERMINE (CCD ID: SPM) (formula: $C_{10}H_{26}N_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	N	
98	AA	1	14	10	4	0
98	AA	1	Total	C	N	0
			14	10	4	

- Molecule 99 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
101	B	1	7	5	1	1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 39S ribosomal protein L32, mitochondrial



- Molecule 2: 39S ribosomal protein L33, mitochondrial



- Molecule 3: 39S ribosomal protein L34, mitochondrial



- Molecule 4: 39S ribosomal protein L35, mitochondrial



- Molecule 5: 39S ribosomal protein L36, mitochondrial



MET ALA ALA ASN PHE PHE ILE ARG LYS MET MET ASN VAL PRO PRO LEU LEU TYR LEU SER SER ARG ARG HIS THR VAL LYS PRO ARG ARG ALA LEU SER SER PHE LEU PHE PHE GLY SER ILE ARG ARG GLY ALA ALA PRO VAL VAL ALA ALA VAL VAL VAL VAL ARG ARG SER SER LEU SER SER PRO PRO HIS LEU LEU LEU HIS LEU

LEU PRO ALA LEU LEU G66 R75 R83 R88 R103

• Molecule 6: 39S ribosomal protein L37, mitochondrial

Chain 5: 87% 6% 7%

MET ALA LEU ALA LEU SER GLY PRO ALA ARG ARG ALA LEU LEU ALA LEU GLY SER SER GLY LEU GLN ARG PHE GLY PRO ALA LEU ARG ARG A30 E115 P133 R143 R144 R145 I147 Q165 T166 T167 T175 Q191 R201 A228 T232 L236 F256 K274

Y292 L293 K312 L336 F354 T362 W375 E409 R412 L417 H420 A423

• Molecule 7: 39S ribosomal protein L38, mitochondrial

Chain 6: 88% 6% 7%

MET ALA ALA PRO TRP ARG ALA ALA CYS GLU CYS ARG TRP TRP ARG GLY VAL ALA LEU LEU GLY G79 E80 K81 T82 D83 P84 K85 E86 D89 P93 P94 P95 R99 R106 R170 V175 G180 E181 V187 V204 T205 Y206 E207

A208 E209 W214 H224 E227 Y232 L233 L236 L237 L240 P241 R244 D276 E309 F319 D336 Y380

• Molecule 8: 39S ribosomal protein L39, mitochondrial

Chain 7: 80% 7% 13%

MET GLU ALA LEU MET GLY SER ALA ALA ARG LEU LEU TRP VAL ALA PRO GLY GLY ILE ILE ARG PHE ILE ALA THR SER ALA SER Q34 L35 R54 L58 R61 T77 L105 P112 W113 D114 K117 N139 M149 C152 R156

L166 E171 V174 Y181 E191 K204 L209 A244 R250 F260 P267 F276 E279 L302 P303 V304 L317 E326 D327 GLN SER LYS ALA THR GLU CYS THR SER THR

• Molecule 9: 39S ribosomal protein L40, mitochondrial

Chain 8: 17% 68% 8% 24%

MET THR ALA SER VAL LEU ARG SER ILE LEU LEU ALA ARG PRO THR THR SER GLY LEU LEU GLY THR TRP GLN THR GLN ARG ALA SER LEU LEU SER SER PHE TRP GLU ILE PRO MET ARG S47 E48 P49 L50 R51 K52 K53 K54 K55 V56 D57 P58 K59 K60

D61 Q62 E63 L68 K69 R70 R73 E76 K77 L96 D96 K97 A98 R99 Q103 V104 E105 L106 L117 W121 K125 R129 R133 R137 L147 E153 E160 K163 R164 N167 N184 Y185 Q186 P187 R191 Y192 K197 V202 E203 PHE

LYS
ARG


• Molecule 10: 39S ribosomal protein L41, mitochondrial


Chain 9:  88% 9%




• Molecule 11: 16S mitochondrial rRNA

Chain A:  68% 30%







- Molecule 16: 39S ribosomal protein L10, mitochondrial



- Molecule 17: 39S ribosomal protein L11, mitochondrial




- Molecule 18: Large ribosomal subunit protein uL13m



- Molecule 19: 39S ribosomal protein L14, mitochondrial




- Molecule 20: 39S ribosomal protein L15, mitochondrial

Chain M:  94% 5%



- Molecule 21: 39S ribosomal protein L16, mitochondrial

Chain N:  84% 5% 12%



- Molecule 22: 39S ribosomal protein L17, mitochondrial

Chain O:  79% 9% 12%




- Molecule 23: 39S ribosomal protein L18, mitochondrial

Chain P:  77% 20%




- Molecule 24: 39S ribosomal protein L19, mitochondrial

Chain Q:  8% 77% 18%




- Molecule 25: 39S ribosomal protein L20, mitochondrial

Chain R:  93% 6%





- Molecule 26: 39S ribosomal protein L21, mitochondrial


Chain S:  74% 5% 21%




• Molecule 27: 39S ribosomal protein L22, mitochondrial




• Molecule 28: 39S ribosomal protein L23, mitochondrial



• Molecule 29: 39S ribosomal protein L27, mitochondrial



• Molecule 30: 39S ribosomal protein L28, mitochondrial





• Molecule 31: 39S ribosomal protein L47, mitochondrial




• Molecule 32: 39S ribosomal protein L30, mitochondrial




• Molecule 33: Large ribosomal subunit protein uL1m





• Molecule 34: 39S ribosomal protein L24, mitochondrial





• Molecule 35: 39S ribosomal protein L43, mitochondrial




• Molecule 36: 39S ribosomal protein L45, mitochondrial



• Molecule 37: 39S ribosomal protein L46, mitochondrial




• Molecule 38: 39S ribosomal protein L49, mitochondrial




• Molecule 39: 39S ribosomal protein L50, mitochondrial




• Molecule 40: 39S ribosomal protein L51, mitochondrial




- Molecule 41: 39S ribosomal protein L52, mitochondrial




- Molecule 42: Large ribosomal subunit protein mL53




- Molecule 43: 39S ribosomal protein L54, mitochondrial



- Molecule 44: 39S ribosomal protein L55, mitochondrial




- Molecule 45: Nascent polypeptide




- Molecule 46: Ribosomal protein 63, mitochondrial







• Molecule 47: Growth arrest and DNA damage-inducible proteins-interacting protein 1



• Molecule 48: 39S ribosomal protein S18a, mitochondrial




• Molecule 49: 39S ribosomal protein L12, mitochondrial





• Molecule 49: 39S ribosomal protein L12, mitochondrial







- Molecule 50: 39S ribosomal protein L44, mitochondrial




- Molecule 51: 39S ribosomal protein L48, mitochondrial



- Molecule 52: Peptidyl-tRNA hydrolase ICT1, mitochondrial





- Molecule 53: 39S ribosomal protein S30, mitochondrial










• Molecule 54: 28S ribosomal protein S2, mitochondrial




• Molecule 55: 28S ribosomal protein S24, mitochondrial





• Molecule 56: 28S ribosomal protein S5, mitochondrial





• Molecule 57: 28S ribosomal protein S6, mitochondrial




- Molecule 58: 28S ribosomal protein S7, mitochondrial



- Molecule 59: 28S ribosomal protein S9, mitochondrial




- Molecule 60: 28S ribosomal protein S10, mitochondrial




- Molecule 61: 28S ribosomal protein S12, mitochondrial








- Molecule 62: 28S ribosomal protein S14, mitochondrial





- Molecule 63: 28S ribosomal protein S15, mitochondrial




- Molecule 64: 28S ribosomal protein S16, mitochondrial



- Molecule 65: 28S ribosomal protein S17, mitochondrial




- Molecule 66: 28S ribosomal protein S18b, mitochondrial





• Molecule 73: 28S ribosomal protein S28, mitochondrial






• Molecule 74: 28S ribosomal protein S33, mitochondrial




• Molecule 75: Small ribosomal subunit protein mS34





• Molecule 76: 28S ribosomal protein S35, mitochondrial







• Molecule 86: Pentatricopeptide repeat domain-containing protein 3, mitochondrial



• Molecule 87: 28S ribosomal protein S29, mitochondrial





• Molecule 88: Small ribosomal subunit protein mS37



• Molecule 89: Small ribosomal subunit protein bS21m



• Molecule 90: mitochondrial tRNA^{Val}



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	20794	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.162	Depositor
Minimum map value	-0.079	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	512.63995, 512.63995, 512.63995	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.068, 1.068, 1.068	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACE, MA6, 5MC, 5MU, SPD, ATP, 1MA, K, OMG, SPM, PUT, GDP, NAD, FES, PSU, MG, ZN, 2MG, OMU, B8T

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.24	0/913	0.27	0/1224
2	1	0.23	0/469	0.31	0/621
3	2	0.30	0/383	0.30	0/507
4	3	0.29	0/853	0.29	0/1136
5	4	0.28	0/350	0.28	0/461
6	5	0.24	0/3305	0.30	0/4502
7	6	0.21	0/3043	0.28	0/4140
8	7	0.21	0/2447	0.29	0/3310
9	8	0.18	0/1354	0.34	0/1819
10	9	0.23	0/1025	0.28	0/1379
11	A	0.30	0/36876	0.32	0/57402
12	D	0.26	0/1896	0.29	0/2549
13	E	0.26	0/2475	0.32	0/3355
14	F	0.28	0/2090	0.31	0/2842
15	H	0.18	0/1698	0.31	0/2292
16	I	0.19	0/1478	0.34	0/1999
17	J	0.17	0/1348	0.32	0/1813
18	K	0.28	0/1497	0.30	0/2031
19	L	0.25	0/905	0.29	0/1218
20	M	0.27	0/2381	0.31	0/3212
21	N	0.25	0/1833	0.28	0/2468
22	O	0.25	0/1283	0.29	0/1727
23	P	0.23	0/1199	0.27	0/1623
24	Q	0.23	0/2039	0.27	0/2750
25	R	0.28	0/1175	0.29	0/1572
26	S	0.28	0/1320	0.31	0/1789
27	T	0.28	0/1403	0.30	0/1886
28	U	0.25	0/1279	0.36	0/1730
29	W	0.27	0/926	0.29	0/1244
30	X	0.24	0/2099	0.26	0/2837
31	Y	0.26	0/1593	0.27	0/2136

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	Z	0.27	0/1021	0.28	0/1378
33	z	0.14	0/2067	0.36	0/2793
34	V	0.22	0/1721	0.27	0/2333
35	b	0.27	0/1218	0.31	0/1649
36	d	0.20	0/2181	0.36	0/2949
37	e	0.16	0/1970	0.34	0/2658
38	g	0.25	0/1151	0.28	0/1569
39	h	0.20	0/918	0.27	0/1249
40	i	0.29	0/850	0.30	0/1135
41	j	0.24	0/760	0.26	0/1023
42	k	0.17	0/783	0.25	0/1057
43	l	0.16	0/707	0.30	0/960
44	m	0.17	0/805	0.33	0/1081
46	o	0.29	0/819	0.32	0/1097
47	q	0.19	0/1529	0.29	0/2055
48	r	0.24	0/1362	0.30	0/1846
49	t	0.13	0/358	0.29	0/486
49	u	0.18	0/259	0.39	0/350
50	c	0.24	0/2347	0.27	0/3171
51	f	0.20	0/1273	0.36	0/1716
52	p	0.19	0/1223	0.27	0/1641
53	s	0.25	0/3231	0.31	0/4389
54	AB	0.18	0/1871	0.27	0/2531
55	AC	0.18	0/1113	0.29	0/1505
56	AD	0.17	0/2783	0.27	0/3724
57	AE	0.20	0/989	0.29	0/1335
58	AF	0.16	0/1767	0.26	0/2373
59	AG	0.16	0/2746	0.27	0/3681
60	AH	0.18	0/1178	0.31	0/1598
61	AJ	0.19	0/855	0.27	0/1148
62	AK	0.18	0/880	0.28	0/1182
63	AL	0.18	0/1477	0.23	0/1974
64	AM	0.17	0/963	0.32	0/1295
65	AN	0.17	0/886	0.29	0/1199
66	AO	0.16	0/1648	0.31	0/2243
67	AP	0.20	0/798	0.27	0/1070
68	AR	0.13	0/2456	0.28	0/3317
69	AS	0.15	0/1138	0.25	0/1533
70	AT	0.16	0/1402	0.32	0/1883
71	AU	0.15	0/1510	0.27	0/2025
72	AV	0.16	0/3030	0.36	0/4093
73	AW	0.17	0/801	0.29	0/1079
74	AZ	0.16	0/857	0.30	0/1141

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
75	A0	0.14	0/1834	0.29	0/2484
76	A1	0.15	0/2313	0.28	0/3129
77	A3	0.22	0/636	0.32	0/839
78	Az	0.17	0/804	0.36	0/1248
79	AY	0.17	0/1040	0.27	0/1402
80	AA	0.23	0/22537	0.30	0/35085
81	AI	0.19	0/1039	0.29	0/1400
82	OX	0.18	0/478	0.43	0/639
83	a	0.25	0/891	0.38	0/1208
84	Ax	0.21	0/1673	0.36	0/2602
85	Ay	0.16	0/1655	0.28	0/2567
86	A4	0.15	0/4877	0.34	0/6598
87	AX	0.16	0/2921	0.33	0/3954
88	A2	0.18	0/947	0.31	0/1266
89	AQ	0.21	0/754	0.25	0/1003
90	B	0.20	0/1626	0.28	0/2523
All	All	0.23	0/188661	0.31	0/268035

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
83	a	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
83	a	122	ARG	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	898	0	916	3	0
2	1	464	0	511	6	0
3	2	377	0	406	0	0
4	3	832	0	883	3	0
5	4	342	0	361	2	0
6	5	3210	0	3206	14	0
7	6	2948	0	2841	12	0
8	7	2390	0	2397	15	0
9	8	1327	0	1368	16	0
10	9	997	0	987	2	0
11	A	33070	0	16793	195	0
12	D	1859	0	1920	9	0
13	E	2406	0	2415	5	0
14	F	2031	0	2065	9	0
15	H	1661	0	1734	21	0
16	I	1446	0	1532	10	0
17	J	1330	0	1407	10	0
18	K	1455	0	1452	7	0
19	L	890	0	941	2	0
20	M	2327	0	2393	10	0
21	N	1786	0	1817	9	0
22	O	1259	0	1294	11	0
23	P	1173	0	1165	4	0
24	Q	1990	0	2031	9	0
25	R	1154	0	1214	1	0
26	S	1293	0	1365	8	0
27	T	1369	0	1410	7	0
28	U	1248	0	1228	5	0
29	W	904	0	935	1	0
30	X	2044	0	2060	7	0
31	Y	1556	0	1597	2	0
32	Z	996	0	1044	1	0
33	z	2027	0	2076	34	0
34	V	1676	0	1687	9	0
35	b	1193	0	1191	3	0
36	d	2124	0	2125	24	0
37	e	1931	0	1916	16	0
38	g	1113	0	1097	3	0
39	h	895	0	881	1	0
40	i	828	0	857	1	0
41	j	745	0	746	0	0
42	k	774	0	784	5	0
43	l	688	0	673	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	m	791	0	796	7	0
45	n	215	0	50	0	0
46	o	798	0	804	2	0
47	q	1495	0	1492	16	0
48	r	1322	0	1348	11	0
49	t	354	0	377	4	0
49	u	257	0	283	5	0
50	c	2299	0	2320	7	0
51	f	1252	0	1269	12	0
52	p	1205	0	1223	5	0
53	s	3148	0	3131	14	0
54	AB	1828	0	1815	4	0
55	AC	1083	0	1088	14	0
56	AD	2731	0	2804	16	0
57	AE	972	0	1000	10	0
58	AF	1725	0	1769	13	0
59	AG	2688	0	2687	14	0
60	AH	1152	0	1183	16	0
61	AJ	839	0	887	5	0
62	AK	862	0	885	13	0
63	AL	1453	0	1540	7	0
64	AM	942	0	965	16	0
65	AN	868	0	928	5	0
66	AO	1592	0	1557	12	0
67	AP	781	0	806	5	0
68	AR	2409	0	2428	18	0
69	AS	1111	0	1115	5	0
70	AT	1371	0	1393	11	0
71	AU	1488	0	1499	6	0
72	AV	2969	0	2961	48	0
73	AW	789	0	802	12	0
74	AZ	839	0	858	9	0
75	A0	1787	0	1796	25	0
76	A1	2265	0	2294	19	0
77	A3	625	0	698	4	0
78	Az	719	0	360	5	0
79	AY	1010	0	957	7	0
80	AA	20260	0	10286	333	0
81	AI	1019	0	1059	7	0
82	OX	468	0	464	6	0
83	a	865	0	829	6	0
84	Ax	1498	0	766	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
85	Ay	1483	0	754	18	0
86	A4	4768	0	4766	54	0
87	AX	2849	0	2844	27	0
88	A2	935	0	971	6	0
89	AQ	744	0	758	3	0
90	B	1524	0	779	12	0
91	0	1	0	0	0	0
91	4	1	0	0	0	0
91	AO	1	0	0	0	0
92	6	1	0	0	0	0
92	A	29	0	0	0	0
92	AA	18	0	0	0	0
92	D	1	0	0	0	0
92	M	2	0	0	0	0
92	N	1	0	0	0	0
92	W	1	0	0	0	0
92	o	1	0	0	0	0
93	A	50	0	95	1	0
93	AA	10	0	19	0	0
93	AG	10	0	19	0	0
94	A	6	0	12	0	0
95	A	137	0	0	0	0
95	A3	1	0	0	0	0
95	AA	59	0	0	0	0
95	AB	1	0	0	0	0
95	AK	1	0	0	0	0
95	AX	1	0	0	0	0
95	D	2	0	0	0	0
95	E	1	0	0	0	0
95	g	1	0	0	0	0
96	AP	4	0	0	1	0
96	AT	4	0	0	0	0
96	r	4	0	0	1	0
97	AA	44	0	26	1	0
98	AA	28	0	52	0	0
99	AX	31	0	12	0	0
100	AX	28	0	12	2	0
101	B	7	0	8	1	0
All	All	179960	0	152420	1221	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 1221 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
37:e:183:THR:HG23	37:e:186:GLY:H	1.46	0.81
80:AA:1562:G:H1'	80:AA:1583:MA6:H2	1.64	0.79
86:A4:556:LYS:HE3	86:A4:579:ILE:HD13	1.65	0.77
75:A0:99:ARG:HD3	80:AA:1526:U:H2'	1.67	0.74
36:d:208:VAL:HG22	36:d:253:THR:HG23	1.69	0.74

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	108/188 (57%)	108 (100%)	0	0	100	100
2	1	54/65 (83%)	54 (100%)	0	0	100	100
3	2	44/92 (48%)	43 (98%)	1 (2%)	0	100	100
4	3	93/188 (50%)	92 (99%)	1 (1%)	0	100	100
5	4	36/103 (35%)	36 (100%)	0	0	100	100
6	5	392/423 (93%)	382 (97%)	10 (3%)	0	100	100
7	6	352/380 (93%)	342 (97%)	10 (3%)	0	100	100
8	7	292/338 (86%)	283 (97%)	9 (3%)	0	100	100
9	8	155/206 (75%)	154 (99%)	1 (1%)	0	100	100
10	9	122/137 (89%)	120 (98%)	2 (2%)	0	100	100
12	D	236/305 (77%)	229 (97%)	6 (2%)	1 (0%)	30	62
13	E	303/348 (87%)	296 (98%)	7 (2%)	0	100	100
14	F	250/311 (80%)	249 (100%)	1 (0%)	0	100	100
15	H	200/267 (75%)	195 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	I	179/261 (69%)	176 (98%)	3 (2%)	0	100	100
17	J	173/192 (90%)	173 (100%)	0	0	100	100
18	K	176/178 (99%)	171 (97%)	5 (3%)	0	100	100
19	L	113/145 (78%)	107 (95%)	6 (5%)	0	100	100
20	M	289/296 (98%)	280 (97%)	9 (3%)	0	100	100
21	N	220/251 (88%)	219 (100%)	1 (0%)	0	100	100
22	O	152/175 (87%)	147 (97%)	5 (3%)	0	100	100
23	P	142/180 (79%)	139 (98%)	3 (2%)	0	100	100
24	Q	237/292 (81%)	230 (97%)	7 (3%)	0	100	100
25	R	138/149 (93%)	136 (99%)	2 (1%)	0	100	100
26	S	159/205 (78%)	157 (99%)	2 (1%)	0	100	100
27	T	164/206 (80%)	161 (98%)	3 (2%)	0	100	100
28	U	150/153 (98%)	148 (99%)	2 (1%)	0	100	100
29	W	114/148 (77%)	113 (99%)	1 (1%)	0	100	100
30	X	242/256 (94%)	241 (100%)	1 (0%)	0	100	100
31	Y	179/250 (72%)	176 (98%)	3 (2%)	0	100	100
32	Z	120/161 (74%)	116 (97%)	4 (3%)	0	100	100
33	z	250/325 (77%)	234 (94%)	16 (6%)	0	100	100
34	V	203/216 (94%)	201 (99%)	2 (1%)	0	100	100
35	b	148/215 (69%)	142 (96%)	6 (4%)	0	100	100
36	d	257/306 (84%)	240 (93%)	17 (7%)	0	100	100
37	e	236/279 (85%)	226 (96%)	10 (4%)	0	100	100
38	g	132/166 (80%)	129 (98%)	3 (2%)	0	100	100
39	h	108/158 (68%)	104 (96%)	4 (4%)	0	100	100
40	i	95/128 (74%)	93 (98%)	2 (2%)	0	100	100
41	j	92/123 (75%)	89 (97%)	3 (3%)	0	100	100
42	k	100/112 (89%)	97 (97%)	3 (3%)	0	100	100
43	l	80/138 (58%)	78 (98%)	2 (2%)	0	100	100
44	m	90/128 (70%)	85 (94%)	5 (6%)	0	100	100
46	o	92/102 (90%)	92 (100%)	0	0	100	100
47	q	175/222 (79%)	175 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	r	160/196 (82%)	158 (99%)	2 (1%)	0	100	100
49	t	44/198 (22%)	44 (100%)	0	0	100	100
49	u	30/198 (15%)	30 (100%)	0	0	100	100
50	c	282/332 (85%)	279 (99%)	3 (1%)	0	100	100
51	f	153/212 (72%)	148 (97%)	5 (3%)	0	100	100
52	p	141/206 (68%)	137 (97%)	4 (3%)	0	100	100
53	s	381/439 (87%)	372 (98%)	9 (2%)	0	100	100
54	AB	223/296 (75%)	218 (98%)	5 (2%)	0	100	100
55	AC	130/167 (78%)	128 (98%)	2 (2%)	0	100	100
56	AD	341/430 (79%)	333 (98%)	8 (2%)	0	100	100
57	AE	120/125 (96%)	119 (99%)	1 (1%)	0	100	100
58	AF	206/242 (85%)	202 (98%)	4 (2%)	0	100	100
59	AG	323/396 (82%)	315 (98%)	8 (2%)	0	100	100
60	AH	138/201 (69%)	133 (96%)	4 (3%)	1 (1%)	19	52
61	AJ	106/138 (77%)	104 (98%)	2 (2%)	0	100	100
62	AK	99/128 (77%)	99 (100%)	0	0	100	100
63	AL	172/257 (67%)	171 (99%)	1 (1%)	0	100	100
64	AM	117/137 (85%)	115 (98%)	2 (2%)	0	100	100
65	AN	108/130 (83%)	106 (98%)	2 (2%)	0	100	100
66	AO	191/258 (74%)	185 (97%)	6 (3%)	0	100	100
67	AP	95/142 (67%)	94 (99%)	1 (1%)	0	100	100
68	AR	293/360 (81%)	286 (98%)	7 (2%)	0	100	100
69	AS	133/190 (70%)	131 (98%)	2 (2%)	0	100	100
70	AT	166/173 (96%)	163 (98%)	3 (2%)	0	100	100
71	AU	174/205 (85%)	174 (100%)	0	0	100	100
72	AV	358/414 (86%)	347 (97%)	11 (3%)	0	100	100
73	AW	98/187 (52%)	95 (97%)	3 (3%)	0	100	100
74	AZ	98/106 (92%)	94 (96%)	4 (4%)	0	100	100
75	A0	213/217 (98%)	206 (97%)	7 (3%)	0	100	100
76	A1	277/323 (86%)	267 (96%)	10 (4%)	0	100	100
77	A3	68/199 (34%)	67 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
79	AY	117/395 (30%)	115 (98%)	2 (2%)	0	100	100
81	AI	135/194 (70%)	129 (96%)	5 (4%)	1 (1%)	19	52
82	OX	51/435 (12%)	47 (92%)	4 (8%)	0	100	100
83	a	99/142 (70%)	97 (98%)	2 (2%)	0	100	100
86	A4	584/689 (85%)	564 (97%)	20 (3%)	0	100	100
87	AX	350/398 (88%)	337 (96%)	13 (4%)	0	100	100
88	A2	116/118 (98%)	112 (97%)	4 (3%)	0	100	100
89	AQ	85/87 (98%)	82 (96%)	3 (4%)	0	100	100
All	All	14617/19127 (76%)	14261 (98%)	353 (2%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
60	AH	126	ILE
81	AI	184	ASN
12	D	207	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	99/164 (60%)	99 (100%)	0	100	100
2	1	53/60 (88%)	53 (100%)	0	100	100
3	2	40/72 (56%)	40 (100%)	0	100	100
4	3	88/166 (53%)	88 (100%)	0	100	100
5	4	37/89 (42%)	37 (100%)	0	100	100
6	5	353/368 (96%)	353 (100%)	0	100	100
7	6	313/332 (94%)	313 (100%)	0	100	100
8	7	270/303 (89%)	270 (100%)	0	100	100
9	8	146/190 (77%)	146 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	9	104/112 (93%)	104 (100%)	0	100	100
12	D	192/245 (78%)	192 (100%)	0	100	100
13	E	260/290 (90%)	260 (100%)	0	100	100
14	F	219/262 (84%)	219 (100%)	0	100	100
15	H	182/228 (80%)	182 (100%)	0	100	100
16	I	165/232 (71%)	165 (100%)	0	100	100
17	J	138/150 (92%)	138 (100%)	0	100	100
18	K	155/155 (100%)	155 (100%)	0	100	100
19	L	98/124 (79%)	98 (100%)	0	100	100
20	M	246/249 (99%)	246 (100%)	0	100	100
21	N	189/211 (90%)	189 (100%)	0	100	100
22	O	134/150 (89%)	134 (100%)	0	100	100
23	P	126/155 (81%)	126 (100%)	0	100	100
24	Q	221/256 (86%)	221 (100%)	0	100	100
25	R	118/126 (94%)	118 (100%)	0	100	100
26	S	146/180 (81%)	146 (100%)	0	100	100
27	T	146/176 (83%)	146 (100%)	0	100	100
28	U	134/135 (99%)	134 (100%)	0	100	100
29	W	94/119 (79%)	94 (100%)	0	100	100
30	X	220/229 (96%)	220 (100%)	0	100	100
31	Y	163/223 (73%)	163 (100%)	0	100	100
32	Z	113/147 (77%)	113 (100%)	0	100	100
33	z	226/287 (79%)	226 (100%)	0	100	100
34	V	183/191 (96%)	183 (100%)	0	100	100
35	b	132/186 (71%)	132 (100%)	0	100	100
36	d	237/274 (86%)	237 (100%)	0	100	100
37	e	207/236 (88%)	207 (100%)	0	100	100
38	g	124/148 (84%)	124 (100%)	0	100	100
39	h	104/148 (70%)	104 (100%)	0	100	100
40	i	86/110 (78%)	86 (100%)	0	100	100
41	j	74/97 (76%)	74 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	k	83/89 (93%)	83 (100%)	0	100	100
43	l	76/116 (66%)	76 (100%)	0	100	100
44	m	85/113 (75%)	85 (100%)	0	100	100
46	o	80/87 (92%)	80 (100%)	0	100	100
47	q	153/178 (86%)	153 (100%)	0	100	100
48	r	147/169 (87%)	147 (100%)	0	100	100
49	t	40/158 (25%)	40 (100%)	0	100	100
49	u	31/158 (20%)	31 (100%)	0	100	100
50	c	251/288 (87%)	251 (100%)	0	100	100
51	f	139/188 (74%)	139 (100%)	0	100	100
52	p	135/181 (75%)	135 (100%)	0	100	100
53	s	339/381 (89%)	339 (100%)	0	100	100
54	AB	198/249 (80%)	198 (100%)	0	100	100
55	AC	115/143 (80%)	115 (100%)	0	100	100
56	AD	286/357 (80%)	286 (100%)	0	100	100
57	AE	104/107 (97%)	104 (100%)	0	100	100
58	AF	185/209 (88%)	185 (100%)	0	100	100
59	AG	285/342 (83%)	285 (100%)	0	100	100
60	AH	130/180 (72%)	130 (100%)	0	100	100
61	AJ	93/118 (79%)	93 (100%)	0	100	100
62	AK	91/113 (80%)	91 (100%)	0	100	100
63	AL	158/226 (70%)	158 (100%)	0	100	100
64	AM	97/113 (86%)	97 (100%)	0	100	100
65	AN	96/115 (84%)	96 (100%)	0	100	100
66	AO	174/230 (76%)	174 (100%)	0	100	100
67	AP	88/123 (72%)	88 (100%)	0	100	100
68	AR	264/318 (83%)	264 (100%)	0	100	100
69	AS	116/164 (71%)	116 (100%)	0	100	100
70	AT	153/157 (98%)	153 (100%)	0	100	100
71	AU	152/174 (87%)	152 (100%)	0	100	100
72	AV	325/364 (89%)	325 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
73	AW	87/158 (55%)	87 (100%)	0	100	100
74	AZ	90/95 (95%)	90 (100%)	0	100	100
75	A0	188/189 (100%)	188 (100%)	0	100	100
76	A1	257/291 (88%)	257 (100%)	0	100	100
77	A3	65/166 (39%)	65 (100%)	0	100	100
79	AY	110/357 (31%)	110 (100%)	0	100	100
81	AI	105/147 (71%)	105 (100%)	0	100	100
82	OX	49/372 (13%)	49 (100%)	0	100	100
83	a	99/133 (74%)	99 (100%)	0	100	100
86	A4	526/609 (86%)	526 (100%)	0	100	100
87	AX	311/351 (89%)	311 (100%)	0	100	100
88	A2	100/100 (100%)	100 (100%)	0	100	100
89	AQ	78/78 (100%)	78 (100%)	0	100	100
All	All	13069/16529 (79%)	13069 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 106 such sidechains are listed below:

Mol	Chain	Res	Type
51	f	136	GLN
59	AG	288	HIS
86	A4	201	GLN
53	s	164	HIS
56	AD	302	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
11	A	1556/1561 (99%)	273 (17%)	4 (0%)
78	Az	33/34 (97%)	15 (45%)	0
80	AA	953/954 (99%)	155 (16%)	0
84	Ax	70/71 (98%)	15 (21%)	0
85	Ay	67/76 (88%)	13 (19%)	0
90	B	70/72 (97%)	16 (22%)	0
All	All	2749/2768 (99%)	487 (17%)	4 (0%)

5 of 487 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
11	A	1681	G
11	A	1689	C
11	A	1692	A
11	A	1699	C
11	A	1700	U

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
11	A	2245	A
11	A	2484	C
11	A	3112	A
11	A	3199	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

13 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
80	B8T	AA	1486	95,80	19,22,23	0.40	0	25,31,34	0.33	0
11	PSU	A	3067	11	18,21,22	1.12	2 (11%)	21,30,33	0.84	1 (4%)
80	MA6	AA	1583	80	19,26,27	0.93	2 (10%)	18,38,41	0.73	1 (5%)
90	PSU	B	39	90	18,21,22	1.04	1 (5%)	21,30,33	0.70	0
11	OMG	A	2815	11,84,92	19,26,27	1.05	3 (15%)	21,38,41	0.71	0
11	1MA	A	2617	11	17,25,26	0.86	1 (5%)	17,37,40	0.76	0
80	5MC	AA	1488	80	19,22,23	0.88	1 (5%)	26,32,35	0.51	0
11	OMU	A	3039	11,92	19,22,23	0.30	0	25,31,34	0.67	1 (4%)
80	5MU	AA	1076	80	19,22,23	0.40	0	27,32,35	0.70	0
80	MA6	AA	1584	80	19,26,27	0.95	2 (10%)	18,38,41	0.75	1 (5%)
90	1MA	B	9	90	17,25,26	0.83	1 (5%)	17,37,40	0.89	0
90	2MG	B	10	90	18,26,27	1.07	3 (16%)	16,38,41	0.79	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	OMG	A	3040	11	19,26,27	1.06	3 (15%)	21,38,41	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
80	B8T	AA	1486	95,80	-	0/7/27/28	0/2/2/2
11	PSU	A	3067	11	-	0/7/25/26	0/2/2/2
80	MA6	AA	1583	80	-	0/7/29/30	0/3/3/3
90	PSU	B	39	90	-	0/7/25/26	0/2/2/2
11	OMG	A	2815	11,84,92	-	0/5/27/28	0/3/3/3
11	1MA	A	2617	11	-	0/3/25/26	0/3/3/3
80	5MC	AA	1488	80	-	0/7/25/26	0/2/2/2
11	OMU	A	3039	11,92	-	0/9/27/28	0/2/2/2
80	5MU	AA	1076	80	-	5/7/25/26	0/2/2/2
80	MA6	AA	1584	80	-	1/7/29/30	0/3/3/3
90	1MA	B	9	90	-	0/3/25/26	0/3/3/3
90	2MG	B	10	90	-	0/5/27/28	0/3/3/3
11	OMG	A	3040	11	-	2/5/27/28	0/3/3/3

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
90	B	39	PSU	C6-C5	3.53	1.39	1.35
80	AA	1488	5MC	C5-C4	-3.50	1.41	1.44
11	A	3067	PSU	C6-C5	3.44	1.39	1.35
11	A	2815	OMG	C5-C6	-2.78	1.41	1.47
11	A	3040	OMG	C5-C6	-2.75	1.42	1.47

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	3067	PSU	O4'-C1'-C2'	2.54	108.66	105.15
11	A	3039	OMU	C2'-C1'-N1	-2.48	109.53	114.24
80	AA	1584	MA6	C2-N1-C6	2.18	118.98	116.84
80	AA	1583	MA6	C2-N1-C6	2.17	118.96	116.84

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
80	AA	1076	5MU	O4'-C4'-C5'-O5'
80	AA	1076	5MU	C3'-C4'-C5'-O5'
11	A	3040	OMG	O4'-C4'-C5'-O5'
11	A	3040	OMG	C3'-C4'-C5'-O5'
80	AA	1584	MA6	C4'-C5'-O5'-P

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
80	AA	1486	B8T	1	0
80	AA	1583	MA6	1	0
80	AA	1488	5MC	2	0
80	AA	1076	5MU	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 278 ligands modelled in this entry, 261 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
100	GDP	AX	503	-	25,30,30	0.99	1 (4%)	30,47,47	1.06	2 (6%)
93	SPD	A	3302	-	9,9,9	0.14	0	8,8,8	0.17	0
96	FES	AT	201	64,70	0,4,4	-	-	-	-	-
98	SPM	AA	1702	-	13,13,13	0.16	0	12,12,12	0.21	0
101	VAL	B	101	90	4,6,7	0.78	0	6,7,9	0.99	1 (16%)
99	ATP	AX	501	95	28,33,33	0.82	1 (3%)	34,52,52	0.65	1 (2%)
96	FES	AP	201	57,67	0,4,4	-	-	-	-	-
97	NAD	AA	1701	95	42,48,48	1.36	5 (11%)	50,73,73	0.96	3 (6%)
98	SPM	AA	1780	-	13,13,13	0.15	0	12,12,12	0.31	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
94	PUT	A	3303	-	5,5,5	0.14	0	4,4,4	0.23	0
93	SPD	AG	401	-	9,9,9	0.16	0	8,8,8	0.24	0
93	SPD	AA	1703	-	9,9,9	0.16	0	8,8,8	0.30	0
96	FES	r	201	16,48	0,4,4	-	-	-	-	-
93	SPD	A	3471	-	9,9,9	0.15	0	8,8,8	0.25	0
93	SPD	A	3470	-	9,9,9	0.16	0	8,8,8	0.23	0
93	SPD	A	3301	-	9,9,9	0.16	0	8,8,8	0.19	0
93	SPD	A	3472	-	9,9,9	0.16	0	8,8,8	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
100	GDP	AX	503	-	-	1/12/32/32	0/3/3/3
93	SPD	A	3302	-	-	1/7/7/7	-
96	FES	AT	201	64,70	-	-	0/1/1/1
98	SPM	AA	1702	-	-	0/11/11/11	-
101	VAL	B	101	90	-	0/5/6/8	-
99	ATP	AX	501	95	-	0/18/38/38	0/3/3/3
96	FES	AP	201	57,67	-	-	0/1/1/1
97	NAD	AA	1701	95	-	2/26/62/62	0/5/5/5
98	SPM	AA	1780	-	-	0/11/11/11	-
94	PUT	A	3303	-	-	0/3/3/3	-
93	SPD	AG	401	-	-	0/7/7/7	-
93	SPD	AA	1703	-	-	0/7/7/7	-
96	FES	r	201	16,48	-	-	0/1/1/1
93	SPD	A	3471	-	-	1/7/7/7	-
93	SPD	A	3470	-	-	0/7/7/7	-
93	SPD	A	3301	-	-	0/7/7/7	-
93	SPD	A	3472	-	-	1/7/7/7	-

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
97	AA	1701	NAD	PA-O3	4.70	1.64	1.59
97	AA	1701	NAD	PN-O3	2.88	1.62	1.59
97	AA	1701	NAD	C8A-N7A	-2.65	1.29	1.34
97	AA	1701	NAD	C1B-N9A	-2.65	1.43	1.49
97	AA	1701	NAD	O4D-C1D	-2.58	1.37	1.40

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
100	AX	503	GDP	C8-N7-C5	2.83	107.37	102.55
97	AA	1701	NAD	O3-PA-O1A	-2.54	103.08	110.70
97	AA	1701	NAD	O2A-PA-O1A	2.30	123.13	112.44
99	AX	501	ATP	C5-C6-N6	2.28	123.78	120.31
101	B	101	VAL	O-C-CA	-2.28	118.92	124.77

There are no chirality outliers.

5 of 6 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
100	AX	503	GDP	C5'-O5'-PA-O1A
93	A	3471	SPD	C2-C3-C4-C5
97	AA	1701	NAD	O4D-C4D-C5D-O5D
93	A	3302	SPD	N1-C2-C3-C4
93	A	3472	SPD	C8-C7-N6-C5


There are no ring outliers.


6 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
100	AX	503	GDP	2	0
101	B	101	VAL	1	0
96	AP	201	FES	1	0
97	AA	1701	NAD	1	0
96	r	201	FES	1	0
93	A	3301	SPD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
90	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	46:A	O3'	48:U	P	4.54


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-71635. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 261




Y Index: 274




Z Index: 249


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_71635_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1306 nm³; this corresponds to an approximate mass of 1180 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.314 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.314 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.18	-	-
Author-provided FSC curve	3.18	3.81	3.24
Unmasked-calculated*	6.76	12.87	7.28

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.76 differs from the reported value 3.18 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-71635 and PDB model 9PGM. Per-residue inclusion information can be found in section [3](#) on page [27](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).

9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7530	 0.4040
0	 0.7940	 0.4780
1	 0.7720	 0.4720
2	 0.9250	 0.5250
3	 0.8850	 0.5250
4	 0.8900	 0.5090
5	 0.8090	 0.4700
6	 0.7860	 0.4360
7	 0.7590	 0.4350
8	 0.5640	 0.3070
9	 0.7860	 0.4550
A	 0.9380	 0.4700
A0	 0.4530	 0.2290
A1	 0.5510	 0.3060
A2	 0.6140	 0.3710
A3	 0.7720	 0.4470
A4	 0.3500	 0.1930
AA	 0.9260	 0.4210
AB	 0.7140	 0.4040
AC	 0.6460	 0.4100
AD	 0.6310	 0.3800
AE	 0.6940	 0.4310
AF	 0.6280	 0.3740
AG	 0.6120	 0.3510
AH	 0.5750	 0.3520
AI	 0.7360	 0.4280
AJ	 0.6880	 0.4300
AK	 0.7120	 0.3890
AL	 0.6670	 0.3950
AM	 0.5700	 0.2990
AN	 0.6830	 0.4080
AO	 0.5480	 0.2910
AP	 0.7150	 0.4240
AQ	 0.7510	 0.4310
AR	 0.4600	 0.2230



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
AS	0.6070	0.3420
AT	0.6730	0.3670
AU	0.5850	0.2900
AV	0.3060	0.1530
AW	0.6470	0.3820
AX	0.5640	0.2770
AY	0.5060	0.2610
AZ	0.6010	0.3190
Ax	0.8380	0.3480
Ay	0.6810	0.2250
Az	0.4230	0.2390
B	0.8370	0.3380
D	0.8510	0.5110
E	0.8230	0.4910
F	0.8460	0.5060
H	0.5120	0.3060
I	0.6220	0.3620
J	0.5660	0.2800
K	0.8450	0.4980
L	0.8180	0.5020
M	0.8310	0.4960
N	0.8280	0.4930
O	0.8320	0.4910
OX	0.4100	0.2810
P	0.8240	0.4670
Q	0.7370	0.4600
R	0.8320	0.4980
S	0.8200	0.4980
T	0.8520	0.5130
U	0.7340	0.4500
V	0.7820	0.4480
W	0.8430	0.5090
X	0.7990	0.4680
Y	0.8380	0.4830
Z	0.8370	0.5020
a	0.6770	0.4170
b	0.8290	0.5010
c	0.7820	0.4600
d	0.6410	0.4010
e	0.5790	0.2860
f	0.6470	0.3720
g	0.8220	0.4930

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
h	 0.7770	 0.4350
i	 0.8710	 0.5060
j	 0.7730	 0.4480
k	 0.6800	 0.3860
l	 0.6070	 0.3150
m	 0.5260	 0.2930
n	 0.4470	 0.3360
o	 0.8730	 0.5090
p	 0.6550	 0.3990
q	 0.6180	 0.3420
r	 0.8290	 0.4820
s	 0.8050	 0.4750
t	 0.3030	 0.1980
u	 0.2580	 0.1580
z	 0.1470	 0.1080