



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 7, 2026 – 01:53 AM UTC

PDB ID : 9PZL / pdb_00009pzl
Title : Pyruvate phosphate dikinase in complex with AMP-PNP and sulfate ions
Authors : Lim, K.; Herzberg, O.
Deposited on : 2025-08-11
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	874	
1	B	874	
1	C	874	
1	D	874	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ANP	B	901	-	-	X	-
2	ANP	C	901	-	-	X	-
3	SO4	A	4004	-	-	X	-
3	SO4	C	902	-	-	X	-
3	SO4	D	903	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 27192 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate, phosphate dikinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	872	Total 6752	C 4250	N 1143	O 1308	S 51	0	0	0
1	B	872	Total 6752	C 4250	N 1143	O 1308	S 51	0	0	0
1	C	872	Total 6752	C 4250	N 1143	O 1308	S 51	0	0	0
1	D	872	Total 6752	C 4250	N 1143	O 1308	S 51	0	0	0

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total 31	C 10	N 6	O 12	P 3	0	0
2	B	1	Total 31	C 10	N 6	O 12	P 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	C	1	Total 31	C 10	N 6	O 12	P 3	0	0
2	D	1	Total 31	C 10	N 6	O 12	P 3	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
			Total	O S			
3	A	1	Total 5	O 4	S 1	0	0
3	A	1	Total 5	O 4	S 1	0	0
3	A	1	Total 5	O 4	S 1	0	0
3	B	1	Total 5	O 4	S 1	0	0
3	B	1	Total 5	O 4	S 1	0	0
3	B	1	Total 5	O 4	S 1	0	0
3	C	1	Total 5	O 4	S 1	0	0
3	C	1	Total 5	O 4	S 1	0	0
3	C	1	Total 5	O 4	S 1	0	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyruvate, phosphate dikinase






● Molecule 1: Pyruvate, phosphate dikinase





● Molecule 1: Pyruvate, phosphate dikinase



S839	S840	V841	E842	F843	C844	H845	K846	L849	N850	Y851	V852	S853	C854	S855	P856	F857	R858	V859	P860	I861	A862	R863	L864	A865	A866	A867	Q868	N872	R873	LYS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	108.69Å 118.47Å 170.81Å 90.00° 90.40° 90.00°	Depositor
Resolution (Å)	47.53 – 3.00 47.53 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.1 (47.53-3.00) 94.7 (47.53-3.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.29 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.7.1_743	Depositor
R, R_{free}	0.219 , 0.302 0.229 , 0.314	Depositor DCC
R_{free} test set	4322 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	35.5	Xtrriage
Anisotropy	0.574	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 61.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.017 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	27192	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.57 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.8965e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ANP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.57	0/6876	0.97	11/9269 (0.1%)
1	B	0.63	0/6876	1.02	17/9269 (0.2%)
1	C	0.61	2/6876 (0.0%)	1.00	23/9269 (0.2%)
1	D	0.63	0/6876	0.99	13/9269 (0.1%)
All	All	0.61	2/27504 (0.0%)	1.00	64/37076 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	215	TRP	NE1-CE2	10.61	1.49	1.37
1	C	215	TRP	CD2-CE2	-5.27	1.32	1.41

The worst 5 of 64 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	215	TRP	CD2-CE2-CZ2	9.10	131.50	122.40
1	A	102	MET	N-CA-C	-7.29	104.38	113.28
1	D	104	ASP	N-CA-C	7.24	121.36	110.14
1	C	215	TRP	CE2-CD2-CG	7.23	115.88	107.20
1	C	289	GLN	CA-C-N	7.19	127.62	119.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6752	0	6668	586	0
1	B	6752	0	6668	608	0
1	C	6752	0	6668	700	0
1	D	6752	0	6668	592	0
2	A	31	0	13	7	0
2	B	31	0	13	17	0
2	C	31	0	13	16	0
2	D	31	0	12	7	0
3	A	15	0	0	3	0
3	B	15	0	0	1	0
3	C	15	0	0	3	0
3	D	15	0	0	3	0
All	All	27192	0	26723	2419	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 45.

The worst 5 of 2419 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:635:ALA:HB2	1:C:645:LEU:HD22	1.22	1.16
1:A:366:VAL:HG13	1:A:872:ASN:HD21	1.13	1.13
1:D:682:ARG:HH11	1:D:682:ARG:HG3	1.01	1.11
1:C:255:VAL:HB	1:C:453:THR:HG21	1.27	1.09
1:C:777:PHE:HA	1:D:662:MET:HB2	1.13	1.09

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	870/874 (100%)	750 (86%)	96 (11%)	24 (3%)	4	21
1	B	870/874 (100%)	738 (85%)	112 (13%)	20 (2%)	5	25
1	C	870/874 (100%)	736 (85%)	111 (13%)	23 (3%)	4	23
1	D	870/874 (100%)	748 (86%)	101 (12%)	21 (2%)	4	24
All	All	3480/3496 (100%)	2972 (85%)	420 (12%)	88 (2%)	4	23

5 of 88 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	355	ASP
1	A	356	GLU
1	A	872	ASN
1	B	783	GLY
1	C	658	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	713/715 (100%)	629 (88%)	84 (12%)	5	22
1	B	713/715 (100%)	632 (89%)	81 (11%)	5	24
1	C	713/715 (100%)	636 (89%)	77 (11%)	6	26
1	D	713/715 (100%)	638 (90%)	75 (10%)	6	27
All	All	2852/2860 (100%)	2535 (89%)	317 (11%)	6	25

5 of 317 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	742	THR
1	D	488	HIS
1	C	803	LEU
1	D	166	HIS
1	D	633	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 52 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	38	GLN
1	C	455	HIS
1	D	634	GLN
1	C	151	HIS
1	C	289	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	902	-	4,4,4	0.68	0	6,6,6	0.24	0
3	SO4	B	904	-	4,4,4	0.57	0	6,6,6	0.35	0
3	SO4	C	902	-	4,4,4	0.49	0	6,6,6	0.31	0
3	SO4	C	904	-	4,4,4	0.67	0	6,6,6	0.53	0
3	SO4	A	4004	-	4,4,4	0.65	0	6,6,6	0.23	0
3	SO4	D	902	-	4,4,4	0.58	0	6,6,6	0.36	0
3	SO4	A	4003	-	4,4,4	0.82	0	6,6,6	0.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	4002	-	4,4,4	0.61	0	6,6,6	0.25	0
2	ANP	B	901	-	33,33,33	2.47	10 (30%)	45,52,52	2.35	12 (26%)
3	SO4	D	904	-	4,4,4	0.49	0	6,6,6	0.17	0
2	ANP	C	901	-	33,33,33	2.49	5 (15%)	45,52,52	2.36	11 (24%)
2	ANP	A	4001	-	33,33,33	2.49	7 (21%)	45,52,52	2.36	13 (28%)
2	ANP	D	901	-	33,33,33	2.50	9 (27%)	45,52,52	2.38	13 (28%)
3	SO4	B	903	-	4,4,4	0.60	0	6,6,6	0.17	0
3	SO4	D	903	-	4,4,4	0.67	0	6,6,6	0.27	0
3	SO4	C	903	-	4,4,4	0.78	0	6,6,6	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	A	4001	-	-	3/18/38/38	0/3/3/3
2	ANP	D	901	-	-	7/18/38/38	0/3/3/3
2	ANP	B	901	-	-	7/18/38/38	0/3/3/3
2	ANP	C	901	-	-	6/18/38/38	0/3/3/3

The worst 5 of 31 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	901	ANP	PB-O1B	9.47	1.60	1.46
2	C	901	ANP	PB-O1B	8.99	1.59	1.46
2	A	4001	ANP	PB-O1B	8.93	1.59	1.46
2	B	901	ANP	PB-O1B	8.76	1.59	1.46
2	C	901	ANP	PG-O1G	6.59	1.56	1.46

The worst 5 of 49 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	901	ANP	C4-N9-C8	6.11	112.16	105.74
2	B	901	ANP	C4-N9-C8	6.07	112.11	105.74
2	A	4001	ANP	N3-C4-N9	6.01	137.40	127.17
2	D	901	ANP	N3-C4-N9	5.75	136.95	127.17
2	A	4001	ANP	C5-C4-N3	-5.74	118.81	126.72

There are no chirality outliers.

5 of 23 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	4001	ANP	PG-N3B-PB-O1B
2	A	4001	ANP	C5'-O5'-PA-O1A
2	B	901	ANP	PB-N3B-PG-O1G
2	B	901	ANP	PG-N3B-PB-O1B
2	B	901	ANP	PA-O3A-PB-O2B


There are no ring outliers.


11 monomers are involved in 57 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	902	SO4	1	0
3	C	902	SO4	2	0
3	A	4004	SO4	2	0
3	A	4003	SO4	1	0
2	B	901	ANP	17	0
3	D	904	SO4	1	0
2	C	901	ANP	16	0
2	A	4001	ANP	7	0
2	D	901	ANP	7	0
3	D	903	SO4	2	0
3	C	903	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	872/874 (99%)	0.46	23 (2%) 57 34	16, 39, 68, 83	0
1	B	872/874 (99%)	0.24	12 (1%) 73 51	13, 30, 51, 76	0
1	C	872/874 (99%)	0.49	28 (3%) 50 29	16, 38, 68, 91	0
1	D	872/874 (99%)	0.31	18 (2%) 63 40	16, 30, 56, 76	0
All	All	3488/3496 (99%)	0.37	81 (2%) 61 38	13, 34, 63, 91	0

The worst 5 of 81 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	192	ASN	3.7
1	B	220	ALA	3.6
1	C	643	LEU	3.5
1	A	644	THR	3.5
1	A	448	VAL	3.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SO4	A	4003	5/5	0.72	0.19	50,51,75,83	0
3	SO4	A	4004	5/5	0.75	0.20	51,56,67,67	0
3	SO4	C	904	5/5	0.80	0.14	39,41,50,70	0
3	SO4	C	903	5/5	0.81	0.15	46,50,53,72	0
3	SO4	D	903	5/5	0.83	0.20	45,45,52,65	0
3	SO4	B	903	5/5	0.85	0.17	43,47,48,57	0
3	SO4	B	902	5/5	0.87	0.18	45,46,56,65	0
3	SO4	C	902	5/5	0.89	0.15	37,42,48,49	0
2	ANP	C	901	31/31	0.91	0.11	25,37,45,46	0
3	SO4	A	4002	5/5	0.91	0.20	43,47,52,61	0
3	SO4	B	904	5/5	0.92	0.09	40,45,58,58	0
3	SO4	D	902	5/5	0.93	0.20	32,37,41,52	0
2	ANP	A	4001	31/31	0.93	0.09	33,39,44,46	0
3	SO4	D	904	5/5	0.93	0.13	40,43,51,53	0
2	ANP	B	901	31/31	0.94	0.10	24,30,36,45	0
2	ANP	D	901	31/31	0.94	0.10	19,27,37,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SO4 A 4003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 4004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 C 904:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 C 903:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 D 903:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 903:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 902:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SO4 C 902:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around SO4 A 4002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 904:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 D 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP A 4001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 D 904:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP B 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP D 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.