



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2025 – 01:14 pm BST

PDB ID : 9QEA / pdb\_00009qea  
Title : CRYSTAL STRUCTURE OF LYSYL-TRNA SYNTHETASE FROM *Mycobacterium tuberculosis* COMPLEXED WITH L-LYSINE AND INHIBITOR DDD01839469  
Authors : Dawson, A.; Cleghorn, L.A.T.; Davis, S.H.  
Deposited on : 2025-03-07  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 2.0rc1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.006 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.45.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	526	

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-tRNA ligase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	466	3627	2290	644	681	12	0	0	0

There are 21 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP P9WUFU9
A	-19	GLY	-	expression tag	UNP P9WUFU9
A	-18	SER	-	expression tag	UNP P9WUFU9
A	-17	SER	-	expression tag	UNP P9WUFU9
A	-16	HIS	-	expression tag	UNP P9WUFU9
A	-15	HIS	-	expression tag	UNP P9WUFU9
A	-14	HIS	-	expression tag	UNP P9WUFU9
A	-13	HIS	-	expression tag	UNP P9WUFU9
A	-12	HIS	-	expression tag	UNP P9WUFU9
A	-11	HIS	-	expression tag	UNP P9WUFU9
A	-10	SER	-	expression tag	UNP P9WUFU9
A	-9	SER	-	expression tag	UNP P9WUFU9
A	-8	GLY	-	expression tag	UNP P9WUFU9
A	-7	GLU	-	expression tag	UNP P9WUFU9
A	-6	ASN	-	expression tag	UNP P9WUFU9
A	-5	LEU	-	expression tag	UNP P9WUFU9
A	-4	TYR	-	expression tag	UNP P9WUFU9
A	-3	PHE	-	expression tag	UNP P9WUFU9
A	-2	GLN	-	expression tag	UNP P9WUFU9
A	-1	GLY	-	expression tag	UNP P9WUFU9
A	0	HIS	-	expression tag	UNP P9WUFU9

- Molecule 2 is LYSINE (CCD ID: LYS) (formula: C<sub>6</sub>H<sub>15</sub>N<sub>2</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	10	6	2	2	0	0

- Molecule 3 is 2-azanyl-6-cyclohexyl-4-ethoxy-7 {H}-pyrrolo[3,4-d]pyrimidin-5-one (CCD ID: A1I61) (formula: C<sub>14</sub>H<sub>20</sub>N<sub>4</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	20	14	4	2	0	0


- Molecule 4 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	A	11	Total	O	0	0
			11	11		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lysine-tRNA ligase 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.00Å 85.00Å 148.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	60.18 – 2.30 60.18 – 2.30	Depositor EDS
% Data completeness (in resolution range)	92.1 (60.18-2.30) 92.1 (60.18-2.30)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.09 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.8.0425	Depositor
R, $R_{free}$	0.255 , 0.311 0.259 , 0.314	Depositor DCC
$R_{free}$ test set	1145 reflections (4.61%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	46.5	Xtrriage
Anisotropy	0.794	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 45.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	3668	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.55% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1I61

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.58	0/3693	1.22	13/5013 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	274	THR	CA-CB-OG1	-9.23	95.75	109.60
1	A	316	ASP	CA-CB-CG	6.32	118.92	112.60
1	A	498	PRO	N-CA-CB	-6.18	96.76	103.25
1	A	415	ASP	CA-CB-CG	5.79	118.39	112.60
1	A	425	THR	OG1-CB-CG2	-5.76	97.78	109.30
1	A	152	HIS	CA-C-N	5.55	131.70	121.70
1	A	152	HIS	C-N-CA	5.55	131.70	121.70
1	A	434	VAL	N-CA-CB	5.52	119.78	110.56
1	A	286	VAL	N-CA-CB	5.38	116.72	110.65
1	A	84	ASP	CA-CB-CG	5.30	117.90	112.60
1	A	136	ASP	CA-CB-CG	5.25	117.85	112.60
1	A	110	ASP	CA-CB-CG	5.14	117.74	112.60
1	A	139	ARG	N-CA-CB	-5.01	102.63	111.39

There are no chirality outliers.

All (3) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	A	240	ARG	Sidechain
1	A	427	TYR	Peptide
1	A	46	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3627	0	3640	100	1
2	A	10	0	12	1	0
3	A	20	0	0	2	0
4	A	11	0	0	2	0
All	All	3668	0	3652	100	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:ALA:HB1	1:A:455:MET:CE	1.90	1.02
1:A:491:ILE:HD11	3:A:602:A1I61:C1	2.04	0.88
1:A:444:ALA:HB1	1:A:455:MET:HE2	1.54	0.86
1:A:444:ALA:HB1	1:A:455:MET:HE3	1.58	0.81
1:A:495:VAL:HG21	1:A:498:PRO:HB3	1.65	0.78
1:A:398:THR:HB	1:A:401:THR:CG2	2.14	0.77
1:A:46:ARG:NH2	1:A:89:GLN:O	2.15	0.75
1:A:373:GLU:OE2	1:A:397:THR:OG1	2.03	0.75
1:A:152:HIS:HA	1:A:154:GLU:N	2.07	0.70
1:A:91:GLN:O	1:A:132:SER:HA	1.95	0.66
1:A:262:ASP:HB2	4:A:710:HOH:O	1.96	0.65
1:A:423:LEU:HD22	1:A:477:MET:HG3	1.80	0.63
1:A:444:ALA:CB	1:A:455:MET:CE	2.72	0.63
1:A:491:ILE:HD11	3:A:602:A1I61:C2	2.29	0.61
1:A:308:PRO:O	1:A:310:GLY:N	2.33	0.61
1:A:480:ASP:OD2	4:A:701:HOH:O	2.16	0.60
1:A:444:ALA:CB	1:A:455:MET:HE2	2.28	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:SER:O	1:A:127:ARG:C	2.45	0.60
1:A:337:THR:HB	1:A:338:PRO:HD2	1.83	0.59
1:A:308:PRO:O	1:A:309:ASP:C	2.46	0.58
1:A:289:ARG:O	1:A:293:GLN:HG3	2.02	0.58
1:A:401:THR:HB	1:A:427:TYR:CD2	2.39	0.58
1:A:40:HIS:CE1	1:A:62:VAL:HG12	2.40	0.57
1:A:495:VAL:CG2	1:A:498:PRO:HB3	2.32	0.57
1:A:153:LYS:O	1:A:155:MET:N	2.38	0.56
1:A:281:TYR:CD1	1:A:412:GLU:HB3	2.41	0.56
1:A:80:ALA:O	1:A:91:GLN:HG3	2.08	0.54
1:A:377:GLU:O	1:A:382:LYS:HG3	2.08	0.54
1:A:37:PRO:O	1:A:38:ARG:C	2.51	0.54
1:A:241:CYS:HB3	1:A:246:PHE:CD1	2.43	0.54
1:A:398:THR:HB	1:A:401:THR:HG21	1.89	0.54
1:A:241:CYS:HB3	1:A:246:PHE:HD1	1.72	0.53
1:A:16:ILE:HD11	1:A:20:LYS:CE	2.39	0.53
1:A:398:THR:OG1	1:A:411:THR:HG21	2.09	0.53
1:A:192:LEU:O	1:A:197:PHE:HB2	2.08	0.53
1:A:275:TYR:CD1	1:A:275:TYR:N	2.77	0.53
1:A:413:LYS:HA	1:A:426:GLY:O	2.09	0.52
1:A:150:VAL:O	1:A:151:ALA:HB3	2.10	0.51
1:A:482:LEU:O	1:A:486:LEU:HG	2.11	0.51
1:A:246:PHE:HB3	1:A:249:VAL:HG13	1.93	0.51
1:A:107:TRP:CE3	1:A:111:VAL:HG21	2.46	0.50
1:A:442:ASP:O	1:A:443:GLN:C	2.54	0.50
1:A:414:TRP:O	1:A:425:THR:HA	2.12	0.50
1:A:291:LEU:HD13	1:A:291:LEU:C	2.37	0.49
1:A:12:GLU:O	1:A:15:ARG:HD3	2.13	0.49
1:A:13:GLN:HA	1:A:16:ILE:HG23	1.95	0.49
1:A:70:PHE:HB3	1:A:81:THR:CB	2.43	0.49
1:A:444:ALA:C	1:A:455:MET:HE2	2.37	0.49
1:A:438:GLU:O	1:A:439:ARG:C	2.56	0.48
1:A:150:VAL:O	1:A:151:ALA:CB	2.61	0.48
1:A:13:GLN:HA	1:A:16:ILE:CG2	2.42	0.48
1:A:498:PRO:O	1:A:499:ILE:HB	2.12	0.48
1:A:150:VAL:H	1:A:153:LYS:HD2	1.79	0.48
1:A:337:THR:C	1:A:339:GLN:H	2.22	0.48
1:A:17:ARG:NH2	1:A:113:LEU:O	2.47	0.47
1:A:328:LEU:HD11	1:A:332:LEU:HD11	1.96	0.47
1:A:70:PHE:HB3	1:A:81:THR:OG1	2.14	0.47
1:A:404:HIS:HB2	1:A:410:VAL:HG23	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:274:THR:O	1:A:474:GLY:HA2	2.14	0.46
1:A:67:ARG:O	1:A:82:LEU:HA	2.16	0.46
1:A:325:TYR:HB2	1:A:326:PRO:HD3	1.98	0.46
1:A:53:PRO:O	1:A:56:THR:HB	2.17	0.45
1:A:74:SER:HB3	1:A:77:LEU:O	2.17	0.45
1:A:16:ILE:HD11	1:A:20:LYS:HE2	1.99	0.45
1:A:39:THR:N	1:A:63:GLY:O	2.49	0.44
1:A:92:VAL:HG12	1:A:133:VAL:HG12	2.00	0.44
1:A:181:ARG:O	1:A:185:VAL:HG23	2.17	0.44
1:A:151:ALA:HB2	1:A:170:VAL:CG2	2.48	0.44
1:A:381:GLY:O	1:A:382:LYS:C	2.61	0.44
1:A:116:ILE:HD12	1:A:142:ALA:HB3	2.00	0.43
1:A:425:THR:HG23	2:A:601:LYS:HD2	2.00	0.43
1:A:154:GLU:O	1:A:155:MET:C	2.61	0.43
1:A:210:GLY:HA2	1:A:232:ILE:HD11	1.99	0.43
1:A:16:ILE:HD11	1:A:20:LYS:HE3	2.00	0.43
1:A:152:HIS:HA	1:A:154:GLU:HG3	2.00	0.43
1:A:395:VAL:HA	1:A:411:THR:HG23	2.00	0.43
1:A:173:GLU:O	1:A:177:VAL:HG23	2.19	0.43
1:A:369:GLY:O	1:A:373:GLU:HG3	2.19	0.42
1:A:404:HIS:HA	1:A:412:GLU:CG	2.49	0.42
1:A:68:VAL:HG12	1:A:115:ASP:O	2.19	0.42
1:A:438:GLU:O	1:A:441:ALA:N	2.51	0.42
1:A:68:VAL:O	1:A:68:VAL:HG13	2.20	0.42
1:A:106:ALA:O	1:A:107:TRP:C	2.63	0.42
1:A:215:ARG:O	1:A:258:ASN:CB	2.68	0.42
1:A:94:ILE:HG21	1:A:107:TRP:CG	2.55	0.42
1:A:419:ARG:HH11	1:A:419:ARG:HG2	1.84	0.42
1:A:151:ALA:HB2	1:A:170:VAL:HG22	2.02	0.42
1:A:480:ASP:O	1:A:484:MET:HG3	2.20	0.41
1:A:98:LYS:O	1:A:99:VAL:HB	2.21	0.41
1:A:496:LEU:HD12	1:A:496:LEU:HA	1.94	0.41
1:A:58:THR:CG2	1:A:123:VAL:HG13	2.51	0.41
1:A:337:THR:C	1:A:339:GLN:N	2.77	0.41
1:A:337:THR:HB	1:A:338:PRO:CD	2.49	0.41
1:A:397:THR:C	1:A:398:THR:HG23	2.46	0.41
1:A:91:GLN:O	1:A:132:SER:CA	2.67	0.40
1:A:281:TYR:CE1	1:A:412:GLU:HB3	2.56	0.40
1:A:444:ALA:CA	1:A:455:MET:CE	2.99	0.40
1:A:308:PRO:C	1:A:310:GLY:N	2.79	0.40
1:A:345:LEU:HA	1:A:348:ILE:HD12	2.04	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:ALA:CA	1:A:455:MET:HE2	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:TYR:OH	1:A:460:ASP:OD1[8_555]	2.14	0.06

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	458/526 (87%)	415 (91%)	34 (7%)	9 (2%)	<b>6</b> <b>5</b>

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	99	VAL
1	A	309	ASP
1	A	100	GLY
1	A	154	GLU
1	A	151	ALA
1	A	308	PRO
1	A	498	PRO
1	A	33	PRO
1	A	50	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	385/433 (89%)	361 (94%)	24 (6%)	15	22

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ILE
1	A	54	ILE
1	A	77	LEU
1	A	99	VAL
1	A	104	LEU
1	A	112	ASP
1	A	113	LEU
1	A	119	VAL
1	A	125	SER
1	A	137	CYS
1	A	161	VAL
1	A	166	VAL
1	A	252	LEU
1	A	259	GLU
1	A	274	THR
1	A	280	THR
1	A	288	THR
1	A	390	VAL
1	A	401	THR
1	A	423	LEU
1	A	438	GLU
1	A	466	GLU
1	A	496	LEU
1	A	499	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	HIS
1	A	73	ASN
1	A	91	GLN
1	A	120	HIS
1	A	339	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	A1I61	A	602	-	20,22,22	0.67	1 (5%)	23,31,31	1.83	6 (26%)
2	LYS	A	601	-	8,9,9	0.72	0	9,10,10	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1I61	A	602	-	-	2/7/27/27	0/3/3/3
2	LYS	A	601	-	-	0/9/9/9	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	A1I61	C7-N3	2.10	1.38	1.36

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	A1I61	C2-O1-C3	-3.92	113.78	117.59
3	A	602	A1I61	C9-N3-C7	3.34	126.55	122.96
3	A	602	A1I61	C6-C3-N1	-3.22	119.38	123.90
3	A	602	A1I61	C10-C9-N3	3.06	116.21	111.85
3	A	602	A1I61	O1-C3-C6	2.84	122.30	116.68
3	A	602	A1I61	C14-C9-N3	2.04	114.77	111.85

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	602	A1I61	C10-C9-N3-C7
3	A	602	A1I61	C10-C9-N3-C8

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	A1I61	2	0
2	A	601	LYS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	466/526 (88%)	0.74	48 (10%) <b>13</b> <b>15</b>	35, 67, 119, 164	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	93	MET	4.3
1	A	499	ILE	4.0
1	A	124	ILE	4.0
1	A	366	PHE	3.8
1	A	134	LEU	3.7
1	A	94	ILE	3.7
1	A	133	VAL	3.6
1	A	95	SER	3.5
1	A	114	GLY	3.4
1	A	75	GLY	3.4
1	A	135	ALA	3.3
1	A	150	VAL	3.1
1	A	151	ALA	3.1
1	A	92	VAL	2.9
1	A	123	VAL	2.9
1	A	54	ILE	2.9
1	A	53	PRO	2.8
1	A	71	ALA	2.8
1	A	99	VAL	2.7
1	A	113	LEU	2.7
1	A	353	GLY	2.6
1	A	78	CYS	2.6
1	A	79	PHE	2.5
1	A	446	ALA	2.5
1	A	145	LEU	2.5
1	A	143	LYS	2.4
1	A	96	LEU	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	148	LEU	2.4
1	A	110	ASP	2.4
1	A	152	HIS	2.4
1	A	103	ALA	2.4
1	A	455	MET	2.4
1	A	24	LEU	2.4
1	A	25	LEU	2.4
1	A	140	ILE	2.3
1	A	26	ALA	2.3
1	A	77	LEU	2.3
1	A	131	LEU	2.2
1	A	57	ALA	2.2
1	A	52	LEU	2.2
1	A	56	THR	2.2
1	A	36	VAL	2.2
1	A	28	GLY	2.1
1	A	35	ALA	2.1
1	A	116	ILE	2.1
1	A	226	ILE	2.1
1	A	122	ALA	2.1
1	A	29	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	LYS	A	601	10/10	0.91	0.10	55,60,63,75	0
3	A1I61	A	602	20/20	0.93	0.10	40,48,69,70	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.