



wwPDB EM Validation Summary Report ⓘ

Feb 5, 2026 – 04:57 pm GMT

PDB ID : 9QHM / pdb_00009qhm
EMDB ID : EMD-53173
Title : Cryo-EM structure of mouse TRPM3 alpha 2 in complex with antagonist Ononetin
Authors : Shkumatov, A.V.; Schenck, S.; Brunner, J.D.
Deposited on : 2025-03-16
Resolution : 2.61 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev129
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	8735 (2.11 - 3.11)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1409	 6% 66% 7% 27%
1	B	1409	 7% 66% 7% 27%
1	C	1409	 7% 66% 7% 27%
1	D	1409	 7% 66% 7% 27%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	YUV	A	1503	X	-	-	-
4	YUV	A	1506	X	-	-	-
4	YUV	B	1502	X	-	-	-
4	YUV	C	1504	X	-	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 67940 atoms, of which 34248 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MKIAA1616 protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	A	1026	16699	5368	8403	1413	1451	64	0	0
1	B	1026	16699	5368	8403	1413	1451	64	0	0
1	C	1026	16699	5368	8403	1413	1451	64	0	0
1	D	1026	16699	5368	8403	1413	1451	64	0	0

There are 264 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP Q69ZE8
A	1	SER	-	expression tag	UNP Q69ZE8
A	1345	ALA	-	expression tag	UNP Q69ZE8
A	1346	LEU	-	expression tag	UNP Q69ZE8
A	1347	GLU	-	expression tag	UNP Q69ZE8
A	1348	VAL	-	expression tag	UNP Q69ZE8
A	1349	LEU	-	expression tag	UNP Q69ZE8
A	1350	PHE	-	expression tag	UNP Q69ZE8
A	1351	GLN	-	expression tag	UNP Q69ZE8
A	1352	GLY	-	expression tag	UNP Q69ZE8
A	1353	PRO	-	expression tag	UNP Q69ZE8
A	1354	GLN	-	expression tag	UNP Q69ZE8
A	1355	GLY	-	expression tag	UNP Q69ZE8
A	1356	THR	-	expression tag	UNP Q69ZE8
A	1357	GLU	-	expression tag	UNP Q69ZE8
A	1358	GLN	-	expression tag	UNP Q69ZE8
A	1359	LYS	-	expression tag	UNP Q69ZE8
A	1360	LEU	-	expression tag	UNP Q69ZE8
A	1361	ILE	-	expression tag	UNP Q69ZE8
A	1362	SER	-	expression tag	UNP Q69ZE8
A	1363	GLU	-	expression tag	UNP Q69ZE8
A	1364	GLU	-	expression tag	UNP Q69ZE8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1365	ASP	-	expression tag	UNP Q69ZE8
A	1366	LEU	-	expression tag	UNP Q69ZE8
A	1367	ARG	-	expression tag	UNP Q69ZE8
A	1368	GLY	-	expression tag	UNP Q69ZE8
A	1369	ALA	-	expression tag	UNP Q69ZE8
A	1370	SER	-	expression tag	UNP Q69ZE8
A	1371	MET	-	expression tag	UNP Q69ZE8
A	1372	ASP	-	expression tag	UNP Q69ZE8
A	1373	GLU	-	expression tag	UNP Q69ZE8
A	1374	LYS	-	expression tag	UNP Q69ZE8
A	1375	THR	-	expression tag	UNP Q69ZE8
A	1376	THR	-	expression tag	UNP Q69ZE8
A	1377	GLY	-	expression tag	UNP Q69ZE8
A	1378	TRP	-	expression tag	UNP Q69ZE8
A	1379	ARG	-	expression tag	UNP Q69ZE8
A	1380	GLY	-	expression tag	UNP Q69ZE8
A	1381	GLY	-	expression tag	UNP Q69ZE8
A	1382	HIS	-	expression tag	UNP Q69ZE8
A	1383	VAL	-	expression tag	UNP Q69ZE8
A	1384	VAL	-	expression tag	UNP Q69ZE8
A	1385	GLU	-	expression tag	UNP Q69ZE8
A	1386	GLY	-	expression tag	UNP Q69ZE8
A	1387	LEU	-	expression tag	UNP Q69ZE8
A	1388	ALA	-	expression tag	UNP Q69ZE8
A	1389	GLY	-	expression tag	UNP Q69ZE8
A	1390	GLU	-	expression tag	UNP Q69ZE8
A	1391	LEU	-	expression tag	UNP Q69ZE8
A	1392	GLU	-	expression tag	UNP Q69ZE8
A	1393	GLN	-	expression tag	UNP Q69ZE8
A	1394	LEU	-	expression tag	UNP Q69ZE8
A	1395	ARG	-	expression tag	UNP Q69ZE8
A	1396	ALA	-	expression tag	UNP Q69ZE8
A	1397	ARG	-	expression tag	UNP Q69ZE8
A	1398	LEU	-	expression tag	UNP Q69ZE8
A	1399	GLU	-	expression tag	UNP Q69ZE8
A	1400	HIS	-	expression tag	UNP Q69ZE8
A	1401	HIS	-	expression tag	UNP Q69ZE8
A	1402	PRO	-	expression tag	UNP Q69ZE8
A	1403	GLN	-	expression tag	UNP Q69ZE8
A	1404	GLY	-	expression tag	UNP Q69ZE8
A	1405	GLN	-	expression tag	UNP Q69ZE8
A	1406	ARG	-	expression tag	UNP Q69ZE8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1407	GLU	-	expression tag	UNP Q69ZE8
A	1408	PRO	-	expression tag	UNP Q69ZE8
B	0	MET	-	initiating methionine	UNP Q69ZE8
B	1	SER	-	expression tag	UNP Q69ZE8
B	1345	ALA	-	expression tag	UNP Q69ZE8
B	1346	LEU	-	expression tag	UNP Q69ZE8
B	1347	GLU	-	expression tag	UNP Q69ZE8
B	1348	VAL	-	expression tag	UNP Q69ZE8
B	1349	LEU	-	expression tag	UNP Q69ZE8
B	1350	PHE	-	expression tag	UNP Q69ZE8
B	1351	GLN	-	expression tag	UNP Q69ZE8
B	1352	GLY	-	expression tag	UNP Q69ZE8
B	1353	PRO	-	expression tag	UNP Q69ZE8
B	1354	GLN	-	expression tag	UNP Q69ZE8
B	1355	GLY	-	expression tag	UNP Q69ZE8
B	1356	THR	-	expression tag	UNP Q69ZE8
B	1357	GLU	-	expression tag	UNP Q69ZE8
B	1358	GLN	-	expression tag	UNP Q69ZE8
B	1359	LYS	-	expression tag	UNP Q69ZE8
B	1360	LEU	-	expression tag	UNP Q69ZE8
B	1361	ILE	-	expression tag	UNP Q69ZE8
B	1362	SER	-	expression tag	UNP Q69ZE8
B	1363	GLU	-	expression tag	UNP Q69ZE8
B	1364	GLU	-	expression tag	UNP Q69ZE8
B	1365	ASP	-	expression tag	UNP Q69ZE8
B	1366	LEU	-	expression tag	UNP Q69ZE8
B	1367	ARG	-	expression tag	UNP Q69ZE8
B	1368	GLY	-	expression tag	UNP Q69ZE8
B	1369	ALA	-	expression tag	UNP Q69ZE8
B	1370	SER	-	expression tag	UNP Q69ZE8
B	1371	MET	-	expression tag	UNP Q69ZE8
B	1372	ASP	-	expression tag	UNP Q69ZE8
B	1373	GLU	-	expression tag	UNP Q69ZE8
B	1374	LYS	-	expression tag	UNP Q69ZE8
B	1375	THR	-	expression tag	UNP Q69ZE8
B	1376	THR	-	expression tag	UNP Q69ZE8
B	1377	GLY	-	expression tag	UNP Q69ZE8
B	1378	TRP	-	expression tag	UNP Q69ZE8
B	1379	ARG	-	expression tag	UNP Q69ZE8
B	1380	GLY	-	expression tag	UNP Q69ZE8
B	1381	GLY	-	expression tag	UNP Q69ZE8
B	1382	HIS	-	expression tag	UNP Q69ZE8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1383	VAL	-	expression tag	UNP Q69ZE8
B	1384	VAL	-	expression tag	UNP Q69ZE8
B	1385	GLU	-	expression tag	UNP Q69ZE8
B	1386	GLY	-	expression tag	UNP Q69ZE8
B	1387	LEU	-	expression tag	UNP Q69ZE8
B	1388	ALA	-	expression tag	UNP Q69ZE8
B	1389	GLY	-	expression tag	UNP Q69ZE8
B	1390	GLU	-	expression tag	UNP Q69ZE8
B	1391	LEU	-	expression tag	UNP Q69ZE8
B	1392	GLU	-	expression tag	UNP Q69ZE8
B	1393	GLN	-	expression tag	UNP Q69ZE8
B	1394	LEU	-	expression tag	UNP Q69ZE8
B	1395	ARG	-	expression tag	UNP Q69ZE8
B	1396	ALA	-	expression tag	UNP Q69ZE8
B	1397	ARG	-	expression tag	UNP Q69ZE8
B	1398	LEU	-	expression tag	UNP Q69ZE8
B	1399	GLU	-	expression tag	UNP Q69ZE8
B	1400	HIS	-	expression tag	UNP Q69ZE8
B	1401	HIS	-	expression tag	UNP Q69ZE8
B	1402	PRO	-	expression tag	UNP Q69ZE8
B	1403	GLN	-	expression tag	UNP Q69ZE8
B	1404	GLY	-	expression tag	UNP Q69ZE8
B	1405	GLN	-	expression tag	UNP Q69ZE8
B	1406	ARG	-	expression tag	UNP Q69ZE8
B	1407	GLU	-	expression tag	UNP Q69ZE8
B	1408	PRO	-	expression tag	UNP Q69ZE8
C	0	MET	-	initiating methionine	UNP Q69ZE8
C	1	SER	-	expression tag	UNP Q69ZE8
C	1345	ALA	-	expression tag	UNP Q69ZE8
C	1346	LEU	-	expression tag	UNP Q69ZE8
C	1347	GLU	-	expression tag	UNP Q69ZE8
C	1348	VAL	-	expression tag	UNP Q69ZE8
C	1349	LEU	-	expression tag	UNP Q69ZE8
C	1350	PHE	-	expression tag	UNP Q69ZE8
C	1351	GLN	-	expression tag	UNP Q69ZE8
C	1352	GLY	-	expression tag	UNP Q69ZE8
C	1353	PRO	-	expression tag	UNP Q69ZE8
C	1354	GLN	-	expression tag	UNP Q69ZE8
C	1355	GLY	-	expression tag	UNP Q69ZE8
C	1356	THR	-	expression tag	UNP Q69ZE8
C	1357	GLU	-	expression tag	UNP Q69ZE8
C	1358	GLN	-	expression tag	UNP Q69ZE8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1359	LYS	-	expression tag	UNP Q69ZE8
C	1360	LEU	-	expression tag	UNP Q69ZE8
C	1361	ILE	-	expression tag	UNP Q69ZE8
C	1362	SER	-	expression tag	UNP Q69ZE8
C	1363	GLU	-	expression tag	UNP Q69ZE8
C	1364	GLU	-	expression tag	UNP Q69ZE8
C	1365	ASP	-	expression tag	UNP Q69ZE8
C	1366	LEU	-	expression tag	UNP Q69ZE8
C	1367	ARG	-	expression tag	UNP Q69ZE8
C	1368	GLY	-	expression tag	UNP Q69ZE8
C	1369	ALA	-	expression tag	UNP Q69ZE8
C	1370	SER	-	expression tag	UNP Q69ZE8
C	1371	MET	-	expression tag	UNP Q69ZE8
C	1372	ASP	-	expression tag	UNP Q69ZE8
C	1373	GLU	-	expression tag	UNP Q69ZE8
C	1374	LYS	-	expression tag	UNP Q69ZE8
C	1375	THR	-	expression tag	UNP Q69ZE8
C	1376	THR	-	expression tag	UNP Q69ZE8
C	1377	GLY	-	expression tag	UNP Q69ZE8
C	1378	TRP	-	expression tag	UNP Q69ZE8
C	1379	ARG	-	expression tag	UNP Q69ZE8
C	1380	GLY	-	expression tag	UNP Q69ZE8
C	1381	GLY	-	expression tag	UNP Q69ZE8
C	1382	HIS	-	expression tag	UNP Q69ZE8
C	1383	VAL	-	expression tag	UNP Q69ZE8
C	1384	VAL	-	expression tag	UNP Q69ZE8
C	1385	GLU	-	expression tag	UNP Q69ZE8
C	1386	GLY	-	expression tag	UNP Q69ZE8
C	1387	LEU	-	expression tag	UNP Q69ZE8
C	1388	ALA	-	expression tag	UNP Q69ZE8
C	1389	GLY	-	expression tag	UNP Q69ZE8
C	1390	GLU	-	expression tag	UNP Q69ZE8
C	1391	LEU	-	expression tag	UNP Q69ZE8
C	1392	GLU	-	expression tag	UNP Q69ZE8
C	1393	GLN	-	expression tag	UNP Q69ZE8
C	1394	LEU	-	expression tag	UNP Q69ZE8
C	1395	ARG	-	expression tag	UNP Q69ZE8
C	1396	ALA	-	expression tag	UNP Q69ZE8
C	1397	ARG	-	expression tag	UNP Q69ZE8
C	1398	LEU	-	expression tag	UNP Q69ZE8
C	1399	GLU	-	expression tag	UNP Q69ZE8
C	1400	HIS	-	expression tag	UNP Q69ZE8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	1401	HIS	-	expression tag	UNP Q69ZE8
C	1402	PRO	-	expression tag	UNP Q69ZE8
C	1403	GLN	-	expression tag	UNP Q69ZE8
C	1404	GLY	-	expression tag	UNP Q69ZE8
C	1405	GLN	-	expression tag	UNP Q69ZE8
C	1406	ARG	-	expression tag	UNP Q69ZE8
C	1407	GLU	-	expression tag	UNP Q69ZE8
C	1408	PRO	-	expression tag	UNP Q69ZE8
D	0	MET	-	initiating methionine	UNP Q69ZE8
D	1	SER	-	expression tag	UNP Q69ZE8
D	1345	ALA	-	expression tag	UNP Q69ZE8
D	1346	LEU	-	expression tag	UNP Q69ZE8
D	1347	GLU	-	expression tag	UNP Q69ZE8
D	1348	VAL	-	expression tag	UNP Q69ZE8
D	1349	LEU	-	expression tag	UNP Q69ZE8
D	1350	PHE	-	expression tag	UNP Q69ZE8
D	1351	GLN	-	expression tag	UNP Q69ZE8
D	1352	GLY	-	expression tag	UNP Q69ZE8
D	1353	PRO	-	expression tag	UNP Q69ZE8
D	1354	GLN	-	expression tag	UNP Q69ZE8
D	1355	GLY	-	expression tag	UNP Q69ZE8
D	1356	THR	-	expression tag	UNP Q69ZE8
D	1357	GLU	-	expression tag	UNP Q69ZE8
D	1358	GLN	-	expression tag	UNP Q69ZE8
D	1359	LYS	-	expression tag	UNP Q69ZE8
D	1360	LEU	-	expression tag	UNP Q69ZE8
D	1361	ILE	-	expression tag	UNP Q69ZE8
D	1362	SER	-	expression tag	UNP Q69ZE8
D	1363	GLU	-	expression tag	UNP Q69ZE8
D	1364	GLU	-	expression tag	UNP Q69ZE8
D	1365	ASP	-	expression tag	UNP Q69ZE8
D	1366	LEU	-	expression tag	UNP Q69ZE8
D	1367	ARG	-	expression tag	UNP Q69ZE8
D	1368	GLY	-	expression tag	UNP Q69ZE8
D	1369	ALA	-	expression tag	UNP Q69ZE8
D	1370	SER	-	expression tag	UNP Q69ZE8
D	1371	MET	-	expression tag	UNP Q69ZE8
D	1372	ASP	-	expression tag	UNP Q69ZE8
D	1373	GLU	-	expression tag	UNP Q69ZE8
D	1374	LYS	-	expression tag	UNP Q69ZE8
D	1375	THR	-	expression tag	UNP Q69ZE8
D	1376	THR	-	expression tag	UNP Q69ZE8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	1377	GLY	-	expression tag	UNP Q69ZE8
D	1378	TRP	-	expression tag	UNP Q69ZE8
D	1379	ARG	-	expression tag	UNP Q69ZE8
D	1380	GLY	-	expression tag	UNP Q69ZE8
D	1381	GLY	-	expression tag	UNP Q69ZE8
D	1382	HIS	-	expression tag	UNP Q69ZE8
D	1383	VAL	-	expression tag	UNP Q69ZE8
D	1384	VAL	-	expression tag	UNP Q69ZE8
D	1385	GLU	-	expression tag	UNP Q69ZE8
D	1386	GLY	-	expression tag	UNP Q69ZE8
D	1387	LEU	-	expression tag	UNP Q69ZE8
D	1388	ALA	-	expression tag	UNP Q69ZE8
D	1389	GLY	-	expression tag	UNP Q69ZE8
D	1390	GLU	-	expression tag	UNP Q69ZE8
D	1391	LEU	-	expression tag	UNP Q69ZE8
D	1392	GLU	-	expression tag	UNP Q69ZE8
D	1393	GLN	-	expression tag	UNP Q69ZE8
D	1394	LEU	-	expression tag	UNP Q69ZE8
D	1395	ARG	-	expression tag	UNP Q69ZE8
D	1396	ALA	-	expression tag	UNP Q69ZE8
D	1397	ARG	-	expression tag	UNP Q69ZE8
D	1398	LEU	-	expression tag	UNP Q69ZE8
D	1399	GLU	-	expression tag	UNP Q69ZE8
D	1400	HIS	-	expression tag	UNP Q69ZE8
D	1401	HIS	-	expression tag	UNP Q69ZE8
D	1402	PRO	-	expression tag	UNP Q69ZE8
D	1403	GLN	-	expression tag	UNP Q69ZE8
D	1404	GLY	-	expression tag	UNP Q69ZE8
D	1405	GLN	-	expression tag	UNP Q69ZE8
D	1406	ARG	-	expression tag	UNP Q69ZE8
D	1407	GLU	-	expression tag	UNP Q69ZE8
D	1408	PRO	-	expression tag	UNP Q69ZE8

- Molecule 2 is 1-[2,4-bis(oxidanyl)phenyl]-2-(4-methoxyphenyl)ethanone (CCD ID: A1D6M) (formula: C₁₅H₁₄O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
2	A	1	19	15	4	0
2	B	1	19	15	4	0
2	C	1	19	15	4	0
2	D	1	19	15	4	0

- Molecule 3 is 1,2-DIACYL-GLYCEROL-3-SN-PHOSPHATE (CCD ID: 3PH) (formula: $C_{39}H_{77}O_8P$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	H	O	P	
3	A	1	123	39	75	8	1	0
3	A	1	123	39	75	8	1	0
3	C	1	123	39	75	8	1	0
3	D	1	123	39	75	8	1	0

- Molecule 4 is (25R)-14beta,17beta-spirost-5-en-3beta-ol (CCD ID: YUV) (formula: $C_{27}H_{42}O_3$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	H	O	
4	A	1	72	27	42	3	0
4	A	1	72	27	42	3	0
4	A	1	72	27	42	3	0
4	A	1	72	27	42	3	0
4	B	1	72	27	42	3	0
4	B	1	72	27	42	3	0
4	C	1	72	27	42	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	H	O	
4	C	1	72	27	42	3	0

THR	PRO	ALA	GLN	K64	I67	E68	R69	E75	H78	I79	I80	T83	K84	D85	P86	H87	R88	C89	C90	C91	G92	R93	L94	I95	G96	Q97	H98	V99	GLY	LEU	THR	PRO	SER	ILE	SER	VAL	LEU	GLN	ASN	GLY	LYS	ASN	GLU	SER	ARG	LEU	SER	ARG	SER	ASN	ASP	ILE	GLN	GLU	LYS																																			
H127	S128	I129	S130	K131	L135	T138	D139	A140	G149	R327	H150	H151	Y157	L170	Q178	S187	Q198	T222	G223	V225	I230	H240	A241	K243	S244	R245	G246	K247	E260	E263	D264	L265	R268	D269	V270	V271	R272	M277	S278	N279	P280	M281	S282	K283	L284	T285	K304	R312	K317	H318	I319	S320	T326	R327	I328	G329	L337	L353	R354	D365	A375	F376	Y380	S381	E382	E383	G384	G385	L386	I387	N388	E389	S390	L391	R392	D393	Q394	L395	K401	T402	F403	T404	Y405	T406	R407	Q411	H412	L413	L417	E425
L426	I427	R431	M432	G433	S434	E435	G436	H437	Q438	D439	I440	L449	M453	L464	D470	I471	I476	PHE	ILE	PRO	TYR	GLY	Q481	A495	D502	F503	K545	K546	G547	N548	D552	D559	V563	L588	F589	GLY	PRO	LYS	ARG	PRO	ARG	PRO	LYS	ALA	R407	Q411	H412	L413	L417	E425																																								
MET	GLU	ASP	ASP	ILE	PRO	LEU	ARG	GLY	ARG	TYR	THR	THR	LYS	LYS	GLU	GLU	GLU	VAL	ASP	ILE	PRO	GLY	I631	N632	M653	F657	H680	E684	D686	M687	V688	D689	D690	I691	Q716	N734	H746	F749	L767	R768	M769	L782																																																
L783	P784	P785	N794	LYS	ASP	ASP	MET	PRO	TYR	MET	THR	GLN	ALA	GLN	GLU	ILE	HIS	LEU	GLN	GLU	LYS	PRO	THR	THR	LYS	PRO	GLU	LEU	ALA	ALA	LEU	GLY	ASN	GLY	GLU	SER	ARG	ARG	LYS	ASP	GLU	GLU																																																
GLU	VAL	GLN	SER	ARG	HIS	ARG	LEU	ILE	PRO	V860	Y885	F889	M890	I891	I892	V908	F913	T914	L915	G916	I917	E927	W938	L939	I951	C976	I979	Y983	M1002	K1005	M1010	M1017	F1024	A1027	I1054	A1060	I1063	M1076	GLU																																																			
THR	ARG	GLU	ASP	GLY	THR	ILE	Q1080	I1094	L1105	A1112	M1115	V1121	F1160	C1165	ARG	TRP	ARG	HIS	LYS	ILE	PRO	GLU	SER	ASP	GLN	ASP	ARG	ASP	TYR	K1182	D1188	E1189	E1203	R1221	E1225	R1226	A1246	S1247	L1248	GLN	THR	THR	VAL	ILE	ASP	GLU	LYS	LEU	GLN	ARG	LEU																																							
ALA	GLN	LEU	GLU	ASP	GLY	ILE	ARG	ALA	THR	ALA	LEU	LEU	ALA	ARG	ARG	ALA	ALA	GLU	GLU	ASN	ASN	ARG	THR	ASP	ALA	ALA	TYR	ILE	VAL	VAL	ARG	GLN	SER	PHE	ASN	SER	GLN	GLY	GLY	ALA	ASN	THR	PHE	THR	LYS	LEU	GLN	THR																																										
SER	ILE	ASP	PRO	ALA	GLY	GLU	THR	GLU	THR	ALA	THR	SER	PRO	THR	THR	GLN	PRO	ARG	MET	ARG	ARG	GLU	VAL	VAL	PHE	GLN	GLY	PRO	GLN	GLY	ILE	LEU	LEU	GLU	ASP	LEU	LEU	ARG	GLY	ALA	ASN	THR	PHE	THR	MET	ASP	GLU	LYS	LEU	GLN	THR																																							
THR	GLY	TRP	ARG	GLY	GLY	HIS	VAL	VAL	THR	GLU	GLY	ALA	ALA	GLU	GLN	LEU	ARG	HIS	HIS	PRO	GLN	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	GLU	PRO																																												

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	307949	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	62	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.126	Depositor
Minimum map value	-0.043	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0189	Depositor
Map size (Å)	346.5, 346.5, 346.5	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.693, 0.693, 0.693	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: YUV, 3PH, A1D6M

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.17	0/8487	0.33	0/11473
1	B	0.17	0/8487	0.33	0/11473
1	C	0.17	0/8487	0.32	0/11473
1	D	0.17	0/8487	0.33	0/11473
All	All	0.17	0/33948	0.33	0/45892

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8296	8403	8410	67	0
1	B	8296	8403	8410	68	0
1	C	8296	8403	8410	67	0
1	D	8296	8403	8410	69	0
2	A	19	0	0	0	0
2	B	19	0	0	0	0
2	C	19	0	0	0	0
2	D	19	0	0	0	0
3	A	96	150	150	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	48	75	75	6	0
3	D	48	75	75	10	0
4	A	120	168	0	0	0
4	B	60	84	0	0	0
4	C	60	84	0	0	0
All	All	33692	34248	33940	254	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 254 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:576:TYR:OH	1:B:640:GLU:OE1	1.92	0.86
1:C:576:TYR:OH	1:C:640:GLU:OE1	1.91	0.86
1:C:1027:ALA:HB3	3:D:1502:3PH:H2I3	1.55	0.85
3:A:1502:3PH:H2I3	1:D:1027:ALA:HB3	1.57	0.83
1:A:1221:ARG:NH1	1:A:1225:GLU:OE1	2.21	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1012/1409 (72%)	992 (98%)	20 (2%)	0	100	100
1	B	1012/1409 (72%)	994 (98%)	18 (2%)	0	100	100
1	C	1012/1409 (72%)	989 (98%)	23 (2%)	0	100	100
1	D	1012/1409 (72%)	991 (98%)	21 (2%)	0	100	100
All	All	4048/5636 (72%)	3966 (98%)	82 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	909/1247 (73%)	909 (100%)	0	100	100
1	B	909/1247 (73%)	909 (100%)	0	100	100
1	C	909/1247 (73%)	909 (100%)	0	100	100
1	D	909/1247 (73%)	909 (100%)	0	100	100
All	All	3636/4988 (73%)	3636 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 45 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	1116	ASN
1	D	639	HIS
1	C	1126	ASN
1	D	318	HIS
1	D	698	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	3PH	C	1503	-	47,47,47	0.64	1 (2%)	51,52,52	0.65	2 (3%)
4	YUV	A	1503	-	35,35,35	4.03	22 (62%)	58,58,58	2.59	17 (29%)
3	3PH	D	1502	-	47,47,47	0.63	1 (2%)	51,52,52	0.64	2 (3%)
4	YUV	C	1501	-	35,35,35	4.06	22 (62%)	58,58,58	2.48	16 (27%)
2	A1D6M	C	1502	-	20,20,20	1.08	2 (10%)	27,27,27	0.70	0
2	A1D6M	D	1501	-	20,20,20	1.08	2 (10%)	27,27,27	0.70	0
4	YUV	B	1503	-	35,35,35	4.07	22 (62%)	58,58,58	2.49	16 (27%)
4	YUV	A	1507	-	35,35,35	4.06	22 (62%)	58,58,58	2.48	13 (22%)
4	YUV	A	1505	-	35,35,35	4.06	22 (62%)	58,58,58	2.48	14 (24%)
2	A1D6M	A	1501	-	20,20,20	1.09	2 (10%)	27,27,27	0.70	0
4	YUV	A	1506	-	35,35,35	4.03	22 (62%)	58,58,58	2.63	18 (31%)
4	YUV	B	1502	-	35,35,35	4.03	22 (62%)	58,58,58	2.59	17 (29%)
4	YUV	C	1504	-	35,35,35	4.03	22 (62%)	58,58,58	2.61	17 (29%)
3	3PH	A	1504	-	47,47,47	0.63	1 (2%)	51,52,52	0.64	2 (3%)
3	3PH	A	1502	-	47,47,47	0.63	1 (2%)	51,52,52	0.64	2 (3%)
2	A1D6M	B	1501	-	20,20,20	1.09	2 (10%)	27,27,27	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	3PH	C	1503	-	-	13/49/49/49	-
4	YUV	A	1503	-	1/1/13/13	-	0/6/6/6
3	3PH	D	1502	-	-	15/49/49/49	-
4	YUV	C	1501	-	-	-	0/6/6/6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1D6M	C	1502	-	-	2/10/10/10	0/2/2/2
2	A1D6M	D	1501	-	-	2/10/10/10	0/2/2/2
4	YUV	B	1503	-	-	-	0/6/6/6
4	YUV	A	1507	-	-	-	0/6/6/6
4	YUV	A	1505	-	-	-	0/6/6/6
2	A1D6M	A	1501	-	-	2/10/10/10	0/2/2/2
4	YUV	B	1502	-	1/1/13/13	-	0/6/6/6
4	YUV	A	1506	-	1/1/13/13	-	0/6/6/6
4	YUV	C	1504	-	1/1/13/13	-	0/6/6/6
3	3PH	A	1504	-	-	14/49/49/49	-
3	3PH	A	1502	-	-	15/49/49/49	-
2	A1D6M	B	1501	-	-	2/10/10/10	0/2/2/2

The worst 5 of 188 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1505	YUV	C12-C13	11.79	1.73	1.53
4	C	1501	YUV	C12-C13	11.79	1.73	1.53
4	A	1507	YUV	C12-C13	11.78	1.73	1.53
4	B	1503	YUV	C12-C13	11.78	1.73	1.53
4	A	1506	YUV	C12-C13	11.69	1.73	1.53

The worst 5 of 136 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1506	YUV	O2-C4-C5	9.48	140.63	107.38
4	C	1504	YUV	O2-C4-C5	9.45	140.53	107.38
4	A	1503	YUV	O2-C4-C5	9.35	140.19	107.38
4	B	1502	YUV	O2-C4-C5	9.34	140.14	107.38
4	B	1503	YUV	O2-C4-C5	9.25	139.84	107.38

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	1503	YUV	C4
4	A	1506	YUV	C4
4	B	1502	YUV	C4
4	C	1504	YUV	C4

5 of 65 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	C	1503	3PH	C31-C32-C33-C34
3	A	1504	3PH	C31-C32-C33-C34
3	A	1502	3PH	C31-C32-C33-C34
3	D	1502	3PH	C31-C32-C33-C34
3	D	1502	3PH	C37-C38-C39-C3A



There are no ring outliers.



4 monomers are involved in 31 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1503	3PH	6	0
3	D	1502	3PH	10	0
3	A	1504	3PH	5	0
3	A	1502	3PH	10	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-53173. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250


6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 275




Y Index: 225




Z Index: 192


6.3.2 Raw map



X Index: 225



Y Index: 275




Z Index: 232


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0189. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_53173_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 219 nm^3 ; this corresponds to an approximate mass of 197 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.383 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.383 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.61	-	-
Author-provided FSC curve	2.61	3.05	2.68
Unmasked-calculated*	3.34	3.94	3.40

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.34 differs from the reported value 2.61 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-53173 and PDB model 9QHM. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0189 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0189).

9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.0189) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7510	 0.4710
A	 0.7560	 0.4770
B	 0.7530	 0.4650
C	 0.7540	 0.4670
D	 0.7570	 0.4750

