



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 24, 2024 – 04:15 pm BST

PDB ID : 8R2A  
Title : CpKRS complexed with lysine and an inhibitor  
Authors : Dawson, A.; Baragana, B.; Caldwell, N.  
Deposited on : 2023-11-03  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	534	 2% 89% 5% 6%
1	B	534	 4% 89% 5% 6%
1	C	534	 2% 87% 6% 6%
1	D	534	 2% 88% 5% 6%

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 17014 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-tRNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	501	4048	2594	674	753	27	0	1	0
1	D	501	4048	2594	674	753	27	0	1	0
1	C	501	4048	2594	674	753	27	0	1	0
1	B	501	4051	2595	675	754	27	0	1	0

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	MET	-	initiating methionine	UNP A0A7S7RG57
A	26	ALA	-	expression tag	UNP A0A7S7RG57
A	27	HIS	-	expression tag	UNP A0A7S7RG57
A	28	HIS	-	expression tag	UNP A0A7S7RG57
A	29	HIS	-	expression tag	UNP A0A7S7RG57
A	30	HIS	-	expression tag	UNP A0A7S7RG57
A	31	HIS	-	expression tag	UNP A0A7S7RG57
A	32	HIS	-	expression tag	UNP A0A7S7RG57
A	33	MET	-	expression tag	UNP A0A7S7RG57
A	34	GLY	-	expression tag	UNP A0A7S7RG57
A	35	THR	-	expression tag	UNP A0A7S7RG57
A	36	LEU	-	expression tag	UNP A0A7S7RG57
A	37	GLU	-	expression tag	UNP A0A7S7RG57
A	38	ALA	-	expression tag	UNP A0A7S7RG57
A	39	GLN	-	expression tag	UNP A0A7S7RG57
A	40	THR	-	expression tag	UNP A0A7S7RG57
A	41	GLN	-	expression tag	UNP A0A7S7RG57
A	42	GLY	-	expression tag	UNP A0A7S7RG57
A	43	PRO	-	expression tag	UNP A0A7S7RG57
A	44	GLY	-	expression tag	UNP A0A7S7RG57
A	45	SER	-	expression tag	UNP A0A7S7RG57

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	547	GLN	-	expression tag	UNP A0A7S7RG57
A	548	ASN	-	expression tag	UNP A0A7S7RG57
A	549	ALA	-	expression tag	UNP A0A7S7RG57
A	550	GLN	-	expression tag	UNP A0A7S7RG57
A	551	HIS	-	expression tag	UNP A0A7S7RG57
A	552	SER	-	expression tag	UNP A0A7S7RG57
A	553	ASN	-	expression tag	UNP A0A7S7RG57
A	554	GLN	-	expression tag	UNP A0A7S7RG57
A	555	HIS	-	expression tag	UNP A0A7S7RG57
A	556	SER	-	expression tag	UNP A0A7S7RG57
A	557	GLY	-	expression tag	UNP A0A7S7RG57
A	558	ASN	-	expression tag	UNP A0A7S7RG57
D	25	MET	-	initiating methionine	UNP A0A7S7RG57
D	26	ALA	-	expression tag	UNP A0A7S7RG57
D	27	HIS	-	expression tag	UNP A0A7S7RG57
D	28	HIS	-	expression tag	UNP A0A7S7RG57
D	29	HIS	-	expression tag	UNP A0A7S7RG57
D	30	HIS	-	expression tag	UNP A0A7S7RG57
D	31	HIS	-	expression tag	UNP A0A7S7RG57
D	32	HIS	-	expression tag	UNP A0A7S7RG57
D	33	MET	-	expression tag	UNP A0A7S7RG57
D	34	GLY	-	expression tag	UNP A0A7S7RG57
D	35	THR	-	expression tag	UNP A0A7S7RG57
D	36	LEU	-	expression tag	UNP A0A7S7RG57
D	37	GLU	-	expression tag	UNP A0A7S7RG57
D	38	ALA	-	expression tag	UNP A0A7S7RG57
D	39	GLN	-	expression tag	UNP A0A7S7RG57
D	40	THR	-	expression tag	UNP A0A7S7RG57
D	41	GLN	-	expression tag	UNP A0A7S7RG57
D	42	GLY	-	expression tag	UNP A0A7S7RG57
D	43	PRO	-	expression tag	UNP A0A7S7RG57
D	44	GLY	-	expression tag	UNP A0A7S7RG57
D	45	SER	-	expression tag	UNP A0A7S7RG57
D	547	GLN	-	expression tag	UNP A0A7S7RG57
D	548	ASN	-	expression tag	UNP A0A7S7RG57
D	549	ALA	-	expression tag	UNP A0A7S7RG57
D	550	GLN	-	expression tag	UNP A0A7S7RG57
D	551	HIS	-	expression tag	UNP A0A7S7RG57
D	552	SER	-	expression tag	UNP A0A7S7RG57
D	553	ASN	-	expression tag	UNP A0A7S7RG57
D	554	GLN	-	expression tag	UNP A0A7S7RG57
D	555	HIS	-	expression tag	UNP A0A7S7RG57

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
D	556	SER	-	expression tag	UNP A0A7S7RG57
D	557	GLY	-	expression tag	UNP A0A7S7RG57
D	558	ASN	-	expression tag	UNP A0A7S7RG57
C	25	MET	-	initiating methionine	UNP A0A7S7RG57
C	26	ALA	-	expression tag	UNP A0A7S7RG57
C	27	HIS	-	expression tag	UNP A0A7S7RG57
C	28	HIS	-	expression tag	UNP A0A7S7RG57
C	29	HIS	-	expression tag	UNP A0A7S7RG57
C	30	HIS	-	expression tag	UNP A0A7S7RG57
C	31	HIS	-	expression tag	UNP A0A7S7RG57
C	32	HIS	-	expression tag	UNP A0A7S7RG57
C	33	MET	-	expression tag	UNP A0A7S7RG57
C	34	GLY	-	expression tag	UNP A0A7S7RG57
C	35	THR	-	expression tag	UNP A0A7S7RG57
C	36	LEU	-	expression tag	UNP A0A7S7RG57
C	37	GLU	-	expression tag	UNP A0A7S7RG57
C	38	ALA	-	expression tag	UNP A0A7S7RG57
C	39	GLN	-	expression tag	UNP A0A7S7RG57
C	40	THR	-	expression tag	UNP A0A7S7RG57
C	41	GLN	-	expression tag	UNP A0A7S7RG57
C	42	GLY	-	expression tag	UNP A0A7S7RG57
C	43	PRO	-	expression tag	UNP A0A7S7RG57
C	44	GLY	-	expression tag	UNP A0A7S7RG57
C	45	SER	-	expression tag	UNP A0A7S7RG57
C	547	GLN	-	expression tag	UNP A0A7S7RG57
C	548	ASN	-	expression tag	UNP A0A7S7RG57
C	549	ALA	-	expression tag	UNP A0A7S7RG57
C	550	GLN	-	expression tag	UNP A0A7S7RG57
C	551	HIS	-	expression tag	UNP A0A7S7RG57
C	552	SER	-	expression tag	UNP A0A7S7RG57
C	553	ASN	-	expression tag	UNP A0A7S7RG57
C	554	GLN	-	expression tag	UNP A0A7S7RG57
C	555	HIS	-	expression tag	UNP A0A7S7RG57
C	556	SER	-	expression tag	UNP A0A7S7RG57
C	557	GLY	-	expression tag	UNP A0A7S7RG57
C	558	ASN	-	expression tag	UNP A0A7S7RG57
B	25	MET	-	initiating methionine	UNP A0A7S7RG57
B	26	ALA	-	expression tag	UNP A0A7S7RG57
B	27	HIS	-	expression tag	UNP A0A7S7RG57
B	28	HIS	-	expression tag	UNP A0A7S7RG57
B	29	HIS	-	expression tag	UNP A0A7S7RG57
B	30	HIS	-	expression tag	UNP A0A7S7RG57

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	31	HIS	-	expression tag	UNP A0A7S7RG57
B	32	HIS	-	expression tag	UNP A0A7S7RG57
B	33	MET	-	expression tag	UNP A0A7S7RG57
B	34	GLY	-	expression tag	UNP A0A7S7RG57
B	35	THR	-	expression tag	UNP A0A7S7RG57
B	36	LEU	-	expression tag	UNP A0A7S7RG57
B	37	GLU	-	expression tag	UNP A0A7S7RG57
B	38	ALA	-	expression tag	UNP A0A7S7RG57
B	39	GLN	-	expression tag	UNP A0A7S7RG57
B	40	THR	-	expression tag	UNP A0A7S7RG57
B	41	GLN	-	expression tag	UNP A0A7S7RG57
B	42	GLY	-	expression tag	UNP A0A7S7RG57
B	43	PRO	-	expression tag	UNP A0A7S7RG57
B	44	GLY	-	expression tag	UNP A0A7S7RG57
B	45	SER	-	expression tag	UNP A0A7S7RG57
B	547	GLN	-	expression tag	UNP A0A7S7RG57
B	548	ASN	-	expression tag	UNP A0A7S7RG57
B	549	ALA	-	expression tag	UNP A0A7S7RG57
B	550	GLN	-	expression tag	UNP A0A7S7RG57
B	551	HIS	-	expression tag	UNP A0A7S7RG57
B	552	SER	-	expression tag	UNP A0A7S7RG57
B	553	ASN	-	expression tag	UNP A0A7S7RG57
B	554	GLN	-	expression tag	UNP A0A7S7RG57
B	555	HIS	-	expression tag	UNP A0A7S7RG57
B	556	SER	-	expression tag	UNP A0A7S7RG57
B	557	GLY	-	expression tag	UNP A0A7S7RG57
B	558	ASN	-	expression tag	UNP A0A7S7RG57

- Molecule 2 is 2-azanyl-4-(trifluoromethyl)-6-[[1 {R},3 {S}]-3-(trifluoromethyl)cyclohexyl]methyl]-7 {H}-pyrrolo[3,4-d]pyrimidin-5-one (three-letter code: XLQ) (formula: C<sub>15</sub>H<sub>16</sub>F<sub>6</sub>N<sub>4</sub>O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
2	A	1	Total	C	F	N	O	0	0
			26	15	6	4	1		
2	D	1	Total	C	F	N	O	0	0
			26	15	6	4	1		
2	C	1	Total	C	F	N	O	0	0
			26	15	6	4	1		
2	B	1	Total	C	F	N	O	0	0
			26	15	6	4	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	D	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0


- Molecule 4 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O S 4 2 1 1	0	0
4	D	1	Total C O S 4 2 1 1	0	0
4	C	1	Total C O S 4 2 1 1	0	0
4	B	1	Total C O S 4 2 1 1	0	0


- Molecule 5 is LYSINE (three-letter code: LYS) (formula: C<sub>6</sub>H<sub>15</sub>N<sub>2</sub>O<sub>2</sub>).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	9	6	2	1	0	0
5	D	1	9	6	2	1	0	0
5	C	1	9	6	2	1	0	0
5	B	1	9	6	2	1	0	0

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	147	Total	O	0	0
			147	147		
7	D	169	Total	O	0	0
			169	169		
7	C	183	Total	O	0	0
			183	183		
7	B	136	Total	O	0	0
			136	136		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lysine-tRNA ligase

Chain A: 





- Molecule 1: Lysine-tRNA ligase

Chain D: 




- Molecule 1: Lysine-tRNA ligase


Chain C: 



- Molecule 1: Lysine-tRNA ligase

Chain B: 





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.10Å 118.67Å 142.84Å 90.00° 90.38° 90.00°	Depositor
Resolution (Å)	47.66 – 2.40 47.66 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.4 (47.66-2.40) 96.4 (47.66-2.40)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.85 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.8.0403	Depositor
R, $R_{free}$	0.226 , 0.263 0.233 , 0.269	Depositor DCC
$R_{free}$ test set	4836 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.9	Xtrriage
Anisotropy	0.475	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 34.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.086 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	17014	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, SO4, XLQ, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/4149	0.66	0/5598
1	B	0.39	0/4152	0.63	0/5602
1	C	0.41	0/4149	0.64	0/5598
1	D	0.41	0/4149	0.65	0/5598
All	All	0.40	0/16599	0.65	0/22396

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	198	ARG	Sidechain
1	A	455	ARG	Sidechain
1	B	198	ARG	Sidechain
1	C	198	ARG	Sidechain
1	D	198	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4048	0	3996	12	0
1	B	4051	0	4000	11	0
1	C	4048	0	3996	18	0
1	D	4048	0	3996	12	0
2	A	26	0	0	0	0
2	B	26	0	0	0	0
2	C	26	0	0	0	0
2	D	26	0	0	0	0
3	A	6	0	8	0	0
3	C	6	0	8	2	0
3	D	6	0	8	1	0
4	A	4	0	6	1	0
4	B	4	0	6	0	0
4	C	4	0	6	0	0
4	D	4	0	6	1	0
5	A	9	0	12	0	0
5	B	9	0	12	0	0
5	C	9	0	12	0	0
5	D	9	0	12	0	0
6	C	10	0	0	0	0
7	A	147	0	0	1	0
7	B	136	0	0	2	0
7	C	183	0	0	3	0
7	D	169	0	0	1	0
All	All	17014	0	16084	51	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:196:GLU:HG2	7:C:935:HOH:O	1.96	0.64
1:B:150:ARG:NH2	1:B:185:LEU:O	2.33	0.61
1:A:150:ARG:NH2	1:A:185:LEU:O	2.37	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:150:ARG:NH2	1:D:185:LEU:O	2.38	0.56
1:C:150:ARG:NH2	1:C:185:LEU:O	2.38	0.56
1:C:464:GLU:OE1	3:C:702:GOL:O1	2.25	0.55
1:C:415:ASP:OD1	3:C:702:GOL:H31	2.08	0.53
1:A:227:ARG:HH22	4:A:703:DMS:C1	2.23	0.52
1:A:391:ASP:OD2	1:D:253:ARG:NH2	2.43	0.51
1:C:492:GLY:HA2	7:C:978:HOH:O	2.09	0.51
1:A:311:GLU:OE2	7:A:801:HOH:O	2.18	0.50
1:D:157:THR:HB	1:D:174:SER:OG	2.12	0.49
1:D:297:GLU:O	1:C:259:HIS:HE1	1.96	0.49
1:D:446:HIS:HA	1:D:454:GLU:HG3	1.95	0.49
1:A:157:THR:HB	1:A:174:SER:OG	2.12	0.48
1:D:355:ILE:HD11	1:D:461:LEU:HD11	1.94	0.48
1:A:446:HIS:HA	1:A:454:GLU:HG3	1.94	0.48
1:B:157:THR:HB	1:B:174:SER:OG	2.13	0.48
1:C:446:HIS:HA	1:C:454:GLU:HG3	1.95	0.48
1:C:521:ILE:O	1:C:525:ILE:HG12	2.14	0.47
1:D:290:ILE:O	4:D:703:DMS:C1	2.63	0.46
1:C:157:THR:HB	1:C:174:SER:OG	2.16	0.46
1:D:311:GLU:HA	1:D:517:TRP:O	2.15	0.46
1:B:521:ILE:O	1:B:525:ILE:HG12	2.16	0.46
1:A:311:GLU:HA	1:A:517:TRP:O	2.16	0.46
1:A:521:ILE:O	1:A:525:ILE:HG12	2.15	0.45
1:B:446:HIS:HA	1:B:454:GLU:HG3	1.98	0.45
1:B:126:GLN:O	1:B:169:SER:HA	2.16	0.45
1:C:126:GLN:O	1:C:169:SER:HA	2.16	0.45
1:B:311:GLU:HA	1:B:517:TRP:O	2.16	0.45
1:D:521:ILE:O	1:D:525:ILE:HG12	2.17	0.44
1:C:311:GLU:HA	1:C:517:TRP:O	2.17	0.44
1:C:355:ILE:HD11	1:C:461:LEU:HD11	1.98	0.44
1:A:126:GLN:O	1:A:169:SER:HA	2.17	0.44
1:D:126:GLN:O	1:D:169:SER:HA	2.17	0.44
3:D:702:GOL:H32	7:D:833:HOH:O	2.19	0.43
1:B:388:GLU:HB2	7:B:905:HOH:O	2.17	0.43
1:B:395:GLU:HB3	7:B:875:HOH:O	2.17	0.43
1:C:194:ASP:OD1	1:C:196:GLU:HB2	2.19	0.43
1:A:261:GLU:HG2	1:B:298:GLY:HA2	2.00	0.42
1:B:310:MET:O	1:B:518:GLY:HA2	2.20	0.42
1:C:246:ILE:HG23	1:C:498:PRO:HG2	2.01	0.42
1:C:445:TRP:HB2	7:C:916:HOH:O	2.20	0.41
1:D:310:MET:O	1:D:518:GLY:HA2	2.21	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:ILE:HD11	1:A:461:LEU:HD11	2.01	0.41
1:C:382:ARG:HA	1:C:383:PRO:C	2.41	0.41
1:B:471:GLU:OE2	1:B:516:GLY:HA3	2.21	0.41
1:A:112:LYS:HB3	1:A:131:ILE:HG22	2.02	0.41
1:C:310:MET:O	1:C:518:GLY:HA2	2.22	0.40
1:D:382:ARG:HA	1:D:383:PRO:C	2.42	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	500/534 (94%)	491 (98%)	9 (2%)	0	100	100
1	B	500/534 (94%)	491 (98%)	9 (2%)	0	100	100
1	C	500/534 (94%)	489 (98%)	11 (2%)	0	100	100
1	D	500/534 (94%)	491 (98%)	9 (2%)	0	100	100
All	All	2000/2136 (94%)	1962 (98%)	38 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	443/470 (94%)	436 (98%)	7 (2%)	58	76
1	B	444/470 (94%)	437 (98%)	7 (2%)	58	76
1	C	443/470 (94%)	438 (99%)	5 (1%)	70	84
1	D	443/470 (94%)	436 (98%)	7 (2%)	58	76
All	All	1773/1880 (94%)	1747 (98%)	26 (2%)	60	77

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	SER
1	A	71	LYS
1	A	165	ARG
1	A	196	GLU
1	A	264	THR
1	A	265	GLN
1	A	319	TYR
1	D	45	SER
1	D	71	LYS
1	D	165	ARG
1	D	259	HIS
1	D	264	THR
1	D	265	GLN
1	D	319	TYR
1	C	45	SER
1	C	108	SER
1	C	165	ARG
1	C	264	THR
1	C	319	TYR
1	B	45	SER
1	B	71	LYS
1	B	108	SER
1	B	165	ARG
1	B	264	THR
1	B	265	GLN
1	B	319	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	265	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	406	HIS
1	D	244	ASN
1	D	265	GLN
1	C	259	HIS
1	B	244	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	LYS	D	704	-	7,8,9	0.59	0	3,8,10	0.22	0
4	DMS	B	702	-	3,3,3	0.45	0	3,3,3	0.24	0
3	GOL	C	702	-	5,5,5	0.10	0	5,5,5	0.24	0
2	XLQ	C	701	-	26,28,28	0.69	0	37,44,44	1.13	3 (8%)
4	DMS	A	703	-	3,3,3	0.40	0	3,3,3	0.25	0
2	XLQ	A	701	-	26,28,28	0.69	1 (3%)	37,44,44	1.33	4 (10%)
4	DMS	C	703	-	3,3,3	0.35	0	3,3,3	0.34	0
3	GOL	D	702	-	5,5,5	0.12	0	5,5,5	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	LYS	B	703	-	7,8,9	0.79	0	3,8,10	0.13	0
6	SO4	C	705	-	4,4,4	0.32	0	6,6,6	0.41	0
3	GOL	A	702	-	5,5,5	0.12	0	5,5,5	0.26	0
5	LYS	C	706	-	7,8,9	0.39	0	3,8,10	0.15	0
6	SO4	C	704	-	4,4,4	0.33	0	6,6,6	0.04	0
2	XLQ	B	701	-	26,28,28	0.66	1 (3%)	37,44,44	1.16	2 (5%)
2	XLQ	D	701	-	26,28,28	0.66	0	37,44,44	0.92	2 (5%)
5	LYS	A	704	-	7,8,9	0.63	0	3,8,10	0.10	0
4	DMS	D	703	-	3,3,3	0.34	0	3,3,3	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	LYS	D	704	-	-	0/6/7/9	-
3	GOL	C	702	-	-	1/4/4/4	-
2	XLQ	C	701	-	-	1/16/38/38	0/3/3/3
2	XLQ	A	701	-	-	1/16/38/38	0/3/3/3
3	GOL	D	702	-	-	2/4/4/4	-
5	LYS	B	703	-	-	0/6/7/9	-
3	GOL	A	702	-	-	3/4/4/4	-
5	LYS	C	706	-	-	0/6/7/9	-
2	XLQ	B	701	-	-	5/16/38/38	0/3/3/3
2	XLQ	D	701	-	-	4/16/38/38	0/3/3/3
5	LYS	A	704	-	-	0/6/7/9	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	XLQ	C14-C12	2.65	1.54	1.50
2	A	701	XLQ	C14-C12	2.29	1.53	1.50

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	XLQ	C8-C13-C12	4.52	114.94	110.04
2	A	701	XLQ	C3-C4-N3	-3.89	118.08	124.23
2	C	701	XLQ	C3-C4-N3	-3.71	118.37	124.23
2	A	701	XLQ	C8-C13-C12	3.41	113.73	110.04

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	XLQ	F1-C5-C4	3.01	117.03	112.32
2	C	701	XLQ	C5-C4-N3	2.67	118.45	112.69
2	B	701	XLQ	C3-C4-N3	-2.67	120.02	124.23
2	D	701	XLQ	C1-N2-C2	2.41	118.25	116.24
2	D	701	XLQ	C8-C13-C12	2.38	112.62	110.04
2	A	701	XLQ	C5-C4-N3	2.30	117.65	112.69
2	C	701	XLQ	C1-N3-C4	2.30	118.45	116.19

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	701	XLQ	C11-C12-C14-F5
2	D	701	XLQ	C11-C12-C14-F6
2	C	701	XLQ	C8-C7-N4-C6
2	B	701	XLQ	C8-C7-N4-C6
3	D	702	GOL	C1-C2-C3-O3
3	D	702	GOL	O2-C2-C3-O3
3	A	702	GOL	C1-C2-C3-O3
3	C	702	GOL	C1-C2-C3-O3
2	D	701	XLQ	C11-C12-C14-F4
2	B	701	XLQ	C13-C12-C14-F4
3	A	702	GOL	O1-C1-C2-O2
3	A	702	GOL	O2-C2-C3-O3
2	B	701	XLQ	C13-C12-C14-F5
2	B	701	XLQ	C13-C12-C14-F6
2	D	701	XLQ	C13-C12-C14-F6
2	A	701	XLQ	C8-C7-N4-C6
2	B	701	XLQ	C8-C7-N4-C15


There are no ring outliers.



4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	702	GOL	2	0
4	A	703	DMS	1	0
3	D	702	GOL	1	0
4	D	703	DMS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight  $> 250$  and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	501/534 (93%)	0.19	12 (2%) 59 56	18, 32, 56, 84	1 (0%)
1	B	501/534 (93%)	0.40	19 (3%) 44 42	24, 38, 60, 85	1 (0%)
1	C	501/534 (93%)	0.08	10 (1%) 64 61	17, 31, 54, 87	1 (0%)
1	D	501/534 (93%)	0.14	9 (1%) 67 63	19, 32, 59, 79	1 (0%)
All	All	2004/2136 (93%)	0.20	50 (2%) 58 55	17, 33, 59, 87	4 (0%)

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	545	ASN	4.7
1	B	112	LYS	4.6
1	C	352	GLY	3.6
1	D	45	SER	3.3
1	A	545	ASN	3.3
1	A	45	SER	3.2
1	B	91	ILE	3.2
1	B	45	SER	3.2
1	B	190	SER	3.1
1	B	46	HIS	3.1
1	B	545	ASN	3.0
1	D	545	ASN	3.0
1	D	53	LYS	2.9
1	C	190	SER	2.9
1	B	107	ARG	2.8
1	C	191	GLY	2.8
1	A	165	ARG	2.8
1	C	544	ARG	2.7
1	B	165	ARG	2.7
1	C	46	HIS	2.7
1	C	165	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	398	GLU	2.6
1	B	196	GLU	2.6
1	C	53	LYS	2.5
1	D	165	ARG	2.4
1	C	45	SER	2.4
1	B	544	ARG	2.4
1	A	46	HIS	2.4
1	B	115	PHE	2.3
1	B	71	LYS	2.3
1	D	46	HIS	2.3
1	A	544	ARG	2.3
1	A	351	GLU	2.2
1	B	245	MET	2.2
1	A	136	ILE	2.2
1	B	136	ILE	2.2
1	D	71	LYS	2.2
1	B	164	LYS	2.2
1	B	109	SER	2.1
1	A	132	MET	2.1
1	A	195	GLN	2.1
1	D	166	GLY	2.1
1	D	112	LYS	2.0
1	B	395	GLU	2.0
1	A	111	SER	2.0
1	B	142	SER	2.0
1	B	113	LEU	2.0
1	D	191	GLY	2.0
1	A	53	LYS	2.0
1	C	395	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	DMS	B	702	4/4	0.76	0.22	45,55,58,61	0
4	DMS	C	703	4/4	0.78	0.23	48,62,67,67	0
4	DMS	A	703	4/4	0.79	0.25	56,59,61,63	0
3	GOL	C	702	6/6	0.80	0.14	40,44,46,46	0
6	SO4	C	704	5/5	0.83	0.12	79,85,86,88	0
3	GOL	D	702	6/6	0.84	0.13	36,38,42,44	0
6	SO4	C	705	5/5	0.84	0.14	39,51,64,65	0
5	LYS	D	704	9/10	0.85	0.12	19,20,22,24	0
5	LYS	B	703	9/10	0.85	0.11	26,26,28,30	0
4	DMS	D	703	4/4	0.86	0.21	54,57,65,66	0
5	LYS	A	704	9/10	0.86	0.12	23,26,28,28	0
5	LYS	C	706	9/10	0.87	0.14	27,28,30,32	0
3	GOL	A	702	6/6	0.88	0.10	30,39,40,43	0
2	XLQ	B	701	26/26	0.92	0.09	22,28,33,42	0
2	XLQ	C	701	26/26	0.94	0.08	24,29,33,37	0
2	XLQ	A	701	26/26	0.94	0.07	18,20,27,31	0
2	XLQ	D	701	26/26	0.94	0.08	20,27,32,38	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around XLQ B 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around XLQ C 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around XLQ A 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around XLQ D 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.