



wwPDB EM Validation Summary Report i

Sep 20, 2025 – 07:48 am BST

PDB ID : 8RIF / pdb_00008rif
EMDB ID : EMD-19186
Title : Cryo-EM structure of the MCM double hexamer loaded onto dsDNA.
Authors : Miller, T.C.R.; Lim, C.T.; Diffley, J.F.X.; Costa, A.
Deposited on : 2023-12-18
Resolution : 2.79 Å(reported)
Based on initial model : 7P30

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev129
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	10811 (2.29 - 3.29)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.



Continued on next page...

Continued from previous page...



2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 64125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA replication licensing factor MCM2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	624	Total	C	N	O	S	0	0
			4938	3114	878	927	19		

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	624	Total	C	N	O	S	0	0
			4938	3114	878	927	19		

- Molecule 2 is a protein called DNA replication licensing factor MCM3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	3	614	Total	C	N	O	S	0	0
			4811	3037	858	903	13		

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	614	Total	C	N	O	S	0	0
			4811	3037	858	903	13		

There are 70 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
3	-34	MET	-	initiating methionine	UNP P24279
3	-33	LYS	-	expression tag	UNP P24279
3	-32	ARG	-	expression tag	UNP P24279
3	-31	ARG	-	expression tag	UNP P24279
3	-30	TRP	-	expression tag	UNP P24279
3	-29	LYS	-	expression tag	UNP P24279
3	-28	LYS	-	expression tag	UNP P24279
3	-27	ASN	-	expression tag	UNP P24279
3	-26	PHE	-	expression tag	UNP P24279
3	-25	ILE	-	expression tag	UNP P24279
3	-24	ALA	-	expression tag	UNP P24279
3	-23	VAL	-	expression tag	UNP P24279
3	-22	SER	-	expression tag	UNP P24279
3	-21	ALA	-	expression tag	UNP P24279
3	-20	ALA	-	expression tag	UNP P24279
3	-19	ASN	-	expression tag	UNP P24279
3	-18	ARG	-	expression tag	UNP P24279

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
3	-17	PHE	-	expression tag	UNP P24279
3	-16	LYS	-	expression tag	UNP P24279
3	-15	LYS	-	expression tag	UNP P24279
3	-14	ILE	-	expression tag	UNP P24279
3	-13	SER	-	expression tag	UNP P24279
3	-12	SER	-	expression tag	UNP P24279
3	-11	SER	-	expression tag	UNP P24279
3	-10	GLY	-	expression tag	UNP P24279
3	-9	ALA	-	expression tag	UNP P24279
3	-8	LEU	-	expression tag	UNP P24279
3	-7	GLU	-	expression tag	UNP P24279
3	-6	ASN	-	expression tag	UNP P24279
3	-5	LEU	-	expression tag	UNP P24279
3	-4	TYR	-	expression tag	UNP P24279
3	-3	PHE	-	expression tag	UNP P24279
3	-2	GLN	-	expression tag	UNP P24279
3	-1	GLY	-	expression tag	UNP P24279
3	0	GLU	-	expression tag	UNP P24279
B	-34	MET	-	initiating methionine	UNP P24279
B	-33	LYS	-	expression tag	UNP P24279
B	-32	ARG	-	expression tag	UNP P24279
B	-31	ARG	-	expression tag	UNP P24279
B	-30	TRP	-	expression tag	UNP P24279
B	-29	LYS	-	expression tag	UNP P24279
B	-28	LYS	-	expression tag	UNP P24279
B	-27	ASN	-	expression tag	UNP P24279
B	-26	PHE	-	expression tag	UNP P24279
B	-25	ILE	-	expression tag	UNP P24279
B	-24	ALA	-	expression tag	UNP P24279
B	-23	VAL	-	expression tag	UNP P24279
B	-22	SER	-	expression tag	UNP P24279
B	-21	ALA	-	expression tag	UNP P24279
B	-20	ALA	-	expression tag	UNP P24279
B	-19	ASN	-	expression tag	UNP P24279
B	-18	ARG	-	expression tag	UNP P24279
B	-17	PHE	-	expression tag	UNP P24279
B	-16	LYS	-	expression tag	UNP P24279
B	-15	LYS	-	expression tag	UNP P24279
B	-14	ILE	-	expression tag	UNP P24279
B	-13	SER	-	expression tag	UNP P24279
B	-12	SER	-	expression tag	UNP P24279
B	-11	SER	-	expression tag	UNP P24279

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-10	GLY	-	expression tag	UNP P24279
B	-9	ALA	-	expression tag	UNP P24279
B	-8	LEU	-	expression tag	UNP P24279
B	-7	GLU	-	expression tag	UNP P24279
B	-6	ASN	-	expression tag	UNP P24279
B	-5	LEU	-	expression tag	UNP P24279
B	-4	TYR	-	expression tag	UNP P24279
B	-3	PHE	-	expression tag	UNP P24279
B	-2	GLN	-	expression tag	UNP P24279
B	-1	GLY	-	expression tag	UNP P24279
B	0	GLU	-	expression tag	UNP P24279

- Molecule 3 is a protein called DNA replication licensing factor MCM4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	4	645	Total	C	N	O	S		
			5120	3211	886	993	30	0	0

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	645	Total	C	N	O	S		
			5120	3211	886	993	30	0	0

- Molecule 4 is a protein called Minichromosome maintenance protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	5	656	Total	C	N	O	S		
			5136	3219	878	1014	25	0	0

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	656	Total	C	N	O	S		
			5136	3219	878	1014	25	0	0

- Molecule 5 is a protein called DNA replication licensing factor MCM6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	6	615	Total	C	N	O	S		
			4874	3077	851	921	25	0	0

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	615	Total	C	N	O	S		
			4874	3077	851	921	25	0	0

- Molecule 6 is a protein called DNA replication licensing factor MCM7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	7	755	Total	C	N	O	S		
			5976	3771	1031	1142	32	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	755	Total	C	N	O	S	0	0
			5976	3771	1031	1142	32		


- Molecule 7 is a DNA chain called DNA (53-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
7	X	53	Total	C	N	O	P	0	0
			1086	515	199	319	53		

- Molecule 8 is a DNA chain called DNA (53-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
8	Y	53	Total	C	N	O	P	0	0
			1087	515	202	317	53		

- Molecule 9 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
9	2	1	Total	C	N	O	P	0
			31	10	5	13	3	

Mol	Chain	Residues	Atoms					AltConf
9	A	1	Total	C	N	O	P	0
			31	10	5	13	3	


- Molecule 10 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
10	2	1	Total	Mg	
			1	1	0
10	3	1	Total	Mg	
			1	1	0
10	5	1	Total	Mg	
			1	1	0
10	7	1	Total	Mg	
			1	1	0
10	A	1	Total	Mg	
			1	1	0
10	B	1	Total	Mg	
			1	1	0
10	D	1	Total	Mg	
			1	1	0
10	F	1	Total	Mg	
			1	1	0

- Molecule 11 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
11	2	1	Total	Zn	
			1	1	0
11	4	1	Total	Zn	
			1	1	0
11	5	1	Total	Zn	
			1	1	0
11	6	1	Total	Zn	
			1	1	0
11	7	1	Total	Zn	
			1	1	0
11	A	1	Total	Zn	
			1	1	0
11	C	1	Total	Zn	
			1	1	0
11	D	1	Total	Zn	
			1	1	0
11	E	1	Total	Zn	
			1	1	0
11	F	1	Total	Zn	
			1	1	0

- Molecule 12 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
12	3	1	27	10	5	10	2	0
12	5	1	27	10	5	10	2	0
12	7	1	27	10	5	10	2	0
12	B	1	27	10	5	10	2	0
12	D	1	27	10	5	10	2	0
12	F	1	27	10	5	10	2	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA replication licensing factor MCM2



- Molecule 1: DNA replication licensing factor MCM2






- Molecule 2: DNA replication licensing factor MCM3



- Molecule 2: DNA replication licensing factor MCM3






- Molecule 3: DNA replication licensing factor MCM4



Chain 4: 66% • 31%

A horizontal progress bar for 'Chain 4'. The bar is divided into three segments: a small red segment on the left, a long green segment in the middle, and a grey segment on the right. A yellow dot is positioned on the green segment at the 31% mark, indicating the current progress.







- Molecule 3: DNA replication licensing factor MCM4




- Molecule 4: Minichromosome maintenance protein 5







- Molecule 4: Minichromosome maintenance protein 5



- Molecule 5: DNA replication licensing factor MCM6










- Molecule 5: DNA replication licensing factor MCM6

Chain E: 58% • 40%



A horizontal progress bar for 'Chain E'. The bar is divided into three segments: a red segment on the left, a long green segment in the middle, and a grey segment on the right. The green segment is labeled '58%' below it. A small black dot is positioned to the right of the green segment, and the text '• 40%' is to its right, indicating the total length of the bar.




- Molecule 6: DNA replication licensing factor MCM7



Chain 7: 11% 83% 6% 11%

A horizontal progress bar for Chain 7. The bar is divided into four segments: a red segment at the beginning labeled '11%', a long green segment labeled '83%', a yellow segment labeled '6%', and a grey segment at the end labeled '11%'. The segments are separated by thin white lines.







- Molecule 6: DNA replication licensing factor MCM7



- Molecule 7: DNA (53-MER)



- Molecule 8: DNA (53-MER)



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	135143	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51.2	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	4500	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.080	Depositor
Minimum map value	-0.039	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	453.6, 453.6, 453.6	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP, ZN, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	2	0.48	1/5025 (0.0%)	0.70	6/6790 (0.1%)
1	A	0.48	1/5025 (0.0%)	0.70	5/6790 (0.1%)
2	3	0.33	2/4894 (0.0%)	0.51	2/6635 (0.0%)
2	B	0.33	2/4894 (0.0%)	0.51	2/6635 (0.0%)
3	4	0.44	1/5192 (0.0%)	0.66	3/7016 (0.0%)
3	C	0.44	1/5192 (0.0%)	0.66	3/7016 (0.0%)
4	5	0.46	3/5210 (0.1%)	0.69	9/7046 (0.1%)
4	D	0.46	3/5210 (0.1%)	0.69	9/7046 (0.1%)
5	6	0.35	0/4952	0.55	2/6679 (0.0%)
5	E	0.35	0/4952	0.55	2/6679 (0.0%)
6	7	0.42	1/6068 (0.0%)	0.68	11/8199 (0.1%)
6	F	0.42	1/6068 (0.0%)	0.68	11/8199 (0.1%)
7	X	0.28	0/1217	0.52	0/1876
8	Y	0.28	0/1219	0.55	0/1879
All	All	0.41	16/65118 (0.0%)	0.63	65/88485 (0.1%)

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	5	584	GLN	C-O	-7.04	1.14	1.24
4	D	584	GLN	C-O	-7.04	1.14	1.24
4	D	658	ARG	C-O	-6.08	1.16	1.24
4	5	658	ARG	C-O	-6.02	1.16	1.24
2	3	251	ILE	C-O	-5.68	1.18	1.24

The worst 5 of 65 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	7	753	GLN	N-CA-C	-7.16	101.08	110.53
6	F	753	GLN	N-CA-C	-7.15	101.09	110.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	4	256	ASP	CA-CB-CG	7.08	119.68	112.60
3	C	256	ASP	CA-CB-CG	7.08	119.68	112.60
4	5	584	GLN	N-CA-C	-6.93	103.85	112.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	4938	0	4997	27	0
1	A	4938	0	4997	27	0
2	3	4811	0	4893	26	0
2	B	4811	0	4893	26	0
3	4	5120	0	5187	15	0
3	C	5120	0	5187	17	0
4	5	5136	0	5177	27	0
4	D	5136	0	5177	29	0
5	6	4874	0	4918	14	0
5	E	4874	0	4918	14	0
6	7	5976	0	6057	19	0
6	F	5976	0	6057	21	0
7	X	1086	0	596	1	0
8	Y	1087	0	595	1	0
9	2	31	0	12	0	0
9	A	31	0	12	0	0
10	2	1	0	0	0	0
10	3	1	0	0	0	0
10	5	1	0	0	0	0
10	7	1	0	0	0	0
10	A	1	0	0	0	0
10	B	1	0	0	0	0
10	D	1	0	0	0	0
10	F	1	0	0	0	0
11	2	1	0	0	0	0
11	4	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	5	1	0	0	0	0
11	6	1	0	0	0	0
11	7	1	0	0	0	0
11	A	1	0	0	0	0
11	C	1	0	0	0	0
11	D	1	0	0	0	0
11	E	1	0	0	0	0
11	F	1	0	0	0	0
12	3	27	0	12	0	0
12	5	27	0	12	0	0
12	7	27	0	12	0	0
12	B	27	0	12	0	0
12	D	27	0	12	0	0
12	F	27	0	12	0	0
All	All	64125	0	63745	247	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 247 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:501:MET:O	1:2:502:ALA:C	2.41	0.63
1:A:501:MET:O	1:A:502:ALA:C	2.41	0.62
3:C:729:LEU:O	3:C:730:GLU:C	2.50	0.55
3:4:729:LEU:O	3:4:730:GLU:C	2.50	0.53
5:6:165:ALA:O	5:6:166:LEU:C	2.55	0.49

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	2	618/868 (71%)	583 (94%)	32 (5%)	3 (0%)	25 56
1	A	618/868 (71%)	583 (94%)	32 (5%)	3 (0%)	25 56
2	3	604/1006 (60%)	582 (96%)	22 (4%)	0	100 100
2	B	604/1006 (60%)	582 (96%)	22 (4%)	0	100 100
3	4	637/933 (68%)	604 (95%)	33 (5%)	0	100 100
3	C	637/933 (68%)	604 (95%)	33 (5%)	0	100 100
4	5	648/775 (84%)	603 (93%)	43 (7%)	2 (0%)	37 67
4	D	648/775 (84%)	603 (93%)	43 (7%)	2 (0%)	37 67
5	6	603/1017 (59%)	570 (94%)	33 (6%)	0	100 100
5	E	603/1017 (59%)	570 (94%)	33 (6%)	0	100 100
6	7	747/845 (88%)	718 (96%)	28 (4%)	1 (0%)	48 77
6	F	747/845 (88%)	718 (96%)	28 (4%)	1 (0%)	48 77
All	All	7714/10888 (71%)	7320 (95%)	382 (5%)	12 (0%)	45 73

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	2	435	ASP
6	7	755	THR
1	A	435	ASP
6	F	755	THR
1	2	412	ALA

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	2	548/770 (71%)	541 (99%)	7 (1%)	65 88
1	A	548/770 (71%)	542 (99%)	6 (1%)	70 90
2	3	530/864 (61%)	525 (99%)	5 (1%)	75 92
2	B	530/864 (61%)	525 (99%)	5 (1%)	75 92

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	4	584/848 (69%)	580 (99%)	4 (1%)	81	94
3	C	584/848 (69%)	579 (99%)	5 (1%)	75	92
4	5	589/688 (86%)	582 (99%)	7 (1%)	67	89
4	D	589/688 (86%)	582 (99%)	7 (1%)	67	89
5	6	538/886 (61%)	537 (100%)	1 (0%)	92	97
5	E	538/886 (61%)	537 (100%)	1 (0%)	92	97
6	7	671/753 (89%)	665 (99%)	6 (1%)	75	92
6	F	671/753 (89%)	665 (99%)	6 (1%)	75	92
All	All	6920/9618 (72%)	6860 (99%)	60 (1%)	74	92

5 of 60 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	7	702	LEU
6	F	191	LEU
1	A	526	ASN
6	F	100	ASP
6	F	755	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 85 such sidechains are listed below:

Mol	Chain	Res	Type
3	C	549	ASN
5	E	139	GLN
3	C	685	ASN
4	D	539	ASN
5	E	524	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 26 ligands modelled in this entry, 18 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
12	ADP	F	1000	10	24,29,29	0.78	0	29,45,45	0.87	1 (3%)
9	ATP	2	1000	10	26,33,33	0.80	0	31,52,52	0.89	1 (3%)
9	ATP	A	1000	10	26,33,33	0.80	0	31,52,52	0.89	1 (3%)
12	ADP	3	1000	10	24,29,29	0.77	0	29,45,45	0.91	1 (3%)
12	ADP	D	1000	10	24,29,29	1.04	2 (8%)	29,45,45	0.84	1 (3%)
12	ADP	7	1000	10	24,29,29	0.78	0	29,45,45	0.87	1 (3%)
12	ADP	5	1000	10	24,29,29	1.04	2 (8%)	29,45,45	0.84	1 (3%)
12	ADP	B	1000	10	24,29,29	0.77	0	29,45,45	0.91	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	ADP	F	1000	10	-	3/12/32/32	0/3/3/3
9	ATP	2	1000	10	-	5/18/38/38	0/3/3/3
9	ATP	A	1000	10	-	5/18/38/38	0/3/3/3
12	ADP	3	1000	10	-	2/12/32/32	0/3/3/3
12	ADP	D	1000	10	-	3/12/32/32	0/3/3/3
12	ADP	7	1000	10	-	3/12/32/32	0/3/3/3
12	ADP	5	1000	10	-	3/12/32/32	0/3/3/3
12	ADP	B	1000	10	-	2/12/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	D	1000	ADP	PB-O2B	-3.15	1.42	1.54
12	5	1000	ADP	PB-O2B	-3.15	1.42	1.54
12	5	1000	ADP	C8-N7	-2.08	1.31	1.34
12	D	1000	ADP	C8-N7	-2.08	1.31	1.34

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	2	1000	ATP	C5-C6-N6	2.85	124.68	120.35
9	A	1000	ATP	C5-C6-N6	2.85	124.68	120.35
12	3	1000	ADP	C5-C6-N6	2.69	124.44	120.35
12	B	1000	ADP	C5-C6-N6	2.69	124.44	120.35
12	7	1000	ADP	C5-C6-N6	2.63	124.35	120.35

There are no chirality outliers.


5 of 26 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
9	2	1000	ATP	PB-O3B-PG-O3G
9	A	1000	ATP	PB-O3B-PG-O3G
12	7	1000	ADP	C5'-O5'-PA-O1A
12	F	1000	ADP	C5'-O5'-PA-O1A
12	7	1000	ADP	C5'-O5'-PA-O3A


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-19186. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [\(i\)](#)


6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)


6.3.1 Primary map



X Index: 187




Y Index: 222




Z Index: 185


6.3.2 Raw map



X Index: 187



Y Index: 198




Z Index: 185


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [\(i\)](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [\(i\)](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_19186_msk_1.map [\(i\)](#)



X



Y




Z

7 Map analysis (i)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate (i)



The volume at the recommended contour level is 363 nm³; this corresponds to an approximate mass of 328 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.358 \AA^{-1}

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.358 Å⁻¹

8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.79	-	-
Author-provided FSC curve	2.79	3.21	2.83
Unmasked-calculated*	3.36	4.00	3.41

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.36 differs from the reported value 2.79 by more than 10 %

9 Map-model fit [\(i\)](#)


This section contains information regarding the fit between EMDB map EMD-19186 and PDB model 8RIF. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [\(i\)](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 87% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7420	0.5160
2	0.7140	0.4990
3	0.8070	0.5360
4	0.7480	0.5180
5	0.7480	0.5060
6	0.7400	0.5220
7	0.7200	0.5210
A	0.7120	0.5000
B	0.8070	0.5380
C	0.7450	0.5170
D	0.7450	0.5080
E	0.7380	0.5230
F	0.7180	0.5210
X	0.6960	0.4630
Y	0.6960	0.4670

