

Full wwPDB X-ray Structure Validation Report (i)

Jun 29, 2025 – 09:14 am BST

PDB ID	:	$9\mathrm{RM}2~/~\mathrm{pdb}_00009\mathrm{rm}2$
Title	:	BKPyV VP1 IN COMPLEX WITH 319C07-FAB
Authors	:	Schmitt, S.; Hillenbrand, M.
Deposited on	:	2025-06-17
Resolution	:	1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.44

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R _{free}	164625	3187 (1.96-1.96)
Clashscore	180529	3412 (1.96-1.96)
Ramachandran outliers	177936	3390 (1.96-1.96)
Sidechain outliers	177891	3390 (1.96-1.96)
RSRZ outliers	164620	3186 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	223	96%	•••
1	D	223	98%	•
1	G	223	<u>6%</u> 96%	•
1	Н	223	96%	
1	М	223	4% 98%	•



Contro	nucu jion	i precious	page	
Mol	Chain	Length	Quality of chain	
2	В	215	2% 1 00%	
			19%	
2	Е	215	96%	
2	J	215	.% 99%	
			21%	
2	L	215	96%	• •
2	Ν	215	% 	
3	С	300	<mark>6%</mark> 85%	• 11%
3	F	300	85%	• 11%
3	K	300	3% 85%	5% 9%
3	О	300	3% 87%	• 9%
3	Р	300	85%	6% 9%



2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 29832 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					AltConf	Trace
1	п	215	Total	С	Ν	0	\mathbf{S}	54	0	0
1	11	210	1656	1059	279	314	4	54	0	0
1	Λ	218	Total	С	Ν	0	S	21	1	0
1	A	210	1685	1076	286	319	4	51	T	0
1	Л) 223	Total	С	Ν	0	S	46	1	0
1	D		1713	1093	289	327	4	40	L	0
1	С	222	Total	С	Ν	0	S	26	2	0
I G		1719	1096	292	327	4	20	3	0	
1	1 M	000	Total	С	Ν	0	S	17	9	0
	222	1709	1090	288	327	4	11			

• Molecule 1 is a protein called 319C07 antibody heavy chain, Fab fragment.

• Molecule 2 is a protein called 319C07 antibody light chain, Fab fragment.

Mol	Chain	Residues		Atoms					AltConf	Trace
2	т	212	Total	С	Ν	Ο	\mathbf{S}	40	3	0
	L	212	1638	1027	276	331	4	49	5	0
2	В	215	Total	С	Ν	Ο	S	30	1	0
	D	210	1641	1028	275	333	5	30	L	0
2	F	212	Total	С	Ν	Ο	S	64	0	0
	Ľ		1619	1016	272	327	4	04	0	0
2	т	214	Total	С	Ν	Ο	S	22	0	0
2 J	214	1632	1023	274	331	4		0	0	
2	2 N	214	Total	С	Ν	0	S	16	0	0
			1632	1023	274	331	4		U	0

• Molecule 3 is a protein called Major capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	Р	974	Total	С	Ν	0	\mathbf{S}	91	8	0
0	1	214	2170	1364	375	418	13	21	0	0
2	3 C	268	Total	С	Ν	0	S	16	Б	0
5		208	2115	1327	374	402	12	10	5	0



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3 F	Б	267	Total	С	Ν	0	S	01	4	0
	207	2094	1316	364	402	12	21	4		
2	9 V	273	Total	С	Ν	0	\mathbf{S}	12	2	0
5	Γ		2127	1336	369	410	12			
2	2 0	972	Total	С	Ν	0	S	17	2	0
3 0	213	2135	1341	372	410	12	11	0		

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Р	80	SER	CYS	engineered mutation	UNP P03088
Р	133	ASP	GLU	variant	UNP P03088
Р	146	THR	SER	variant	UNP P03088
Р	194	THR	ALA	variant	UNP P03088
С	80	SER	CYS	engineered mutation	UNP P03088
С	133	ASP	GLU	variant	UNP P03088
С	146	THR	SER	variant	UNP P03088
С	194	THR	ALA	variant	UNP P03088
F	80	SER	CYS	engineered mutation	UNP P03088
F	133	ASP	GLU	variant	UNP P03088
F	146	THR	SER	variant	UNP P03088
F	194	THR	ALA	variant	UNP P03088
K	80	SER	CYS	engineered mutation	UNP P03088
K	133	ASP	GLU	variant	UNP P03088
K	146	THR	SER	variant	UNP P03088
K	194	THR	ALA	variant	UNP P03088
0	80	SER	CYS	engineered mutation	UNP P03088
0	133	ASP	GLU	variant	UNP P03088
0	146	THR	SER	variant	UNP P03088
0	194	THR	ALA	variant	UNP P03088

• Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	Н	1	Total Cl 1 1	0	0
4	Р	1	Total Cl 1 1	0	0
4	А	1	Total Cl 1 1	0	0
4	С	1	Total Cl 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	Е	1	Total Cl 1 1	0	0
4	F	1	Total Cl 1 1	0	0
4	K	1	Total Cl 1 1	0	0
4	М	1	Total Cl 1 1	0	0
4	О	1	Total Cl 1 1	0	0

• Molecule 5 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	Н	1	Total C O 10 6 4	0	0
5	Н	1	Total C O 10 6 4	0	0
5	Р	1	Total C O 10 6 4	0	0
5	В	1	Total C O 10 6 4	0	0
5	В	1	Total C O 10 6 4	0	0
5	В	1	Total C O 10 6 4	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	С	1	Total C O 10 6 4	0	0
5	Е	1	Total C O 10 6 4	0	0
5	М	1	Total C O 10 6 4	0	0

• Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	Н	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	Н	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	Р	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0



6

М

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	D	1	$\begin{array}{c c} \hline Total & C & O \\ \hline 4 & 2 & 2 \end{array}$	0	0
6	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	J	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	J	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	K	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	K	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	K	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	К	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	K	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	М	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	М	1	$\begin{array}{c cc} Total & C & O \\ \hline 4 & 2 & 2 \end{array}$	0	0
6	М	1	Total C O	0	0

Continued from previous page...

• Molecule 7 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).

0

0

2

С

2

4

Total

4

1

2

0

2





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	L	1	Total C O 13 8 5	0	0
7	Р	1	Total C O 13 8 5	0	0
7	В	1	Total C O 13 8 5	0	0
7	М	1	Total C O 13 8 5	0	0
7	Ν	1	Total C O 13 8 5	0	0
7	Ν	1	Total C O 13 8 5	0	0

• Molecule 8 is 1-METHOXY-2-[2-(2-METHOXY-ETHOXY]-ETHANE (CCD ID: PG5) (formula: $C_8H_{18}O_4$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
0	т	1	Total C O	0	0
0		1	12 8 4	0	0
0	т	1	Total C O	0	0
0	J	L	12 8 4	0	

• Molecule 9 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 7 & 4 & 3 \end{array}$	0	0
9	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	Е	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
9	F	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
9	K	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
9	K	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
9	Ν	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
9	О	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 7 & 4 & 3 \end{array}$	0	0
9	О	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 7 & 4 & 3 \end{array}$	0	0

• Molecule 10 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
10	G	1	Total 16	C 10	O 6	0	0

• Molecule 11 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula: $C_{12}H_{26}O_7$).





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
11	J	1	Total 19	C 12	0 7	0	0

• Molecule 12 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	Н	89	Total O 89 89	0	0
12	L	80	Total O 80 80	0	0
12	Р	198	Total O 198 198	0	0
12	А	108	Total O 108 108	0	0
12	В	153	Total O 153 153	0	0
12	С	173	Total O 173 173	0	0
12	D	76	Total O 76 76	0	0
12	Е	96	Total O 96 96	0	0
12	F	173	Total O 173 173	0	0
12	G	153	Total O 153 153	0	0
12	J	143	Total O 143 143	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	Κ	222	Total O 222 222	0	0
12	М	124	Total O 124 124	0	0
12	Ν	162	Total O 162 162	0	0
12	О	206	Total O 206 206	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 319C07 antibody heavy chain, Fab fragment



• Molecule 2: 319C07 antibody light chain, Fab fragment









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	109.35Å 172.08Å 113.14Å	Deperitor
a, b, c, α , β , γ	90.00° 97.64° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	91.87 - 1.96	Depositor
Resolution (A)	91.87 - 1.96	EDS
% Data completeness	92.5 (91.87-1.96)	Depositor
(in resolution range)	92.6 (91.87-1.96)	EDS
R _{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$< I/\sigma(I) > 1$	$1.60 (at 1.95 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
P. P.	0.187 , 0.218	Depositor
n, n_{free}	0.193 , 0.223	DCC
R_{free} test set	14637 reflections (4.98%)	wwPDB-VP
Wilson B-factor $(Å^2)$	33.3	Xtriage
Anisotropy	0.248	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.34 , 42.1	EDS
L-test for $twinning^2$	$< L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.009 for l,-k,h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	29832	wwPDB-VP
Average B, all atoms $(Å^2)$	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.63% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PG5, PEG, P6G, PGE, EDO, 1PE, PG4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles		
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	1.00	0/1736	1.27	0/2369	
1	D	1.03	0/1765	1.25	1/2410~(0.0%)	
1	G	1.01	0/1777	1.25	0/2425	
1	Н	1.01	0/1704	1.26	1/2328~(0.0%)	
1	М	1.00	0/1764	1.25	1/2408~(0.0%)	
2	В	1.01	0/1680	1.27	0/2285	
2	Ε	1.03	0/1655	1.28	3/2251~(0.1%)	
2	J	1.01	0/1668	1.28	1/2268~(0.0%)	
2	L	1.04	0/1680	1.27	0/2284	
2	Ν	1.01	0/1668	1.27	0/2268	
3	С	0.99	0/2166	1.23	0/2936	
3	F	0.98	0/2145	1.23	1/2910~(0.0%)	
3	Κ	0.97	0/2181	1.24	1/2963~(0.0%)	
3	0	0.98	0/2192	1.23	0/2977	
3	Р	1.00	0/2236	1.24	0/3036	
All	All	1.00	0/28017	1.25	9/38118~(0.0%)	

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	Κ	35	ASP	CA-CB-CG	7.48	120.08	112.60
3	F	35	ASP	CA-CB-CG	6.76	119.36	112.60
1	М	27	GLY	CA-C-O	-5.88	118.17	122.23
2	J	106	ASP	CA-CB-CG	5.78	118.38	112.60
1	D	27	GLY	CA-C-O	-5.50	118.44	122.23
2	Ε	102	GLY	CA-C-O	-5.18	118.66	122.23
2	Ε	202	LEU	CA-C-N	5.14	127.12	120.44
2	Е	202	LEU	C-N-CA	5.14	127.12	120.44
1	Н	27	GLY	CA-C-O	-5.00	118.78	122.23



There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1685	0	1651	2	0
1	D	1713	0	1681	2	0
1	G	1719	0	1691	2	0
1	Н	1656	0	1615	0	0
1	М	1709	0	1677	2	0
2	В	1641	0	1601	0	0
2	Е	1619	0	1582	1	0
2	J	1632	0	1591	0	0
2	L	1638	0	1603	3	0
2	Ν	1632	0	1591	2	0
3	С	2115	0	2088	12	0
3	F	2094	0	2060	6	0
3	Κ	2127	0	2088	8	0
3	0	2135	0	2101	7	0
3	Р	2170	0	2139	13	0
4	А	1	0	0	0	0
4	С	1	0	0	0	0
4	Ε	1	0	0	0	0
4	F	1	0	0	0	0
4	Н	1	0	0	0	0
4	Κ	1	0	0	0	0
4	М	1	0	0	0	0
4	Ο	1	0	0	0	0
4	Р	1	0	0	0	0
5	В	30	0	42	0	0
5	C	10	0	14	0	0
5	Е	10	0	14	0	0
5	Н	20	0	28	0	0
5	М	10	0	14	0	0
5	Р	10	0	14	0	0
6	В	8	0	12	0	0
6	С	8	0	12	0	0
6	D	12	0	18	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	F	4	0	6	0	0
6	G	4	0	6	0	0
6	Н	8	0	12	0	0
6	J	8	0	12	0	0
6	K	20	0	30	0	0
6	М	16	0	24	0	0
6	Р	4	0	6	0	0
7	В	13	0	18	0	0
7	L	13	0	18	0	0
7	М	13	0	18	0	0
7	N	26	0	36	0	0
7	Р	13	0	18	0	0
8	J	12	0	18	0	0
8	L	12	0	18	0	0
9	В	7	0	10	0	0
9	D	7	0	10	0	0
9	Е	7	0	10	0	0
9	F	7	0	10	0	0
9	Κ	14	0	20	0	0
9	Ν	7	0	10	0	0
9	0	14	0	20	0	0
10	G	16	0	22	0	0
11	J	19	0	26	0	0
12	А	108	0	0	1	0
12	В	153	0	0	0	0
12	С	173	0	0	0	0
12	D	76	0	0	0	0
12	Е	96	0	0	1	0
12	F	173	0	0	1	0
12	G	153	0	0	0	0
12	Н	89	0	0	0	0
12	J	143	0	0	0	0
12	Κ	222	0	0	1	0
12	L	80	0	0	0	0
12	М	124	0	0	0	0
12	N	162	0	0	2	0
12	0	206	0	0	1	0
12	Р	198	0	0	1	0
All	All	29832	0	27305	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
3:C:190[B]:ARG:HH11	3:C:190[B]:ARG:CG	1.87	0.88
3:F:25:CYS:SG	12:F:558:HOH:O	2.32	0.86
3:C:190[B]:ARG:HH11	3:C:190[B]:ARG:HG3	1.45	0.80
1:M:58:ASN:HB3	12:N:401:HOH:O	1.87	0.74
3:F:235:LEU:HD21	3:F:264:ILE:HD13	1.75	0.68
3:K:235:LEU:HD21	3:K:264:ILE:HD13	1.79	0.63
3:P:190[A]:ARG:HH11	3:P:190[A]:ARG:HG3	1.68	0.58
3:O:235:LEU:HD21	3:O:264:ILE:HD13	1.88	0.56
3:C:23:VAL:CG1	3:C:69:ILE:HG21	2.37	0.54
2:N:162:GLU:HG3	12:N:403:HOH:O	2.07	0.54
3:K:187:ASP:OD2	3:K:190[A]:ARG:HD3	2.10	0.52
3:P:34:PRO:HA	3:P:59:LYS:HD2	1.94	0.49
3:K:190[A]:ARG:NH2	12:K:401:HOH:O	2.40	0.49
3:K:34:PRO:HA	3:K:59:LYS:HD2	1.95	0.49
3:K:74:LEU:HD21	3:K:86:TRP:CZ2	2.48	0.49
3:C:190[B]:ARG:HH11	3:C:190[B]:ARG:HG2	1.73	0.48
3:P:34:PRO:HD2	12:P:452:HOH:O	2.14	0.48
3:C:190[B]:ARG:CG	3:C:190[B]:ARG:NH1	2.56	0.48
3:O:74:LEU:HD21	3:0:86:TRP:CZ2	2.49	0.47
1:G:12:LEU:HD11	1:G:18:LEU:HD13	1.96	0.47
1:D:135:SER:O	1:D:139:THR:HG22	2.15	0.47
3:C:90:THR:HB	3:C:217:THR:CG2	2.46	0.46
3:P:66:THR:O	3:P:176[A]:ASN:ND2	2.42	0.46
3:C:190[B]:ARG:HG2	3:C:190[B]:ARG:NH1	2.31	0.45
3:O:90:THR:HB	3:O:217:THR:CG2	2.47	0.44
2:L:106[B]:ASP:OD1	2:L:106[B]:ASP:C	2.60	0.44
3:P:38:LEU:HA	3:C:163:GLN:HE22	1.81	0.44
12:E:448:HOH:O	3:F:44[B]:LYS:HG2	2.16	0.44
3:C:23:VAL:HG13	3:C:69:ILE:HG21	1.98	0.44
3:P:88:ALA:HA	3:P:266:LEU:HD23	1.99	0.44
3:O:190[B]:ARG:NH2	12:O:403:HOH:O	2.47	0.43
3:P:91:VAL:HG23	3:P:264:ILE:CD1	2.49	0.43
1:G:61:PRO:HA	1:G:64:ARG:HB2	1.99	0.43
1:D:138:SER:HA	2:E:117:PHE:HB3	2.00	0.43
3:P:190[A]:ARG:HH11	3:P:190[A]:ARG:CG	2.29	0.43
3:0:187:ASP:OD2	3:0:190[B]:ARG:HD3	2.18	0.43
3:K:148:TYR:CG	3:K:154:THR:HG21	2.54	0.43
1:A:81:LYS:HG3	12:A:430:HOH:O	2.19	0.42
3:P:90:THR:HB	3:P:217:THR:HG23	2.00	0.42
2:L:146:LYS:HB2	2:L:198:THR:OG1	2.19	0.42

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



9RM2

Continuea front prettoa	Continued from precious page							
Atom 1	Atom 2	Interatomic	Clash					
Atom-1	Atom-2	distance (Å)	overlap (Å)					
3:P:90:THR:HB	3:P:217:THR:CG2	2.50	0.42					
3:C:148:TYR:CG	3:C:154:THR:HG21	2.55	0.42					
3:O:148:TYR:CG	3:O:154:THR:HG21	2.55	0.42					
3:F:88:ALA:HA	3:F:266:LEU:HD23	2.01	0.42					
2:L:21:LEU:HD22	2:L:103:THR:HG21	2.02	0.41					
3:C:38:LEU:HA	3:F:163:GLN:HE22	1.85	0.41					
3:C:89:VAL:HG12	3:C:90:THR:HG23	2.02	0.41					
3:P:9:GLU:HB3	3:P:272:LYS:HB2	2.03	0.41					
3:K:88:ALA:HA	3:K:266:LEU:HD23	2.03	0.41					
3:P:30[B]:GLU:OE1	3:P:177:ASN:N	2.52	0.41					
1:A:158:VAL:CG1	1:A:186:LEU:HD21	2.49	0.41					
3:P:91:VAL:HG23	3:P:264:ILE:HD13	2.03	0.41					
3:F:90:THR:HB	3:F:217:THR:CG2	2.50	0.41					
3:K:90:THR:HB	3:K:217:THR:CG2	2.51	0.40					
1:M:186:LEU:C	1:M:186:LEU:HD12	2.46	0.40					
2:N:146:LYS:HB2	2:N:198:THR:OG1	2.20	0.40					
3:O:246:PHE:O	3:O:253:GLN:HA	2.22	0.40					

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	А	215/223~(96%)	212 (99%)	3 (1%)	0	100	100
1	D	222/223~(100%)	219~(99%)	3 (1%)	0	100	100
1	G	223/223~(100%)	220 (99%)	3 (1%)	0	100	100
1	Н	211/223~(95%)	208 (99%)	3 (1%)	0	100	100
1	М	222/223~(100%)	219 (99%)	3 (1%)	0	100	100
2	В	214/215~(100%)	208~(97%)	6 (3%)	0	100	100
2	Е	210/215~(98%)	203 (97%)	7 (3%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
2	J	212/215~(99%)	208~(98%)	4 (2%)	0	100	100
2	L	213/215~(99%)	207~(97%)	6 (3%)	0	100	100
2	Ν	212/215~(99%)	208~(98%)	4 (2%)	0	100	100
3	С	269/300~(90%)	258~(96%)	10 (4%)	1 (0%)	30	21
3	F	267/300~(89%)	255~(96%)	11 (4%)	1 (0%)	30	21
3	Κ	273/300~(91%)	261 (96%)	11 (4%)	1 (0%)	30	21
3	Ο	274/300~(91%)	263~(96%)	10 (4%)	1 (0%)	30	21
3	Р	280/300 (93%)	267 (95%)	12 (4%)	1 (0%)	30	21
All	All	3517/3690~(95%)	3416 (97%)	96 (3%)	5(0%)	48	42

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	С	164	VAL
3	F	164	VAL
3	Κ	164	VAL
3	0	164	VAL
3	Р	164	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	188/191~(98%)	186 (99%)	2(1%)	70 68
1	D	192/191~(100%)	192 (100%)	0	100 100
1	G	193/191~(101%)	190 (98%)	3(2%)	58 55
1	Н	184/191~(96%)	183 (100%)	1 (0%)	86 86
1	М	192/191~(100%)	191 (100%)	1 (0%)	86 86
2	В	188/187~(100%)	188 (100%)	0	100 100
2	Е	185/187~(99%)	183~(99%)	2(1%)	70 68



Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
2	J	186/187~(100%)	185 (100%)	1 (0%)	86	86
2	L	188/187~(100%)	187 (100%)	1 (0%)	86	86
2	Ν	186/187~(100%)	186 (100%)	0	100	100
3	С	235/257~(91%)	233~(99%)	2(1%)	75	75
3	F	233/257~(91%)	232 (100%)	1 (0%)	89	89
3	Κ	237/257~(92%)	235~(99%)	2(1%)	79	78
3	Ο	238/257~(93%)	238 (100%)	0	100	100
3	Р	244/257~(95%)	242 (99%)	2 (1%)	79	78
All	All	3069/3175~(97%)	3051 (99%)	18 (1%)	84	83

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Н	146	LEU
2	L	144	GLU
3	Р	35	ASP
3	Р	78	LEU
1	А	99[A]	ARG
1	А	99[B]	ARG
3	С	23	VAL
3	С	35	ASP
2	Е	11	LEU
2	Е	109	ARG
3	F	35	ASP
1	G	3	GLN
1	G	63	LEU
1	G	146	LEU
2	J	106	ASP
3	Κ	35	ASP
3	К	57	GLU
1	М	217	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	Н	3	GLN
1	Н	52	ASN
2	L	138	ASN



	3	1	1 5
Mol	Chain	Res	Type
2	L	139	ASN
3	Р	92	GLN
3	Р	205	ASN
3	Р	224	GLN
1	А	3	GLN
1	А	52	ASN
1	А	53	HIS
2	В	138	ASN
2	В	139	ASN
1	D	52	ASN
1	D	172	HIS
2	Е	138	ASN
2	Е	139	ASN
1	G	53	HIS
2	J	138	ASN
2	J	139	ASN
2	J	161	GLN
3	K	37	ASN
3	K	92	GLN
3	K	161	GLN
1	М	3	GLN
2	Ν	138	ASN
2	N	139	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 60 ligands modelled in this entry, 9 are monoatomic - leaving 51 for Mogul analysis.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	T	Chain	Dag	T : 1	Bo	Bond lengths		Bond angles		
IVI0I	Moi Type Chain	Res		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
6	EDO	С	304	-	3,3,3	0.16	0	2,2,2	0.45	0
6	EDO	J	302	-	3,3,3	0.10	0	2,2,2	0.29	0
9	PEG	К	302	-	6,6,6	0.18	0	$5,\!5,\!5$	0.20	0
6	EDO	Р	304	-	3,3,3	0.17	0	2,2,2	0.46	0
6	EDO	K	308	-	3,3,3	0.13	0	2,2,2	0.45	0
9	PEG	В	305	-	$6,\!6,\!6$	0.17	0	$5,\!5,\!5$	0.10	0
5	PGE	Н	302	-	9,9,9	0.14	0	8,8,8	0.16	0
5	PGE	В	303	-	9,9,9	0.21	0	8,8,8	0.18	0
6	EDO	K	306	-	3,3,3	0.10	0	2,2,2	0.30	0
11	P6G	J	304	-	18,18,18	0.24	0	17,17,17	0.27	0
6	EDO	В	306	-	3,3,3	0.13	0	2,2,2	0.37	0
7	PG4	N	302	-	12,12,12	0.21	0	11,11,11	0.22	0
9	PEG	0	302	-	6,6,6	0.16	0	$5,\!5,\!5$	0.17	0
10	1PE	G	301	-	$15,\!15,\!15$	0.21	0	14,14,14	0.24	0
6	EDO	В	307	-	3,3,3	0.16	0	2,2,2	0.44	0
6	EDO	Н	305	-	3,3,3	0.10	0	2,2,2	0.27	0
8	PG5	J	301	-	11,11,11	0.22	0	10,10,10	0.23	0
5	PGE	Н	303	-	9,9,9	0.20	0	8,8,8	0.16	0
6	EDO	K	307	-	3,3,3	0.08	0	2,2,2	0.34	0
7	PG4	В	301	-	12,12,12	0.23	0	11,11,11	0.16	0
6	EDO	F	302	-	3,3,3	0.16	0	2,2,2	0.49	0
6	EDO	М	304	-	3,3,3	0.13	0	2,2,2	0.33	0
6	EDO	K	304	-	3,3,3	0.13	0	2,2,2	0.38	0
7	PG4	N	301	-	12,12,12	0.20	0	11,11,11	0.25	0
6	EDO	М	307	-	3,3,3	0.07	0	2,2,2	0.27	0
7	PG4	Р	302	-	12,12,12	0.17	0	11,11,11	0.18	0
6	EDO	K	305	-	3,3,3	0.15	0	2,2,2	0.43	0
5	PGE	В	304	-	9,9,9	0.17	0	8,8,8	0.20	0
9	PEG	D	302	-	$6,\!6,\!6$	0.18	0	$5,\!5,\!5$	0.16	0
6	EDO	D	301	-	3,3,3	0.05	0	2,2,2	0.29	0
5	PGE	Е	302	-	$9,\!9,\!9$	0.18	0	8,8,8	0.15	0
6	EDO	М	305	-	3,3,3	0.08	0	2,2,2	0.30	0
9	PEG	N	303	-	6,6,6	0.14	0	5,5,5	0.10	0
7	PG4	L	301	-	12,12,12	0.20	0	11,11,11	0.16	0
7	PG4	М	302	-	12,12,12	0.17	0	11,11,11	0.22	0
9	PEG	0	303	-	6,6,6	0.17	0	5,5,5	0.13	0



Mal	Type	Chain	Bos	Link	I ink Bond lengths			Bond angles		
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
5	PGE	В	302	-	$9,\!9,\!9$	0.16	0	8,8,8	0.19	0
6	EDO	Н	304	-	3,3,3	0.14	0	2,2,2	0.42	0
9	PEG	K	303	-	$6,\!6,\!6$	0.16	0	$5,\!5,\!5$	0.11	0
5	PGE	Р	303	-	9,9,9	0.23	0	8,8,8	0.17	0
6	EDO	G	302	-	3,3,3	0.12	0	2,2,2	0.32	0
5	PGE	М	303	-	$9,\!9,\!9$	0.22	0	8,8,8	0.18	0
9	PEG	E	303	-	$6,\!6,\!6$	0.14	0	$5,\!5,\!5$	0.11	0
5	PGE	С	302	-	9,9,9	0.18	0	8,8,8	0.14	0
6	EDO	J	303	-	3,3,3	0.17	0	2,2,2	0.32	0
9	PEG	F	303	-	$6,\!6,\!6$	0.23	0	$5,\!5,\!5$	0.19	0
8	PG5	L	302	-	11,11,11	0.19	0	10,10,10	0.18	0
6	EDO	С	303	-	3,3,3	0.11	0	2,2,2	0.38	0
6	EDO	М	306	-	3,3,3	0.11	0	2,2,2	0.29	0
6	EDO	D	303	-	3,3,3	0.08	0	2,2,2	0.30	0
6	EDO	D	304	-	3,3,3	0.09	0	2,2,2	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	С	304	-	-	1/1/1/1	-
6	EDO	J	302	-	-	0/1/1/1	-
9	PEG	К	302	-	-	3/4/4/4	-
6	EDO	Р	304	-	-	1/1/1/1	-
6	EDO	K	308	-	-	1/1/1/1	-
9	PEG	В	305	-	-	1/4/4/4	-
5	PGE	Н	302	-	-	3/7/7/7	-
5	PGE	В	303	-	-	3/7/7/7	-
6	EDO	Κ	306	-	-	1/1/1/1	-
11	P6G	J	304	-	-	6/16/16/16	-
6	EDO	В	306	-	-	1/1/1/1	-
7	PG4	Ν	302	-	-	$\frac{5/10/10/10}{}$	-
9	PEG	Ο	302	-	-	3/4/4/4	-
10	1PE	G	301	-	-	2/13/13/13	-
6	EDO	В	307	-	-	1/1/1/1	-
6	EDO	Н	305	-	-	1/1/1/1	-
8	PG5	J	301	-	-	2/9/9/9	-
5	PGE	Н	303	-	-	4/7/7/7	-
6	EDO	K	307	-	-	1/1/1/1	-



9RM2

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PG4	В	301	-	-	2/10/10/10	-
6	EDO	F	302	-	-	1/1/1/1	-
6	EDO	М	304	-	-	0/1/1/1	-
6	EDO	К	304	-	-	1/1/1/1	-
7	PG4	Ν	301	-	-	7/10/10/10	-
6	EDO	М	307	-	-	0/1/1/1	-
7	PG4	Р	302	-	_	2/10/10/10	-
6	EDO	K	305	-	-	1/1/1/1	-
5	PGE	В	304	-	-	1/7/7/7	-
9	PEG	D	302	-	-	2/4/4/4	-
6	EDO	D	301	-	-	1/1/1/1	-
5	PGE	Е	302	-	-	3/7/7/7	-
6	EDO	М	305	-	-	0/1/1/1	-
9	PEG	N	303	-	-	0/4/4/4	-
7	PG4	L	301	-	-	0/10/10/10	-
7	PG4	М	302	-	-	4/10/10/10	-
9	PEG	0	303	-	-	1/4/4/4	-
5	PGE	В	302	-	-	1/7/7/7	-
6	EDO	Н	304	-	-	1/1/1/1	-
9	PEG	Κ	303	-	-	2/4/4/4	-
5	PGE	Р	303	-	-	4/7/7/7	-
6	EDO	G	302	-	-	1/1/1/1	-
5	PGE	М	303	-	_	5/7/7/7	-
9	PEG	Е	303	-	-	2/4/4/4	-
5	PGE	С	302	-	_	3/7/7/7	_
6	EDO	J	303	-	-	1/1/1/1	-
9	PEG	F	303	-	-	2/4/4/4	-
8	PG5	L	302	-	-	0/9/9/9	-
6	EDO	С	303	-	-	1/1/1/1	-
6	EDO	М	306	-	-	0/1/1/1	-
6	EDO	D	303	-	-	1/1/1/1	-
6	EDO	D	304	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (90) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	С	302	PGE	O1-C1-C2-O2
7	N	301	PG4	O2-C3-C4-O3
11	J	304	P6G	O13-C14-C15-O16
11	J	304	P6G	O4-C5-C6-O7
5	Р	303	PGE	O2-C3-C4-O3
5	Р	303	PGE	O3-C5-C6-O4
9	F	303	PEG	O2-C3-C4-O4
6	В	307	EDO	O1-C1-C2-O2
5	Н	303	PGE	O3-C5-C6-O4
5	В	303	PGE	O1-C1-C2-O2
9	В	305	PEG	O1-C1-C2-O2
9	K	302	PEG	O2-C3-C4-O4
9	0	302	PEG	O2-C3-C4-O4
5	Р	303	PGE	O1-C1-C2-O2
7	Р	302	PG4	O1-C1-C2-O2
11	J	304	P6G	O10-C11-C12-O13
9	Е	303	PEG	O2-C3-C4-O4
6	Н	304	EDO	O1-C1-C2-O2
6	Р	304	EDO	O1-C1-C2-O2
6	С	304	EDO	O1-C1-C2-O2
6	F	302	EDO	O1-C1-C2-O2
6	G	302	EDO	O1-C1-C2-O2
6	J	303	EDO	O1-C1-C2-O2
6	K	304	EDO	O1-C1-C2-O2
6	K	305	EDO	O1-C1-C2-O2
6	K	308	EDO	O1-C1-C2-O2
9	F	303	PEG	O1-C1-C2-O2
9	0	303	PEG	O1-C1-C2-O2
5	Н	302	PGE	O2-C3-C4-O3
5	Н	303	PGE	O1-C1-C2-O2
7	N	301	PG4	O4-C7-C8-O5
9	D	302	PEG	O2-C3-C4-O4
9	K	303	PEG	O1-C1-C2-O2
9	K	303	PEG	O2-C3-C4-O4
6	D	301	EDO	O1-C1-C2-O2
7	B	301	PG4	O2-C3-C4-O3
5	M	303	PGE	O2-C3-C4-O3
7	N	302	PG4	O2-C3-C4-O3
6	B	306	EDO	O1-C1-C2-O2
5	P	303	PGE	C3-C4-O3-C5
7	М	302	PG4	O1-C1-C2-O2
9	E	303	PEG	O1-C1-C2-O2
7	N	301	PG4	C3-C4-O3-C5



Mol	Chain	Res	Type	Atoms
5	М	303	PGE	C3-C4-O3-C5
5	Е	302	PGE	C6-C5-O3-C4
5	С	302	PGE	C1-C2-O2-C3
9	K	302	PEG	C1-C2-O2-C3
7	N	301	PG4	C5-C6-O4-C7
5	С	302	PGE	O2-C3-C4-O3
7	М	302	PG4	C3-C4-O3-C5
7	Р	302	PG4	O4-C7-C8-O5
9	0	302	PEG	O1-C1-C2-O2
6	Н	305	EDO	O1-C1-C2-O2
6	K	307	EDO	O1-C1-C2-O2
9	0	302	PEG	C1-C2-O2-C3
7	Ν	302	PG4	C3-C4-O3-C5
5	В	303	PGE	C4-C3-O2-C2
5	В	302	PGE	C6-C5-O3-C4
5	Н	303	PGE	C1-C2-O2-C3
7	М	302	PG4	O2-C3-C4-O3
7	N	302	PG4	C6-C5-O3-C4
5	В	304	PGE	C1-C2-O2-C3
9	D	302	PEG	O1-C1-C2-O2
6	С	303	EDO	O1-C1-C2-O2
6	D	303	EDO	O1-C1-C2-O2
7	Ν	301	PG4	C8-C7-O4-C6
10	G	301	1PE	C16-C26-OH6-C15
5	М	303	PGE	O1-C1-C2-O2
5	Н	303	PGE	O2-C3-C4-O3
11	J	304	P6G	C9-C8-O7-C6
5	М	303	PGE	O3-C5-C6-O4
5	Н	302	PGE	C3-C4-O3-C5
8	J	301	PG5	C5-C4-O2-C3
11	J	304	P6G	O7-C8-C9-O10
10	G	301	1PE	OH7-C16-C26-OH6
5	М	303	PGE	C4-C3-O2-C2
7	В	301	PG4	C1-C2-O2-C3
7	Ν	302	PG4	C1-C2-O2-C3
8	J	301	PG5	O2-C4-C5-O3
6	K	306	EDO	O1-C1-C2-O2
5	Е	302	PGE	O3-C5-C6-O4
5	Е	302	PGE	C3-C4-O3-C5
9	K	302	PEG	O1-C1-C2-O2
7	N	301	PG4	O3-C5-C6-O4
5	В	303	PGE	O3-C5-C6-O4

Continued from previous page...



		1	1 0	
Mol	Chain	Res	Type	Atoms
7	М	302	PG4	C1-C2-O2-C3
7	N	302	PG4	O3-C5-C6-O4
11	J	304	P6G	C11-C12-O13-C14
7	N	301	PG4	C6-C5-O3-C4
5	Н	302	PGE	C6-C5-O3-C4

Continued from previous page...

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	218/223~(97%)	0.59	15 (6%) 24 29	16, 45, 71, 100	11 (5%)
1	D	223/223~(100%)	0.92	23 (10%) 13 17	25, 49, 68, 76	19 (8%)
1	G	222/223~(99%)	0.54	14 (6%) 27 33	22, 40, 69, 82	17 (7%)
1	Н	215/223~(96%)	0.96	35 (16%) 5 6	27, 49, 81, 121	24 (11%)
1	М	222/223~(99%)	0.39	10 (4%) 39 45	21, 39, 61, 82	11 (4%)
2	В	215/215~(100%)	0.26	5 (2%) 61 67	25, 38, 55, 82	14 (6%)
2	Е	212/215~(98%)	1.02	40 (18%) 4 4	29, 50, 87, 111	24 (11%)
2	J	214/215~(99%)	0.29	2 (0%) 81 84	26, 40, 58, 87	9 (4%)
2	L	212/215~(98%)	1.11	45 (21%) 3 3	23, 48, 79, 95	24 (11%)
2	Ν	214/215~(99%)	0.17	3 (1%) 73 78	26, 38, 51, 67	7(3%)
3	С	268/300~(89%)	0.13	17 (6%) 27 33	16, 31, 63, 94	13 (4%)
3	F	267/300~(89%)	0.07	14 (5%) 34 40	12, 30, 66, 90	14 (5%)
3	К	273/300~(91%)	-0.05	9 (3%) 49 56	15, 29, 62, 96	8 (2%)
3	Ο	273/300~(91%)	-0.05	8 (2%) 54 60	15, 29, 60, 95	11 (4%)
3	Р	274/300~(91%)	0.14	14 (5%) 34 41	14, 30, 63, 90	17 (6%)
All	All	3522/3690~(95%)	0.40	254 (7%) 23 27	12, 38, 69, 121	223 (6%)

All (254) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	210	PHE	5.3
2	L	193	TYR	5.3
1	Н	197	LEU	5.1
1	Н	219	VAL	4.8
3	Κ	20	ILE	4.8
2	L	206	VAL	4.7
1	G	140	SER	4.7



Mol	Chain	Res	Type	RSRZ
3	Р	15	THR	4.6
2	В	215	CYS	4.6
2	L	205	PRO	4.5
2	L	204	SER	4.4
3	С	5	LYS	4.2
3	K	4	ILE	4.1
1	D	25	TYR	4.0
1	G	63	LEU	3.9
1	D	198	GLY	3.8
1	М	141	GLY	3.8
2	L	192	VAL	3.8
1	D	223	SER	3.8
3	С	81	GLY	3.7
2	Е	212	ARG	3.7
1	Η	25	TYR	3.7
1	А	25	TYR	3.7
3	С	4	ILE	3.7
2	L	191	LYS	3.7
2	L	195	CYS	3.6
3	С	3	LEU	3.6
3	F	7	GLY	3.6
1	А	41	PRO	3.6
3	F	15	THR	3.6
2	Е	201	GLY	3.6
3	С	273	ASN	3.5
3	0	17	VAL	3.5
1	М	25	TYR	3.5
1	Н	1	GLN	3.5
2	L	182	LEU	3.5
1	G	137	LYS	3.4
1	A	26	ARG	3.4
2	L	154	ALA	3.4
2	E	157	SER	3.4
1	Н	200	GLN	3.4
2	L	194	ALA	3.3
2	L	150	LYS	3.3
3	С	6	GLY	3.3
3	С	7	GLY	3.3
3	F	19	ALA	3.3
1	D	63	LEU	3.3
2	Е	123	ASP	3.3
3	Р	18	ASP	3.3



Mol	Chain	Res	Type	RSRZ
1	G	141	GLY	3.3
2	L	118	ILE	3.2
2	Ν	204	SER	3.2
1	G	1	GLN	3.2
1	М	136	SER	3.2
2	Е	205	PRO	3.2
3	Р	2	LEU	3.1
2	L	153	ASN	3.1
3	F	2	LEU	3.1
2	L	157	SER	3.1
2	L	148	GLN	3.1
3	K	15	THR	3.1
1	Н	204	CYS	3.1
2	Е	196	GLU	3.1
2	Е	203	SER	3.1
2	Е	179	THR	3.1
2	L	135	CYS	3.0
1	G	64	ARG	3.0
3	Р	4	ILE	3.0
2	Е	130	THR	3.0
2	Е	206	VAL	3.0
3	Р	17	VAL	3.0
1	Н	134	PRO	3.0
1	Н	169	SER	3.0
1	Н	199	THR	3.0
1	G	139	THR	3.0
2	L	155	LEU	3.0
2	Е	202	LEU	3.0
1	А	219	VAL	3.0
1	А	63	LEU	2.9
2	L	203	SER	2.9
3	С	74	LEU	2.9
3	K	8	VAL	2.9
1	Н	195	SER	2.9
1	Н	144	ALA	2.9
1	G	136	SER	2.9
3	F	6	GLY	2.9
1	D	166	ALA	2.9
1	Н	221	PRO	2.8
2	Е	133	VAL	2.8
2	Е	192	VAL	2.8
3	С	17	VAL	2.8



Mol	Chain	Res	Type	RSRZ
1	D	222	LYS	2.8
2	L	198	THR	2.8
3	Р	77	ASP	2.8
2	В	214	GLU	2.8
2	L	131	ALA	2.8
1	D	1	GLN	2.8
3	Κ	3	LEU	2.8
1	Н	145	ALA	2.8
1	D	203	ILE	2.8
3	С	75	ASN	2.7
1	Н	203	ILE	2.7
2	L	211	ASN	2.7
2	L	151	VAL	2.7
1	Н	143	THR	2.7
3	Κ	14	LYS	2.7
3	С	16	GLY	2.7
2	L	212	ARG	2.7
1	G	197	LEU	2.7
3	Κ	274	PRO	2.7
3	С	19	ALA	2.7
1	Н	202	TYR	2.6
2	Е	174	TYR	2.6
3	0	20	ILE	2.6
2	Е	142	PRO	2.6
3	F	5	LYS	2.6
2	Ε	180	LEU	2.6
2	L	209	SER	2.6
2	Ε	151	VAL	2.6
1	D	210	PRO	2.6
3	С	2	LEU	2.6
1	М	138	SER	2.6
2	L	200	GLN	2.6
2	L	133	VAL	2.6
1	G	138	SER	2.6
1	М	199	THR	2.6
2	Ε	185	ALA	2.6
1	Н	217	LYS	2.5
2	L	117	PHE	2.5
1	H	196	SER	2.5
3	P	3	LEU	2.5
2	Ε	8	PRO	2.5
3	С	80	SER	2.5



9RM2

Mol	Chain	Res	Type	RSRZ
3	Р	20	ILE	2.5
1	Н	87	ALA	2.5
1	G	194	SER	2.5
3	0	14	LYS	2.5
2	L	152	ASP	2.5
1	М	143	THR	2.5
1	Н	220	GLU	2.5
2	Е	147	VAL	2.5
3	F	17	VAL	2.5
1	Н	15	SER	2.4
1	Н	162	TRP	2.4
1	D	183	LEU	2.4
2	Е	182	LEU	2.4
3	F	3	LEU	2.4
1	М	26	ARG	2.4
1	А	121	SER	2.4
2	L	127	LYS	2.4
1	Н	148	CYS	2.4
3	F	16	GLY	2.4
1	Н	167	LEU	2.4
2	В	126	LEU	2.4
2	Е	195	CYS	2.4
3	0	6	GLY	2.4
2	L	25	ALA	2.4
2	Е	194	ALA	2.4
1	G	170	GLY	2.4
1	М	1	GLN	2.4
2	Е	197	VAL	2.4
1	G	143	THR	2.4
3	0	275	TYR	2.4
3	С	73	ASN	2.3
1	Н	146	LEU	2.3
3	0	4	ILE	2.3
2	N	7	SER	2.3
3	F	81	GLY	2.3
1	D	2	VAL	2.3
2	L	116	VAL	2.3
1	G	25	TYR	2.3
2	Е	189	LYS	2.3
2	L	202	LEU	2.3
2	L	122	SER	2.3
1	А	64	ARG	2.3



Mol	Chain	Res	Type	RSRZ
3	Р	177	ASN	2.3
2	L	189	LYS	2.3
3	F	14	LYS	2.3
2	N	214	GLU	2.3
3	K	19	ALA	2.3
1	А	42	GLY	2.3
1	D	131	PRO	2.3
1	Н	201	THR	2.3
2	L	126	LEU	2.3
1	D	88	ALA	2.2
2	Е	200	GLN	2.2
1	Н	158	VAL	2.2
3	Р	19	ALA	2.2
1	М	198	GLY	2.2
3	С	20	ILE	2.2
3	0	7	GLY	2.2
1	Н	131	PRO	2.2
1	Н	193	PRO	2.2
1	D	41	PRO	2.2
1	D	26	ARG	2.2
1	D	64	ARG	2.2
1	D	206	VAL	2.2
1	Н	132	LEU	2.2
2	J	126	LEU	2.2
1	А	218	LYS	2.2
2	J	158	GLY	2.2
3	Р	275	TYR	2.2
2	L	124	GLU	2.2
1	D	139	THR	2.2
2	Е	128	SER	2.2
2	L	147	VAL	2.2
2	Е	135	CYS	2.2
1	A	197	LEU	2.2
2	Е	112	ALA	2.2
2	Е	148	GLN	2.2
2	E	141	TYR	2.2
1	А	201	THR	2.1
2	Е	127	LYS	2.1
3	F	75	ASN	2.1
2	E	124	GLU	2.1
2	L	145	ALA	2.1
2	Е	154	ALA	2.1



Mol	Chain	Res	Type	RSRZ
3	Р	78	LEU	2.1
3	0	74	LEU	2.1
1	А	7	TRP	2.1
1	Н	26	ARG	2.1
1	М	140	SER	2.1
2	Е	181	THR	2.1
2	L	201	GLY	2.1
2	Е	158	GLY	2.1
3	K	13	VAL	2.1
2	L	149	TRP	2.1
1	D	184	TYR	2.1
2	В	156	GLN	2.1
3	Р	13	VAL	2.1
3	С	8	VAL	2.1
1	Н	176	ALA	2.1
2	L	113	ALA	2.1
1	Н	154	PHE	2.1
2	Е	126	LEU	2.1
1	Н	168	THR	2.1
2	Е	193	TYR	2.1
1	D	42	GLY	2.1
2	L	158	GLY	2.1
2	L	190	HIS	2.0
1	А	148	CYS	2.0
3	F	8	VAL	2.0
3	F	74	LEU	2.0
2	L	208	LYS	2.0
2	Е	117	PHE	2.0
1	Н	135	SER	2.0
1	D	213	THR	2.0
2	В	211	ASN	2.0
2	Е	198	THR	2.0
1	А	210	PRO	2.0
1	D	160	VAL	2.0
3	Р	92	GLN	2.0
1	А	136	SER	2.0
1	D	12	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
5	PGE	М	303	10/10	0.76	0.18	64,66,70,73	0
7	PG4	N	302	13/13	0.80	0.17	60,64,72,73	0
6	EDO	G	302	4/4	0.82	0.15	61,61,62,63	0
9	PEG	D	302	7/7	0.82	0.20	78,79,84,84	0
9	PEG	F	303	7/7	0.82	0.15	72,74,78,78	0
8	PG5	J	301	12/12	0.83	0.15	50,54,58,61	0
7	PG4	В	301	13/13	0.83	0.16	66,67,71,72	0
6	EDO	J	303	4/4	0.83	0.16	59,60,61,63	0
11	P6G	J	304	19/19	0.83	0.18	67,75,79,80	0
7	PG4	Ν	301	13/13	0.84	0.15	52,56,61,64	0
6	EDO	J	302	4/4	0.84	0.15	$65,\!66,\!69,\!69$	0
6	EDO	K	305	4/4	0.85	0.17	$63,\!65,\!66,\!68$	0
6	EDO	D	303	4/4	0.85	0.17	$65,\!65,\!66,\!68$	0
9	PEG	В	305	7/7	0.86	0.13	62,64,65,66	0
6	EDO	Н	305	4/4	0.86	0.15	66,69,70,70	0
6	EDO	С	303	4/4	0.87	0.16	68,69,69,70	0
9	PEG	Ν	303	7/7	0.87	0.11	74,75,76,77	0
7	PG4	L	301	13/13	0.87	0.17	64,67,71,72	0
5	PGE	С	302	10/10	0.88	0.14	63,66,82,85	0
6	EDO	В	307	4/4	0.88	0.13	66, 66, 67, 69	0
8	PG5	L	302	12/12	0.88	0.14	58,62,64,65	0
5	PGE	Н	303	10/10	0.89	0.14	62,64,68,69	0
6	EDO	В	306	4/4	0.89	0.14	$63,\!65,\!67,\!68$	0
6	EDO	K	304	4/4	0.90	0.10	$47,\!51,\!51,\!54$	0
6	EDO	F	302	4/4	0.90	0.12	$54,\!54,\!55,\!57$	0
6	EDO	М	304	4/4	0.90	0.13	$52,\!54,\!56,\!57$	0
6	EDO	М	306	4/4	0.90	0.14	69,70,70,71	0
6	EDO	D	301	4/4	0.90	0.13	70,70,70,71	0
7	PG4	Р	302	13/13	0.90	0.12	47,54,64,65	0
9	PEG	К	303	7/7	0.90	0.15	59,60,62,66	0
5	PGE	Е	302	10/10	0.90	0.13	$53,\!57,\!67,\!68$	0
9	PEG	0	303	7/7	0.90	0.15	$6\overline{5},\!66,\!67,\!71$	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	EDO	D	304	4/4	0.90	0.13	$63,\!64,\!66,\!69$	0
6	EDO	Κ	307	4/4	0.91	0.12	57,58,58,60	0
6	EDO	С	304	4/4	0.91	0.13	54,57,57,62	0
6	EDO	М	305	4/4	0.91	0.10	60,60,62,63	0
7	PG4	М	302	13/13	0.91	0.12	46,50,60,61	0
5	PGE	Р	303	10/10	0.91	0.13	59,64,69,70	0
6	EDO	М	307	4/4	0.92	0.10	60,60,61,63	0
5	PGE	В	304	10/10	0.92	0.13	59,60,63,65	0
9	PEG	Е	303	7/7	0.92	0.12	60,61,62,63	0
5	PGE	В	303	10/10	0.92	0.10	53,56,62,62	0
6	EDO	Р	304	4/4	0.93	0.10	67,69,71,72	0
6	EDO	Н	304	4/4	0.93	0.10	54,54,55,57	0
6	EDO	Κ	306	4/4	0.93	0.14	70,72,72,73	0
5	PGE	Н	302	10/10	0.93	0.12	56, 57, 57, 58	0
10	1PE	G	301	16/16	0.93	0.11	43,52,66,67	0
6	EDO	Κ	308	4/4	0.93	0.12	62,62,63,65	0
9	PEG	0	302	7/7	0.94	0.10	55,57,61,63	0
9	PEG	Κ	302	7/7	0.94	0.11	54,54,56,56	0
4	CL	А	301	1/1	0.94	0.14	75,75,75,75	0
5	PGE	В	302	10/10	0.94	0.12	51,54,64,64	0
4	CL	М	301	1/1	0.96	0.10	57,57,57,57	0
4	CL	Е	301	1/1	0.98	0.11	$55,\!55,\!55,\!55$	0
4	CL	К	301	1/1	0.98	0.07	$35,\!35,\!35,\!35$	0
4	CL	Н	301	1/1	0.98	0.09	$53,\!53,\!53,\!53$	0
4	CL	0	301	1/1	0.98	0.05	35,35,35,35	0
4	CL	С	301	1/1	0.98	0.04	35,35,35,35	0
4	CL	Р	301	1/1	0.99	0.07	37,37,37,37	0
4	CL	F	301	1/1	0.99	0.04	36,36,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

There are no such residues in this entry.

