



wwPDB EM Validation Summary Report ⓘ

Jul 13, 2026 – 03:06 pm BST

PDB ID : 9SRT / pdb_00009srt
EMDB ID : EMD-55153
Title : Cryo-EM structure of the Mlc tetramer
Authors : Roth, P.; Fotiadis, D.
Deposited on : 2025-09-25
Resolution : 2.74 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10492 (2.24 - 3.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	 73% 10% 16%
1	B	455	 75% 9% 16%
1	C	455	 70% 14% 16%
1	D	455	 74% 10% 16%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 23738 atoms, of which 11986 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-binding transcriptional repressor Mlc.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	D	383	Total	C	H	N	O	S	0	0
			5950	1863	3004	518	552	13		
1	C	381	Total	C	H	N	O	S	0	0
			5917	1851	2989	514	550	13		
1	B	383	Total	C	H	N	O	S	0	0
			5950	1863	3004	518	552	13		
1	A	381	Total	C	H	N	O	S	0	0
			5917	1851	2989	514	550	13		

There are 196 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-46	MET	-	initiating methionine	UNP P50456
D	-45	GLY	-	expression tag	UNP P50456
D	-44	GLY	-	expression tag	UNP P50456
D	-43	SER	-	expression tag	UNP P50456
D	-42	HIS	-	expression tag	UNP P50456
D	-41	HIS	-	expression tag	UNP P50456
D	-40	HIS	-	expression tag	UNP P50456
D	-39	HIS	-	expression tag	UNP P50456
D	-38	HIS	-	expression tag	UNP P50456
D	-37	HIS	-	expression tag	UNP P50456
D	-36	GLY	-	expression tag	UNP P50456
D	-35	MET	-	expression tag	UNP P50456
D	-34	ALA	-	expression tag	UNP P50456
D	-33	SER	-	expression tag	UNP P50456
D	-32	MET	-	expression tag	UNP P50456
D	-31	THR	-	expression tag	UNP P50456
D	-30	GLY	-	expression tag	UNP P50456
D	-29	GLY	-	expression tag	UNP P50456
D	-28	GLN	-	expression tag	UNP P50456
D	-27	GLN	-	expression tag	UNP P50456
D	-26	MET	-	expression tag	UNP P50456
D	-25	GLY	-	expression tag	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-24	ARG	-	expression tag	UNP P50456
D	-23	ASP	-	expression tag	UNP P50456
D	-22	LEU	-	expression tag	UNP P50456
D	-21	TYR	-	expression tag	UNP P50456
D	-20	ASP	-	expression tag	UNP P50456
D	-19	ASP	-	expression tag	UNP P50456
D	-18	ASP	-	expression tag	UNP P50456
D	-17	ASP	-	expression tag	UNP P50456
D	-16	LYS	-	expression tag	UNP P50456
D	-15	ASP	-	expression tag	UNP P50456
D	-14	ARG	-	expression tag	UNP P50456
D	-13	TRP	-	expression tag	UNP P50456
D	-12	GLY	-	expression tag	UNP P50456
D	-11	SER	-	expression tag	UNP P50456
D	-10	GLU	-	expression tag	UNP P50456
D	-9	LEU	-	expression tag	UNP P50456
D	-8	GLU	-	expression tag	UNP P50456
D	-7	VAL	-	expression tag	UNP P50456
D	-6	LEU	-	expression tag	UNP P50456
D	-5	PHE	-	expression tag	UNP P50456
D	-4	GLN	-	expression tag	UNP P50456
D	-3	GLY	-	expression tag	UNP P50456
D	-2	PRO	-	expression tag	UNP P50456
D	-1	LYS	-	expression tag	UNP P50456
D	0	LEU	-	expression tag	UNP P50456
D	407	LEU	-	expression tag	UNP P50456
D	408	GLU	-	expression tag	UNP P50456
C	-46	MET	-	initiating methionine	UNP P50456
C	-45	GLY	-	expression tag	UNP P50456
C	-44	GLY	-	expression tag	UNP P50456
C	-43	SER	-	expression tag	UNP P50456
C	-42	HIS	-	expression tag	UNP P50456
C	-41	HIS	-	expression tag	UNP P50456
C	-40	HIS	-	expression tag	UNP P50456
C	-39	HIS	-	expression tag	UNP P50456
C	-38	HIS	-	expression tag	UNP P50456
C	-37	HIS	-	expression tag	UNP P50456
C	-36	GLY	-	expression tag	UNP P50456
C	-35	MET	-	expression tag	UNP P50456
C	-34	ALA	-	expression tag	UNP P50456
C	-33	SER	-	expression tag	UNP P50456
C	-32	MET	-	expression tag	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-31	THR	-	expression tag	UNP P50456
C	-30	GLY	-	expression tag	UNP P50456
C	-29	GLY	-	expression tag	UNP P50456
C	-28	GLN	-	expression tag	UNP P50456
C	-27	GLN	-	expression tag	UNP P50456
C	-26	MET	-	expression tag	UNP P50456
C	-25	GLY	-	expression tag	UNP P50456
C	-24	ARG	-	expression tag	UNP P50456
C	-23	ASP	-	expression tag	UNP P50456
C	-22	LEU	-	expression tag	UNP P50456
C	-21	TYR	-	expression tag	UNP P50456
C	-20	ASP	-	expression tag	UNP P50456
C	-19	ASP	-	expression tag	UNP P50456
C	-18	ASP	-	expression tag	UNP P50456
C	-17	ASP	-	expression tag	UNP P50456
C	-16	LYS	-	expression tag	UNP P50456
C	-15	ASP	-	expression tag	UNP P50456
C	-14	ARG	-	expression tag	UNP P50456
C	-13	TRP	-	expression tag	UNP P50456
C	-12	GLY	-	expression tag	UNP P50456
C	-11	SER	-	expression tag	UNP P50456
C	-10	GLU	-	expression tag	UNP P50456
C	-9	LEU	-	expression tag	UNP P50456
C	-8	GLU	-	expression tag	UNP P50456
C	-7	VAL	-	expression tag	UNP P50456
C	-6	LEU	-	expression tag	UNP P50456
C	-5	PHE	-	expression tag	UNP P50456
C	-4	GLN	-	expression tag	UNP P50456
C	-3	GLY	-	expression tag	UNP P50456
C	-2	PRO	-	expression tag	UNP P50456
C	-1	LYS	-	expression tag	UNP P50456
C	0	LEU	-	expression tag	UNP P50456
C	407	LEU	-	expression tag	UNP P50456
C	408	GLU	-	expression tag	UNP P50456
B	-46	MET	-	initiating methionine	UNP P50456
B	-45	GLY	-	expression tag	UNP P50456
B	-44	GLY	-	expression tag	UNP P50456
B	-43	SER	-	expression tag	UNP P50456
B	-42	HIS	-	expression tag	UNP P50456
B	-41	HIS	-	expression tag	UNP P50456
B	-40	HIS	-	expression tag	UNP P50456
B	-39	HIS	-	expression tag	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-38	HIS	-	expression tag	UNP P50456
B	-37	HIS	-	expression tag	UNP P50456
B	-36	GLY	-	expression tag	UNP P50456
B	-35	MET	-	expression tag	UNP P50456
B	-34	ALA	-	expression tag	UNP P50456
B	-33	SER	-	expression tag	UNP P50456
B	-32	MET	-	expression tag	UNP P50456
B	-31	THR	-	expression tag	UNP P50456
B	-30	GLY	-	expression tag	UNP P50456
B	-29	GLY	-	expression tag	UNP P50456
B	-28	GLN	-	expression tag	UNP P50456
B	-27	GLN	-	expression tag	UNP P50456
B	-26	MET	-	expression tag	UNP P50456
B	-25	GLY	-	expression tag	UNP P50456
B	-24	ARG	-	expression tag	UNP P50456
B	-23	ASP	-	expression tag	UNP P50456
B	-22	LEU	-	expression tag	UNP P50456
B	-21	TYR	-	expression tag	UNP P50456
B	-20	ASP	-	expression tag	UNP P50456
B	-19	ASP	-	expression tag	UNP P50456
B	-18	ASP	-	expression tag	UNP P50456
B	-17	ASP	-	expression tag	UNP P50456
B	-16	LYS	-	expression tag	UNP P50456
B	-15	ASP	-	expression tag	UNP P50456
B	-14	ARG	-	expression tag	UNP P50456
B	-13	TRP	-	expression tag	UNP P50456
B	-12	GLY	-	expression tag	UNP P50456
B	-11	SER	-	expression tag	UNP P50456
B	-10	GLU	-	expression tag	UNP P50456
B	-9	LEU	-	expression tag	UNP P50456
B	-8	GLU	-	expression tag	UNP P50456
B	-7	VAL	-	expression tag	UNP P50456
B	-6	LEU	-	expression tag	UNP P50456
B	-5	PHE	-	expression tag	UNP P50456
B	-4	GLN	-	expression tag	UNP P50456
B	-3	GLY	-	expression tag	UNP P50456
B	-2	PRO	-	expression tag	UNP P50456
B	-1	LYS	-	expression tag	UNP P50456
B	0	LEU	-	expression tag	UNP P50456
B	407	LEU	-	expression tag	UNP P50456
B	408	GLU	-	expression tag	UNP P50456
A	-46	MET	-	initiating methionine	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-45	GLY	-	expression tag	UNP P50456
A	-44	GLY	-	expression tag	UNP P50456
A	-43	SER	-	expression tag	UNP P50456
A	-42	HIS	-	expression tag	UNP P50456
A	-41	HIS	-	expression tag	UNP P50456
A	-40	HIS	-	expression tag	UNP P50456
A	-39	HIS	-	expression tag	UNP P50456
A	-38	HIS	-	expression tag	UNP P50456
A	-37	HIS	-	expression tag	UNP P50456
A	-36	GLY	-	expression tag	UNP P50456
A	-35	MET	-	expression tag	UNP P50456
A	-34	ALA	-	expression tag	UNP P50456
A	-33	SER	-	expression tag	UNP P50456
A	-32	MET	-	expression tag	UNP P50456
A	-31	THR	-	expression tag	UNP P50456
A	-30	GLY	-	expression tag	UNP P50456
A	-29	GLY	-	expression tag	UNP P50456
A	-28	GLN	-	expression tag	UNP P50456
A	-27	GLN	-	expression tag	UNP P50456
A	-26	MET	-	expression tag	UNP P50456
A	-25	GLY	-	expression tag	UNP P50456
A	-24	ARG	-	expression tag	UNP P50456
A	-23	ASP	-	expression tag	UNP P50456
A	-22	LEU	-	expression tag	UNP P50456
A	-21	TYR	-	expression tag	UNP P50456
A	-20	ASP	-	expression tag	UNP P50456
A	-19	ASP	-	expression tag	UNP P50456
A	-18	ASP	-	expression tag	UNP P50456
A	-17	ASP	-	expression tag	UNP P50456
A	-16	LYS	-	expression tag	UNP P50456
A	-15	ASP	-	expression tag	UNP P50456
A	-14	ARG	-	expression tag	UNP P50456
A	-13	TRP	-	expression tag	UNP P50456
A	-12	GLY	-	expression tag	UNP P50456
A	-11	SER	-	expression tag	UNP P50456
A	-10	GLU	-	expression tag	UNP P50456
A	-9	LEU	-	expression tag	UNP P50456
A	-8	GLU	-	expression tag	UNP P50456
A	-7	VAL	-	expression tag	UNP P50456
A	-6	LEU	-	expression tag	UNP P50456
A	-5	PHE	-	expression tag	UNP P50456
A	-4	GLN	-	expression tag	UNP P50456


Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P50456
A	-2	PRO	-	expression tag	UNP P50456
A	-1	LYS	-	expression tag	UNP P50456
A	0	LEU	-	expression tag	UNP P50456
A	407	LEU	-	expression tag	UNP P50456
A	408	GLU	-	expression tag	UNP P50456

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
2	D	1	Total 1	Zn 1	0
2	C	1	Total 1	Zn 1	0
2	B	1	Total 1	Zn 1	0
2	A	1	Total 1	Zn 1	0



• Molecule 1: DNA-binding transcriptional repressor Mlc



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	339926	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	35	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	165000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.688	Depositor
Minimum map value	-0.035	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	321.216, 321.216, 321.216	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0038, 1.0038, 1.0038	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	0/2974	0.31	0/4031
1	B	0.19	0/2993	0.31	0/4057
1	C	0.21	0/2974	0.31	0/4031
1	D	0.20	0/2993	0.30	0/4057
All	All	0.20	0/11934	0.31	0/16176

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2928	2989	2984	32	0
1	B	2946	3004	3002	31	0
1	C	2928	2989	2984	40	0
1	D	2946	3004	3002	33	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
All	All	11752	11986	11972	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 133 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:250:VAL:HG21	1:C:268:ILE:HD13	1.68	0.75
1:C:147:THR:HG23	1:C:403:LEU:HD21	1.70	0.73
1:D:133:ASP:HB3	1:D:137:ILE:HD12	1.69	0.72
1:B:23:ARG:NH1	1:B:27:GLN:OE1	2.24	0.71
1:B:133:ASP:HB3	1:B:137:ILE:HD12	1.70	0.70

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/455 (83%)	355 (94%)	21 (6%)	1 (0%)	36	54
1	B	379/455 (83%)	364 (96%)	15 (4%)	0	100	100
1	C	377/455 (83%)	356 (94%)	20 (5%)	1 (0%)	36	54
1	D	379/455 (83%)	363 (96%)	16 (4%)	0	100	100
All	All	1512/1820 (83%)	1438 (95%)	72 (5%)	2 (0%)	49	69

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	12	GLN
1	A	12	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	321/379 (85%)	318 (99%)	3 (1%)	70	82
1	B	323/379 (85%)	318 (98%)	5 (2%)	57	73
1	C	321/379 (85%)	318 (99%)	3 (1%)	70	82
1	D	323/379 (85%)	322 (100%)	1 (0%)	86	92
All	All	1288/1516 (85%)	1276 (99%)	12 (1%)	68	82

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	371	ILE
1	B	400	LEU
1	A	240	SER
1	A	196	ILE
1	C	404	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	331	ASN
1	C	222	HIS
1	B	331	ASN
1	B	194	HIS
1	B	283	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55153. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160



Z Index: 160

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 149



Y Index: 174




Z Index: 179


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 83 nm^3 ; this corresponds to an approximate mass of 75 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.365 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-55153 and PDB model 9SRT. Per-residue inclusion information can be found in section [3](#) on page [9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8890	0.5330
A	0.8990	0.5310
B	0.9000	0.5330
C	0.8930	0.5310
D	0.8980	0.5370

