



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 11:43 AM UTC

PDB ID : 6TIV / pdb_00006tiv
Title : Crystal structure of the SVS_A2 protein (205-DREMH-209 /205-AQDLE-209 mutant) from ancestral sequence reconstruction at 2.38 Å resolution
Authors : Rudraraju, R.; Schnell, R.; Schneider, G.
Deposited on : 2019-11-22
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	361	 2% 78% 13% 8%
1	B	361	 2% 73% 14% 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PEG	A	402	-	-	X	-
3	PEG	A	405	-	-	X	-
3	PEG	B	602	-	-	X	-
3	PEG	B	603	-	-	X	-
3	PEG	B	604	-	-	X	-
3	PEG	B	605	-	-	X	-
3	PEG	B	606	-	-	X	-
4	EDO	A	403	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5545 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SVS variant AT2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	331	Total 2608	C 1640	N 481	O 476	S 11	0	0	0
1	B	323	Total 2551	C 1609	N 470	O 461	S 11	0	0	0

- Molecule 2 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 13	C 8	O 5	0	0

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 7 4 3	0	0
3	A	1	Total C O 7 4 3	0	0
3	A	1	Total C O 7 4 3	0	0
3	A	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	160	Total O 160 160	0	0
5	B	132	Total O 132 132	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SVS variant AT2



- Molecule 1: SVS variant AT2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.08Å 104.25Å 108.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.00 – 2.38 29.00 – 2.38	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.00-2.38) 99.8 (29.00-2.38)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.36Å)	Xtrriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.186 , 0.210 (Not available) , 0.214	Depositor DCC
R_{free} test set	1753 reflections (4.61%)	wwPDB-VP
Wilson B-factor (Å ²)	29.3	Xtrriage
Anisotropy	0.477	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 32.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.017 for -h,l,k	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5545	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EDO, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.10	0/2678	1.50	13/3645 (0.4%)
1	B	1.09	1/2619 (0.0%)	1.49	14/3561 (0.4%)
All	All	1.09	1/5297 (0.0%)	1.49	27/7206 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	145	GLN	C-O	5.79	1.30	1.24

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	76	THR	CB-CA-C	7.78	123.09	110.88
1	A	201	ALA	CA-C-O	-7.30	113.51	122.64
1	A	195	LEU	CA-C-N	6.59	129.11	120.28
1	A	195	LEU	C-N-CA	6.59	129.11	120.28
1	A	75	ALA	CA-C-N	6.52	128.92	120.44
1	A	75	ALA	C-N-CA	6.52	128.92	120.44
1	A	76	THR	N-CA-CB	-6.37	100.77	110.01
1	B	214	ARG	CG-CD-NE	-6.31	98.12	112.00
1	B	196	GLU	CB-CA-C	-6.24	101.08	110.88
1	A	327	ASP	CA-CB-CG	6.17	118.77	112.60
1	B	195	LEU	CA-C-N	6.13	128.41	120.44
1	B	195	LEU	C-N-CA	6.13	128.41	120.44
1	A	214	ARG	CG-CD-NE	-6.04	98.71	112.00
1	A	202	GLU	CB-CG-CD	6.04	122.86	112.60
1	B	267	LYS	CA-C-N	6.02	128.27	120.44
1	B	267	LYS	C-N-CA	6.02	128.27	120.44
1	B	163	GLN	CB-CG-CD	-5.95	102.48	112.60
1	A	140	PHE	CB-CA-C	-5.90	100.39	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	40	GLY	CA-C-N	5.88	128.97	120.38
1	B	40	GLY	C-N-CA	5.88	128.97	120.38
1	A	71	ASP	CA-CB-CG	5.86	118.46	112.60
1	B	268	LEU	N-CA-CB	-5.28	102.35	110.01
1	B	140	PHE	CB-CA-C	-5.20	101.92	110.08
1	B	119	ALA	CA-C-O	-5.17	116.07	121.55
1	A	202	GLU	N-CA-CB	5.13	119.16	110.49
1	B	357	ALA	CA-C-N	5.03	127.03	120.28
1	B	357	ALA	C-N-CA	5.03	127.03	120.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2608	0	2513	53	0
1	B	2551	0	2470	70	0
2	A	13	0	18	0	0
3	A	28	0	40	21	0
3	B	49	0	70	52	0
4	A	4	0	6	7	0
5	A	160	0	0	12	0
5	B	132	0	0	10	0
All	All	5545	0	5117	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:GLY:HA3	5:A:572:HOH:O	1.07	1.23
1:A:201:ALA:HA	5:A:525:HOH:O	1.36	1.23
1:A:154:ARG:NH1	5:A:501:HOH:O	1.83	1.10

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:LEU:HB3	3:B:606:PEG:H11	1.34	1.02
1:B:112:ARG:HD3	3:B:604:PEG:H31	1.41	0.99
3:A:402:PEG:H31	1:B:184:LEU:HD11	1.47	0.96
1:B:234:ARG:HD3	1:B:234:ARG:H	1.38	0.89
1:B:193:ALA:HA	3:B:605:PEG:H12	1.56	0.87
1:B:148:ARG:HB3	3:B:605:PEG:H22	1.58	0.85
1:B:208:LEU:HD21	3:B:605:PEG:H21	1.57	0.85
1:B:199:THR:CG2	3:B:606:PEG:H32	2.07	0.84
3:A:402:PEG:H31	1:B:184:LEU:CD1	2.08	0.83
1:B:195:LEU:HB3	3:B:606:PEG:C1	2.09	0.83
1:B:112:ARG:HD3	3:B:604:PEG:C3	2.10	0.81
3:A:405:PEG:H11	1:B:147:ARG:HH22	1.46	0.81
1:A:60:PHE:CD2	1:A:76:THR:HG23	2.18	0.79
1:B:138:ARG:HH11	3:B:602:PEG:C4	1.96	0.78
1:B:186:ALA:HB3	5:B:783:HOH:O	1.83	0.78
1:B:131:GLN:HB3	3:B:602:PEG:H22	1.67	0.76
1:B:209:GLU:OE2	3:B:603:PEG:H32	1.86	0.75
1:A:112:ARG:HB2	3:A:402:PEG:H42	1.68	0.75
1:B:289:ALA:HA	3:B:607:PEG:H42	1.69	0.74
1:B:199:THR:HG21	3:B:606:PEG:H32	1.68	0.74
1:A:151:HIS:CE1	3:A:406:PEG:H41	2.24	0.73
1:A:60:PHE:CE2	1:A:76:THR:HG23	2.26	0.70
1:B:148:ARG:HG2	3:B:603:PEG:H31	1.74	0.69
1:A:233:LEU:C	5:A:535:HOH:O	2.36	0.68
3:B:606:PEG:C4	5:B:770:HOH:O	2.41	0.68
1:A:60:PHE:CD2	1:A:76:THR:CG2	2.77	0.67
1:A:112:ARG:HD3	3:A:402:PEG:O2	1.93	0.67
1:A:151:HIS:HE1	3:A:406:PEG:H41	1.59	0.67
1:B:293:THR:HG22	3:B:606:PEG:H21	1.77	0.67
3:A:405:PEG:H32	1:B:115:GLU:OE2	1.94	0.67
1:A:94:GLY:CA	5:A:572:HOH:O	1.85	0.66
1:B:138:ARG:HH11	3:B:602:PEG:H42	1.61	0.65
1:B:112:ARG:CD	3:B:604:PEG:H31	2.23	0.65
1:B:196:GLU:OE2	3:B:605:PEG:O1	2.16	0.64
1:B:268:LEU:HG	1:B:344:LEU:HD13	1.80	0.63
1:A:94:GLY:C	5:A:572:HOH:O	2.29	0.63
1:B:138:ARG:HH11	3:B:602:PEG:H41	1.64	0.62
1:B:234:ARG:HD3	1:B:234:ARG:N	2.13	0.61
1:B:193:ALA:HA	3:B:605:PEG:C1	2.29	0.61
3:B:606:PEG:H41	5:B:770:HOH:O	2.01	0.61
1:B:138:ARG:NH1	3:B:602:PEG:H41	2.16	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:271:ARG:HD2	1:B:344:LEU:HD23	1.83	0.60
1:A:18:GLU:H	1:A:18:GLU:CD	2.09	0.60
1:B:65:PRO:HD2	3:B:606:PEG:H42	1.83	0.59
1:A:60:PHE:CE2	1:A:76:THR:CG2	2.86	0.59
1:B:217:THR:HG21	3:B:605:PEG:H42	1.86	0.57
1:A:186:ALA:HB3	5:A:577:HOH:O	2.02	0.57
3:A:405:PEG:C1	1:B:147:ARG:HH22	2.16	0.57
1:A:184:LEU:HD21	3:B:604:PEG:H42	1.85	0.57
1:A:162:TRP:HZ3	3:B:604:PEG:H22	1.69	0.57
1:A:222:MET:HE3	1:A:222:MET:HA	1.88	0.56
1:B:178:TYR:CZ	1:B:182:ARG:HG3	2.41	0.56
1:A:122:ASN:ND2	5:A:509:HOH:O	2.37	0.56
1:A:132:ASP:OD1	1:A:135:ARG:NH2	2.25	0.56
1:A:294:TYR:HB2	4:A:403:EDO:H11	1.88	0.56
1:A:196:GLU:HA	4:A:403:EDO:H21	1.88	0.56
1:B:293:THR:O	3:B:606:PEG:H22	2.05	0.56
3:A:405:PEG:H12	1:B:151:HIS:HE1	1.69	0.55
1:A:214:ARG:NH2	3:A:405:PEG:H31	2.22	0.55
3:A:406:PEG:H22	1:B:189:GLU:OE1	2.06	0.55
1:A:17:LEU:HD21	1:A:277:LEU:HD21	1.89	0.55
1:B:18:GLU:H	1:B:18:GLU:CD	2.15	0.54
1:B:26:HIS:HB3	5:B:821:HOH:O	2.08	0.54
1:B:64:ALA:HA	3:B:606:PEG:C4	2.38	0.54
1:A:184:LEU:HD11	3:B:604:PEG:H11	1.88	0.54
1:A:11:PRO:O	1:A:230:ARG:NH1	2.41	0.53
1:A:199:THR:OG1	4:A:403:EDO:C2	2.57	0.53
3:A:402:PEG:H22	1:B:183:LEU:HD23	1.91	0.52
1:A:72:ARG:O	1:A:76:THR:HB	2.10	0.52
1:B:151:HIS:HD2	3:B:603:PEG:H21	1.74	0.52
3:A:402:PEG:H41	1:B:162:TRP:HZ3	1.75	0.52
1:A:201:ALA:CA	5:A:525:HOH:O	2.17	0.51
1:B:117:PRO:HB3	3:B:602:PEG:H12	1.92	0.51
1:A:189:GLU:OE2	1:A:214:ARG:NH2	2.44	0.50
1:A:162:TRP:HZ3	3:B:604:PEG:C2	2.24	0.50
1:B:189:GLU:OE2	1:B:214:ARG:NH2	2.33	0.50
1:B:352:TRP:HB2	1:B:358:LEU:HD23	1.93	0.50
3:B:606:PEG:H42	5:B:770:HOH:O	2.09	0.50
3:A:405:PEG:H12	1:B:151:HIS:CE1	2.47	0.50
1:B:166:ASN:HD22	1:B:244:GLN:NE2	2.09	0.49
3:B:603:PEG:H11	5:B:765:HOH:O	2.12	0.49
1:A:199:THR:OG1	4:A:403:EDO:H21	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:HIS:CD2	3:B:603:PEG:H21	2.48	0.49
1:B:199:THR:HG23	3:B:606:PEG:H32	1.92	0.49
1:B:148:ARG:HA	3:B:603:PEG:H22	1.94	0.49
1:A:274:LEU:HD12	1:A:339:SER:HA	1.94	0.49
1:A:284:ARG:NH2	5:A:515:HOH:O	2.46	0.48
1:B:131:GLN:HB3	3:B:602:PEG:C2	2.38	0.48
1:A:115:GLU:OE2	1:A:154:ARG:NH2	2.45	0.48
1:A:94:GLY:C	1:A:96:LEU:N	2.70	0.48
1:B:234:ARG:NH1	1:B:234:ARG:HG2	2.29	0.47
1:B:300:HIS:HD2	5:B:770:HOH:O	1.98	0.47
1:A:199:THR:OG1	4:A:403:EDO:H22	2.15	0.47
1:B:178:TYR:CZ	1:B:182:ARG:CG	2.99	0.46
1:A:214:ARG:HH21	3:A:405:PEG:H31	1.80	0.45
1:B:234:ARG:HG2	1:B:234:ARG:HH11	1.81	0.45
1:A:195:LEU:HB3	4:A:403:EDO:O2	2.16	0.45
3:B:604:PEG:C1	5:B:701:HOH:O	2.64	0.45
1:A:94:GLY:C	1:A:96:LEU:H	2.25	0.45
1:B:131:GLN:CB	3:B:602:PEG:H22	2.43	0.44
1:A:47:GLU:O	1:A:51:VAL:HG23	2.17	0.44
1:B:271:ARG:HD2	1:B:344:LEU:CD2	2.47	0.44
1:A:184:LEU:HD11	3:B:604:PEG:C1	2.48	0.43
3:B:604:PEG:H11	5:B:701:HOH:O	2.18	0.43
1:A:151:HIS:NE2	3:B:603:PEG:H42	2.34	0.43
1:B:33:VAL:O	1:B:37:ARG:HG3	2.18	0.43
3:A:405:PEG:H41	3:B:604:PEG:C4	2.49	0.43
1:A:112:ARG:HH11	3:A:402:PEG:H12	1.84	0.43
1:A:193:ALA:CB	3:A:404:PEG:H21	2.48	0.43
1:B:293:THR:O	3:B:606:PEG:C2	2.67	0.43
1:A:155:ALA:HB2	3:A:405:PEG:H21	2.01	0.43
3:A:404:PEG:H12	5:A:526:HOH:O	2.18	0.42
1:A:111:GLN:HG2	1:A:154:ARG:NH1	2.35	0.42
1:B:296:GLN:NE2	3:B:607:PEG:O1	2.40	0.42
1:A:196:GLU:HG3	1:A:203:VAL:HG23	2.01	0.42
1:B:234:ARG:HH11	1:B:234:ARG:CG	2.33	0.41
1:B:138:ARG:NH1	3:B:602:PEG:C4	2.69	0.41
1:B:155:ALA:HB1	1:B:184:LEU:HD22	2.02	0.41
1:B:232:SER:HA	1:B:234:ARG:HE	1.84	0.41
3:B:604:PEG:H42	3:B:604:PEG:H11	2.02	0.41
1:A:196:GLU:HB2	5:A:604:HOH:O	2.20	0.41
1:B:217:THR:HG21	3:B:605:PEG:C4	2.50	0.41
1:A:96:LEU:CD2	1:A:106:LEU:HD22	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:TYR:CB	4:A:403:EDO:H11	2.51	0.41
1:B:135:ARG:N	3:B:602:PEG:H31	2.35	0.40
1:B:147:ARG:HG2	5:B:732:HOH:O	2.20	0.40
1:B:135:ARG:HB2	3:B:602:PEG:H31	2.02	0.40
1:A:268:LEU:C	1:A:268:LEU:HD12	2.45	0.40
1:B:42:CYS:CB	1:B:48:ARG:HG2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	325/361 (90%)	317 (98%)	8 (2%)	0	100	100
1	B	315/361 (87%)	310 (98%)	5 (2%)	0	100	100
All	All	640/722 (89%)	627 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/290 (91%)	257 (97%)	8 (3%)	36	56
1	B	258/290 (89%)	250 (97%)	8 (3%)	35	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	523/580 (90%)	507 (97%)	16 (3%)	35 54

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ASP
1	A	38	ARG
1	A	76	THR
1	A	230	ARG
1	A	326	GLU
1	A	340	SER
1	A	344	LEU
1	A	349	SER
1	B	10	LEU
1	B	18	GLU
1	B	30	LYS
1	B	122	ASN
1	B	167	GLN
1	B	182	ARG
1	B	234	ARG
1	B	326	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	ASN
1	A	163	GLN
1	A	171	HIS
1	A	252	HIS
1	B	104	ASN
1	B	151	HIS
1	B	244	GLN
1	B	252	HIS
1	B	296	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PEG	B	605	-	6,6,6	0.86	0	5,5,5	0.58	0
3	PEG	B	602	-	6,6,6	0.36	0	5,5,5	0.57	0
3	PEG	B	607	-	6,6,6	0.57	0	5,5,5	0.47	0
4	EDO	A	403	-	3,3,3	0.29	0	2,2,2	0.54	0
3	PEG	B	606	-	6,6,6	1.17	0	5,5,5	1.11	0
2	PG4	A	401	-	12,12,12	0.44	0	11,11,11	0.33	0
3	PEG	A	402	-	6,6,6	0.66	0	5,5,5	0.74	0
3	PEG	A	405	-	6,6,6	0.85	0	5,5,5	0.59	0
3	PEG	A	406	-	6,6,6	0.26	0	5,5,5	0.32	0
3	PEG	B	604	-	6,6,6	0.33	0	5,5,5	0.45	0
3	PEG	A	404	-	6,6,6	1.01	0	5,5,5	0.69	0
3	PEG	B	603	-	6,6,6	0.41	0	5,5,5	0.46	0
3	PEG	B	601	-	6,6,6	0.30	0	5,5,5	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	B	605	-	-	2/4/4/4	-
3	PEG	B	602	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	B	607	-	-	1/4/4/4	-
4	EDO	A	403	-	-	1/1/1/1	-
3	PEG	B	606	-	-	4/4/4/4	-
2	PG4	A	401	-	-	6/10/10/10	-
3	PEG	A	402	-	-	3/4/4/4	-
3	PEG	A	405	-	-	1/4/4/4	-
3	PEG	A	406	-	-	2/4/4/4	-
3	PEG	B	604	-	-	4/4/4/4	-
3	PEG	A	404	-	-	3/4/4/4	-
3	PEG	B	603	-	-	3/4/4/4	-
3	PEG	B	601	-	-	1/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	602	PEG	C1-C2-O2-C3
3	A	404	PEG	O1-C1-C2-O2
3	A	402	PEG	O1-C1-C2-O2
3	A	406	PEG	O1-C1-C2-O2
3	B	604	PEG	C1-C2-O2-C3
2	A	401	PG4	O4-C7-C8-O5
3	A	402	PEG	O2-C3-C4-O4
3	B	603	PEG	O2-C3-C4-O4
3	B	602	PEG	O2-C3-C4-O4
3	B	604	PEG	O2-C3-C4-O4
3	B	607	PEG	O2-C3-C4-O4
4	A	403	EDO	O1-C1-C2-O2
3	B	606	PEG	O1-C1-C2-O2
2	A	401	PG4	C3-C4-O3-C5
3	A	405	PEG	O1-C1-C2-O2
3	B	604	PEG	O1-C1-C2-O2
3	B	605	PEG	O1-C1-C2-O2
3	B	606	PEG	C1-C2-O2-C3
3	B	606	PEG	C4-C3-O2-C2
3	A	402	PEG	C4-C3-O2-C2
3	B	602	PEG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	601	PEG	O2-C3-C4-O4
3	A	404	PEG	C4-C3-O2-C2
2	A	401	PG4	C4-C3-O2-C2
3	B	603	PEG	C4-C3-O2-C2
3	B	605	PEG	C4-C3-O2-C2
3	B	603	PEG	C1-C2-O2-C3
2	A	401	PG4	C8-C7-O4-C6
3	A	404	PEG	C1-C2-O2-C3
2	A	401	PG4	C6-C5-O3-C4
3	B	606	PEG	O2-C3-C4-O4
3	A	406	PEG	C1-C2-O2-C3
3	B	604	PEG	C4-C3-O2-C2
2	A	401	PG4	O2-C3-C4-O3

There are no ring outliers.

11 monomers are involved in 79 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	605	PEG	7	0
3	B	602	PEG	11	0
3	B	607	PEG	2	0
4	A	403	EDO	7	0
3	B	606	PEG	13	0
3	A	402	PEG	7	0
3	A	405	PEG	9	0
3	A	406	PEG	3	0
3	B	604	PEG	12	0
3	A	404	PEG	2	0
3	B	603	PEG	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	331/361 (91%)	-0.21	9 (2%) 56 56	16, 26, 56, 79	0
1	B	323/361 (89%)	-0.12	8 (2%) 58 58	17, 28, 61, 93	0
All	All	654/722 (90%)	-0.17	17 (2%) 57 56	16, 27, 59, 93	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	94	GLY	6.4
1	A	201	ALA	5.5
1	A	93	ASN	4.8
1	B	324	PRO	4.7
1	B	10	LEU	3.8
1	A	95	PRO	3.2
1	B	234	ARG	3.2
1	B	243	ASP	2.7
1	B	231	HIS	2.7
1	B	313	PRO	2.6
1	A	10	LEU	2.6
1	A	233	LEU	2.6
1	A	9	ASP	2.4
1	B	233	LEU	2.3
1	A	231	HIS	2.3
1	B	254	ARG	2.2
1	A	242	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PEG	A	402	7/7	0.78	0.32	34,47,52,54	0
3	PEG	B	607	7/7	0.80	0.24	46,52,58,62	0
3	PEG	A	404	7/7	0.81	0.26	25,37,46,50	0
3	PEG	B	601	7/7	0.82	0.19	46,48,59,59	0
3	PEG	B	605	7/7	0.84	0.19	29,31,35,36	0
3	PEG	B	606	7/7	0.85	0.24	34,37,44,47	0
2	PG4	A	401	13/13	0.86	0.14	33,41,47,47	0
3	PEG	A	405	7/7	0.86	0.23	37,50,60,61	0
3	PEG	B	603	7/7	0.89	0.21	40,55,61,61	0
4	EDO	A	403	4/4	0.91	0.17	32,38,43,45	0
3	PEG	B	604	7/7	0.92	0.18	32,35,38,43	0
3	PEG	A	406	7/7	0.93	0.17	37,55,60,60	0
3	PEG	B	602	7/7	0.94	0.12	35,39,44,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.