



## wwPDB EM Validation Summary Report ⓘ

Jun 29, 2026 – 04:38 pm BST

PDB ID : 9TIC / pdb\_00009tic  
EMDB ID : EMD-55951  
Title : Phage 812 baseplate in the pre-contraction state (C3)  
Authors : Binovsky, J.; Plevka, P.  
Deposited on : 2025-12-05  
Resolution : 5.90 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.50

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 5.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	501 ( 5.40 - 6.40 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	458	
1	8	458	
1	9	458	
1	w	458	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	x	458	25% 94% 6%
1	y	458	24% 94% 5%
2	1	173	98% 83% 14% ..
2	P	173	83% 9% 7%
2	Q	173	14% 87% 7% 6%
2	R	173	39% 85% 8% 6%
2	S	173	62% 94% ..
2	T	173	83% 83% 16% ..
2	U	173	91% 84% 13% ..
2	V	173	95% 83% 14% ..
2	W	173	99% 86% 11% ..
2	X	173	98% 87% 10% ..
2	Y	173	99% 86% 12% ..
2	Z	173	96% 82% 16% ..
2	e	173	89% 5% 6%
2	f	173	9% 89% .. 6%
2	g	173	16% 94% 6%
2	h	173	43% 94% 5% ..
2	i	173	47% 83% 5% 12%
2	j	173	76% 91% 8% ..
2	k	173	86% 85% 13% ..
2	l	173	94% 88% 10% ..
2	m	173	94% 91% 6% ..
2	n	173	92% 88% 11% .
2	o	173	85% 87% 11% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	p	173	92% 89% 10% ..
3	2	1152	29% 79% 12% 8%
3	3	1152	33% 80% 10% 8%
3	4	1152	33% 80% 12% 8%
3	5	1152	59% 79% 11% 8%
3	6	1152	59% 80% 11% 8%
3	7	1152	63% 81% 10% 8%
3	q	1152	33% 80% 11% 8%
3	r	1152	29% 79% 12% 8%
3	s	1152	31% 80% 10% 8%
3	t	1152	32% 82% 9% 8%
3	u	1152	30% 80% 11% 8%
3	v	1152	24% 81% 10% 8%
4	A	848	33% 64%
5	AA	640	33% 91% 8%
5	AB	640	33% 88% 11%
5	a	640	45% 89% 10%
5	b	640	62% 90% 9%
5	c	640	58% 92% 6%
5	z	640	40% 88% 11%
6	AC	142	90% 8%
6	AD	142	89% 8%
6	AE	142	91% 7%
6	AF	142	90% 8%
6	AG	142	50% 91% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	AH	142	
7	AI	587	
7	AJ	587	
7	AK	587	
7	AL	587	
7	AM	587	
7	AN	587	
8	B	295	
9	C	808	
10	D	174	
10	E	174	
11	F	263	
11	G	263	
12	H	234	
12	I	234	
13	J	348	
13	K	348	
13	L	348	
13	M	348	
14	N	1019	
14	O	1019	
15	d	124	

## 2 Entry composition [i](#)

There are 15 unique types of molecules in this entry. The entry contains 256934 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ORF68.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	458	Total	C	N	O	S	0	0
			3548	2224	592	719	13		
1	8	458	Total	C	N	O	S	0	0
			3548	2224	592	719	13		
1	9	458	Total	C	N	O	S	0	0
			3548	2224	592	719	13		
1	w	458	Total	C	N	O	S	0	0
			3548	2224	592	719	13		
1	x	458	Total	C	N	O	S	0	0
			3548	2224	592	719	13		
1	y	458	Total	C	N	O	S	0	0
			3548	2224	592	719	13		

- Molecule 2 is a protein called ORF64.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	P	161	Total	C	N	O	S	0	0
			1266	809	207	249	1		
2	Q	163	Total	C	N	O	S	0	0
			1277	817	208	251	1		
2	R	162	Total	C	N	O	S	0	0
			1272	812	208	251	1		
2	S	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	T	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	U	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	V	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	W	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
2	X	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	Y	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	Z	172	Total	C	N	O	S	0	0
			1349	858	221	269	1		
2	e	163	Total	C	N	O	S	0	0
			1280	818	209	252	1		
2	f	162	Total	C	N	O	S	0	0
			1270	811	207	251	1		
2	g	163	Total	C	N	O	S	0	0
			1278	817	208	252	1		
2	h	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		
2	i	152	Total	C	N	O	S	0	0
			1199	769	196	233	1		
2	j	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		
2	k	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		
2	l	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		
2	m	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		
2	n	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		
2	o	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		
2	p	172	Total	C	N	O	S	0	0
			1350	858	221	270	1		

- Molecule 3 is a protein called ORF65.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	1062	Total	C	N	O	S	0	0
			8364	5260	1398	1682	24		
3	3	1062	Total	C	N	O	S	0	0
			8364	5260	1398	1682	24		
3	4	1062	Total	C	N	O	S	0	0
			8364	5260	1398	1682	24		
3	5	1062	Total	C	N	O	S	0	0
			8364	5260	1398	1682	24		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	6	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0
3	7	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0
3	q	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0
3	r	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0
3	s	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0
3	t	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0
3	u	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0
3	v	1062	Total 8364	C 5260	N 1398	O 1682	S 24	0	0

- Molecule 4 is a protein called ORF58.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	A	309	Total 2462	C 1555	N 400	O 501	S 6	0	0

- Molecule 5 is a protein called CBM-cenC domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AA	640	Total 5127	C 3258	N 840	O 1016	S 13	0	0
5	AB	640	Total 5127	C 3258	N 840	O 1016	S 13	0	0
5	a	640	Total 5127	C 3258	N 840	O 1016	S 13	0	0
5	b	640	Total 5127	C 3258	N 840	O 1016	S 13	0	0
5	c	640	Total 5127	C 3258	N 840	O 1016	S 13	0	0
5	z	640	Total 5127	C 3258	N 840	O 1016	S 13	0	0

- Molecule 6 is a protein called ORF50.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AC	139	Total	C	N	O	S	0	0
			1091	685	183	219	4		
6	AD	139	Total	C	N	O	S	0	0
			1091	685	183	219	4		
6	AE	139	Total	C	N	O	S	0	0
			1091	685	183	219	4		
6	AF	139	Total	C	N	O	S	0	0
			1091	685	183	219	4		
6	AG	139	Total	C	N	O	S	0	0
			1091	685	183	219	4		
6	AH	139	Total	C	N	O	S	0	0
			1091	685	183	219	4		

- Molecule 7 is a protein called ORF49.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AI	550	Total	C	N	O	S	0	0
			4284	2698	729	850	7		
7	AJ	550	Total	C	N	O	S	0	0
			4284	2698	729	850	7		
7	AK	549	Total	C	N	O	S	0	0
			4267	2684	724	852	7		
7	AL	549	Total	C	N	O	S	0	0
			4267	2684	724	852	7		
7	AM	342	Total	C	N	O	S	0	0
			2667	1678	459	523	7		
7	AN	342	Total	C	N	O	S	0	0
			2667	1678	459	523	7		

- Molecule 8 is a protein called ORF57.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	292	Total	C	N	O	S	0	0
			2424	1572	369	476	7		

- Molecule 9 is a protein called ORF56.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	C	725	Total	C	N	O	S	0	0
			5852	3738	984	1110	20		

- Molecule 10 is a protein called ORF60.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	160	Total	C	N	O	S	0	0
			1294	831	206	253	4		
10	E	154	Total	C	N	O	S	0	0
			1248	803	200	241	4		

- Molecule 11 is a protein called ORF59.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	238	Total	C	N	O	S	0	0
			1878	1164	335	375	4		
11	G	237	Total	C	N	O	S	0	0
			1871	1160	334	373	4		

- Molecule 12 is a protein called ORF61.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	212	Total	C	N	O	S	0	0
			1694	1060	290	339	5		
12	I	213	Total	C	N	O	S	0	0
			1701	1065	291	340	5		

- Molecule 13 is a protein called ORF62.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	348	Total	C	N	O	S	0	0
			2760	1734	459	560	7		
13	K	348	Total	C	N	O	S	0	0
			2760	1734	459	560	7		
13	L	348	Total	C	N	O	S	0	0
			2760	1734	459	560	7		
13	M	348	Total	C	N	O	S	0	0
			2760	1734	459	560	7		

- Molecule 14 is a protein called ORF63.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	721	Total	C	N	O	S	0	0
			5845	3728	945	1161	11		
14	O	721	Total	C	N	O	S	0	0
			5845	3728	945	1161	11		


- Molecule 15 is a protein called ORF67.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
15	d	71	597	390	94	113	0	0


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ORF68




- Molecule 1: ORF68






• Molecule 1: ORF68




• Molecule 1: ORF68





• Molecule 1: ORF68







• Molecule 1: ORF68




• Molecule 2: ORF64





• Molecule 2: ORF64










• Molecule 2: ORF64




• Molecule 2: ORF64




• Molecule 2: ORF64





• Molecule 2: ORF64








• Molecule 2: ORF64




• Molecule 2: ORF64







• Molecule 2: ORF64










• Molecule 2: ORF64




• Molecule 2: ORF64




• Molecule 2: ORF64





• Molecule 2: ORF64








• Molecule 2: ORF64





• Molecule 2: ORF64



• Molecule 2: ORF64




• Molecule 2: ORF64




• Molecule 2: ORF64




• Molecule 2: ORF64





• Molecule 2: ORF64







• Molecule 2: ORF64












• Molecule 2: ORF64




• Molecule 2: ORF64



• Molecule 2: ORF64




• Molecule 3: ORF65














• Molecule 3: ORF65






• Molecule 3: ORF65








L1007	F943	D867	E802	G740	THR	A555	VAL	I418	K354	D294	S232	D164
D1008	N944	P868	N803	K741	LYS	H556	ASN	A419	V355	F295	T233	L165
V1009	E945	M869	R804	F742	LYS	I557	ALA	I420	N356	L296	R234	Y166
L1010	T946	M870	L809	T743	THR	R560	ASP	L421	K357	S297	I235	I167
G1011	A947	A871	G810	I744	MET	L561	ASP	P422	M358	N298	S236	Q168
L1012	E872	E872	L811	A746	ARG	I562	GLY	G423	M359	N299	V237	S169
A1013	G873	G874	Y812	G747	PHE	S563	ALA	E424	E360	T300	P238	T170
R1014	G874	G874	F813	I748	TRP	S664	GLY	F425	A361	A301	K239	M171
Q1015	I881	I881	A814	R749	ARG	Q498	GLY	M426	G362	F302	S240	A172
V1016	E884	E884	S815	C750	HIS	M499	Q498	I427	K363	E303	Y241	E173
K1017	N885	N885	K816	G751	ASN	P500	Q498	M428	D864	I304	D242	M174
A1020	S886	S886	G817	N752	TYR	L501	Q498	L430	Y365	V305	L243	K176
F1022	S887	S887	D818	R753	TYR	L502	Q498	R429	E366	K306	A246	I177
E1023	D887	D887	K695	E754	TYR	L503	Q498	R429	E247	E307	E247	E247
S1024	R888	R888	K696	E754	GLY	L504	Q498	V431	V367	V308	M248	K179
A1025	D889	D889	G696	E754	GLU	R504	Q498	T432	T368	T309	E249	M180
M1025	M890	M890	L697	V755	THR	S505	Q498	M436	T369	E310	S250	V180
I1028	M891	M891	L697	V755	HIS	V506	Q498	T437	Q370	E311	S251	E183
L1031	M892	M892	L697	V755	LEU	F507	Q498	D438	Q371	E312	I252	R184
T1038	G893	G893	N700	K758	LEU	S508	Q498	P439	E372	S312	I252	R185
F1039	T894	T894	D701	M759	TYR	E509	Q498	Q443	G373	P313	L262	T186
F1042	T894	T894	N702	M759	ASN	I512	Q498	T446	L374	G314	K255	D187
L1043	T894	T894	N703	S762	LEU	S513	Q498	T446	S375	V315	S256	E188
E1045	T894	T894	L704	S762	LEU	L514	Q498	V449	K376	T316	N257	M189
L1046	T894	T894	L706	S763	LEU	D515	Q498	L450	K377	T317	N258	S189
T1047	T894	T894	L707	A765	ALA	K616	Q498	L450	M378	E319	I260	G190
G1048	T894	T894	L707	A765	GLY	K616	Q498	L450	M378	E319	S261	S191
S1049	T894	T894	L707	A765	GLN	A517	Q498	L450	M378	E319	S261	S191
L1049	T894	T894	L707	A765	LYS	D518	Q498	L450	M378	E319	S261	S191
Y1050	T894	T894	L707	A765	TRP	D518	Q498	L450	M378	E319	S261	S191
V1051	T894	T894	L707	A765	LYS	D518	Q498	L450	M378	E319	S261	S191
G1052	T894	T894	L707	A765	GLY	D518	Q498	L450	M378	E319	S261	S191
R1053	T894	T894	L707	A765	THR	D518	Q498	L450	M378	E319	S261	S191
A1054	T894	T894	L707	A765	TYR	D518	Q498	L450	M378	E319	S261	S191
I1055	T894	T894	L707	A765	TYR	D518	Q498	L450	M378	E319	S261	S191
D1056	T894	T894	L707	A765	ALA	D523	Q498	L450	M378	E319	S261	S191
M1057	T894	T894	L707	A765	ARG	F524	Q498	L450	M378	E319	S261	S191
D996	T894	T894	L707	A765	ARG	G525	Q498	L450	M378	E319	S261	S191
N987	T894	T894	L707	A765	THR	A533	Q498	L450	M378	E319	S261	S191
A988	T894	T894	L707	A765	GLU	E534	Q498	L450	M378	E319	S261	S191
A1060	T894	T894	L707	A765	HIS	A535	Q498	L450	M378	E319	S261	S191
P1061	T894	T894	L707	A765	ARG	A535	Q498	L450	M378	E319	S261	S191
Y1062	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
N1063	T894	T894	L707	A765	GLY	A535	Q498	L450	M378	E319	S261	S191
T1084	T894	T894	L707	A765	GLY	A535	Q498	L450	M378	E319	S261	S191
F1087	T894	T894	L707	A765	ARG	A535	Q498	L450	M378	E319	S261	S191
A1071	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1072	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
L1073	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
P1074	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
K1075	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
G1076	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1077	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
Y1082	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
N1063	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1084	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1087	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
A1071	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1072	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
L1073	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
P1074	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
K1075	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
G1076	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1077	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
Y1082	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
N1063	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1084	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1087	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
A1071	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1072	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
L1073	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
P1074	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
K1075	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
G1076	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1077	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
Y1082	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
N1063	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1084	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1087	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
A1071	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1072	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
L1073	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
P1074	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
K1075	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
G1076	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1077	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
Y1082	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
N1063	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1084	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1087	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
A1071	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1072	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
L1073	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
P1074	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
K1075	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
G1076	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1077	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
Y1082	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
N1063	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1084	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1087	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
A1071	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1072	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
L1073	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
P1074	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
K1075	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
G1076	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1077	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
Y1082	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
N1063	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
T1084	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191
F1087	T894	T894	L707	A765	THR	A535	Q498	L450	M378	E319	S261	S191







• Molecule 3: ORF65






• Molecule 3: ORF65












• Molecule 3: ORF65






• Molecule 4: ORF58




MET	V2	L13	V23	A29	V41	D56	S59	I84	I92	G93	F94	D97	I99	M100	D152	G153	T170	E175	Q189	I230	D240	V245	L246	Q256	S260	V266	S287	E288	D289	K300	T304	D305	I310	ASP			
LYS	PRO	MET	LEU	GLU	THR	ASN	LEU	ASP	GLU	ALA	MET	THR	LYS	ASN	GLY	THR	LEU	ILE	GLN	PHE	GLN	LYS	GLY	ASN	GLY	LEU	GLU	THR	THR	LYS	PRO	THR	ALA	LYS	SER	ASP	
VAL	ASN	ARG	LEU	THR	THR	THR	GLN	ILE	ALA	GLU	THR	GLY	ASN	GLN	PHE	GLN	THR	LEU	ILE	THR	LYS	ASN	GLN	VAL	ILE	ASN	GLU	VAL	THR	PRO	THR	ALA	LYS	ASP	THR	THR	
LYS	VAL	ASP	ASN	LEU	THR	GLY	LYS	THR	ARG	LEU	THR	GLY	THR	LEU	ILE	THR	LEU	ILE	THR	LYS	ASN	ASP	ALA	VAL	ILE	ASN	GLY	THR	THR	ARG	LYS	THR	VAL	LYS	THR	THR	
SER	LYS	VAL	THR	TYR	ASN	GLY	ASN	LYS	THR	PRO	THR	ARG	LEU	THR	VAL	VAL	VAL	VAL	GLY	VAL	GLY	ASP	ALA	THR	GLY	ASN	ARG	LEU	LYS	THR	ARG	GLY	MET	THR	THR	TYR	
THR	ARG	ASP	VAL	ALA	ILE	SER	THR	THR	GLY	VAL	THR	GLY	GLY	GLY	THR	VAL	VAL	GLN	GLY	SER	VAL	GLY	THR	THR	THR	THR	THR	PHE	THR	ILE	ILE	ALA	GLY	THR	THR	MET	
GLU	LYS	ASP	PHE	VAL	LEU	THR	HIS	THR	GLY	THR	HIS	THR	GLY	GLY	THR	VAL	VAL	GLN	MET	THR	ALA	LEU	LEU	THR	THR	ASN	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	
GLY	THR	GLY	LYS	VAL	GLY	VAL	GLY	THR	PHE	ASN	SER	LEU	GLY	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	ALA


ILE  
ALA  
PRO  
LYS  
TVR  
THR  
THR  
ILE  
THR  
LYS  
GLU  
LEU  
VAL  
ASP  
LEU  
ALA  
HIS  
SER  
LYS  
GLY  
LYS  
VAL  
HIS  
ALA  
TRP  
THR  
VAL  
ASN  
THR  
LYS  
GLU  
GLU  
MET  
SER  
LEU  
ILE  
MET  
GLN  
GLY  
VAL  
ASP  
GLY  
PHE  
PHE  
THR  
ASN  
TVR  
LEU  
ASP  
GLU  
LYS  
LYS  
LYS  
ILE


• Molecule 5: CBM-cenC domain-containing protein


Chain AA:  33% 91% 8%





• Molecule 5: CBM-cenC domain-containing protein

Chain AB:  33% 88% 11%







• Molecule 5: CBM-cenC domain-containing protein






• Molecule 5: CBM-cenC domain-containing protein







• Molecule 5: CBM-cenC domain-containing protein








• Molecule 5: CBM-cenC domain-containing protein











• Molecule 7: ORF49




• Molecule 7: ORF49



• Molecule 7: ORF49




• Molecule 7: ORF49














• Molecule 10: ORF60





• Molecule 10: ORF60




• Molecule 11: ORF59



• Molecule 11: ORF59




• Molecule 12: ORF61





GLU  
SER  
ILE  
ASN  
PHE  
VAL  
LEU  
GLY  
GLN  
ASP  
GLU  
GLU  
GLY  
ILE  
ALA  
LEU  
PHE  
GLU



• Molecule 12: ORF61





• Molecule 13: ORF62




• Molecule 13: ORF62



• Molecule 13: ORF62




• Molecule 13: ORF62







● Molecule 15: ORF67



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	3586	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40.8	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.106	Depositor
Minimum map value	-0.046	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.025	Depositor
Map size ( $\text{\AA}$ )	1067.0079, 1067.0079, 1067.0079	wwPDB
Map dimensions	640, 640, 640	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.6671999, 1.6671999, 1.6671999	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.78	0/3619	1.34	7/4913 (0.1%)
1	8	0.79	0/3619	1.35	11/4913 (0.2%)
1	9	0.80	0/3619	1.37	10/4913 (0.2%)
1	w	0.77	0/3619	1.34	13/4913 (0.3%)
1	x	0.77	0/3619	1.34	7/4913 (0.1%)
1	y	0.75	0/3619	1.33	7/4913 (0.1%)
2	1	0.80	0/1377	1.47	8/1872 (0.4%)
2	P	0.70	0/1292	1.29	1/1756 (0.1%)
2	Q	0.71	0/1303	1.27	5/1771 (0.3%)
2	R	0.74	0/1298	1.23	3/1764 (0.2%)
2	S	0.74	0/1377	1.32	5/1872 (0.3%)
2	T	0.74	0/1377	1.39	7/1872 (0.4%)
2	U	0.70	0/1377	1.41	8/1872 (0.4%)
2	V	0.74	0/1377	1.43	8/1872 (0.4%)
2	W	0.78	0/1377	1.46	11/1872 (0.6%)
2	X	0.80	0/1377	1.51	9/1872 (0.5%)
2	Y	0.75	0/1377	1.46	6/1872 (0.3%)
2	Z	0.75	0/1377	1.48	10/1872 (0.5%)
2	e	0.67	0/1306	1.15	2/1774 (0.1%)
2	f	0.65	0/1296	1.17	0/1760
2	g	0.65	0/1304	1.12	0/1771
2	h	0.67	0/1378	1.20	3/1872 (0.2%)
2	i	0.68	0/1224	1.26	2/1660 (0.1%)
2	j	0.73	0/1378	1.33	2/1872 (0.1%)
2	k	0.74	0/1378	1.38	6/1872 (0.3%)
2	l	0.77	0/1378	1.39	6/1872 (0.3%)
2	m	0.77	0/1378	1.37	6/1872 (0.3%)
2	n	0.76	0/1378	1.39	2/1872 (0.1%)
2	o	0.78	0/1378	1.36	4/1872 (0.2%)
2	p	0.79	0/1378	1.35	4/1872 (0.2%)
3	2	0.84	0/8526	1.46	36/11565 (0.3%)
3	3	0.84	0/8526	1.46	40/11565 (0.3%)
3	4	0.85	0/8526	1.47	43/11565 (0.4%)
3	5	0.89	0/8526	1.48	48/11565 (0.4%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
3	6	0.90	0/8526	1.50	45/11565 (0.4%)
3	7	0.89	1/8526 (0.0%)	1.47	39/11565 (0.3%)
3	q	0.85	0/8526	1.45	37/11565 (0.3%)
3	r	0.83	1/8526 (0.0%)	1.42	38/11565 (0.3%)
3	s	0.85	0/8526	1.47	48/11565 (0.4%)
3	t	0.83	0/8526	1.42	35/11565 (0.3%)
3	u	0.82	0/8526	1.41	32/11565 (0.3%)
3	v	0.81	0/8526	1.41	38/11565 (0.3%)
4	A	0.13	0/2511	0.38	0/3394
5	AA	0.80	0/5253	1.39	25/7135 (0.4%)
5	AB	0.81	0/5253	1.44	30/7135 (0.4%)
5	a	0.84	0/5253	1.45	23/7135 (0.3%)
5	b	0.83	0/5253	1.42	17/7135 (0.2%)
5	c	0.83	0/5253	1.42	10/7135 (0.1%)
5	z	0.81	0/5253	1.39	22/7135 (0.3%)
6	AC	0.12	0/1107	0.33	0/1496
6	AD	0.11	0/1107	0.33	0/1496
6	AE	0.12	0/1107	0.33	0/1496
6	AF	0.12	0/1107	0.34	0/1496
6	AG	0.12	0/1107	0.33	0/1496
6	AH	0.12	0/1107	0.33	0/1496
7	AI	0.17	0/4355	0.44	2/5880 (0.0%)
7	AJ	0.11	0/4355	0.36	0/5880
7	AK	0.21	0/4335	0.45	0/5853
7	AL	0.20	0/4335	0.46	0/5853
7	AM	0.15	0/2712	0.40	0/3663
7	AN	0.15	0/2712	0.41	0/3663
8	B	0.62	0/2481	1.18	11/3349 (0.3%)
9	C	0.42	0/5985	0.75	6/8050 (0.1%)
10	D	0.12	0/1315	0.34	0/1788
10	E	0.16	0/1269	0.43	0/1724
11	F	0.12	0/1907	0.40	0/2565
11	G	0.12	0/1900	0.41	0/2555
12	H	0.12	0/1722	0.38	0/2331
12	I	0.12	0/1729	0.37	0/2341
13	J	0.15	0/2803	0.40	0/3794
13	K	0.17	0/2803	0.42	0/3794
13	L	0.31	0/2803	0.64	2/3794 (0.1%)
13	M	0.17	0/2803	0.43	0/3794
14	N	0.70	1/5967 (0.0%)	1.19	13/8098 (0.2%)
14	O	0.67	0/5967	1.11	7/8098 (0.1%)
15	d	0.82	0/613	1.41	0/830
All	All	0.72	3/262008 (0.0%)	1.25	820/355215 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	5
1	8	0	4
1	9	0	3
1	w	0	3
1	x	0	4
1	y	0	2
2	1	0	3
2	P	0	1
2	Q	0	2
2	R	0	1
2	T	0	1
2	U	0	1
2	W	0	1
2	Y	0	1
2	Z	0	2
2	e	0	1
2	i	0	1
2	j	0	2
2	k	0	1
2	l	0	2
2	m	0	1
2	o	0	4
2	p	0	2
3	2	0	10
3	3	0	8
3	4	0	11
3	5	0	14
3	6	0	13
3	7	0	8
3	q	0	15
3	r	0	11
3	s	0	8
3	t	0	7
3	u	0	11
3	v	0	11
5	AA	0	5
5	AB	0	15
5	a	0	12
5	b	0	7

*Continued on next page...*

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
5	c	0	11
5	z	0	8
7	AI	0	1
8	B	0	6
9	C	0	8
13	L	0	1
14	N	0	13
14	O	0	8
15	d	0	2
All	All	0	272

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	r	271	ARG	CA-C	7.07	1.55	1.52
14	N	364	PRO	CA-C	6.17	1.55	1.51
3	7	424	GLU	CA-C	5.29	1.57	1.53

The worst 5 of 820 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	134	GLU	N-CA-C	9.13	121.93	108.60
3	s	26	ASN	CA-C-N	9.11	131.23	119.84
3	s	26	ASN	C-N-CA	9.11	131.23	119.84
3	u	381	ASN	CA-CB-CG	8.99	121.59	112.60
3	2	603	ASN	CA-CB-CG	8.90	121.50	112.60

There are no chirality outliers.

5 of 272 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	276	PHE	Sidechain
1	0	365	TYR	Sidechain
1	0	45	PHE	Sidechain
1	0	63	TYR	Sidechain
1	0	78	TYR	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	3548	0	3468	4	0
1	8	3548	0	3468	7	0
1	9	3548	0	3468	3	0
1	w	3548	0	3468	5	0
1	x	3548	0	3468	2	0
1	y	3548	0	3468	2	0
2	1	1349	0	1339	7	0
2	P	1266	0	1258	15	0
2	Q	1277	0	1274	4	0
2	R	1272	0	1264	8	0
2	S	1349	0	1339	5	0
2	T	1349	0	1339	7	0
2	U	1349	0	1339	6	0
2	V	1349	0	1339	5	0
2	W	1349	0	1339	6	0
2	X	1349	0	1339	7	0
2	Y	1349	0	1339	6	0
2	Z	1349	0	1339	8	0
2	e	1280	0	1275	11	0
2	f	1270	0	1263	4	0
2	g	1278	0	1274	0	0
2	h	1350	0	1339	3	0
2	i	1199	0	1195	4	0
2	j	1350	0	1339	2	0
2	k	1350	0	1339	2	0
2	l	1350	0	1339	3	0
2	m	1350	0	1339	4	0
2	n	1350	0	1339	5	0
2	o	1350	0	1339	6	0
2	p	1350	0	1339	1	0
3	2	8364	0	8206	25	0
3	3	8364	0	8206	20	0
3	4	8364	0	8206	19	0
3	5	8364	0	8206	14	0
3	6	8364	0	8206	19	0
3	7	8364	0	8206	24	0
3	q	8364	0	8206	14	0
3	r	8364	0	8206	23	0
3	s	8364	0	8206	19	0
3	t	8364	0	8206	12	0
3	u	8364	0	8206	21	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	v	8364	0	8206	18	0
4	A	2462	0	2382	17	0
5	AA	5127	0	4969	12	0
5	AB	5127	0	4969	5	0
5	a	5127	0	4969	7	0
5	b	5127	0	4969	15	0
5	c	5127	0	4969	8	0
5	z	5127	0	4969	14	0
6	AC	1091	0	1081	7	0
6	AD	1091	0	1079	26	0
6	AE	1091	0	1081	7	0
6	AF	1091	0	1081	8	0
6	AG	1091	0	1081	7	0
6	AH	1091	0	1081	6	0
7	AI	4284	0	4241	57	0
7	AJ	4284	0	4241	42	0
7	AK	4267	0	4220	44	0
7	AL	4267	0	4220	39	0
7	AM	2667	0	2631	24	0
7	AN	2667	0	2631	27	0
8	B	2424	0	2330	43	0
9	C	5852	0	5760	76	0
10	D	1294	0	1301	8	0
10	E	1248	0	1257	15	0
11	F	1878	0	1841	38	0
11	G	1871	0	1837	19	0
12	H	1694	0	1663	34	0
12	I	1701	0	1672	45	0
13	J	2760	0	2729	23	0
13	K	2760	0	2729	22	0
13	L	2760	0	2729	29	0
13	M	2760	0	2729	29	0
14	N	5845	0	5710	33	0
14	O	5845	0	5710	30	0
15	d	597	0	570	1	0
All	All	256934	0	252277	992	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 992 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:B:150:LEU:HD12	9:C:679:LYS:CE	1.36	1.52
8:B:150:LEU:HD12	9:C:679:LYS:NZ	1.09	1.40
8:B:150:LEU:CD1	9:C:679:LYS:HD2	1.62	1.28
8:B:150:LEU:CD1	9:C:679:LYS:CE	2.14	1.25
14:O:176:TYR:CE2	2:e:157:GLN:NE2	2.04	1.25

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	456/458 (100%)	412 (90%)	43 (9%)	1 (0%)	43	77
1	8	456/458 (100%)	419 (92%)	34 (8%)	3 (1%)	18	56
1	9	456/458 (100%)	419 (92%)	35 (8%)	2 (0%)	30	67
1	w	456/458 (100%)	419 (92%)	35 (8%)	2 (0%)	30	67
1	x	456/458 (100%)	416 (91%)	37 (8%)	3 (1%)	18	56
1	y	456/458 (100%)	421 (92%)	34 (8%)	1 (0%)	43	77
2	1	170/173 (98%)	149 (88%)	18 (11%)	3 (2%)	6	34
2	P	157/173 (91%)	151 (96%)	6 (4%)	0	100	100
2	Q	159/173 (92%)	152 (96%)	7 (4%)	0	100	100
2	R	158/173 (91%)	150 (95%)	8 (5%)	0	100	100
2	S	170/173 (98%)	154 (91%)	16 (9%)	0	100	100
2	T	170/173 (98%)	156 (92%)	12 (7%)	2 (1%)	10	43
2	U	170/173 (98%)	153 (90%)	14 (8%)	3 (2%)	6	34
2	V	170/173 (98%)	148 (87%)	17 (10%)	5 (3%)	3	23
2	W	170/173 (98%)	154 (91%)	14 (8%)	2 (1%)	10	43
2	X	170/173 (98%)	150 (88%)	16 (9%)	4 (2%)	4	27

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	Y	170/173 (98%)	153 (90%)	15 (9%)	2 (1%)	10	43
2	Z	170/173 (98%)	149 (88%)	19 (11%)	2 (1%)	10	43
2	e	159/173 (92%)	155 (98%)	4 (2%)	0	100	100
2	f	158/173 (91%)	153 (97%)	4 (2%)	1 (1%)	21	59
2	g	159/173 (92%)	152 (96%)	7 (4%)	0	100	100
2	h	170/173 (98%)	161 (95%)	8 (5%)	1 (1%)	21	59
2	i	146/173 (84%)	138 (94%)	8 (6%)	0	100	100
2	j	170/173 (98%)	157 (92%)	11 (6%)	2 (1%)	10	43
2	k	170/173 (98%)	152 (89%)	16 (9%)	2 (1%)	10	43
2	l	170/173 (98%)	161 (95%)	8 (5%)	1 (1%)	21	59
2	m	170/173 (98%)	161 (95%)	9 (5%)	0	100	100
2	n	170/173 (98%)	162 (95%)	8 (5%)	0	100	100
2	o	170/173 (98%)	159 (94%)	10 (6%)	1 (1%)	21	59
2	p	170/173 (98%)	161 (95%)	7 (4%)	2 (1%)	10	43
3	2	1056/1152 (92%)	920 (87%)	113 (11%)	23 (2%)	5	29
3	3	1056/1152 (92%)	910 (86%)	118 (11%)	28 (3%)	4	25
3	4	1056/1152 (92%)	910 (86%)	126 (12%)	20 (2%)	6	31
3	5	1056/1152 (92%)	908 (86%)	131 (12%)	17 (2%)	7	37
3	6	1056/1152 (92%)	934 (88%)	107 (10%)	15 (1%)	9	40
3	7	1056/1152 (92%)	889 (84%)	152 (14%)	15 (1%)	9	40
3	q	1056/1152 (92%)	898 (85%)	136 (13%)	22 (2%)	5	29
3	r	1056/1152 (92%)	923 (87%)	111 (10%)	22 (2%)	5	29
3	s	1056/1152 (92%)	907 (86%)	123 (12%)	26 (2%)	4	26
3	t	1056/1152 (92%)	931 (88%)	107 (10%)	18 (2%)	7	36
3	u	1056/1152 (92%)	930 (88%)	109 (10%)	17 (2%)	7	37
3	v	1056/1152 (92%)	931 (88%)	112 (11%)	13 (1%)	10	43
4	A	307/848 (36%)	300 (98%)	7 (2%)	0	100	100
5	AA	638/640 (100%)	582 (91%)	53 (8%)	3 (0%)	24	63
5	AB	638/640 (100%)	574 (90%)	57 (9%)	7 (1%)	11	46
5	a	638/640 (100%)	564 (88%)	68 (11%)	6 (1%)	14	50
5	b	638/640 (100%)	574 (90%)	58 (9%)	6 (1%)	14	50

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	c	638/640 (100%)	566 (89%)	66 (10%)	6 (1%)	14	50
5	z	638/640 (100%)	580 (91%)	49 (8%)	9 (1%)	9	40
6	AC	137/142 (96%)	137 (100%)	0	0	100	100
6	AD	137/142 (96%)	137 (100%)	0	0	100	100
6	AE	137/142 (96%)	136 (99%)	1 (1%)	0	100	100
6	AF	137/142 (96%)	136 (99%)	1 (1%)	0	100	100
6	AG	137/142 (96%)	136 (99%)	1 (1%)	0	100	100
6	AH	137/142 (96%)	136 (99%)	1 (1%)	0	100	100
7	AI	546/587 (93%)	534 (98%)	12 (2%)	0	100	100
7	AJ	546/587 (93%)	536 (98%)	10 (2%)	0	100	100
7	AK	545/587 (93%)	531 (97%)	14 (3%)	0	100	100
7	AL	545/587 (93%)	531 (97%)	14 (3%)	0	100	100
7	AM	336/587 (57%)	329 (98%)	7 (2%)	0	100	100
7	AN	336/587 (57%)	329 (98%)	7 (2%)	0	100	100
8	B	288/295 (98%)	252 (88%)	28 (10%)	8 (3%)	4	24
9	C	713/808 (88%)	685 (96%)	27 (4%)	1 (0%)	48	83
10	D	156/174 (90%)	154 (99%)	2 (1%)	0	100	100
10	E	150/174 (86%)	150 (100%)	0	0	100	100
11	F	234/263 (89%)	231 (99%)	3 (1%)	0	100	100
11	G	233/263 (89%)	232 (100%)	1 (0%)	0	100	100
12	H	210/234 (90%)	205 (98%)	5 (2%)	0	100	100
12	I	211/234 (90%)	207 (98%)	4 (2%)	0	100	100
13	J	346/348 (99%)	342 (99%)	4 (1%)	0	100	100
13	K	346/348 (99%)	342 (99%)	3 (1%)	1 (0%)	36	72
13	L	346/348 (99%)	338 (98%)	8 (2%)	0	100	100
13	M	346/348 (99%)	343 (99%)	3 (1%)	0	100	100
14	N	713/1019 (70%)	667 (94%)	44 (6%)	2 (0%)	36	72
14	O	713/1019 (70%)	672 (94%)	37 (5%)	4 (1%)	21	59
15	d	69/124 (56%)	60 (87%)	8 (12%)	1 (1%)	9	40
All	All	32279/35785 (90%)	29416 (91%)	2528 (8%)	335 (1%)	15	48

5 of 335 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	1	93	ALA
3	2	453	SER
3	2	590	ASN
3	2	997	LYS
3	3	356	ASN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	0	405/405 (100%)	394 (97%)	11 (3%)	39 60
1	8	405/405 (100%)	390 (96%)	15 (4%)	30 51
1	9	405/405 (100%)	395 (98%)	10 (2%)	42 62
1	w	405/405 (100%)	389 (96%)	16 (4%)	28 49
1	x	405/405 (100%)	395 (98%)	10 (2%)	42 62
1	y	405/405 (100%)	391 (96%)	14 (4%)	32 53
2	1	152/153 (99%)	141 (93%)	11 (7%)	13 34
2	P	142/153 (93%)	134 (94%)	8 (6%)	19 40
2	Q	143/153 (94%)	139 (97%)	4 (3%)	38 59
2	R	143/153 (94%)	142 (99%)	1 (1%)	76 81
2	S	152/153 (99%)	149 (98%)	3 (2%)	48 66
2	T	152/153 (99%)	138 (91%)	14 (9%)	8 27
2	U	152/153 (99%)	138 (91%)	14 (9%)	8 27
2	V	152/153 (99%)	138 (91%)	14 (9%)	8 27
2	W	152/153 (99%)	141 (93%)	11 (7%)	13 34
2	X	152/153 (99%)	141 (93%)	11 (7%)	13 34
2	Y	152/153 (99%)	140 (92%)	12 (8%)	11 31
2	Z	152/153 (99%)	141 (93%)	11 (7%)	13 34
2	e	143/153 (94%)	140 (98%)	3 (2%)	47 65
2	f	142/153 (93%)	141 (99%)	1 (1%)	76 81

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	g	143/153 (94%)	143 (100%)	0	100	100
2	h	152/153 (99%)	150 (99%)	2 (1%)	61	73
2	i	134/153 (88%)	132 (98%)	2 (2%)	57	71
2	j	152/153 (99%)	146 (96%)	6 (4%)	28	49
2	k	152/153 (99%)	138 (91%)	14 (9%)	8	27
2	l	152/153 (99%)	143 (94%)	9 (6%)	18	39
2	m	152/153 (99%)	143 (94%)	9 (6%)	18	39
2	n	152/153 (99%)	141 (93%)	11 (7%)	13	34
2	o	152/153 (99%)	141 (93%)	11 (7%)	13	34
2	p	152/153 (99%)	141 (93%)	11 (7%)	13	34
3	2	934/1010 (92%)	879 (94%)	55 (6%)	18	39
3	3	934/1010 (92%)	874 (94%)	60 (6%)	16	37
3	4	934/1010 (92%)	868 (93%)	66 (7%)	13	35
3	5	934/1010 (92%)	864 (92%)	70 (8%)	12	33
3	6	934/1010 (92%)	864 (92%)	70 (8%)	12	33
3	7	934/1010 (92%)	881 (94%)	53 (6%)	18	40
3	q	934/1010 (92%)	876 (94%)	58 (6%)	16	38
3	r	934/1010 (92%)	873 (94%)	61 (6%)	15	37
3	s	934/1010 (92%)	879 (94%)	55 (6%)	18	39
3	t	934/1010 (92%)	869 (93%)	65 (7%)	14	35
3	u	934/1010 (92%)	875 (94%)	59 (6%)	16	37
3	v	934/1010 (92%)	887 (95%)	47 (5%)	22	42
4	A	278/758 (37%)	277 (100%)	1 (0%)	84	84
5	AA	577/577 (100%)	562 (97%)	15 (3%)	40	61
5	AB	577/577 (100%)	551 (96%)	26 (4%)	24	46
5	a	577/577 (100%)	546 (95%)	31 (5%)	20	41
5	b	577/577 (100%)	556 (96%)	21 (4%)	31	52
5	c	577/577 (100%)	558 (97%)	19 (3%)	33	55
5	z	577/577 (100%)	552 (96%)	25 (4%)	26	47
6	AC	119/122 (98%)	119 (100%)	0	100	100
6	AD	119/122 (98%)	119 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	AE	119/122 (98%)	118 (99%)	1 (1%)	73	79
6	AF	119/122 (98%)	118 (99%)	1 (1%)	73	79
6	AG	119/122 (98%)	119 (100%)	0	100	100
6	AH	119/122 (98%)	119 (100%)	0	100	100
7	AI	466/495 (94%)	466 (100%)	0	100	100
7	AJ	466/495 (94%)	466 (100%)	0	100	100
7	AK	464/495 (94%)	463 (100%)	1 (0%)	87	86
7	AL	464/495 (94%)	463 (100%)	1 (0%)	87	86
7	AM	290/495 (59%)	289 (100%)	1 (0%)	86	85
7	AN	290/495 (59%)	289 (100%)	1 (0%)	86	85
8	B	268/271 (99%)	245 (91%)	23 (9%)	10	29
9	C	630/695 (91%)	612 (97%)	18 (3%)	37	58
10	D	150/164 (92%)	149 (99%)	1 (1%)	76	81
10	E	144/164 (88%)	144 (100%)	0	100	100
11	F	205/228 (90%)	204 (100%)	1 (0%)	81	83
11	G	204/228 (90%)	203 (100%)	1 (0%)	81	83
12	H	190/209 (91%)	190 (100%)	0	100	100
12	I	191/209 (91%)	189 (99%)	2 (1%)	68	77
13	J	311/311 (100%)	311 (100%)	0	100	100
13	K	311/311 (100%)	311 (100%)	0	100	100
13	L	311/311 (100%)	310 (100%)	1 (0%)	86	85
13	M	311/311 (100%)	308 (99%)	3 (1%)	68	77
14	N	658/928 (71%)	638 (97%)	20 (3%)	36	57
14	O	658/928 (71%)	645 (98%)	13 (2%)	48	66
15	d	63/112 (56%)	57 (90%)	6 (10%)	8	25
All	All	28711/31524 (91%)	27490 (96%)	1221 (4%)	27	47

5 of 1221 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	r	1075	LYS
3	v	978	TRP
3	s	467	SER

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
3	r	1014	ARG
3	t	1022	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 329 such sidechains are listed below:

Mol	Chain	Res	Type
15	d	37	GLN
3	t	37	ASN
2	j	7	ASN
3	q	590	ASN
3	u	480	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55951. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 320




Y Index: 320




Z Index: 320


### 6.2.2 Raw map



X Index: 320



Y Index: 320




Z Index: 320


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 307




Y Index: 333




Z Index: 330


### 6.3.2 Raw map



X Index: 307



Y Index: 332




Z Index: 330


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_55951\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is  $5425 \text{ nm}^3$ ; this corresponds to an approximate mass of 4901 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.169 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.169 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.90	-	-
Author-provided FSC curve	5.90	8.61	6.40
Unmasked-calculated*	9.09	15.77	9.62


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 9.09 differs from the reported value 5.9 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-55951 and PDB model 9TIC. Per-residue inclusion information can be found in section 3 on page 12.

### 9.1 Map-model overlays

#### 9.1.1 Map-model overlay [i](#)




#### 9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 63% of all backbone atoms, 51% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5090	 0.2610
0	 0.5570	 0.2920
1	 0.0500	 0.0060
2	 0.5310	 0.2760
3	 0.5190	 0.2780
4	 0.5130	 0.2700
5	 0.3150	 0.2460
6	 0.3190	 0.2390
7	 0.2990	 0.2380
8	 0.5570	 0.2680
9	 0.5740	 0.2960
A	 0.7770	 0.3890
AA	 0.5150	 0.2590
AB	 0.5380	 0.2680
AC	 0.7680	 0.3970
AD	 0.7650	 0.4030
AE	 0.7580	 0.3830
AF	 0.7490	 0.3770
AG	 0.3760	 0.2410
AH	 0.4210	 0.2580
AI	 0.7540	 0.3540
AJ	 0.7510	 0.3580
AK	 0.7320	 0.3480
AL	 0.7370	 0.3420
AM	 0.6250	 0.2600
AN	 0.6200	 0.2590
B	 0.6120	 0.2620
C	 0.7180	 0.3380
D	 0.7400	 0.3590
E	 0.7340	 0.3550
F	 0.7700	 0.3970
G	 0.7710	 0.3900
H	 0.7520	 0.3700
I	 0.7600	 0.3710
J	 0.7550	 0.3680



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
K	 0.7540	 0.3680
L	 0.7440	 0.3510
M	 0.7620	 0.3520
N	 0.4010	 0.1610
O	 0.4640	 0.1870
P	 0.7080	 0.3200
Q	 0.5970	 0.2150
R	 0.4430	 0.1390
S	 0.3210	 0.0900
T	 0.1940	 0.0790
U	 0.1350	 0.0370
V	 0.0660	 0.0290
W	 0.0540	 0.0210
X	 0.0490	 0.0160
Y	 0.0400	 0.0130
Z	 0.0680	 0.0250
a	 0.4440	 0.2480
b	 0.3440	 0.2360
c	 0.3770	 0.2460
d	 0.4910	 0.2700
e	 0.7270	 0.3170
f	 0.6690	 0.2650
g	 0.6200	 0.2290
h	 0.4710	 0.1450
i	 0.4150	 0.1110
j	 0.2530	 0.0900
k	 0.1510	 0.0490
l	 0.0890	 0.0370
m	 0.1070	 0.0230
n	 0.1010	 0.0420
o	 0.1670	 0.0280
p	 0.1130	 0.0340
q	 0.5160	 0.2770
r	 0.5390	 0.2820
s	 0.5230	 0.2730
t	 0.5170	 0.2780
u	 0.5180	 0.2710
v	 0.5820	 0.2910
w	 0.5640	 0.3090
x	 0.5700	 0.3120
y	 0.5790	 0.3190
z	 0.4870	 0.2460