



wwPDB EM Validation Summary Report ⓘ

Jan 19, 2026 – 02:07 PM JST

PDB ID : 9UBX / pdb_00009ubx
EMDB ID : EMD-64028
Title : The atomic coordinates of the mouse CatSper trimer
Authors : Xu, Q.; Lin, S.; Zhao, Q.; Yan, Z.; Wu, J.
Deposited on : 2025-04-03
Resolution : 6.80 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev129
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : **NOT EXECUTED**
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 6.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	251	
1	a	251	
1	n	251	
2	B	281	
2	b	281	
2	o	281	
3	C	278	
3	c	278	
3	p	278	



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
4	D	250	76%	23%
4	d	250	77%	23%
4	q	250	77%	22%
5	E	1065	81%	18%
5	e	1065	78%	21%
5	r	1065	77%	22%
6	F	1042	82%	17%
6	f	1042	69%	29%
6	s	1042	69%	30%
7	G	733	79%	18%
7	g	733	79%	18%
7	t	733	75%	22%
8	H	921	76%	23%
8	h	921	77%	22%
8	u	921	75%	24%
9	I	174	99%	
9	Q	174	99%	
9	i	174	99%	
10	J	168	70%	29%
10	j	168	73%	27%
10	w	168	66%	33%
11	K	149	99%	
11	k	149	99%	
11	x	149	99%	
12	L	610	83%	14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
12	l	610	 85% 12%
12	y	610	 83% 14%
13	M	115	 64% 36%
13	m	115	 77% 23%
13	z	115	 68% 32%
14	N	28	 100%
14	O	28	 100%
14	P	28	 100%
15	0	7	 86% 14%
15	AA	7	 86% 14%
15	R	7	 57% 14% 29%
16	1	3	 67% 33%
16	2	3	 67% 33%
16	4	3	 100%
16	5	3	 100%
16	6	3	 100%
16	BA	3	 33% 67%
16	CA	3	 67% 33%
16	EA	3	 100%
16	FA	3	 100%
16	GA	3	 100%
16	S	3	 33% 67%
16	T	3	 67% 33%
16	V	3	 100%
16	W	3	 67% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
16	X	3	 100%
17	3	2	 50% 50%
17	8	2	 50% 50%
17	DA	2	 50% 50%
17	IA	2	 50% 50%
17	U	2	 50% 50%
17	Z	2	 50% 50%
18	7	7	 71% 29%
18	HA	7	 86% 14%
18	Y	7	 71% 14% 14%
19	9	5	 20% 80%
19	JA	5	 20% 80%
19	v	5	 60% 40%

2 Entry composition [i](#)

There are 21 unique types of molecules in this entry. The entry contains 144816 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cation channel sperm-associated protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	251	2053	1383	313	346	11	0	0
1	n	251	2053	1383	313	346	11	0	0
1	a	251	2053	1383	313	346	11	0	0

- Molecule 2 is a protein called Cation channel sperm-associated protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	281	2343	1585	363	384	11	0	0
2	o	281	2343	1585	363	384	11	0	0
2	b	281	2343	1585	363	384	11	0	0

- Molecule 3 is a protein called Cation channel sperm-associated protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	278	2277	1506	359	400	12	0	0
3	p	278	2277	1506	359	400	12	0	0
3	c	278	2277	1506	359	400	12	0	0

- Molecule 4 is a protein called Cation channel sperm-associated protein 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	250	2035	1370	311	338	16	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	q	250	Total	C	N	O	S	0	0
			2035	1370	311	338	16		
4	d	250	Total	C	N	O	S	0	0
			2035	1370	311	338	16		

- Molecule 5 is a protein called Cation channel sperm-associated auxiliary subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	1058	Total	C	N	O	S	0	0
			8510	5524	1395	1547	44		
5	r	1058	Total	C	N	O	S	0	0
			8510	5524	1395	1547	44		
5	e	1058	Total	C	N	O	S	0	0
			8510	5524	1395	1547	44		

- Molecule 6 is a protein called Cation channel sperm-associated auxiliary subunit gamma 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	1042	Total	C	N	O	S	0	0
			8454	5515	1354	1538	47		
6	f	1042	Total	C	N	O	S	0	0
			8454	5515	1354	1538	47		
6	s	1042	Total	C	N	O	S	0	0
			8454	5515	1354	1538	47		

- Molecule 7 is a protein called Cation channel sperm-associated auxiliary subunit delta.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	714	Total	C	N	O	S	0	0
			5680	3669	923	1056	32		
7	t	714	Total	C	N	O	S	0	0
			5680	3669	923	1056	32		
7	g	714	Total	C	N	O	S	0	0
			5680	3669	923	1056	32		

- Molecule 8 is a protein called Cation channel sperm-associated auxiliary subunit epsilon.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	916	Total	C	N	O	S	0	0
			7502	4865	1208	1389	40		
8	u	916	Total	C	N	O	S	0	0
			7502	4865	1208	1389	40		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	h	916	7502	4865	1208	1389	40	0	0

- Molecule 9 is a protein called EF-hand calcium-binding domain-containing protein 9.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	I	174	863	515	174	174	0	0
9	i	174	863	515	174	174	0	0
9	Q	174	863	515	174	174	0	0

- Molecule 10 is a protein called Cation channel sperm-associated auxiliary subunit TMEM249.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	168	1398	921	238	225	14	0	0
10	w	168	1398	921	238	225	14	0	0
10	j	168	1398	921	238	225	14	0	0

There are 69 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	1	MET	-	initiating methionine	UNP A0A2R8VHF7
J	2	CYS	-	expression tag	UNP A0A2R8VHF7
J	3	TRP	-	expression tag	UNP A0A2R8VHF7
J	4	VAL	-	expression tag	UNP A0A2R8VHF7
J	5	MET	-	expression tag	UNP A0A2R8VHF7
J	6	PRO	-	expression tag	UNP A0A2R8VHF7
J	7	PRO	-	expression tag	UNP A0A2R8VHF7
J	8	SER	-	expression tag	UNP A0A2R8VHF7
J	9	VAL	-	expression tag	UNP A0A2R8VHF7
J	10	PHE	-	expression tag	UNP A0A2R8VHF7
J	11	VAL	-	expression tag	UNP A0A2R8VHF7
J	12	LEU	-	expression tag	UNP A0A2R8VHF7
J	13	GLU	-	expression tag	UNP A0A2R8VHF7
J	14	TYR	-	expression tag	UNP A0A2R8VHF7
J	15	TYR	-	expression tag	UNP A0A2R8VHF7
J	16	LEU	-	expression tag	UNP A0A2R8VHF7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	17	ASP	-	expression tag	UNP A0A2R8VHF7
J	18	THR	-	expression tag	UNP A0A2R8VHF7
J	19	LEU	-	expression tag	UNP A0A2R8VHF7
J	20	TRP	-	expression tag	UNP A0A2R8VHF7
J	21	LYS	-	expression tag	UNP A0A2R8VHF7
J	22	GLY	-	expression tag	UNP A0A2R8VHF7
J	23	THR	-	expression tag	UNP A0A2R8VHF7
w	1	MET	-	initiating methionine	UNP A0A2R8VHF7
w	2	CYS	-	expression tag	UNP A0A2R8VHF7
w	3	TRP	-	expression tag	UNP A0A2R8VHF7
w	4	VAL	-	expression tag	UNP A0A2R8VHF7
w	5	MET	-	expression tag	UNP A0A2R8VHF7
w	6	PRO	-	expression tag	UNP A0A2R8VHF7
w	7	PRO	-	expression tag	UNP A0A2R8VHF7
w	8	SER	-	expression tag	UNP A0A2R8VHF7
w	9	VAL	-	expression tag	UNP A0A2R8VHF7
w	10	PHE	-	expression tag	UNP A0A2R8VHF7
w	11	VAL	-	expression tag	UNP A0A2R8VHF7
w	12	LEU	-	expression tag	UNP A0A2R8VHF7
w	13	GLU	-	expression tag	UNP A0A2R8VHF7
w	14	TYR	-	expression tag	UNP A0A2R8VHF7
w	15	TYR	-	expression tag	UNP A0A2R8VHF7
w	16	LEU	-	expression tag	UNP A0A2R8VHF7
w	17	ASP	-	expression tag	UNP A0A2R8VHF7
w	18	THR	-	expression tag	UNP A0A2R8VHF7
w	19	LEU	-	expression tag	UNP A0A2R8VHF7
w	20	TRP	-	expression tag	UNP A0A2R8VHF7
w	21	LYS	-	expression tag	UNP A0A2R8VHF7
w	22	GLY	-	expression tag	UNP A0A2R8VHF7
w	23	THR	-	expression tag	UNP A0A2R8VHF7
j	1	MET	-	initiating methionine	UNP A0A2R8VHF7
j	2	CYS	-	expression tag	UNP A0A2R8VHF7
j	3	TRP	-	expression tag	UNP A0A2R8VHF7
j	4	VAL	-	expression tag	UNP A0A2R8VHF7
j	5	MET	-	expression tag	UNP A0A2R8VHF7
j	6	PRO	-	expression tag	UNP A0A2R8VHF7
j	7	PRO	-	expression tag	UNP A0A2R8VHF7
j	8	SER	-	expression tag	UNP A0A2R8VHF7
j	9	VAL	-	expression tag	UNP A0A2R8VHF7
j	10	PHE	-	expression tag	UNP A0A2R8VHF7
j	11	VAL	-	expression tag	UNP A0A2R8VHF7
j	12	LEU	-	expression tag	UNP A0A2R8VHF7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
j	13	GLU	-	expression tag	UNP A0A2R8VHF7
j	14	TYR	-	expression tag	UNP A0A2R8VHF7
j	15	TYR	-	expression tag	UNP A0A2R8VHF7
j	16	LEU	-	expression tag	UNP A0A2R8VHF7
j	17	ASP	-	expression tag	UNP A0A2R8VHF7
j	18	THR	-	expression tag	UNP A0A2R8VHF7
j	19	LEU	-	expression tag	UNP A0A2R8VHF7
j	20	TRP	-	expression tag	UNP A0A2R8VHF7
j	21	LYS	-	expression tag	UNP A0A2R8VHF7
j	22	GLY	-	expression tag	UNP A0A2R8VHF7
j	23	THR	-	expression tag	UNP A0A2R8VHF7

- Molecule 11 is a protein called Cation channel sperm-associated auxiliary subunit zeta.

Mol	Chain	Residues	Atoms				AltConf	Trace
11	K	149	Total	C	N	O	0	0
			755	453	152	150		
11	x	149	Total	C	N	O	0	0
			755	453	152	150		
11	k	149	Total	C	N	O	0	0
			755	453	152	150		

- Molecule 12 is a protein called Solute carrier organic anion transporter family member 6C1.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	597	Total	C	N	O	S	0	0
			4694	3079	747	829	39		
12	y	597	Total	C	N	O	S	0	0
			4694	3079	747	829	39		
12	l	597	Total	C	N	O	S	0	0
			4694	3079	747	829	39		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	224	GLY	ALA	engineered mutation	UNP Q8C0X7
y	224	GLY	ALA	engineered mutation	UNP Q8C0X7
l	224	GLY	ALA	engineered mutation	UNP Q8C0X7


- Molecule 13 is a protein called Cation channel sperm-associated auxiliary subunit TMEM262.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	M	115	Total 936	C 619	N 156	O 150	S 11	0	0
13	z	115	Total 936	C 619	N 156	O 150	S 11	0	0
13	m	115	Total 936	C 619	N 156	O 150	S 11	0	0

- Molecule 14 is a protein called Unknown protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
14	N	28	Total 140	C 84	N 28	O 28	0	0
14	P	28	Total 140	C 84	N 28	O 28	0	0
14	O	28	Total 140	C 84	N 28	O 28	0	0

- Molecule 15 is an oligosaccharide called beta-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
15	R	7	Total 83	C 46	N 2	O 35	0	0
15	0	7	Total 83	C 46	N 2	O 35	0	0
15	AA	7	Total 83	C 46	N 2	O 35	0	0

- Molecule 16 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
16	S	3	39	22	2	15	0	0
16	T	3	39	22	2	15	0	0
16	V	3	39	22	2	15	0	0
16	W	3	39	22	2	15	0	0
16	X	3	39	22	2	15	0	0
16	1	3	39	22	2	15	0	0
16	2	3	39	22	2	15	0	0
16	4	3	39	22	2	15	0	0
16	5	3	39	22	2	15	0	0
16	6	3	39	22	2	15	0	0
16	BA	3	39	22	2	15	0	0
16	CA	3	39	22	2	15	0	0
16	EA	3	39	22	2	15	0	0
16	FA	3	39	22	2	15	0	0
16	GA	3	39	22	2	15	0	0

- Molecule 17 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
17	U	2	28	16	2	10	0	0
17	Z	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
17	3	2	Total	C	N	O	0	0
			28	16	2	10		
17	8	2	Total	C	N	O	0	0
			28	16	2	10		
17	DA	2	Total	C	N	O	0	0
			28	16	2	10		
17	IA	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 18 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-6)-[beta-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
18	Y	7	Total	C	N	O	0	0
			83	46	2	35		
18	7	7	Total	C	N	O	0	0
			83	46	2	35		
18	HA	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 19 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
19	v	5	Total	C	N	O	0	0
			61	34	2	25		
19	9	5	Total	C	N	O	0	0
			61	34	2	25		
19	JA	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 20 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
20	E	1	Total 14	8	1	5	0
20	E	1	Total 14	8	1	5	0
20	E	1	Total 14	8	1	5	0
20	E	1	Total 14	8	1	5	0
20	E	1	Total 14	8	1	5	0
20	E	1	Total 14	8	1	5	0
20	F	1	Total 14	8	1	5	0
20	G	1	Total 14	8	1	5	0
20	G	1	Total 14	8	1	5	0
20	r	1	Total 14	8	1	5	0
20	r	1	Total 14	8	1	5	0
20	r	1	Total 14	8	1	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
20	r	1	Total 14	8	1	5	0
20	r	1	Total 14	8	1	5	0
20	r	1	Total 14	8	1	5	0
20	f	1	Total 14	8	1	5	0
20	t	1	Total 14	8	1	5	0
20	t	1	Total 14	8	1	5	0
20	e	1	Total 14	8	1	5	0
20	e	1	Total 14	8	1	5	0
20	e	1	Total 14	8	1	5	0
20	e	1	Total 14	8	1	5	0
20	e	1	Total 14	8	1	5	0
20	e	1	Total 14	8	1	5	0
20	s	1	Total 14	8	1	5	0
20	g	1	Total 14	8	1	5	0
20	g	1	Total 14	8	1	5	0

- Molecule 21 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
21	M	1	Total	C	O	0
			28	27	1	
21	z	1	Total	C	O	0
			28	27	1	
21	m	1	Total	C	O	0
			28	27	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cation channel sperm-associated protein 1




- Molecule 1: Cation channel sperm-associated protein 1




- Molecule 1: Cation channel sperm-associated protein 1




- Molecule 2: Cation channel sperm-associated protein 2







• Molecule 2: Cation channel sperm-associated protein 2



• Molecule 2: Cation channel sperm-associated protein 2



• Molecule 3: Cation channel sperm-associated protein 3




• Molecule 3: Cation channel sperm-associated protein 3






• Molecule 3: Cation channel sperm-associated protein 3



• Molecule 4: Cation channel sperm-associated protein 4




• Molecule 4: Cation channel sperm-associated protein 4




• Molecule 4: Cation channel sperm-associated protein 4




• Molecule 5: Cation channel sperm-associated auxiliary subunit beta






• Molecule 5: Cation channel sperm-associated auxiliary subunit beta




• Molecule 5: Cation channel sperm-associated auxiliary subunit beta

Chain f:  69% 29%





• Molecule 6: Cation channel sperm-associated auxiliary subunit gamma 2

Chain s:  69% 30%






• Molecule 7: Cation channel sperm-associated auxiliary subunit delta




• Molecule 8: Cation channel sperm-associated auxiliary subunit epsilon




• Molecule 8: Cation channel sperm-associated auxiliary subunit epsilon

Chain u:  75% 24%




• Molecule 8: Cation channel sperm-associated auxiliary subunit epsilon


Chain h:  77% 22%




- Molecule 9: EF-hand calcium-binding domain-containing protein 9




- Molecule 9: EF-hand calcium-binding domain-containing protein 9



- Molecule 9: EF-hand calcium-binding domain-containing protein 9




- Molecule 10: Cation channel sperm-associated auxiliary subunit TMEM249



- Molecule 10: Cation channel sperm-associated auxiliary subunit TMEM249



- Molecule 10: Cation channel sperm-associated auxiliary subunit TMEM249





- Molecule 11: Cation channel sperm-associated auxiliary subunit zeta





- Molecule 11: Cation channel sperm-associated auxiliary subunit zeta





- Molecule 11: Cation channel sperm-associated auxiliary subunit zeta




- Molecule 12: Solute carrier organic anion transporter family member 6C1




- Molecule 12: Solute carrier organic anion transporter family member 6C1






- Molecule 12: Solute carrier organic anion transporter family member 6C1

Chain l: 85% 12%




- Molecule 13: Cation channel sperm-associated auxiliary subunit TMEM262

Chain M: 64% 36%



- Molecule 13: Cation channel sperm-associated auxiliary subunit TMEM262

Chain z: 68% 32%



- Molecule 13: Cation channel sperm-associated auxiliary subunit TMEM262

Chain m: 77% 23%




- Molecule 14: Unknown protein

Chain N: 100%

There are no outlier residues recorded for this chain.

- Molecule 14: Unknown protein

Chain P:  100%

There are no outlier residues recorded for this chain.

- Molecule 14: Unknown protein

Chain O:  100%

There are no outlier residues recorded for this chain.


- Molecule 15: beta-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  57% 14% 29%



- Molecule 15: beta-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 0:  86% 14%



- Molecule 15: beta-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain AA:  86% 14%



- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  33% 67%



- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  67% 33%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  67% 33%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 1:  67% 33%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 2:  67% 33%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 4:  100%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 5:  100%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 6:  100%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain BA:  33% 67%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain CA:  67% 33%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain EA:  100%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain FA:  100%

MAG1
MAG2
BMA3

- Molecule 16: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain GA:  100%



- Molecule 17: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose



- Molecule 17: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose



- Molecule 17: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose



- Molecule 17: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose



- Molecule 17: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose



- Molecule 17: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose



- Molecule 18: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-6)-[beta-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  71% 14% 14%



- Molecule 18: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-6)-[beta-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 7:  71% 29%



- Molecule 18: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-6)-[beta-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain HA:  86% 14%



- Molecule 19: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain v:  60% 40%



- Molecule 19: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 9:  20% 80%



- Molecule 19: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain JA:  20% 80%

MAG1
MAG2
BMA3
BMA4
BMA5

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	69708	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/2100	0.63	3/2855 (0.1%)
1	a	0.30	0/2100	0.63	2/2855 (0.1%)
1	n	0.26	0/2100	0.64	6/2855 (0.2%)
2	B	0.19	0/2406	0.50	1/3270 (0.0%)
2	b	0.19	0/2406	0.49	1/3270 (0.0%)
2	o	0.20	0/2406	0.49	0/3270
3	C	0.19	0/2324	0.45	0/3141
3	c	0.21	0/2324	0.47	1/3141 (0.0%)
3	p	0.19	0/2324	0.45	0/3141
4	D	0.23	0/2087	0.61	3/2835 (0.1%)
4	d	0.21	0/2087	0.57	1/2835 (0.0%)
4	q	0.24	0/2087	0.59	2/2835 (0.1%)
5	E	0.23	0/8746	0.51	3/11874 (0.0%)
5	e	0.22	1/8746 (0.0%)	0.53	3/11874 (0.0%)
5	r	0.20	0/8746	0.51	6/11874 (0.1%)
6	F	0.21	0/8695	0.47	4/11809 (0.0%)
6	f	0.28	1/8695 (0.0%)	0.55	6/11809 (0.1%)
6	s	0.28	1/8695 (0.0%)	0.55	6/11809 (0.1%)
7	G	0.18	0/5823	0.48	0/7921
7	g	0.17	0/5823	0.46	0/7921
7	t	0.18	0/5823	0.48	0/7921
8	H	0.20	0/7706	0.51	4/10491 (0.0%)
8	h	0.17	0/7706	0.48	1/10491 (0.0%)
8	u	0.18	0/7706	0.49	0/10491
9	I	0.11	0/862	0.34	0/1201
9	Q	0.11	0/862	0.34	0/1201
9	i	0.11	0/862	0.34	0/1201
10	J	0.23	0/1441	0.60	0/1955
10	j	0.20	0/1441	0.59	0/1955
10	w	0.25	0/1441	0.65	1/1955 (0.1%)
11	K	0.12	0/755	0.32	0/1051
11	k	0.11	0/755	0.31	0/1051

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
11	x	0.14	0/755	0.38	0/1051
12	L	0.18	0/4817	0.43	0/6543
12	l	0.18	0/4817	0.43	0/6543
12	y	0.18	0/4817	0.43	0/6543
13	M	0.19	0/961	0.53	0/1299
13	m	0.19	0/961	0.54	0/1299
13	z	0.27	0/961	0.62	0/1299
All	All	0.21	3/146169 (0.0%)	0.51	54/198735 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	a	0	1
1	n	0	1
5	E	0	1
5	e	0	2
5	r	0	1
6	f	0	3
7	G	0	1
7	g	0	1
7	t	0	1
All	All	0	12

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	f	280	ASP	CA-C	-7.04	1.43	1.53
6	s	280	ASP	CA-C	-6.28	1.44	1.52
5	e	388	LEU	CG-CD2	-5.41	1.34	1.52

The worst 5 of 54 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	425	MET	CG-SD-CE	-11.14	76.38	100.90
5	r	647	PRO	CA-N-CD	-10.56	97.21	112.00
1	a	487	PRO	CA-N-CD	-9.88	98.17	112.00
8	H	485	MET	CG-SD-CE	-7.99	83.32	100.90
8	H	485	MET	CB-CA-C	7.90	119.66	108.68

There are no chirality outliers.

5 of 12 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	E	916	VAL	Peptide
7	G	660	LEU	Peptide
6	f	278	SER	Mainchain
1	n	372	THR	Peptide
5	r	468	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2053	0	2142	55	0
1	a	2053	0	2142	53	0
1	n	2053	0	2142	54	0
2	B	2343	0	2435	56	0
2	b	2343	0	2435	52	0
2	o	2343	0	2435	57	0
3	C	2277	0	2339	48	0
3	c	2277	0	2339	41	0
3	p	2277	0	2339	51	0
4	D	2035	0	2088	47	0
4	d	2035	0	2088	46	0
4	q	2035	0	2088	49	0
5	E	8510	0	8442	128	0
5	e	8510	0	8442	148	0
5	r	8510	0	8442	157	0
6	F	8454	0	8307	116	0
6	f	8454	0	8308	241	0
6	s	8454	0	8309	258	0
7	G	5680	0	5597	83	0
7	g	5680	0	5597	85	0
7	t	5680	0	5597	108	0
8	H	7502	0	7358	144	0
8	h	7502	0	7358	134	0
8	u	7502	0	7358	143	0
9	I	863	0	370	0	0
9	Q	863	0	370	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	i	863	0	370	0	0
10	J	1398	0	1410	39	0
10	j	1398	0	1410	29	0
10	w	1398	0	1410	41	0
11	K	755	0	351	1	0
11	k	755	0	351	1	0
11	x	755	0	351	1	0
12	L	4694	0	4700	52	0
12	l	4694	0	4700	49	0
12	y	4694	0	4700	62	0
13	M	936	0	943	38	0
13	m	936	0	943	21	0
13	z	936	0	943	31	0
14	N	140	0	31	0	0
14	O	140	0	31	0	0
14	P	140	0	31	0	0
15	0	83	0	70	0	0
15	AA	83	0	70	0	0
15	R	83	0	70	1	0
16	1	39	0	34	1	0
16	2	39	0	34	0	0
16	4	39	0	34	0	0
16	5	39	0	34	0	0
16	6	39	0	34	0	0
16	BA	39	0	34	1	0
16	CA	39	0	34	0	0
16	EA	39	0	34	0	0
16	FA	39	0	34	0	0
16	GA	39	0	34	0	0
16	S	39	0	34	1	0
16	T	39	0	34	0	0
16	V	39	0	34	0	0
16	W	39	0	34	0	0
16	X	39	0	34	0	0
17	3	28	0	25	0	0
17	8	28	0	25	1	0
17	DA	28	0	25	0	0
17	IA	28	0	25	2	0
17	U	28	0	25	2	0
17	Z	28	0	25	1	0
18	7	83	0	70	0	0
18	HA	83	0	70	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	Y	83	0	70	1	0
19	9	61	0	52	1	0
19	JA	61	0	52	1	0
19	v	61	0	52	1	0
20	E	84	0	78	0	0
20	F	14	0	13	0	0
20	G	28	0	26	0	0
20	e	84	0	78	0	0
20	f	14	0	13	0	0
20	g	28	0	26	0	0
20	r	84	0	78	0	0
20	s	14	0	13	0	0
20	t	28	0	26	0	0
21	M	28	0	46	0	0
21	m	28	0	46	1	0
21	z	28	0	46	1	0
All	All	144816	0	141267	2517	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 2517 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:s:291:ILE:CD1	6:s:314:GLN:HG2	1.40	1.47
6:s:291:ILE:CD1	6:s:314:GLN:CG	2.21	1.18
8:H:485:MET:HE1	8:H:502:ASN:HB2	1.31	1.12
6:s:291:ILE:HD12	6:s:314:GLN:CG	1.76	1.12
6:s:291:ILE:HG13	6:s:314:GLN:CD	1.76	1.10

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	249/251 (99%)	225 (90%)	23 (9%)	1 (0%)	30	68
1	a	249/251 (99%)	227 (91%)	21 (8%)	1 (0%)	30	68
1	n	249/251 (99%)	225 (90%)	23 (9%)	1 (0%)	30	68
2	B	279/281 (99%)	259 (93%)	20 (7%)	0	100	100
2	b	279/281 (99%)	257 (92%)	22 (8%)	0	100	100
2	o	279/281 (99%)	255 (91%)	24 (9%)	0	100	100
3	C	276/278 (99%)	261 (95%)	15 (5%)	0	100	100
3	c	276/278 (99%)	264 (96%)	12 (4%)	0	100	100
3	p	276/278 (99%)	261 (95%)	15 (5%)	0	100	100
4	D	248/250 (99%)	226 (91%)	22 (9%)	0	100	100
4	d	248/250 (99%)	228 (92%)	19 (8%)	1 (0%)	30	68
4	q	248/250 (99%)	226 (91%)	21 (8%)	1 (0%)	30	68
5	E	1052/1065 (99%)	962 (91%)	89 (8%)	1 (0%)	48	83
5	e	1052/1065 (99%)	979 (93%)	73 (7%)	0	100	100
5	r	1052/1065 (99%)	972 (92%)	80 (8%)	0	100	100
6	F	1040/1042 (100%)	981 (94%)	58 (6%)	1 (0%)	48	83
6	f	1040/1042 (100%)	921 (89%)	109 (10%)	10 (1%)	13	49
6	s	1040/1042 (100%)	929 (89%)	102 (10%)	9 (1%)	14	52
7	G	708/733 (97%)	657 (93%)	51 (7%)	0	100	100
7	g	708/733 (97%)	648 (92%)	59 (8%)	1 (0%)	48	83
7	t	708/733 (97%)	649 (92%)	59 (8%)	0	100	100
8	H	912/921 (99%)	833 (91%)	78 (9%)	1 (0%)	48	83
8	h	912/921 (99%)	844 (92%)	67 (7%)	1 (0%)	48	83
8	u	912/921 (99%)	850 (93%)	61 (7%)	1 (0%)	48	83
9	I	172/174 (99%)	162 (94%)	9 (5%)	1 (1%)	22	60
9	Q	172/174 (99%)	162 (94%)	9 (5%)	1 (1%)	22	60
9	i	172/174 (99%)	162 (94%)	9 (5%)	1 (1%)	22	60
10	J	166/168 (99%)	135 (81%)	30 (18%)	1 (1%)	22	60
10	j	166/168 (99%)	132 (80%)	32 (19%)	2 (1%)	11	45
10	w	166/168 (99%)	132 (80%)	33 (20%)	1 (1%)	22	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	K	147/149 (99%)	139 (95%)	8 (5%)	0	100	100
11	k	147/149 (99%)	140 (95%)	7 (5%)	0	100	100
11	x	147/149 (99%)	141 (96%)	6 (4%)	0	100	100
12	L	593/610 (97%)	563 (95%)	29 (5%)	1 (0%)	44	78
12	l	593/610 (97%)	556 (94%)	36 (6%)	1 (0%)	44	78
12	y	593/610 (97%)	554 (93%)	37 (6%)	2 (0%)	37	73
13	M	113/115 (98%)	104 (92%)	9 (8%)	0	100	100
13	m	113/115 (98%)	104 (92%)	9 (8%)	0	100	100
13	z	113/115 (98%)	103 (91%)	10 (9%)	0	100	100
All	All	17865/18111 (99%)	16428 (92%)	1396 (8%)	41 (0%)	45	78

5 of 41 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	f	290	PRO
6	f	291	ILE
6	s	279	ILE
6	s	290	PRO
6	s	291	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/230 (100%)	226 (98%)	4 (2%)	56	72
1	a	230/230 (100%)	227 (99%)	3 (1%)	65	77
1	n	230/230 (100%)	227 (99%)	3 (1%)	65	77
2	B	262/262 (100%)	258 (98%)	4 (2%)	60	75
2	b	262/262 (100%)	261 (100%)	1 (0%)	89	91
2	o	262/262 (100%)	262 (100%)	0	100	100
3	C	253/253 (100%)	252 (100%)	1 (0%)	89	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	c	253/253 (100%)	253 (100%)	0	100	100
3	p	253/253 (100%)	251 (99%)	2 (1%)	79	85
4	D	220/220 (100%)	220 (100%)	0	100	100
4	d	220/220 (100%)	220 (100%)	0	100	100
4	q	220/220 (100%)	220 (100%)	0	100	100
5	E	962/969 (99%)	959 (100%)	3 (0%)	91	92
5	e	962/969 (99%)	959 (100%)	3 (0%)	91	92
5	r	962/969 (99%)	958 (100%)	4 (0%)	89	91
6	F	946/946 (100%)	945 (100%)	1 (0%)	92	95
6	f	946/946 (100%)	933 (99%)	13 (1%)	62	75
6	s	946/946 (100%)	933 (99%)	13 (1%)	62	75
7	G	642/659 (97%)	641 (100%)	1 (0%)	92	94
7	g	642/659 (97%)	640 (100%)	2 (0%)	91	92
7	t	642/659 (97%)	642 (100%)	0	100	100
8	H	842/847 (99%)	839 (100%)	3 (0%)	89	91
8	h	842/847 (99%)	837 (99%)	5 (1%)	84	88
8	u	842/847 (99%)	840 (100%)	2 (0%)	92	94
10	J	153/153 (100%)	153 (100%)	0	100	100
10	j	153/153 (100%)	153 (100%)	0	100	100
10	w	153/153 (100%)	153 (100%)	0	100	100
11	K	5/139 (4%)	5 (100%)	0	100	100
11	k	5/139 (4%)	5 (100%)	0	100	100
11	x	5/139 (4%)	5 (100%)	0	100	100
12	L	516/529 (98%)	516 (100%)	0	100	100
12	l	516/529 (98%)	515 (100%)	1 (0%)	92	94
12	y	516/529 (98%)	514 (100%)	2 (0%)	89	91
13	M	99/99 (100%)	99 (100%)	0	100	100
13	m	99/99 (100%)	99 (100%)	0	100	100
13	z	99/99 (100%)	99 (100%)	0	100	100
All	All	15390/15918 (97%)	15319 (100%)	71 (0%)	85	89

5 of 71 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	s	292	LEU
6	s	297	THR
8	h	140	VAL
5	r	963	ARG
5	r	89	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 150 such sidechains are listed below:

Mol	Chain	Res	Type
5	e	899	ASN
8	h	891	ASN
6	s	52	ASN
7	g	292	ASN
13	M	45	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

114 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
15	NAG	0	1	5,15	14,14,15	0.21	0	17,19,21	0.44	0
15	NAG	0	2	15	14,14,15	0.19	0	17,19,21	0.43	0
15	BMA	0	3	15	11,11,12	1.02	1 (9%)	15,15,17	0.86	1 (6%)
15	BMA	0	4	15	11,11,12	0.64	0	15,15,17	0.84	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	BMA	0	5	15	11,11,12	0.70	0	15,15,17	0.79	0
15	BMA	0	6	15	11,11,12	0.66	0	15,15,17	0.78	0
15	BMA	0	7	15	11,11,12	0.66	0	15,15,17	0.74	0
16	NAG	1	1	6,16	14,14,15	0.55	0	17,19,21	0.55	0
16	NAG	1	2	16	14,14,15	0.26	0	17,19,21	0.65	0
16	BMA	1	3	16	11,11,12	0.61	0	15,15,17	0.77	0
16	NAG	2	1	6,16	14,14,15	0.61	1 (7%)	17,19,21	0.68	0
16	NAG	2	2	16	14,14,15	0.23	0	17,19,21	0.40	0
16	BMA	2	3	16	11,11,12	0.65	0	15,15,17	0.82	0
17	NAG	3	1	7,17	14,14,15	0.58	0	17,19,21	0.72	0
17	NAG	3	2	17	14,14,15	0.63	1 (7%)	17,19,21	0.60	0
16	NAG	4	1	7,16	14,14,15	0.20	0	17,19,21	0.41	0
16	NAG	4	2	16	14,14,15	0.22	0	17,19,21	0.42	0
16	BMA	4	3	16	11,11,12	0.66	0	15,15,17	0.75	0
16	NAG	5	1	16,8	14,14,15	0.31	0	17,19,21	0.47	0
16	NAG	5	2	16	14,14,15	0.20	0	17,19,21	0.40	0
16	BMA	5	3	16	11,11,12	0.77	0	15,15,17	0.77	0
16	NAG	6	1	16,8	14,14,15	0.30	0	17,19,21	0.44	0
16	NAG	6	2	16	14,14,15	0.22	0	17,19,21	0.45	0
16	BMA	6	3	16	11,11,12	0.61	0	15,15,17	0.78	0
18	NAG	7	1	18,8	14,14,15	0.27	0	17,19,21	0.52	0
18	NAG	7	2	18	14,14,15	0.21	0	17,19,21	0.44	0
18	BMA	7	3	18	11,11,12	0.56	0	15,15,17	0.99	1 (6%)
18	BMA	7	4	18	11,11,12	0.58	0	15,15,17	0.81	0
18	BMA	7	5	18	11,11,12	0.63	0	15,15,17	0.81	0
18	BMA	7	6	18	11,11,12	0.90	1 (9%)	15,15,17	0.91	0
18	BMA	7	7	18	11,11,12	0.61	0	15,15,17	0.78	0
17	NAG	8	1	17,8	14,14,15	0.77	1 (7%)	17,19,21	0.99	1 (5%)
17	NAG	8	2	17	14,14,15	0.30	0	17,19,21	0.65	1 (5%)
19	NAG	9	1	19,8	14,14,15	0.24	0	17,19,21	0.48	0
19	NAG	9	2	19	14,14,15	0.35	0	17,19,21	0.72	1 (5%)
19	BMA	9	3	19	11,11,12	0.85	1 (9%)	15,15,17	1.11	1 (6%)
19	BMA	9	4	19	11,11,12	0.80	1 (9%)	15,15,17	0.81	0
19	BMA	9	5	19	11,11,12	0.66	0	15,15,17	0.74	0
15	NAG	AA	1	5,15	14,14,15	0.18	0	17,19,21	0.41	0
15	NAG	AA	2	15	14,14,15	0.17	0	17,19,21	0.44	0
15	BMA	AA	3	15	11,11,12	0.98	1 (9%)	15,15,17	0.87	1 (6%)
15	BMA	AA	4	15	11,11,12	0.58	0	15,15,17	0.81	0
15	BMA	AA	5	15	11,11,12	0.69	0	15,15,17	0.79	0
15	BMA	AA	6	15	11,11,12	0.68	0	15,15,17	0.78	0
15	BMA	AA	7	15	11,11,12	0.69	0	15,15,17	0.74	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	NAG	BA	1	6,16	14,14,15	0.61	1 (7%)	17,19,21	0.59	0
16	NAG	BA	2	16	14,14,15	0.26	0	17,19,21	0.66	0
16	BMA	BA	3	16	11,11,12	0.60	0	15,15,17	0.75	0
16	NAG	CA	1	6,16	14,14,15	0.64	1 (7%)	17,19,21	0.66	0
16	NAG	CA	2	16	14,14,15	0.21	0	17,19,21	0.39	0
16	BMA	CA	3	16	11,11,12	0.61	0	15,15,17	0.78	0
17	NAG	DA	1	7,17	14,14,15	0.56	0	17,19,21	0.69	0
17	NAG	DA	2	17	14,14,15	0.62	0	17,19,21	0.62	1 (5%)
16	NAG	EA	1	7,16	14,14,15	0.21	0	17,19,21	0.39	0
16	NAG	EA	2	16	14,14,15	0.25	0	17,19,21	0.44	0
16	BMA	EA	3	16	11,11,12	0.69	0	15,15,17	0.74	0
16	NAG	FA	1	16,8	14,14,15	0.34	0	17,19,21	0.42	0
16	NAG	FA	2	16	14,14,15	0.20	0	17,19,21	0.39	0
16	BMA	FA	3	16	11,11,12	0.76	0	15,15,17	0.75	0
16	NAG	GA	1	16,8	14,14,15	0.40	0	17,19,21	0.45	0
16	NAG	GA	2	16	14,14,15	0.21	0	17,19,21	0.46	0
16	BMA	GA	3	16	11,11,12	0.64	0	15,15,17	0.75	0
18	NAG	HA	1	18,8	14,14,15	0.26	0	17,19,21	0.51	0
18	NAG	HA	2	18	14,14,15	0.23	0	17,19,21	0.45	0
18	BMA	HA	3	18	11,11,12	0.55	0	15,15,17	1.01	0
18	BMA	HA	4	18	11,11,12	0.57	0	15,15,17	0.84	0
18	BMA	HA	5	18	11,11,12	0.65	0	15,15,17	0.81	0
18	BMA	HA	6	18	11,11,12	0.91	1 (9%)	15,15,17	0.94	0
18	BMA	HA	7	18	11,11,12	0.62	0	15,15,17	0.78	0
17	NAG	IA	1	17,8	14,14,15	0.56	0	17,19,21	0.74	0
17	NAG	IA	2	17	14,14,15	0.24	0	17,19,21	0.58	0
19	NAG	JA	1	19,8	14,14,15	0.24	0	17,19,21	0.46	0
19	NAG	JA	2	19	14,14,15	0.34	0	17,19,21	0.73	1 (5%)
19	BMA	JA	3	19	11,11,12	0.85	1 (9%)	15,15,17	1.13	1 (6%)
19	BMA	JA	4	19	11,11,12	0.80	1 (9%)	15,15,17	0.82	0
19	BMA	JA	5	19	11,11,12	0.67	0	15,15,17	0.76	0
15	NAG	R	1	5,15	14,14,15	0.26	0	17,19,21	0.50	0
15	NAG	R	2	15	14,14,15	0.30	0	17,19,21	0.40	0
15	BMA	R	3	15	11,11,12	0.84	0	15,15,17	1.02	1 (6%)
15	BMA	R	4	15	11,11,12	0.49	0	15,15,17	0.83	0
15	BMA	R	5	15	11,11,12	0.75	1 (9%)	15,15,17	0.83	0
15	BMA	R	6	15	11,11,12	0.77	0	15,15,17	0.92	1 (6%)
15	BMA	R	7	15	11,11,12	0.66	0	15,15,17	0.73	0
16	NAG	S	1	6,16	14,14,15	0.27	0	17,19,21	0.42	0
16	NAG	S	2	16	14,14,15	0.16	0	17,19,21	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	BMA	S	3	16	11,11,12	0.65	0	15,15,17	1.03	1 (6%)
16	NAG	T	1	6,16	14,14,15	0.82	1 (7%)	17,19,21	0.79	0
16	NAG	T	2	16	14,14,15	0.25	0	17,19,21	0.39	0
16	BMA	T	3	16	11,11,12	0.61	0	15,15,17	0.78	0
17	NAG	U	1	7,17	14,14,15	0.43	0	17,19,21	0.70	0
17	NAG	U	2	17	14,14,15	0.61	0	17,19,21	0.68	1 (5%)
16	NAG	V	1	7,16	14,14,15	0.33	0	17,19,21	0.47	0
16	NAG	V	2	16	14,14,15	0.22	0	17,19,21	0.52	0
16	BMA	V	3	16	11,11,12	0.72	0	15,15,17	0.73	0
16	NAG	W	1	16,8	14,14,15	0.27	0	17,19,21	0.45	0
16	NAG	W	2	16	14,14,15	0.22	0	17,19,21	0.44	0
16	BMA	W	3	16	11,11,12	0.76	1 (9%)	15,15,17	0.76	0
16	NAG	X	1	16,8	14,14,15	0.32	0	17,19,21	0.54	0
16	NAG	X	2	16	14,14,15	0.27	0	17,19,21	0.44	0
16	BMA	X	3	16	11,11,12	0.60	0	15,15,17	0.71	0
18	NAG	Y	1	18,8	14,14,15	0.29	0	17,19,21	0.58	0
18	NAG	Y	2	18	14,14,15	0.28	0	17,19,21	0.44	0
18	BMA	Y	3	18	11,11,12	0.63	0	15,15,17	1.19	2 (13%)
18	BMA	Y	4	18	11,11,12	0.49	0	15,15,17	1.01	0
18	BMA	Y	5	18	11,11,12	0.62	0	15,15,17	0.85	0
18	BMA	Y	6	18	11,11,12	0.68	0	15,15,17	0.90	0
18	BMA	Y	7	18	11,11,12	0.59	0	15,15,17	1.05	1 (6%)
17	NAG	Z	1	17,8	14,14,15	0.93	1 (7%)	17,19,21	0.85	1 (5%)
17	NAG	Z	2	17	14,14,15	0.26	0	17,19,21	0.58	0
19	NAG	v	1	19,8	14,14,15	0.26	0	17,19,21	0.46	0
19	NAG	v	2	19	14,14,15	0.25	0	17,19,21	0.53	0
19	BMA	v	3	19	11,11,12	0.93	0	15,15,17	1.40	2 (13%)
19	BMA	v	4	19	11,11,12	0.91	0	15,15,17	0.75	0
19	BMA	v	5	19	11,11,12	0.60	0	15,15,17	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	NAG	0	1	5,15	-	1/6/23/26	0/1/1/1
15	NAG	0	2	15	-	2/6/23/26	0/1/1/1
15	BMA	0	3	15	-	0/2/19/22	0/1/1/1
15	BMA	0	4	15	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	BMA	0	5	15	-	0/2/19/22	0/1/1/1
15	BMA	0	6	15	-	0/2/19/22	0/1/1/1
15	BMA	0	7	15	-	0/2/19/22	0/1/1/1
16	NAG	1	1	6,16	-	2/6/23/26	0/1/1/1
16	NAG	1	2	16	-	2/6/23/26	0/1/1/1
16	BMA	1	3	16	-	2/2/19/22	0/1/1/1
16	NAG	2	1	6,16	-	0/6/23/26	0/1/1/1
16	NAG	2	2	16	-	2/6/23/26	0/1/1/1
16	BMA	2	3	16	-	0/2/19/22	0/1/1/1
17	NAG	3	1	7,17	-	1/6/23/26	0/1/1/1
17	NAG	3	2	17	-	2/6/23/26	0/1/1/1
16	NAG	4	1	7,16	-	2/6/23/26	0/1/1/1
16	NAG	4	2	16	-	0/6/23/26	0/1/1/1
16	BMA	4	3	16	-	1/2/19/22	0/1/1/1
16	NAG	5	1	16,8	-	1/6/23/26	0/1/1/1
16	NAG	5	2	16	-	0/6/23/26	0/1/1/1
16	BMA	5	3	16	-	1/2/19/22	0/1/1/1
16	NAG	6	1	16,8	-	2/6/23/26	0/1/1/1
16	NAG	6	2	16	-	0/6/23/26	0/1/1/1
16	BMA	6	3	16	-	0/2/19/22	0/1/1/1
18	NAG	7	1	18,8	-	0/6/23/26	0/1/1/1
18	NAG	7	2	18	-	2/6/23/26	0/1/1/1
18	BMA	7	3	18	-	2/2/19/22	0/1/1/1
18	BMA	7	4	18	-	2/2/19/22	0/1/1/1
18	BMA	7	5	18	-	2/2/19/22	0/1/1/1
18	BMA	7	6	18	-	1/2/19/22	0/1/1/1
18	BMA	7	7	18	-	2/2/19/22	0/1/1/1
17	NAG	8	1	17,8	-	2/6/23/26	0/1/1/1
17	NAG	8	2	17	-	0/6/23/26	0/1/1/1
19	NAG	9	1	19,8	-	0/6/23/26	0/1/1/1
19	NAG	9	2	19	-	0/6/23/26	0/1/1/1
19	BMA	9	3	19	-	1/2/19/22	0/1/1/1
19	BMA	9	4	19	-	1/2/19/22	0/1/1/1
19	BMA	9	5	19	-	0/2/19/22	0/1/1/1
15	NAG	AA	1	5,15	-	1/6/23/26	0/1/1/1
15	NAG	AA	2	15	-	2/6/23/26	0/1/1/1
15	BMA	AA	3	15	-	0/2/19/22	0/1/1/1
15	BMA	AA	4	15	-	2/2/19/22	0/1/1/1
15	BMA	AA	5	15	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	BMA	AA	6	15	-	0/2/19/22	0/1/1/1
15	BMA	AA	7	15	-	0/2/19/22	0/1/1/1
16	NAG	BA	1	6,16	-	2/6/23/26	0/1/1/1
16	NAG	BA	2	16	-	2/6/23/26	0/1/1/1
16	BMA	BA	3	16	-	2/2/19/22	0/1/1/1
16	NAG	CA	1	6,16	-	2/6/23/26	0/1/1/1
16	NAG	CA	2	16	-	2/6/23/26	0/1/1/1
16	BMA	CA	3	16	-	0/2/19/22	0/1/1/1
17	NAG	DA	1	7,17	-	2/6/23/26	0/1/1/1
17	NAG	DA	2	17	-	2/6/23/26	0/1/1/1
16	NAG	EA	1	7,16	-	2/6/23/26	0/1/1/1
16	NAG	EA	2	16	-	0/6/23/26	0/1/1/1
16	BMA	EA	3	16	-	1/2/19/22	0/1/1/1
16	NAG	FA	1	16,8	-	1/6/23/26	0/1/1/1
16	NAG	FA	2	16	-	0/6/23/26	0/1/1/1
16	BMA	FA	3	16	-	1/2/19/22	0/1/1/1
16	NAG	GA	1	16,8	-	1/6/23/26	0/1/1/1
16	NAG	GA	2	16	-	0/6/23/26	0/1/1/1
16	BMA	GA	3	16	-	0/2/19/22	0/1/1/1
18	NAG	HA	1	18,8	-	0/6/23/26	0/1/1/1
18	NAG	HA	2	18	-	2/6/23/26	0/1/1/1
18	BMA	HA	3	18	-	2/2/19/22	0/1/1/1
18	BMA	HA	4	18	-	2/2/19/22	0/1/1/1
18	BMA	HA	5	18	-	2/2/19/22	0/1/1/1
18	BMA	HA	6	18	-	1/2/19/22	0/1/1/1
18	BMA	HA	7	18	-	2/2/19/22	0/1/1/1
17	NAG	IA	1	17,8	-	2/6/23/26	0/1/1/1
17	NAG	IA	2	17	-	2/6/23/26	0/1/1/1
19	NAG	JA	1	19,8	-	1/6/23/26	0/1/1/1
19	NAG	JA	2	19	-	0/6/23/26	0/1/1/1
19	BMA	JA	3	19	-	1/2/19/22	0/1/1/1
19	BMA	JA	4	19	-	1/2/19/22	0/1/1/1
19	BMA	JA	5	19	-	0/2/19/22	0/1/1/1
15	NAG	R	1	5,15	-	1/6/23/26	0/1/1/1
15	NAG	R	2	15	-	0/6/23/26	0/1/1/1
15	BMA	R	3	15	-	0/2/19/22	0/1/1/1
15	BMA	R	4	15	-	0/2/19/22	0/1/1/1
15	BMA	R	5	15	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	BMA	R	6	15	-	2/2/19/22	0/1/1/1
15	BMA	R	7	15	-	0/2/19/22	0/1/1/1
16	NAG	S	1	6,16	-	2/6/23/26	0/1/1/1
16	NAG	S	2	16	-	2/6/23/26	0/1/1/1
16	BMA	S	3	16	-	2/2/19/22	0/1/1/1
16	NAG	T	1	6,16	-	2/6/23/26	0/1/1/1
16	NAG	T	2	16	-	2/6/23/26	0/1/1/1
16	BMA	T	3	16	-	0/2/19/22	0/1/1/1
17	NAG	U	1	7,17	-	1/6/23/26	0/1/1/1
17	NAG	U	2	17	-	2/6/23/26	0/1/1/1
16	NAG	V	1	7,16	-	1/6/23/26	0/1/1/1
16	NAG	V	2	16	-	2/6/23/26	0/1/1/1
16	BMA	V	3	16	-	0/2/19/22	0/1/1/1
16	NAG	W	1	16,8	-	2/6/23/26	0/1/1/1
16	NAG	W	2	16	-	1/6/23/26	0/1/1/1
16	BMA	W	3	16	-	2/2/19/22	0/1/1/1
16	NAG	X	1	16,8	-	0/6/23/26	0/1/1/1
16	NAG	X	2	16	-	0/6/23/26	0/1/1/1
16	BMA	X	3	16	-	0/2/19/22	0/1/1/1
18	NAG	Y	1	18,8	-	2/6/23/26	0/1/1/1
18	NAG	Y	2	18	-	2/6/23/26	0/1/1/1
18	BMA	Y	3	18	-	2/2/19/22	0/1/1/1
18	BMA	Y	4	18	-	2/2/19/22	0/1/1/1
18	BMA	Y	5	18	-	2/2/19/22	0/1/1/1
18	BMA	Y	6	18	-	2/2/19/22	0/1/1/1
18	BMA	Y	7	18	-	2/2/19/22	0/1/1/1
17	NAG	Z	1	17,8	-	2/6/23/26	0/1/1/1
17	NAG	Z	2	17	-	0/6/23/26	0/1/1/1
19	NAG	v	1	19,8	-	2/6/23/26	0/1/1/1
19	NAG	v	2	19	-	2/6/23/26	0/1/1/1
19	BMA	v	3	19	-	2/2/19/22	0/1/1/1
19	BMA	v	4	19	-	2/2/19/22	0/1/1/1
19	BMA	v	5	19	-	1/2/19/22	0/1/1/1

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Z	1	NAG	O5-C1	-3.33	1.38	1.43
16	T	1	NAG	O5-C1	-2.93	1.39	1.43
17	8	1	NAG	O5-C1	-2.66	1.39	1.43
18	HA	6	BMA	C1-C2	2.59	1.58	1.52
18	7	6	BMA	C1-C2	2.58	1.58	1.52

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	JA	3	BMA	C1-O5-C5	3.50	116.93	112.19
19	9	3	BMA	C1-O5-C5	3.36	116.75	112.19
19	v	3	BMA	C1-C2-C3	-3.18	105.76	109.67
17	U	2	NAG	C1-O5-C5	2.40	115.44	112.19
17	8	1	NAG	O4-C4-C5	-2.39	103.37	109.30

There are no chirality outliers.

5 of 130 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
16	S	1	NAG	O5-C5-C6-O6
15	0	2	NAG	O5-C5-C6-O6
16	1	2	NAG	O5-C5-C6-O6
16	4	1	NAG	O5-C5-C6-O6
17	Z	1	NAG	O5-C5-C6-O6

There are no ring outliers.

14 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	R	3	BMA	1	0
19	JA	1	NAG	1	0
16	1	2	NAG	1	0
19	v	2	NAG	1	0
17	IA	1	NAG	2	0
16	S	1	NAG	1	0
18	Y	3	BMA	1	0
16	BA	2	NAG	1	0
19	9	1	NAG	1	0
17	Z	1	NAG	1	0
17	U	1	NAG	1	0
17	8	1	NAG	1	0
17	U	2	NAG	2	0


Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	R	6	BMA	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.






































































5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
20	NAG	r	1106	5	14,14,15	0.29	0	17,19,21	0.42	0
20	NAG	r	1101	5	14,14,15	0.22	0	17,19,21	0.45	0
20	NAG	t	802	7	14,14,15	0.46	0	17,19,21	0.49	0
21	CLR	z	201	-	31,31,31	0.40	0	48,48,48	0.71	0
20	NAG	E	1106	5	14,14,15	0.36	0	17,19,21	0.52	0
20	NAG	r	1104	5	14,14,15	0.29	0	17,19,21	0.45	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
21	CLR	M	201	-	31,31,31	0.42	0	48,48,48	0.87	2 (4%)
20	NAG	g	802	7	14,14,15	0.49	0	17,19,21	0.49	0
20	NAG	e	1103	5	14,14,15	0.29	0	17,19,21	0.43	0
20	NAG	e	1106	5	14,14,15	0.23	0	17,19,21	0.38	0
20	NAG	e	1101	5	14,14,15	0.27	0	17,19,21	0.49	0
20	NAG	r	1103	5	14,14,15	0.26	0	17,19,21	0.42	0
20	NAG	E	1104	5	14,14,15	0.24	0	17,19,21	0.46	0
20	NAG	g	801	7	14,14,15	0.35	0	17,19,21	0.47	0
20	NAG	E	1102	5	14,14,15	0.88	1 (7%)	17,19,21	0.87	1 (5%)
20	NAG	E	1103	5	14,14,15	0.34	0	17,19,21	0.51	0
20	NAG	e	1104	5	14,14,15	0.27	0	17,19,21	0.45	0
20	NAG	E	1105	5	14,14,15	0.21	0	17,19,21	0.42	0
21	CLR	m	201	-	31,31,31	0.38	0	48,48,48	0.56	0
20	NAG	G	801	7	14,14,15	0.33	0	17,19,21	0.50	0
20	NAG	r	1105	5	14,14,15	0.23	0	17,19,21	0.47	0
20	NAG	t	801	7	14,14,15	0.34	0	17,19,21	0.47	0
20	NAG	F	1101	6	14,14,15	0.27	0	17,19,21	0.42	0
20	NAG	r	1102	5	14,14,15	0.29	0	17,19,21	0.44	0
20	NAG	e	1102	5	14,14,15	1.49	1 (7%)	17,19,21	2.52	1 (5%)
20	NAG	s	1101	6	14,14,15	0.58	0	17,19,21	0.53	0
20	NAG	G	802	7	14,14,15	0.25	0	17,19,21	0.44	0
20	NAG	e	1105	5	14,14,15	0.24	0	17,19,21	0.47	0
20	NAG	f	1101	6	14,14,15	0.57	0	17,19,21	0.52	0
20	NAG	E	1101	5	14,14,15	0.18	0	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	NAG	r	1106	5	-	2/6/23/26	0/1/1/1
20	NAG	r	1101	5	-	2/6/23/26	0/1/1/1
20	NAG	t	802	7	-	2/6/23/26	0/1/1/1
21	CLR	z	201	-	-	4/10/68/68	0/4/4/4
20	NAG	E	1106	5	-	2/6/23/26	0/1/1/1
20	NAG	r	1104	5	-	0/6/23/26	0/1/1/1
21	CLR	M	201	-	-	5/10/68/68	0/4/4/4
20	NAG	g	802	7	-	2/6/23/26	0/1/1/1
20	NAG	e	1103	5	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	NAG	e	1106	5	-	2/6/23/26	0/1/1/1
20	NAG	e	1101	5	-	0/6/23/26	0/1/1/1
20	NAG	r	1103	5	-	1/6/23/26	0/1/1/1
20	NAG	E	1104	5	-	0/6/23/26	0/1/1/1
20	NAG	g	801	7	-	2/6/23/26	0/1/1/1
20	NAG	E	1102	5	-	2/6/23/26	0/1/1/1
20	NAG	E	1103	5	-	2/6/23/26	0/1/1/1
20	NAG	e	1104	5	-	0/6/23/26	0/1/1/1
20	NAG	E	1105	5	-	0/6/23/26	0/1/1/1
21	CLR	m	201	-	-	3/10/68/68	0/4/4/4
20	NAG	G	801	7	-	0/6/23/26	0/1/1/1
20	NAG	r	1105	5	-	0/6/23/26	0/1/1/1
20	NAG	t	801	7	-	2/6/23/26	0/1/1/1
20	NAG	F	1101	6	-	0/6/23/26	0/1/1/1
20	NAG	r	1102	5	-	2/6/23/26	0/1/1/1
20	NAG	e	1102	5	-	0/6/23/26	0/1/1/1
20	NAG	s	1101	6	-	0/6/23/26	0/1/1/1
20	NAG	G	802	7	-	2/6/23/26	0/1/1/1
20	NAG	e	1105	5	-	0/6/23/26	0/1/1/1
20	NAG	f	1101	6	-	0/6/23/26	0/1/1/1
20	NAG	E	1101	5	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
20	e	1102	NAG	O5-C1	5.13	1.51	1.43
20	E	1102	NAG	O5-C1	2.66	1.48	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	e	1102	NAG	C1-O5-C5	10.12	125.91	112.19
20	E	1102	NAG	C1-O5-C5	3.32	116.69	112.19
21	M	201	CLR	O1-C3-C4	2.10	114.18	109.68
21	M	201	CLR	C16-C15-C14	-2.09	101.00	105.13

There are no chirality outliers.

5 of 38 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
20	E	1103	NAG	C4-C5-C6-O6
20	G	802	NAG	O5-C5-C6-O6
20	r	1106	NAG	O5-C5-C6-O6
20	E	1106	NAG	O5-C5-C6-O6
21	M	201	CLR	C17-C20-C22-C23



There are no ring outliers.



2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
21	z	201	CLR	1	0
21	m	201	CLR	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-64028. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

This section was not generated.

6.2 Central slices

This section was not generated.

6.3 Largest variance slices

This section was not generated.

6.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

6.5 Orthogonal surface views

This section was not generated.

6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution

This section was not generated.

7.2 Volume estimate versus contour level

This section was not generated.

7.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit

This section was not generated.