



wwPDB EM Validation Summary Report ⓘ

Mar 24, 2026 – 10:54 AM JST

PDB ID : 9UH3 / pdb_00009uh3
EMDB ID : EMD-64153
Title : PSI-9 FCPI supercomplex from haptophyte *Chrysothila roscoffensis*
Authors : La Rocca, R.; Tsai, P.-C.; Kato, K.; Nakajima, Y.; Akita, F.; Shen, J.-R.
Deposited on : 2025-04-14
Resolution : 1.74 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 1.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	645 (1.25 - 2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	752	90% 9%
2	B	734	92% 7%
3	C	81	94% 5%
4	D	142	92% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	67	
6	F	184	
7	I	35	
8	J	39	
9	L	141	
10	M	29	
11	O	201	
12	P	231	
13	Q	197	
14	R	90	
15	S	215	
16	U	191	
17	G	209	
18	H	169	
19	K	200	
20	T	202	
21	k	89	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
22	CLA	A	802	X	-	-	-
22	CLA	A	803	X	-	-	-
22	CLA	A	804	X	-	-	-
22	CLA	A	805	X	-	-	-
22	CLA	A	806	X	-	-	-
22	CLA	A	809	X	-	-	-
22	CLA	A	810	X	-	-	-
22	CLA	A	811	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
22	CLA	A	812	X	-	-	-
22	CLA	A	815	X	-	-	-
22	CLA	A	816	X	-	-	-
22	CLA	A	817	X	-	-	-
22	CLA	A	818	X	-	-	-
22	CLA	A	820	X	-	-	-
22	CLA	A	821	X	-	-	-
22	CLA	A	822	X	-	-	-
22	CLA	A	823	X	-	-	-
22	CLA	A	824	X	-	-	-
22	CLA	A	825	X	-	-	-
22	CLA	A	828	X	-	-	-
22	CLA	A	829	X	-	-	-
22	CLA	A	831	X	-	-	-
22	CLA	A	832	X	-	-	-
22	CLA	A	833	X	-	-	-
22	CLA	A	835	X	-	-	-
22	CLA	A	836	X	-	-	-
22	CLA	A	838	X	-	-	-
22	CLA	A	845	X	-	-	-
22	CLA	A	850	X	-	-	-
22	CLA	A	853	X	-	-	-
22	CLA	A	854	X	-	-	-
22	CLA	A	855	X	-	-	-
22	CLA	A	856	X	-	-	-
22	CLA	B	801	X	-	-	-
22	CLA	B	802	X	-	-	-
22	CLA	B	803	X	-	-	-
22	CLA	B	804	X	-	-	-
22	CLA	B	805	X	-	-	-
22	CLA	B	807	X	-	-	-
22	CLA	B	808	X	-	-	-
22	CLA	B	811	X	-	-	-
22	CLA	B	815	X	-	-	-
22	CLA	B	816	X	-	-	-
22	CLA	B	819	X	-	-	-
22	CLA	B	820	X	-	-	-
22	CLA	B	821	X	-	-	-
22	CLA	B	822	X	-	-	-
22	CLA	B	826	X	-	-	-
22	CLA	B	828	X	-	-	-
22	CLA	B	829	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
22	CLA	B	830	X	-	-	-
22	CLA	B	831	X	-	-	-
22	CLA	B	832	X	-	-	-
22	CLA	B	834	X	-	-	-
22	CLA	B	842	X	-	-	-
22	CLA	B	843	X	-	-	-
22	CLA	B	844	X	-	-	-
22	CLA	B	845	X	-	-	-
22	CLA	B	847	X	-	-	-
22	CLA	F	802	X	-	-	-
22	CLA	F	803	X	-	-	-
22	CLA	F	804	X	-	-	-
22	CLA	G	202	X	-	-	-
22	CLA	G	203	X	-	-	-
22	CLA	G	206	X	-	-	-
22	CLA	G	208	X	-	-	-
22	CLA	G	209	X	-	-	-
22	CLA	G	210	X	-	-	-
22	CLA	G	215	X	-	-	-
22	CLA	H	202	X	-	-	-
22	CLA	H	203	X	-	-	-
22	CLA	H	204	X	-	-	-
22	CLA	H	205	X	-	-	-
22	CLA	H	206	X	-	-	-
22	CLA	H	208	X	-	-	-
22	CLA	H	209	X	-	-	-
22	CLA	H	213	X	-	-	-
22	CLA	J	103	X	-	-	-
22	CLA	K	203	X	-	-	-
22	CLA	K	205	X	-	-	-
22	CLA	K	206	X	-	-	-
22	CLA	L	204	X	-	-	-
22	CLA	O	205	X	-	-	-
22	CLA	O	206	X	-	-	-
22	CLA	O	207	X	-	-	-
22	CLA	O	208	X	-	-	-
22	CLA	P	207	X	-	-	-
22	CLA	P	208	X	-	-	-
22	CLA	P	209	X	-	-	-
22	CLA	P	213	X	-	-	-
22	CLA	P	214	X	-	-	-
22	CLA	P	216	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
22	CLA	Q	204	X	-	-	-
22	CLA	Q	205	X	-	-	-
22	CLA	Q	206	X	-	-	-
22	CLA	Q	207	X	-	-	-
22	CLA	Q	208	X	-	-	-
22	CLA	Q	211	X	-	-	-
22	CLA	Q	213	X	-	-	-
22	CLA	R	101	X	-	-	-
22	CLA	S	202	X	-	-	-
22	CLA	S	206	X	-	-	-
22	CLA	S	207	X	-	-	-
22	CLA	S	208	X	-	-	-
22	CLA	S	216	X	-	-	-
22	CLA	S	217	X	-	-	-
22	CLA	T	201	X	-	-	-
22	CLA	T	202	X	-	-	-
22	CLA	T	203	X	-	-	-
22	CLA	T	204	X	-	-	-
22	CLA	T	205	X	-	-	-
22	CLA	T	211	X	-	-	-
22	CLA	U	204	X	-	-	-
22	CLA	U	206	X	-	-	-
22	CLA	U	207	X	-	-	-
22	CLA	U	208	X	-	-	-
22	CLA	U	211	X	-	-	-
22	CLA	k	102	X	-	-	-
22	CLA	k	103	X	-	-	-

2 Entry composition [i](#)

There are 35 unique types of molecules in this entry. The entry contains 42258 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem I P700 chlorophyll a apoprotein A1 (psaA).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	741	5813	3807	984	994	28	0	0

- Molecule 2 is a protein called Photosystem I P700 chlorophyll a apoprotein A2 (psaB).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	732	5805	3823	977	984	21	0	0

- Molecule 3 is a protein called Photosystem I iron-sulfur center (psaC).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	80	599	366	106	116	11	0	0

- Molecule 4 is a protein called Photosystem I reaction center subunit II (psaD).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	138	1092	697	188	204	3	0	0

- Molecule 5 is a protein called Photosystem I reaction center subunit IV (psaE).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	64	494	314	86	93	1	0	0

- Molecule 6 is a protein called Photosystem I reaction center subunit III (psaF).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	161	1246	802	209	229	6	0	0

- Molecule 7 is a protein called Photosystem I reaction center subunit VIII (psaI).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	I	34	266	183	35	46	2	0	0

- Molecule 8 is a protein called Photosystem I reaction center subunit IX (psaJ).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	J	39	305	204	45	54	2	0	0

- Molecule 9 is a protein called Photosystem I reaction center subunit XI (psaL).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	L	140	1056	693	168	194	1	0	0

- Molecule 10 is a protein called Photosystem I reaction center subunit XII (psaM).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	M	29	216	144	34	37	1	0	0

- Molecule 11 is a protein called Fucoxanthin chlorophyll a/c binding protein III (FCPI-3).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	O	176	1341	872	217	244	8	0	0

- Molecule 12 is a protein called Fucoxanthin chlorophyll a/c binding protein VI (FCPI-6).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	P	193	1441	927	239	264	11	0	0

- Molecule 13 is a protein called Fucoxanthin chlorophyll a/c binding protein IV (FCPI-4).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	Q	167	1257	809	202	234	12	0	0

- Molecule 14 is a protein called Photosystem I reaction center subunit psaR.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	R	88	664	434	106	123	1	0	0

- Molecule 15 is a protein called Fucoxanthin chlorophyll a/c binding protein II (FCPI-2).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	S	165	1238	802	204	226	6	0	0

- Molecule 16 is a protein called Fucoxanthin chlorophyll a/c binding protein I (FCPI-1).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	U	141	1082	692	183	198	9	0	0

- Molecule 17 is a protein called Fucoxanthin chlorophyll a/c binding protein VII (FCPI-7).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	G	155	1179	756	190	224	9	0	0

- Molecule 18 is a protein called Fucoxanthin chlorophyll a/c binding protein VIII (FCPI-8).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	H	149	1128	725	185	206	12	0	0

- Molecule 19 is a protein called Fucoxanthin chlorophyll a/c binding protein IX (FCPI-9).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	K	97	748	495	121	125	7	0	0


- Molecule 20 is a protein called Fucoxanthin chlorophyll a/c binding protein V (FCPI-5).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	T	99	731	471	122	130	8	0	0

- Molecule 21 is a protein called Photosystem I reaction center subunit psaK.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	k	55	379	247	62	67	3	0	0

- Molecule 22 is CHLOROPHYLL A (CCD ID: CLA) (formula: $C_{55}H_{72}MgN_4O_5$).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	Mg	N	O		
22	A	1	Total	65	55	1	4	5	0
22	A	1	Total	55	45	1	4	5	0
22	A	1	Total	65	55	1	4	5	0
22	A	1	Total	65	55	1	4	5	0
22	A	1	Total	49	39	1	4	5	0
22	A	1	Total	65	55	1	4	5	0
22	A	1	Total	65	55	1	4	5	0
22	A	1	Total	56	46	1	4	5	0
22	A	1	Total	62	52	1	4	5	0
22	A	1	Total	54	44	1	4	5	0
22	A	1	Total	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	A	1	45	35	1	4	5	0
22	A	1	50	40	1	4	5	0
22	A	1	45	35	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	45	35	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	43	35	1	4	3	0
22	A	1	51	41	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	62	52	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	50	40	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	50	40	1	4	5	0
22	A	1	45	35	1	4	5	0
22	A	1	51	41	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	52	42	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	60	50	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	65	55	1	4	5	0
22	A	1	40	32	1	4	3	0
22	A	1	46	36	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	45	35	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	B	1	65	55	1	4	5	0
22	B	1	54	44	1	4	5	0
22	B	1	55	45	1	4	5	0
22	B	1	54	44	1	4	5	0
22	B	1	59	49	1	4	5	0
22	B	1	55	45	1	4	5	0
22	B	1	59	49	1	4	5	0
22	B	1	60	50	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	46	36	1	4	5	0
22	B	1	53	43	1	4	5	0
22	B	1	63	53	1	4	5	0
22	B	1	64	54	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	50	40	1	4	5	0
22	B	1	49	39	1	4	5	0
22	B	1	58	48	1	4	5	0
22	B	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	B	1	58	48	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	47	37	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	65	55	1	4	5	0
22	B	1	50	40	1	4	5	0
22	F	1	65	55	1	4	5	0
22	F	1	48	38	1	4	5	0
22	F	1	46	36	1	4	5	0
22	J	1	42	34	1	4	3	0
22	L	1	49	39	1	4	5	0
22	L	1	65	55	1	4	5	0
22	L	1	50	40	1	4	5	0
22	O	1	43	35	1	4	3	0
22	O	1	45	35	1	4	5	0
22	O	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	O	1	65	55	1	4	5	0
22	O	1	65	55	1	4	5	0
22	O	1	46	36	1	4	5	0
22	O	1	60	50	1	4	5	0
22	O	1	65	55	1	4	5	0
22	O	1	41	33	1	4	3	0
22	P	1	65	55	1	4	5	0
22	P	1	56	46	1	4	5	0
22	P	1	52	42	1	4	5	0
22	P	1	47	37	1	4	5	0
22	P	1	50	40	1	4	5	0
22	P	1	41	33	1	4	3	0
22	P	1	45	35	1	4	5	0
22	P	1	47	37	1	4	5	0
22	Q	1	48	38	1	4	5	0
22	Q	1	61	51	1	4	5	0
22	Q	1	60	50	1	4	5	0
22	Q	1	51	41	1	4	5	0
22	Q	1	46	36	1	4	5	0
22	Q	1	50	40	1	4	5	0
22	Q	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	Q	1	41	33	1	4	3	0
22	Q	1	65	55	1	4	5	0
22	Q	1	57	47	1	4	5	0
22	Q	1	65	55	1	4	5	0
22	R	1	45	35	1	4	5	0
22	R	1	65	55	1	4	5	0
22	S	1	65	55	1	4	5	0
22	S	1	46	36	1	4	5	0
22	S	1	46	36	1	4	5	0
22	S	1	45	35	1	4	5	0
22	S	1	52	42	1	4	5	0
22	S	1	65	55	1	4	5	0
22	S	1	65	55	1	4	5	0
22	U	1	61	51	1	4	5	0
22	U	1	65	55	1	4	5	0
22	U	1	45	35	1	4	5	0
22	U	1	65	55	1	4	5	0
22	U	1	46	36	1	4	5	0
22	U	1	42	34	1	4	3	0
22	U	1	65	55	1	4	5	0
22	U	1	52	42	1	4	5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	G	1	45	35	1	4	5	0
22	G	1	41	33	1	4	3	0
22	G	1	45	35	1	4	5	0
22	G	1	43	35	1	4	3	0
22	G	1	61	51	1	4	5	0
22	G	1	65	55	1	4	5	0
22	G	1	60	50	1	4	5	0
22	G	1	55	45	1	4	5	0
22	G	1	56	46	1	4	5	0
22	G	1	45	35	1	4	5	0
22	G	1	45	35	1	4	5	0
22	H	1	40	32	1	4	3	0
22	H	1	60	50	1	4	5	0
22	H	1	61	51	1	4	5	0
22	H	1	44	35	1	4	4	0
22	H	1	45	35	1	4	5	0
22	H	1	65	55	1	4	5	0
22	H	1	58	48	1	4	5	0
22	H	1	41	33	1	4	3	0
22	H	1	45	35	1	4	5	0
22	H	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
22	K	1	45	35	1	4	5	0
22	K	1	42	34	1	4	3	0
22	K	1	55	45	1	4	5	0
22	K	1	45	35	1	4	5	0
22	K	1	58	48	1	4	5	0
22	T	1	42	34	1	4	3	0
22	T	1	41	33	1	4	3	0
22	T	1	46	36	1	4	5	0
22	T	1	57	47	1	4	5	0
22	T	1	46	36	1	4	5	0
22	T	1	42	34	1	4	3	0
22	T	1	65	55	1	4	5	0
22	T	1	41	33	1	4	3	0
22	T	1	46	36	1	4	5	0
22	T	1	47	37	1	4	5	0
22	k	1	42	34	1	4	3	0
22	k	1	55	45	1	4	5	0

- Molecule 23 is PHYLLOQUINONE (CCD ID: PQN) (formula: C₃₁H₄₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
23	A	1	Total	C	O	0
			33	31	2	
23	B	1	Total	C	O	0
			33	31	2	

- Molecule 24 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: $C_{38}H_{75}O_{10}P$).




Mol	Chain	Residues	Atoms				AltConf
24	A	1	Total	C	O	P	0
			48	37	10	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
24	A	1	27	16	10	1	0
24	P	1	49	38	10	1	0
24	G	1	27	16	10	1	0

- Molecule 25 is BETA-CAROTENE (CCD ID: BCR) (formula: C₄₀H₅₆).




Mol	Chain	Residues	Atoms		AltConf
25	A	1	Total	C	0
			40	40	
25	A	1	Total	C	0
			40	40	
25	A	1	Total	C	0
			40	40	
25	A	1	Total	C	0
			40	40	
25	B	1	Total	C	0
			40	40	
25	B	1	Total	C	0
			40	40	
25	B	1	Total	C	0
			40	40	
25	B	1	Total	C	0
			40	40	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
25	B	1	Total C 40 40	0
25	F	1	Total C 40 40	0
25	F	1	Total C 40 40	0
25	I	1	Total C 40 40	0
25	I	1	Total C 40 40	0
25	J	1	Total C 40 40	0
25	L	1	Total C 40 40	0
25	L	1	Total C 40 40	0
25	M	1	Total C 40 40	0
25	R	1	Total C 39 39	0
25	k	1	Total C 40 40	0

- Molecule 26 is DODECYL-ALPHA-D-MALTOSE (CCD ID: LMU) (formula: C₂₄H₄₆O₁₁).




Mol	Chain	Residues	Atoms			AltConf
26	A	1	Total	C	O	0
			35	24	11	
26	A	1	Total	C	O	0
			35	24	11	
26	F	1	Total	C	O	0
			35	24	11	
26	F	1	Total	C	O	0
			35	24	11	
26	L	1	Total	C	O	0
			35	24	11	
26	M	1	Total	C	O	0
			35	24	11	
26	O	1	Total	C	O	0
			35	24	11	
26	P	1	Total	C	O	0
			25	14	11	
26	S	1	Total	C	O	0
			31	20	11	
26	K	1	Total	C	O	0
			35	24	11	
26	K	1	Total	C	O	0
			24	13	11	

- Molecule 27 is CHLOROPHYLL A ISOMER (CCD ID: CL0) (formula: $C_{55}H_{72}MgN_4O_5$).




Mol	Chain	Residues	Atoms				AltConf	
27	A	1	Total	C	Mg	N	O	0
			65	55	1	4	5	

- Molecule 28 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
28	A	1	8	4	4	0
28	C	1	8	4	4	0
28	C	1	8	4	4	0

- Molecule 29 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (CCD ID: DGD) (formula: $\text{C}_{51}\text{H}_{96}\text{O}_{15}$).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
29	B	1	60	45	15	0

- Molecule 30 is 1,2-DI-O-ACYL-3-O-[6-DEOXY-6-SULFO-ALPHA-D-GLUCOPYRANOSYL]-SN-GLYCEROL (CCD ID: SQD) (formula: C₄₁H₇₈O₁₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	S	
30	B	1	50	37	12	1	0
30	S	1	46	33	12	1	0

- Molecule 31 is (3S,3'R,5R,6S,7cis)-7',8'-didehydro-5,6-dihydro-5,6-epoxy-beta,beta-carotene-3,3'-diol (CCD ID: DD6) (formula: C₄₀H₅₄O₃).




Mol	Chain	Residues	Atoms			AltConf
31	J	1	Total	C	O	0
			43	40	3	
31	O	1	Total	C	O	0
			43	40	3	
31	O	1	Total	C	O	0
			43	40	3	
31	O	1	Total	C	O	0
			43	40	3	
31	O	1	Total	C	O	0
			43	40	3	
31	O	1	Total	C	O	0
			43	40	3	
31	P	1	Total	C	O	0
			43	40	3	
31	P	1	Total	C	O	0
			43	40	3	
31	P	1	Total	C	O	0
			43	40	3	
31	Q	1	Total	C	O	0
			43	40	3	
31	Q	1	Total	C	O	0
			43	40	3	
31	S	1	Total	C	O	0
			43	40	3	
31	S	1	Total	C	O	0
			43	40	3	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
31	S	1	Total	C	O	0
			43	40	3	
31	S	1	Total	C	O	0
			43	40	3	
31	S	1	Total	C	O	0
			43	40	3	
31	U	1	Total	C	O	0
			43	40	3	
31	U	1	Total	C	O	0
			43	40	3	
31	U	1	Total	C	O	0
			26	25	1	
31	G	1	Total	C	O	0
			43	40	3	
31	G	1	Total	C	O	0
			43	40	3	
31	G	1	Total	C	O	0
			43	40	3	
31	G	1	Total	C	O	0
			43	40	3	
31	H	1	Total	C	O	0
			43	40	3	
31	H	1	Total	C	O	0
			43	40	3	
31	H	1	Total	C	O	0
			43	40	3	
31	K	1	Total	C	O	0
			43	40	3	
31	T	1	Total	C	O	0
			43	40	3	
31	T	1	Total	C	O	0
			43	40	3	
31	k	1	Total	C	O	0
			43	40	3	

- Molecule 32 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (CCD ID: LMG) (formula: C₄₅H₈₆O₁₀).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
32	J	1	39	29	10	0
32	P	1	34	24	10	0
32	P	1	25	15	10	0
32	Q	1	55	45	10	0
32	S	1	49	39	10	0
32	U	1	32	22	10	0

- Molecule 33 is Chlorophyll c1 (CCD ID: KC1) (formula: $C_{35}H_{30}MgN_4O_5$).



Mol	Chain	Residues	Atoms			AltConf
34	P	1	Total	C	O	0
			48	42	6	
34	Q	1	Total	C	O	0
			48	42	6	
34	Q	1	Total	C	O	0
			48	42	6	
34	Q	1	Total	C	O	0
			48	42	6	
34	R	1	Total	C	O	0
			44	40	4	
34	R	1	Total	C	O	0
			48	42	6	
34	U	1	Total	C	O	0
			48	42	6	

- Molecule 35 is water.

Mol	Chain	Residues	Atoms		AltConf
35	A	117	Total	O	0
			117	117	
35	B	211	Total	O	0
			211	211	
35	C	46	Total	O	0
			46	46	
35	D	21	Total	O	0
			21	21	
35	E	14	Total	O	0
			14	14	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
35	F	21	Total 21	O 21	0
35	I	2	Total 2	O 2	0
35	J	3	Total 3	O 3	0
35	L	18	Total 18	O 18	0
35	M	2	Total 2	O 2	0
35	O	11	Total 11	O 11	0
35	P	18	Total 18	O 18	0
35	Q	9	Total 9	O 9	0
35	R	4	Total 4	O 4	0
35	S	11	Total 11	O 11	0
35	U	5	Total 5	O 5	0
35	k	1	Total 1	O 1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1 (psaA)




- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2 (psaB)



- Molecule 3: Photosystem I iron-sulfur center (psaC)



- Molecule 4: Photosystem I reaction center subunit II (psaD)



- Molecule 5: Photosystem I reaction center subunit IV (psaE)

Chain E:  90%



- Molecule 6: Photosystem I reaction center subunit III (psaF)

Chain F:  80% 8% 12%



- Molecule 7: Photosystem I reaction center subunit VIII (psaI)

Chain I:  86% 11%



- Molecule 8: Photosystem I reaction center subunit IX (psaJ)

Chain J:  77% 23%




- Molecule 9: Photosystem I reaction center subunit XI (psaL)

Chain L:  90% 9%




- Molecule 10: Photosystem I reaction center subunit XII (psaM)

Chain M:  97%



- Molecule 11: Fucoxanthin chlorophyll a/c binding protein III (FCPI-3)

Chain O:  81% 7% 12%





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	191444	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	165000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.885	Depositor
Minimum map value	-0.618	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.020	Depositor
Recommended contour level	0.065	Depositor
Map size (Å)	436.2, 436.2, 436.2	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.727, 0.727, 0.727	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL0, LMG, CLA, LMU, A86, DD6, PQN, BCR, SQD, LHG, DGD, KC1, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/6007	0.40	0/8185
2	B	0.22	0/6015	0.41	0/8205
3	C	0.16	0/609	0.38	0/826
4	D	0.15	0/1116	0.38	0/1503
5	E	0.16	0/505	0.31	0/689
6	F	0.21	0/1275	0.42	0/1728
7	I	0.22	0/273	0.48	0/373
8	J	0.43	0/313	0.70	0/427
9	L	0.20	0/1081	0.43	0/1470
10	M	0.19	0/218	0.30	0/295
11	O	0.18	0/1376	0.39	0/1865
12	P	0.20	0/1480	0.37	0/2010
13	Q	0.16	0/1285	0.37	0/1736
14	R	0.19	0/681	0.35	0/930
15	S	0.14	0/1272	0.32	0/1732
16	U	0.24	0/1109	0.47	2/1499 (0.1%)
17	G	0.17	0/1204	0.39	0/1624
18	H	0.20	0/1149	0.41	0/1546
19	K	0.25	0/764	0.52	0/1029
20	T	0.24	0/741	0.44	0/999
21	k	0.14	0/383	0.30	0/519
All	All	0.20	0/28856	0.41	2/39190 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	O	0	1
13	Q	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
19	K	0	1
All	All	0	4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	U	119	TYR	CA-C-N	5.81	128.54	120.29
16	U	119	TYR	C-N-CA	5.81	128.54	120.29

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
19	K	20	ALA	Peptide
11	O	173	VAL	Peptide
13	Q	164	PHE	Peptide
13	Q	165	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5813	0	5698	49	0
2	B	5805	0	5635	49	0
3	C	599	0	577	3	0
4	D	1092	0	1096	4	0
5	E	494	0	488	2	0
6	F	1246	0	1256	12	0
7	I	266	0	278	4	0
8	J	305	0	310	8	0
9	L	1056	0	1068	10	0
10	M	216	0	234	1	0
11	O	1341	0	1347	14	0
12	P	1441	0	1421	16	0
13	Q	1257	0	1260	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	R	664	0	668	5	0
15	S	1238	0	1217	13	0
16	U	1082	0	1058	12	0
17	G	1179	0	1166	22	0
18	H	1128	0	1134	18	0
19	K	748	0	777	12	0
20	T	731	0	749	23	0
21	k	379	0	409	10	0
22	A	2701	0	2712	65	0
22	B	2344	0	2385	79	0
22	F	159	0	141	4	0
22	G	561	0	486	20	0
22	H	524	0	475	14	0
22	J	42	0	31	1	0
22	K	245	0	201	7	0
22	L	164	0	150	4	0
22	O	495	0	475	13	0
22	P	403	0	337	8	0
22	Q	609	0	566	8	0
22	R	110	0	105	5	0
22	S	384	0	358	9	0
22	T	473	0	379	22	0
22	U	441	0	417	14	0
22	k	97	0	80	4	0
23	A	33	0	46	2	0
23	B	33	0	46	1	0
24	A	75	0	93	3	0
24	G	27	0	24	1	0
24	P	49	0	74	4	0
25	A	160	0	224	5	0
25	B	200	0	280	14	0
25	F	80	0	112	4	0
25	I	80	0	112	5	0
25	J	40	0	56	1	0
25	L	80	0	112	2	0
25	M	40	0	56	1	0
25	R	39	0	53	3	0
25	k	40	0	56	2	0
26	A	70	0	92	1	0
26	F	70	0	92	1	0
26	K	59	0	67	2	0
26	L	35	0	46	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	M	35	0	46	1	0
26	O	35	0	46	0	0
26	P	25	0	23	0	0
26	S	31	0	35	1	0
27	A	65	0	72	3	0
28	A	8	0	0	0	0
28	C	16	0	0	1	0
29	B	60	0	81	9	0
30	B	50	0	67	1	0
30	S	46	0	56	1	0
31	G	172	0	0	3	0
31	H	129	0	0	0	0
31	J	43	0	0	0	0
31	K	43	0	0	0	0
31	O	215	0	0	2	0
31	P	172	0	0	0	0
31	Q	86	0	0	0	0
31	S	215	0	0	0	0
31	T	86	0	0	0	0
31	U	112	0	0	1	0
31	k	43	0	0	0	0
32	J	39	0	48	3	0
32	P	59	0	58	4	0
32	Q	55	0	86	3	0
32	S	49	0	68	2	0
32	U	32	0	34	1	0
33	O	45	0	0	0	0
33	P	179	0	0	0	0
33	Q	45	0	0	0	0
33	S	90	0	0	0	0
33	T	45	0	0	1	0
33	U	45	0	0	0	0
34	P	48	0	0	0	0
34	Q	144	0	0	0	0
34	R	92	0	0	1	0
34	U	48	0	0	0	0
35	A	117	0	0	1	0
35	B	211	0	0	0	0
35	C	46	0	0	0	0
35	D	21	0	0	0	0
35	E	14	0	0	0	0
35	F	21	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
35	I	2	0	0	0	0
35	J	3	0	0	0	0
35	L	18	0	0	0	0
35	M	2	0	0	0	0
35	O	11	0	0	0	0
35	P	18	0	0	0	0
35	Q	9	0	0	0	0
35	R	4	0	0	0	0
35	S	11	0	0	0	0
35	U	5	0	0	0	0
35	k	1	0	0	0	0
All	All	42258	0	39505	480	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 480 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
19:K:8:LEU:HD21	21:k:46:MET:SD	2.05	0.96
17:G:90:ILE:HG22	17:G:94:MET:HE2	1.50	0.94
12:P:46:GLU:OE2	12:P:49:LYS:HE3	1.68	0.93
20:T:56:MET:HE2	20:T:56:MET:HA	1.56	0.87
22:B:830:CLA:H152	25:F:805:BCR:H23C	1.65	0.78

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	739/752 (98%)	719 (97%)	20 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	730/734 (100%)	712 (98%)	18 (2%)	0	100	100
3	C	78/81 (96%)	77 (99%)	1 (1%)	0	100	100
4	D	136/142 (96%)	132 (97%)	4 (3%)	0	100	100
5	E	62/67 (92%)	61 (98%)	1 (2%)	0	100	100
6	F	159/184 (86%)	155 (98%)	4 (2%)	0	100	100
7	I	32/35 (91%)	32 (100%)	0	0	100	100
8	J	37/39 (95%)	37 (100%)	0	0	100	100
9	L	138/141 (98%)	137 (99%)	1 (1%)	0	100	100
10	M	27/29 (93%)	27 (100%)	0	0	100	100
11	O	174/201 (87%)	170 (98%)	3 (2%)	1 (1%)	22	8
12	P	191/231 (83%)	188 (98%)	3 (2%)	0	100	100
13	Q	165/197 (84%)	157 (95%)	8 (5%)	0	100	100
14	R	86/90 (96%)	84 (98%)	2 (2%)	0	100	100
15	S	163/215 (76%)	160 (98%)	3 (2%)	0	100	100
16	U	139/191 (73%)	138 (99%)	1 (1%)	0	100	100
17	G	149/209 (71%)	146 (98%)	3 (2%)	0	100	100
18	H	145/169 (86%)	140 (97%)	5 (3%)	0	100	100
19	K	89/200 (44%)	87 (98%)	2 (2%)	0	100	100
20	T	91/202 (45%)	89 (98%)	2 (2%)	0	100	100
21	k	51/89 (57%)	50 (98%)	1 (2%)	0	100	100
All	All	3581/4198 (85%)	3498 (98%)	82 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
11	O	174	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	603/612 (98%)	598 (99%)	5 (1%)	79	70
2	B	590/591 (100%)	589 (100%)	1 (0%)	92	89
3	C	68/69 (99%)	68 (100%)	0	100	100
4	D	118/122 (97%)	118 (100%)	0	100	100
5	E	53/55 (96%)	52 (98%)	1 (2%)	52	30
6	F	133/152 (88%)	132 (99%)	1 (1%)	79	70
7	I	31/32 (97%)	31 (100%)	0	100	100
8	J	32/32 (100%)	32 (100%)	0	100	100
9	L	111/112 (99%)	110 (99%)	1 (1%)	75	66
10	M	21/21 (100%)	21 (100%)	0	100	100
11	O	145/161 (90%)	145 (100%)	0	100	100
12	P	144/173 (83%)	141 (98%)	3 (2%)	48	25
13	Q	133/157 (85%)	132 (99%)	1 (1%)	79	70
14	R	71/73 (97%)	70 (99%)	1 (1%)	62	45
15	S	125/162 (77%)	121 (97%)	4 (3%)	34	11
16	U	110/148 (74%)	108 (98%)	2 (2%)	54	32
17	G	127/167 (76%)	127 (100%)	0	100	100
18	H	119/137 (87%)	115 (97%)	4 (3%)	32	9
19	K	78/153 (51%)	75 (96%)	3 (4%)	28	7
20	T	73/153 (48%)	70 (96%)	3 (4%)	26	6
21	k	38/65 (58%)	36 (95%)	2 (5%)	19	3
All	All	2923/3347 (87%)	2891 (99%)	32 (1%)	69	55

5 of 32 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
20	T	22	VAL
20	T	110	ILE
13	Q	64	THR
12	P	192	VAL
21	k	2	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
6	F	44	GLN
9	L	32	ASN
18	H	157	GLN
17	G	3	ASN
17	G	102	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

272 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	B	834	35	65,73,73	1.28	7 (10%)	76,113,113	1.08	7 (9%)
22	CLA	B	843	2	65,73,73	1.34	7 (10%)	76,113,113	0.95	4 (5%)
22	CLA	B	826	2	49,57,73	1.52	7 (14%)	55,93,113	1.01	3 (5%)
26	LMU	P	221	-	26,26,36	1.30	2 (7%)	37,37,47	1.34	4 (10%)
22	CLA	K	204	19	42,50,73	1.59	8 (19%)	48,85,113	1.19	4 (8%)
22	CLA	L	203	9	65,73,73	1.22	7 (10%)	76,113,113	1.00	4 (5%)
22	CLA	B	816	35	65,73,73	1.28	6 (9%)	76,113,113	0.88	3 (3%)
22	CLA	T	207	20	65,73,73	1.20	6 (9%)	76,113,113	1.06	4 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
28	SF4	C	102	3	0,12,12	-	-	-		
22	CLA	T	202	20	41,49,73	1.55	7 (17%)	47,84,113	1.28	4 (8%)
24	LHG	P	201	-	48,48,48	0.60	2 (4%)	51,54,54	1.24	5 (9%)
29	DGD	B	841	-	61,61,67	0.96	2 (3%)	75,75,81	1.35	8 (10%)
22	CLA	U	204	35	61,69,73	1.28	7 (11%)	71,108,113	1.09	4 (5%)
22	CLA	A	834	1	65,73,73	1.36	7 (10%)	76,113,113	0.97	5 (6%)
24	LHG	A	839	-	47,47,48	0.64	0	50,53,54	1.20	5 (10%)
22	CLA	A	826	1	65,73,73	1.35	7 (10%)	76,113,113	0.89	4 (5%)
22	CLA	B	824	2	65,73,73	1.33	7 (10%)	76,113,113	0.92	4 (5%)
25	BCR	A	842	-	41,41,41	1.07	2 (4%)	56,56,56	1.12	4 (7%)
31	DD6	H	212	-	39,45,45	1.61	8 (20%)	52,67,67	1.59	10 (19%)
22	CLA	A	845	35	65,73,73	1.27	7 (10%)	76,113,113	0.95	4 (5%)
22	CLA	Q	216	35	65,73,73	1.20	6 (9%)	76,113,113	0.98	5 (6%)
22	CLA	F	802	35	65,73,73	1.30	7 (10%)	76,113,113	0.98	4 (5%)
22	CLA	A	803	1	65,73,73	1.21	6 (9%)	76,113,113	1.04	5 (6%)
22	CLA	B	819	35	63,71,73	1.30	7 (11%)	73,110,113	1.09	6 (8%)
22	CLA	B	832	35	65,73,73	1.27	7 (10%)	76,113,113	0.96	4 (5%)
22	CLA	F	804	6	46,54,73	1.50	7 (15%)	53,90,113	1.10	4 (7%)
25	BCR	B	837	-	41,41,41	1.03	2 (4%)	56,56,56	1.19	4 (7%)
22	CLA	Q	208	13	50,58,73	1.44	7 (14%)	58,95,113	1.56	8 (13%)
22	CLA	A	809	1	62,70,73	1.28	7 (11%)	72,109,113	1.01	4 (5%)
22	CLA	H	207	18	65,73,73	1.24	8 (12%)	76,113,113	1.29	7 (9%)
22	CLA	A	835	1	65,73,73	1.32	7 (10%)	76,113,113	0.93	3 (3%)
33	KC1	O	210	11	48,53,53	1.85	12 (25%)	55,89,89	1.30	6 (10%)
31	DD6	G	211	-	39,45,45	1.59	8 (20%)	52,67,67	1.53	8 (15%)
22	CLA	B	812	2	59,67,73	1.33	7 (11%)	68,105,113	1.04	5 (7%)
22	CLA	G	201	17	45,53,73	1.51	6 (13%)	52,89,113	1.12	4 (7%)
22	CLA	U	205	16	65,73,73	1.26	8 (12%)	76,113,113	1.00	4 (5%)
22	CLA	A	808	1	56,64,73	1.33	7 (12%)	65,102,113	1.04	4 (6%)
22	CLA	P	209	-	52,60,73	1.40	7 (13%)	60,97,113	1.09	4 (6%)
24	LHG	G	216	-	26,26,48	0.85	1 (3%)	29,32,54	1.17	2 (6%)
31	DD6	G	214	-	39,45,45	1.63	7 (17%)	52,67,67	1.67	12 (23%)
22	CLA	A	853	1	65,73,73	1.25	7 (10%)	76,113,113	1.00	4 (5%)
22	CLA	L	202	9	49,57,73	1.46	7 (14%)	55,93,113	1.25	7 (12%)
31	DD6	O	201	-	39,45,45	1.56	8 (20%)	52,67,67	1.51	10 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	A	817	1	45,53,73	1.54	7 (15%)	52,89,113	1.16	4 (7%)
31	DD6	S	205	-	39,45,45	1.54	7 (17%)	52,67,67	1.56	10 (19%)
22	CLA	H	206	18	45,53,73	1.60	7 (15%)	52,89,113	1.08	4 (7%)
31	DD6	T	213	-	39,45,45	1.51	9 (23%)	52,67,67	2.12	15 (28%)
22	CLA	B	807	2	65,73,73	1.32	7 (10%)	76,113,113	0.90	3 (3%)
28	SF4	C	101	3	0,12,12	-	-	-		
22	CLA	A	855	-	39,48,73	1.65	7 (17%)	45,82,113	1.27	6 (13%)
32	LMG	U	201	-	32,32,55	0.99	0	40,40,63	1.12	2 (5%)
22	CLA	A	801	-	65,73,73	1.24	7 (10%)	76,113,113	0.96	5 (6%)
26	LMU	A	857	-	36,36,36	0.41	0	47,47,47	0.73	1 (2%)
31	DD6	G	212	-	39,45,45	1.63	7 (17%)	52,67,67	1.58	10 (19%)
34	A86	P	204	-	44,50,50	1.62	6 (13%)	51,76,76	1.70	11 (21%)
34	A86	R	105	-	44,50,50	1.62	6 (13%)	51,76,76	1.55	9 (17%)
22	CLA	G	210	17	45,53,73	1.59	7 (15%)	52,89,113	1.15	3 (5%)
34	A86	Q	201	-	44,50,50	1.58	6 (13%)	51,76,76	1.59	8 (15%)
22	CLA	A	831	1	45,53,73	1.52	7 (15%)	52,89,113	1.20	4 (7%)
22	CLA	O	209	11	65,73,73	1.28	7 (10%)	76,113,113	1.09	6 (7%)
31	DD6	O	212	-	39,45,45	1.63	8 (20%)	52,67,67	1.73	9 (17%)
22	CLA	A	850	35	65,73,73	1.22	6 (9%)	76,113,113	1.03	5 (6%)
22	CLA	O	202	11	43,51,73	1.53	6 (13%)	49,86,113	1.21	5 (10%)
26	LMU	M	102	-	36,36,36	1.18	2 (5%)	47,47,47	1.02	2 (4%)
22	CLA	Q	212	13	65,73,73	1.31	7 (10%)	76,113,113	1.08	7 (9%)
31	DD6	O	215	-	39,45,45	1.53	7 (17%)	52,67,67	1.68	11 (21%)
25	BCR	I	101	-	41,41,41	1.09	2 (4%)	56,56,56	1.26	5 (8%)
31	DD6	U	203	-	39,45,45	1.62	7 (17%)	52,67,67	1.75	11 (21%)
22	CLA	A	854	1	65,73,73	1.23	7 (10%)	76,113,113	1.04	7 (9%)
22	CLA	O	208	11	60,68,73	1.24	6 (10%)	70,107,113	1.06	5 (7%)
33	KC1	S	210	15	48,53,53	1.86	11 (22%)	55,89,89	1.22	4 (7%)
32	LMG	P	217	-	25,25,55	1.39	4 (16%)	33,33,63	1.47	7 (21%)
31	DD6	P	220	-	39,45,45	1.60	7 (17%)	52,67,67	1.76	11 (21%)
22	CLA	B	827	2	58,66,73	1.37	7 (12%)	67,104,113	1.10	6 (8%)
28	SF4	A	852	2,1	0,12,12	-	-	-		
22	CLA	B	804	2	65,73,73	1.22	6 (9%)	76,113,113	1.03	5 (6%)
22	CLA	R	101	35	45,53,73	1.59	7 (15%)	52,89,113	1.10	4 (7%)
31	DD6	S	204	-	39,45,45	1.53	8 (20%)	52,67,67	1.54	8 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	B	803	2	45,53,73	1.58	7 (15%)	52,89,113	1.13	4 (7%)
22	CLA	A	846	1	60,68,73	1.38	7 (11%)	70,107,113	1.00	4 (5%)
31	DD6	U	214	-	24,26,45	1.66	5 (20%)	30,35,67	1.64	6 (20%)
22	CLA	B	817	2	46,54,73	1.49	7 (15%)	53,90,113	1.14	4 (7%)
24	LHG	A	840	22	26,26,48	0.86	1 (3%)	29,32,54	1.33	3 (10%)
22	CLA	B	830	2	65,73,73	1.27	7 (10%)	76,113,113	0.98	4 (5%)
22	CLA	T	210	20	46,54,73	1.55	7 (15%)	53,90,113	1.16	5 (9%)
25	BCR	L	205	-	41,41,41	1.03	2 (4%)	56,56,56	1.29	5 (8%)
22	CLA	U	206	16	45,53,73	1.51	7 (15%)	52,89,113	1.12	4 (7%)
22	CLA	S	202	35	65,73,73	1.20	6 (9%)	76,113,113	1.20	6 (7%)
22	CLA	O	207	11	46,54,73	1.52	8 (17%)	53,90,113	1.16	5 (9%)
22	CLA	B	829	2	58,66,73	1.36	7 (12%)	67,104,113	1.13	6 (8%)
22	CLA	T	204	-	57,65,73	1.29	6 (10%)	66,103,113	1.11	5 (7%)
22	CLA	K	206	19	45,53,73	1.65	7 (15%)	52,89,113	1.07	3 (5%)
22	CLA	O	206	35	65,73,73	1.25	7 (10%)	76,113,113	1.01	5 (6%)
22	CLA	K	207	19	58,66,73	1.33	7 (12%)	67,104,113	1.32	5 (7%)
22	CLA	J	103	8	42,50,73	1.53	7 (16%)	48,85,113	1.18	5 (10%)
22	CLA	B	823	2	65,73,73	1.30	7 (10%)	76,113,113	1.07	5 (6%)
25	BCR	F	801	-	41,41,41	1.01	2 (4%)	56,56,56	1.19	4 (7%)
22	CLA	L	204	35	50,58,73	1.42	8 (16%)	58,95,113	1.23	5 (8%)
22	CLA	Q	203	13	48,56,73	1.46	7 (14%)	55,92,113	1.09	4 (7%)
22	CLA	T	211	-	47,55,73	1.50	6 (12%)	54,91,113	1.22	5 (9%)
22	CLA	U	210	16	65,73,73	1.23	6 (9%)	76,113,113	1.03	5 (6%)
22	CLA	T	201	-	42,50,73	1.63	7 (16%)	48,85,113	1.01	3 (6%)
25	BCR	A	841	-	41,41,41	1.02	2 (4%)	56,56,56	1.23	2 (3%)
26	LMU	F	806	-	36,36,36	1.28	3 (8%)	47,47,47	1.54	8 (17%)
22	CLA	A	811	1	65,73,73	1.26	7 (10%)	76,113,113	1.00	4 (5%)
22	CLA	P	216	12	47,55,73	1.50	7 (14%)	54,91,113	1.24	5 (9%)
22	CLA	A	851	1	65,73,73	1.26	7 (10%)	76,113,113	1.00	3 (3%)
33	KC1	P	212	12	46,52,53	1.95	11 (23%)	49,87,89	1.34	6 (12%)
33	KC1	T	208	20	48,53,53	2.00	12 (25%)	55,89,89	1.20	4 (7%)
32	LMG	S	213	-	49,49,55	0.73	1 (2%)	57,57,63	1.29	6 (10%)
25	BCR	F	805	-	41,41,41	1.04	2 (4%)	56,56,56	1.18	5 (8%)
31	DD6	k	101	-	39,45,45	1.54	8 (20%)	52,67,67	1.50	8 (15%)
22	CLA	A	823	1	65,73,73	1.29	6 (9%)	76,113,113	0.95	4 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	P	210	35	47,55,73	1.48	6 (12%)	54,91,113	1.10	4 (7%)
25	BCR	B	839	-	41,41,41	1.05	2 (4%)	56,56,56	1.18	5 (8%)
33	KC1	S	212	15	48,53,53	1.83	10 (20%)	55,89,89	1.33	7 (12%)
22	CLA	A	824	1	62,70,73	1.30	7 (11%)	72,109,113	1.09	5 (6%)
22	CLA	B	806	2	65,73,73	1.24	7 (10%)	76,113,113	1.01	4 (5%)
22	CLA	B	813	2	55,63,73	1.49	7 (12%)	64,101,113	1.07	4 (6%)
25	BCR	B	838	-	41,41,41	1.08	2 (4%)	56,56,56	1.25	4 (7%)
22	CLA	O	204	11	65,73,73	1.27	7 (10%)	76,113,113	0.99	5 (6%)
22	CLA	A	819	1	43,51,73	1.54	7 (16%)	49,86,113	1.17	4 (8%)
22	CLA	k	103	35	55,63,73	1.41	7 (12%)	64,101,113	1.07	4 (6%)
22	CLA	A	827	1	50,58,73	1.51	7 (14%)	58,95,113	1.07	4 (6%)
22	CLA	G	205	17	61,69,73	1.25	7 (11%)	71,108,113	1.17	8 (11%)
22	CLA	O	211	11	41,49,73	1.58	7 (17%)	47,84,113	1.32	6 (12%)
31	DD6	H	211	-	39,45,45	1.61	6 (15%)	52,67,67	1.76	9 (17%)
22	CLA	A	816	1	65,73,73	1.24	7 (10%)	76,113,113	1.05	5 (6%)
26	LMU	A	847	-	36,36,36	1.21	2 (5%)	47,47,47	0.88	1 (2%)
31	DD6	Q	202	-	39,45,45	1.60	7 (17%)	52,67,67	1.71	12 (23%)
26	LMU	S	203	-	32,32,36	1.35	4 (12%)	43,43,47	1.60	6 (13%)
26	LMU	F	807	-	36,36,36	1.21	2 (5%)	47,47,47	0.95	2 (4%)
31	DD6	P	218	-	39,45,45	1.74	8 (20%)	52,67,67	1.92	10 (19%)
31	DD6	K	208	-	39,45,45	1.67	8 (20%)	52,67,67	1.69	10 (19%)
30	SQD	S	201	-	45,46,54	1.03	5 (11%)	54,57,65	1.58	9 (16%)
22	CLA	H	210	18	45,53,73	1.61	6 (13%)	52,89,113	1.17	5 (9%)
33	KC1	P	203	-	48,53,53	1.94	12 (25%)	55,89,89	0.99	2 (3%)
22	CLA	Q	204	-	61,69,73	1.29	6 (9%)	71,108,113	1.04	4 (5%)
22	CLA	P	214	12	45,53,73	1.58	6 (13%)	52,89,113	1.19	4 (7%)
22	CLA	U	207	35	65,73,73	1.19	6 (9%)	76,113,113	1.20	10 (13%)
22	CLA	A	818	35	65,73,73	1.18	6 (9%)	76,113,113	1.07	7 (9%)
22	CLA	B	814	2	59,67,73	1.31	6 (10%)	68,105,113	1.06	4 (5%)
22	CLA	B	818	2	53,61,73	1.36	7 (13%)	61,98,113	1.10	6 (9%)
22	CLA	B	847	2	50,58,73	1.45	7 (14%)	58,95,113	1.05	3 (5%)
22	CLA	B	811	2	54,62,73	1.40	7 (12%)	62,99,113	1.09	5 (8%)
25	BCR	A	844	-	41,41,41	1.09	2 (4%)	56,56,56	1.19	6 (10%)
22	CLA	Q	211	13	41,49,73	1.61	7 (17%)	47,84,113	1.35	6 (12%)
31	DD6	S	211	-	39,45,45	1.55	8 (20%)	52,67,67	1.52	8 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	H	204	18	61,69,73	1.26	7 (11%)	71,108,113	1.10	5 (7%)
31	DD6	O	214	-	39,45,45	1.55	7 (17%)	52,67,67	1.62	9 (17%)
22	CLA	S	209	15	52,60,73	1.36	5 (9%)	60,97,113	1.15	4 (6%)
22	CLA	B	815	2	60,68,73	1.31	7 (11%)	70,107,113	1.06	5 (7%)
22	CLA	A	833	1	65,73,73	1.28	6 (9%)	76,113,113	1.05	6 (7%)
22	CLA	A	848	1	65,73,73	1.28	6 (9%)	76,113,113	1.07	6 (7%)
33	KC1	Q	210	13	48,53,53	1.87	11 (22%)	55,89,89	1.21	6 (10%)
22	CLA	A	806	1	65,73,73	1.22	7 (10%)	76,113,113	1.11	6 (7%)
22	CLA	Q	205	13	60,68,73	1.31	7 (11%)	70,107,113	1.01	4 (5%)
22	CLA	P	208	12	56,64,73	1.36	7 (12%)	65,102,113	1.10	6 (9%)
22	CLA	R	104	14	65,73,73	1.37	7 (10%)	76,113,113	1.01	5 (6%)
22	CLA	B	828	35	65,73,73	1.27	7 (10%)	76,113,113	1.00	4 (5%)
22	CLA	A	807	1	65,73,73	1.25	7 (10%)	76,113,113	1.02	5 (6%)
22	CLA	T	205	-	46,54,73	1.47	6 (13%)	53,90,113	1.20	4 (7%)
25	BCR	B	836	-	41,41,41	1.08	2 (4%)	56,56,56	1.16	4 (7%)
25	BCR	B	840	-	41,41,41	1.08	2 (4%)	56,56,56	1.15	5 (8%)
26	LMU	K	202	-	25,25,36	1.26	3 (12%)	36,36,47	1.80	11 (30%)
33	KC1	U	213	16	48,53,53	1.87	13 (27%)	55,89,89	1.03	3 (5%)
25	BCR	J	104	-	41,41,41	1.08	2 (4%)	56,56,56	1.19	4 (7%)
22	CLA	B	821	2	65,73,73	1.33	7 (10%)	76,113,113	0.90	4 (5%)
31	DD6	S	215	-	39,45,45	1.60	7 (17%)	52,67,67	1.71	10 (19%)
22	CLA	B	809	2	54,62,73	1.48	8 (14%)	67,100,113	1.01	4 (5%)
22	CLA	U	209	16	42,50,73	1.77	7 (16%)	48,85,113	1.10	3 (6%)
25	BCR	M	101	-	41,41,41	1.06	2 (4%)	56,56,56	1.27	7 (12%)
25	BCR	I	102	-	41,41,41	1.06	2 (4%)	56,56,56	1.24	4 (7%)
34	A86	U	202	-	44,50,50	1.65	6 (13%)	51,76,76	1.48	7 (13%)
22	CLA	T	209	20	41,49,73	1.63	8 (19%)	47,84,113	1.23	5 (10%)
22	CLA	Q	209	13	65,73,73	1.29	7 (10%)	76,113,113	0.95	4 (5%)
31	DD6	O	213	-	39,45,45	1.54	8 (20%)	52,67,67	1.50	10 (19%)
32	LMG	P	202	-	34,34,55	1.03	2 (5%)	42,42,63	1.28	4 (9%)
22	CLA	S	208	15	45,53,73	1.42	5 (11%)	52,89,113	1.27	6 (11%)
22	CLA	H	202	-	39,48,73	1.60	6 (15%)	45,82,113	1.37	7 (15%)
22	CLA	A	838	24	52,60,73	1.44	7 (13%)	60,97,113	1.16	5 (8%)
22	CLA	H	203	18	60,68,73	1.33	7 (11%)	70,107,113	1.01	5 (7%)
22	CLA	T	203	20	46,54,73	1.52	8 (17%)	53,90,113	1.13	4 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	Q	213	35	57,65,73	1.35	7 (12%)	66,103,113	1.17	8 (12%)
31	DD6	H	201	-	39,45,45	1.72	9 (23%)	52,67,67	1.91	13 (25%)
22	CLA	B	833	2	65,73,73	1.31	7 (10%)	76,113,113	0.92	4 (5%)
22	CLA	O	203	-	45,53,73	1.54	7 (15%)	52,89,113	1.14	4 (7%)
22	CLA	G	206	17	65,73,73	1.39	7 (10%)	76,113,113	1.01	6 (7%)
31	DD6	P	215	-	39,45,45	1.67	6 (15%)	52,67,67	1.90	11 (21%)
22	CLA	P	211	12	50,58,73	1.36	6 (12%)	58,95,113	1.11	3 (5%)
22	CLA	A	830	1	50,58,73	1.42	7 (14%)	58,95,113	1.06	3 (5%)
22	CLA	F	803	35	48,56,73	1.50	7 (14%)	55,92,113	1.30	6 (10%)
26	LMU	K	201	-	36,36,36	1.18	3 (8%)	47,47,47	1.59	9 (19%)
31	DD6	P	205	-	39,45,45	1.56	7 (17%)	52,67,67	1.65	10 (19%)
34	A86	Q	218	-	44,50,50	1.65	6 (13%)	51,76,76	1.48	9 (17%)
22	CLA	H	208	-	58,66,73	1.29	6 (10%)	67,104,113	1.08	5 (7%)
22	CLA	A	820	1	51,59,73	1.46	7 (13%)	59,96,113	1.16	5 (8%)
33	KC1	P	206	12	48,53,53	1.86	13 (27%)	55,89,89	0.97	2 (3%)
22	CLA	B	831	2	47,55,73	1.51	7 (14%)	54,91,113	1.14	4 (7%)
30	SQD	B	846	-	49,50,54	1.00	5 (10%)	58,61,65	1.62	9 (15%)
31	DD6	J	101	-	39,45,45	1.55	8 (20%)	52,67,67	1.63	10 (19%)
22	CLA	G	215	17	45,53,73	1.49	5 (11%)	52,89,113	1.24	4 (7%)
22	CLA	A	804	1	65,73,73	1.23	7 (10%)	76,113,113	1.02	6 (7%)
22	CLA	S	206	15	46,54,73	1.46	6 (13%)	53,90,113	1.12	4 (7%)
22	CLA	k	102	21	42,50,73	1.58	7 (16%)	48,85,113	1.11	3 (6%)
22	CLA	B	844	2	65,73,73	1.33	7 (10%)	76,113,113	1.01	4 (5%)
22	CLA	A	836	35	65,73,73	1.25	7 (10%)	76,113,113	1.06	6 (7%)
23	PQN	A	837	-	34,34,34	0.38	0	42,45,45	0.44	0
22	CLA	A	828	1	65,73,73	1.33	7 (10%)	76,113,113	0.92	3 (3%)
22	CLA	A	815	1	65,73,73	1.31	7 (10%)	76,113,113	1.00	4 (5%)
22	CLA	B	822	2	65,73,73	1.29	7 (10%)	76,113,113	1.01	3 (3%)
22	CLA	Q	206	13	50,59,73	1.52	7 (14%)	57,96,113	1.08	4 (7%)
25	BCR	A	843	-	41,41,41	1.05	2 (4%)	56,56,56	1.21	4 (7%)
33	KC1	P	219	12	48,53,53	1.83	11 (22%)	55,89,89	0.87	1 (1%)
22	CLA	B	802	-	65,73,73	1.25	8 (12%)	76,113,113	1.07	9 (11%)
22	CLA	A	829	1	65,73,73	1.25	6 (9%)	76,113,113	1.04	5 (6%)
22	CLA	P	213	12	41,49,73	1.64	7 (17%)	47,84,113	1.25	4 (8%)
22	CLA	Q	207	13	46,54,73	1.49	7 (15%)	53,90,113	1.32	8 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	T	206	20	42,50,73	1.92	7 (16%)	48,85,113	1.07	3 (6%)
22	CLA	A	810	1	54,62,73	1.39	6 (11%)	62,99,113	1.08	4 (6%)
22	CLA	S	207	15	46,54,73	1.59	7 (15%)	53,90,113	1.20	5 (9%)
22	CLA	A	821	35	65,73,73	1.30	7 (10%)	76,113,113	1.02	5 (6%)
22	CLA	S	217	15	65,73,73	1.25	8 (12%)	76,113,113	1.13	7 (9%)
31	DD6	S	214	-	39,45,45	1.55	7 (17%)	52,67,67	1.78	11 (21%)
22	CLA	A	825	1	65,73,73	1.28	7 (10%)	76,113,113	0.97	4 (5%)
32	LMG	Q	217	-	55,55,55	0.71	0	63,63,63	1.32	6 (9%)
27	CL0	A	849	1	65,73,73	1.53	8 (12%)	76,113,113	0.99	5 (6%)
22	CLA	A	856	-	46,54,73	1.46	7 (15%)	53,90,113	1.17	5 (9%)
22	CLA	B	801	2	65,73,73	1.32	7 (10%)	76,113,113	0.83	3 (3%)
22	CLA	A	822	35	65,73,73	1.19	5 (7%)	76,113,113	1.03	5 (6%)
22	CLA	H	209	18	41,49,73	1.59	6 (14%)	47,84,113	1.28	4 (8%)
31	DD6	U	212	-	39,45,45	1.59	6 (15%)	52,67,67	1.77	11 (21%)
22	CLA	B	842	2	65,73,73	1.29	7 (10%)	76,113,113	0.99	4 (5%)
22	CLA	U	211	16	52,60,73	1.45	7 (13%)	60,97,113	1.10	5 (8%)
25	BCR	L	201	-	41,41,41	1.08	2 (4%)	56,56,56	1.17	4 (7%)
22	CLA	B	805	2	65,73,73	1.27	7 (10%)	76,113,113	0.94	5 (6%)
25	BCR	R	102	-	40,40,41	1.15	2 (5%)	54,54,56	1.41	10 (18%)
22	CLA	G	204	17	43,51,73	1.53	8 (18%)	49,86,113	1.22	4 (8%)
22	CLA	G	207	17	60,68,73	1.25	6 (10%)	70,107,113	1.15	4 (5%)
22	CLA	G	209	17	56,64,73	1.29	6 (10%)	65,102,113	1.17	6 (9%)
22	CLA	U	208	16	46,54,73	1.51	7 (15%)	53,90,113	1.19	5 (9%)
31	DD6	G	213	-	39,45,45	1.56	8 (20%)	52,67,67	1.50	7 (13%)
32	LMG	J	102	-	39,39,55	0.88	1 (2%)	47,47,63	1.23	4 (8%)
22	CLA	B	810	2	55,63,73	1.31	6 (10%)	64,101,113	1.08	5 (7%)
22	CLA	A	813	1	50,58,73	1.52	6 (12%)	58,95,113	1.14	4 (6%)
22	CLA	B	845	2	65,73,73	1.26	7 (10%)	76,113,113	1.29	8 (10%)
22	CLA	S	216	35	65,73,73	1.21	7 (10%)	76,113,113	1.02	5 (6%)
22	CLA	G	202	-	41,49,73	1.56	7 (17%)	47,84,113	1.26	5 (10%)
22	CLA	A	812	1	45,53,73	1.53	7 (15%)	52,89,113	1.16	5 (9%)
22	CLA	G	203	17	45,53,73	1.60	7 (15%)	52,89,113	1.14	4 (7%)
22	CLA	B	825	2	50,58,73	1.50	7 (14%)	58,95,113	1.09	4 (6%)
22	CLA	O	205	11	65,73,73	1.32	7 (10%)	76,113,113	1.03	5 (6%)
22	CLA	A	832	1	51,59,73	1.44	7 (13%)	59,96,113	1.18	6 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CLA	A	805	1	49,57,73	1.49	7 (14%)	55,93,113	1.12	5 (9%)
23	PQN	B	835	-	34,34,34	0.40	0	42,45,45	0.41	0
22	CLA	P	207	12	65,73,73	1.22	7 (10%)	76,113,113	1.08	5 (6%)
22	CLA	B	808	2	65,73,73	1.27	7 (10%)	76,113,113	0.97	6 (7%)
26	LMU	O	216	-	36,36,36	1.22	2 (5%)	47,47,47	1.06	1 (2%)
22	CLA	A	814	35	45,53,73	1.53	8 (17%)	52,89,113	1.15	5 (9%)
31	DD6	T	212	-	39,45,45	1.65	7 (17%)	52,67,67	1.78	10 (19%)
22	CLA	H	205	18	44,52,73	1.55	7 (15%)	49,87,113	1.09	3 (6%)
22	CLA	K	205	19	55,63,73	1.36	8 (14%)	64,101,113	1.09	5 (7%)
34	A86	Q	214	-	44,50,50	1.59	6 (13%)	51,76,76	1.62	9 (17%)
22	CLA	B	820	35	64,72,73	1.22	6 (9%)	74,111,113	1.02	5 (6%)
26	LMU	L	206	-	36,36,36	1.18	2 (5%)	47,47,47	1.20	3 (6%)
22	CLA	K	203	19	45,53,73	1.80	7 (15%)	52,89,113	1.91	11 (21%)
22	CLA	G	208	-	55,63,73	1.36	7 (12%)	64,101,113	1.12	5 (7%)
31	DD6	Q	215	-	39,45,45	1.60	8 (20%)	52,67,67	1.58	10 (19%)
34	A86	R	103	-	40,46,50	1.68	7 (17%)	45,70,76	1.77	13 (28%)
22	CLA	A	802	1	55,63,73	1.34	8 (14%)	64,101,113	1.07	5 (7%)
25	BCR	k	104	-	41,41,41	1.05	2 (4%)	56,56,56	1.26	5 (8%)
22	CLA	H	213	-	65,73,73	1.24	6 (9%)	76,113,113	1.20	7 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CLA	B	834	35	1/1/15/20	0/37/115/115	-
22	CLA	B	843	2	1/1/15/20	3/37/115/115	-
22	CLA	B	826	2	1/1/11/20	2/18/96/115	-
26	LMU	P	221	-	-	6/11/51/61	0/2/2/2
22	CLA	K	204	19	-	0/10/88/115	-
22	CLA	L	203	9	-	0/37/115/115	-
22	CLA	B	816	35	1/1/15/20	7/37/115/115	-
22	CLA	T	207	20	-	5/37/115/115	-
28	SF4	C	102	3	-	-	0/6/5/5
22	CLA	T	202	20	1/1/10/20	2/8/86/115	-
24	LHG	P	201	-	-	38/53/53/53	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
29	DGD	B	841	-	-	19/49/89/95	0/2/2/2
22	CLA	U	204	35	1/1/14/20	9/33/111/115	-
22	CLA	A	834	1	-	8/37/115/115	-
24	LHG	A	839	-	-	17/52/52/53	-
22	CLA	A	826	1	-	2/37/115/115	-
22	CLA	B	824	2	-	3/37/115/115	-
25	BCR	A	842	-	-	10/29/63/63	0/2/2/2
31	DD6	H	212	-	-	10/26/80/80	0/3/3/3
22	CLA	A	845	35	1/1/15/20	9/37/115/115	-
22	CLA	Q	216	35	-	8/37/115/115	-
22	CLA	F	802	35	1/1/15/20	0/37/115/115	-
22	CLA	A	803	1	1/1/15/20	6/37/115/115	-
22	CLA	B	819	35	1/1/14/20	4/35/113/115	-
22	CLA	B	832	35	1/1/15/20	4/37/115/115	-
22	CLA	F	804	6	1/1/11/20	5/15/93/115	-
25	BCR	B	837	-	-	7/29/63/63	0/2/2/2
22	CLA	Q	208	13	1/1/12/20	1/19/97/115	-
22	CLA	A	809	1	1/1/14/20	3/34/112/115	-
22	CLA	H	207	18	-	13/37/115/115	-
22	CLA	A	835	1	1/1/15/20	1/37/115/115	-
33	KC1	O	210	11	-	0/15/71/71	-
31	DD6	G	211	-	-	8/26/80/80	0/3/3/3
22	CLA	B	812	2	-	2/30/108/115	-
22	CLA	G	201	17	-	3/13/91/115	-
22	CLA	U	205	16	-	4/37/115/115	-
22	CLA	A	808	1	-	2/27/105/115	-
22	CLA	P	209	-	1/1/12/20	3/22/100/115	-
24	LHG	G	216	-	-	14/31/31/53	-
31	DD6	G	214	-	-	10/26/80/80	0/3/3/3
22	CLA	A	853	1	1/1/15/20	9/37/115/115	-
22	CLA	L	202	9	-	6/18/96/115	-
31	DD6	O	201	-	-	6/26/80/80	0/3/3/3
22	CLA	A	817	1	1/1/11/20	1/13/91/115	-
31	DD6	S	205	-	-	11/26/80/80	0/3/3/3
22	CLA	H	206	18	1/1/11/20	2/13/91/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	DD6	T	213	-	-	12/26/80/80	0/3/3/3
22	CLA	B	807	2	1/1/15/20	5/37/115/115	-
28	SF4	C	101	3	-	-	0/6/5/5
22	CLA	A	855	-	1/1/9/20	1/8/82/115	-
32	LMG	U	201	-	-	13/27/47/70	0/1/1/1
22	CLA	A	801	-	-	6/37/115/115	-
26	LMU	A	857	-	-	12/21/61/61	0/2/2/2
31	DD6	G	212	-	-	6/26/80/80	0/3/3/3
34	A86	P	204	-	-	9/34/90/90	0/3/3/3
34	A86	R	105	-	-	11/34/90/90	0/3/3/3
22	CLA	G	210	17	1/1/11/20	4/13/91/115	-
34	A86	Q	201	-	-	14/34/90/90	0/3/3/3
22	CLA	A	831	1	1/1/11/20	4/13/91/115	-
22	CLA	O	209	11	-	9/37/115/115	-
31	DD6	O	212	-	-	10/26/80/80	0/3/3/3
22	CLA	A	850	35	1/1/15/20	2/37/115/115	-
22	CLA	O	202	11	-	0/11/89/115	-
26	LMU	M	102	-	-	9/21/61/61	0/2/2/2
22	CLA	Q	212	13	-	8/37/115/115	-
31	DD6	O	215	-	-	15/26/80/80	0/3/3/3
25	BCR	I	101	-	-	5/29/63/63	0/2/2/2
31	DD6	U	203	-	-	12/26/80/80	0/3/3/3
22	CLA	A	854	1	1/1/15/20	7/37/115/115	-
22	CLA	O	208	11	1/1/14/20	2/31/109/115	-
33	KC1	S	210	15	-	1/15/71/71	-
32	LMG	P	217	-	-	12/19/39/70	0/1/1/1
31	DD6	P	220	-	-	11/26/80/80	0/3/3/3
22	CLA	B	827	2	-	2/29/107/115	-
28	SF4	A	852	2,1	-	-	0/6/5/5
22	CLA	B	804	2	1/1/15/20	8/37/115/115	-
22	CLA	R	101	35	1/1/11/20	0/13/91/115	-
31	DD6	S	204	-	-	7/26/80/80	0/3/3/3
22	CLA	B	803	2	1/1/11/20	3/13/91/115	-
22	CLA	A	846	1	-	4/31/109/115	-
31	DD6	U	214	-	-	8/14/37/80	0/1/1/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CLA	B	817	2	-	2/15/93/115	-
24	LHG	A	840	22	-	13/31/31/53	-
22	CLA	B	830	2	1/1/15/20	1/37/115/115	-
22	CLA	T	210	20	-	4/15/93/115	-
25	BCR	L	205	-	-	8/29/63/63	0/2/2/2
22	CLA	U	206	16	1/1/11/20	2/13/91/115	-
22	CLA	S	202	35	1/1/15/20	5/37/115/115	-
22	CLA	O	207	11	1/1/11/20	5/15/93/115	-
22	CLA	B	829	2	1/1/13/20	3/29/107/115	-
22	CLA	T	204	-	1/1/13/20	13/28/106/115	-
22	CLA	K	206	19	1/1/11/20	4/13/91/115	-
22	CLA	O	206	35	1/1/15/20	6/37/115/115	-
22	CLA	K	207	19	-	9/29/107/115	-
22	CLA	J	103	8	1/1/10/20	4/10/88/115	-
22	CLA	B	823	2	-	2/37/115/115	-
25	BCR	F	801	-	-	6/29/63/63	0/2/2/2
22	CLA	L	204	35	1/1/12/20	6/19/97/115	-
22	CLA	Q	203	13	-	2/17/95/115	-
22	CLA	T	211	-	1/1/11/20	3/16/94/115	-
22	CLA	T	201	-	1/1/10/20	0/10/88/115	-
22	CLA	U	210	16	-	2/37/115/115	-
25	BCR	A	841	-	-	7/29/63/63	0/2/2/2
26	LMU	F	806	-	-	16/21/61/61	0/2/2/2
22	CLA	A	811	1	1/1/15/20	3/37/115/115	-
22	CLA	P	216	12	1/1/11/20	0/16/94/115	-
22	CLA	A	851	1	-	6/37/115/115	-
33	KC1	P	212	12	-	4/12/68/71	-
33	KC1	T	208	20	-	1/15/71/71	-
32	LMG	S	213	-	-	24/44/64/70	0/1/1/1
25	BCR	F	805	-	-	8/29/63/63	0/2/2/2
31	DD6	k	101	-	-	9/26/80/80	0/3/3/3
22	CLA	A	823	1	1/1/15/20	3/37/115/115	-
22	CLA	P	210	35	-	4/16/94/115	-
25	BCR	B	839	-	-	4/29/63/63	0/2/2/2
33	KC1	S	212	15	-	5/15/71/71	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CLA	A	824	1	1/1/14/20	5/34/112/115	-
22	CLA	B	806	2	-	3/37/115/115	-
22	CLA	B	813	2	-	3/25/103/115	-
25	BCR	B	838	-	-	5/29/63/63	0/2/2/2
22	CLA	O	204	11	-	3/37/115/115	-
22	CLA	A	819	1	-	1/11/89/115	-
22	CLA	k	103	35	1/1/13/20	4/25/103/115	-
22	CLA	A	827	1	-	2/19/97/115	-
22	CLA	G	205	17	-	10/33/111/115	-
22	CLA	O	211	11	-	0/8/86/115	-
31	DD6	H	211	-	-	13/26/80/80	0/3/3/3
22	CLA	A	816	1	1/1/15/20	2/37/115/115	-
26	LMU	A	847	-	-	10/21/61/61	0/2/2/2
31	DD6	Q	202	-	-	5/26/80/80	0/3/3/3
26	LMU	S	203	-	-	10/17/57/61	0/2/2/2
26	LMU	F	807	-	-	7/21/61/61	0/2/2/2
31	DD6	P	218	-	-	10/26/80/80	0/3/3/3
31	DD6	K	208	-	-	10/26/80/80	0/3/3/3
30	SQD	S	201	-	-	21/41/61/69	0/1/1/1
22	CLA	H	210	18	-	4/13/91/115	-
33	KC1	P	203	-	-	0/15/71/71	-
22	CLA	Q	204	-	1/1/14/20	8/33/111/115	-
22	CLA	P	214	12	1/1/11/20	4/13/91/115	-
22	CLA	U	207	35	1/1/15/20	4/37/115/115	-
22	CLA	A	818	35	1/1/15/20	3/37/115/115	-
22	CLA	B	847	2	1/1/12/20	5/19/97/115	-
22	CLA	B	814	2	-	7/30/108/115	-
22	CLA	B	818	2	-	4/23/101/115	-
22	CLA	B	811	2	1/1/12/20	3/24/102/115	-
25	BCR	A	844	-	-	8/29/63/63	0/2/2/2
22	CLA	Q	211	13	1/1/10/20	2/8/86/115	-
31	DD6	S	211	-	-	13/26/80/80	0/3/3/3
22	CLA	H	204	18	1/1/14/20	4/33/111/115	-
31	DD6	O	214	-	-	8/26/80/80	0/3/3/3
22	CLA	S	209	15	-	3/22/100/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CLA	B	815	2	1/1/14/20	2/31/109/115	-
22	CLA	A	833	1	1/1/15/20	2/37/115/115	-
22	CLA	A	848	1	-	6/37/115/115	-
33	KC1	Q	210	13	-	2/15/71/71	-
22	CLA	A	806	1	1/1/15/20	8/37/115/115	-
22	CLA	Q	205	13	1/1/14/20	6/31/109/115	-
22	CLA	P	208	12	1/1/13/20	6/27/105/115	-
22	CLA	T	205	-	1/1/11/20	2/15/93/115	-
22	CLA	B	828	35	1/1/15/20	1/37/115/115	-
22	CLA	A	807	1	-	3/37/115/115	-
22	CLA	R	104	14	-	7/37/115/115	-
25	BCR	B	836	-	-	8/29/63/63	0/2/2/2
25	BCR	B	840	-	-	8/29/63/63	0/2/2/2
26	LMU	K	202	-	-	4/10/50/61	0/2/2/2
33	KC1	U	213	16	-	1/15/71/71	-
25	BCR	J	104	-	-	8/29/63/63	0/2/2/2
22	CLA	B	821	2	1/1/15/20	0/37/115/115	-
31	DD6	S	215	-	-	14/26/80/80	0/3/3/3
22	CLA	B	809	2	-	2/25/101/115	-
22	CLA	U	209	16	-	2/10/88/115	-
25	BCR	M	101	-	-	8/29/63/63	0/2/2/2
25	BCR	I	102	-	-	10/29/63/63	0/2/2/2
34	A86	U	202	-	-	18/34/90/90	0/3/3/3
22	CLA	T	209	20	-	2/8/86/115	-
22	CLA	Q	209	13	-	9/37/115/115	-
31	DD6	O	213	-	-	11/26/80/80	0/3/3/3
32	LMG	P	202	-	-	12/29/49/70	0/1/1/1
22	CLA	S	208	15	1/1/11/20	0/13/91/115	-
22	CLA	H	202	-	1/1/9/20	0/8/82/115	-
22	CLA	A	838	24	1/1/12/20	2/22/100/115	-
22	CLA	H	203	18	1/1/14/20	9/31/109/115	-
22	CLA	T	203	20	1/1/11/20	6/15/93/115	-
22	CLA	Q	213	35	1/1/13/20	7/28/106/115	-
31	DD6	H	201	-	-	11/26/80/80	0/3/3/3
22	CLA	G	206	17	1/1/15/20	16/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CLA	B	833	2	-	4/37/115/115	-
22	CLA	O	203	-	-	2/13/91/115	-
31	DD6	P	215	-	-	12/26/80/80	0/3/3/3
22	CLA	P	211	12	-	2/19/97/115	-
22	CLA	F	803	35	1/1/11/20	3/17/95/115	-
22	CLA	A	830	1	-	1/19/97/115	-
26	LMU	K	201	-	-	10/21/61/61	0/2/2/2
31	DD6	P	205	-	-	5/26/80/80	0/3/3/3
34	A86	Q	218	-	-	13/34/90/90	0/3/3/3
22	CLA	H	208	-	1/1/13/20	6/29/107/115	-
22	CLA	A	820	1	1/1/12/20	4/21/99/115	-
33	KC1	P	206	12	-	2/15/71/71	-
22	CLA	B	831	2	1/1/11/20	0/16/94/115	-
30	SQD	B	846	-	-	18/45/65/69	0/1/1/1
31	DD6	J	101	-	-	5/26/80/80	0/3/3/3
22	CLA	G	215	17	1/1/11/20	5/13/91/115	-
22	CLA	A	804	1	1/1/15/20	12/37/115/115	-
22	CLA	S	206	15	1/1/11/20	0/15/93/115	-
22	CLA	k	102	21	1/1/10/20	1/10/88/115	-
22	CLA	B	844	2	1/1/15/20	3/37/115/115	-
22	CLA	A	836	35	1/1/15/20	6/37/115/115	-
23	PQN	A	837	-	-	3/23/43/43	0/2/2/2
22	CLA	A	828	1	1/1/15/20	3/37/115/115	-
22	CLA	A	815	1	1/1/15/20	7/37/115/115	-
22	CLA	B	822	2	1/1/15/20	5/37/115/115	-
22	CLA	Q	206	13	1/1/12/20	4/20/98/115	-
25	BCR	A	843	-	-	4/29/63/63	0/2/2/2
33	KC1	P	219	12	-	3/15/71/71	-
22	CLA	B	802	-	1/1/15/20	5/37/115/115	-
22	CLA	A	829	1	1/1/15/20	3/37/115/115	-
22	CLA	P	213	12	1/1/10/20	2/8/86/115	-
22	CLA	Q	207	13	1/1/11/20	7/15/93/115	-
22	CLA	T	206	20	-	1/10/88/115	-
22	CLA	A	810	1	1/1/12/20	2/24/102/115	-
22	CLA	S	207	15	1/1/11/20	2/15/93/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CLA	A	821	35	1/1/15/20	9/37/115/115	-
22	CLA	S	217	15	1/1/15/20	2/37/115/115	-
31	DD6	S	214	-	-	16/26/80/80	0/3/3/3
22	CLA	A	825	1	1/1/15/20	5/37/115/115	-
32	LMG	Q	217	-	-	24/50/70/70	0/1/1/1
27	CL0	A	849	1	-	5/37/135/135	-
22	CLA	A	856	-	1/1/11/20	3/15/93/115	-
22	CLA	B	801	2	1/1/15/20	5/37/115/115	-
22	CLA	A	822	35	1/1/15/20	5/37/115/115	-
22	CLA	H	209	18	1/1/10/20	3/8/86/115	-
31	DD6	U	212	-	-	14/26/80/80	0/3/3/3
22	CLA	B	842	2	1/1/15/20	4/37/115/115	-
22	CLA	U	211	16	1/1/12/20	6/22/100/115	-
25	BCR	L	201	-	-	10/29/63/63	0/2/2/2
22	CLA	B	805	2	1/1/15/20	5/37/115/115	-
25	BCR	R	102	-	-	10/27/61/63	0/2/2/2
22	CLA	G	204	17	-	2/11/89/115	-
22	CLA	G	209	17	1/1/13/20	6/27/105/115	-
22	CLA	G	207	17	-	7/31/109/115	-
22	CLA	U	208	16	1/1/11/20	4/15/93/115	-
31	DD6	G	213	-	-	11/26/80/80	0/3/3/3
32	LMG	J	102	-	-	26/34/54/70	0/1/1/1
22	CLA	G	202	-	1/1/10/20	0/8/86/115	-
22	CLA	B	845	2	1/1/15/20	8/37/115/115	-
22	CLA	S	216	35	1/1/15/20	1/37/115/115	-
22	CLA	A	813	1	-	1/19/97/115	-
22	CLA	G	203	17	1/1/11/20	6/13/91/115	-
22	CLA	A	812	1	1/1/11/20	1/13/91/115	-
22	CLA	B	810	2	-	0/25/103/115	-
22	CLA	B	825	2	-	1/19/97/115	-
22	CLA	O	205	11	1/1/15/20	8/37/115/115	-
22	CLA	A	832	1	1/1/12/20	1/21/99/115	-
22	CLA	A	805	1	1/1/11/20	2/18/96/115	-
23	PQN	B	835	-	-	1/23/43/43	0/2/2/2
22	CLA	P	207	12	1/1/15/20	8/37/115/115	-
22	CLA	B	808	2	1/1/15/20	6/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	LMU	O	216	-	-	14/21/61/61	0/2/2/2
22	CLA	A	814	35	-	5/13/91/115	-
31	DD6	T	212	-	-	9/26/80/80	0/3/3/3
22	CLA	H	205	18	1/1/10/20	3/11/90/115	-
22	CLA	K	205	19	1/1/13/20	4/25/103/115	-
34	A86	Q	214	-	-	11/34/90/90	0/3/3/3
22	CLA	B	820	35	1/1/14/20	2/36/114/115	-
26	LMU	L	206	-	-	7/21/61/61	0/2/2/2
22	CLA	K	203	19	1/1/11/20	2/13/91/115	-
22	CLA	G	208	-	1/1/13/20	4/25/103/115	-
31	DD6	Q	215	-	-	9/26/80/80	0/3/3/3
34	A86	R	103	-	-	8/30/84/90	0/3/3/3
22	CLA	A	802	1	1/1/13/20	2/25/103/115	-
25	BCR	k	104	-	-	8/29/63/63	0/2/2/2
22	CLA	H	213	-	1/1/15/20	13/37/115/115	-

The worst 5 of 1677 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	R	103	A86	C13-C11	-6.66	1.36	1.49
34	R	105	A86	C13-C11	-6.57	1.36	1.49
34	Q	218	A86	C13-C11	-6.52	1.37	1.49
22	K	203	CLA	MG-NA	6.36	2.21	2.06
34	Q	214	A86	C13-C11	-6.35	1.37	1.49

The worst 5 of 1474 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	T	213	DD6	C10-C9-C8	6.24	142.68	123.22
22	Q	208	CLA	C1-O2A-CGA	6.05	132.31	116.44
22	K	203	CLA	CAA-C2A-C3A	-5.98	96.40	112.78
31	H	201	DD6	C28-C27-C29	5.69	128.11	116.84
22	H	207	CLA	O2A-C1-C2	5.48	123.04	108.64

5 of 119 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
22	A	802	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
22	A	803	CLA	ND
22	A	804	CLA	ND
22	A	805	CLA	ND
22	A	806	CLA	ND

5 of 1618 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
22	A	804	CLA	C1A-C2A-CAA-CBA
22	A	804	CLA	C3A-C2A-CAA-CBA
22	A	806	CLA	CBA-CGA-O2A-C1
22	A	806	CLA	O1A-CGA-O2A-C1
22	A	806	CLA	CHA-CBD-CGD-O2D

There are no ring outliers.

190 monomers are involved in 325 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	B	834	CLA	7	0
22	B	826	CLA	5	0
22	K	204	CLA	2	0
22	L	203	CLA	1	0
22	B	816	CLA	3	0
22	T	207	CLA	2	0
28	C	102	SF4	1	0
24	P	201	LHG	4	0
29	B	841	DGD	9	0
22	U	204	CLA	1	0
24	A	839	LHG	2	0
22	A	826	CLA	3	0
22	B	824	CLA	3	0
25	A	842	BCR	1	0
22	A	845	CLA	3	0
22	Q	216	CLA	1	0
22	F	802	CLA	2	0
22	A	803	CLA	2	0
22	B	819	CLA	2	0
22	B	832	CLA	2	0
22	F	804	CLA	2	0
25	B	837	BCR	4	0
22	Q	208	CLA	2	0
22	H	207	CLA	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	A	835	CLA	4	0
31	G	211	DD6	1	0
22	B	812	CLA	2	0
22	G	201	CLA	1	0
22	U	205	CLA	2	0
22	A	808	CLA	2	0
24	G	216	LHG	1	0
31	G	214	DD6	2	0
22	A	853	CLA	3	0
22	L	202	CLA	2	0
22	A	817	CLA	2	0
22	H	206	CLA	1	0
22	B	807	CLA	2	0
22	A	855	CLA	1	0
32	U	201	LMG	1	0
22	A	801	CLA	4	0
22	A	831	CLA	3	0
22	O	209	CLA	4	0
31	O	212	DD6	2	0
22	A	850	CLA	2	0
22	O	202	CLA	2	0
26	M	102	LMU	1	0
22	Q	212	CLA	1	0
25	I	101	BCR	3	0
22	A	854	CLA	3	0
22	O	208	CLA	1	0
32	P	217	LMG	3	0
22	B	827	CLA	1	0
22	B	804	CLA	2	0
22	R	101	CLA	1	0
22	B	803	CLA	1	0
22	A	846	CLA	2	0
22	B	817	CLA	2	0
24	A	840	LHG	1	0
22	B	830	CLA	4	0
22	T	210	CLA	7	0
25	L	205	BCR	1	0
22	U	206	CLA	1	0
22	S	202	CLA	2	0
22	O	207	CLA	1	0
22	B	829	CLA	2	0
22	T	204	CLA	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	K	206	CLA	1	0
22	K	207	CLA	3	0
22	J	103	CLA	1	0
22	B	823	CLA	3	0
25	F	801	BCR	1	0
22	L	204	CLA	1	0
22	Q	203	CLA	1	0
22	T	211	CLA	1	0
22	U	210	CLA	3	0
22	T	201	CLA	1	0
25	A	841	BCR	1	0
26	F	806	LMU	1	0
22	A	811	CLA	2	0
22	A	851	CLA	2	0
33	T	208	KC1	1	0
32	S	213	LMG	2	0
25	F	805	BCR	3	0
22	A	823	CLA	1	0
22	P	210	CLA	2	0
25	B	839	BCR	4	0
22	A	824	CLA	4	0
22	B	806	CLA	4	0
25	B	838	BCR	2	0
22	k	103	CLA	2	0
22	G	205	CLA	4	0
22	A	816	CLA	6	0
26	A	847	LMU	1	0
26	S	203	LMU	1	0
30	S	201	SQD	1	0
22	H	210	CLA	1	0
22	Q	204	CLA	2	0
22	P	214	CLA	1	0
22	U	207	CLA	2	0
22	B	814	CLA	3	0
22	B	818	CLA	4	0
22	B	847	CLA	3	0
25	A	844	BCR	1	0
22	S	209	CLA	1	0
22	B	815	CLA	2	0
22	A	833	CLA	2	0
22	A	848	CLA	3	0
22	P	208	CLA	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	R	104	CLA	4	0
22	B	828	CLA	4	0
22	A	807	CLA	2	0
22	T	205	CLA	1	0
25	B	836	BCR	2	0
25	B	840	BCR	2	0
25	J	104	BCR	1	0
22	B	821	CLA	2	0
22	B	809	CLA	2	0
22	U	209	CLA	2	0
25	M	101	BCR	1	0
25	I	102	BCR	2	0
22	T	209	CLA	1	0
32	P	202	LMG	1	0
22	S	208	CLA	2	0
22	H	202	CLA	1	0
22	A	838	CLA	1	0
22	H	203	CLA	1	0
22	Q	213	CLA	1	0
22	B	833	CLA	2	0
22	O	203	CLA	1	0
22	G	206	CLA	5	0
22	P	211	CLA	1	0
26	K	201	LMU	2	0
22	A	820	CLA	1	0
22	B	831	CLA	1	0
30	B	846	SQD	1	0
22	G	215	CLA	1	0
22	S	206	CLA	3	0
22	k	102	CLA	2	0
22	B	844	CLA	2	0
22	A	836	CLA	4	0
23	A	837	PQN	2	0
22	A	828	CLA	1	0
22	A	815	CLA	1	0
22	B	822	CLA	1	0
25	A	843	BCR	2	0
22	B	802	CLA	4	0
22	A	829	CLA	1	0
22	P	213	CLA	1	0
22	T	206	CLA	2	0
22	A	810	CLA	3	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	S	217	CLA	2	0
22	A	825	CLA	2	0
32	Q	217	LMG	3	0
27	A	849	CL0	3	0
22	B	801	CLA	2	0
22	A	822	CLA	1	0
22	H	209	CLA	1	0
31	U	212	DD6	1	0
22	B	842	CLA	2	0
22	U	211	CLA	4	0
25	L	201	BCR	1	0
22	B	805	CLA	3	0
25	R	102	BCR	3	0
22	G	204	CLA	1	0
22	G	207	CLA	1	0
22	G	209	CLA	6	0
22	U	208	CLA	2	0
32	J	102	LMG	3	0
22	B	810	CLA	1	0
22	A	813	CLA	1	0
22	B	845	CLA	6	0
22	S	216	CLA	3	0
22	G	202	CLA	1	0
22	G	203	CLA	1	0
22	O	205	CLA	4	0
22	A	805	CLA	1	0
23	B	835	PQN	1	0
22	P	207	CLA	2	0
22	B	808	CLA	1	0
22	A	814	CLA	2	0
22	H	205	CLA	1	0
22	K	205	CLA	1	0
22	B	820	CLA	3	0
26	L	206	LMU	2	0
22	K	203	CLA	1	0
22	G	208	CLA	1	0
34	R	103	A86	1	0
22	A	802	CLA	1	0
25	k	104	BCR	2	0
22	H	213	CLA	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























































































































































































































































































































































































































































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-64153. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 316




Y Index: 290




Z Index: 288

6.3.2 Raw map



X Index: 285



Y Index: 289




Z Index: 288

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




X

Y

Z

6.4.2 Raw map



X


Y

Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.065. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_64153_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 416 nm^3 ; this corresponds to an approximate mass of 375 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.575 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.575 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	1.74	-	-
Author-provided FSC curve	1.74	1.97	1.77
Unmasked-calculated*	2.71	3.60	2.82

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.71 differs from the reported value 1.74 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-64153 and PDB model 9UH3. Per-residue inclusion information can be found in section 3 on page 31.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.065 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.065).

9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.065) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9140	 0.7220
A	 0.9690	 0.7790
B	 0.9840	 0.8090
C	 0.9980	 0.8330
D	 0.9700	 0.7820
E	 0.9520	 0.7730
F	 0.9550	 0.7550
G	 0.7920	 0.5830
H	 0.6390	 0.5150
I	 0.9860	 0.8110
J	 0.9650	 0.7480
K	 0.4900	 0.4410
L	 0.9560	 0.7740
M	 0.9790	 0.7990
O	 0.9340	 0.7160
P	 0.8940	 0.6600
Q	 0.8910	 0.6650
R	 0.9550	 0.7440
S	 0.9440	 0.7330
T	 0.7520	 0.5480
U	 0.8730	 0.6620
k	 0.8200	 0.6270

